
HA
201
1880
B1++
v.11

FEB 5 1912


CORNELL UNIVERSITY LIBRARY
3 1924 070 682 640


DO NOT CIRCULATE
GAYLORD
PRINTED IN U.S.A.



The original of this book is in
the Cornell University Library.

There are no known copyright restrictions in
the United States on the use of the text.

http://www.archive.org/details/cu31924070682640

DEPARTMENT OF THE INTERIOR,

CENSUS OFFICE.

FRANCIS A. WALKER, Superintendent,
Appointed April 1, 1879; resigned November 3, 1881.

CHAS. W. SEATON, Superintendent,
Appointed November 4, 1881. Office of Superintendent abolished March 3, 1885.

REPORT

ON THE

MORTALITY AND VITAL STATISTICS

OF THE

UNITED STATES

AS RETURNED AT THE TENTH CENSUS (JUNE 1, 1880),

BY

JOHN S. BILLINGS,
SURGEON U. S ARMY.

PART I.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1885.

A. 25381



LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR,
OFFICE OF THE SECRETARY,
Washington, D. C., May 1, 1885.

Hon. L. Q. C. LAMAR,
Secretary of the Interior.

SIR: I have the honor to transmit herewith the eleventh and twelfth volumes of the quarto series comprising the final report on the Tenth Census, being the report on Mortality and Vital Statistics, by John S. Billings, LL. D., Surgeon U. S. Army, with accompanying tables.

Too much cannot be said in recognition of the great advantage which the census work has derived from the services of Doctor Billings. While, within his own corps, he has been building a monument to his learning and industry in the preparation of the colossal Index-Catalogue of Medical Literature, he has projected the entire scheme of compilation for the Mortuary Statistics of the Census, has supervised the work in all stages of its progress, and has subjected the results of these vast tabulations to a discriminating analysis and discussion.

I have the honor to be, very respectfully, your obedient servant,

JAMES H. WARDLE,
Chief of Census Division.

PART I.

MORTALITY AND VITAL STATISTICS.

INTRODUCTION: SECTIONS I TO VI.
TABLES: I TO XII.
FIGURES: 1 TO 18.
PLATES: I AND II.

TABLE OF CONTENTS.

	Page.
LETTER OF TRANSMITTAL	ix
INTRODUCTION	xi–xlvii
SECTION I.—INTRODUCTORY AND EXPLANATORY REMARKS	xi–xviii
II.—GENERAL DEATH RATE	xviii–xxiii
III.—SEX IN RELATION TO DEATHS	xxiii, xxiv
IV.—RELATIONS OF AGE TO DEATHS	xxiv–xxxiii
V.—RELATIONS OF COLOR AND RACE TO DEATHS	xxxiii–xxxix
VI.—RELATION OF MONTH OR SEASON TO DEATHS	lx–xlvii
APPENDIX: LISTS OF COUNTIES FORMING THE SEVERAL STATE GROUPS	xlix–lxiii
TABLE I.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX, AND THE RATE OF DEATH PER 1000 OF POPULATION AT THE CENSUSES OF 1880, 1870, AND 1860	1–3
II.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX AND RACE, AND STATEMENT OF RATE OF DEATH PER 1000 OF POPULATION, DURING THE CENSUS YEAR ENDING MAY 31, 1880	5–7
III.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF AGE AND SEX, FOR THE CENSUS YEAR ENDING MAY 31, 1880	9–13
IV.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF RACE, AGE, AND SEX, FOR THE CENSUS YEAR ENDING MAY 31, 1880	15–29
V.—DEATHS, BY STATE AND GRAND GROUPS, WITH DISTINCTION OF RACE, FOR THE CENSUS YEAR ENDING MAY 31, 1880.	31–35
VI.—STATEMENT OF THE RATE OF DEATH PER 1000 OF POPULATION, BY STATE AND GRAND GROUPS, FOR THE CENSUS YEAR ENDING MAY 31, 1880	37–41
VII.—DEATHS FOR THE UNITED STATES, AND FOR EACH STATE GROUP (EXCLUSIVE OF CERTAIN CITIES), FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE CENSUS YEAR ENDING MAY 31, 1880	43–497
The United States	44–53
Alabama, Groups 1, 2, and 3	54–65
Arizona (one group)	66–69
Arkansas, Groups 1 and 2	70–77
California, Groups 1 and 2 (exclusive of San Francisco and Oakland)	78–85
Colorado, Groups 1 (exclusive of Denver) and 2	86–93
Connecticut, Groups 1 (exclusive of New Haven) and 2 (exclusive of Hartford)	94–101
Dakota, Groups 1, 2, and 3	102–113
Delaware (one group), exclusive of Wilmington	114–117
District of Columbia (one group), exclusive of Washington	118–121
Florida (one group)	122–125
Georgia, Groups 1, 2, and 3	126–137
Idaho (one group)	138–141
Illinois, Groups 1 (exclusive of Chicago), 2, and 3	142–153
Indiana, Groups 1, 2, and 3 (exclusive of Indianapolis)	154–165
Iowa, Groups 1, 2, and 3	166–177
Kansas, Groups 1 and 2	178–185
Kentucky, Groups 1, 2 (exclusive of Louisville), 3, and 4	186–201
Louisiana, Groups 1 (exclusive of New Orleans), 2, and 3	202–213
Maine, Groups 1 and 2	214–221
Maryland, Groups 1 (exclusive of Baltimore) and 2	222–229
Massachusetts, Groups 1 (exclusive of Boston, Cambridge, Fall River, Lawrence, Lowell, and Lynn) and 2 (exclusive of Worcester)	230–237
Michigan, Groups 1 (exclusive of Detroit) and 2	238–245
Minnesota, Groups 1 (exclusive of Minneapolis and Saint Paul), 2, and 3	246–257
Mississippi, Groups 1, 2, and 3	258–269
Missouri, Groups 1 (exclusive of Saint Louis), 2, 3, and 4 (exclusive of Kansas City)	270–285
Montana, Groups 1 and 2	286–293
Nebraska, Groups 1, 2, and 3	294–305
Nevada (one group)	306–309

Page.

TABLE VII.—DEATHS FOR THE UNITED STATES, AND FOR EACH STATE GROUP (EXCLUSIVE OF CERTAIN CITIES), FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE CENSUS YEAR ENDING MAY 31, 1880—Continued.

New Hampshire, Groups 1 and 2 310–317
New Jersey, Groups 1 (exclusive of Camden, Jersey City, and Newark) and 2 (exclusive of Paterson) 318–325
New Mexico, Groups 1 and 2 326–333
New York, Groups 1 (exclusive of Brooklyn and New York), 2, 3, 4 (exclusive of Buffalo and Rochester), and 5 (exclusive of Albany, Syracuse, and Troy) 334–353
North Carolina, Groups 1, 2, and 3 354–365
Ohio, Groups 1 (exclusive of Cleveland and Toledo), 2 (exclusive of Cincinnati and Dayton), and 3 (exclusive of Columbus) 366–377
Oregon, Groups 1 and 2 378–385
Pennsylvania, Groups 1 (exclusive of Scranton) and 2 (exclusive of Allegheny City, Philadelphia, Pittsburgh, and Reading) 386–393
Rhode Island (one group), exclusive of Providence 394–397
South Carolina, Groups 1 (exclusive of Charleston), 2, and 3 398–409
Tennessee, Groups 1, 2, 3, and 4 (exclusive of Nashville) 410–425
Texas, Groups 1, 2, and 3 426–437
Utah (one group) 438–441
Vermont (one group) 442–445
Virginia, Groups 1, 2 (exclusive of Richmond), and 3 446–457
Washington, Groups 1 and 2 458–465
West Virginia, Groups 1 and 2 466–473
Wisconsin, Groups 1 (exclusive of Milwaukee), 2, 3, and 4 474–489
Wyoming, Groups 1 and 2 490–497

VIII.—DEATHS IN 50 PRINCIPAL CITIES (BY GRAND GROUPS), WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880 499–556

IX.—DEATHS IN THE CHINESE POPULATION OF THE UNITED STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880 557–562

X.—DEATHS IN THE INDIAN POPULATION OF THE UNITED STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880 563–568

XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE AND SEX, WITH DISTINCTION OF RACE AND SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880 569–650

XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE AND SEX, WITH DISTINCTION OF IRISH AND GERMAN PARENTAGE, AND SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880 651–764

INDEX 765–767

LIST OF ILLUSTRATIONS.

PLATE I.—DIAGRAM SHOWING FOR THE UNITED STATES AND FOR GRAND GROUPS THE PROPORTION OF DEATHS UNDER 1 MONTH, UNDER 3 MONTHS, AND UNDER 1 YEAR OF AGE, TO 1000 BIRTHS.

PLATE II.—DIAGRAM SHOWING FOR SPECIFIED GRAND GROUPS, WITH DISTINCTION OF RURAL AND CITIES, AND OF SEX, AND IN CERTAIN GRAND GROUPS OF COLOR, THE PROPORTION OF DEATHS UNDER 1 MONTH, UNDER 3 MONTHS, AND UNDER 1 YEAR OF AGE, TO 1000 TOTAL BIRTHS

In pocket at end of volume.

LETTER OF TRANSMITTAL.

WASHINGTON, D. C., *January* 6, 1885.

To the Superintendent of Census.

DEAR SIR: I have the honor to transmit herewith some comments upon the tables of vital statistics of the Tenth Census, which tables have been compiled in accordance with suggestions and advice which I have from time to time furnished during the course of the work.

These comments may be classified as follows:

I. Introductory and explanatory remarks.
II. General death rate.
III. Relations of sex to deaths.
IV. Relations of age to deaths.
V. Relations of color and race to deaths.
VI. Relations of month or season to deaths.
VII. Relations of locality or topography to causes of death.
VIII. Remarks on certain special causes of death.
IX. Morbility rates as indicated by the census.
X. Birth rates and life tables.
XI. Statistics of the living population.
XII. Recommendations for future work, and conclusion.

The greater part of the tables relating to deaths were prepared under the immediate superintendence of Mr. William A. King, to whom great credit is due for the energy and zeal which he displayed in the work, and for making them as accurate and complete as the data would permit. After the transfer of Mr. King to another office, the work was completed under the direction of Mr. C. S. Mixter, to whom, and to Mr. C. J. Myers, of the Surgeon-General's office, I am indebted for valuable aid in the making of computations, diagrams, etc. I am also indebted to Mr. Herman Hollerith for valuable assistance in the compilation of the life tables and diagrams illustrating them.

Very respectfully, your obedient servant,

JOHN S. BILLINGS,
Surgeon, U. S. Army.

SECTION I.—INTRODUCTORY AND EXPLANATORY REMARKS.

The fact that it is impossible, in any large community, to collect complete and reliable data with regard to births and deaths by means of an inquiry made only at the end of the year for which the data are desired, is well known to all who are practically familiar with the subject of vital statistics; and the experience of the United States census furnishes no exception to this rule. The results of each of the four censuses in which an attempt has been made to ascertain the number of persons who died in the United States during the preceding year, have shown that the enumerators did not obtain and record more than from 60 to 70 per cent. of the actual number of deaths; and the introductory remark to the statistics of mortality of the Ninth Census still holds good, viz: that "if the value of the statistics of mortality in a census of the United States, taken under existing laws, depended upon the return of substantially the whole body of deaths occurring during the year covered by the enumeration, the results would not be worth the space occupied by publication, much less the expense of collection and compilation". But, as the United States has no system of registration of vital statistics, such as is relied upon by all other civilized nations, for the purpose of ascertaining the actual movement of population, our census affords the only opportunity of obtaining even an approximate estimate of the birth and death rates of much the larger part of the country, which is entirely unprovided with any satisfactory system of state and municipal registration; and the data which the census gives, imperfect as they are, are the only ones by which we can compare the healthfulness of this with that of other countries, or can ascertain, even approximately, the relative salubrity, or liability to particular forms of disease, of different parts of our own territory.

An attempt has been made in the Tenth Census to obtain more complete returns of deaths than have heretofore been furnished, and also to make these returns more accurate as regards the reported causes of death.

For this purpose the voluntary co-operation of the medical profession of the country was solicited in accordance with the following plan. Early in the census year a small register of deaths, to be filled up by physicians, was prepared, which register contained twenty-four leaves, on each of which was printed the following form:

TENTH CENSUS OF THE UNITED STATES,
JUNE 1, 1879, TO MAY 31, 1880.

PHYSICIAN'S RETURN OF A DEATH.

PLACE OF DEATH:

State of ..... , county of .....

Town or district of .....

DATE OF DEATH:

....., 18 .

NAME OF DECEASED:

.....

Yrs. *Mos.*

Sex, ...; race or color, ...; age: ....

Date of birth, if known: ...., ... , 18 .

Occupation: ....

CAUSE OR CAUSES OF DEATH:*

.....

.....

.....

Was a *post-mortem* held? .....

NAME OF PHYSICIAN:

.....

*INSTRUCTIONS.—Under "cause or causes of death" insert remote, immediate, and concurring causes. For instance: insert "measles and pneumonia", or "difficult labor, peritonitis, and septicæmia", or "scarlet fever, nephritis, dropsy, and coma", in cases presenting these phenomena.

☞ If the true cause of death *is not certainly known*, insert names of symptoms with a cross, thus: "Convulsions and coma ×; paralysis of the heart ×," etc.

A copy of this register, with a stamped envelope for its return at the end of the census year, was sent to every one in the United States who was reported by his or her postmaster to be a physician, or to be addressed as such.

The following table shows by states the number of these registers issued, and the number returned to the Census Office at the close of the year:

States and Territories.	PHYSICIANS' REGISTERS.		States and Territories.	PHYSICIANS' REGISTERS.		States and Territories.	PHYSICIANS' REGISTERS.	
	Sent out.	Returned.		Sent out.	Returned.		Sent out.	Returned.
THE UNITED STATES...	70,299	25,809						
			Kansas	1,851	620	New York	4,484	2,414
Alabama	1,778	456	Kentucky	2,817	929	North Carolina	1,706	476
Arizona	58	16	Louisiana	832	239	Ohio	4,756	1,851
Arkansas	2,031	689	Maine	898	280	Oregon	377	111
California	984	344	Maryland	995	441	Pennsylvania	4,661	2,342
Colorado	307	79	Massachusetts	1,557	706	Rhode Island	175	95
Connecticut	861	313	Michigan	2,573	674	South Carolina	1,082	339
Dakota	249	47	Minnesota	822	239	Tennessee	3,130	1,082
Delaware	177	55	Mississippi	1,817	463	Texas	2,507	847
District of Columbia	165	65	Missouri	3,829	1,561	Utah	175	59
Florida	469	125	Montana	26	22	Vermont	617	171
Georgia	2,024	496	Nebraska	697	227	Virginia	2,199	674
Idaho	55	11	Nevada	115	30	Washington	140	25
Illinois	4,673	2,003	New Hampshire	601	216	West Virginia	1,101	343
Indiana	4,507	1,630	New Jersey	1,253	502	Wisconsin	1,327	452
Iowa	2,730	1,028	New Mexico	81	13	Wyoming	30	9

At the same time that these registers were sent out, appeals were made through the press, the various medical associations, etc., to the medical profession, explaining what was desired, and earnestly requesting co-operation and aid, both in filling up and forwarding these registers of death, and in correcting, so far as relates to reports of causes of deaths, the returns of the enumerators when presented to physicians for that purpose. At the end of the census year the registers collected at the Census Office, after being duly arranged by localities, were examined by a skilled physician, who indicated upon each slip the name of the cause of death to be used in tabulation.

Very few of these registers were in such a condition that they could not be used for statistical purposes, although as a matter of course some of the causes of death could only be classified as *unknown*. This had been foreseen, and there was an implied permission that physicians might use such terms as "paralysis of the heart", "apnœa", etc., which are equivalent to "unknown", it being evidently much better that they should do this than that the cause of death should be merely guessed at.

In certain large cities, where a complete system of registration of deaths based on burial permits is in operation, no schedules of deaths were taken by the enumerators, the records being obtained from the central registration offices; and the small registers above referred to, received from physicians in these cities, were not used in making up the statistics.

The number classified as unknown out of a total of 166,896 deaths reported by physicians from rural districts was 4,162, being 25 per 1000. It will be well to remember this percentage of unknown causes as occurring in physicians' returns. The number of post-mortems made in this number of deaths was 3,555, or 21 per 1000. When the examination and checking of these registers was completed they were taken apart, and, as each leaf formed the record of a single case, the collection could then be used in the same manner as the cards in a card catalogue, and readily assorted and classified in various ways.

The number of deaths returned by physicians upon these registers could have no definite relation to the actual number of deaths which occurred in any given locality, and still less to the number of living population in that locality, since the filling out these registers was an entirely voluntary matter on the part of physicians, and, as a matter of fact, only 37 per cent. of those registers sent out were returned. The total number of deaths thus reported by physicians and compiled was 166,896, of which 61,020 were found not to have been reported by the enumerators.

While the results obtained from these physicians' returns are of interest and value, it must be constantly borne in mind that they were not derived solely from competent medical men, but from all those who chose to call themselves physicians.

When a cause of death is reported as "Tecis", "Spinalgitis," "Colory in Phantum," "Colria fontim," "Cholor Rhear Infantum," "Hasphmar," "New Money fever," "No fisian tendin," "Struck in on the aire sells," "Yaller ganders of the Liver," "Unnowing," "Know Knowen cause," etc., it is evidently unsafe to lay too much stress on the scientific accuracy of the diagnosis by the same reporter in other cases, even although the spelling may be more nearly correct.

The schedules of deaths, or as they were more commonly termed, "The mortality schedules", which were filled out and returned by the enumerators, were ruled in columns having the following headings, viz:

Number of the family as given in column numbered 2, schedule 1.	Name of the person deceased.	PERSONAL DESCRIPTION.			WHAT WAS THE CIVIL CONDITION OF THE PERSON WHO DIED?			NATIVITY.			Profession, occupation or trade (not to be asked in respect to persons under 10 years of age).	The month in which the person died.	Disease or cause of death.	How long a resident of the county? If less than 1 year, state months in fractions, thus—$\frac{6}{12}$.	If the disease was not contracted at place of death, state the place.	Name of attending physician.
		Age at last birthday. If under 1 year, give months in fractions, thus—$\frac{6}{12}$. If under 1 month, give days in fractions, thus—$\frac{3}{30}$.	Sex—Male (M). Female (F).	Color—White (W). Black (B). Mulatto (Mu). Chinese (Ch). Indian (I).	Single /.	Married /.	Widowed /. Divorced, D.	Place of birth of this person, naming the state or territory of the United States, or the country, if of foreign birth.	Where was the father of this person born? (as in column 9).	Where was the mother of this person born? (as in column 9).						
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.

It will be perceived that in addition to the information called for on the schedules used in 1870, those of 1880 contain the place where the father and mother of the decedent were born; the length of his residence in the county; the place where the disease was contracted, if not in the county; and the name of the attending physician. They also contain two supplementary schedules, one giving the names of those who died in the place, but who belonged to families living in another county or state, and a second giving the names of persons belonging to families residing in the place, but who have died away from home in another county or state.

For the states of Massachusetts and New Jersey, the District of Columbia, and the following-named cities, viz: Baltimore, Brooklyn, Charleston, Chicago, Cincinnati, Cleveland, Indianapolis, Louisville, Milwaukee, Nashville, New Orleans, New York, Philadelphia, Pittsburgh, Providence, Richmond, San Francisco, Saint Louis, and Wilmington, the state and municipal registration records of deaths were copied and are used in the tabulations instead of the enumerators' schedules. These state and municipal registration records are based on a system of burial permits, and are therefore probably very nearly accurate. This fact should be borne in mind in comparing the reported mortality in these with that of other localities. These complete reports are also used to make an approximate estimate of the amount of deficiency in the enumerators' returns and for certain special tabulations, as will be explained hereafter.

It needs but a slight examination of the tables of vital statistics published by various countries, to show that very little uniformity exists in the plans heretofore adopted by vital statisticians for the presentation of their data, and it certainly seems highly desirable that there should be some substantial agreement as to the forms of these tables. It may be said that, since the returns of the number of deaths for the census are so incomplete, it is not worth while to attempt minute classification of the data, and that it is especially a waste of effort to prepare any tables showing the relations of total numbers of deaths to locality, to population, or to the month of death—that is, to attempt to prepare mortality rates, properly so called, for different localities. If we consider only the results to be obtained by the tabulation of the figures derived from the present census, there would be much force in this objection, and it certainly would not have been worth while to prepare all the tables herewith presented; but it must be remembered that the forms of tabulation to be adopted in this census will be followed to a certain extent in other tabulations to be made hereafter, and for which we have good reason to hope much more complete data will be furnished, and this is especially the case with regard to the state censuses which are to be taken in 1885. It should be borne in mind, therefore, that a certain proportion of the following tables have been prepared, not so much with reference to the value of the conclusions which may be drawn from them, as to serve as an indication of the manner in which the work should be done when complete data are obtainable.

The several factors or circumstances to be considered in studying death statistics are as follows:

1. Locality.
2. Mean population in the middle of the census year.
3. Living population at the end of the year, *i. e.*, population as shown by the census, or survivors.
4. Number of deaths during the year.
5. Number of births during the year.
6. Sex.
7. Age.
8. Color and race.
9. Cause of death.
10. Month of death.
11. Occupation.
12. Civil or conjugal condition.

In tabulating the deaths the object is to find the relations of each of the above factors, and of their combinations, to the number of deaths. As a rule not more than five factors can enter into each table; and, bearing in mind that some of these factors, such as locality, age, cause of death, and occupation, should be divided into a large number of subfactors, it will be seen that to present the facts collected on the death schedules in all their relations to each other, and to the corresponding groups of facts collected on the population schedules, is practically impossible.

We must therefore make a selection of the combinations to be presented in the form of tables. This selection has been governed by the following considerations:

I.—They should be so arranged as to be comparable with the data given in preceding United States censuses and, so far as possible, with the published mortality statistics of the several states and of other countries.

II.—They should be comparable with the data given in the tabulations of the living population.

III.—They must be brought within reasonable limits as to space and as to cost of compilation.

IV.—The object is rather to present the data in such form that they shall be available to physicians, sanitarians, and others engaged in researches in which they are most likely to be of interest, than to attempt to draw conclusions from them in the report itself. It is, of course, desirable to present so far as possible such tables of ratios and proportions as will enable the student to make comparisons without undergoing the labor of making computations, and a certain amount of work has been done in this direction, as will be seen in the second part; but as the amount of available clerical force was limited, it was deemed better to present the data as completely as possible and to make the study of these data a secondary matter.

In previous censuses the unit of locality used has been the state or territory. As these are political divisions only, not corresponding to the topographical features of the country, and are, moreover, much too large to permit of many interesting and useful comparisons which should be made, it was determined to take the county as the unit. But as there are 2,605 counties in the United States, it was impossible to give, for each county, tables showing the relations of each cause of death to sex, age, etc., since this would have increased the expense of compilation and publication beyond reasonable limits, and the numbers for the great majority of counties would have been too small to permit of any useful deductions. It was therefore decided to give, for the county, only the total mortality at certain groups of ages and the number of deaths from a few diseases of special interest, and to do this only for counties having a population of 10,000 or upward.

More elaborate compilations were made for groups of counties within the limits of each state, and which may be called State Groups. The compilations for these groups can evidently be consolidated by states, so as to be comparable with the tables of previous censuses or with state registration statistics, past or future, or they can be combined into what may be called Grand Groups, whose boundaries are determined by topographical peculiarities and not by state lines. The selection of the counties to form these several groups was made by Mr. Henry Gannett, the geographer of the census, whose description of the characteristics of each group is embodied in a subsequent part of this report.

The following shows for each grand group the population, with distinction of sex; and, for certain grand groups, of color; the state groups composing each grand group, and the 50 large cities which have been separately tabulated, are also shown. The counties forming the several state groups are given in the Appendix (pp. xlix–lxiii of the Introduction).

Grand groups.			Population.	State groups.	Large cities.
GRAND GROUP 1—Total			2,616,870	Maine 1, New Hampshire 1, Massachusetts 1, Rhode Island, Connecticut 1.	Boston, Cambridge, Fall River, Lawrence, Lowell, Lynn, Providence, and New Haven.
(North Atlantic Coast region)		M.	1,265,273		
		F.	1,351,597		
GRAND GROUP 2—Total			4,376,135	New York 1, New Jersey 1, Maryland 1, Delaware, District of Columbia, Virginia 1.	Brooklyn, New York, Camden, Jersey City, Newark, Baltimore, Wilmington, and Washington.
(Middle Atlantic Coast region)	White	M.	1,899,114		
		F.	1,958,389		
	Colored	M.	251,223		
		F.	267,409		
GRAND GROUP 3—Total			875,086	North Carolina 1, South Carolina 1, Georgia 1	Charleston.
(South Atlantic Coast region)	White	M.	193,705		
		F.	195,792		
	Colored	M.	236,946		
		F.	248,643		
GRAND GROUP 4—Total			1,056,034	Florida Alabama 1, Louisiana 1, Mississippi 1, Texas 1.	New Orleans.
(Gulf Coast region)	White	M.	307,786		
		F.	300,053		
	Colored	M.	220,601		
		F.	227,594		

Grand groups.			Population.	State groups.	Large cities.
GRAND GROUP 5—Total			1,669,229	Maine 2, New Hampshire 2, Vermont, Massasetts 2, Connecticut 2, New York 2.	Worcester and Hartford.
(Northeastern Hills and Plateaus)		M.	831,940		
		F.	837,289		
GRAND GROUP 6—Total			2,344,089	New York 3, New Jersey 2, Pennsylvania 1, Maryland 2.	Paterson and Scranton.
(Central Appalachian region)		M.	1,178,833		
		F.	1,165,256		
GRAND GROUP 7—Total			3,049,402	New York 4, Ohio 1, Michigan 1, Indiana 1, Illinois 1, Wisconsin 1.	Buffalo, Rochester, Cleveland, Toledo, Detroit, Chicago, and Milwaukee.
(Region of the Great Northern Lakes)		M.	1,560,867		
		F.	1,488,535		
GRAND GROUP 8—Total			5,714,683	New York 5, Pennsylvania 2, Virginia 2, North Carolina 2.	Albany, Syracuse, Troy, Allegheny City, Philadelphia, Pittsburgh, Reading, and Richmond.
(The Interior Plateau)	White	M.	2,466,676		
		F.	2,523,911		
	Colored	M.	354,712		
		F.	369,384		
GRAND GROUP 9—Total			2,697,958	Virginia 3, West Virginia 1, North Carolina 3, South Carolina 2, Kentucky 1, Tennessee 1, Georgia 2, Alabama 2.	
(Southern Central Appalachian region.)	White	M.	1,127,421		
		F.	1,136,999		
	Colored	M.	214,694		
		F.	218,844		
GRAND GROUP 10—Total			2,440,339	Ohio 2, Indiana 2, West Virginia 2, Kentucky 2.	Cincinnati, Dayton, and Louisville.
(The Ohio River Belt)	White	M.	1,158,590		
		F.	1,143,322		
	Colored	M.	68,743		
		F.	69,684		
GRAND GROUP 11—Total			3,625,545	South Carolina 3, Georgia 3, Alabama 3, Mississippi 2, Tennessee 2.	
(Southern Interior Plateau)	White	M.	820,979		
		F.	832,117		
	Colored	M.	974,229		
		F.	998,220		
GRAND GROUP 12—Total			710,250	Kentucky 3, Tennessee 2, Mississippi 3, Louisiana 2, Arkansas 1.	
(South Mississippi River Belt)	White	M.	131,030		
		F.	118,866		
	Colored	M.	232,143		
		F.	227,711		
GRAND GROUP 13—Total			1,990,917	Missouri 1, Iowa 1, Illinois 2, Wisconsin 2, Minnesota 1.	Saint Louis, Minneapolis, and Saint Paul.
(North Mississippi River Belt)		M.	1,033,633		
		F.	957,284		
GRAND GROUP 14—Total			2,932,676	Missouri 2, Arkansas 2, Louisiana 3, Texas 2.	
(Southwest Central region)	White	M.	1,203,964		
		F.	1,087,878		
	Colored	M.	319,997		
		F.	320,837		
GRAND GROUP 15—Total			4,403,662	Ohio 3, Kentucky 4, Tennessee 4, Indiana 3	Columbus, Nashville, and Indianapolis.
(Central region, plains and prairies.)	White	M.	2,031,042		
		F.	1,961,119		
	Colored	M.	203,326		
		F.	208,175		
GRAND GROUP 16—Total			5,721,836	Missouri 3, Iowa 2, Illinois 3, Kansas 1, Nebraska 1, Wisconsin 3, Minnesota 2, Dakota 1.	
(The Prairie region)		M.	2,997,609		
		F.	2,724,227		
GRAND GROUP 17—Total			835,694	Missouri 4, Iowa 3, Nebraska 2, Dakota 2	Kansas City.
(Missouri River Belt)		M.	448,108		
		F.	387,586		
GRAND GROUP 18—Total			324,268	Dakota 3, Montana 1, Wyoming 1, Nebraska 3, Kansas 2, Colorado 1, New Mexico 1, Texas 3.	Denver.
(Region of the Western Plains)		M.	190,732		
		F.	133,536		
GRAND GROUP 19—Total			1,123,419	Michigan 2, Wisconsin 4, Minnesota 3.	
(Heavily-timbered region of the Northwest.		M.	594,991		
		F.	528,428		

Grand groups.	Population.	State groups.	Large cities.
GRAND GROUP 20—Total	931,910	Montana 2, Washington 1, Wyoming 2, Idaho, Oregon 1, Colorado 2, Utah, Nevada, California 1, Arizona, New Mexico 2.	
(Cordilleran region) { M.	586,445		
(Cordilleran region) { F.	345,465		
GRAND GROUP 21—Total	715,781	California 2, Oregon 2, Washington 2	San Francisco and Oakland.
(Pacific Coast region) { M.	412,968		
(Pacific Coast region) { F.	302,813		

The objections to using the state as a unit of area were clearly perceived by Dr. Jarvis, who had charge of the tabulation of the mortality statistics of the census of 1860, and instead of giving his data by individual states he divided the whole territory into nine large districts, in which an attempt was made to arrange the statistics according to their geographical condition and climatic character. These districts were as follows:

I.—Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, and New York.
II.—Michigan, Wisconsin, Minnesota, and Nebraska.
III.—New Jersey and Pennsylvania.
IV.—Ohio, Illinois, Indiana, Iowa, and Kansas.
V.—Delaware, Maryland, District of Columbia, Virginia, and North Carolina.
VI.—Kentucky, Tennessee, and Missouri.
VII.—South Carolina, Georgia, Florida, and Alabama.
VIII.—Mississippi, Louisiana, Arkansas, and Texas.
IX.—California, Oregon, Washington, New Mexico, Utah, Dakota, and Nevada.

In addition to the tabulations by counties, state groups, states, and grand groups, the reports of deaths in 50 of the largest cities have been compiled separately in order to show some of the differences existing between urban and rural mortality, more especially as to prevalent causes and distribution of age.

The interest taken by the public at large in vital statistics is mainly in regard to the comparative healthfulness of different localities, and the smaller the unit of area the greater is the interest of the inhabitants in such comparisons. Men care little or nothing about the death rate in the United States, or in individual states, but that of their own county or town may be a matter of considerable interest to them.

Unfortunately, even if the data were accurate and complete, it is by no means easy to make comparisons which shall not be misleading, and from the imperfect data furnished by the census the matter is still more difficult.

If, however, we consider this question of the relative mortality of different localities from a sanitary standpoint, that is, with reference to ascertaining, as far as possible, the principal causes of death in a given locality, and especially those which may be considered as the preventible causes, these census statistics will be found to have a very considerable value. While the variations in the death rate between different localities depend to a certain extent on the proportions of the different sexes and ages present, yet the variations due to these are not so great but that they can be readily taken into account for sanitary purposes.

It is also possible that for many localities, from the data given, we may estimate the true mortality within 3 per 1000. While this is a wide limit of error, indicating much incompleteness in the data, it is well to remember that all mortality statistics give probabilities only, and that the proper expression for them is not a fixed number, or mathematical line, but the limits of variation between two numbers, or a shaded band instead of a line. To obtain an absolutely accurate result from a comparison of vital statistics requires completeness, accuracy, and correspondence of the individual data from which they are built up, to an extent which is, as yet, unattainable, although in very large masses of data it is true that the individual errors tend to neutralize each other.

The agencies to which great differences in mortality between different localities are chiefly due are: I, Poverty; II, Age distribution of the living population; III, Density of population; IV, Race; V, Meteorological conditions; VI, Epidemics. These agencies are to a considerable extent coterminous, and it is usually very difficult, and often impossible, to distinguish the influence which each has had in producing the final result.

In the tables given in this part of the reports of the census we can only compare directly with each other, and with other countries having regular systems of registration, the mortality rates for those states and cities enumerated on p. xiii for which the data were copied from registration records, but we can obtain from them for all localities some information as to the relative prevalence of certain causes of death, and of the relative mortality which these produce in the different sexes, races, and at various ages, the prevalence of epidemics, etc.

An agency of great importance affecting the mortality of certain localities in the United States is migration. The population is constantly shifting, and even within the limits of a single year very considerable changes take place in the units of the population of certain localities. Persons who have contracted consumption or typhoid fever or malarial fever in one place die in another, and very often quite a remote locality. While it is, of course, impossible to correct all the errors due to this source, it was intended that something should be done by means of the column in the mortality schedule marked 15: "How long a resident of the county;" but unfortunately it has not been possible with the clerical force available to make use of the data contained in this column.

In concluding these introductory remarks I would reiterate what has been said above, viz, that an attempt has been made to so arrange the data in the tables that those who wish to study the effects of locality, sex, age, etc., upon the health of the people, will find the materials presented in such a form as to facilitate their work, so far as such work is worth while, or even possible, considering the great deficiencies which, as has been stated, exist in the figures. These remarks are not intended for skilled statisticians, but rather for those who have no special familiarity with this class of work, and who are liable to draw extremely erroneous conclusions if they use the figures actually given without making the necessary corrections and allowances.

The true value and significance of the general death rate, that is, the mortality from all causes in a given population, as a test of the sanitary condition of the environment, has been much discussed of late years by health officers and others interested in sanitary matters. No small part of the conflicting opinions which have been given on this point depends on variations in the meaning of the phrase "sanitary condition" as used not only by different writers, but by the same writer in different parts of the same article. At one time "sanitary condition" is used to signify the influence of the environment with reference to its tendency to produce disease and death. At other times it is used simply to signify the comparative cleanliness of a place. It seems to me that it is better to use the term "sanitary condition" to indicate those circumstances of the environment which tend to produce disease and death, and which, at the same time, can be modified by human effort; thus distinguishing it from healthfulness on the one hand, and from cleanliness on the other.

It has been frequently pointed out that the death rate is affected by certain influences which have no special connection with the condition of the environment, such, for example, as the proportion of the sexes and of various ages present in the community. The death rate is also affected by the birth rate, although it is not true, as is very commonly asserted by those who have not investigated the subject, that a high birth rate produces a high death rate, since, after it has acted for a certain length of time, its tendency is to produce precisely the reverse, as it develops a population relatively largely composed of the younger groups of ages, in which the mortality is, as a rule, the least. The general death rate is also affected by migrations of the population, and this factor is an especially powerful one in this country.

In examining mortality statistics of a given locality for a given time, say for one year, which is the usual unit, we may do so for the purpose of comparing this mortality with that of the same locality for another given period of time, or for comparing it with that of other localities for the same or different periods, or for comparing it with an assumed normal or average mortality derived from the general experience of many localities extended over a comparatively considerable interval of time. For reasons before stated, the data derived from the United States census are too imperfect to admit of the comparison of the mortality of the whole country for the census year with that of any preceding census year, or with that of other countries.

The first attempt to obtain the deaths throughout the United States for one year was made in the census of 1850, and the results were published in an octavo volume of 304 pages, being Executive Document No. 98 of the House of Representatives of the Thirty-third Congress, second session, printed in 1855. This volume is now comparatively rare, and not easily accessible to those remote from large libraries.

The unit of area selected for use in these tables was either a state or some portion of a state. For each of these units of area a table is given showing the number of deaths from about one hundred different causes, with distinction of age and sex, nativities, season of decease, and color.

The tabulation of the mortality statistics of 1860 was made under the direction of Dr. Edward Jarvis, of Dorchester, Massachusetts. Dr. Jarvis recognized clearly that the returns were deficient, and that not only was the number of deaths greater than that reported, but that there was no means of determining the amount of deficiency. Comparisons made by him between the mortality statistics of 1850 and 1860 showed that while there were wide differences in the details for the several states for the two censuses, yet there was a substantial agreement in the general results, which Dr. Jarvis considered to indicate that the probable average of mortality, or the average of diligence on the part of the marshals, was about the same in both years. Dr. Jarvis arranged the primary facts in general tables, in which, so far as causes of death were given, their names were arranged alphabetically and in accordance with no system of classification. From these original data he proceeded to compile tables showing the proportionate force of mortality from each cause, and in these tables the names of the causes of death were arranged in classes in accordance with the system adopted in 1850. The unit of area made use of in the tables of this census was either the state or groups of states. In the census of 1870 the unit of area was the state, and the data obtained were tabulated without any attempt at making corrections or drawing special conclusions. It will be seen, therefore, that it is useless to attempt to draw any conclusions from a comparison of the different mortality rates deduced or deducible from the data of the three preceding censuses with those of the Tenth Census, so far as the whole population of the United States or of any individual state is concerned. We may, however, compare the proportion of deaths from different diseases and at different ages of these four censuses, and also compare these with those of other countries and obtain thereby some interesting results, but in doing this certain things must be borne in mind, or extremely erroneous conclusions will be reached.

In comparing the relative frequency of certain causes of death to the whole number of deaths in different localities, it must be remembered that the relative frequency of certain causes of death depends very largely upon

the proportion of different groups of age and sex in the population exposed to these causes; and the same is also to be borne in mind in making a comparison of the different groups of ages as compared with the whole number of deaths reported. Many sanitarians are accustomed to judge of the healthfulness of different localities by a comparison of the ratios of the deaths among infants or among children under 5 years of age to the total mortality in these respective localities; yet it is very evident that unless the proportion of infants and children to the total population exposed is the same in these localities, this mode of calculation may give misleading results. It is also extremely important in drawing deductions from the following tables to bear in mind the influence of what is commonly called the law of large numbers. The larger the figures in any group selected for comparison, whether it be by localities, by ages, for individual diseases, or any combination of these, the greater is the probability that the ratios derived from these are correct.

As Dr. Guy remarks: "In using small numbers of facts to establish data for reasoning or standards of comparison we are bound to speak with diffidence of their sufficiency, and we ought to regard them rather in the light of probabilities requiring to be strengthened by other probabilities, as weak arguments required to be supported by additional reasons, than as in themselves worthy of great reliance."

According to this view of the case we are not precluded from the use of averages drawn from small numbers of facts, for, although they are subject to a considerable amount of possible error, there is always such a probability of their coinciding with, or not differing widely from, the true average, as to justify their employment as standards of comparison and data for reasoning.

Every one can understand that the smaller the number of observations the greater the probable error in the ratios derived from them, since the greater is the effect of the variation in the numbers upon these ratios.

For example, in three groups of 50 persons taken at random, it is not only possible, but quite probable, that the number of deaths during a year will be for one group, 2; for another, 1, and for the other, none, representing, respectively, a mortality of 4 per cent., 2 per cent., and nothing, and yet that these great differences in the ratios shall really indicate nothing as to the relative healthfulness or liability to death of the members of the several groups.

On the other hand, in three groups containing 50,000 persons, each of like distribution of age, sex, and occupation, a variation of as large as 5 per 1000 in the annual mortality rate would indicate that the conditions were not equally favorable to health and life in the several groups.

One of the first points to be considered by those who use the figures in these tables for purposes of calculation is, what is the limit of probable error in the groups of figures to be used so far as this depends upon the number of observations? The simplest formula for this purpose, so far as regards the number of deaths in a given population, is to take the mean probable error as equal to the square root of the number of deaths.

In other cases, where it is proposed to make a comparison of the relative frequency of two events which are mutually exclusive, as, for instance, the proportion of males to females in the number of births occurring in a given locality, the well-known formula of Poisson may be used, viz, that the possible error is twice the square root of 2 into m, into n, divided by μ^3, $\left(\pm 2\sqrt{\frac{2m \times n}{\mu^3}}\right)$, in which m represents the number of times that the event a has happened, n the number of times that the event b has happened, and μ the total number of events.

As a general rule it may be said that the figures given in these volumes are more valuable for suggesting inquiries than for answering them, yet the more I compare them with those of other countries the more I have become satisfied that they are valuable for both purposes if properly used.

Section II.—GENERAL DEATH RATE.

Table II shows the number of deaths by states and territories, with distinction of sex, and also the number of deaths per 1000 of living population, at the dates of the three censuses of 1860, 1870, and 1880, for the United States and for each state and territory.

The total number of deaths recorded and tabulated for 1880 is 756,893, giving a death rate of 15.09 per 1000 of living population at the date of the census, the corresponding rate for 1870 being 12.77, and for 1860, 12.54. This apparent increase in the death rate is not to be taken as necessarily indicating an actual increase in the number of deaths in proportion to the living population during the census year of 1880, but rather as indicating that the efforts made in the last census to obtain more complete returns of deaths than had been collected in previous enumerations have been to some extent successful. Nor can the different ratios of deaths per 1000 of population for the several states in Table II be considered as indicating the relative healthfulness of the several states. This table is, in fact, little more than a convenient summary of the population and the number of deaths recorded in each state, being a continuation of similar tables in the preceding census report. Still less is it possible to make

useful comparisons of these death rates with those of other countries. They are in every case too small, for two reasons: The first is the failure to record all the deaths which occurred during the census year; the second is that the calculations are based, not on the mean population of the year, that is to say, the number of living persons who actually furnished this number of deaths, but upon the number of survivors at the end of the year, which is greater than that of the mean population, and therefore gives a less death rate. With the exception of the life-table computations, to be referred to hereafter, all the calculations of death rates in this report and in the tables are based on the number of survivors at the end of the year instead of taking the mean population, as is the rule in the statistics of other countries. This course has been pursued, first, because it has been the course taken in previous censuses, and to permit a comparison of the results with them it was desirable that the computations should be made in the same way; second, because on account of the great and varying migrations of population within the limits of the country, it is impracticable to calculate with any accuracy the mean population of a single state or territory for any given year; and, third, because the amount of error resulting from taking the surviving instead of the mean population is so small in comparison to the errors of omission, that it would not be worth while to undergo the expense of having the mean population computed. This will be seen by comparing the results obtained from the two methods of computation as applied to the whole of the United States. If we suppose the increase in the population of the United States from 1870 to 1880 to have taken place in geometrical progression (which, however, is not strictly the case, owing to the disturbances of the natural law of increase by immigration), we shall find that the population of the country on December 1, 1879, was in round numbers 49,500,000, and taking this number as the mean population for the census year, the death rate according to the figures recorded would be 15.29 per 1000 instead of 15.09, as calculated from the surviving population. In other words, the difference is only two-tenths of one in 1000.

Excluding the states of Massachusetts and New Jersey, the District of Columbia, and also the following named cities: Baltimore, Brooklyn, Charleston, Chicago, Cincinnati, Cleveland, Indianapolis, Louisville, Milwaukee, Nashville, New Orleans, New York, Philadelphia, Pittsburgh, Providence, Richmond, San Francisco, Saint Louis, and Wilmington, the number of deaths actually reported by the enumerators was 517,228. To these returns of deaths furnished by the enumerators there were added from registers furnished by physicians 61,020 additional cases of death. For the states of Massachusetts and New Jersey, the District of Columbia, and the cities above mentioned the state and municipal registration records of deaths were copied and used in the tabulations. These records are based on a regular system of registration and on burial permits, and are therefore probably very nearly accurate; they give 178,645 deaths.

In order to obtain some positive data from which might be calculated the amount of deficiency in the enumerators' returns of deaths, their returns for the state of Massachusetts, excluding the city of Boston, and for the whole state of New Jersey, have been tabulated and compared with the records furnished from the state registration offices, the total deficiency in which is considered not to exceed 2 per cent. The result of this comparison is that for the state of Massachusetts, excluding Boston, the deficiency in the enumerators' returns amounts to 26.63 per cent. of the whole number returned by them. For the state of New Jersey the deficiency in the enumerators' returns is 36.50. The deficiency is greatest in the case of infants, of females, and of foreigners, and increases in a tolerably uniform ratio for each month, going backward in time from the date of taking the census. It is also greatest in the more thinly settled sections of the country.

If we take the enumerators' returns as corrected by the addition of cases obtained from physicians' registers, viz, 2,320 for Massachusetts and 1,842 for New Jersey, the deficiencies thus corrected amount to 13.34 per cent. of the corrected returns for Massachusetts and 20.14 per cent. for New Jersey.

If we suppose that after the addition of the 61,020 cases of deaths reported by physicians to the returns of the enumerators, these last, excluding the states and cities above mentioned, are still deficient as much as 30 per cent., which is believed to be the maximum, the result will be an average annual mortality for the whole country of 18.08 per 1000 of surviving population.

It seems safe to assume that the death rate was not less than 17 nor more than 19 per 1000 of living population, and I shall assume the mean of these, viz, 18 per 1000, as the mortality rate of the United States during the census year.

The probability of the correctness of this estimate may perhaps be judged somewhat from the following considerations:

The Bureau of Statistics gives the number of immigrants arriving in the United States for the ten years ending June 30, 1880, as follows:

WHOLE NUMBER ARRIVED.			UNDER 15 YEARS OF AGE.			15 YEARS AND UNDER 40 YEARS.			40 YEARS OF AGE AND OVER.		
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
2,812,191	1,725,148	1,087 043	571,784	296,276	275,508	1,884,743	1,210,583	674,160	355,664	218,289	137,375

If, now, we take the group of population in the United States at the census of 1870, reported as living between the ages of 5 and 30, it is evident that these same persons at the census of 1880 must be found in the group of ages lying between 15 and 40, and that this last group then is composed of those who were at the census of 1870 between 5 and 30 years of age, plus the number of immigrants who have come in during the ten years at ages between 15 and 40, minus emigration at the same ages, and the deaths which have taken place during the ten years in the original group. Taking the mean population for the ten years to be 44,000,000, the annual rate of mortality above 15 years of age is found to be 8.95 per 1000. Now, the rate of mortality for this group of ages during the census year by the census figures is 7.76, which is less than the mean annual rate as above calculated by 15.3 per cent. In other words, if the mortality during the census year was the same as the annual average for ten years, the deficiency in the report of deaths is about 15 per cent. This point will again be referred to in speaking of the birth rate.

Again, if we take the number of deaths recorded as occurring under 1 year of age, and calculate the proportion these bear to the number recorded as born during the same period, we find that for the whole United States this proportion is 11.10 per cent. The following table shows this proportion for the several states, and also for several European countries, to permit of comparisons:

TABLE 1.—SHOWING FOR THE UNITED STATES, FOR EACH STATE AND TERRITORY, AND FOR SEVERAL EUROPEAN STATES, THE PROPORTION OF DEATHS UNDER 1 YEAR OF AGE IN 100 BORN.

States.	Periods.	Deaths under 1 year in 100 born.	States.	Periods.	Deaths under 1 year in 100 born.	States.	Periods.	Deaths under 1 year in 100 born.
United States	1880	11.10	Montana	1880	5.88	Austria	1866–1876	25.58
Alabama	1880	9.41	Nebraska	1880	8.61	Do	1880	24.99
Arizona	1880	7.18	Nevada	1880	8.01	England and Wales	1866–1876	15.11
Arkansas	1880	10.18	New Hampshire	1880	10.09	Do	1880	15.28
California	1880	10.68	New Jersey	1880	13.93	Scotland	1865–1874	12.36
Colorado	1880	10.61	New Mexico	1880	14.04	Do	1878	12.30
Connecticut	1880	11.32	New York	1880	15.70	Ireland	1865–1876	9.63
Dakota	1880	6.18	North Carolina	1880	10.03	Do	1880	11.23
Delaware	1880	12.56	Ohio	1880	10.66	Prussia	1866–1871	21.77
District of Columbia	1880	23.52	Oregon	1880	6.91	Do	1879	22.58
Florida	1880	6.63	Pennsylvania	1880	10.90	Bavaria	1866–1875	31.35
Georgia	1880	9.65	Rhode Island	1880	13.32	Do	1879	29.17
Idaho	1880	5.16	South Carolina	1880	9.94	Saxony	1865	27.63
Illinois	1880	11.42	Tennessee	1880	10.78	Do	1874	27.00
Indiana	1880	11.56	Texas	1880	10.04	Würtemberg	1871–1875	31.71
Iowa	1880	7.74	Utah	1880	10.24	Do	1879	30.03
Kansas	1880	10.81	Vermont	1880	9.90	Baden	1866–1876	26.81
Kentucky	1880	10.20	Virginia	1880	11.48	Do	1880	24.01
Louisiana	1880	9.68	Washington	1880	6.26	Switzerland	1869–1876	19.65
Maine	1880	7.73	West Virginia	1880	7.81	Do	1880	17.99
Maryland	1880	16.20	Wisconsin	1880	8.87	Sweden	1866–1874	13.69
Massachusetts	1880	17.05	Wyoming	1880	6.38	Do	1878	13.42
Do	1870–1876	16.30	Italy	1872–1876	21.35	Norway	1866–1872	10.74
Michigan	1880	9.47	Do	1880	22.50	Do	1876	10.71
Minnesota	1880	8.56	Belgium	1866–1869	17.35	European Russia	1867–1871	26.54
Mississippi	1880	7.99	Do	1873	16.00	Do	1875	26.24
Missouri	1880	12.93						

TABLE 2.—SHOWING FOR CERTAIN STATES, WITH DISTINCTION OF COLOR, THE PROPORTION OF DEATHS UNDER 1 YEAR OF AGE IN 100 BORN.

States.	DEATHS UNDEY 1 YEAR IN 100 BORN.		States.	DEATHS UNDER 1 YEAR IN 100 BORN.		States.	DEATHS UNDER 1 YEAR IN 100 BORN.	
	White.	Colored.		White.	Colored.		White.	Colored.
Alabama	7.64	11.30	Georgia	8.21	11.17	South Carolina	7.46	11.32
Arkansas	9.91	10.96	Louisiana	9.24	10.08	Tennessee	9.75	13.37
Delaware	11.96	14.81	Maryland	15.25	18.87	Texas	9.80	10.78
District of Columbia	17.32	32.10	Mississippi	6.97	8.70	Virginia	9.46	13.81
Florida	5.98	7.33	North Carolina	8.87	11.74			

The most complete reports bearing on this point for any individual state are undoubtedly those of Massachusetts, which, for the census year, give the proportion of deaths under 1 year of age as 17.05 per 100 births. If this be taken as the true average proportion for the whole United States, the deficiency in the number of deaths of children under 1 year of age would be a little over 34 per cent. It is precisely at this age, however, that the records are most deficient, and hence it seems probable that the percentage of defect for the total population would be considerably less, certainly below what I have taken as the maximum, *i. e.*, 30 per cent.

Still another means of estimating the maximum deficiency in the returns of deaths and the mortality of the country for the year is afforded by a comparison of the figures derived from the registration records of 31 large cities, which records may be presumed to be fairly accurate. The results of such a comparison are shown in the following table (Table 3) and diagram (Fig. 1).

From this table it appears that the average death rate in these large cities was 22.28 per 1000, and as the mortality in such cities is usually between 4 and 5 per 1000 greater than it is for the average mortality of a large country, including cities, towns, and rural districts, this increases the probability that the average rate for the whole country is not far from 18 per 1000 of living population.

TABLE 3.—SHOWING FOR 31 REGISTRATION CITIES WITH DISTINCTION OF SEX, AND FOR 6 CITIES WITH DISTINCTION OF COLOR, THE PROPORTION OF DEATHS IN 1000 OF LIVING POPULATION FOR THE CENSUS YEAR 1879–'80.

Cities.	POPULATION.			DEATHS.			DEATHS PER 1000 OF LIVING POPULATION.		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Total	6,603,414	3,228,287	3,375,127	147,158	77,225	69,933	22.28	23.92	20.72
Cambridge	52,669	25,024	27,645	920	442	478	17.46	17.66	17.28
Camden	41,659	19,923	21,736	757	372	385	18.17	18.67	17.71
Nashville	43,350	20,912	22,438	790	405	385	18.22	19.36	17.15
Worcester	58,291	28,927	29,364	1,073	553	520	18.40	19.11	17.70
Lynn	38,274	18,243	20,031	714	351	363	18.65	19.24	18.12
Newark	136,508	66,077	70,431	2,551	1,389	1,162	18.68	21.02	16.49
Lowell	59,475	26,853	32,622	1,142	518	624	19.20	19.29	19.12
Saint Louis	350,518	179,520	170,998	7,035	3,917	3,118	20.07	21.81	18.23
Cleveland	160,146	80,174	79,972	3,226	1,677	1,549	20.14	20.91	19.36
Jersey City	120,722	59,919	60,803	2,448	1,323	1,125	20.27	22.07	18.50
Philadelphia	847,170	405,975	441,195	17,284	8,895	8,389	20.40	21.91	19.01
Milwaukee	115,587	57,475	58,112	2,369	1,267	1,102	20.49	22.04	18.96
San Francisco	233,959	132,608	101,351	4,798	3,073	1,725	20.50	23.17	17.02
Chicago	503,185	256,905	246,280	10,453	5,594	4,859	20.77	21.77	19.72
Lawrence	39,151	17,785	21,366	822	396	426	20.99	22.26	19.93
Pittsburgh	156,389	78,471	77,918	3,293	1,688	1,605	21.05	21.51	20.59
Cincinnati	255,139	125,492	129,647	5,449	2,989	2,460	21.35	23.81	18.97
Wilmington	42,478	20,751	21,727	910	452	458	21.42	21.78	21.07
Providence	104,857	49,787	55,070	2,259	1,126	1,133	21.54	22.61	20.57
Paterson	51,031	24,765	26,266	1,129	556	573	22.12	22.45	21.81
Brooklyn	566,663	272,248	294,415	12,603	6,437	6,166	22.24	23.64	20.94
Indianapolis	75,056	36,863	38,193	1,672	861	811	22.27	23.35	21.23
Boston	362,839	172,268	190,571	8,099	4,055	4,044	22.32	23.53	21.22
Louisville W.	102,847	49,751	53,096	2,061	1,086	975	20.04	21.82	18.36
Louisville C.	20,911	9,231	11,680	727	368	359	34.76	39.86	30.73
Washington W.	98,895	47,390	51,505	1,761	899	862	17.80	18.97	16.73
Washington C.	48,398	20,920	27,478	1,716	820	896	35.45	39.19	32.60
Fall River	48,961	23,163	25,798	1,196	576	620	24.42	24.86	24.03
Richmond W.	35,765	17,380	18,385	684	339	345	19.12	19.50	18.76
Richmond C.	27,835	12,103	15,732	890	442	448	31.97	36.51	28.48
Baltimore W.	278,584	134,446	144,138	6,327	3,281	3,046	22.71	24.40	21.13
Baltimore C.	53,729	22,947	30,782	2,021	1,011	1,010	37.61	44.05	32.81
New York	1,206,299	590,514	615,785	30,605	16,102	14,503	25.37	27.26	23.55
New Orleans W.	158,367	75,670	82,697	3,550	2,038	1,512	22.41	26.93	18.28
New Orleans C.	57,723	25,222	32,501	2,056	1,067	989	35.61	42.30	30.42
Charleston W.	22,699	10,599	12,100	540	278	262	23.78	26.22	21.65
Charleston C.	27,285	11,986	15,299	1,228	582	646	45.00	48.55	42.22

The census year 1879–'80 was probably a fair average year as regards mortality. No great epidemic occurred during this period, unless we may consider the marked prevalence of diphtheria as such, and with regard to this disease it is probable that its prevalence has been nearly as great for each of the five years from 1878 to 1882, inclusive.




FIG. 1.—DIAGRAM SHOWING FOR 31 REGISTRATION CITIES WITH DISTINCTION OF SEX, AND FOR 6 CITIES WITH DISTINCTION OF COLOR, THE PROPORTION OF DEATHS IN 1000 OF LIVING POPULATION FOR THE CENSUS YEAR 1879-'80.

The following table permits of comparison of the probable mortality in the United States during the census year, viz, 18 per 1000 of living population, with the mortality rates of some other countries:

TABLE 4.—SHOWING MORTALITY RATES OF CERTAIN COUNTRIES.

Country.	Period.	Death rate per 1000 of living population.
United States	Census year 1879–'80	18.0
England	Calendar year 1880	20.5
England (rural districts)	do	18.5
Denmark	do	20.4
Sweden	do	18.1
Austria	do	29.6
German Empire	do	26.1
Italy	do	30.5
Belgium	do	22.4
France	Average, 1860–'77	23.6
Spain	Average, 1861–'70	29.7

From this it will be seen that the death rate in the United States compares favorably with that of all other civilized countries, and this should be the case, since poverty and overcrowding are the chief causes of excessive mortality, and in this country there is a more general and equable distribution of the means of supporting life, including especially a food-supply of good quality, and more room than in European countries. Nevertheless, our mortality rate is not as low as it should be, especially if we take into consideration the fact that our population is being largely added to by the immigration of persons of those ages which have the lowest death rates. At present the average annual mortality rate for the whole country should not exceed 16, or at the utmost 16.5, per 1000; in other words, nearly 100,000 deaths occurred during the census year, chiefly among infants in cities and in the colored population, which were, in one sense, unnecessary and preventable.

SECTION III.—SEX IN RELATION TO DEATHS.

Of the total number of deaths reported, 391,960 were males and 364,933 females, being in the proportion of 931 females to each 1000 males. In the aggregate living population at the end of the census year there were 25,518,820 males and 24,636,963 females, or 965.4 females to each 1000 males. These figures give a male death rate of 15.35 and a female death rate of 14.81 per 1000. The proportion of female to male deaths is probably somewhat greater than these figures would indicate, the deficiency in the returns of deaths of females being somewhat greater than for the males. In England and Wales, during the year 1880, in 528,624 deaths the proportions were 933 females to each 1000 males.

The excessive death rate of males occurs chiefly at the earlier ages, as will be seen when we come to discuss the subject of age in relation to deaths.

Of 114,930 deaths reported among the colored population, 56,972 were males and 57,958 females, being in the proportion of 1,017 females to each 1000 males. In the colored living population at the end of the year there were 1,022 females to each 1000 males. According to these figures the mortality was proportionally somewhat greater in colored than in white females.

In addition to those causes of death which are peculiar to females, such as child-birth, abortion, and diseases of the female organs of generation, we find that a marked excess of deaths in the female is reported from the following causes, viz: Hooping-cough, old age, consumption, diphtheria, cancer, tumor, anæmia, heart disease, dropsy, peritonitis, and burns and scalds.

An excess of deaths in males is reported for the following causes, viz: Diarrhœal diseases, venereal diseases, alcoholism, poison, premature birth and still-birth, malformation, diseases of the brain, tetanus, aneurism, angina pectoris, croup, pneumonia, hernia and obstruction of the bowels, diseases of the liver, diseases of the kidney, including Bright's disease, diseases of the bones and joints and of the skin and cellular tissue, accidents of all kinds, and suicides.

The relations of sex to certain causes of death and to the births will be discussed in a subsequent part of this report. The following table shows the relative proportion of the sexes of decedents for some of the principal causes of death:

TABLE 5.—SHOWING FOR THE UNITED STATES AND FOR 50 CITIES THE PROPORTION OF MALE DEATHS TO 1000 FEMALE DEATHS OF CORRESPONDING AGES.

Deaths from—	PROPORTION OF MALE TO 1000 FEMALE DEATHS.				Deaths from—	PROPORTION OF MALE TO 1000 FEMALE DEATHS.			
	United States.		50 cities.			United States.		50 cities.	
	All ages.	Under 5 years.	All ages.	Under 5 years.		All ages.	Under 5 years.	All ages.	Under 5 years.
Alcoholism	5267.7	.....	2371.5	.....	Pleurisy	1078.5	1128.2	1280.0	1111.1
Suicide	4052.3	.....	3666.6	.....	Enteric fever	1071.4	1046.3	1105.1	1220.9
Accidents and injuries	2732.6	1225.1	2975.2	1444.6	Bronchitis	1055.3	1156.6	1031.5	1097.6
Diseases of the urinary organs	2234.0	1378.2	1391.8	1226.1	Malarial fever	1029.5	1069.0	1110.0	1203.2
Tetanus and trismus nascentium	1645.4	1351.2	1468.9	1333.3	Scrofula and tabes	1008.0	1086.6	966.9	945.5
Still-born	1418.4	1418.4	1311.4	1311.4	Infanticide	1000.0	1000.0	2000.0	2000.0
Diseases of the bones and joints	1366.7	1202.1	1338.2	1169.4	Heart disease and dropsy	989.3	1228.6	1001.6	1298.9
Pneumonia	1287.8	1221.3	1183.8	1119.8	Measles	972.6	1070.8	952.8	1017.4
Diseases of the respiratory system	1219.2	1206.0	1155.0	1139.2	Scarlet fever	966.8	1099.7	983.4	1040.1
Croup	1187.5	1202.4	1180.9	1167.8	Diphtheria	962.9	1081.7	962.2	1040.5
Diseases of the nervous system	1170.7	1206.3	1214.0	1224.3	Hooping-cough	865.4	870.9	797.7	804.0
Venereal diseases	1165.4	1041.3	1203.9	1080.0	Consumption	798.1	1094.3	1014.2	1112.6
Diseases of the digestive system	1147.5	1213.1	1175.4	1208.5	Peritonitis	719.0	1354.4	766.0	1293.3
Diarrhœal diseases	1109.8	1155.1	1120.1	1120.1	Cancer	595.0	961.5	526.3	1000.0
Paralysis and apoplexy	1092.8	1128.3	1120.5	1311.9					

SECTION IV.—RELATIONS OF AGE TO DEATHS.

The most important factor whose influence must be kept in view in studying the relations either of gross mortality rates of different localities or death rates from different diseases, or those pertaining to different occupations or to different races, is the age distribution in the living population furnishing the deaths which are the subject of study. We must, therefore, constantly keep in view the proportion of persons of each sex living at each age or group of ages pertaining to the particular locality or subject under investigation. So far as the living population is concerned, the results of the census which are of special interest in connection with mortality statistics are given in Tables LVII to LXI, in Part II of this report.

The data of age for the living population are, upon the whole, less accurate and satisfactory than they are for those dying. Nevertheless it is true for both that for a large number of persons the age reported is more or less unreliable. For many it is totally unknown to those furnishing the data, who simply estimate it; and, in such cases, the tendency always is to give the age in round numbers, as 30, 40, 50 years, etc.; or, to a somewhat less degree, 35, 45, 55, etc. This will be seen by reference to the statistics of the population by single years of age, for any of the states, and the fact is brought out more distinctly in subsequent remarks relating to the construction of life tables.

In Table VII, for each state group, with the exception of the large cities, the number of those dying at each age or group of ages is given for each cause of death, with distinction of sex; and in Table VIII the same information is given for the large cities of each grand group. From these data have been computed Tables XVI and XVII in Part II. Table XVI shows for each 1000 deaths of known ages, classified by age, sex, and cause, the number dying at each age or group of ages. From this we find, turning to any particular cause of death, as, for example, measles, that of each 1000 deaths from measles in males, 267.44 occurred in children under 1 year of age; 712.10 in children under 5 years of age. Table XVII shows the number of deaths in each 1000 deaths at known ages for certain groups of age, in each city and state group, and for the whole United States, with distinction of sex. This table, taken by itself, has really very little significance as indicating differences in mortality at different ages between different localities, since the proportion of deaths occurring at the given period of age, as, for instance, under one year, depends very largely on the number of children of that age present in the community.

The proper way to make such comparisons is by giving in each locality the number of deaths per 1000 of those living at the age or group of ages which are to be compared. This we can only do directly to any good purpose for those states and cities in which a sufficiently accurate registration of deaths has been made, and for these the results are best given in the approximate life tables to be referred to hereafter. Where no such registration has been kept, we cannot compare the deaths at a given age with the number of the living population at the same age, so as to produce accurate results, and this is especially the case as regards the years of infancy and childhood, since it is at these ages that the greatest deficiency in the records of death occurs. It is possible, however, to make approximate corrections of the ratios contained in Table XVI for those groups of ages, as well as for the adults, by means of the ratios of the living population at the same ages given in Table LVII, Part II, and it is mainly for such uses that the table is given.

The following table shows for the United States, and for the 31 registration cities, by ages, the population, the number of deaths, and the ratio per 1000 of deaths to the population of corresponding ages:

TABLE 6.—SHOWING FOR THE UNITED STATES AND FOR 31 REGISTRATION CITIES, BY AGES, THE LIVING POPULATION, THE NUMBER OF DEATHS, AND THE NUMBER OF DEATHS PER 1000 OF LIVING POPULATION OF CORRESPONDING AGES.

Ages.	UNITED STATES.			31 REGISTRATION CITIES.		
	Living population.	Deaths of corresponding ages.	Proportion of deaths per 1000 living.	Living population.	Deaths of corresponding ages.	Proportion of deaths per 1000 living.
All ages	50,155,783	756,893	15.0	6,603,414	147,158	22.2
Under 1	1,447,983	175,184	120.9	165,469	44,249	267.5
1	1,256,956	56,816	45.2	132,933	11,623	87.4
2	1,427,086	33,417	23.4	162,715	5,977	36.7
3	1,381,274	21,276	15.4	157,646	3,898	24.7
4	1,401,217	15,931	11.3	156,913	2,824	17.9
Under 5	6,914,516	302,624	43.7	775,676	68,571	88.4
5–10	6,479,660	43,093	6.7	719,349	6,407	8.9
10–15	5,715,186	22,915	4.0	648,748	2,422	3.7
15–20	5,011,415	29,368	5.9	636,333	3,513	5.5
20–25	5,087,772	39,355	7.7	713,477	6,123	8.5
25–30	4,080,621	33,132	8.1	614,594	6,367	10.3
30–35	3,368,943	28,669	8.5	529,000	6,014	11.3
35–40	3,000,419	28,630	9.5	488,294	6,479	13.2
40–45	2,468,811	24,954	10.1	401,429	5,633	14.0
45–50	2,089,445	23,996	11.5	314,321	5,555	17.6
50–55	1,839,883	24,539	13.3	272,763	5,250	19.2
55–60	1,271,434	22,352	17.6	163,416	4,628	28.3
60–65	1,104,219	26,183	23.7	142,487	4,626	32.4
65–70	725,876	25,685	35.4	80,188	4,332	54.0
70–75	495,442	25,736	51.9	53,793	3,780	70.2
75–80	281,065	22,352	79.5	27,908	3,140	112.5
80–85	146,362	16,641	113.7	14,725	2,136	145.0
85–90	49,835	8,149	163.5	4,548	1,016	223.3
90–95	16,100	3,263	203.9	1,563	360	230.3
95 and over	8,779	2,009	228.8	802	276	344.1
Unknown	.....	3,228	.....	.....	530	.....

In considering this table it should be remembered that the reports of deaths for the whole United States are defective from 15 to 30 per cent., while for the cities they are nearly complete. It will be seen that for each 1000 living under 1 year of age in the United States at large the proportion of deaths was 120.9; while in the cities the number of deaths per 1000 of the same age was 267.5. Under 5 years of age the proportion of deaths in the country at large was 43.7 per 1000 of living population, while in the registration cities it was 88.4 per 1000. In other words, the mortality of children under 5 years of age, according to this table, was about twice as great in the cities as in the average of the whole country.

The following table permits of a comparison of the distribution of deaths by age in the United States as reported, and in certain foreign countries:

TABLE 7.—SHOWING FOR THE UNITED STATES, FOR MASSACHUSETTS, AND FOR THE PRINCIPAL COUNTRIES OF EUROPE, THE NUMBER OF DEATHS AT EACH OF CERTAIN GROUPS OF AGES PER 100 DEATHS OF ALL AGES.

States.	Year.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 95.	95 to 100.	100 and over.	Unknown.
United States	1880	23.24	16.90	5.71	3.04	3.89	9.61	7.60	6.49	6.22	6.88	6.38	3.28	0.43	a 0.26	.....	0.42
Massachusetts	1880	20.37	14.23	4.15	1.73	3.13	9.26	7.71	6.76	7.19	8.80	9.19	6.03	b 1.02	.....	.....	0.43
Italy	1880	24.77	20.60	4.19	1.88	2.17	5.17	4.90	5.52	7.48	9.71	9.70	3.53	c 0.34	.....	0.01	0.03
France	1879	17.59	8.83	2.46	1.56	2.29	6.02	6.07	6.73	9.20	14.07	16.29	8.21	c 0.67	.....	0.01	.....
Prussia	1880	32.25	15.96	3.96	1.67	1.83	4.71	5.25	5.70	7.41	9.55	8.19	d 3.40	.....	.....	.....	0.12
Bavaria	1880	39.48	10.71	2.73	1.02	1.17	3.72	4.47	4.93	6.95	10.62	10.42	3.54	b 0.22	.....	.....	0.02
Saxony	1880	42.00	15.34	e 4.27	.....	.....	4.26	4.68	4.92	6.63	8.09	7.37	d 2.32	.....	.....	.....	0.17
Thuringia	1880	31.71	15.30	3.38	1.30	1.56	3.89	4.46	5.29	7.74	11.12	9.99	3.42	b 0.21	.....	.....	0.63
Würtemberg	1880	41 78	11.92	2.88	1.10	1.14	3.29	4.25	4.71	6.48	9.47	9.93	2.90	b 0.15	.....	.....	.....
Baden	1880	33.77	12.33	3.48	1.35	1.70	4.55	5.36	5.24	7.42	10.81	10.25	3.41	b 0.22	.....	.....	0.11
Alsace and Lorraine	1880	28.74	11.96	3.03	1.39	2.02	4.59	4.88	5.38	7.39	11.83	13.20	4.86	c 0.32	.....	0.02	0.39
Austria	1880	31.62	16.51	4.48	1.82	2.02	4.78	5.09	5.97	7.74	9.48	7.51	2.68	c 0.26	.....	0.01	0.03

a 95 and over. b 90 and over. c 90 to 100. d 80 and over. e 5 to 20.

TABLE 7—Continued.

States.	Year.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 95.	95 to 100.	100 and over.	Unknown.
Croatia and Slavonia	1880	30.44	19.37	4.74	2.25	2.54	6.44	6.95	7.54	7.97	6.75	3.91	0.96	*a* 0.10	.....	0.01	0.03
Switzerland	1880	24.34	8.97	3.00	1.48	2.22	5.32	6.48	7.17	9.99	13.09	13.04	4.54	*b* 0.25	.....	.....	0.11
Belgium	1880	25.99	13.09	2.97	1.62	2.23	5.43	5.42	5.78	7.49	10.58	12.99	5.90	*a* 0.50	.....	0.01	.....
Holland	1878	31.01	14.10	3.04	1.76	2.00	5.12	5.43	5.45	7.10	9.28	10.49	4.72	*b* 0.46	.....	.....	6.04
Sweden	1880	19.58	13.68	5.23	2.58	2.55	5.56	5.19	5.95	8.62	11.32	12.06	6.96	*b* 0.62	.....	.....	0.10
Norway	1878	20.59	12.21	4.03	2.57	3.10	7.38	5.40	5.77	7.17	9.00	12.08	8.90	*a* 1.47	.....	0.02	0.31
Denmark	1880	23.49	12.19	5.31	3.10	2.41	5.53	4.86	5.63	7.89	10.67	12.04	6.10	*b* 0.78	.....	.....	.....
Finland	1880	25.55	18.73	5.25	2.20	2.44	5.41	5.48	5.76	7.95	9.42	8.25	3.35	*b* 0.21	.....	.....	.....
European Russia	1875	38.82	20.81	4.38	1.85	1.86	4.24	4.44	5.25	6.17	6.37	4.40	1.14	*a* 0.19	.....	0.02	0.06
Spain	1865–'70	22.93	25.20	3.73	1.98	2.39	5.62	5.90	6.89	7.24	8.62	6.68	2.50	*a* 0.31	.....	0.01	.....
Greece	1880	18.09	17.30	6.09	3.31	3.28	6.62	7.07	7.64	7.74	9.16	7.76	4.41	*a* 1.25	.....	0.28	.....
Roumania	1879	23.54	19.33	7.94	*c* 5.90	.....	6.58	7.17	7.83	7.45	7.14	4.59	1.78	*a* 0.60	.....	0.15	.....

Great Britain.	Year.	Under 1.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 35.	35 to 45.	45 to 55.	55 to 65.	65 to 75.	75 to 85.	85 to 95.	95 and over.	Unknown.
England and Wales	1880	25.48	16.98	3.66	1.73	2.23	2.61	5.51	6.36	6.88	8.75	10.06	7.66	*d* 2.09	.....	.....
Scotland	1878	20.31	17.37	4.49	2.57	3.33	3.43	6.08	5.97	6.82	8.46	9.87	8.52	2.54	0.22	0.02
Ireland	1880	13.98	11.60	4.00	2.53	3.41	3.85	5.62	5.78	6.54	10.77	14.05	13.30	3.72	0.80	0.05

a 90 to 100. *b* 90 and over. *c* 10 to 20. *d* 85 and over.

FIG. 2.—DIAGRAM SHOWING FOR THE UNITED STATES AND CERTAIN EUROPEAN STATES THE PROPORTION OF DEATHS UNDER 1 YEAR OF AGE PER 100 DEATHS OF ALL AGES.





FIG. 3.—DIAGRAM SHOWING FOR THE UNITED STATES AND SOME EUROPEAN STATES THE PROPORTION OF DEATHS FROM 1 TO 5 YEARS OF AGE PER 100 DEATHS OF ALL AGES.



It will be seen from this table that, as regards the proportion of infantile to the whole mortality, the United States is near the mean, being exceeded in the proportion of deaths occurring under 1 year of age by Austria, Belgium, England and Wales, Germany, Holland, Italy, and European Russia, while France, Sweden and Norway, Scotland, and Ireland have a lower rate. In the more advanced group of ages, as from 60 years and upward, the proportion of deaths is less in the United States than it is in most other countries, owing to the fact that the proportion of the living population at those ages is less than it is elsewhere.

The following table (Table 8), giving the mortality by ages, for certain German cities, will be found of interest in making comparisons with Table 7.

FIG. 4.—DIAGRAM SHOWING FOR THE UNITED STATES AND CERTAIN EUROPEAN STATES THE DEATHS PER 100 AT OVER 80 YEARS OF AGE, AND FOR EUROPEAN RUSSIA AND FOR CROATIA AND SLAVONIA AT OVER 75 YEARS OF AGE.




TABLE 8.—SHOWING FOR CITIES WITH 100,000 POPULATION AND OVER, AND FOR THE TOTAL OF CITIES WITH 15,000 INHABITANTS AND OVER, IN THE GERMAN EMPIRE, THE PROPORTION OF BIRTHS, DEATHS, AND DEATHS AT CERTAIN GROUPS OF AGES IN 10,000 OF THE MEAN POPULATION OF THE YEARS 1878 TO 1882.*

Cities with a population of 100,000 and over.	Born, exclusive of still-born.	Died, exclusive of still-born.	RATIO OF DEATHS IN 10,000 OF POPULATION.						
			1 year.	2 to 5 years.	6 to 20 years.	21 to 40 years.	41 to 60 years.	61 years and over.	Age unknown.
Königsberg	372.4	315.0	144.0	23.4	16.2	41.2	46.2	44.0	.....
Danzig	365.8	291.8	107.9	44.7	19.4	34.2	41.3	43.2	1.1
Breslau	383.2	316.8	114.0	52.8	15.9	44.3	40.7	42.8	0.1
Munich	394.9	334.6	141.7	38.6	14.5	39.4	44.5	55.9	.....
Stuttgart	344.8	228.3	90.9	30.6	11 7	31.1	30.5	33.5	0.0?
Nuremberg	296.7	263.2	96.0	35.6	12.6	36.1	38.3	44.5	.....
Dresden	356.4	247.4	82.4	32.9	14.4	35.7	37.2	44.4	0.5
Chemnitz	440.1	316.6	162.8	47.4	14.4	28.3	30.5	33.1	0.2
Leipzig	335.4	227.2	88.2	17.1	12.9	37.9	34.6	36.2	0.4
Magdeburg	368 7	258.6	91.0	39.1	14.5	34.6	38.0	41.6	.....
Hamburg	390.1	256.2	84.6	41.2	15.1	35.2	33.9	46.1	0.1
Hanover	354.2	211.5	75.6	22.9	13.5	34.2	29.8	35.5	.....
Bremen	361.3	212.5	78.7	18.2	14.3	32.7	29.7	36.7	2.2
Cologne	383.1	270.1	91 9	45.9	14.7	37.0	35.7	44.8	0.1
Barmen	417.9	239.5	70.7	52.1	20.6	34.1	29.6	32.5	.....
Düsseldorf	405.3	253.8	104.1	25.8	16.5	35.3	32.7	39.4	0.04
Elberfeld	406.0	243.4	68.1	49.6	19.5	36.9	31.8	37.5	.....
Frankfort-on-the-Main	317.8	204.4	58.6	26.8	11.2	36.4	33.2	38.3	.....
Strasburg in Alsace	360.6	296.4	118.0	25.5	17.1	36.0	38.8	60.4	0.5
Cities with a population of 15,000 and over...	374.7	264.7	97.5	36.9	16.2	35.6	35.8	42.3	0.4

*See "*Veröffentlichungen des Kaiserlich Deutschen Gesundheitsamtes*", Berlin, Nov. 10, 1884, Jahrgang VIII, No. 45, p. 221, etc.

Of the 390,170 deaths of males in the United States in which the ages are recorded, 96,849 occurred under 1 year of age, and 163,779 under 5 years of age. The proportion of deaths of males under 1 year of age to all deaths recorded was 248.22 per 1000; of those under 5 years of age, 419.76 per 1000. The proportion of deaths of females under 1 year of age to those of all ages recorded was 215.51 per 1000; of those under 5 years of age, 381.97 per 1000. The proportion to all deaths of which the ages are recorded of deaths of persons from 5 to 15 years of age was 87.57 per 1000; from 15 to 60 years of age, 299.66 per 1000, and over 60 years of age, 172.40 per 1000.

Some of the facts with regard to the mortality of infants, as shown by the census returns, are given in Table LI, Part II, which gives, for the United States, for each state and territory, and for each state group and grand group, the number of deaths reported as occurring under 1 month of age and under 3 months of age, together with the ratios of these deaths, and the total number of births reported to the total number of deaths occurring under 1 year of

age. For the whole United States the number of deaths under 1 year of age during the census year per 1000 of those born within the year was for males 90.3 and for females 73.2. In the southern portion of the United States it was for white males, 89.6; for colored males, 102.7; for white females, 73.0; for colored females, 86.2. The greater the mortality of infants under 1 year of age in the colored race is here well marked. If we compare the proportion occurring in the fifty large cities with that of the rest of the country, which for brevity's sake we designate as rural, we find that the number of deaths under 1 year of age are, per 1000 of those born within the year in the cities, males, 162.4; females, 132.8; while in the rural section it is males, 78.1; females, 63.0; the reported infantile mortality in the cities being thus more than twice as great as it is in the rest of the country. This increased death rate of infants in the cities is, however, as already explained, due to a considerable extent to the greater completeness of the returns of deaths in the cities, and cannot, therefore, be taken as a relative measure of the healthfulness of cities versus rural districts. Taking, now, the deaths reported as having occurred under 1 month of age, we find that they give a proportion per 1000 of total births for the whole United States, males, 53.7; females, 41.8. In the cities the proportions are, males, 109.8; females, 86.4; and in the rural districts, males, 44.2; females, 34.2. In the southern portion of the United States, where the distinction of color is given, the proportion of deaths under 1 month of age per 1000 of total births reported is, for white males, 54.3; for colored males, 55.4; for white females, 42.4; for colored females, 46.2.

If we take the proportion of the deaths under 1 month of age per 1000 of those reported as dying under 1 year of age, we find that for the whole United States it is, males, 447.3; females, 410.7. In the cities it is, males, 490.8; females, 450.9. In the rural districts, males, 431.3; females, 395.6. In the southern groups, where distinction of color is made, it is, for white males, 450.4; colored males, 424.0; white females, 413.5; colored females, 412.9.

The proportion of deaths under 3 months of age to the total number of births is, for the whole United States, males, 73.0; females, 58.6. In the 50 large cities it is, males, 139.0; females, 112.2. In the rural districts, males, 61.8; females, 49.5. In the southern groups, where distinction of color is made, it is, white males, 73.8; colored males, 77.9; white females, 59.3; colored females, 65.9. The greatest mortality among infants under 1 month of age occurs in the city of Grand Group III (Charleston), where these deaths for the whites are, males, 571.4; females, 382.4, and for the colored males 685.5, females 645.7 of each 1000 deaths under 1 year of age—that is to say, considerably over half of the deaths under 1 year of age among the colored population occur in this city in infants under 1 month old.

The relations of infantile mortality to the birth rate are shown in the following tables and in the diagrams given in Plates I and II.

TABLE 9.—SHOWING FOR THE UNITED STATES AND FOR GRAND GROUPS THE PROPORTION OF DEATHS UNDER 1 MONTH, UNDER 3 MONTHS, AND UNDER 1 YEAR OF AGE, TO 1000 BIRTHS.

	UNDER 1 MONTH IN 1000 BIRTHS.		UNDER 3 MONTHS IN 1000 BIRTHS.		UNDER 1 YEAR IN 1000 BIRTHS.	
	Male.	Female.	Male.	Female.	Male.	Female.
THE UNITED STATES	53.7	41.8	73.0	58.6	90.3	73.2
GRAND GROUP 1—North Atlantic Coast region	78.6	52.7	99.3	73.2	117.7	89.7
GRAND GROUP 2—Middle Atlantic Coast region	97.3	78.3	124.1	101.5	147.6	121.8
GRAND GROUP 3—South Atlantic Coast region	53.2	42.1	73.8	61.9	96.9	80.9
GRAND GROUP 4—Gulf Coast region	52.8	43.6	67.9	56.8	84.4	71.7
GRAND GROUP 5—Northeastern Hills and Plateaus	56.9	43.3	73.0	56.1	90.3	70.1
GRAND GROUP 6—Central Appalachian region	33.4	25.4	54.7	44.9	74.7	58.7
GRAND GROUP 7—Region of the Great Northern Lakes	62.3	47.7	83.1	64.2	99.4	78.4
GRAND GROUP 8—The Interior Plateau	53.8	42.5	75.4	61.3	94.2	75.8
GRAND GROUP 9—Southern Central Appalachian region	41.1	33.4	60.1	50.4	76.2	63.8
GRAND GROUP 10—The Ohio River Belt	53.6	41.7	72.1	57.2	86.6	71.5
GRAND GROUP 11—Southern Interior Plateau	38.6	31.3	58.4	48.2	73.9	62.1
GRAND GROUP 12—South Mississippi River Belt	38.9	31.7	61.8	55.3	82.0	69.0
GRAND GROUP 13—North Mississippi River Belt	66.8	51.7	87.1	69.6	102.8	82.3
GRAND GROUP 14—Southwest Central region	44.5	34.8	62.6	49.2	80.7	65.7
GRAND GROUP 15—Central region, plains and prairies	53.6	40.2	70.6	56.8	87.0	70.6
GRAND GROUP 16—The Prairie region	44.1	33.3	59.2	47.0	73.6	58.3
GRAND GROUP 17—Missouri River Belt	52.3	37.4	62.1	46.3	81.7	63.4
GRAND GROUP 18—Region of the Western Plains	47.1	38.4	64.5	53.2	71.1	61.4
GRAND GROUP 19—Heavily-timbered region of the Northwest	42.3	32.8	57.3	43.1	71.6	53.9
GRAND GROUP 20—Cordilleran region	29.6	22.6	52.6	44.3	69.5	59.1
GRAND GROUP 21—Pacific Coast region	66.3	51.4	83.1	65.3	95.2	76.8

(See Plate I in pocket at end of volume.)

TABLE 10.—SHOWING FOR SPECIFIED GRAND GROUPS, WITH DISTINCTION OF RURAL AND CITIES, AND OF SEX, AND IN CERTAIN GRAND GROUPS OF COLOR, THE PROPORTION OF DEATHS UNDER 1 MONTH, UNDER 3 MONTHS, AND UNDER 1 YEAR OF AGE, TO 1000 TOTAL BIRTHS.

Grand groups.	RURAL.						CITIES.					
	Under 1 month.		Under 3 months.		Under 1 year.		Under 1 month.		Under 3 months.		Under 1 year.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
GRAND GROUP 1—North Atlantic Coast region	61.6	45.3	77.6	61.2	93.0	74.3	112.1	67.1	142.0	97.0	166.1	120.0
GRAND GROUP 2—Middle Atlantic Coast region . White	50.8	37.1	72.4	55.0	89.0	70.3	122.4	98.2	151.6	123.9	176.9	145.0
GRAND GROUP 2—Middle Atlantic Coast region . Colored	59.6	56.6	81.6	72.4	97.2	90.0	168.4	150.3	209.1	195.8	276.7	245.9
GRAND GROUP 3—South Atlantic Coast region ... White	34.0	24.2	51.6	41.6	70.4	56.6	109.2	85.8	126.3	105.6	146 8	118.8
GRAND GROUP 3—South Atlantic Coast region ... Colored	50.0	39.8	73.5	60.7	98.5	81.9	290.6	257.1	306.0	289.3	352.1	323.2
GRAND GROUP 4—Gulf Coast region ..... White	30.9	24.6	41.3	33.5	50.4	43.2	114.0	90 3	143.8	111.8	175.8	141.6
GRAND GROUP 4—Gulf Coast region ..... Colored	38.4	32.1	51.1	44.2	67.4	56.2	203.6	183.0	239.8	219.9	286.2	266.7
GRAND GROUP 5—Northeastern Hills and Plateaus	53.6	41.3	69.6	54.0	86.7	67.4	101.3	71.8	119.9	85.2	139.2	107.3
GRAND GROUP 6—Central Appalachian region	33.1	24.8	54.4	44.2	74.4	57.9	42.4	38.6	62.5	59.6	81.4	75.2
GRAND GROUP 7—Region of the Great Northern Lakes	37.4	28.9	53.8	42.4	71.4	57.0	95.9	72.2	122.7	92.5	137.2	106.3
GRAND GROUP 8—The Interior Plateau ..... White	40.7	29.7	59.1	44.6	72 9	55.3	74.1	63.1	104.6	92.8	127.9	111.3
GRAND GROUP 8—The Interior Plateau ..... Colored	68.8	55.3	87.4	71.3	115.5	90.6	124.6	106.0	176.6	150.6	237.0	207.1
GRAND GROUP 10—The Ohio River Belt..... White	44.3	33.0	58.6	45.3	72.0	56.9	92.1	71.5	130.5	99.9	143.0	119.5
GRAND GROUP 10—The Ohio River Belt..... Colored	46.7	53.2	65.9	71.4	97.7	98.3	202.5	161.9	239.7	202.4	278.9	263.2
GRAND GROUP 13—North Mississippi River Belt.....	46.0	34.5	65.4	51.8	79.8	63.8	157.2	129.4	182.1	149.9	203.4	165.7
GRAND GROUP 15—Centr. reg., plains and prairies. White	50.4	38.5	67.6	53.9	82.0	66.1	95.3	77.8	113.3	95.1	128.1	106.7
GRAND GROUP 15—Centr. reg., plains and prairies. Colored	64.3	52.6	78.5	66.6	110.9	93.2	135.8	119.9	170.4	137.8	195.1	160.7
GRAND GROUP 17—Missouri River Belt	52.5	37.7	62.7	46.8	81.3	63.3	46.8	31.1	48.5	34.5	91.9	65.6
GRAND GROUP 18—Region of the Western Plains	47.1	38.4	64.0	53.3	70.1	61.1	47.5	37.9	71.3	51.5	83.1	65.0
GRAND GROUP 21—Pacific Coast region	34.9	25.4	46.0	34.1	55.4	42.9	121.1	97.5	147.7	120.5	164.6	136.9

(See Plate II in pocket at end of volume.)

In commenting on the general death rate, attention was called to the fact that the gross mortality rates as given in Table II cannot be accepted as giving any indications of value as to the true mortality rates in the several states, or as to their relative healthfulness. Probably one of the best methods of comparing the relative healthfulness of the states and territories, which the census figures will permit us to use, is by a comparison of the proportion of deaths reported as occurring among those infants born during the census year. It is true that the figures available for this purpose are defective and inaccurate; but the defects and errors tend to neutralize each other, since the greater the deficiency in the reports of deaths of infants the greater also the deficiency in the reports of births, which last are taken as the sum of the living children reported as being under 1 year of age at the day of the census plus the infants reported as born and died during the census year. The following table gives the results of such a comparison:

TABLE 11.—SHOWING FOR THE UNITED STATES, AND FOR EACH STATE AND TERRITORY, WITH DISTINCTION OF SEX, AND FOR CERTAIN STATES WITH DISTINCTION OF COLOR, THE PROPORTION OF DEATHS DURING THE CENSUS YEAR TO 1000 BIRTHS WITHIN THE YEAR.

States and Territories.	Per 1000.		States and Territories.	Per 1000.		States and Territories.	Per 1000.	
	Male.	Female.		Male.	Female.		Male.	Female.
UNITED STATES	90.3	73.2	Virginia	97.3	81.3	Delaware	88.9	73.5
			White	77.6	61.6	White	85.4	67.2
District of Columbia	158.7	145.4	Colored	121.7	104.4			
White	115.5	104.4				Connecticut	88.1	75.3
Colored	220.7	200.2	Illinois	94.1	75.8	Kentucky	87.3	69.1
			Indiana	93.8	74.7	Utah	87.2	71.6
Massachusetts	138.8	100.9	California	92.9	74.5			
New York	124.5	101.1				Texas	86.3	69.4
			Tennessee	90.9	77.5	White	82.6	67.0
Maryland	123.3	95.8	White	83.0	68.3			
White	115.8	84.8				New Hampshire	85.2	63.9
			Pennsylvania	90.0	71.4			
Rhode Island	108.5	87.1	Vermont	89.8	69.9			
New Mexico	108.1	99.1				Louisiana	83.4	69.7
Missouri	104.6	82.4	North Carolina	89.0	68.9			
New Jersey	100.5	86.9				White	78.7	61.5
			White	76.1	60.3	Colored	87.7	76.9
			Colored	108.5	81.0			

TABLE 11—Continued.

States and Territories.	Per 1000.	
	Male.	Female.
South Carolina	82.2	71.3
White	55.2	47.5
Colored	97.5	84.1
Arkansas	81.7	69.9
White	79.0	66.0
Ohio	81.4	68.9
Michigan	79.6	61.9
Kansas	78.7	66.7
Georgia	77.8	66.4
White	63.8	55.5
Colored	93.4	77.2
Alabama	77.8	68.5
White	61.9	54.0
Colored	95.2	83.8
Wisconsin	75.9	57.5
Nebraska	71.7	53.0
Minnesota	68.9	52.0
Mississippi	64.7	51.6
White	53.2	40.9
Colored	73.0	58.6
West Virginia	63.5	55.9
Iowa	62.9	49.2
Arizona	62.3	55.8
Maine	61.8	52.1
Nevada	59.5	47.1
Wyoming	55.6	54.3
Oregon	54.9	47.6
Montana	54.9	35.8
Dakota	54.8	39.5
Florida	53.4	46.0
White	41.9	41.7
Colored	66.3	50.6
Washington	51.7	28.0
Colorado	48.8	47.0
Idaho	37.4	37.9

Table XX, Part II, shows for the grand groups in the northern part of the United States the number of deaths of Irish and German parentage at each age and group of ages in 1000 deaths of which the ages are known, with distinction of sex.

Figs. 5 and 6 illustrate the results shown in the summary of this table.

FIG. 5.—DIAGRAM SHOWING FOR GRAND GROUPS 1, 2, 5, 6, 7, 8, 10, 13, 16, 17, 18, 19, 20, AND 21, WITH DISTINCTION OF SEX, THE PROPORTION OF DEATHS OF PERSONS OF IRISH PARENTAGE AT EACH AGE AND GROUP OF AGES IN 1000 DEATHS OF PERSONS OF IRISH PARENTAGE OF WHICH THE AGES ARE KNOWN.




Fig. 5 shows for the deaths of Irish parentage the proportion of deaths at each age, with distinction of sex.

Fig. 6 (p. xxxi) shows the same for the population of German descent.

In the deaths of persons of Irish parentage the proportion of females is greater than that for males between the ages of 15 and 45, that is, for the child-bearing period, while for the males it is greatest from 50 to 75.

In the deaths of German parentage the same variation appears, but the excess of deaths of males at the ages of 45 to 80 is more strongly marked. The German mortality in infancy is proportionately decidedly greater than that of the Irish, as is well seen in Fig. 7 (p. xxxi), in which a comparison of the deaths of males of the two races is given. The proportion of deaths at adult ages among the Irish males is decidedly greater than it is among the Germans. How far these peculiarities of age distribution in the deaths depend upon different proportions in the numbers living at these ages it is impossible to say with any accuracy, as we do not know the number of living population of Irish and of German parentage at the different ages.

FIG. 6.—DIAGRAM SHOWING FOR GRAND GROUPS 1, 2, 5, 6, 7, 8, 10, 13, 16, 17, 18, 19, 20, AND 21, WITH DISTINCTION OF SEX, THE PROPORTION OF DEATHS OF PERSONS OF GERMAN PARENTAGE AT EACH AGE AND GROUP OF AGES IN 1000 DEATHS OF PERSONS OF GERMAN PARENTAGE, OF WHICH THE AGES ARE KNOWN.




FIG. 7.—DIAGRAM SHOWING FOR GRAND GROUPS 1, 2, 5, 6, 7, 8, 10, 13, 16, 17, 18, 19, 20, AND 21, WITH DISTINCTION OF IRISH AND GERMAN PARENTAGE, THE PROPORTION OF DEATHS AMONG MALES AT EACH AGE AND GROUP OF AGES IN 1000 DEATHS OF PERSONS OF THOSE PARENTAGES OF WHICH THE AGES ARE KNOWN.




Table XXI, Part II, shows, for certain grand groups in which color distinctions have been made, the number of deaths of white and colored at each age or group of ages in 1000 deaths of which the ages are known, with distinction of sex. The results of the summary of this table are given in Figs. 8, 9, and 10.

FIG. 8.—DIAGRAM SHOWING FOR GRAND GROUPS 2, 3, 4, 8, 9, 11, 12, 14, and 15, WITH DISTINCTION OF SEX, THE PROPORTION OF DEATHS AMONG WHITES AT EACH AGE AND GROUP OF AGES IN 1000 DEATHS AMONG WHITES OF WHICH THE AGES ARE KNOWN.




FIG. 9.—DIAGRAM SHOWING FOR GRAND GROUPS 2, 3, 4, 8, 9, 10, 11, 12, 14, AND 15, WITH DISTINCTION OF SEX, THE PROPORTION OF DEATHS AMONG COLORED AT EACH AGE AND GROUP OF AGES IN 1000 DEATHS AMONG COLORED OF WHICH THE AGES ARE KNOWN.





Fig. 8 shows for the deaths among the white population in this region the proportion of deaths at each age, with distinction of sex, and Fig. 9 shows the same for the colored population. The excess of mortality at the lower ages in the colored race is well marked in these diagrams, and is brought out more distinctly in Fig. 10 (p. xxxiii), in which the deaths of the male whites and the male colored are compared.

The excess of mortality in females at the child-bearing ages is well marked in Fig. 9.

The relations of age to certain special causes of death will be considered and illustrated in a subsequent part of this report.

FIG. 10.—DIAGRAM SHOWING FOR GRAND GROUPS 2, 3, 4, 8, 9, 10, 11, 12, 14, AND 15, WITH DISTINCTION OF COLOR, THE PROPORTION OF DEATHS AMONG MALES AT EACH AGE AND GROUP OF AGES IN 1000 DEATHS AMONG MALES OF WHICH THE AGES ARE KNOWN.



While the total proportion of deaths reported as due to unknown causes for deaths of all ages is 49 in 1000, the proportion of deaths reported from unknown causes in children under 1 year of age is 111.2 per 1000; but large as this figure is, it by no means fully represents the number of cases of death at this age in which the cause of death is practically unspecified. We should add to it the greater part, if not all, of those deaths reported as due to inanition, debility, and convulsions, which would give an aggregate of over 250 per 1000, or over 25 per cent. It is, in fact, practically impossible in many cases of death of very young infants to assign any specific definite cause. The child is simply feeble, puny, only half finished as it were, has no store of vitality to meet the vicissitudes of temperature, food, etc., to which it is subjected, and almost all that we can say of it is that it was unable to live. Of the specified causes of death, those which cause the greatest mortality in children under 1 year of age are the diarrhœal diseases, to which are attributed 182 out of every 1000 deaths from specified causes. Next to these in fatality come diseases of the nervous system, including those reported as convulsions, the number of deaths attributed to this last cause under 1 year of age being 75.9 per 1000 of all deaths at this age. Diphtheria and croup combined are reported as causing 60.5 deaths out of every 1000 at this age, diphtheria alone causing 18.1. Pneumonia is reported as causing 59.3 per 1000; inflammation of the brain, meningitis, and hydrocephalus, 50.3 per 1000; hooping-cough, 36.3 per 1000; bronchitis, 23.3 per 1000; measles, 12.8 per 1000; and accidents of all kinds, 25.2 per 1000. A comparison of some of these rates with the rates for all children under 5 years of age is instructive. Thus, out of the total number of deaths from known causes at all ages in children under 5 years of age, measles caused 19.6 per 1000 as against 12.8 for the period under 1 year; diphtheria and croup caused 71.4 per 1000 as against 60.5 under 1 year; hooping-cough caused 37.1 as against 36.3 under 1 year; while diarrhœal diseases caused 172 as against 182 per 1000. It will be seen that of all these causes the diarrhœal forms are the only ones which fall most heavily on the period of infancy.

SECTION V.—COLOR, RACE, ETC., IN RELATION TO MORTALITY.

The influence of race upon the gross mortality rate, on the rates for different ages, and on the proportion dying of certain diseases, appears very marked in the results of comparison of the reports for the white and colored population in the southern portions of the country, and there are indications sufficient to warrant the assertion that the Irish and German population of the United States have also their own peculiarities in these respects.

In a population of 43,402,970 whites there are recorded 640,191 deaths, giving a mortality of 14.74 per 1000. In a population of 6,752,813 colored there are recorded 116,702 deaths, giving a mortality of 17.28 per 1000.

Taking those states east of the Mississippi river which have the largest proportion of colored population, viz, Alabama, District of Columbia, Florida, Georgia, Kentucky, Maryland, Mississippi, North and South Carolina, Tennessee, Virginia, and Louisiana (including in this last that part west of the river also), we find that the total

white population is 8,053,962, and the number of deaths of whites recorded is 113,110, giving a death rate of 14.04 per 1000. The colored population of the same states is 5,303,267, and the number of deaths among these is reported as 91,328, giving a death rate of 17.22 per 1000.

In this section of the country the deficiencies in the enumerators' returns of deaths are above the average, and they are greater for the colored than for the white population, so that the difference between the mortality rates of the two races is greater than that indicated above.

Table XI affords materials for a study of the influence of race in relation to the cause of death, so far as the negro is concerned. The localities selected for this purpose are those in which the proportion of the colored population is sufficiently large to make of value a separate compilation of the facts relating to them.

The same distinction is made in Table XXI, Part II, and some of the peculiarities thus indicated will be referred to in commenting on some of the principal causes of death.

Table XII indicates the relations of Irish or German parentage to causes of death for those parts of the country in which the proportion of population of Irish and German descent is greatest. Unfortunately, as explained in the prefatory remarks, we have not the number of living population of Irish and German descent at the several ages to compare with the figures of this table, but the data given afford material for some interesting comparisons among themselves, as will be indicated hereafter.

Table XX, Part II, shows, for those grand groups containing the larger number of persons of Irish and German parentage, the proportions of death at each age and group of ages in one thousand deaths of which the ages are known, for the Irish and German races.

In comparing Tables XX and XXI, Part II, with each other, and with Table XVI, Part II, which shows the proportion of deaths at different ages for the whole population, it must be borne in mind that the proportion of adults is much greater in the population of Irish and German descent, a large part of which is derived from direct immigration, than it is in the native whites and colored; and hence that in the latter there will be a greater proportion of deaths in infancy and childhood. Thus, among the Irish males the number of deaths under 1 year of age out of 1000 deaths reported is 153.59, and among the German males of the same age, 211.95; while for the population of the whole country the proportion of deaths per 1000 which occur under 1 year of age in males is 248.22, and in the southern groups it is, for the white males, 252.86, and for the colored, 296.12. The proportion of deaths occurring under 5 years of age is greater among the German than among the Irish, being for the former, males, 357.66; females, 373.86, and for the latter, males, 265.55; females, 246.82 per 1000 of all deaths.

In the southern groups, among the colored population, over half the deaths of males reported, or 507.16 per 1000, occur under 5 years of age, and for the colored females, 438.47 deaths out of every 1000 reported are under 5 years. This excess of infantile mortality in the colored race occurs in each grand group in which the distinction of color is made, and is the main cause of the excess of mortality in the colored race over the white.

Tables IX and X, giving the deaths of the Chinese and Indian population of the United States by age and sex, with specification of cause, are compiled from data which are so imperfect that no comparisons can be drawn between the number of deaths in these races to the number of living population; and the number of deaths reported is so small that it is necessary to be very cautious in drawing conclusions as to the proportion which one class of deaths bears to others, or which the number of deaths at any given age bears to those of other ages.

Table X shows the number of deaths as occurring among Indians not collected on reservations. Some statistics relating to the Indians on reservations were collected under the direction of Major J. W. Powell, Director of the United States Geological Survey, and from the data furnished by him the following tables have been compiled. It will be seen that the census enumerators report 903 deaths among Indians, of which 463 were males and 440 females. The data collected on the reservations under the direction of Major Powell include 1,859 deaths—974 males, 864 females, with 21 of unknown sex. These 1,859 deaths are reported as occurring in a population of 78,521 persons, giving a death rate of 23.6 per 1000.

TABLE 12.—SHOWING FOR A TOTAL POPULATION OF 78,521 INDIANS, COLLECTED ON RESERVATIONS, THE NUMBER REPORTED AS DYING DURING THE CENSUS YEAR, WITH DISTINCTION OF SEX AND OF CERTAIN CAUSES OF DEATH.

Deaths from—	Total.	Male.	Female.	UNDER 5 YEARS.		ABOVE 5 YEARS.		UNKNOWN.		Remarks.
				Male.	Female.	Male.	Female.	Male.	Female.	
Total	1,859	974	864	267	253	354	332	365	267	
Measles	109	57	52	4	6	4	7	49	39	
Scarlet fever	14	8	6	5	2	2	2	1	2	
Diphtheria	*61	23	37	16	21	6	13	1	3	* 1 sex and age unknown.
Enteric fever	27	10	17	3	2	5	6	3	8	
Diarrhœal diseases	133	68	65	37	38	8	12	23	15	
Malarial diseases	*56	32	21	7	11	9	5	16	5	* 3 sex and age unknown.
Erysipelas	11	6	5	2	2	3	.....	1	3	
Venereal diseases	57	34	23	5	4	17	10	12	9	

TABLE 12—Continued.

Diseases.	Total.	Male.	Female.	UNDER 5 YEARS.		ABOVE 5 YEARS.		UNKNOWN.		Remarks.
				Male.	Female.	Male.	Female.	Male.	Female.	
Parasitic diseases	12	10	2	8	2	2	.....	.....	.....	
Rheumatism	7	4	3	.....	.....	4	3	.....	.....	
Scrofula and tabes	59	28	31	12	13	5	7	11	11	
Consumption	*342	179	161	27	15	109	117	43	29	* 2 sex and age unknown.
Cancer	5	2	3	.....	.....	1	3	1	.....	
Tumor	3	1	2	.....	.....	1	1	.....	1	
Diseases of the nervous system	64	33	31	13	14	15	11	8	3	
Diseases of the circulatory system	33	22	11	1	1	17	11	3	.....	
Diseases of the respiratory system	76	33	43	6	10	1	2	26	31	
Bronchitis	16	9	7	5	1	2	3	2	4	
Pneumonia	109	69	40	10	14	41	22	18	4	
Diseases of the digestive system	*36	18	17	6	5	5	5	7	7	* 1 sex and age unknown.
Diseases of the urinary system	10	8	2	1	.....	4	2	3	.....	
Diseases of the generative system	6	.....	6	.....	.....	.....	4	.....	2	
Dis. connected with pregnancy	27	.....	27	.....	.....	.....	27	.....	.....	
Diseases of the bones and joints	3	2	1	1	.....	1	.....	1	.....	
Dis. of the skin and cellular tissue	3	1	2	1	1	.....	.....	1	.....	
Diseases of the spleen	.....	.....	.....	.....	.....	.....	.....	.....	.....	
Accidents and injuries	102	63	39	3	8	43	20	20	8	
Other diseases and unknown causes	*478	254	210	94	83	49	40	115	83	* 14 sex and age unknown.

Table 13 shows for the whites and the colored in those grand groups in which the distinction of color is tabulated, viz, Grand Groups 2, 3, 4, 8, 9, 10, 11, 12, 14, and 15, and for the total deaths reported among Indians in the United States, including both those on and off the reservations, the total number of deaths, and the number of deaths from certain specified causes, with distinction of sex:

TABLE 13.—DEATHS FROM SPECIFIED CAUSES AMONG WHITES, COLORED, AND INDIANS.

Deaths from—	WHITES.			COLORED.			INDIANS.			Sex not stated.
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	
Grand total	344,856	178,011	166,845	107,873	53,359	54,514	2,762	1,437	1,304	21
Measles	3,029	1,435	1,594	1,715	920	795	124	62	62	.....
Scarlet fever	7,009	3,441	3,568	372	187	185	21	13	8	.....
Diphtheria	13,152	6,360	6,792	1,680	862	818	75	26	48	1
Enteric fever	11,170	5,753	5,417	3,064	1,488	1,576	49	24	25	.....
Diarrhœal diseases	13,006	6,871	6,135	3,516	1,881	1,635	161	84	77	.....
Malarial fever	10,132	5,068	5,064	4,665	2,393	2,272	84	45	36	3
Venereal diseases	563	301	262	299	158	141	70	40	30	.....
Scrofula and tabes	2,072	1,037	1,035	1,547	775	772	69	32	37	.....
Consumption	41,633	18,638	22,995	13,430	5,304	8,126	576	291	283	2
Cancer and tumor	7,087	2,637	4,450	952	238	714	17	8	9	.....
Diseases of the nervous system	39,328	21,162	18,166	9,360	4,897	4,463	108	57	51	.....
Diseases of the circulatory system	13,662	7,014	6,648	2,664	1,230	1,434	42	28	14	.....
Bronchitis	5,689	2,910	2,779	1,239	648	591	20	11	9	.....
Pneumonia	27,207	15,197	12,010	10,186	5,655	4,531	206	128	78	.....
Other diseases of the respiratory system	14,797	8,034	6,763	3,271	1,726	1,545	95	43	52	.....
Diseases of the digestive system	15,475	8,236	7,239	4,797	2,523	2,274	64	35	28	1
Diseases of the urinary system	6,346	4,189	2,157	934	674	260	16	13	3	.....
Diseases of the female organs of generation	1,049	.....	1,049	498	.....	498	8	.....	8	.....
Affections connected with pregnancy	3,007	.....	3,007	1,477	.....	1,477	47	.....	47	.....
Accidents and injuries	14,453	10,572	3,881	6,526	3,947	2,579	155	102	53	.....
Total	249,866	128,855	121,011	72,192	35,506	36,686	2,007	1,042	958	7
Other diseases and unknown causes	94,990	49,156	45,834	35,681	17,853	17,828	755	395	346	14

From the data given above has been computed the following table (Table 14), showing for whites, colored, and Indians the proportion per 1000 of known causes dying from each of certain specified causes, and thus indicating the relative frequency of these causes of deaths among whites, colored, and Indians, respectively. It will be found interesting to compare this with Table XV, Part II, giving corresponding data for the total population of the country.

TABLE 14.—SHOWING FOR WHITES, COLORED, AND INDIANS THE PROPORTION OF DEATHS FROM CERTAIN SPECIFIED CAUSES, PER 1000 TOTAL DEATHS OF WHICH THE CAUSES ARE KNOWN.

Deaths from—	WHITES.			COLORED.			INDIANS.		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Measles	12.12	11.13	13.17	23.75	25.91	21.67	61.78	59.50	64.71
Scarlet fever	28.05	26.70	29.48	5.15	5.26	5.04	10.46	12.47	8.35
Diphtheria	52.63	49.35	56.12	23.27	24.27	22.29	37.36	24.95	50.10
Enteric fever	44.70	44.64	44.67	42.44	41.90	42.95	24.41	23.03	26.09
Diarrhœal diseases	52.05	53.32	50.69	48.70	52.97	44.56	80.21	80.61	80.37
Malarial fever	40.54	39.33	41.84	64.61	67.39	61.93	41.85	43.18	37.57
Venereal diseases	2.25	2.33	2.16	4.14	4.44	3.84	34.87	38.38	31.31
Scrofula and tabes	8.29	8.04	8.55	21.42	21.82	21.04	34.37	30.71	38.62
Consumption	166.62	144.64	190.02	186.03	149.38	221.50	286.99	279.27	295.40
Cancer and tumor	28.36	20.46	36.77	13.18	6.70	19.46	8.47	7.67	9.39
Diseases of the nervous system	157.39	164.23	150.11	129.65	137.92	121.65	53.81	54.70	53.23
Diseases of the circulatory system	54.67	54.51	54.93	36.90	34.64	39.08	20.92	26.87	14.61
Bronchitis	22.76	22.58	22.96	17.16	18.25	16.10	9.96	10.55	9.39
Pneumonia	108.88	117.93	99.24	141.09	159.26	123.50	102.64	122.84	81.41
Other diseases of the respiratory system	59.21	62.36	55.88	45.30	48.61	42.11	47.33	41.26	54.27
Diseases of the digestive system	61.93	63.91	59.82	66.44	71.05	61.98	31.88	33.58	29.22
Diseases of the urinary system	25.39	32.50	17.81	12.93	18.98	7.08	7.97	12.47	3.13
Diseases of the female organs of generation	8.66	.....	8.66	13.57	.....	13.57	8.35	.....	8.35
Affections connected with pregnancy	24.84	.....	24.84	40.26	.....	40.26	49.06	.....	49.06
Accidents and injuries	57.84	82.04	32.07	90.39	111.16	70.29	77.22	97.98	55.32

(See Fig. 11, p. xxxvii.)

This table indicates that the proportion of deaths among Indians from measles, diarrhœal diseases, malarial fever, venereal diseases, scrofula, consumption, affections connected with pregnancy, and accidents and injuries, is greater than among the whites, while the deaths from scarlet fever, diphtheria, typhoid fever, cancer, diseases of the nervous system, diseases of the circulatory system, bronchitis, pneumonia and other diseases of the respiratory system, and diseases of the urinary organs, are less in proportion among the Indians.

The high proportion of deaths among the Indians which is reported as due to venereal diseases is noteworthy, but probably a part of this is due to a greater readiness to name the true cause among these people than exists among the whites.


We have no means of estimating the amount of deficiency in these reports of deaths among Indians, but it is probably at least as great as that among the colored population.

The variations in the death rates among Indians according to locality are shown in the following table:

TABLE 15.—SHOWING, WITH DISTINCTION OF SEX, FOR INDIANS ON RESERVATIONS IN CERTAIN STATES AND TERRITORIES THE NUMBER OF DEATHS AND THE PROPORTION PER 1000 OF LIVING POPULATION.

States and Territories.	NUMBER OF DEATHS.				Population.	Deaths per 1000 of population.
	Total.	Male.	Female.	Unknown.		
Total	1,858	975	862	21	78,521	23.6
Arizona	48	19	17	12	5,898	8.1
California	93	49	43	1	4,211	22.0
Dakota	269	137	132	.....	17,092	15.7
Idaho	56	29	27	.....	2,782	20.1
Indian territory	264	142	122	.....	9,379	28.1
Iowa	14	3	7	4	360	38.8
Kansas	34	19	15	.....	611	55.6
Michigan	275	145	126	4	8,888	30.9
Montana	175	89	86	.....	8,417	20.7
Nebraska	93	50	43	.....	1,254	74.1
Nevada	145	80	65	.....	4,564	31.7
North Carolina	35	18	17	.....	1,689	20.7
Oregon	100	52	48	.....	4,156	24.0
Pennsylvania	6	6	.....	.....	164	36.5
Utah	10	5	5	.....	466	21.4
Washington	192	104	88	.....	7,937	24.1
Wisconsin	49	28	21	.....	653	75.0

FIG. 11.—DIAGRAM SHOWING FOR WHITES, COLORED, AND INDIANS, THE PROPORTION OF DEATHS FROM SPECIFIED DISEASES IN 1000 DEATHS FROM KNOWN CAUSES.



Notwithstanding the imperfection of the data relative to deaths among Indians, these figures are the most extensive and complete which have yet been gathered with regard to the mortality of this race, and it seems very evident that the death rate among them is a comparatively high one, being probably not far from 30 per 1000.

An important question in this connection is as to how far the excessive mortality in the colored population is due directly to race characteristics, that is to less vital force or capacity to resist disease and death, or to peculiar susceptibility to certain destructive forms of disease; and how far it is due to the fact that the great mass of the colored population is poor and ignorant, lives in the midst of unhealthy surroundings, in the dampest and dirtiest parts of cities, has poor food, and is, in other respects, unusually exposed to well-recognized causes of disease. If we could separate the vital statistics of the poor and ignorant whites, the tenement-house population of our northern cities, from those of the mass of the white population, we should undoubtedly find a high rate of mortality in this class, and especially in infancy and childhood.

That the colored race is peculiarly liable to certain forms of disease, and is less liable than the white race to certain other forms of disease, will appear when we come to consider the statistics of individual causes of death; but when we take into account the effects of climate and soil moisture, the great majority of the colored population being in the South, it is hard to say whether the negro in this region, under the same circumstances as the white, would be shorter lived or not.

In the rural districts the mortality of the negro is not excessive; it is in the cities and towns, where he is brought into close contact with the evils and vices of civilization, that he dies so rapidly.

The same considerations apply, to a considerable extent, in the study of the mortality of the Irish and Germans, and of the Indians.

I do not mean to assert that race has no influence *per se* on longevity, but as yet we have not sufficiently accurate and complete data to prove what this influence is. This remark has reference to gross mortality rates or to longevity only; when we come to consider the mortality at different ages or from different causes, the influence of race becomes very evident. Fig. 12 (p. xxxix) shows for Irish and German parentage, and Fig. 13 (p. xxxix) for white and colored, some of the relations of race to certain causes of death. This, however, will be more fully discussed in speaking of individual causes of death.

TABLE 16.—SHOWING FOR TEN GRAND GROUPS, 2, 3, 4, 8, 9, 10, 11, 12, 14, 15, WITH DISTINCTION OF WHITE AND COLORED, AND FOR FOURTEEN GRAND GROUPS, 1, 2, 5, 6, 7, 8, 10, 13, 16, 17, 18, 19, 20, 21, WITH DISTINCTION OF IRISH AND GERMAN PARENTAGE, THE NUMBER OF DEATHS FROM CERTAIN SPECIFIED CAUSES IN 1000 DEATHS FROM ALL CAUSES.

Deaths from—	White.	Colored.	Irish parentage.	German parentage.
Abortion	0.9	1.4	0.5	0.8
Accidents and injuries	43.8	67.6	61.0	52.5
Alcoholism	2.5	0.7	6.7	2.7
Cancer	19.1	7.8	24.3	25.8
Child-birth	13.9	24.8	14.1	18.3
Consumption	126.2	139.1	198.4	123.6
Croup	26.1	21.8	15.1	23.2
Diphtheria	39.8	17.4	42.1	72.7
Diseases of the bones and joints	3.1	2.0	3.1	2.5
Diseases of the digestive system	46.8	49.6	43.8	47.1
Diseases of the nervous system	119.1	96.9	94.7	109.4
Enteric fever	33.9	31.7	17.4	29.6
Heart disease and dropsy	56.1	64.5	62.3	60.9
Hooping-cough	14.3	33.0	6.0	8.4
Infanticide	0.05	0.14	.....	0.02
Malarial fever	30.7	48.3	12.9	14.1
Measles	9.1	17.7	5.3	8.5
Peritonitis	4.9	2.1	6.8	6.4
Pleurisy	2.7	3.7	2.9	2.6
Pneumonia	82.5	105.5	89.1	82.1
Puerperal septicæmia	12.6	10.2	12.5	15.7
Scarlet fever	20.9	3.9	24.0	30.1
Scrofula and tabes	6.2	16.0	2.7	2.6
Still-born	36.4	39.6	24.7	34.9
Suicide	3.2	0.5	2.7	7.2
Tetanus and trismus nascentium	3.1	9.3	1.6	2.2
Venereal diseases	1.7	3.0	1.4	1.3

FIG. 12.—DIAGRAM SHOWING FOR IRISH AND GERMAN PARENTAGE IN GRAND GROUPS 1, 2, 5, 6, 7, 8, 10, 13, 16, 17, 18, 19, 20, AND 21, THE PROPORTION OF DEATHS FROM SPECIFIED DISEASES IN 1000 DEATHS FROM KNOWN CAUSES.





FIG. 13.—DIAGRAM SHOWING FOR WHITE AND COLORED IN GRAND GROUPS 2, 3, 4, 8, 9, 11, 12, 14, AND 15, THE PROPORTION OF DEATHS FROM SPECIFIED DISEASES IN 1000 DEATHS FROM KNOWN CAUSES.




SECTION VI.—MONTH OR SEASON IN RELATION TO DEATHS.

That the general death rate varies with the season, and more especially that the mortality from certain causes depends very largely upon temperature, humidity, and the movements of the atmosphere, is well known.

In attempting to ascertain from the census records what the influence of month or season in certain regions is as regards either the general death rate or the death rate from certain specified causes, we are met by special difficulties, owing to the fact that by the method of collecting the records of deaths at the end of the year the deficiency in the number of deaths reported increases in proportion to the distance of time from the date of enumeration, owing to defective memory on the part of those furnishing the information to the enumerator, and to migrations, extinctions of families, etc., and hence that the results of tabulating such data must be used with caution, except where they are derived from a system of current registration, as in Massachusetts and New Jersey and the large cities.

The deficiency due to the lapse of time between the date of the death and the date of collecting the information with regard to it has been calculated for the state of Michigan by Dr. H. B. Baker, (*a*) secretary of the state board of health. Upon comparing the results of the enumerations of death made for the Ninth United States Census,

FIG. 14.—DIAGRAM SHOWING FOR MASSACHUSETTS AND NEW JERSEY, BY MONTHS, THE PERCENTAGE OF DEFICIENCY OF THE ENUMERATORS' RETURNS OF DEATHS IN THE CENSUS OF 1880.



for the year ending June 1, 1870, with the statistics collected by the state officials in May, 1870, and May, 1871, he concluded that the discrepancy between the statistics collected by the two classes of officers was mainly due to the length of time which had elapsed between the date of death and the time of collection. The enumeration of deaths was performed by the census marshals in the same manner as by the supervisors, and he therefore assumed that the omissions were in about the same proportion.

From this he concluded that a "delay of one year in returns results in omissions which require that the deaths returned be increased by 98.09 per cent., and that the delay of one month requires that they be increased to one-tenth 98.09 per cent., with corresponding proportions for intervening periods of time". From these data he concludes (page 162) "that the 9,040 deaths returned by registration officers would have been 16,802 if enumerated in months of occurrence".

I have had somewhat similar calculations made for the states of Massachusetts and New Jersey and for certain cities. For these states and cities the actual number of deaths occurring in each month is given by a fairly satisfactory system of registration, based on burial certificates.

---

a Fifth annual Report of the Secretary of State of the State of Michigan, relative to the registering and return of births, marriages, and deaths for the year 1871. Lansing, 1874, pages 158–163.

The following table (Table 17) shows the number of deaths reported by registration and by the census enumerators, respectively, with distinction of sex, for each month of the census year in the states of Massachusetts and New Jersey and in five specified cities:

TABLE 17.

Months.	New Jersey.	Massachusetts (exclusive of Boston).	Milwaukee, Wisconsin.	Wilmington, Delaware.	Providence, Rhode Island.	Pittsburgh, Pennsylvania.	Richmond, Virginia.
Registration returns, total	18,474	25,050	2,369	910	2,259	3,293	1,574
Enumerators' returns, total	13,534	19,781	1,516	538	1,594	2,056	1,088
Registration returns M.	9,524	12,361	1,267	452	1,126	1,688	781
Enumerators' returns M.	7,271	10,070	853	296	883	1,112	557
Registration returns F.	8,950	12,689	1,102	458	1,133	1,605	793
Enumerators' returns F.	6,263	9,711	663	242	711	944	531
R. R., June, 1879 M.	637	881	91	38	64	108	79
E. R., June, 1879 M.	472	677	53	20	42	57	49
R. R., June, 1879 F.	625	936	66	26	71	120	83
E. R., June, 1879 F.	413	646	39	15	45	54	55
R. R., July, 1879 M.	1,030	1,145	123	40	94	182	64
E. R., July, 1879 M.	621	752	62	23	76	96	33
R. R., July, 1879 F.	945	1,076	90	47	109	171	83
E. R., July, 1879 F.	532	687	42	16	46	95	46
R. R., August, 1879 M.	967	1,233	128	31	96	159	76
E. R., August, 1879 M.	625	947	81	25	72	111	47
R. R., August, 1879 F.	888	1,146	124	45	87	162	67
E. R., August, 1879 F.	561	860	61	13	54	87	39
R. R., September, 1879 M.	735	959	122	26	68	136	67
E. R., September, 1879 M.	529	743	74	18	38	92	35
R. R., September, 1879 F.	733	994	102	32	74	120	73
E. R., September, 1879 F.	438	698	57	16	40	68	41
R. R., October, 1879 M.	721	913	95	29	92	121	62
E. R., October, 1879 M.	485	731	45	22	62	83	42
R. R., October, 1879 F.	643	1,015	74	35	89	89	55
E. R., October, 1879 F.	430	714	52	16	51	56	34
R. R., November, 1879 M.	658	883	91	45	103	117	53
E. R., November, 1879 M.	480	673	61	23	77	70	42
R. R., November, 1879 F.	689	879	66	42	102	124	65
E. R., November, 1879 F.	437	698	38	17	57	51	36
R. R., December, 1879 M.	741	907	97	36	116	127	65
E. R., December, 1879 M.	555	759	60	23	104	75	44
R. R., December, 1879 F.	645	1,010	76	29	108	117	45
E. R., December, 1879 F.	420	733	50	18	72	55	37
R. R., January, 1880 M.	769	1,009	91	35	94	136	56
E. R., January, 1880 M.	613	826	77	16	65	101	45
R. R., January, 1880 F.	733	1,076	91	36	118	124	61
E. R., January, 1880 F.	522	856	49	19	60	64	39
R. R., February, 1880 M.	774	1,020	79	33	104	169	59
E. R., February, 1880 M.	590	891	60	26	83	98	50
R. R., February, 1880 F.	718	1,032	103	36	79	123	65
E. R., February, 1880 F.	524	802	71	20	51	73	41
R. R., March, 1880 M.	819	1,128	114	48	107	142	66
E. R., March, 1880 M.	702	972	96	30	93	111	55
R. R., March, 1880 F.	757	1,257	111	48	91	162	76
E. R., March, 1880 F.	588	1,014	63	31	77	117	54
R. R., April, 1880 M.	764	1,153	116	43	96	170	54
E. R., April, 1880 M.	692	980	83	30	87	120	46
R. R., April, 1880 F.	809	1,156	81	51	103	179	42
E. R., April, 1880 F.	632	979	53	38	65	124	44
R. R., May, 1880 M.	908	1,130	120	48	92	121	78
E. R., May, 1880 M.	840	1,105	97	40	84	98	69
R. R., May, 1880 F.	764	1,112	112	31	102	114	76
E. R., May, 1880 F.	702	1,014	79	23	93	100	65
R. R., unknown	1	.....	.....	.....	.....	.....	2
E. R., unknown	67	14	4	.....	.....	.....	.....
R. R., unknown	1	.....	.....	.....	.....	.....	2
E. R., unknown	64	10	9	.....	.....	.....	.....

The following table, computed from the preceding, shows by months, for the states of Massachusetts and New Jersey, the proportions between the enumerators' returns and the registration returns, and the progressive increase in the deficiency of the enumerators' returns as indicated by this table is shown in Figure 14 (p. xl).

TABLE 18.—SHOWING, FOR MASSACHUSETTS AND NEW JERSEY, BY MONTHS, THE EFFECT OF LAPSE OF TIME UPON THE ENUMERATORS' RETURNS.

Months.	MASSACHUSETTS.			NEW JERSEY.		
	Registration returns.	Enumerators' returns.	Proportion of enumerators' returns to 100 of registration returns.	Registration returns.	Enumerators' returns.	Proportion of enumerators' returns to 100 of registration returns.
June, 1879	1,817	1,323	72.8	1,262	885	70.1
July, 1879	2,221	1,439	64.7	1,975	1,153	58.3
August, 1879	2,379	1,807	75.9	1,855	1,186	63.9
September, 1879	1,953	1,441	73.7	1,468	967	65.8
October, 1879	1,928	1,445	74.9	1,364	915	67.0
November, 1879	1,762	1,371	77.8	1,347	917	68.0
December, 1879	1,917	1,492	77.8	1,386	975	70.3
January, 1880	2,085	1,682	80.6	1,502	1,135	75.5
February, 1880	2,052	1,693	82.5	1,492	1,114	74.6
March, 1880	2,385	1,986	83.2	1,576	1,290	81.8
April, 1880	2,309	1,959	84.8	1,573	1,324	84.1
May, 1880	2,242	2,119	94.5	1,672	1,542	92.2

It will be seen that the proportion of deaths omitted in the enumerators' returns increases in a tolerably regular manner as we go back in time from the date of the enumeration, until we come to the month of June, 1879, a period just a year distant from the time of the census, when the deficiency in the enumerators' returns suddenly diminishes from about 40 per cent., which it was for the preceding month, to about 30 per cent. The explanation of this sudden increase in the proportion of deaths contained in the enumerators' returns for the most distant period of time is, probably, that owing to forgetfulness and confusion of dates after the lapse of so long an interval, a certain number of deaths which really occurred in April or May, 1879, were reported to the enumerators as having occurred in June in that year, and hence were improperly returned as having died during the census year. The proportion of omissions in the enumerators' returns differs according to age and sex, and also according to the intelligence of the class of population making the returns. Those who wish to compute the relative proportion of omissions in various ages, etc., will find some interesting data for this purpose in Tables LII and LIII, Part II, which give for the states of Massachusetts and New Jersey a comparison of the state registration returns and of the enumerators' returns by sex and age, and, in the case of Massachusetts, by color.

The following tables and diagrams show the variation in the deficiencies of the enumerators' returns in relation to age, as shown in the proportion of the number of deaths at each age as reported by registration in Massachusetts and New Jersey to the number reported by the census enumerators for the same ages:

TABLE 19.—SHOWING DIFFERENCE BETWEEN REGISTRATION RETURNS AND ENUMERATORS' RETURNS IN THE STATE OF MASSACHUSETTS IN RELATION TO AGES OF DECEDENTS.

Ages.	Deaths, registration returns.	Deaths, enumerators' returns.	Proportion of enumerators' returns to 100 of registration returns.	Percentage of deficiency in enumerators' returns.
All ages	25,050	19,781	78.96	26.63
Under 5	8,136	5,921	72.77	37.40
5–10	1,120	981	87.58	14.16
10–15	481	417	86.69	15.34
15–20	846	724	85.57	16.85
20–25	1,244	989	79.50	25.78
25–30	1,070	850	79.43	25.88
30–35	924	711	76.94	29.95
35–40	1,003	771	76.86	30.09
40–45	840	669	79.64	25.56
45–50	823	635	77.15	29.60
50–55	819	697	85.10	17.50
55–60	913	752	82.36	21.40
60–65	1,077	899	83.47	19.79
65–70	1,250	1,013	81.04	23.39
70–75	1,292	1,070	82.81	20.74
75–80	1,289	1,057	82.00	21.94
80–85	1,037	890	85.82	16.51
85–90	592	468	79.05	26.49
90–95	221	180	81.44	22.77
95 and over	63	54	85 71	16.66
Unknown	10	33	.....	.....

FIG. 15.—DIAGRAM SHOWING, WITH DISTINCTION OF CERTAIN PERIODS OF AGES, THE PROPORTION OF ENUMERATORS' RETURNS TO THE REGISTRATION RETURNS OF DEATHS IN MASSACHUSETTS AND NEW JERSEY.

(Registration returns=100.)




FIG. 16.—DIAGRAM SHOWING, WITH DISTINCTION OF CERTAIN GROUPS OF AGES, THE PROPORTION OF DEATHS PER 1000 OF LIVING POPULATION, REPORTED BY REGISTRATION, TO DEATHS REPORTED BY ENUMERATORS IN NEW JERSEY.




TABLE 20.—SHOWING DIFFERENCE BETWEEN REGISTRATION RETURNS AND ENUMERATORS' RETURNS IN THE STATE OF NEW JERSEY IN RELATION TO AGES OF DECEDENTS.

Ages.	Deaths, registration returns.	Deaths, enumerators' returns.	Proportion of enumerators' returns to registration returns.	Percentage of deficiency in enumerators' returns.
All ages	18,474	13,534	73.25	36.50
Under 5	7,027	4,891	69.60	43.67
5–10	887	697	78.57	27.25
10–15	405	350	86.41	15.71
15–20	515	422	81.94	22.03
20–25	813	627	77.12	29.66
25–30	703	518	73.68	35.71
30–35	695	513	73.81	35.47
35–40	720	576	80.00	25.00
40–45	675	492	72.88	37.19
45–50	667	468	70.16	42.52
50–55	670	527	78.65	27.13
55–60	698	507	72.63	37.67
60–65	762	590	77.42	29.15
65–70	759	529	69.69	43.47
70–75	737	575	78.01	28.17
75–80	690	530	76.81	30.18
80–85	537	379	70.57	41.68
85–90	252	177	70.23	42.37
90–95	94	68	72.34	38.23
95 and over	37	28	75.67	32.14
Unknown	131	70	.....	.....

TABLE 21.—SHOWING DIFFERENCE BETWEEN REGISTRATION RETURNS OF DEATHS AND ENUMERATORS' RETURNS OF DEATHS IN THE STATE OF NEW JERSEY PER 1000 OF LIVING POPULATION, WITH DISTINCTION OF AGE.

Ages.	Living population.	Deaths, registration returns.	Deaths, enumerators' returns.	Per 1000 of living population according to registration returns.	Per 1000 of living population according to enumerators' returns.
All ages	1,131,116	18,474	13,534	16.33	11.96
Under 5	134,716	7,027	4,891	52.16	36.30
5–10	130,809	887	697	6.78	5.32
10–15	120,424	405	350	3.36	2.90
15–20	111,584	515	422	4.61	3.78
20–25	108,721	813	627	7.47	5.76
25–30	90,507	703	518	7.76	5.72
30–35	80,443	695	513	8.63	6.37
35–40	78,918	720	576	9.12	7.29
40–45	65,809	675	492	10.25	7.47
45–50	54,483	667	468	12.24	8.58
50–55	47,309	670	527	14.16	11.13
55–60	32,998	698	507	21.15	15.36
60–65	29,153	762	590	26.13	20.23
65–70	18,966	759	529	40.01	27.89
70–75	13,374	737	575	55.10	42.99
75–80	7,464	690	530	92.44	71.00
80–85	3,595	537	379	149.37	105.42
85–90	1,358	252	177	185.56	130.33
90–95	376	94	68	250.00	180.85
95 and over	109	37	28	339.44	256.88
Unknown	.....	131	70	.....	.....

From these it will be seen that the deficiency is greatest at the two extremes of life, viz, under 5 years of age and over 80.

It should be remembered in examining the relations of causes of death to month of death, that the cause of the fatal illness precedes the day of death in each case by some unknown period. When, therefore, we have a higher mortality for a given period, as, for instance, the month of May, this is not to be taken as showing that injurious influences to health were necessarily specially prevalent in that month, since the real causes producing the deaths may have been acting in the March or April preceding. The length of time elapsing between the immediate causes of the fatal illness and its final termination varies, of course, with different diseases.

FIG. 17.—DEATHS BY MONTHS IN MASSACHUSETTS, EXCLUSIVE OF BOSTON, SHOWING FOR EACH MONTH THE PROPORTION PER 1000 OF TOTAL DEATHS OCCURRING DURING THE YEAR.





FIG. 18.—DEATHS BY MONTHS IN NEW JERSEY, SHOWING FOR EACH MONTH THE PROPORTION PER 1000 OF TOTAL DEATHS OCCURRING DURING THE YEAR.



It is so brief, for example, in the acute diarrhœal affections of infancy, that it may be only a day or two, while in some diseases of the respiratory organs its duration is to be reckoned by months. For the reasons indicated above, it has not been thought worth while to make any detailed studies of the distribution of deaths in relation to the month or season of death for state groups or for grand groups. It is only in those cities and states where the deaths have been registered at the time of their occurrence that the data are sufficiently complete to make such computations scientifically valuable, although, no doubt, here and there some interesting suggestions can be obtained from them if taken in conjunction with the meterological records of the several regions. The necessary data for such studies are given in Table XIV, Part II. The relations of season to deaths from certain specific causes will be referred to hereafter in discussing special causes of death.

The following tables and diagrams show the influence of season upon general mortality for the thirty-one cities whose registration reports were obtained, these being the only localities from which the returns of deaths are sufficiently complete to make such calculations of any value, without corrections and adjustments:

TABLE 22.—SHOWING DEATHS REPORTED BY REGISTRATION RETURNS FOR 31 LARGE CITIES, WITH DISTINCTION OF MONTHS, AND THE PROPORTION FOR EACH MONTH PER 1000 OF TOTAL DEATHS OF WHICH THE MONTHS ARE KNOWN.

Months.	DEATHS.			PER 1000 OF DEATHS OF WHICH THE MONTHS ARE KNOWN.		
	Total.	Male.	Female.	Total.	Male.	Female.
Total for year	147,158	77,725	69,933			
January	11,810	6,110	5,700	80.25	79.12	81.50
February	11,762	6,180	5,582	79.92	80.02	79.82
March	12,419	6,446	5,973	84.39	83.47	85.41
April	12,896	6,704	6,192	87.63	86.81	88.54
May	12,911	6,900	6,011	87.73	89.34	85.95
June	11,573	6,090	5,483	78.64	78.86	78.40
July	15,566	8,245	7,321	105.77	106.76	104.68
August	13,106	6,906	6,200	89.06	89.42	88.65
September	11,294	5,956	5,338	76.74	77.12	76.33
October	10,881	5,717	5,164	73.94	74.03	73.84
November	11,107	5,777	5,330	75.47	74.80	76.21
December	11,829	6,192	5,637	80.38	80.18	80.60
Month unknown	4	2	2			

For the individual registration cities the data of deaths by months are given in Table XXII, Part II.

TABLE 23.—SHOWING DEATHS IN MASSACHUSETTS (EXCLUSIVE OF BOSTON) AND NEW JERSEY, WITH DISTINCTION OF MONTHS, AND PROPORTION FOR EACH MONTH PER 1000 OF TOTAL DEATHS OF WHICH THE MONTHS ARE KNOWN.

Months.	MASSACHUSETTS.						NEW JERSEY.					
	Deaths.			Per 1000 of deaths of known months.			Deaths.			Per 1000 of deaths of known months.		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
June, 1879	1,817	881	936	72.5	71.2	73.7	1,262	637	625	68.3	66.8	69.8
July, 1879	2,221	1,145	1,076	88.6	92.6	84.7	1,975	1,030	945	106.9	108.1	105.5
August, 1879	2,379	1,233	1,146	94.9	99.7	90.3	1,855	967	888	100.4	101.5	99.2
September, 1879	1,953	959	994	77.9	77.5	78.3	1,468	735	733	79.4	77.1	81.8
October, 1879	1,928	913	1,015	76.9	73.8	79.9	1,364	721	643	73.8	75.7	71.8
November, 1879	1,762	883	879	70.3	71.4	69.2	1,347	658	689	72.9	69.0	76.9
December, 1879	1,917	907	1,010	76.5	73.3	79.5	1,386	741	645	75.0	77.8	72.0
January, 1880	2,085	1,009	1,076	83.2	81.6	84.7	1,502	769	733	81.3	80.7	81.8
February, 1880	2,052	1,020	1,032	81.9	82.5	81.3	1,492	774	718	80.7	81.2	80.2
March, 1880	2,385	1,128	1,257	95.2	91.2	99.0	1,576	819	757	85.3	85.9	84.5
April, 1880	2,309	1,153	1,156	92.1	93.2	91.1	1,573	764	809	85.1	80.2	90.3
May, 1880	2,242	1,130	1,112	89.5	91.4	87.6	1,672	908	764	90.5	95.3	85.3
Month unknown							2	1	1			
Aggregate	25,050	12,361	12,689				18,474	9,524	8,950			

TABLE 24.—SHOWING FOR MASSACHUSETTS, EXCLUSIVE OF BOSTON, THE DEATHS BY MONTHS AND PERIODS OF AGES, AND THE PROPORTION FOR EACH MONTH, OF DEATHS AT CERTAIN PERIODS OF AGES TO TOTAL DEATHS OF EACH MONTH.

Months.	Total.	Under 5.	5 to 20.	20 to 60.	60 and over.	Age unknown.	PER 1000.			
							Under 5.	5 to 20.	20 to 60.	60 and over.
January	2,085	641	201	663	580	.....	307.43	96.40	317.98	278.17
February	2,052	624	194	647	587	.....	304.09	94.54	315.30	286.06
March	2,385	702	213	709	760	1	294.80	89.35	297.69	318.65
April	2,309	641	231	714	723	.....	277.60	100.04	309.22	313.12
May	2,242	664	216	703	659	.....	296.16	96.34	313.55	293.93
June	1,817	510	204	595	507	1	280.68	112.32	327.46	279.03
July	2,221	912	200	639	469	1	410.62	90.04	287.70	211.16
August	2,379	1,030	196	611	541	1	432.95	82.38	256.83	227.40
September	1,953	689	169	621	473	1	352.27	86.53	317.97	242.19
October	1,928	626	212	600	488	2	324.68	110.47	311.20	253.11
November	1,762	544	185	538	494	1	308.74	104.99	305.33	280.36
December	1,917	553	226	596	540	2	288.47	117.89	310.90	281.69

TABLE 25.—SHOWING FOR NEW JERSEY THE DEATHS BY MONTHS AND PERIODS OF AGES AND THE PROPORTION FOR EACH MONTH OF DEATHS AT CERTAIN PERIODS OF AGES TO TOTAL DEATHS OF EACH MONTH.

Months.	Total.	Under 5.	5 to 20.	20 to 60.	60 and over.	Age unknown.	IN 1000.			
							Under 5.	5 to 20.	20 to 60.	60 and over.
January	1,502	457	151	529	353	12	304.26	100.53	352.19	235.01
February	1,492	529	136	475	339	13	354.55	91.15	318.36	226.91
March	1,576	545	142	490	388	11	345.81	90.10	310.91	246.19
April	1,573	541	154	521	345	12	343.92	97.90	331.21	219.32
May	1,672	579	176	540	364	13	346.29	105.26	322.96	217.70
June	1,262	479	160	364	251	8	379.55	126.78	288.43	198.89
July	1,975	1,016	146	479	316	18	514.43	73.92	242.53	160.00
August	1,855	897	147	476	325	10	483.55	79.24	256.60	175.20
September	1,468	540	150	461	307	10	367.84	102.17	314.03	209.12
October	1,364	519	139	430	267	9	380.49	101.90	315.24	195.74
November	1,347	443	159	450	289	6	328.87	118.04	334.07	214.55
December	1,386	482	147	426	324	7	347.76	106.06	307.35	233.76

From these tables it appears that in Massachusetts the greatest proportion of deaths occurs in the months of March, August, April, May, and July, in the order named; and that in New Jersey the greatest proportion of deaths occurs in July and August, there being a second maximum for March and May. The high mortality in the summer months is due mainly to deaths occurring among infants from diarrhœal affections. In Massachusetts the months of greatest mortality for children under 5 years of age are in the order named, August, July, September, and November, while for adults from 20 to 60 years of age the maximum mortality occurs in June, and next to this in January; and for persons of 60 years of age and over, the months of greatest mortality are March, April, and February. In New Jersey the months of maximum mortality for children under 5 years of age are July, August, and June; for persons of 20 to 60 years of age they are January, November, and April; and for those of 60 years of age and over they are March, December, January, and February. Excessive heat is most fatal to infants, excessive cold to the aged.

The question as to the influence which the meteorological conditions of a given period have exerted in a given locality is often one of considerable importance in attempts to estimate the comparative healthfulness of different localities or of the same locality at different periods. For example, the death rate of a city may be 2 or 3 per 1000 less this year than it was last year, owing to the fact that this summer was cooler and had fewer sudden changes of temperature than the preceding one, and yet the city may have been, with the exception of the infantile population, more unhealthy this year than it was last. It is for this reason that the distinction of age to a certain extent should be given in tabulations of deaths by months or seasons, although it is not usual to do so, and the distinctions of age given in Table XIV, Part II, are the first of the kind made use of in census work.

The data given in Table XXII, Part II, showing for each of the 31 cities having registration of deaths the number of deaths for each month, with distinction of age and sex, will be found especially valuable for the study of influence of season on gross-mortality rates.

APPENDIX.

5480 MOR——IV

APPENDIX.

List of counties composing each state group, in alphabetical order.

ALABAMA.

GROUP 1.

Baldwin.	Mobile.				

GROUP 2.

Blount.	Colbert.	Franklin.	Lawrence.	Marshall.	Shelby.
Calhoun.	Cullman.	Jackson.	Limestone.	Morgan.	Walker.
Cherokee.	De Kalb.	Jefferson.	Madison.	Saint Clair.	Winston.
Cleburne.	Etowah.	Lauderdale.			

GROUP 3.

Autauga.	Clarke.	Dale.	Hale.	Marion.	Russell.
Barbour.	Clay.	Dallas.	Henry.	Monroe.	Sumter.
Bibb.	Coffee.	Elmore.	Lamar.	Montgomery.	Talladega.
Bullock.	Conecuh.	Escambia.	Lee.	Perry.	Tallapoosa.
Butler.	Coosa.	Fayette.	Lowndes.	Pickens.	Tuscaloosa.
Chambers.	Covington.	Geneva.	Macon.	Pike.	Washington.
Chilton.	Crenshaw.	Greene.	Marengo.	Randolph.	Wilcox.
Choctaw.					

ARIZONA.

The territory forms one group.

ARKANSAS.

GROUP 1.

Chicot.	Crittenden.	Desha.	Lee.	Mississippi.	Poinsett.
Craighead.	Cross.	Jefferson.	Lincoln.	Phillips.	Saint Francis.

GROUP 2.

Arkansas.	Conway.	Hempstead.	Logan.	Perry.	Sebastian.
Ashley.	Crawford.	Hot Spring.	Lonoke.	Pike.	Sevier.
Baxter.	Dallas.	Howard.	Madison.	Polk.	Sharp.
Benton.	Dorsey.	Independence.	Marion.	Pope.	Stone.
Boone.	Drew.	Izard.	Miller.	Prairie.	Union.
Bradley.	Faulkner.	Jackson.	Monroe.	Pulaski.	Van Buren.
Calhoun.	Franklin.	Johnson.	Montgomery.	Randolph.	Washington.
Carroll.	Fulton.	La Fayette.	Nevada.	Saline.	White.
Clark.	Garland.	Lawrence.	Newton.	Scott.	Woodruff.
Clay.	Grant.	Little River.	Ouachita.	Searcy.	Yell.
Columbia.	Greene.				

CALIFORNIA.

GROUP 1.

Alpine.	Fresno.	Merced.	Placer.	Shasta.	Tehama.
Amador.	Inyo.	Modoc.	Plumas.	Sierra.	Tulare.
Butte.	Kern.	Mono.	Sacramento.	Siskiyou.	Tuolumne.
Calaveras.	Lake.	Napa.	San Bernardino.	Stanislaus.	Yolo.
Colusa.	Lassen.	Nevada.	San Joaquin.	Sutter.	Yuba.
El Dorado.	Mariposa.				

List of counties composing each state group, in alphabetical order—Continued.

CALIFORNIA—Continued.

GROUP 2.

Alameda.	Los Angeles.	San Benito.	San Luis Obispo.	Santa Clara.	Sonoma.
Contra Costa.	Marin.	San Diego.	San Mateo.	Santa Cruz.	Trinity.
Del Norte.	Mendocino.	San Francisco.	Santa Barbara.	Solano.	Ventura.
Humboldt.	Monterey.				

COLORADO.

GROUP 1.

Arapahoe.	Douglas.	El Paso.	Las Animas.	Pueblo.	Weld.
Bent.	Elbert.				

GROUP 2.

Boulder.	Costilla.	Grand.	Jefferson.	Ouray.	Saguache.
Chaffee.	Custer.	Gunnison.	Lake.	Park.	San Juan.
Clear Creek.	Fremont.	Hinsdale.	La Plata.	Rio Grande.	Summit.
Conejos.	Gilpin.	Huerfano.	Larimer.	Routt.	

CONNECTICUT.

GROUP 1.

Fairfield.	Middlesex.	New Haven.	New London.

GROUP 2.

Hartford.	Litchfield.	Tolland.	Windham.

DAKOTA.

GROUP 1.

Aurora.	Clark.	Fort Sisseton Indian reservation.	Hanson.	McHenry.	Renville.
Barnes.	Codington.	Foster.	Hutchinson.	McPherson.	Richland.
Beadle.	Davison.	French.	Kidder.	Miner.	Rolette.
Bottineau.	Day.	Gingras.	Kingsbury.	Minnehaha.	Sheridan.
Bramble.	De Smet.	Grand Forks.	Lake.	Moody.	Spink.
Brookings.	Deuel.	Grant.	La Moure.	Pembina.	Stutsman.
Brown.	Douglas.	Hamlin.	Lincoln.	Ramsey.	Traill.
Cass.	Edmunds.	Hand.	Logan.	Ransom.	Turner.
Cavileer.	Faulk.		McCook.		

GROUP 2.

Bonhomme.	Campbell.	Howard.	Potter.	Stevens.	Wallette.
Boreman.	Charles Mix.	Hughes.	Presho.	Sully.	Walworth.
Brulé.	Clay.	Lyman.	Rusk.	Todd.	Williams.
Buffalo.	Edmunds.	Mercer.	Stanley.	Union.	Yankton.
Burleigh.	Gregory.	Mountraille.			

GROUP 3.

Billings.	Delano.	Lugenbeel.	Morton.	Shannon.	White River.
Cheyenne.	Forsyth.	Mandan.	Pennington.	Stark.	Ziebach.
Custer.	Lawrence.	Meyer.	Pratt.	Tripp.	

DELAWARE.

The state forms one group.

DISTRICT OF COLUMBIA.

The district forms one group.

FLORIDA.

The state forms one group.

List of counties composing each state group, in alphabetical order—Continued.

GEORGIA.

GROUP 1.

Appling.	Camden.	Clinch.	Glynn.	McIntosh.	Tattnall.
Bryan.	Charlton.	Echols.	Liberty.	Pierce.	Ware.
Bulloch.	Chatham.	Effingham.	Lowndes.	Screven.	Wayne.

GROUP 2.

Banks.	Dade.	Franklin.	Hall.	Milton.	Towns.
Bartow.	Dawson.	Fulton.	Haralson.	Murray.	Union.
Catoosa.	De Kalb.	Gilmer.	Hart.	Paulding.	Walker.
Chattooga.	Fannin.	Gordon.	Jackson.	Pickens.	White.
Cherokee.	Floyd.	Gwinnett.	Lumpkin.	Polk.	Whitfield.
Cobb.	Forsyth.	Habersham.	Madison.	Rabun.	

GROUP 3.

Baker.	Coffee.	Glascock.	Lincoln.	Pike.	Telfair.
Baldwin.	Colquitt.	Greene.	McDuffy.	Pulaski.	Terrell.
Berrien.	Columbia.	Hancock.	Macon.	Putnam.	Thomas.
Bibb.	Coweta.	Harris.	Marion.	Quitman.	Troup.
Brooks.	Crawford.	Heard.	Meriwether.	Randolph.	Twiggs.
Burke.	Decatur.	Henry.	Miller.	Richmond.	Upson.
Butts.	Dodge.	Houston.	Mitchell.	Rockdale.	Walton.
Calhoun.	Dooly.	Irwin.	Monroe.	Schley.	Warren.
Campbell.	Dougherty.	Jasper.	Montgomery.	Spalding.	Washington.
Carroll.	Douglas.	Jefferson.	Morgan.	Stewart.	Webster.
Chattahoochee.	Early.	Johnson.	Muscogee.	Sumter.	Wilcox.
Clarke.	Elbert.	Jones.	Newton.	Talbot.	Wilkes.
Clay.	Emanuel.	Laurens.	Oconee.	Taliaferro.	Wilkinson.
Clayton.	Fayette.	Lee.	Oglethorpe.	Taylor.	Worth.

IDAHO.

The territory forms one group.

ILLINOIS.

GROUP 1.

Cook.	Lake.

GROUP 2.

Adams.	Gallatin.	Jackson.	Madison.	Pike.	Rock Island.
Alexander.	Hancock.	Jersey.	Massac.	Pope.	Saint Clair.
Calhoun.	Hardin.	Jo Daviess.	Mercer.	Pulaski.	Union.
Carroll.	Henderson.	Johnson.	Monroe.	Randolph.	Whiteside.

GROUP 3.

Bond.	De Kalb.	Hamilton.	Logan.	Ogle.	Stephenson.
Boone.	De Witt.	Henry.	McDonough.	Peoria.	Tazewell.
Brown.	Douglas.	Iroquois.	McHenry.	Perry.	Vermilion.
Bureau.	Du Page.	Jasper.	McLean.	Piatt.	Wabash.
Cass.	Edgar.	Jefferson.	Macon.	Putnam.	Warren.
Champaign.	Edwards.	Kane.	Macoupin.	Richland.	Washington.
Christian.	Effingham.	Kankakee.	Marion.	Saline.	Wayne.
Clark.	Fayette.	Kendall.	Marshall.	Sangamon.	White.
Clay.	Ford.	Knox.	Mason.	Schuyler.	Will.
Clinton.	Franklin.	La Salle.	Menard.	Scott.	Williamson.
Coles.	Fulton.	Lawrence.	Montgomery.	Shelby.	Winnebago.
Crawford.	Greene.	Lee.	Morgan.	Stark.	Woodford.
Cumberland.	Grundy.	Livingston.	Moultrie.		

INDIANA.

GROUP 1.

Lake.	La Porte.	Porter.

List of counties composing each state group, in alphabetical order—Continued.

INDIANA—Continued.

GROUP 2.

Clark.	Floyd.	Jennings.	Pike.	Scott.	Vanderburgh.
Crawford.	Gibson.	Ohio.	Posey.	Spencer.	Warrick.
Dearborn.	Harrison.	Orange.	Ripley.	Switzerland.	Washington.
Dubois.	Jefferson.	Perry.			

GROUP 3.

Adams.	Decatur.	Hendricks.	Lawrence.	Owen.	Tippecanoe.
Allen.	De Kalb.	Henry.	Madison.	Parke.	Tipton.
Bartholomew.	Delaware.	Howard.	Marion.	Pulaski.	Union.
Benton.	Elkhart.	Huntington.	Marshall.	Putnam.	Vermillion.
Blackford.	Fayette.	Jackson.	Martin.	Randolph.	Vigo.
Boone.	Fountain.	Jasper.	Miami.	Rush.	Wabash.
Brown.	Franklin.	Jay.	Monroe.	Saint Joseph.	Warren.
Carroll.	Fulton.	Johnson.	Montgomery.	Shelby.	Wayne.
Cass.	Grant.	Knox.	Morgan.	Starke.	Wells.
Clay.	Greene.	Kosciusko.	Newton.	Steuben.	White.
Clinton.	Hamilton.	Lagrange.	Noble.	Sullivan.	Whitley.
Daviess.	Hancock.				

IOWA.

GROUP 1.

Allamakee.	Clinton.	Dubuque.	Lee.	Muscatine.	Scott.
Clayton.	Des Moines.	Jackson.	Louisa.		

GROUP 2.

Adair.	Cedar.	Floyd.	Jasper.	Monroe.	Tama.
Adams.	Cerro Gordo.	Franklin.	Jefferson.	Montgomery.	Taylor.
Appanoose.	Cherokee.	Greene.	Johnson.	O'Brien.	Union.
Audubon.	Chickasaw.	Grundy.	Jones.	Osceola.	Van Buren.
Benton.	Clarke.	Guthrie.	Keokuk.	Page.	Wapello.
Black Hawk.	Clay.	Hamilton.	Kossuth.	Palo Alto.	Warren.
Boone.	Crawford.	Hancock.	Linn.	Pocahontas.	Washington.
Bremer.	Dallas.	Hardin.	Lucas.	Polk.	Wayne.
Buchanan.	Davis.	Henry.	Madison.	Poweshiek.	Webster.
Buena Vista.	Decatur.	Howard.	Mahaska.	Ringgold.	Winnebago.
Butler.	Delaware.	Humboldt.	Marion.	Sac.	Winneshiek.
Calhoun.	Dickinson.	Ida.	Marshall.	Shelby.	Worth.
Carroll.	Emmet.	Iowa.	Mitchell.	Story.	Wright.
Cass.	Fayette.				

GROUP 3.

Fremont.	Lyon.	Monona.	Pottawattamie.	Sioux.	Woodbury.
Harrison.	Mills.	Plymouth.			

KANSAS.

GROUP 1.

Allen.	Cloud.	Franklin.	Leavenworth.	Morris.	Saline.
Anderson.	Coffey.	Greenwood.	Lincoln.	Nemaha.	Sedgwick.
Atchison.	Cowley.	Harper.	Linn.	Neosho.	Shawnee.
Bourbon.	Crawford.	Harvey.	Lyon.	Osage.	Sumner.
Brown.	Davis.	Jackson.	McPherson.	Ottawa.	Wabaunsee.
Butler.	Dickinson.	Jefferson.	Marion.	Pottawatomie.	Washington.
Chase.	Doniphan.	Jewell.	Marshall.	Reno.	Wilson.
Chautauqua.	Douglas.	Johnson.	Miami.	Republic.	Woodson.
Cherokee.	Elk.	Kingman.	Mitchell.	Rice.	Wyandotte.
Clay.	Ellsworth.	Labette.	Montgomery.	Riley.	

GROUP 2.

Arapahoe.	Edwards.	Hamilton.	Osborne.	Russell.	Stafford.
Barbour.	Ellis.	Hodgeman.	Pawnee.	Scott.	Stanton.
Barton.	Foote.	Kansas.	Phillips.	Seward.	Stevens.
Buffalo.	Ford.	Kearney.	Pratt.	Sequoyah.	Thomas.
Cheyenne.	Gove.	Lane.	Rawlins.	Sheridan.	Trego.
Clark.	Graham.	Meade.	Rooks.	Sherman.	Wallace.
Comanche.	Grant.	Ness.	Rush.	Smith.	Wichita.
Decatur.	Greeley.	Norton.			

List of counties composing each state group, in alphabetical order—Continued.

KENTUCKY.

GROUP 1.

Bell.	Elliott.	Johnson.	Leslie.	Morgan.	Pulaski.
Boyd.	Estill.	Knox.	Letcher.	Owsley.	Rockcastle.
Breathitt.	Floyd.	Laurel.	Magoffin.	Perry.	Wayne.
Carter.	Harlan.	Lawrence.	Martin.	Pike.	Whitley.
Clay.	Jackson.	Lee.	Menifee.	Powell.	Wolfe.
Clinton.					

GROUP 2.

Boone.	Carroll.	Greenup.	Kenton.	Mason.	Oldham.
Bracken.	Crittenden.	Hancock.	Lewis.	Meade.	Trimble.
Breckinridge.	Daviess.	Henderson.	Livingston.	McCracken.	Union.
Campbell.	Gallatin.	Jefferson.			

GROUP 3.

Ballard.	Fulton.	Hickman.

GROUP 4.

Adair.	Casey.	Grayson.	Logan.	Muhlenburgh.	Shelby.
Allen.	Christian.	Green.	Lyon.	Nelson.	Simpson.
Anderson.	Clark.	Hardin.	McLean.	Nicholas.	Spencer.
Barren.	Cumberland.	Harrison.	Madison.	Ohio.	Taylor.
Bath.	Edmonson.	Hart.	Marion.	Owen.	Todd.
Bourbon.	Fayette.	Henry.	Marshall.	Pendleton.	Trigg.
Boyle.	Fleming.	Hopkins.	Mercer.	Robertson.	Warren.
Bullitt.	Franklin.	Jessamine.	Metcalfe.	Rowan.	Washington.
Butler.	Garrard.	La Rue.	Monroe.	Russell.	Webster.
Caldwell.	Grant.	Lincoln.	Montgomery.	Scott.	Woodford.
Calloway.	Graves.				

LOUISIANA.

GROUP 1.

Ascension.	Iberia.	Livingston.	Saint Helena.	Saint Martin.	Terrebonne.
Assumption.	Iberville.	Orleans.	Saint James.	Saint Mary.	Vermillion.
Calcasieu.	Jefferson.	Plaquemines.	Saint John Baptist.	Saint Tammany.	Washington.
Cameron.	La Fayette.	Saint Bernard.	Saint Landry.	Tangipahoa.	West Baton Rouge.
East Baton Rouge.	Lafourche.	Saint Charles.			

GROUP 2.

Avoyelles.	East Carroll.	Madison.	Tensas.	West Carroll.	West Feliciana.
Concordia.	East Feliciana.	Point Coupée.			

GROUP 3.

Bienville.	Catahoula.	Grant.	Natchitoches.	Richland.	Vernon.
Bossier.	Claiborne.	Jackson.	Ouachita.	Sabine.	Webster.
Caddo.	De Soto.	Lincoln.	Rapides.	Union.	Winn.
Caldwell.	Franklin.	Morehouse.	Red River.		

MAINE.

GROUP 1.

Androscoggin.	Hancock.	Knox.	Sagadahoc.	Washington.	York.
Cumberland.	Kennebec.	Lincoln.	Waldo.		

GROUP 2.

Aroostook.	Franklin.	Oxford.	Penobscot.	Piscataquis.	Somerset.

MARYLAND.

GROUP 1.

Anne Arundel.	Carroll.	Dorchester.	Kent.	Queen Anne.	Talbot.
Baltimore.	Cecil.	Harford.	Montgomery.	Saint Mary's.	Wicomico.
Calvert.	Charles.	Howard.	Prince George.	Somerset.	Worcester.
Caroline.					

List of counties composing each state group, in alphabetical order—Continued.

MARYLAND—Continued.

GROUP 2.

Allegany.	Frederick.	Garrett.	Washington.

MASSACHUSETTS.

GROUP 1.

Barnstable.	Dukes.	Middlesex.	Norfolk.	Plymouth.	Suffolk.
Bristol.	Essex.	Nantucket.			

GROUP 2.

Berkshire.	Franklin.	Hampden.	Hampshire.	Worcester.

MICHIGAN.

GROUP 1.

Alcona.	Berrien.	Houghton.	Macomb.	Muskegon.	Saint Clair.
Allegan.	Charlevoix.	Huron.	Manistee.	Oceana.	Sanilac.
Alpena.	Cheboygan.	Iosco.	Manitou.	Ontonagon.	Schoolcraft.
Antrim.	Chippewa.	Isle Royale.	Marquette.	Ottawa.	Tuscola.
Baraga.	Delta.	Keweenaw.	Mason.	Presque Isle.	Van Buren.
Bay.	Emmet.	Leelanaw.	Menominee.	Saginaw.	Wayne.
Benzie.	Grand Traverse.	Mackinac.	Monroe.		

GROUP 2.

Barry.	Eaton.	Isabella.	Lenawee.	Montmorency.	Otsego.
Branch.	Genesee.	Jackson.	Livingston.	Newaygo.	Roscommon.
Calhoun.	Gladwin.	Kalamazoo.	Mecosta.	Oakland.	Saint Joseph.
Cass.	Gratiot.	Kalkaska.	Midland.	Ogemaw.	Shiawassee.
Clare.	Hillsdale.	Kent.	Missaukee.	Osceola.	Washtenaw.
Clinton.	Ingham.	Lake.	Montcalm.	Oscoda.	Wexford.
Crawford.	Ionia.	Lapeer.			

MINNESOTA.

GROUP 1.

Anoka.	Dakota.	Houston.	Sherburne.	Wabasha.	Winona.
Benton.	Goodhue.	Morrison.	Stearns.	Washington.	Wright.
Crow Wing.	Hennepin.	Ramsey.			

GROUP 2.

Big Stone.	Douglas.	Kandiyohi.	Mille Lacs.	Redwood.	Stevens.
Blue Earth.	Faribault.	Lac-qui-parle.	Mower.	Renville.	Swift.
Brown.	Fillmore.	Le Sueur.	Murray.	Rice.	Todd.
Carver.	Freeborn.	Lincoln.	Nicollet.	Rock.	Traverse.
Chippewa.	Grant.	Lyon.	Nobles.	Scott.	Waseca.
Chisago.	Isanti.	McLeod.	Olmstead.	Sibley.	Watonwan.
Cottonwood.	Jackson.	Martin.	Pipe Stone.	Steele.	Yellow Medicine.
Dodge.	Kanabec.	Meeker.	Pope.		

GROUP 3.

Aitkin.	Carlton.	Cook.	Lake.	Pine.	Wadena.
Becker.	Cass.	Itasca.	Marshall.	Polk.	Wilkin.
Beltrami.	Clay.	Kittson.	Otter Tail.	Saint Louis.	

MISSISSIPPI.

GROUP 1.

Hancock.	Harrison.	Jackson.

List of counties composing each state group, in alphabetical order—Continued.

MISSISSIPPI—Continued.

GROUP 2.

Alcorn.	Clay.	Jasper.	Lowndes.	Oktibbeha.	Smith.
Amite.	Copiah.	Jones.	Madison.	Panola.	Sumner.
Attala.	Covington.	Kemper.	Marshall.	Perry.	Tate.
Benton.	Franklin.	La Fayette.	Marion.	Pike.	Tippah.
Calhoun.	Greene.	Lauderdale.	Monroe.	Pontotoc.	Tishomingo.
Carroll.	Grenada.	Lawrence.	Montgomery.	Prentiss.	Union.
Chickasaw.	Hinds.	Leake.	Neshoba.	Rankin.	Wayne.
Choctaw.	Holmes.	Lee.	Newton.	Scott.	Winston.
Clarke.	Itawamba.	Lincoln.	Noxubee.	Simpson.	Yalobusha.

GROUP 3.

Adams.	Coahoma.	Jefferson.	Sharkey.	Tunica.	Wilkinson.
Bolivar.	De Soto.	Le Flore.	Sunflower.	Warren.	Yazoo.
Claiborne.	Issaquena.	Quitman.	Tallahatchie.	Washington.	

MISSOURI.

GROUP 1.

Bollinger.	Jefferson.	Mississippi.	Perry.	Saint Charles.	Saint Louis (city).
Cape Girardeau.	Lewis.	New Madrid.	Pike.	Sainte Genevieve.	Scott.
Clark.	Lincoln.	Pemiscot.	Ralls.	Saint Louis.	Stoddard.
Dunklin.	Marion.				

GROUP 2.

Barry.	Cedar.	Henry.	McDonald.	Pettis.	Stone.
Barton.	Christian.	Hickory.	Madison.	Phelps.	Taney.
Bates.	Crawford.	Howell.	Maries.	Polk.	Texas.
Benton.	Dade.	Iron.	Miller.	Pulaski.	Vernon.
Butler.	Dallas.	Jasper.	Morgan.	Reynolds.	Washington.
Camden.	Dent.	Johnson.	Newton.	Ripley.	Wayne.
Carter.	Douglas.	Laclede.	Oregon.	Saint Clair.	Webster.
Cass.	Greene.	Lawrence.	Ozark.	Shannon.	Wright.

GROUP 3.

Adair.	Daviess.	Harrison.	Macon.	Putnam.	Shelby.
Audrain.	De Kalb.	Knox.	Mercer.	Randolph.	Sullivan.
Caldwell.	Gentry.	Linn.	Monroe.	Schuyler.	Worth.
Clinton.	Grundy.	Livingston.	Nodaway.	Scotland.	

GROUP 4.

Andrew.	Callaway.	Cole.	Holt.	Moniteau.	Ray.
Atchison.	Carroll.	Cooper.	Howard.	Montgomery.	Saint François.
Boone.	Chariton.	Franklin.	Jackson.	Osage.	Saline.
Buchanan.	Clay.	Gasconade.	La Fayette.	Platte.	Warren.

MONTANA.

GROUP 1.

Custer.	Dawson.

GROUP 2.

Beaver Head.	Deer Dodge.	Jefferson.	Madison.	Meagher.	Missoula.
Choteau.	Gallatin.	Lewis and Clarke.			

NEBRASKA.

GROUP 1.

Adams.	Cuming.	Greeley.	Kearney.	Phelps.	Sherman.
Antelope.	Dodge.	Hall.	Lancaster.	Pierce.	Stanton.
Blackbird.	Fillmore.	Hamilton.	Madison.	Platte.	Thayer.
Boone.	Franklin.	Harlan.	Merrick.	Polk.	Valley.
Buffalo.	Furnas.	Howard.	Nance.	Saline.	Wayne.
Butler.	Gage.	Jefferson.	Nuckolls.	Saunders.	Webster.
Clay.	Gosper.	Johnson.	Pawnee.	Seward.	York.
Colfax.					

List of counties composing each state group, in alphabetical order—Continued.

NEBRASKA—Continued.

GROUP 2.

Burt.	Cedar.	Dixon.	Knox.	Otoe.	Sarpy.
Cass.	Dakota.	Douglas.	Nemaha.	Richardson.	Washington.

GROUP 3.

Chase.	Dawson.	Hayes.	Keith.	Red Willow.	Wheeler.
Cheyenne.	Dundy.	Hitchcock.	Lincoln.	Sioux.	Unorganized territory.
Custer.	Frontier.	Holt.			

NEVADA.

The state forms one group.

NEW HAMPSHIRE.

GROUP 1.

Belknap.	Hillsborough.	Merrimack.	Rockingham.	Strafford.

GROUP 2.

Carroll.	Cheshire.	Coos.	Grafton.	Sullivan.

NEW JERSEY.

GROUP 1.

Atlantic.	Camden.	Essex.	Hudson.	Monmouth.	Salem.
Bergen.	Cape May.	Gloucester.	Middlesex.	Ocean.	Union.
Burlington.	Cumberland.				

GROUP 2.

Hunterdon.	Morris.	Passaic.	Somerset.	Sussex.	Warren.
Mercer.					

NEW MEXICO.

GROUP 1.

Colfax.	Lincoln.	Mora.	San Miguel.

GROUP 2.

Bernalillo.	Grant.	Santa Aña.	Socorro.	Taos.	Valencia.
Doña Aña.	Rio Ariba.	Santa Fé.			

NEW YORK.

GROUP 1.

Kings.	Queens.	Richmond.	Rockland.	Suffolk.	Westchester.
New York.					

GROUP 2.

Clinton.	Franklin.	Hamilton.	Herkimer.	Saint Lawrence.	Warren.
Essex.					

GROUP 3.

Delaware.	Greene.	Orange.	Sullivan.	Ulster.

GROUP 4.

Chautauqua.	Genesee.	Monroe.	Orleans.	Oswego.	Wayne.
Erie.	Jefferson.	Niagara.			

List of counties composing each state group, in alphabetical order—Continued.

NEW YORK—Continued.

GROUP 5.

Albany.	Chenango.	Livingston.	Ontario.	Schenectady.	Tioga.
Allegany.	Columbia.	Madison.	Otsego.	Schoharie.	Tompkins.
Broome.	Cortland.	Montgomery.	Putnam.	Schuyler.	Washington.
Cattaraugus.	Dutchess.	Oneida.	Rensselaer.	Seneca.	Wyoming.
Cayuga.	Fulton.	Onondaga.	Saratoga.	Steuben.	Yates.
Chemung.	Lewis.				

NORTH CAROLINA.

GROUP 1.

Beaufort.	Chowan.	Duplin.	Jones.	Pamlico.	Robeson.
Bertie.	Columbus.	Gates.	Lenoir.	Pasquotank.	Sampson.
Bladen.	Craven.	Greene.	Martin.	Pender.	Tyrrell.
Brunswick.	Cumberland.	Hertford.	New Hanover.	Perquimans.	Washington.
Camden.	Currituck.	Hyde.	Onslow.	Pitt.	Wayne.
Carteret.	Dare.				

GROUP 2.

Alamance.	Davidson.	Guilford.	Mecklenburg.	Person.	Stokes.
Anson.	Davie.	Halifax.	Montgomery.	Randolph.	Union.
Cabarrus.	Edgecombe.	Harnett.	Moore.	Richmond.	Warren.
Caswell,	Forsyth.	Iredell.	Nash.	Rockingham.	Wake.
Catawba.	Franklin.	Johnston.	Northampton.	Rowan.	Wilson.
Chatham.	Gaston.	Lincoln.	Orange.	Stanley	Yadkin.
Cleaveland.	Granville.				

GROUP 3.

Alexander.	Burke.	Graham.	McDowell.	Polk.	Transylvania.
Alleghany.	Caldwell.	Haywood.	Macon.	Rutherford.	Watauga.
Ashe.	Cherokee.	Henderson.	Madison.	Surry.	Wilkes.
Buncombe.	Clay.	Jackson.	Mitchell.	Swain.	Yancey.

OHIO.

GROUP 1.

Ashtabula.	Erie.	Lake.	Lucas.	Sandusky.	Wood.
Cuyahoga.	Geauga.	Lorain.	Ottawa.		

GROUP 2.

Adams.	Clinton.	Hamilton.	Lawrence.	Noble.	Ross.
Athens.	Fairfield.	Highland.	Meigs.	Perry.	Scioto.
Belmont.	Fayette.	Hocking.	Monroe.	Pickaway.	Vinton.
Brown.	Gallia.	Jackson.	Montgomery.	Pike.	Warren.
Butler.	Greene.	Jefferson.	Morgan.	Preble.	Washington.
Clermont.					

GROUP 3.

Allen.	Crawford.	Hardin.	Madison.	Paulding.	Trumbull.
Ashland.	Darke.	Harrison.	Mahoning.	Portage.	Tuscarawas.
Auglaize.	Defiance.	Henry.	Marion.	Putnam.	Union.
Carroll.	Delaware.	Holmes.	Medina.	Richland.	Van Wert.
Champaign.	Franklin.	Huron.	Mercer.	Seneca.	Wayne.
Clarke.	Fulton.	Knox.	Miami.	Shelby.	Williams.
Columbiana.	Guernsey.	Licking.	Morrow.	Stark.	Wyandot.
Coshockton.	Hancock.	Logan.	Muskingum.	Summit.	

OREGON.

GROUP 1.

Baker.	Grant.	Lake.	Umatilla.	Union.	Wasco.

List of counties composing each state group, in alphabetical order—Continued.

OREGON—Continued.

GROUP 2.

Benton.	Columbia.	Douglas.	Lane.	Multnomah.	Washington.
Clackamas.	Coos.	Jackson.	Linn.	Polk.	Yam Hill.
Clatsop.	Curry.	Josephine.	Marion.	Tillamook.	

PENNSYLVANIA.

GROUP 1.

Adams.	Centre.	Franklin.	Luzerne.	Perry.	Susquehanna.
Bedford.	Clearfield.	Fulton.	Lycoming.	Pike.	Tioga.
Blair.	Clinton.	Huntingdon.	Mifflin.	Schuylkill.	Union.
Bradford.	Columbia.	Indiana.	Monroe.	Somerset.	Wayne.
Cambria.	Cumberland.	Juniata.	Montour.	Snyder.	Westmoreland.
Cameron.	Dauphin.	Lackawanna.	Northumberland.	Sullivan.	Wyoming.
Carbon.	Fayette.	Lebanon.			

GROUP 2.

Allegheny.	Butler.	Elk.	Lancaster.	Montgomery.	Venango.
Armstrong.	Chester.	Erie.	Lawrence.	Northampton.	Warren.
Beaver.	Clarion.	Forest.	Lehigh.	Philadelphia.	Washington.
Berks.	Crawford.	Greene.	McKean.	Potter.	York.
Bucks.	Delaware.	Jefferson.	Mercer.		

RHODE ISLAND.

The state forms one group.

SOUTH CAROLINA.

GROUP 1.

Beaufort.	Clarendon.	Georgetown.	Horry.	Marion.	Williamsburgh.
Charleston.	Colleton.	Hampton.			

GROUP 2.

Oconee.	Pickens.

GROUP 3.

Abbeville.	Chester.	Fairfield.	Laurens.	Orangeburgh.	Sumter.
Aiken.	Chesterfield.	Greenville.	Lexington.	Richland.	Union.
Anderson.	Darlington.	Kershaw.	Marlborough.	Spartanburgh.	York.
Barnwell.	Edgefield.	Lancaster.	Newberry.		

TENNESSEE.

GROUP 1.

Anderson.	Coffee.	Hamblen.	Loudon.	Polk.	Sullivan.
Bledsoe.	Cumberland.	Hamilton.	McMinn.	Putnam.	Unicoi.
Blount.	De Kalb.	Hancock.	Marion.	Rhea.	Union.
Bradley.	Fentress.	Hawkins.	Meigs.	Roane.	Van Buren.
Campbell.	Franklin.	James.	Monroe.	Scott.	Warren.
Carter.	Grainger.	Jefferson.	Moore.	Sequatchie.	Washington.
Claiborne.	Greene.	Johnson.	Morgan.	Sevier.	White.
Cocke.	Grundy.	Knox.	Overton.		

GROUP 2.

Benton.	Decatur.	Gibson.	Haywood.	Henry.	Madison.
Carroll.	Fayette.	Hardeman.	Henderson.	McNairy.	Weakley.
Crockett.					

GROUP 3.

Dyer.	Lake.	Lauderdale.	Obion.	Shelby.	Tipton.

List of counties composing each state group, in alphabetical order—Continued.

TENNESSEE—Continued.

GROUP 4.

Bedford.	Dickson.	Humphreys.	Macon.	Robertson.	Wayne.
Cannon.	Giles.	Jackson.	Marshall.	Rutherford.	Williamson.
Cheatham.	Hardin.	Lawrence.	Maury.	Smith.	Wilson.
Clay.	Hickman.	Lewis.	Montgomery.	Stewart.	Trousdale.
Davidson.	Houston.	Lincoln.	Perry.	Sumner.	

TEXAS.

GROUP 1.

Aransas.	Cameron.	Goliad.	Jackson.	Matagorda.	Refugio.
Bee.	Chambers.	Hardin.	Jasper.	Newton.	San Patricio.
Brazoria.	Fort Bend.	Harris.	Jefferson.	Nueces.	Victoria.
Calhoun.	Galveston.	Hidalgo.	Liberty.	Orange.	Wharton.

GROUP 2.

Anderson.	Colorado.	Gillespie.	Kimble.	Montgomery.	Stephens.
Angelina.	Comal.	Gonzales.	Lamar.	Morris.	Tarrant.
Archer.	Comanche.	Grayson.	Lampasas.	Nacogdoches.	Titus.
Atascosa.	Cooke.	Gregg.	La Salle.	Navarro.	Travis.
Austin.	Coryell.	Grimes.	Lavaca.	Palo Pinto.	Trinity.
Bandera.	Dallas.	Guadalupe.	Lee.	Panola.	Tyler.
Bastrop.	Delta.	Hamilton.	Leon.	Parker.	Upshur.
Bell.	Denton.	Harrison.	Limestone.	Polk.	Uvalde.
Bexar.	De Witt.	Hayes.	Live Oak.	Rains.	Van Zandt.
Blanco.	Dimmit.	Henderson.	Llano.	Red River.	Walker.
Bosque.	Duval.	Hill.	McCulloch.	Robertson.	Waller.
Bowie.	Eastland.	Hood.	McLennan.	Rockwall.	Washington.
Brazos.	Edwards.	Hopkins.	McMullen.	Rusk.	Webb.
Brown.	Ellis.	Houston.	Madison.	Sabine.	Wichita.
Burleson.	Enciñal.	Hunt.	Marion.	San Augustine.	Williamson.
Burnet.	Erath.	Jack.	Mason.	San Jacinto.	Wilson.
Caldwell.	Falls.	Johnson.	Maverick.	San Saba.	Wise.
Camp.	Fannin.	Karnes.	Medina.	Shelby.	Wood.
Cass.	Fayette.	Kaufman.	Menard.	Smith.	Young.
Cherokee.	Franklin.	Kendall.	Milan.	Somervell.	Zapata.
Clay.	Freestone.	Kerr.	Montague.	Starr.	Zavalla.
Collin.	Frio.				

GROUP 3.

Andrews.	Concho.	Gaines.	Hutchinson.	Moore.	Scurry.
Armstrong.	Cottle.	Garza.	Jones.	Motley.	Shackelford.
Bailey.	Crockett.	Gray.	Kent.	Nolan.	Sherman.
Baylor.	Crosby.	Hale.	King.	Ochiltree.	Stonewall.
Borden.	Dallam.	Hall.	Kinney.	Oldham.	Swisher.
Briscoe.	Dawson.	Hanford.	Knox.	Parmer.	Taylor.
Callahan.	Deaf Smith.	Hardeman.	Lamb.	Pecos.	Terry.
Carson.	Dickens.	Hartley.	Lipscomb.	Potter.	Throckmorton.
Castro.	Donley.	Haskell.	Lubbock.	Presidio.	Tom Green.
Childress.	El Paso.	Hemphill.	Lynn.	Randall.	Wheeler.
Cockran.	Fisher.	Hockley.	Martin.	Roberts.	Wilbarger.
Coleman.	Floyd.	Howard.	Mitchell.	Runnels.	Yoakum.
Collingsworth.					

UTAH.

The territory forms one group.

VERMONT.

The state forms one group.

List of counties composing each state group, in alphabetical order—Continued.

VIRGINIA.

GROUP 1.

Accomac.	Isle of Wight.	Lancaster.	Norfolk.	Princess Anne.	Sussex.
Charles City.	James City.	Mathews.	Northampton.	Richmond.	Warwick.
Elizabeth City.	King and Queen.	Middlesex.	Northumberland.	Southampton.	Westmoreland.
Essex.	King George.	Nansemond.	Prince George.	Surry.	York.
Gloucester.	King William.	New Kent.			

GROUP 2.

Alexandria.	Caroline.	Fairfax.	Hanover.	Lunenburg.	Powhatan.
Amelia.	Charlotte.	Fauquier.	Henrico.	Mecklenburg.	Prince Edward.
Appomattox.	Chesterfield.	Fluvanna.	Henry.	Nottoway.	Prince William.
Brunswick.	Culpeper.	Goochland.	Loudoun.	Orange.	Spottsylvania.
Buckingham.	Cumberland.	Greensville.	Louisa.	Pittsylvania.	Stafford.
Campbell.	Dinwiddie.	Halifax.			

GROUP 3.

Albemarle.	Botetourt.	Frederick.	Montgomery.	Roanoke.	Smyth.
Alleghany.	Buchanan.	Giles.	Nelson.	Rockbridge.	Tazewell.
Amherst.	Carroll.	Grayson.	Page.	Rockingham.	Warren.
Augusta.	Clarke.	Greene.	Patrick.	Russell.	Washington.
Bath.	Craig.	Highland.	Pulaski.	Scott.	Wise.
Bedford.	Floyd.	Lee.	Rappahannock.	Shenandoah.	Wythe.
Bland.	Franklin.	Madison.			

WASHINGTON.

GROUP 1.

Columbia.	Spokane.	Stevens.	Walla Walla.	Whitman.	Yakima.
Klikitat.					

GROUP 2.

Chehalis.	Cowlitz.	King.	Mason.	San Juan.	Thurston.
Clallam.	Island.	Kitsap.	Pacific.	Skamania.	Wahkiakum.
Clarke.	Jefferson.	Lewis.	Pierce.	Snohomish.	Whatcom.

WEST VIRGINIA.

GROUP 1.

Barbour.	Grant.	Lewis.	Monongalia.	Pocahontas.	Taylor.
Berkeley.	Greenbrier.	Logan.	Monroe.	Preston.	Tucker.
Boone.	Hampshire.	McDowell.	Morgan.	Raleigh.	Upshur.
Braxton.	Hardy.	Marion.	Nicholas.	Randolph.	Webster.
Clay.	Harrison.	Mercer.	Pendleton.	Summers.	Wyoming.
Fayette.	Jefferson.	Mineral.			

GROUP 2.

Brooke.	Gilmer.	Lincoln.	Pleasants.	Roane.	Wetzell.
Cabell.	Hancock.	Marshall.	Putnam.	Tyler.	Wirt.
Calhoun.	Jackson.	Mason.	Ritchie.	Wayne.	Wood.
Doddridge.	Kanawha.	Ohio.			

WISCONSIN.

GROUP 1.

Brown.	Kenosha.	Manitowoc.	Ozaukee.	Racine.	Sheboygan.
Door.	Kewaunee.	Milwaukee.			

GROUP 2.

Buffalo.	Grant.	Pepin.	Saint Croix.	Trempealeau.	Vernon.
Crawford.	La Crosse.	Pierce.			

GROUP 3.

Adams.	Dodge.	Iowa.	Marquette.	Sauk.	Winnebago.
Calumet.	Fond du Lac.	Jefferson.	Monroe.	Walworth.	Waukesha.
Columbia.	Green.	Juneau.	Richland.	Washington.	Waushara.
Dane.	Green Lake.	La Fayette.	Rock.		

List of counties composing each state group, in alphabetical order—Continued.

WISCONSIN—Continued.

GROUP 4.

Ashland.	Chippewa.	Eau Claire.	Marathon.	Polk.	Taylor.
Barron.	Clark.	Jackson.	Marinette.	Portage.	Waupaca.
Bayfield.	Douglas.	Langlade.	Oconto.	Price.	Wood.
Burnett.	Dunn.	Lincoln.	Outagamie.	Shawano.	

WYOMING.

GROUP 1.

Laramie.

GROUP 2.

Albany.	Carbon.	Crook.	Johnson.	Sweetwater.	Uinta.

TABLE I.

MORTALITY OF THE UNITED STATES

(BY STATES AND TERRITORIES),

WITH

DISTINCTION OF SEX, AND RATE OF DEATH PER THOUSAND OF POPULATION,

FOR THE

CENSUSES OF 1880, 1870, AND 1860.

TABLE I.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX: 1880, 1870, 1860.

States and Territories.	1880.					1870.					1860.				
	Population.	DEATHS.			Deaths per thousand of population.	Population.	DEATHS.			Deaths per thousand of population.	Population.	DEATHS.			Deaths per thousand of population.
		Total.	Males.	Females.			Total.	Males.	Females.			Total.	Males.	Females.	
United States	50,155,783	756,893	391,960	364,933	15.09	38,558,371	492,263	260,673	231,590	12.77	31,443,321	394,153	207,943	186,210	12.54
Alabama	1,262,505	17,929	8,842	9,087	14.20	996,992	10,771	5,637	5,134	10.80	964,201	12,760	6,753	6,007	13.23
Arizona	40,440	291	207	84	7.20	9,658	252	168	84	26.09	.....	.....	.....	.....	.....
Arkansas	802,525	14,812	7,741	7,071	18.46	484,471	6,119	3,202	2,917	12.63	435,450	8,856	4,735	4,121	20.34
California	864,694	11,530	7,395	4,135	13.33	560,247	9,025	5,687	3,338	16.11	379,994	3,705	2,473	1,232	9.75
Colorado	194,327	2,547	1,610	937	13.11	39,864	375	232	143	9.41	34,277	.....	.....	.....	.....
Connecticut	622,700	9,179	4,629	4,550	14.74	537,454	6,796	3,550	3,246	12.64	460,147	6,139	3,168	2,971	13.34
Dakota	135,177	1,304	743	561	9.65	14,181	101	69	32	7.12	4,837	4	3	1	.83
Delaware	146,608	2,212	1,113	1,099	15.09	125,015	1,561	827	734	12.49	112,216	1,246	618	628	11.10
District of Columbia	177,624	4,192	2,110	2,082	23.60	131,700	2,015	1,065	950	15.30	75,080	1,285	695	590	17.12
Florida	269,493	3,159	1,619	1,540	11.72	187,748	2,264	1,225	1,039	12.06	140,424	1,769	979	790	12.60
Georgia	1,542,180	21,549	10,782	10,767	13.97	1,184,109	13,606	6,990	6,616	11.49	1,057,286	12,816	6,654	6,162	12.12
Idaho	32,610	323	201	122	9.90	14,999	50	39	11	3.33	.....	.....	.....	.....	.....
Illinois	3,077,871	45,017	23,698	21,319	14.63	2,539,891	33,672	18,141	15,531	13.26	1,711,951	19,300	10,368	8,932	11.27
Indiana	1,978,301	31,213	15,971	15,242	15.78	1,680,637	17,661	9,208	8,453	10.51	1,350,428	15,326	7,855	7,471	11.35
Iowa	1,624,615	19,377	10,187	9,190	11.93	1,194,020	9,597	5,117	4,480	8.04	674,913	7,259	3,875	3,384	10.76
Kansas	996,096	15,160	7,921	7,239	15.22	364,399	4,546	2,433	2,113	12.48	107,206	1,567	870	697	14.62
Kentucky	1,648,690	23,718	11,947	11,771	14.39	1,321,011	14,345	7,394	6,951	10.86	1,155,684	16,467	8,611	7,856	14.25
Louisiana	939,946	14,514	7,839	6,675	15.44	726,915	14,499	8,212	6,287	19.95	708,002	12,324	7,250	5,074	17.41
Maine	648,936	9,523	4,722	4,801	14.67	626,915	7,728	3,993	3,735	12.33	628,279	7,614	3,785	3,829	12.12
Maryland	934,943	16,919	8,618	8,301	18.10	780,894	9,740	5,085	4,655	12.47	687,049	7,374	3,831	3,543	10.73
Massachusetts	1,783,085	33,149	16,416	16,733	18.59	1,457,351	25,859	12,894	12,965	17.74	1,231,066	21,304	10,683	10,621	17.31
Michigan	1,636,937	19,743	10,407	9,336	12.06	1,184,059	11,181	5,771	5,410	9.44	749,113	7,401	3,921	3,480	9.88
Minnesota	780,773	9,037	4,869	4,168	11.57	439,706	3,526	1,949	1,577	8.02	172,023	1,109	594	515	6.45
Mississippi	1,131,597	14,583	7,527	7,056	12.89	827,922	9,172	4,788	4,384	11.08	791,305	12,214	6,425	5,789	15.44
Missouri	2,168,380	36,615	19,237	17,378	16.89	1,721,295	27,982	15,762	12,220	16.26	1,182,012	17,654	9,585	8,069	14.94
Montana	39,159	336	225	111	8.58	20,595	185	137	48	8.98	.....	.....	.....	.....	.....
Nebraska	452,402	5,930	3,112	2,818	13.11	122,993	1,000	545	455	8.13	28,841	381	201	180	13.21
Nevada	62,266	728	535	193	11.69	42,491	615	423	192	14.47	6,857	.....	.....	.....	.....
New Hampshire	346,991	5,584	2,769	2,815	16.09	318,300	4,291	2,092	2,199	13.48	326,073	4,469	2,186	2,283	13.71
New Jersey	1,131,116	18,474	9,524	8,950	16.33	906,096	10,586	5,716	4,870	11.68	672,035	7,525	4,024	3,501	11.20
New Mexico	119,565	2,436	1,347	1,089	20.37	91,874	1,180	623	557	12.84	93,516	1,305	736	569	13.95
New York	5,082,871	88,332	45,952	42,380	17.38	4,382,759	69,095	36,740	32,355	15.77	3,880,735	46,941	25,128	21,813	12.10
North Carolina	1,399,750	21,547	10,593	10,954	15.39	1,071,361	10,588	5,142	5,446	9.88	992,622	12,617	6,275	6,342	12.71
Ohio	3,198,062	42,610	22,079	20,531	13.32	2,665,260	29,568	15,724	13,844	11.09	2,339,511	24,726	12,890	11,836	10.57
Oregon	174,768	1,864	1,034	830	10.67	90,923	622	337	285	6.84	52,465	300	156	144	5.72
Pennsylvania	4,282,891	63,881	33,613	30,268	14.92	3,521,951	52,639	27,961	24,678	14.95	2,906,215	30,241	16,249	13,992	10.41
Rhode Island	276,531	4,702	2,346	2,356	17.00	217,353	2,741	1,423	1,318	12.61	174,620	2,479	1,272	1,207	14.20
South Carolina	995,577	15,728	7,609	8,119	15.80	705,606	7,380	3,757	3,623	10.46	703,708	9,749	4,961	4,788	13.85
Tennessee	1,542,359	25,919	12,800	13,119	16.80	1,258,520	14,239	6,963	7,276	11.31	1,109,801	15,156	7,758	7,398	13.66
Texas	1,591,749	24,735	13,121	11,614	15.54	818,579	11,197	6,254	4,943	13.68	604,215	9,377	5,122	4,255	15.52
Utah	143,963	2,414	1,270	1,144	16.77	86,786	891	452	439	10.27	40,273	374	215	159	9.29
Vermont	332,286	5,024	2,505	2,519	15.12	330,551	3,545	1,804	1,741	10.72	315,098	3,355	1,647	1,708	10.65
Virginia	1,512,565	24,681	12,216	12,465	16.32	1,225,163	15,183	7,552	7,631	12.39	1,596,318	22,474	11,472	11,002	14.08
Washington	75,116	755	467	288	10.05	23,955	223	131	92	9.31	11,594	50	27	23	4.31
West Virginia	618,457	7,418	3,781	3,637	11.99	442,014	4,018	2,061	1,957	9.09	.....	.....	.....	.....	.....
Wisconsin	1,315,497	16,011	8,592	7,419	12.17	1,054,670	9,960	5,339	4,621	9.44	775,881	7,141	3,893	3,248	9.20
Wyoming	20,789	189	119	70	9.09	9,118	74	59	15	8.12	.....	.....	.....	.....	.....

TABLE II.

MORTALITY OF THE UNITED STATES

(BY STATES AND TERRITORIES),

WITH

DISTINCTION OF SEX AND COLOR, AND STATEMENT OF RATE OF DEATH PER THOUSAND OF POPULATION,

DURING THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE II.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF SEX AND COLOR: 1880.

States and Territories.	UNITED STATES.			WHITE.						COLORED.					
	Total.			Male.			Female.			Male.			Female.		
	Population.	Deaths.	Rate per thousand.	Population.	Deaths.	Rate per thousand.	Population.	Deaths.	Rate per thousand.	Population.	Deaths.	Rate per thousand.	Population.	Deaths.	Rate per thousand.
The United States..	50,155,783	756,893	15.09	22,130,900	333,735	15.08	21,272,070	306,456	14.41	3,387,920	58,225	17.19	3,364,893	58,477	17.38
Alabama	1,262,505	17,929	14.20	327,517	4,145	12.66	334,668	4,184	12.50	295,112	4,697	15.92	305,208	4,903	16.06
Arizona	40,440	291	7.20	24,556	199	8.10	10,604	82	7.73	3,646	8	2.19	1,634	2	1.22
Arkansas	802,525	14,812	18.46	308,706	5,965	19.32	282,825	5,342	18.89	107,573	1,776	16.51	103,421	1,729	16.72
California	864,694	11,530	13.33	435,056	6,516	14.98	332,125	3,946	11.88	83,120	879	10.58	14,393	189	13.13
Colorado	194,327	2,547	13.11	127,041	1,595	12.56	64,085	926	14.45	2,090	15	7.18	1,111	11	9.90
Connecticut	622,700	9,179	14.74	299,980	4,499	15.00	310,789	4,429	14.25	5,802	130	22.41	6,129	121	19.74
Dakota	135,177	1,304	9.65	81,176	714	8.80	51,971	535	10.29	1,120	29	25.89	910	26	28.57
Delaware	146,608	2,212	15.09	60,777	891	14.66	59,383	846	14.25	13,331	222	16.65	13,117	253	19.29
District of Columbia	177,624	4,192	23.60	57,320	1,096	19.12	60,686	994	16.38	26,258	1,014	38.62	33,360	1,088	32.61
Florida	269,493	3,159	11.72	73,264	902	12.31	69,341	816	11.77	63,180	717	11.35	63,708	724	11.36
Georgia	1,542,180	21,549	13.97	403.744	5,164	12.79	413,162	5,031	12.18	359,237	5,618	15.64	366,027	5,736	15.67
Idaho	32,610	322	9.90	18,440	186	10.09	10,573	120	11.35	3,378	15	4.44	219	2	9.13
Illinois	3,077,871	45,017	14.63	1,561,726	23,267	14.90	1,469,425	20,918	14.24	24,797	431	17.38	21,923	401	18.29
Indiana	1,978,301	31,213	15.78	989,953	15,456	15.61	948,845	14,757	15.55	20,408	515	25.24	19,095	485	25.40
Iowa	1,624,615	19,377	11.93	842,694	10,096	11.98	771,906	9,122	11.82	5,442	91	16.72	4,573	68	14.87
Kansas	996,096	15,160	15.22	514,084	7,374	14.34	438,071	6,726	15.35	22,583	547	24.22	21,358	513	24.02
Kentucky	1,648,690	23,718	14.39	698,757	9,288	13.29	678,422	9,050	13.34	133,833	2,659	19.87	137,678	2,721	19.76
Louisiana	939,946	14,514	15.44	228,974	3,992	17.43	225,980	3,046	13.48	239,780	3,847	16.04	245,212	3,629	14.80
Maine	648,936	9,523	14.67	322,973	4,696	14.54	323,879	4,774	14.74	1,085	26	23.96	999	27	27.03
Maryland	934,943	16,919	18.10	359,670	6,375	17.72	365,023	5,987	16.40	102,517	2,243	21.88	107,733	2,314	21.48
Massachusetts	1,783,085	33,149	18.59	848,977	16,185	19.06	914,805	16,535	18.07	9,463	231	24.41	9,840	198	20.12
Michigan	1,636,937	19,743	12.06	850,795	10,200	11.99	763,765	9,128	11.95	11,560	207	17.91	10,817	208	19.23
Minnesota	780,773	9,037	11.57	417,075	4,835	11.59	359,809	4,125	11.46	2,074	34	16.39	1,815	43	23.69
Mississippi	1,131,597	14,583	12.89	243,226	3,171	13.04	236,172	2,851	12.07	323,951	4,356	13.45	328,248	4,205	12.81
Missouri	2,168,380	36,615	16.89	1,054,879	17,794	16.87	967,947	15,855	16.38	72,308	1,443	19.96	73,246	1,523	20.79
Montana	39,159	336	8.58	25,522	204	7.99	9,863	93	9.43	2,655	21	7.91	1,119	18	16.09
Nebraska	452,402	5,930	13.11	247,815	3,083	12.44	201,949	2,792	13.83	1,426	29	20.34	1,212	26	21.45
Nevada	62,266	728	11.69	35,059	495	14.12	18,497	185	10.00	6,960	40	5.75	1,750	8	4.57
New Hampshire	346,991	5,584	16.09	170,137	2,761	16.23	176,092	2,809	15.95	389	8	20.57	373	6	16.09
New Jersey	1,131,116	18,474	16.33	540,870	9,113	16.85	551,147	8,572	15.55	19,052	411	21.57	20,047	378	18.86
New Mexico	119,565	2,436	20.37	58,655	1,322	22.54	50,066	1,075	21.47	5,841	25	4.28	5,003	14	2.80
New York	5,082,871	88,332	17.38	2,473,121	45,091	18.23	2,542,901	41,608	16.36	32,201	861	26.74	34,648	772	22.28
North Carolina	1,399,750	21,547	15.39	424,944	6,007	14.14	442,298	6,160	13.93	262,964	4,586	17.44	269,544	4,794	17.79
Ohio	3,198,062	42,610	13.32	1,572,789	21,256	13.51	1,545,131	19,700	12.75	41,147	823	20.00	38,995	831	21.31
Oregon	174,768	1,864	10.67	92,935	992	10.67	70,140	800	11.41	10,446	42	4.02	1,247	30	24.06
Pennsylvania	4,282,891	63,881	14.92	2,095,213	32,537	15.53	2,101,803	29,230	13.91	41,442	1,076	25.96	44,433	1,038	23.36
Rhode Island	276,531	4,702	17.00	130,014	2,266	17.43	139,925	2,257	16.13	3,016	80	26.53	3,576	99	27.68
South Carolina	995,577	15,728	15.80	192,544	2,574	13.37	198,561	2,620	13.19	297,864	5,035	16.90	306,608	5,499	17.93
Tennessee	1,542,359	25,919	16.80	571,603	8,669	15.17	567,228	8,643	15.24	197,674	4,131	20.90	205,854	4,476	21.74
Texas	1,591,749	24,735	15.54	640,439	10,215	15.95	556,798	8,783	15.77	197,401	2,906	14.72	197,111	2,831	14.36
Utah	143,963	2,414	16.77	73,477	1,264	17.20	68,946	1,139	16.52	1,032	6	5.81	508	5	9.84
Vermont	332,286	5,024	15.12	166,312	2,497	15.01	164,906	2,511	15.23	575	8	13.91	493	8	16.23
Virginia	1,512,565	24,681	16.32	436,611	6,121	14.02	444,247	6,224	14.01	308,978	6,095	19.73	322,729	6,241	19.34
Washington	75,116	755	10.05	40,513	441	10.89	26,686	262	9.82	5,460	26	4.76	2,457	26	10.58
West Virginia	618,457	7,418	11.99	300,992	3,566	11.85	291,545	3,418	11.72	13,503	215	15.92	12,417	219	17.64
Wisconsin	1,315,497	16,011	12.17	676,949	8,546	12.62	632,669	7,381	11.67	3,120	46	14.74	2,759	38	13.77
Wyoming	20,789	189	9.09	13,026	114	8.75	6,411	69	10.76	1,126	5	4.44	226	1	4.42

TABLE III.

MORTALITY OF THE UNITED STATES

(BY STATES AND TERRITORIES),

WITH

DISTINCTION OF AGE AND SEX,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE III.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF AGE AND SEX: 1880.

	States and Territories.	AGE AND SEX.											
		Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
	The United States	756,893	3,228	175,184	56,816	33,417	21,276	15,931	302,624	43,093	22,915	29,368	39,355
	Total M.	391,960	1,790	96,849	30,253	17,564	10,977	8,136	163,779	21,638	11,233	13,097	18,044
	Total F.	364,933	1,438	78,335	26,563	15,853	10,299	7,795	138,845	21,455	11,682	16,271	21,311
1	Alabama M.	8,842	16	2,411	852	453	281	181	4,208	508	300	349	415
	Alabama F.	9,087	14	2,085	747	443	280	181	3,736	499	281	487	625
2	Arizona M.	207	3	30	6	4	2	.....	42	4	4	4	14
	Arizona F.	84	.....	26	5	5	2	.....	38	7	2	4	4
3	Arkansas M.	7,741	26	1,869	753	412	236	172	3,442	494	299	357	534
	Arkansas F.	7,071	19	1,620	663	398	228	165	3,074	466	228	373	494
4	California M.	7,395	49	1,233	250	164	123	79	1,849	232	141	191	378
	California F.	4,135	18	959	207	165	104	83	1,518	212	120	209	254
5	Colorado M.	1,610	17	238	91	62	64	37	492	95	63	56	150
	Colorado F.	937	6	209	69	60	43	36	417	103	40	36	65
6	Connecticut M.	4,629	17	898	231	156	85	66	1,416	173	77	131	186
	Connecticut F.	4,550	11	691	202	125	95	54	1,167	170	109	166	220
7	Dakota M.	743	2	157	46	54	21	24	302	80	34	15	45
	Dakota F.	561	1	122	44	27	33	26	252	71	41	17	28
8	Delaware M.	1,113	3	276	76	31	24	26	433	47	36	33	43
	Delaware F.	1,099	4	253	83	48	29	16	429	37	21	46	46
9	District of Columbia M.	2,110	1	692	167	87	37	24	1,007	64	33	47	67
	District of Columbia F.	2,082	.....	591	209	76	40	28	944	79	39	55	104
10	Florida M.	1,619	9	321	100	88	68	40	623	128	58	59	87
	Florida F.	1,540	18	301	84	84	60	59	588	107	67	71	108
11	Georgia M.	10,782	16	3,022	1,205	627	330	269	5,453	559	363	378	524
	Georgia F.	10,767	21	2,532	1,048	575	277	216	4,648	581	333	502	634
12	Idaho M.	261	4	25	8	11	1	3	48	14	10	4	11
	Idaho F.	122	.....	23	11	10	4	7	55	9	13	6	3
13	Illinois M.	23,698	145	6,039	2,267	1,093	723	511	10,633	1,318	703	899	1,053
	Illinois F.	21,319	89	4,929	1,902	952	687	464	8,934	1,298	726	974	1,197
14	Indiana M.	15,971	57	3,861	1,241	676	428	341	6,547	930	522	688	850
	Indiana F.	15,242	49	3,132	1,127	649	421	352	5,681	952	569	851	1,078
15	Iowa M.	10,187	89	2,227	838	566	353	271	4,255	779	419	368	427
	Iowa F.	9,190	61	1,715	683	451	310	259	3,418	811	441	483	547
16	Kansas M.	7,921	67	2,079	828	456	276	211	3,850	570	319	325	362
	Kansas F.	7,239	42	1,717	735	432	249	212	3,345	621	326	367	419
17	Kentucky M.	11,947	86	3,290	980	531	306	233	5,340	555	323	468	654
	Kentucky F.	11,771	81	2,579	907	545	306	190	4,527	636	372	667	898
18	Louisiana M.	7,839	18	1,756	490	335	194	153	2,928	431	223	254	436
	Louisiana F.	6,675	14	1,490	468	307	186	151	2,602	361	217	252	416
19	Maine M.	4,722	5	565	199	142	115	92	1,113	297	171	148	201
	Maine F.	4,801	5	486	157	177	120	96	1,036	269	163	245	383
20	Maryland M.	8,618	12	2,597	701	398	239	193	4,128	437	196	233	313
	Maryland F.	8,301	15	2,197	649	349	223	183	3,601	430	204	285	373
21	Massachusetts M.	16,416	8	4,087	999	540	391	294	6,311	681	273	438	697
	Massachusetts F.	16,733	2	3,201	904	516	381	303	5,305	729	304	626	920
22	Michigan M.	10,407	34	2,440	679	412	320	238	4,089	783	370	345	440
	Michigan F.	9,336	37	1,903	544	375	274	256	3,352	684	379	481	533
23	Minnesota M.	4,869	18	1,302	352	234	172	138	2,198	438	211	167	209
	Minnesota F.	4,168	14	961	333	179	144	124	1,741	424	216	211	246
24	Mississippi M.	7,527	31	1,935	578	370	258	172	3,313	417	288	319	425
	Mississippi F.	7,056	24	1,526	446	325	207	154	2,658	442	259	354	535
25	Missouri M.	19,237	116	5,143	1,783	844	456	318	8,544	926	521	784	1,038
	Missouri F.	17,378	88	4,153	1,523	804	450	315	7,245	872	556	920	1,177
26	Montana M.	225	3	31	12	11	4	1	59	12	7	8	14
	Montana F.	111	.....	21	6	8	2	4	41	12	6	3	7
27	Nebraska M.	3,112	25	810	306	200	154	105	1,575	348	158	86	131
	Nebraska F.	2,818	11	630	269	175	153	111	1,338	346	152	103	135
28	Nevada M.	535	11	59	23	8	1	6	97	11	13	8	28
	Nevada F.	193	4	52	12	8	5	5	82	19	5	7	12
29	New Hampshire M.	2,769	5	377	107	68	56	42	650	123	74	84	111
	New Hampshire F.	2,815	5	293	73	63	43	44	516	138	82	129	138
30	New Jersey M.	9,524	79	2,352	614	397	247	189	3,799	450	195	233	385
	New Jersey F.	8,950	52	1,984	530	337	214	154	3,228	437	210	282	428
31	New Mexico M.	1,347	10	304	110	99	57	36	606	80	37	40	79
	New Mexico F.	1,089	6	260	117	77	55	30	539	86	31	66	45
32	New York M.	45,952	95	11,335	3,189	1,719	1,113	821	18,127	2,088	926	1,122	1,654
	New York F.	42,380	84	9,179	2,788	1,492	1,074	781	15,314	1,901	895	1,354	2,009

TABLE III.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF AGE AND SEX: 1880.

AGE AND SEX—continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	
33,132	28,669	28,630	24,954	23,996	24,539	22,352	26,183	25,685	25,736	22,352	16,641	8,149	3,283	2,009	
14,997	13,122	13,480	12,500	12,909	13,605	12,739	14,789	14,207	13,877	11,811	8,240	3,892	1,421	790	
18,135	15,547	15,150	12,454	11,087	10,934	9,613	11,394	11,478	11,859	10,541	8,401	4,257	1,862	1,219	
331	257	231	195	225	279	193	321	248	240	211	170	77	41	27	1
483	383	384	307	283	280	171	259	197	221	143	137	64	36	37	
25	23	21	21	15	13	3	7	2	3	1	1	.....	.....	1	2
7	6	8	1	3	2	1	.....	.....	.....	.....	1	.....	.....	.....	
426	302	251	274	268	223	164	206	159	124	103	55	14	9	11	3
443	350	364	253	211	174	121	135	107	82	64	65	12	17	19	
427	553	581	503	575	581	411	323	232	165	105	66	18	9	6	4
260	209	214	191	178	181	117	112	99	91	77	44	21	7	3	
151	125	114	85	74	55	37	33	22	17	14	5	3	1	1	5
50	45	44	34	14	19	13	15	12	13	6	3	.....	2	.....	
161	163	170	156	171	197	197	257	243	301	266	198	116	23	10	6
198	193	184	155	159	172	169	229	231	275	262	241	140	80	19	
41	38	34	28	37	22	15	14	12	11	5	6	.....	1	1	7
33	25	19	14	12	7	10	13	6	6	3	1	.....	2	.....	
36	34	40	29	34	51	47	55	52	53	44	30	7	3	3	8
59	53	39	39	21	39	26	43	39	43	47	34	19	10	5	
88	82	91	104	78	94	57	79	65	58	42	31	11	4	7	9
101	87	91	60	67	66	51	61	61	55	71	43	22	8	17	
78	71	51	54	60	60	52	69	48	39	35	15	8	6	9	10
96	59	71	50	57	50	27	40	35	27	26	22	7	6	8	
372	294	288	249	238	304	199	335	293	298	235	180	88	62	54	11
515	490	434	337	266	299	203	314	241	310	228	198	91	56	68	
8	10	15	11	19	22	4	8	5	6	1	1	.....	.....	.....	12
7	3	5	4	4	3	4	1	2	2	.....	.....	1	.....	.....	
873	769	767	730	771	821	805	786	784	711	558	342	145	57	28	13
979	920	943	730	641	568	552	620	605	542	449	292	162	72	26	
680	529	537	527	517	551	538	597	569	478	420	278	111	35	10	14
803	632	703	543	463	463	355	448	407	423	370	229	109	39	15	
323	233	253	263	203	302	337	398	426	391	295	202	99	19	16	15
414	326	350	295	243	211	267	241	300	262	233	167	78	21	21	
321	204	253	215	254	237	203	208	173	139	115	51	41	5	9	16
352	295	313	192	160	124	147	120	141	116	81	44	19	8	7	
464	410	358	357	347	388	378	372	380	383	279	222	110	48	25	17
640	550	507	390	340	298	232	321	339	334	235	217	102	52	33	
367	356	367	383	372	356	264	308	243	202	145	100	32	23	31	18
382	270	330	278	228	235	173	238	168	159	123	106	41	23	59	
159	136	136	161	155	139	203	270	308	350	330	240	138	45	17	19
257	197	169	173	156	145	164	200	223	262	300	255	146	74	29	
308	250	281	255	245	247	297	319	304	333	215	141	61	25	18	20
363	329	300	244	234	252	219	258	278	285	223	220	105	39	35	
631	579	643	525	568	548	609	731	788	763	718	547	260	81	17	21
816	712	723	595	575	564	589	637	761	777	794	679	407	158	60	
324	301	308	287	345	326	342	416	437	435	361	268	141	27	19	22
432	380	389	291	264	275	261	293	318	318	276	207	115	30	21	
167	140	159	115	128	155	147	124	138	126	101	80	29	11	8	23
153	151	133	118	103	101	86	100	76	105	82	60	29	12	7	
323	274	233	256	203	205	210	278	219	193	149	115	34	16	26	24
421	364	332	309	203	210	142	210	188	173	87	99	35	29	32	
773	698	699	705	686	702	603	664	600	480	347	210	94	24	23	25
1,009	807	778	610	550	465	391	479	394	419	288	182	91	32	25	
12	18	23	19	13	17	3	7	3	3	1	1	1	1	.....	26
6	6	3	9	4	5	.....	3	1	2	.....	.....	.....	1	2	
107	71	82	64	76	54	63	79	72	44	43	22	10	2	1	27
104	87	104	62	51	52	53	57	56	43	33	22	5	3	1	
36	40	56	64	64	47	20	19	12	3	3	2	1	.....	.....	28
12	11	18	9	7	2	.....	.....	1	2	.....	2	.....	.....	.....	
93	85	95	61	80	84	124	143	206	196	226	176	97	40	16	29
102	131	116	98	98	83	123	127	157	198	194	189	110	67	14	
333	322	379	353	351	380	395	429	372	385	324	218	91	41	10	30
370	373	341	322	316	290	303	333	337	352	356	319	161	53	27	
88	70	59	48	62	32	26	40	20	16	11	11	5	2	5	31
55	42	38	36	23	20	17	35	13	19	3	5	4	3	3	
1,772	1,579	1,841	1,752	1,785	1,774	1,853	1,894	1,910	1,957	1,731	1,214	573	220	85	32
2,011	1,802	1,779	1,614	1,554	1,550	1,436	1,612	1,660	1,718	1,681	1,286	713	263	144	

TABLE III.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF AGE AND SEX: 1880.

	States and Territories.	AGE AND SEX—continued.											
		Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
33	North Carolina..... M.	10,593	68	2,948	1,125	661	374	239	5,347	568	321	368	429
	F.	10,954	87	2,271	972	656	354	248	4,501	628	354	521	615
34	Ohio..... M.	22,079	64	5,359	1,331	873	527	413	8,503	1,146	556	702	940
	F.	20,531	71	4,342	1,196	824	506	374	7,242	1,199	647	870	1,216
35	Oregon..... M.	1,034	13	197	49	52	25	25	348	55	32	49	70
	F.	830	7	151	69	32	30	22	304	67	59	63	55
36	Pennsylvania..... M.	33,613	234	7,694	2,274	1,510	1,034	782	13,294	2,116	904	996	1,324
	F.	30,268	190	6,048	1,920	1,810	918	780	10,976	2,029	966	1,076	1,428
37	Rhode Island..... M.	2,346	4	488	147	98	86	76	895	165	56	41	96
	F.	2,356	1	418	156	97	77	71	819	170	49	88	120
38	South Carolina..... M.	7,609	46	2,018	819	426	255	183	3,701	424	259	227	330
	F.	8,119	35	1,752	721	434	255	175	3,337	483	278	356	480
39	Tennessee..... M.	12,800	73	3,492	1,066	620	342	227	5,747	636	410	598	754
	F.	13,119	100	2,820	909	545	309	235	4,878	653	515	794	1,024
40	Texas..... M.	13,121	67	3,673	1,363	680	378	214	6,308	698	405	499	792
	F.	11,614	49	2,928	1,081	618	333	221	5,181	599	368	632	843
41	Utah..... M.	1,270	14	334	132	98	55	54	673	175	71	33	34
	F.	1,144	9	284	102	59	59	55	559	175	87	29	20
42	Vermont..... M.	2,505	15	416	110	74	34	41	675	106	63	86	102
	F.	2,519	15	312	100	61	38	25	536	106	73	119	107
43	Virginia..... M.	12,216	51	3,375	933	629	320	229	5,486	561	333	408	604
	F.	12,465	41	2,778	954	509	344	250	4,835	634	414	564	724
44	Washington..... M.	467	9	83	28	16	19	14	160	39	22	18	22
	F.	288	2	57	15	16	10	5	103	33	25	14	25
45	West Virginia..... M.	3,781	7	947	324	188	114	122	1,695	243	130	127	181
	F.	3,637	5	810	288	149	111	70	1,428	225	137	168	225
46	Wisconsin..... M.	8,592	47	2,044	506	372	274	229	3,425	630	301	305	389
	F.	7,419	31	1,528	456	299	247	202	2,732	625	301	344	394
47	Wyoming..... M.	119	1	20	9	9	5	2	45	4	3	1	7
	F.	70	.....	16	10	7	9	3	45	11	2	1	4

TABLE III.—DEATHS, BY STATES AND TERRITORIES, WITH DISTINCTION OF AGE AND SEX: 1880.

AGE AND SEX—continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	
318	245	224	179	236	282	235	361	342	365	289	215	130	43	28	33
465	433	433	319	344	315	224	307	292	350	250	262	106	70	77	
752	677	756	684	674	765	743	946	999	1,037	930	716	345	105	39	34
1,102	828	795	634	596	581	627	693	817	822	763	552	302	123	50	
58	44	51	35	50	63	33	35	30	26	18	14	5	5	.....	35
56	36	37	26	17	19	16	9	21	10	16	7	4	.....	1	
1,168	1,062	1,153	995	1,089	1,208	1,172	1,302	1,404	1,457	1,268	868	390	140	69	36
1,332	1,154	1,129	951	880	979	907	1,046	1,184	1,214	1,161	922	473	175	96	
81	83	71	78	68	90	80	113	98	99	101	72	35	16	4	37
107	100	76	89	65	71	67	81	91	106	100	68	51	25	12	
243	218	206	177	188	233	186	272	242	254	176	120	48	28	31	38
414	352	306	272	229	243	160	269	198	224	154	181	68	39	41	
571	478	427	353	343	378	306	401	346	334	297	192	101	33	24	39
762	665	653	476	410	376	259	325	288	311	272	188	74	50	46	
621	534	478	406	400	390	287	373	264	235	181	106	41	19	17	40
743	636	523	420	279	277	182	244	168	155	153	85	31	18	28	
37	28	26	20	17	22	23	17	25	20	18	13	2	1	1	41
29	33	32	21	18	23	23	18	23	10	18	8	7	.....	2	
83	62	48	57	76	84	102	132	147	190	195	138	99	30	15	42
118	106	88	81	79	95	108	113	145	175	170	144	88	33	20	
360	328	308	340	316	416	326	522	452	457	398	286	147	76	41	43
587	517	448	415	396	391	305	392	361	424	394	343	132	70	78	
19	31	25	32	29	20	14	7	9	7	2	2	.....	.....	.....	44
12	15	13	11	8	4	4	6	3	1	6	2	.....	1	.....	
134	92	90	90	79	105	105	118	119	137	171	94	39	13	12	45
175	140	122	109	89	104	77	97	117	136	105	99	42	23	14	
240	214	184	201	233	281	323	400	384	356	332	206	95	31	15	46
299	243	268	206	188	251	231	238	257	286	234	170	70	32	19	
14	10	17	4	2	2	5	1	1	.....	2	.....	.....	.....	.....	47
1	1	1	1	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	

TABLE IV.

MORTALITY OF THE UNITED STATES

(BY STATES AND TERRITORIES),

WITH

DISTINCTION OF RACE, AGE, AND SEX,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.		AGE AND SEX.											
		Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
UNITED STATES.													
Total		756,893	3,228	175,184	56,816	33,417	21,276	15,931	302,624	43,093	22,915	29,368	39,355
White	M.	333,735	1,538	80,083	24,708	14,316	9,098	6,897	135,102	18,413	9,232	10,680	14,822
	F.	306,456	1,197	64,104	21,553	12,825	8,501	6,591	113,574	17,992	9,307	12,925	17,380
Colored	M.	56,972	235	16,694	5,507	3,225	1,861	1,227	28,514	3,199	1,982	2,374	3,102
	F.	57,958	237	14,165	4,989	3,000	1,782	1,193	25,129	3,426	2,356	3,301	3,883
Chinese	M.	790	8	15	4	4	2	3	28	1	2	14	66
	F.	79	2	9	3	5	2	1	20	3	1	3	8
Indian	M.	463	9	57	34	19	16	9	135	25	17	29	54
	F.	440	2	57	18	23	14	10	122	34	18	42	40
ALABAMA.													
Total		17,929	30	4,496	1,599	926	561	382	7,944	1,007	581	836	1,040
White	M.	4,145	10	1,029	350	199	109	72	1,759	217	135	160	193
	F.	4,184	8	860	309	184	108	71	1,532	211	124	194	300
Colored	M.	4,697	6	1,382	502	284	172	109	2,449	291	165	189	222
	F.	4,903	6	1,225	438	259	172	110	2,204	288	157	293	325
Chinese	M.												
	F.												
Indian	M.												
	F.												
ARIZONA.													
Total		291	3	56	11	9	4		80	11	6	8	18
White	M.	199	2	30	6	4	2		42	4	3	4	14
	F.	82		26	5	5	2		38	7	2	3	4
Colored	M.	1											
	F.												
Chinese	M.	1											
	F.												
Indian	M.	6	1								1		
	F.	2										1	
ARKANSAS.													
Total		14,812	45	3,489	1,416	810	464	337	6,516	960	527	730	1,028
White	M.	5,965	21	1,372	589	301	167	136	2,565	368	220	272	422
	F.	5,342	14	1,158	526	306	162	135	2,287	348	170	266	385
Colored	M.	1,770	5	497	164	111	69	36	877	126	79	85	110
	F.	1,726	5	462	137	92	66	30	787	118	58	106	109
Chinese	M.	1											
	F.												
Indian	M.	5											2
	F.	3										1	
CALIFORNIA.													
Total		11,530	67	2,192	457	329	227	162	3,367	444	261	400	632
White	M.	6,516	43	1,198	241	155	117	75	1,786	220	136	173	302
	F.	3,946	16	942	200	157	97	76	1,472	202	119	196	239
Colored	M.	95		15	3	2	1		21	3	2	2	6
	F.	58		6	4		2	3	15	4		4	3
Chinese	M.	695	5	14	3	4	2	3	26	1	2	12	58
	F.	69	2	8	2	5	1	1	17	3	1	1	8
Indian	M.	80	1	6	3	3	3	1	16	8	1	4	12
	F.	62		3	1	3	4	3	14	3		8	4
COLORADO.													
Total		2,547	23	447	160	122	107	73	909	198	103	92	215
White	M.	1,595	15	237	90	61	64	37	489	95	62	55	148
	F.	926	6	207	68	60	42	36	413	102	40	36	63
Colored	M.	12		1	1	1			3		1	1	2
	F.	11		2	1		1		4	1			2
Chinese	M.												
	F.												
Indian	M.	3	2										
	F.												
CONNECTICUT.													
Total		9,179	28	1,589	433	261	180	120	2,583	343	186	297	406
White	M.	4,499	16	865	223	132	81	64	1,365	171	75	125	179
	F.	4,429	11	864	200	121	94	54	1,133	164	104	162	212
Colored	M.	128	1	33	8	4	4	2	51	2	2	5	7
	F.	117		27	2	4	1		34	6	5	4	8
Chinese	M.	1										1	
	F.												
Indian	M.	1											
	F.	4											

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
33,132	28,669	28,630	24,954	23,996	24,539	22,352	26,183	25,685	25,736	22,352	16,641	8,149	3,283	2,009
12,679	11,230	11,611	10,925	11,476	11,962	11,610	13,099	13,024	12,658	10,932	7,485	3,584	1,179	494
15,037	13,121	12,918	10,508	9,640	9,368	8,677	9,984	10,522	10,748	9,790	7,515	3,959	1,584	710
2,157	1,702	1,724	1,472	1,350	1,580	1,091	1,658	1,169	1,208	872	747	308	239	294
3,957	2,387	2,202	1,911	1,438	1,553	929	1,395	952	1,104	744	881	296	276	501
181	163	125	83	67	46	27	21	4	3	1	.....	.....	.....	.....
10	9	9	7	1	3	1	1	1	.....	.....	.....	.....	.....	.....
30	27	20	20	16	17	11	11	10	8	6	3	5	3	2
31	30	21	28	8	10	6	14	3	7	7	5	2	2	3
814	640	615	562	508	559	364	580	445	461	354	307	141	77	64
170	121	114	100	128	134	105	176	100	139	144	107	48	20	5
241	199	201	178	147	135	92	130	113	137	93	77	45	18	9
161	136	117	95	97	145	88	145	88	101	67	63	29	21	22
242	184	183	189	136	145	79	129	84	84	50	60	19	18	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	29	29	22	18	15	4	7	2	3	1	2	.....	.....	1
22	22	19	21	15	13	3	7	2	3	1	1	.....	.....	1
6	6	8	1	3	2	1	.....	.....	.....	.....	1	.....	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
869	652	615	527	479	397	285	341	266	206	167	120	26	26	30
334	249	205	226	218	180	136	165	140	96	89	39	13	4	3
339	275	294	194	173	123	98	104	86	69	47	48	9	10	3
88	53	46	43	50	43	28	41	19	28	14	16	1	5	8
104	75	70	59	38	51	23	30	20	13	17	17	3	7	16
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
687	762	795	694	753	762	528	435	331	256	182	110	39	16	9
305	391	457	421	503	528	375	300	219	160	104	64	16	8	5
243	192	198	176	174	173	115	106	94	90	73	41	20	6	1
3	2	12	4	8	0	7	5	6	2	.....	1	.....	1	1
5	3	4	1	3	2	1	4	4	1	1	2	.....	.....	1
114	150	107	71	59	39	26	17	4	3	1	.....	.....	.....	.....
7	7	9	7	1	3	1	1	1	.....	.....	.....	.....	.....	.....
5	10	5	7	5	5	3	1	3	.....	.....	1	2	.....	.....
5	7	3	7	.....	3	.....	1	.....	.....	3	1	1	1	1
201	170	158	119	88	74	50	48	34	30	20	8	3	3	1
149	125	114	85	72	55	37	32	22	17	13	5	3	1	1
50	44	43	34	14	18	13	15	11	13	6	3	.....	2	.....
2	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
.....	1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
359	356	354	311	330	369	366	486	474	576	528	439	256	103	29
153	153	164	152	168	194	193	256	239	295	263	193	113	23	9
188	183	181	153	156	168	160	221	228	273	261	236	139	78	18
8	10	6	4	3	3	4	1	4	6	2	5	3	.....	1
10	9	3	2	3	4	8	8	3	2	.....	4	1	2	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.	AGE AND SEX.											
	Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
DAKOTA.												
Total	1,304	3	279	90	81	54	50	554	151	75	32	73
White M.	714	2	154	44	52	20	22	292	79	54	13	42
White F.	535	1	119	42	26	32	25	244	66	37	16	26
Colored M.	2						1	1				
Colored F.												
Chinese M.	4											
Chinese F.												
Indian M.	23		3	2	2	1	1	9	1		2	3
Indian F.	26		3	2	1	1	1	8	5	4	1	2
DELAWARE.												
Total	2,212	7	529	159	79	53	42	862	84	57	79	89
White M.	891	3	211	56	23	15	20	325	40	25	25	34
White F.	846	2	187	63	38	17	12	317	29	12	30	36
Colored M.	222		65	20	8	9	6	108	7	11	8	9
Colored F.	253	2	66	20	10	12	4	112	8	9	16	10
Chinese M.												
Chinese F.												
Indian M.												
Indian F.												
DISTRICT OF COLUMBIA.												
Total	4,192	1	1,283	376	163	77	52	1,951	143	72	102	171
White M.	1,096		290	52	26	16	11	395	32	13	20	31
White F.	994		259	81	28	21	8	397	32	18	25	44
Colored M.	1,014	1	402	115	61	21	13	612	32	20	27	36
Colored F.	1,088		332	128	48	19	20	547	47	21	30	60
Chinese M.												
Chinese F.												
Indian M.												
Indian F.												
FLORIDA.												
Total	3,159	27	622	190	172	128	99	1,211	235	125	139	195
White M.	992	6	144	46	45	39	12	286	68	39	34	48
White F.	816	12	148	34	40	26	32	280	52	39	37	65
Colored M.	717	3	177	60	43	29	28	337	60	19	25	39
Colored F.	724	6	156	50	44	34	27	308	55	28	34	43
Chinese M.												
Chinese F.												
Indian M.												
Indian F.												
GEORGIA.												
Total	21,549	37	5,554	2,253	1,202	607	485	10,101	1,140	696	880	1,158
White M.	5,164	11	1,343	505	261	132	114	2,355	234	163	166	265
White F.	5,031	16	1,081	431	252	122	93	1,979	214	133	218	269
Colored M.	5,615	5	1,679	699	366	198	155	3,097	325	200	212	258
Colored F.	5,734	5	1,451	617	322	154	123	2,667	367	200	284	365
Chinese M.												
Chinese F.												
Indian M.	3			1				1				1
Indian F.	2				1	1		2				
IDAHO.												
Total	323	4	48	19	21	5	10	103	23	23	10	14
White M.	186	4	24	8	11	1	3	47	14	10	4	11
White F.	120		23	11	10	4	7	55	9	13	5	3
Colored M.	2											
Colored F.												
Chinese M.	13		1					1				
Chinese F.	1											
Indian M.												
Indian F.	1											
ILLINOIS.												
Total	45,017	234	10,968	4,169	2,045	1,410	975	19,567	2,616	1,429	1,873	2,250
White M.	23,267	139	5,935	2,240	1,078	708	501	10,462	1,291	691	876	1,018
White F.	20,918	86	4,837	1,869	934	673	457	8,770	1,271	707	955	1,173
Colored M.	430	6	104	27	15	15	10	171	27	12	23	35
Colored F.	400	3	91	33	18	14	7	163	27	19	19	24
Chinese M.	1											
Chinese F.												
Indian M.												
Indian F.	1		1					1				

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
74	63	53	42	49	29	25	27	18	17	8	7	.....	3	1
40	36	31	24	37	22	15	13	10	11	5	6	.....	1	1
32	25	19	13	11	6	10	11	6	6	3	1	.....	2	.....
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	2	2	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
1	.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....
95	87	79	68	55	90	73	98	91	96	91	64	26	13	8
27	28	36	18	32	44	40	50	45	46	36	27	5	3	2
39	43	33	31	17	33	23	37	35	36	43	26	16	6	2
9	6	4	11	2	7	7	5	7	7	8	3	2	.....	1
20	10	6	8	4	6	8	0	4	7	4	8	3	4	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
189	169	182	164	145	160	108	140	126	113	113	74	33	12	24
47	53	60	81	43	63	36	59	53	42	30	20	11	3	4
44	50	40	33	40	35	32	41	39	36	45	23	12	5	3
41	20	31	23	35	31	21	20	12	16	12	11	.....	1	3
57	37	51	27	27	31	19	20	22	19	20	20	10	3	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	130	122	104	117	116	79	109	83	66	61	37	15	12	17
44	51	26	28	42	42	38	46	35	28	23	9	4	4	4
59	35	45	25	34	23	20	19	22	18	14	9	4	1	3
34	20	25	26	18	18	14	23	13	11	12	9	4	2	5
37	24	26	25	23	27	7	21	13	9	12	13	3	5	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
887	784	722	586	504	603	402	649	534	608	463	378	179	118	120
164	178	135	127	137	156	125	180	193	196	166	113	56	31	13
241	247	224	167	147	136	126	154	160	205	159	127	66	28	15
208	116	153	122	101	143	74	155	100	102	98	67	32	31	41
274	243	210	170	119	163	77	160	81	105	69	71	25	28	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	13	20	15	23	25	8	9	7	8	1	1	1	.....	.....
7	9	11	9	15	20	4	8	5	6	1	1	.....	.....	.....
6	2	5	4	4	3	4	1	2	2	.....	.....	1	.....	.....
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	1	3	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1,852	1,689	1,710	1,460	1,412	1,389	1,357	1,406	1,389	1,253	1,007	634	307	129	54
860	749	741	719	752	807	797	777	777	704	550	338	145	56	28
950	893	927	714	632	556	546	610	602	540	447	288	160	69	22
23	19	26	11	19	14	8	9	7	7	8	4	.....	1	.....
29	27	16	16	9	12	6	10	3	2	2	4	2	3	4
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.		AGE AND SEX.											
		Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
INDIANA.													
Total		31,213	106	6,993	2,368	1,325	849	693	12,228	1,882	1,091	1,539	1,928
White	M.	15,456	55	3,742	1,199	652	411	330	6,334	898	498	640	820
	F.	14,757	46	3,013	1,085	611	403	346	5,458	924	548	812	1,041
Colored	M.	504	2	118	41	24	17	11	211	32	24	41	28
	F.	481	3	119	42	37	18	6	222	28	21	39	37
Chinese	M.	1											
	F.												
Indian	M.	10		1	1				2			1	2
	F.	4				1			1				
IOWA.													
Total		19,377	150	3,942	1,521	1,017	663	550	7,673	1,590	860	851	974
White	M.	10,096	88	2,206	839	559	351	271	4,217	776	413	366	419
	F.	9,122	60	1,705	680	448	307	258	3,398	807	437	473	544
Colored	M.	91	1	21	8	7	2		38	3	6	2	8
	F.	68	1	10	3	3	3	1	20	4	4	10	3
Chinese	M.												
	F.												
Indian	M.												
	F.												
KANSAS.													
Total		15,160	109	3,796	1,563	888	525	423	7,195	1,191	645	692	781
White	M.	7,374	60	1,963	764	419	251	196	3,593	516	280	295	338
	F.	6,726	37	1,630	686	395	232	194	3,137	571	287	332	391
Colored	M.	535	7	115	64	37	25	15	256	54	39	29	24
	F.	490	5	83	48	37	17	18	203	50	39	34	24
Chinese	M.												
	F.												
Indian	M.	12		1					1			1	
	F.	23		4	1				5			1	4
KENTUCKY.													
Total		23,718	167	5,869	1,887	1,076	612	423	9,867	1,191	695	1,135	1,552
White	M.	9,288	70	2,528	727	411	217	184	4,067	414	223	313	488
	F.	9,050	60	1,977	674	414	219	153	3,437	464	230	453	655
Colored	M.	2,659	16	762	253	120	89	49	1,273	141	100	155	166
	F.	2,721	21	602	233	131	87	37	1,090	172	142	214	243
Chinese	M.												
	F.												
Indian	M.												
	F.												
LOUISIANA.													
Total		14,514	32	3,246	958	642	380	304	5,530	792	440	506	852
White	M.	3,992	13	807	207	143	92	72	1,321	197	105	134	220
	F.	3,046	8	652	171	116	86	69	1,094	148	77	115	192
Colored	M.	3,834	4	949	283	192	102	81	1,607	234	118	120	215
	F.	3,625	6	837	297	191	100	82	1,507	213	140	136	224
Chinese	M.	9	1										
	F.	1		1					1				
Indian	M.	4											1
	F.	3										1	
MAINE.													
Total		9,523	10	1,051	356	319	235	188	2,149	566	334	393	534
White	M.	4,696	5	560	198	141	113	92	1,104	294	170	147	199
	F.	4,774	5	479	156	177	119	96	1,027	265	160	244	332
Colored	M.	16		3			1		4	2		1	2
	F.	16		5					5	3	2		
Chinese	M.												
	F.	2			1		1		2				
Indian	M.	10		2	1	1	1		5	1	1		
	F.	9		2					2	1	1	1	1
MARYLAND.													
Total		16,919	27	4,794	1,350	747	462	376	7,729	876	400	518	686
White	M.	6,375	9	1,834	485	291	172	154	2,936	342	129	157	220
	F.	5,987	10	1,483	449	251	156	132	2,471	332	129	171	262
Colored	M.	2,243	3	763	216	107	67	39	1,192	95	67	76	93
	F.	2,314	5	714	200	98	67	51	1,130	107	75	114	111
Chinese	M.												
	F.												
Indian	M.												
	F.												

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
1,483	1,161	1,240	1,070	989	1,014	893	1,045	1,036	901	790	507	220	74	25
657	502	520	508	510	534	521	586	562	467	414	275	108	32	9
778	614	685	518	455	454	350	440	464	418	364	227	108	39	14
22	26	16	10	7	16	16	11	7	11	5	3	3	3	.....
24	18	18	24	8	9	5	8	3	5	5	2	1	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
737	559	603	558	536	513	604	639	726	653	528	369	177	40	37
320	228	252	259	290	300	334	395	422	390	295	201	99	19	13
412	324	347	290	240	210	263	239	300	261	233	167	77	21	19
3	5	1	4	3	2	3	3	4	1	.....	1	.....	.....	3
2	2	3	5	3	1	4	2	.....	1	.....	.....	1	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
673	499	566	407	414	361	350	328	314	255	196	95	60	13	16
307	190	241	199	241	226	192	196	167	131	107	50	36	5	4
330	278	288	173	152	117	137	109	139	109	77	39	16	6	1
14	14	11	14	12	9	10	10	6	8	5	1	4	.....	5
19	17	24	16	8	6	8	10	2	6	4	4	3	2	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	2	1	2	1	2	.....	.....	.....	.....	1	.....	.....
8	.....	1	3	.....	1	2	1	.....	1	.....	1	.....	.....	.....
1,104	960	865	747	687	686	610	603	719	717	514	439	212	100	58
362	320	296	293	286	315	324	308	322	316	244	182	91	40	14
490	448	414	312	272	253	192	279	297	286	202	173	87	34	12
102	90	62	61	61	73	54	64	58	67	35	40	19	8	11
150	102	93	78	68	45	40	42	42	48	33	44	15	18	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
749	626	697	661	600	591	437	546	411	361	268	206	73	46	90
195	201	200	234	223	198	187	161	151	112	70	42	17	7	4
185	185	169	137	127	118	101	123	89	83	66	40	21	6	12
170	153	164	149	149	157	77	146	91	90	75	57	15	16	27
197	135	160	140	101	117	72	115	79	76	57	66	20	17	47
2	2	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
416	333	305	334	311	284	367	470	531	612	630	495	284	119	46
157	136	135	160	154	139	202	269	308	349	329	239	138	45	17
255	197	169	172	156	142	164	200	223	261	300	255	145	74	28
2	.....	1	1	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
1	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	1	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
671	579	581	499	479	499	516	577	582	615	438	361	166	64	53
233	192	209	188	189	194	235	269	255	275	173	102	48	15	5
260	244	224	183	177	189	182	211	234	230	193	167	82	26	19
75	58	72	67	56	53	62	50	49	58	42	39	13	10	13
103	85	76	61	57	63	37	47	44	55	30	53	23	13	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.	AGE AND SEX. Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
MASSACHUSETTS.												
Total	33,149	10	7,288	1,903	1,056	772	597	11,616	1,410	577	1,064	1,617
White M.	16,185	8	4,013	975	531	386	291	6,196	671	273	433	688
White F.	16,535	2	3,155	881	508	374	301	5,219	723	299	618	907
Colored M.	228	.....	73	24	9	5	3	114	10	.....	5	8
Colored F.	192	.....	46	23	8	7	2	86	6	4	8	13
Chinese M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indian M.	3	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1
Indian F.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
MICHIGAN.												
Total	19,743	71	4,343	1,223	787	594	494	7,441	1,467	749	826	982
White M.	10,200	33	2,393	664	403	314	232	4,006	773	361	334	433
White F.	9,128	35	1,866	530	366	266	246	3,274	673	367	465	519
Colored M.	109	1	21	9	3	2	3	38	4	5	5	10
Colored F.	116	2	18	8	2	4	7	39	5	9	8	10
Chinese M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indian M.	98	.....	26	6	6	4	3	45	6	4	6	6
Indian F.	92	.....	19	6	7	4	3	39	6	3	8	4
MINNESOTA.												
Total	9,037	32	2,263	685	413	316	262	3,939	862	427	378	455
White M.	4,835	18	1,297	348	233	170	138	2,186	436	209	167	202
White F.	4,125	14	955	332	178	142	124	1,731	421	216	207	239
Colored M.	12	.....	4	1	.....	.....	.....	5	1	.....	.....	2
Colored F.	13	.....	4	1	.....	.....	.....	5	.....	.....	1	1
Chinese M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indian M.	22	.....	1	3	1	2	.....	7	1	2	.....	5
Indian F.	30	.....	2	.....	1	2	.....	5	3	.....	3	6
MISSISSIPPI.												
Total	14,583	55	3,461	1,024	695	465	326	5,971	859	547	673	960
White M.	3,171	9	702	219	129	94	56	1,200	152	101	143	187
White F.	2,851	11	535	178	138	81	55	987	171	86	104	218
Colored M.	4,346	22	1,231	357	241	162	116	2,108	265	187	175	237
Colored F.	4,190	13	988	268	185	126	98	1,665	270	172	247	315
Chinese M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indian M.	10	.....	2	2	.....	1	.....	5	.....	.....	1	1
Indian F.	15	.....	3	.....	2	.....	1	6	1	1	3	2
MISSOURI.												
Total	36,615	204	9,296	3,306	1,648	906	633	15,789	1,798	1,077	1,704	2,215
White M.	17,794	110	4,724	1,680	786	425	287	7,902	848	474	701	915
White F.	15,855	77	3,825	1,411	730	414	294	6,674	786	465	811	1,048
Colored M.	1,439	6	419	103	58	31	31	642	78	47	82	123
Colored F.	1,523	11	328	112	74	36	21	571	86	91	100	129
Chinese M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indian M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Indian F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
MONTANA.												
Total	330	3	52	18	10	6	5	100	24	13	11	21
White M.	204	3	30	10	8	3	1	52	11	6	7	10
White F.	93	.....	18	6	7	2	4	37	11	6	2	5
Colored M.	4	.....	.....	1	.....	.....	.....	1	.....	1	.....	1
Colored F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indian M.	16	.....	1	1	3	1	.....	6	1	.....	1	3
Indian F.	18	.....	3	.....	1	.....	.....	4	1	.....	1	2
NEBRASKA.												
Total	5,930	36	1,440	575	375	307	216	2,913	694	310	189	266
White M.	3,083	25	804	304	198	153	104	1,563	342	156	86	129
White F.	2,792	11	626	268	174	151	111	1,330	344	150	103	134
Colored M.	18	.....	3	.....	2	.....	.....	5	4	2	.....	2
Colored F.	15	.....	4	.....	1	2	.....	7	2	.....	.....	.....
Chinese M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indian M.	11	.....	3	2	.....	1	1	7	2	.....	.....	.....
Indian F.	11	.....	.....	1	.....	.....	.....	1	.....	2	.....	1

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
1,447	1,291	1,366	1,120	1,143	1,112	1,198	1,368	1,549	1,540	1,512	1,226	667	239	77
619	571	628	516	563	542	602	724	780	758	712	547	259	80	15
804	705	715	587	571	561	584	635	755	772	789	675	404	153	57
12	8	15	9	5	6	7	7	7	5	6	.....	1	1	2
12	6	7	7	4	3	5	1	6	4	5	4	3	5	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
.....	1	1	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
756	681	697	578	609	601	603	709	755	753	637	475	256	57	40
316	297	298	283	330	319	335	406	432	430	357	265	139	26	18
419	366	379	284	261	270	259	284	318	317	271	206	115	29	17
3	2	9	2	2	4	4	7	4	2	2	2	2	.....	1
6	6	9	4	2	5	2	3	.....	1	2	1	.....	1	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	2	1	2	4	3	3	3	1	3	2	1	.....	1	.....
7	8	1	3	1	.....	.....	6	.....	.....	3	.....	.....	.....	3
320	291	292	233	231	256	233	224	214	231	183	140	58	23	15
166	137	158	115	127	154	146	124	138	124	101	80	29	11	7
148	150	129	116	103	101	84	100	75	103	82	60	29	11	6
.....	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
2	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	.....	1	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....	1
3	1	3	1	.....	.....	2	.....	.....	2	.....	.....	.....	.....	1
744	638	565	565	406	415	352	488	357	366	236	214	69	45	58
138	117	107	134	100	96	116	135	140	116	99	58	19	1	3
183	175	155	135	93	85	74	102	76	76	45	46	21	4	4
185	156	126	121	103	109	93	143	79	77	50	57	15	15	23
237	189	177	174	109	125	68	108	62	97	42	53	14	25	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1,782	1,505	1,477	1,315	1,236	1,167	994	1,143	994	899	635	392	185	56	48
696	649	637	665	646	670	575	637	574	454	329	197	85	17	13
905	734	713	567	507	433	366	440	375	390	279	161	84	28	12
75	48	62	40	40	32	28	27	26	26	18	13	9	7	10
104	73	65	43	43	32	25	39	19	29	9	21	7	4	13
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	24	26	28	17	22	3	10	4	5	1	1	1	2	2
11	17	22	18	13	16	8	7	3	3	1	1	.....	.....	.....
5	4	3	7	4	3	.....	3	1	2	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
1	2	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	1	2
211	158	186	126	127	106	116	136	128	87	75	44	15	5	2
106	70	82	64	75	53	63	78	71	44	42	21	10	2	1
101	87	101	60	48	51	53	57	55	43	33	22	5	3	1
.....	.....	.....	.....	1	1	.....	1	1	.....	.....	1	.....	.....	.....
2	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.		AGE AND SEX.										
		Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
NEVADA.													
Total		728	15	111	35	16	6	11	179	30	18	15	40
White	M.	495	9	56	21	8	1	6	92	11	12	5	25
	F.	185	4	52	12	8	5	5	82	18	2	7	11
Colored	M.	7			1				1				
	F.	2											
Chinese	M.	20	1										3
	F.	1											
Indian	M.	13	1	3	1				4		1	3	1
	F.	5								1	3		1
NEW HAMPSHIRE.													
Total		5,584	10	676	180	131	99	86	1,166	261	156	213	249
White	M.	2,761	5	374	107	68	56	42	647	123	74	84	110
	F.	2,809	5	290	73	63	43	44	513	137	82	129	138
Colored	M.	8		3					3				1
	F.	6		3					3	1			
Chinese	M.												
	F.												
Indian	M.												
	F.												
NEW JERSEY.													
Total		18,474	131	4,336	1,153	734	461	343	7,027	887	405	515	813
White	M.	9,113	74	2,222	592	379	236	184	3,613	437	183	212	359
	F.	8,572	50	1,875	517	325	207	146	3,070	425	199	261	407
Colored	M.	410	5	130	22	18	11	5	186	13	12	21	26
	F.	378	2	109	22	12	7	8	158	12	11	21	21
Chinese	M.	1											
	F.												
Indian	M.												
	F.												
NEW MEXICO.													
Total		2,436	16	564	227	176	112	66	1,145	166	68	106	124
White	M.	1,322	10	303	110	99	57	35	604	80	36	40	68
	F.	1,075	6	258	117	75	55	30	535	86	31	66	44
Colored	M.	19		1				1	2		1		7
	F.	4		1					1				
Chinese	M.												
	F.												
Indian	M.	6											4
	F.	10		1		2			3				1
NEW YORK.													
Total		88,332	179	20,514	5,927	3,211	2,187	1,602	33,441	3,989	1,821	2,476	3,663
White	M.	45,091	94	11,078	3,076	1,690	1,098	815	17,757	2,058	905	1,086	1,611
	F.	41,608	84	8,965	2,735	1,465	1,066	775	15,006	1,868	874	1,329	1,973
Colored	M.	841	1	255	63	29	15	6	368	29	21	33	40
	F.	767		212	52	27	8	6	305	33	20	25	36
Chinese	M.	11										1	3
	F.												
Indian	M.	9		2					2	1		2	
	F.	5		2	1				3		1		
NORTH CAROLINA.													
Total		21,547	155	5,219	2,097	1,317	728	487	9,848	1,196	675	889	1,044
White	M.	6,007	39	1,550	549	318	194	145	2,756	321	173	183	217
	F.	6,160	48	1,198	493	328	172	134	2,325	338	170	230	294
Colored	M.	4,567	29	1,396	572	343	180	94	2,585	247	146	184	211
	F.	4,777	39	1,069	478	328	182	114	2,171	289	184	268	319
Chinese	M.												
	F.												
Indian	M.	19		2	4				6		2	1	1
	F.	17		4	1				5	1		3	2
OHIO.													
Total		42,610	135	9,701	2,527	1,697	1,033	787	15,745	2,345	1,203	1,572	2,156
White	M.	21,256	60	5,156	1,277	830	510	401	8,174	1,104	529	659	882
	F.	19,700	67	4,135	1,149	782	480	359	6,905	1,165	612	819	1,161
Colored	M.	820	4	203	53	43	17	12	328	42	27	43	58
	F.	831	4	207	47	42	26	15	337	34	35	51	55
Chinese	M.	2			1				1				
	F.												
Indian	M.	1											
	F.												

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
48	51	74	78	71	49	20	19	13	5	3	4	1	.....	.....
31	37	50	60	62	44	19	17	12	3	3	2	1	.....	.....
12	9	18	9	7	2	.....	.....	1	2	.....	1	.....	.....	.....
.....	1	1	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
3	2	5	3	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
195	216	211	159	178	167	247	270	363	394	420	365	207	107	30
93	83	95	61	80	84	124	143	206	196	226	176	96	39	16
102	131	115	98	98	83	123	127	157	197	194	189	110	67	14
.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
703	695	720	675	667	670	698	762	759	737	690	537	252	94	37
319	313	365	334	341	370	386	412	367	375	312	208	88	39	6
354	353	329	313	307	285	294	311	373	344	360	308	157	50	22
14	9	14	19	10	9	9	17	5	10	12	10	3	2	4
16	20	12	9	9	5	9	22	14	8	6	11	4	3	5
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
143	112	97	84	85	52	43	75	33	35	14	16	9	5	8
84	65	59	48	61	32	26	40	20	16	11	11	4	2	5
53	42	36	36	22	20	15	34	13	18	3	5	4	3	3
4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
2	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
3,783	3,381	3,620	3,366	3,339	3,324	3,289	3,506	3,570	3,675	3,412	2,500	1,286	483	229
1,713	1,554	1,800	1,715	1,756	1,748	1,825	1,867	1,881	1,937	1,718	1,206	568	215	77
1,970	1,757	1,760	1,584	1,525	1,517	1,412	1,595	1,638	1,687	1,662	1,267	708	259	133
58	22	39	35	28	26	27	27	29	19	13	8	5	5	1
41	45	19	30	29	33	24	17	22	31	19	19	4	4	11
1	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
783	678	657	498	580	597	459	668	634	715	539	478	236	113	105
171	144	126	109	152	174	165	236	261	269	220	147	105	23	16
242	248	255	189	240	188	153	209	218	264	196	196	86	45	26
147	100	97	70	84	108	70	124	81	95	68	64	25	20	12
223	184	177	120	102	127	71	98	74	86	54	66	20	25	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	1	1	.....	.....	.....	.....	1	.....	1	1	4	.....	.....	.....
.....	1	1	1	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
1,854	1,505	1,551	1,318	1,270	1,346	1,370	1,639	1,816	1,860	1,693	1,268	647	228	80
716	649	711	655	654	743	715	920	981	1,017	913	705	334	98	37
1,042	798	764	609	569	555	611	672	798	806	751	538	295	120	43
85	28	45	29	20	21	28	26	18	20	17	11	11	7	2
60	30	31	25	27	26	16	21	19	17	12	14	7	3	7
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.		AGE AND SEX—continued.											
		Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
OREGON.													
Total		1,864	20	348	118	84	55	47	652	122	91	112	125
White	M.	992	12	197	48	52	25	24	346	54	32	45	61
	F.	800	6	150	68	31	28	21	298	65	56	58	50
Colored	M.	3										1	1
	F.	4				1			1		1		1
Chinese	M.	18	1										2
	F.	5										2	
Indian	M.	21			1			1	2	1		3	0
	F.	21	1	1	1		2	1	5	2	2	3	4
PENNSYLVANIA.													
Total		63,881	424	13,742	4,194	2,820	1,952	1,562	24,270	4,145	1,870	2,072	2,752
White	M.	32,537	218	7,390	2,195	1,452	1,007	765	12,809	2,079	882	963	1,268
	F.	29,230	181	5,788	1,846	1,265	897	766	10,562	1,979	932	1,032	1,359
Colored	M.	1,075	16	304	79	53	27	17	485	37	22	33	56
	F.	1,035	9	259	74	44	21	14	412	50	34	43	69
Chinese	M.	1											
	F.												
Indian	M.												
	F.	3		1		1			2			1	
RHODE ISLAND.													
Total		4,702	5	906	303	195	163	147	1,714	335	195	129	216
White	M.	2,266	4	456	143	96	85	76	856	158	55	39	94
	F.	2,257	1	400	146	95	73	69	782	162	46	85	117
Colored	M.	80		32	4	2	1		39	7	1	2	2
	F.	99		18	10	2	4	2	36	8	3	3	3
Chinese	M.												
	F.												
Indian	M.												
	F.												
SOUTH CAROLINA.													
Total		15,728	81	3,770	1,540	860	510	358	7,038	907	537	583	810
White	M.	2,574	18	548	252	130	72	58	1,060	131	77	65	110
	F.	2,620	10	460	210	106	61	54	891	150	66	97	136
Colored	M.	5,035	28	1,470	567	296	183	125	2,641	293	182	162	220
	F.	5,499	25	1,292	511	328	194	121	2,446	333	212	259	344
Chinese	M.												
	F.												
Indian	M.												
	F.												
TENNESSEE.													
Total		25,919	173	6,312	2,035	1,165	651	462	10,625	1,289	925	1,390	1,778
White	M.	8,669	51	2,310	696	408	224	142	3,780	378	249	334	461
	F.	8,643	71	1,784	628	341	194	155	3,102	367	263	409	658
Colored	M.	4,129	22	1,182	370	212	118	85	1,967	258	161	262	293
	F.	4,473	29	1,034	341	204	115	80	1,774	286	252	385	366
Chinese	M.	2											
	F.												
Indian	M.												
	F.	3		2					2				
TEXAS.													
Total		24,735	116	6,601	2,444	1,298	711	435	11,489	1,297	773	1,131	1,635
White	M.	10,215	50	2,685	1,093	537	272	160	4,747	530	297	372	630
	F.	8,783	36	2,153	863	461	251	165	3,893	451	250	469	655
Colored	M.	2,891	17	987	268	143	105	54	1,557	168	108	127	161
	F.	2,822	13	773	218	155	82	56	1,284	148	118	161	188
Chinese	M.	1											
	F.												
Indian	M.	14		1	2		1		4				1
	F.	9		2		2			4			2	
UTAH.													
Total		2,414	23	618	234	157	114	109	1,232	350	158	62	54
White	M.	1,264	14	333	132	98	55	54	672	175	70	33	33
	F.	1,139	8	283	102	59	59	55	558	175	87	29	29
Colored	M.	2		1					1				1
	F.	3	1	1					1				
Chinese	M.												
	F.												
Indian	M.	4									1		
	F.	2											

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
114	80	88	61	67	82	49	44	51	36	34	21	9	5	1
55	40	45	34	47	50	33	32	30	26	18	14	5	4	.....
53	35	36	26	17	18	16	9	20	9	16	7	4	.....	1
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
1	2	4	1	2	2	.....	3	.....	.....	.....	.....	.....	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	1	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....
.....	1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
2,500	2,216	2,282	1,946	1,969	2,187	2,079	2,348	2,588	2,671	2,429	1,790	863	315	165
1,114	1,012	1,085	962	1,052	1,171	1,146	1,280	1,378	1,436	1,247	860	380	137	64
1,284	1,099	1,090	930	840	955	877	1,022	1,149	1,182	1,135	896	466	172	82
54	50	68	32	37	37	32	22	26	21	21	8	10	3	5
48	55	39	21	34	24	30	24	35	32	26	26	7	3	14
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
188	183	147	167	133	161	147	194	189	205	201	140	80	41	16
78	78	70	75	66	90	78	108	96	99	97	72	35	15	3
97	95	71	88	62	67	64	79	88	103	90	66	49	23	12
3	5	1	3	2	.....	2	5	2	.....	4	.....	.....	1	1
10	5	5	1	3	4	3	2	3	3	1	2	2	2	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
657	570	512	449	417	476	346	541	440	478	330	301	116	67	72
89	81	66	78	84	86	87	113	110	115	96	62	28	12	6
130	127	102	90	94	94	75	103	96	116	87	90	35	16	9
154	137	140	99	104	147	90	159	132	139	80	58	20	16	25
284	225	204	182	135	149	85	166	102	108	67	85	33	23	32
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1,333	1,143	1,080	829	753	754	565	726	634	645	569	380	175	83	70
414	330	306	246	256	261	231	299	282	274	251	148	82	23	13
496	470	474	339	297	269	209	257	234	247	225	139	62	35	20
156	147	121	107	87	117	75	102	64	60	46	44	19	10	11
266	194	179	137	113	107	50	68	54	64	47	49	12	15	26
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1,364	1,170	1,001	826	679	667	469	617	432	390	334	191	72	37	45
496	448	403	348	334	330	258	300	214	188	152	75	30	8	5
567	503	414	311	224	213	157	178	136	119	126	50	22	6	3
120	85	74	57	65	60	28	73	50	47	29	31	11	11	12
176	132	109	108	55	64	25	65	32	36	27	35	9	12	25
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
66	61	58	41	35	45	46	35	48	39	30	21	9	1	3
37	28	25	19	17	22	23	17	25	20	17	13	2	1	1
29	32	32	21	18	23	23	18	23	9	17	8	7	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

Race.		AGE AND SEX.										
		Total.	Unknown.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
VERMONT.													
Total		5,024	30	728	210	135	72	66	1,211	212	136	205	209
White	M.	2,497	15	415	110	74	34	41	674	106	63	86	102
	F.	2,511	15	311	100	61	37	25	534	105	72	119	107
Colored	M.	8		1					1				
	F.	8		1			1		2	1	1		
Chinese	M.												
	F.												
Indian	M.												
	F.												
VIRGINIA.													
Total		24,681	92	6,153	1,887	1,138	664	479	10,321	1,195	747	972	1,328
White	M.	6,121	28	1,541	408	257	148	111	2,465	266	145	179	246
	F.	6,224	20	1,231	415	224	150	124	2,144	280	141	219	318
Colored	M.	6,094	23	1,834	525	372	172	118	3,021	295	188	229	358
	F.	6,241	21	1,547	539	285	194	126	2,691	354	273	345	406
Chinese	M.												
	F.												
Indian	M.	1											
	F.												
WASHINGTON.													
Total		755	11	140	43	32	29	19	263	72	47	32	47
White	M.	441	6	82	27	15	17	14	155	37	19	16	19
	F.	262	1	56	13	15	10	4	98	29	25	11	19
Colored	M.	4					1		1				
	F.	1										1	
Chinese	M.	2											
	F.												
Indian	M.	20	3	1	1	1	1		4	2	3	2	3
	F.	25	1	1	2	1		1	5	4		2	6
WEST VIRGINIA.													
Total		7,418	12	1,757	612	337	225	192	3,123	468	267	295	406
White	M.	3,566	6	893	302	176	106	120	1,597	231	125	118	158
	F.	3,418	5	749	259	141	105	66	1,320	215	123	159	210
Colored	M.	215	1	54	22	12	8	2	98	12	5	9	23
	F.	219		61	29	8	6	4	108	10	14	9	15
Chinese	M.												
	F.												
Indian	M.												
	F.												
WISCONSIN.													
Total		16,011	78	3,572	962	671	521	431	6,157	1,255	602	649	783
White	M.	8,546	46	2,039	501	368	274	227	3,409	627	299	304	387
	F.	7,381	31	1,520	452	299	247	202	2,720	619	299	342	393
Colored	M.	20		4	2	2			8	2	1		1
	F.	10		5	2				7		2		1
Chinese	M.												
	F.												
Indian	M.	26	1	1	3	2		2	8	1	1	1	1
	F.	28		3	2				5	6		2	
WYOMING.													
Total		189	1	36	19	16	14	5	90	15	5	2	11
White	M.	114	1	20	9	9	4	2	44	4	3	1	6
	F.	69		16	9	7	9	3	44	11	2	1	4
Colored	M.	1					1		1				
	F.	1			1				1				
Chinese	M.	4											1
	F.												
Indian	M.												
	F.												

TABLE IV.—DEATHS, WITH DISTINCTION OF RACE, AND AGE AND SEX: 1880.

AGE AND SEX—continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.
201	168	136	138	155	179	210	245	292	365	365	282	187	63	35
82	61	47	57	75	83	102	131	147	189	195	138	99	30	15
117	106	88	80	79	95	108	112	145	175	170	143	88	33	20
1	1	1	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	.....
1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
947	845	756	755	712	807	631	914	813	881	792	629	279	146	119
197	182	152	163	186	249	219	301	285	289	257	169	101	36	6
300	273	235	205	232	232	182	250	259	281	282	220	89	42	20
163	146	156	177	129	167	107	221	167	168	141	117	46	40	35
287	244	213	210	164	159	123	142	102	143	112	123	43	28	58
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	46	38	43	37	24	18	13	12	8	8	4	.....	1	.....
18	28	24	30	29	20	13	7	9	7	2	2	.....	.....	.....
9	14	11	11	8	3	4	6	3	1	6	2	.....	1	.....
.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
309	232	212	190	168	200	182	215	230	273	276	193	81	36	26
127	85	83	82	72	100	101	112	115	135	167	91	39	12	10
167	134	114	101	88	100	75	91	116	127	102	97	41	21	12
7	7	7	8	7	5	4	6	4	2	4	3	.....	1	2
8	6	8	8	1	4	2	6	1	9	3	2	1	2	2
539	457	452	407	421	532	554	688	641	642	566	376	165	63	34
239	210	184	198	232	280	321	399	379	355	330	206	95	31	15
299	239	264	203	188	251	230	288	256	285	234	169	70	32	19
.....	1	.....	.....	.....	.....	2	.....	2	1	2	.....	.....	.....	.....
1	3	.....	3	1	1	.....	1	3	.....	.....	.....	.....	.....	.....
.....	4	4	3	.....	.....	1	.....	1	1	.....	1	.....	.....	.....
15	11	18	5	8	2	5	3	1	.....	2	.....	.....	.....	.....
11	10	17	4	2	2	5	1	1	.....	2	.....	.....	.....	.....
1	1	1	1	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE V.

MORTALITY OF THE UNITED STATES

(BY STATE AND GRAND GROUPS),

WITH

DISTINCTION OF COLOR,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE V.—DEATHS IN EACH STATE AND GRAND GROUP, WITH DISTINCTION OF COLOR.

	States and Territories.		1. North Atlantic coast.	2. Middle Atlantic coast.	3. South Atlantic coast.	4. Gulf coast.	5. Northeast, hilly and mountainous.	6. Central Atlantic, mountainous.	7. Region of the lakes.	8. Interior plateaus and table-lands.	9. South central, mountainous.
	The United States	W.	44,601	77,285	6,099	9,013	25,441	31,620	42,999	73,696	26,867
		C.	757	11,555	8,620	7,141	197	865	579	14,513	8,364
1	Alabama	W.				557					3,574
		C.				477					1,878
2	Arizona	W.									
		C.									
3	Arkansas	W.									
		C.									
4	California	W.									
		C.									
5	Colorado	W.									
		C.									
6	Connecticut	W.	5,342				3,586				
		C.	152				99				
7	Dakota	W.									
		C.									
8	Delaware	W.		1,737							
		C.		475							
9	District of Columbia	W.		2,090							
		C.		2,102							
10	Florida	W.				1,718					
		C.				1,441					
11	Georgia	W.			984						3,558
		C.			1,315						1,637
12	Idaho	W.									
		C.									
13	Illinois	W.							11,314		
		C.							122		
14	Indiana	W.							829		
		C.							3		
15	Iowa	W.									
		C.									
16	Kansas	W.									
		C.									
17	Kentucky	W.									2,584
		C.									155
18	Louisiana	W.				5,311					
		C.				4,446					
19	Maine	W.	6,447				3,023				
		C.	45				8				
20	Maryland	W.		16,853				1,509			
		C.		4,346				211			
21	Massachusetts	W.	24,591				8,129				
		C.	370				59				
22	Michigan	W.							9,493		
		C.							266		
23	Minnesota	W.									
		C.									
24	Mississippi	W.				116					
		C.				55					
25	Missouri	W.									
		C.									
26	Montana	W.									
		C.									
27	Nebraska	W.									
		C.									
28	Nevada	W.									
		C.									
29	New Hampshire	W.	3,698				1,872				
		C.	11				3				
30	New Jersey	W.		13,140				4,545			
		C.		627				162			
31	New Mexico	W.									
		C.									
32	New York	W.		46,931			3,823	3,850	9,563	22,532	
		C.		1,158			12	92	63	308	

TABLE V.—DEATHS IN EACH STATE AND GRAND GROUP, WITH DISTINCTION OF COLOR.

10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
Ohio valley.	South interior table-lands and plateaus.	Mississippi River belt, south.	Mississippi River belt, north.	Southwest central.	Central.	Prairie.	Missouri River belt.	Western plains.	Heavily timbered region of the northwest.	Cordilleran region.	Pacific coast.	
32,080 3,161	21,474 29,833	5,122 6,795	28,155 1,779	37,392 9,367	55,228 8,524	73,511 1,786	11,462 1,193	4,722 99	12,740 215	11,265 589	8,819 770	
	4,195 7,245											1
										281 10		2
		1,276 1,242		10,031 2,263								3
										3,399 376	7,063 692	4
								1,144 18		1,377 8		5
												6
						601 48	443 3	205 4				7
												8
												9
												10
	5,653 8,402											11
										806 17		12
			8,196 437			24,675 273						13
6,418 340					22,966 657							14
			3,499 51			14,264 101	1,455 7					15
						12,291 1,030		1,809 30				16
5,947 1,514		383 64			9,424 3,647							17
		252 1,189		1,445 1,841								18
												19
												20
												21
									9,835 149			22
			3,234 25			5,269 14			457 38			23
	4,978 5,729	928 2,777										24
			11,173 1,262	8,774 284		5,740 281	7,962 1,139					25
								18		279 39		26
						4,051 11	1,602 44	222				27
										680 48		28
												29
												30
								727 9		1,670 30		31
												32

TABLE V.—DEATHS IN EACH STATE AND GRAND GROUP, WITH DISTINCTION OF COLOR.

	States and Territories.		1. North Atlantic coast.	2. Middle Atlantic coast.	3. South Atlantic coast.	4. Gulf coast.	5. Northeast, hilly and mountainous.	6. Central Atlantic, mountainous.	7. Region of the lakes.	8. Interior, plateaus and table-lands.	9. South central, mountainous.
33	North Carolina	W.			3,705					6,357	2,105
		C.			3,458					5,431	491
34	Ohio	W.							6,994		
		C.							101		
35	Oregon	W.									
		C.									
36	Pennsylvania	W.						21,716		40,051	
		C.						400		1,714	
37	Rhode Island	W.	4,523								
		C.	179								
38	South Carolina	W.			1,410						229
		C.			3,847						95
39	Tennessee	W.									6,226
		C.									1,400
40	Texas	W.				1,311					
		C.				722					
41	Utah	W.									
		C.									
42	Vermont	W.					5,008				
		C.					16				
43	Virginia	W.		2,534						4,756	5,055
		C.		2,847						7,060	2,429
44	Washington	W.									
		C.									
45	West Virginia	W.									3,536
		C.									279
46	Wisconsin	W.							4,806		
		C.							24		
47	Wyoming	W.									
		C.									

TABLE V.—DEATHS IN EACH STATE AND GRAND GROUP, WITH DISTINCTION OF COLOR.

10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
Ohio valley.	South interior table-lands and plateaus.	Mississippi River belt, south.	Mississippi River belt, north.	Southwest central.	Central.	Prairie.	Missouri River belt.	Western plains.	Heavily timbered region of the northwest.	Cordilleran region.	Pacific coast.	
												33
16,867					17,095							34
1,152					401							
										410	1,382	35
										34	58	
												36
												37
	3,555											38
	6,592											
	3,090	2,253			5,743							39
	1,865	1,523			3,819							
				17,142				545				40
				4,979				36				
										2,403		41
										11		
												42
												43
										329	374	44
										12	40	
3,448												45
155												
			2,053			6,620			2,448			46
			4			28			28			
								52		131		47
								2		4		

TABLE VI.

STATEMENT

OF THE

RATE OF DEATH PER THOUSAND OF POPULATION

(BY STATE AND GRAND GROUPS)

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE VI.—DEATHS IN EACH THOUSAND OF POPULATION, BY STATE AND GRAND GROUPS.

	States and Territories.		1. North Atlantic coast.	2. Middle Atlantic coast.	3. South Atlantic coast.	4. Gulf coast.	5. Northeast, hilly and mountainous.	6. Central Atlantic, mountainous.	7. Region of the lakes.	8. Interior plateaus and table lands.	9. South central, mountainous.
	The United States	W.	17.25	20.03	15.66	14.83	15.34	13.75	14.24	14.77	11.86
		C.	24.05	22.28	17.75	15.93	17.91	19.39	18.83	20.04	19.29
1	Alabama	W.				17.36					13.65
		C.				18.94					21.00
2	Arizona	W.									
		C.									
3	Arkansas	W.									
		C.									
4	California	W.									
		C.									
5	Colorado	W.									
		C.									
6	Connecticut	W.	14.46				14.86				
		C.	19.46				24.03				
7	Dakota	W.									
		C.									
8	Delaware	W.		14.46							
		C.		17.96							
9	District of Columbia	W.		17.71							
		C.		35.26							
10	Florida	W.				12.05					
		C.				11.36					
11	Georgia	W.			12.90						11.52
		C.			17.10						18.07
12	Idaho	W.									
		C.									
13	Illinois	W.							18.20		
		C.							16.84		
14	Indiana	W.							13.16		
		C.							10.38		
15	Iowa	W.									
		C.									
16	Kansas	W.									
		C.									
17	Kentucky	W.									16.22
		C.									17.74
18	Louisiana	W.				16.75					
		C.				18.89					
19	Maine	W.	14.74				14.43				
		C.	31.36				12.32				
20	Maryland	W.		18.16				11.88			
		C.		21.95				17.23			
21	Massachusetts	W.	19.14				16.97				
		C.	24.63				13.78				
22	Michigan	W.							12.12		
		C.							20.45		
23	Minnesota	W.									
		C.									
24	Mississippi	W.				7.48					
		C.				8.55					
25	Missouri	W.									
		C.									
26	Montana	W.									
		C.									
27	Nebraska	W.									
		C.									
28	Nevada	W.									
		C.									
29	New Hampshire	W.	16.52				15.30				
		C.	17.66				21.58				
30	New Jersey	W.		16.50				15.37			
		C.		20.09				20.58			
31	New Mexico	W.									
		C.									
32	New York	W.		22.50			13.91	13.91	12.94	13.74	
		C.		28.65			16.24	17.64	16.04	18.38	

TABLE VI.—DEATHS IN EACH THOUSAND OF POPULATION, BY STATE AND GRAND GROUPS.

10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
Ohio valley.	South interior table lands and plateaus.	Mississippi River belt, south.	Mississippi River belt, north.	Southwest central.	Central.	Prairie.	Missouri River belt.	Western plains.	Heavily timbered region of the northwest.	Cordilleran region.	Pacific coast.	
14.20 22.84	12.99 15.12	20.46 14.78	14.73 22.25	16.32 14.62	13.83 20.71	13.04 21.29	14.86 18.54	14.91 13.22	11.48 15.88	18.36 6.64	13.53 12.06	
	11.40 14.92											1
										7.99 1.89		2
		27.40 15.90		18.41 17.03								3
										12.27 7.93	14.41 13.81	4
								15.73 9.66		11.63 5.98		5
												6
						7.22 51.72	13.84 4.12	11.48 10.70				7
												8
												9
												10
	13.09 15.06											11
										10.55 4.73		12
			15.06 19.01			13.23 16.56						13
16.01 22.91					15.57 26.96							14
			11.87 16.92			11.96 16.91	11.43 6.80					15
						14.88 24.37		14.34 17.86				16
14.66 22.83		13.82 12.09			13.64 19.08							17
		10.62 12.20		12.99 12.10								18
												19
												20
												21
									11.84 15.91			22
			10.71 15.74			12.50 26.02			8.53 21.55			23
	12.39 13.15	14.93 13.22										24
			18.89 24.32	15.36 15.76		15.26 19.47	16.45 18.61					25
								6.86		8.52 10.52		26
						13.57 10.76	12.50 31.52	9.59				27
										12.70 5.51		28
												29
												30
								20.37 14.64		22.87 2.93		31
												32

TABLE VI.—DEATHS IN EACH THOUSAND OF POPULATION, BY STATE AND GRAND GROUPS.

	States and Territories.		1. North Atlantic coast.	2. Middle Atlantic coast.	3. South Atlantic coast.	4. Gulf coast.	5. Northeast, hilly and mountainous.	6. Central Atlantic, mountainous.	7. Region of the lakes.	8. Interior plateaus and table lands.	9. South central, mountainous.
33	North Carolina	W.			17.04					14.37	10.14
		C.			16.96					18.02	17.98
34	Ohio	W.							14.56		
		C.							17.60		
35	Oregon	W.									
		C.									
36	Pennsylvania	W.						13.57		15.43	
		C.						20.77		25.73	
37	Rhode Island	W.	16.76								
		C.	27.15								
38	South Carolina	W.			14.71						10.12
		C.			18.78						11.85
39	Tennessee	W.									12.96
		C.									22.58
40	Texas	W.				13.04					
		C.				13.30					
41	Utah	W.									
		C.									
42	Vermont	W.					15.12				
		C.					14.98				
43	Virginia	W.		18.12						15.27	11.77
		C.		17.47						20.80	18.77
44	Washington	W.									
		C.									
45	West Virginia	W.									11.75
		C.									15.45
46	Wisconsin	W.							14.52		
		C.							32.21		
47	Wyoming	W.									
		C.									

TABLE VI.—DEATHS IN EACH THOUSAND OF POPULATION, BY STATE AND GRAND GROUPS.

10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
Ohio valley.	South interior table lands and plateaus.	Mississippi River belt, south.	Mississippi River belt, north.	Southwest central.	Central.	Prairie.	Missouri River belt.	Western plains.	Heavily timbered region of the northwest.	Cordilleran region.	Pacific coast.	
												33
14.01					11.92							34
23.32					16.04							
										11.53	10.84	35
										9.61	4.66	
												36
												37
	13.04											38
	16.83											
	17.29	25.78			14.64							39
	18.36	22.08			22.34							
				16.11				16.81				40
				14.74				14.92				
										16.87		41
										7.14		
												42
												43
										10.01	10.90	44
										5.15	7.16	
11.82												45
19.72												
			11.48			11.53			10.87			46
			8.47			12.43			11.62			
								8.45		9.86		47
								7.78		3.65		

TABLE VII.

MORTALITY OF THE UNITED STATES, AND OF EACH STATE GROUP,

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES,

WITH

DISTINCTION OF AGE AND SEX,

DURING THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP, FROM EACH THE CENSUS YEAR

	Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
	GRAND TOTAL		756, 893	175, 184	56, 816	33, 417	21, 276	15, 931	302, 624	43, 093	22, 915	29, 368	39, 355	33, 132
	Total: Males		391, 960	96, 849	30, 253	17, 564	10, 977	8, 136	163, 779	21, 638	11, 233	13, 097	18, 044	14, 997
	Females		364, 933	78, 335	26, 563	15, 853	10, 299	7, 795	138, 845	21, 455	11, 682	16, 271	21, 311	18, 135
	Unknown causes.													
	Total		37, 133	19, 483	2, 722	1, 332	752	487	24, 776	1, 242	616	677	888	706
	Males		19, 569	10, 678	1, 498	686	386	255	13, 503	654	314	289	402	298
	Females		17, 564	8, 805	1, 224	646	366	232	11, 273	588	302	388	486	408
	I.—GENERAL DISEASES.													
	General diseases—A.													
	Total		201, 953	46, 541	26, 393	16, 336	11, 034	8, 850	109, 154	24, 569	10, 822	8, 394	8, 456	6, 078
	Males		101, 206	24, 628	13, 860	8, 426	5, 653	4, 407	56, 974	11, 843	4, 913	3, 759	3, 897	2, 666
	Females		100, 747	21, 913	12, 533	7, 910	5, 381	4, 443	52, 180	12, 726	5, 909	4, 635	4, 559	3, 412
1	Small-pox	M.	453	58	59	43	35	20	215	73	26	28	38	9
		F.	418	57	52	57	39	33	238	62	30	26	16	13
2	Measles	M.	3, 980	1, 062	827	500	273	166	2, 828	382	166	152	100	90
		F.	4, 092	941	790	479	260	171	2, 641	401	177	208	166	116
3	Scarlet fever	M.	8, 181	823	1, 124	1, 317	1, 152	896	5, 312	2, 084	506	119	47	35
		F.	8, 207	601	1, 014	1, 102	1, 071	952	4, 830	2, 284	690	176	97	56
4	Diphtheria	M.	18, 712	1, 556	2, 021	2, 477	2, 224	2, 039	10, 317	5, 603	1, 781	441	186	92
		F.	19, 431	1, 269	1, 864	2, 217	2, 144	2, 043	9, 537	6, 251	2, 451	559	188	106
5	Hooping-cough	M.	5, 133	2, 716	1, 180	524	242	137	4, 799	242	45	9	6	6
		F.	5, 931	2, 951	1, 328	701	338	192	5, 510	316	45	16	8	7
6	Fever	M.	1, 572	419	180	130	94	47	870	142	80	60	70	51
		F.	1, 630	362	154	132	70	49	767	139	59	100	100	82
7	Cerebro-spinal fever	M.	1, 537	347	227	130	89	69	862	194	103	97	50	34
		F.	1, 361	272	178	116	81	58	705	188	117	72	52	40
8	Enteric fever	M.	11, 821	349	326	279	248	176	1, 378	877	963	1, 543	1, 853	1, 169
		F.	11, 033	304	310	318	197	188	1, 317	952	1, 148	1, 770	1, 381	868
9	Diarrhœa	M.	5, 953	2, 356	1, 121	361	127	60	4, 025	98	52	50	73	67
		F.	4, 872	2, 037	968	320	106	40	3, 471	65	33	33	54	71
10	Dysentery	M.	7, 013	1, 816	1, 594	740	304	165	4, 619	372	148	98	105	114
		F.	6, 414	1, 540	1, 297	663	227	138	3, 865	306	114	113	125	97
11	Enteritis	M.	6, 824	2, 019	851	358	202	113	3, 543	400	288	301	263	182
		F.	5, 816	1, 592	647	342	154	107	2, 842	314	234	186	231	218
12	Cholera morbus	M.	1, 178	158	97	35	19	12	321	128	26	20	26	29
		F.	938	118	58	35	16	7	234	109	32	24	40	29
13	Cholera infantum	M.	13, 168	8, 863	3, 304	769	139	75	13, 150	.....	.....	.....	.....	.....
		F.	11, 815	7, 899	3, 003	674	168	56	11, 800	.....	.....	.....	.....	.....
14	Malarial fever	M.	10, 263	1, 036	716	620	437	380	3, 189	1, 080	571	642	735	533
		F.	9, 968	963	681	553	436	350	2, 983	1, 154	669	722	647	519
15	Erysipelas	M.	2, 261	605	120	66	29	17	837	56	47	72	76	86
		F.	2, 014	635	87	47	25	18	812	70	45	55	90	74
16	Septicæmia	M.	764	72	17	25	8	13	135	36	33	41	42	39
		F.	834	46	23	14	9	13	105	40	28	47	114	102
17	Puerperal septicæmia	F.	4, 230	.....	.....	.....	.....	.....	.....	.....	11	408	1, 133	907
18	Venereal diseases	M.	655	217	38	17	5	1	278	8	4	10	44	31
		F.	562	204	34	9	13	6	266	6	2	23	40	39
19	Others of this group	M.	1, 738	156	58	35	26	21	296	68	74	76	117	99
		F.	1, 181	122	45	41	27	22	257	69	54	97	77	68
	General diseases—B.													
	Total		9, 415	4, 036	702	546	359	210	5, 853	408	106	108	209	231
	Males		5, 580	2, 179	391	290	188	100	3, 148	206	62	57	118	159
	Females		3, 835	1, 857	311	256	171	110	2, 705	202	44	51	91	72
1	Worms	M.	783	120	175	179	121	63	658	100	15	3	.....	2
		F.	729	83	151	169	109	75	587	121	16	1	1	.....
2	Other parasitic diseases	M.	9	.....	.....	1	.....	.....	1	3	.....	.....	.....	.....
		F.	16	.....	1	1	1	.....	3	3	3	1	.....	.....
3	Alcoholism	M.	1, 338	.....	.....	.....	.....	1	1	4	4	9	41	87
		F.	254	.....	.....	.....	2	.....	2	2	1	2	13	28
4	Lead poison	M.	27	.....	.....	.....	.....	.....	.....	.....	.....	1	1	6
		F.	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
5	Other poisons	M.	1, 130	120	121	73	50	31	395	89	37	37	71	55
		F.	805	91	72	58	47	33	301	67	21	39	65	33
6	Inanition	M.	2, 293	1, 939	95	37	17	5	2, 093	10	6	7	5	9
		F.	2, 028	1, 682	87	28	12	2	1, 811	9	3	8	12	11

SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING ENDING JUNE 1, 1880.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
28,669	28,630	24,954	23,996	24,539	22,352	26,183	25,685	25,736	22,352	16,641	8,149	3,283	2,009	3,228	
13,122	13,480	12,500	12,909	13,605	12,739	14,789	14,207	13,877	11,811	8,240	3,892	1,421	790	1,790	
15,547	15,150	12,454	11,087	10,934	9,613	11,394	11,478	11,859	10,541	8,401	4,257	1,862	1,219	1,438	
654	649	641	603	673	569	747	739	806	714	559	288	82	67	437	
268	258	309	312	338	310	396	383	421	391	268	144	35	30	246	
386	391	332	291	335	259	351	356	385	323	291	144	47	37	191	
4,739	4,307	3,350	2,918	2,970	2,572	3,060	2,764	2,585	2,145	1,399	661	231	126	653	
2,017	1,720	1,557	1,546	1,606	1,484	1,668	1,538	1,360	1,118	689	335	102	62	352	
2,722	2,587	1,793	1,372	1,364	1,088	1,392	1,226	1,225	1,027	710	326	129	64	301	
21	7	14	2	5	7	4	2	.....	1	.....	.....	.....	.....	1	} 1
9	5	4	6	2	2	2	.....	2	.....	.....	.....	.....	.....	1	
51	31	28	16	16	12	11	9	5	5	1	1	1	.....	9	} 2
99	98	54	33	29	19	21	7	5	3	1	1	.....	1	12	
19	7	9	4	6	2	4	1	3	3	1	.....	.....	.....	19	} 3
26	24	12	4	4	4	1	6	5	1	2	.....	.....	.....	15	
64	41	20	24	20	20	14	14	15	8	4	1	2	.....	39	} 4
74	71	39	27	25	23	16	10	9	5	7	3	2	2	26	
2	.....	3	.....	1	1	1	1	1	.....	1	1	.....	.....	14	} 5
2	1	1	1	2	.....	5	2	1	1	1	.....	.....	.....	12	
37	30	36	22	24	26	28	21	31	23	10	3	2	2	4	} 6
50	50	36	31	34	20	33	38	26	18	27	5	9	2	4	
36	21	22	27	18	22	19	10	10	8	.....	1	.....	.....	3	} 7
37	39	17	22	14	10	15	13	7	4	1	1	2	.....	5	
769	465	402	377	385	356	388	316	236	174	73	26	4	4	63	} 8
622	528	415	384	341	255	302	231	220	156	72	32	6	1	32	
83	91	109	109	141	120	163	187	185	149	118	59	24	17	33	} 9
58	72	71	67	80	54	105	133	132	141	117	50	23	14	28	
106	110	118	136	133	130	171	142	171	135	94	50	14	13	34	} 10
110	109	125	123	143	142	205	173	210	194	128	72	26	13	21	
146	175	169	156	177	172	204	189	171	129	82	46	11	.....	20	} 11
190	206	191	143	176	141	176	162	138	114	82	89	4	2	21	
33	48	49	53	60	68	71	82	50	50	29	16	5	.....	14	} 12
33	27	33	32	32	36	59	63	58	38	37	11	4	2	5	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18	} 13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15	
386	362	326	346	367	310	341	322	261	231	118	47	16	14	66	} 14
421	407	294	298	311	232	298	243	269	224	138	57	22	15	45	
77	109	81	98	96	110	126	115	83	80	68	30	5	5	5	} 15
67	84	95	66	75	75	78	82	77	68	47	26	14	8	6	
47	54	44	57	48	45	40	34	28	21	10	7	1	.....	2	} 16
87	95	59	26	33	19	16	17	12	10	8	5	.....	1	10	
735	674	278	46	4	3	1	.....	.....	.....	.....	.....	.....	.....	30	17
41	40	34	40	37	19	15	10	12	5	1	.....	1	.....	7	} 18
37	30	24	20	20	9	17	4	5	4	2	.....	1	1	6	
99	120	87	79	72	64	68	74	99	96	70	47	16	7	1	} 19
59	61	45	43	39	44	42	42	49	46	40	24	16	2	7	
290	303	318	300	278	214	240	152	120	93	48	14	6	4	59	
209	274	250	222	208	170	171	111	85	57	27	7	3	3	33	
81	90	68	78	70	44	60	41	35	36	21	7	3	1	26	
1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	1	} 1
1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	} 2
1	1	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
137	205	179	162	149	107	108	67	38	18	8	1	2	.....	11	} 3
29	37	27	41	25	13	14	5	5	7	2	.....	.....	.....	1	
1	2	2	4	2	3	3	.....	1	1	.....	.....	.....	.....	.....	} 4
.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
62	57	62	47	47	44	40	27	20	19	10	4	.....	1	6	} 5
41	44	24	33	34	16	25	19	10	14	7	2	1	1	8	
6	10	6	8	8	15	19	17	26	19	9	3	1	2	15	} 6
9	7	16	2	10	14	29	16	20	15	12	5	2	.....	17	

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

	Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
	General diseases—C.												
	Total	61,727	39,669	935	332	139	73	41,148	153	86	84	133	137
	Males	32,807	22,816	482	185	69	44	23,596	81	38	35	60	62
	Females	28,920	16,853	453	147	70	29	17,552	72	48	49	73	75
1	Premature birth M.	3,818	3,818					3,818					
	Premature birth F.	2,967	2,967					2,967					
2	Stillborn M.	14,590	14,590					14,590					
	Stillborn F.	10,286	10,286					10,286					
3	Malformation M.	664	619	18	6	5	1	649	6	3	2	1	
	Malformation F.	474	437	17	8	3	3	468	1	1	1	1	
4	Debility M.	7,547	3,728	452	172	62	40	4,454	75	35	33	59	62
	Debility F.	7,072	3,121	428	136	65	26	3,776	71	47	48	72	75
5	Old age M.	6,102											
	Old age F.	8,066											
6	Atrophy M.	86	61	12	7	2	3	85					
	Atrophy F.	55	42	8	3	2		55					
	General diseases—D.												
	Total	136,345	6,214	3,443	2,004	1,208	816	13,685	2,916	3,206	9,009	15,157	13,235
	Males	61,302	3,432	1,831	1,058	625	421	7,367	1,418	1,259	2,985	5,883	5,243
	Females	75,043	2,782	1,612	946	583	395	6,318	1,498	1,947	6,024	9,274	7,992
1	Rheumatism M.	1,771	20	17	16	12	14	79	91	105	101	89	73
	Rheumatism F.	1,628	19	7	5	10	15	56	92	109	79	69	66
2	Scrofula and tabes M.	2,510	616	351	185	109	68	1,329	215	145	133	136	67
	Scrofula and tabes F.	2,490	571	308	184	93	67	1,223	203	165	132	141	98
3	Leprosy M.	10	2					2					
	Leprosy F.	6	1					1				2	1
4	Consumption M.	40,512	1,204	595	352	189	120	2,460	447	583	2,409	5,312	4,788
	Consumption F.	50,758	975	568	352	208	145	2,248	640	1,324	5,412	8,491	7,188
5	Hydrocephalus M.	2,394	1,095	548	249	121	62	2,075	135	45	18	13	13
	Hydrocephalus F.	1,957	841	461	193	112	53	1,660	142	35	17	16	11
6	Cancer M.	4,875	62	17	12	16	18	125	35	29	43	56	68
	Cancer F.	8,193	53	21	22	18	16	130	23	13	46	84	148
7	Tumor M.	662	71	16	17	11	11	126	26	21	17	22	16
	Tumor F.	1,119	42	17	12	8	6	85	12	12	24	36	43
8	Anæmia M.	319	105	18	7	2	8	140	8	6	9	8	5
	Anæmia F.	436	60	13	7	2	1	83	12	15	35	32	43
9	Dropsy M.	6,980	197	232	194	146	107	876	412	258	198	189	162
	Dropsy F.	7,808	184	184	149	117	86	720	332	232	235	366	350
10	Glycosuria M.	1,021	13	5	4	7	8	37	30	51	49	52	43
	Glycosuria F.	422	6	5	7	7	1	26	31	35	29	20	28
11	Others of this group M.	248	47	32	22	12	5	118	19	16	8	6	8
	Others of this group F.	226	30	28	15	8	5	86	11	7	15	17	16
12	Others of this class M.	35	4	1			1	6	8		5	8	7
	Others of this class F.	32	2	4	2	3		11	2	2	1	4	1
	II.—DISEASES OF THE NERVOUS SYSTEM.												
	Total	81,905	23,337	7,240	3,679	2,094	1,467	37,817	3,772	1,900	1,840	2,004	1,767
	Males	44,174	12,941	3,934	1,952	1,069	781	20,677	1,965	1,029	917	1,019	902
	Females	37,731	10,396	3,306	1,727	1,025	686	17,140	1,807	871	923	985	865
1	Inflammation of the brain M.	5,869	1,866	1,008	482	260	183	3,799	490	237	169	168	145
	Inflammation of the brain F.	5,034	1,572	881	427	232	193	3,305	497	196	195	146	96
2	Meningitis M.	4,084	1,265	697	348	238	169	2,717	385	166	117	107	84
	Meningitis F.	3,397	1,049	531	314	201	127	2,222	346	136	107	117	73
3	Apoplexy M.	5,262	123	40	25	14	12	214	30	24	44	82	116
	Apoplexy F.	4,396	93	33	16	13	9	164	21	29	61	83	107
4	Paralysis M.	7,043	99	56	45	28	24	252	92	58	69	83	83
	Paralysis F.	6,864	93	61	43	34	18	249	77	56	70	79	88
5	Tetanus and trismus nascentium M.	1,578	990	22	9	14	19	1,054	79	84	62	47	36
	Tetanus and trismus nascentium F.	959	730	25	9	9	7	780	38	21	17	14	13
6	Epilepsy M.	1,215	159	30	23	16	13	241	45	64	106	138	93
	Epilepsy F.	942	102	38	18	19	9	186	31	58	74	101	99
7	Convulsions M.	9,491	6,530	1,156	548	240	153	8,627	281	79	57	77	57
	Convulsions F.	8,353	5,292	999	513	282	133	7,219	250	85	128	147	107
8	Mental diseases M.	630							2	4	25	26	40
	Mental diseases F.	602							6	6	10	33	57
9	Diseases of the brain M.	7,064	1,557	749	376	193	148	3,023	426	219	190	220	195
	Diseases of the brain F.	5,283	1,186	613	308	174	136	2,417	403	189	166	177	151
10	Diseases of the spinal cord M.	1,388	309	162	88	62	55	676	122	79	57	48	37
	Diseases of the spinal cord F.	1,154	245	110	73	58	45	531	110	69	63	49	34
11	Others of this group M.	550	43	14	8	4	5	74	13	15	21	23	16
	Others of this group F.	747	34	15	6	3	9	67	28	26	32	39	40

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
125	164	185	229	263	308	609	968	2,343	3,480	4,935	3,271	1,734	1,265	107	
49 76	69 95	78 107	109 120	123 140	168 140	303 306	445 523	1,093 1,250	1,617 1,863	2,229 2,706	1,443 1,828	692 1,042	455 810	62 45	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
49 76	69 95	77 106	109 120	119 130	158 127	229 203	311 297	476 434	484 485	407 459	189 267	65 84	42 93	45 17	4
.....	.....	.....	.....	4	10	74	134	617	1,133	1,822	1,254	627	413	14	5
.....	.....	.....	.....	10	13	103	226	816	1,378	2,247	1,561	958	727	27	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
10,763	10,205	8,713	8,039	7,716	6,570	7,101	6,229	5,566	4,068	2,297	877	282	131	580	
4,423 6,340	4,397 5,808	3,819 4,894	3,709 4,330	3,725 3,991	3,339 3,231	3,625 3,476	3,187 3,042	2,859 2,707	2,052 2,016	1,104 1,193	452 425	129 153	52 79	275 305	
68 68	67 77	83 89	87 86	128 117	121 101	145 135	157 113	143 149	115 103	70 73	27 22	11 12	3 6	8 6	1
58 82	59 72	53 55	53 59	50 53	40 52	39 34	47 37	34 34	17 17	16 16	7 6	2 1	1	9 10	2
2	1	2	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	3
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	
3,912 5,421	3,769 4,560	3,075 3,431	2,771 2,623	2,481 2,119	2,063 1,531	1,979 1,631	1,629 1,399	1,272 1,128	839 811	365 406	124 141	35 44	12 17	187 193	4
11 14	16 10	10 7	8 8	8 3	7 4	7 5	4 4	9 3	5 5	4 3	 1	1 1	 1	5 7	5
130 284	170 549	234 770	371 1,001	528 1,061	548 937	683 885	602 777	515 596	366 451	213 252	93 92	28 35	6 16	32 43	6
21 50	34 88	34 99	45 121	58 97	48 92	57 109	48 86	45 78	23 54	14 18	5 8	 1	 1	2 5	7
9 30	7 35	5 21	15 17	13 16	14 18	15 14	18 18	15 16	14 14	8 8	3 5	4 1	 1	3 2	8
167 360	222 379	263 391	309 396	408 486	417 462	603 621	574 571	692 680	591 541	367 412	174 145	47 56	25 37	26 36	9
40 21	48 31	53 27	45 13	44 34	71 24	87 32	95 26	126 16	80 16	45 5	17 4	1 2	5	2 2	10
5 10	4 7	7 4	5 6	7 5	10 9	10 10	11 11	8 7	2 4	2	1	.....	.....	1 1	11
6 2	1 2	5 2	3 1	5 2	4 2	3	1	1	1	1	.....	.....	.....	.....	12
1,692	1,995	1,965	2,311	2,572	2,753	3,395	3,848	4,087	3,784	2,554	1,059	336	145	309	
911 781	1,145 850	1,082 883	1,257 1,054	1,407 1,165	1,549 1,204	1,940 1,455	2,099 1,749	2,155 1,932	1,960 1,824	1,268 1,286	504 555	149 187	63 82	176 133	
109 98	113 91	86 67	85 82	83 56	88 35	68 49	70 54	56 28	51 33	28 15	7 7	4 1	2 6	11 7	1
68 50	77 57	73 42	59 37	48 40	50 41	31 26	39 32	26 19	14 14	6 8	 3	2 4	1 2	14 21	2
131 128	220 150	223 211	330 272	388 343	488 362	630 438	631 512	631 517	532 465	348 325	121 136	34 34	14 15	31 17	3
125 100	206 130	226 184	303 296	392 350	464 419	700 613	876 814	986 1,017	976 1,002	695 773	293 343	88 125	37 50	19 23	4
42 7	48 19	23 7	24 5	24 8	20 6	12 8	4 1	3 6	7 2	2 2	 1	1	1	5 4	5
90 78	77 65	61 42	49 31	44 30	36 22	35 31	36 30	32 29	29 21	18 10	8 2	2 3	1 2	10 2	6
41 88	36 91	28 40	29 33	20 32	24 17	24 29	16 15	19 20	14 13	15 9	5 3	3 2	3 2	35 28	7
46 48	63 46	53 66	62 51	52 55	40 45	55 44	52 29	44 30	21 37	25 19	11 11	1 2	2	9 7	8
203 119	242 161	248 154	255 159	268 163	238 179	303 144	311 188	275 188	256 177	103 83	42 30	9 14	1 4	37 17	9
38 39	36 35	44 23	29 42	49 30	37 31	42 24	31 18	27 19	18 17	9 9	2	1 1	1 1	5 3	10
21 30	27 29	22 47	32 46	33 52	44 47	40 49	33 56	56 59	42 43	19 33	15 19	4 1	.....	 1	11

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

	Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
	III.—DISEASES OF THE CIRCULATORY SYSTEM.												
	Total	28,582	1,933	220	141	110	122	2,526	663	747	849	1,052	1,067
	Males	14,858	1,105	133	84	67	60	1,449	336	330	389	428	476
	Females	13,724	828	87	57	43	62	1,077	327	417	460	624	591
1	Angina pectoris M.	340									3	8	12
	Angina pectoris F.	258									7	9	13
2	Aneurism M.	365	8	1				9	3	2	3	2	11
	Aneurism F.	113	4	3		1		8	1	3	3	3	10
3	Diseases of the heart M.	13,339	499	96	79	65	56	795	325	325	382	409	440
	Diseases of the heart F.	12,729	427	66	51	38	58	640	319	408	439	600	552
4	Others of this group M.	814	598	36	5	2	4	645	8	3	1	9	13
	Others of this group F.	624	397	18	6	4	4	429	7	6	11	12	16
	IV.—DISEASES OF THE RESPIRATORY SYSTEM.												
	Total	104,824	22,027	10,143	6,411	3,837	2,606	45,024	5,104	2,184	3,599	4,505	3,509
	Males	57,771	12,337	5,481	3,395	2,019	1,383	24,615	2,644	1,077	2,001	2,653	1,942
	Females	47,053	9,690	4,662	3,016	1,818	1,223	20,409	2,460	1,107	1,598	1,852	1,567
1	Croup M.	9,753	3,704	1,692	1,369	1,008	739	8,512	1,083	82	10	7	5
	Croup F.	8,213	2,905	1,404	1,260	871	639	7,079	971	77	18	6	8
2	Laryngitis M.	441	80	51	62	30	22	245	41	6	5	10	14
	Laryngitis F.	366	58	40	48	33	26	205	45	14	6	20	12
3	Bronchitis M.	5,640	1,967	763	329	161	80	3,300	149	53	69	91	72
	Bronchitis F.	5,344	1,661	657	309	163	63	2,853	168	53	84	129	117
4	Pneumonia M.	35,493	5,211	2,614	1,426	724	474	10,449	1,145	842	1,741	2,315	1,649
	Pneumonia F.	27,560	4,024	2,247	1,215	642	427	8,555	1,081	849	1,302	1,465	1,221
5	Pleurisy M.	1,016	72	18	23	11	8	132	39	21	39	41	46
	Pleurisy F.	942	51	29	18	11	8	117	21	25	34	60	47
6	Asthma M.	900	56	17	12	6	6	97	12	4	8	6	15
	Asthma F.	807	45	15	7	3	3	73	6	6	11	20	13
7	Others of this group M.	4,528	1,247	326	174	79	54	1,880	175	69	129	183	141
	Others of this group F.	3,821	946	270	159	95	57	1,527	168	83	143	152	149
	V.—DISEASES OF THE DIGESTIVE SYSTEM.												
	Total	32,836	6,989	3,320	1,147	538	351	12,345	1,090	714	852	1,178	1,242
	Males	17,546	3,980	1,727	619	270	171	6,767	577	406	406	516	575
	Females	15,290	3,009	1,593	528	268	180	5,578	513	308	446	662	667
1	Dentition M.	2,171	910	1,009	208	27	9	2,163	4	1			
	Dentition F.	2,093	883	1,001	175	19	4	2,082	8	1			
2	Angina M.	754	203	95	79	52	26	455	87	32	14	9	14
	Angina F.	655	129	70	55	48	36	338	118	34	23	14	10
3	Gastritis M.	996	141	46	31	15	10	243	29	18	14	33	23
	Gastritis F.	1,068	108	35	26	29	12	210	35	15	36	51	57
4	Other diseases of the stomach. M.	1,846	293	116	60	39	20	528	94	46	32	57	64
	Other diseases of the stomach. F.	1,729	206	72	69	47	29	423	88	42	74	101	92
5	Obstruction of the bowels. M.	753	143	11	14	8	10	186	41	47	41	34	45
	Obstruction of the bowels. F.	522	78	11	8	10	2	109	24	22	15	18	22
6	Hernia M.	804	105	12	7	2	2	128	9	12	18	36	20
	Hernia F.	432	36	3	4	2	1	46	3	8	2	5	6
7	Other diseases of the bowels M.	1,173	327	109	42	31	18	527	59	39	45	48	45
	Other diseases of the bowels F.	893	208	74	51	18	16	367	41	30	40	34	27
8	Jaundice M.	767	315	21	17	9	14	376	18	7	7	15	15
	Jaundice F.	597	181	18	12	22	21	254	21	10	8	12	13
9	Inflammation and abscess of the liver. M.	1,206	67	22	14	10	4	117	34	21	31	50	83
	Inflammation and abscess of the liver. F.	863	39	16	12	5	8	80	18	13	20	37	46
10	Other diseases of the liver. M.	2,674	232	56	42	26	22	378	58	44	37	70	97
	Other diseases of the liver. F.	2,088	184	55	31	21	22	313	37	31	34	84	76
11	Peritonitis M.	1,382	117	48	20	16	13	214	77	89	121	97	89
	Peritonitis F.	1,922	80	30	24	14	10	158	59	60	139	251	259
12	Ascites M.	345	13	8	15	7	3	46	18	11	9	12	8
	Ascites F.	387	4	7	3	10	2	26	15	10	15	14	19
13	Others of this group M.	2,675	1,114	174	70	28	20	1,406	49	39	37	55	72
	Others of this group F.	2,041	873	201	58	23	17	1,172	46	32	40	41	40

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
1,187	1,449	1,587	1,653	1,963	2,069	2,584	2,732	2,599	2,091	1,115	386	94	43	127	
530	728	757	869	1,028	1,115	1,403	1,506	1,445	1,154	593	190	45	18	69	
657	721	830	784	935	954	1,181	1,226	1,154	937	522	196	49	24	58	
12	18	18	18	23	28	44	45	52	35	17	5	1	.....	1	1
13	22	18	16	14	21	20	33	25	23	14	6	2	2	.....	
25	38	34	56	44	25	29	30	27	12	6	4	1	.....	4	2
10	8	14	7	8	12	9	3	7	.....	3	3	1	.....	.....	
489	663	693	781	951	1,050	1,317	1,414	1,353	1,093	562	179	42	17	59	3
620	674	787	754	898	907	1,139	1,178	1,109	904	502	178	44	21	56	
4	9	12	14	10	12	13	17	13	14	8	2	1	1	5	4
14	17	11	7	15	14	13	12	13	10	3	9	2	1	2	
3,320	3,622	3,431	3,542	3,879	3,526	4,257	4,383	4,079	3,146	2,062	858	287	121	386	
1,797	1,972	1,947	2,145	2,441	2,116	2,481	2,385	2,099	1,623	1,014	397	133	53	236	
1,523	1,650	1,484	1,397	1,438	1,410	1,776	1,998	1,980	1,523	1,048	461	154	68	150	
3	5	5	5	3	2	1	.....	3	2	.....	1	1	.....	23	1
3	4	5	4	2	3	4	2	7	2	2	.....	.....	.....	16	
11	14	18	11	17	10	6	14	8	6	.....	2	.....	1	2	2
8	14	6	5	7	2	3	5	6	3	3	1	1	.....	.....	
99	115	89	121	138	152	200	231	265	221	155	63	32	8	17	3
105	126	113	75	121	116	176	260	256	246	189	92	38	9	18	
1,477	1,604	1,616	1,717	1,974	1,640	1,875	1,705	1,442	1,101	671	256	77	34	163	4
1,201	1,282	1,148	1,117	1,108	1,055	1,283	1,379	1,349	999	652	282	88	45	99	
50	62	37	69	72	65	83	80	79	59	25	11	3	.....	3	5
55	39	57	43	46	49	75	72	85	53	37	16	4	5	2	
12	24	28	42	63	66	105	133	112	90	48	23	3	4	5	6
22	36	27	35	51	63	71	104	103	79	53	25	6	1	2	
145	148	154	180	174	181	211	222	190	144	115	41	17	6	23	7
129	149	128	118	103	122	164	176	174	141	112	45	17	8	13	
1,189	1,322	1,258	1,472	1,587	1,538	1,749	1,677	1,429	1,076	629	239	69	27	154	
513	600	689	835	883	889	1,043	910	795	574	329	102	40	13	84	
676	722	569	637	704	649	706	767	634	502	300	137	29	14	70	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
10	13	10	11	18	13	8	16	20	9	8	5	.....	.....	2	2
18	12	14	16	10	7	4	10	7	11	3	2	.....	1	3	
40	38	43	57	72	50	73	67	83	50	39	9	7	.....	8	3
52	82	46	52	44	58	51	70	81	64	34	20	5	1	4	
63	70	73	103	112	116	127	128	96	75	36	10	5	1	10	4
80	74	79	74	85	89	83	111	89	75	39	21	5	1	4	
32	30	31	39	31	39	46	42	26	25	10	5	1	.....	2	5
23	30	27	31	31	29	34	39	24	23	10	8	.....	.....	5	
23	40	26	42	55	54	71	73	77	43	43	16	10	1	7	6
15	23	24	33	35	44	46	59	39	21	16	4	.....	1	2	
30	27	38	38	42	43	50	40	40	38	18	5	.....	.....	1	7
32	28	19	36	42	33	36	44	28	28	15	10	2	1	.....	
18	16	20	21	49	24	43	42	36	28	20	6	.....	.....	6	8
17	17	9	20	35	26	26	32	27	36	21	7	2	1	3	
64	74	101	121	83	93	102	86	58	46	26	5	.....	3	8	9
53	53	58	67	70	61	75	71	61	38	24	12	1	.....	5	
115	130	183	219	234	251	279	221	172	114	39	16	5	1	11	10
93	105	118	132	184	158	175	190	149	106	59	27	6	1	10	
60	87	81	78	72	59	61	54	58	37	30	4	3	1	10	11
229	211	114	86	67	66	65	46	40	32	23	6	3	3	14	
10	13	23	14	18	21	37	34	29	21	8	4	3	3	3	12
26	25	23	38	32	25	29	29	28	14	12	5	1	.....	1	
48	62	60	92	97	126	146	107	100	88	52	17	6	3	13	13
47	62	38	52	69	53	82	66	61	54	44	17	4	4	17	

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

	Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
	VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.												
	Total	12,098	351	148	121	94	97	811	319	212	278	497	520
	Males	8,358	221	78	66	45	58	470	189	111	165	260	273
	Females	3,740	130	70	53	49	39	341	130	101	113	237	247
1	Bright's disease M.	3,379	41	21	25	7	26	120	65	51	90	154	161
	Bright's disease F.	2,007	27	19	12	11	16	85	61	54	62	131	150
2	Calculus, urinary M.	663	9	3	5	3	.....	20	13	13	8	10	11
	Calculus, urinary F.	56	2	3	.....	3	1	9	1	3	1	.....	1
3	Diseases of the kidney M.	2,435	120	42	25	26	26	239	85	35	53	71	61
	Diseases of the kidney F.	1,183	71	38	29	27	17	182	49	29	37	78	57
4	Diseases of the bladder M.	1,058	29	6	6	3	2	46	7	8	5	7	20
	Diseases of the bladder F.	198	15	3	6	2	1	27	6	5	3	9	10
5	Others of this group M.	823	22	6	7	6	4	45	19	4	9	18	20
	Others of this group F.	296	15	7	6	6	4	38	13	10	10	19	29
	VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.												
	Total: Females	2,454	.....	.....	4	4	1	9	2	27	156	231	276
1	Ovarian tumors F.	399	.....	.....	1	1	.....	2	1	.....	8	23	32
2	Ovarian diseases F.	68	.....	.....	1	.....	.....	1	.....	2	5	3	6
3	Uterine tumors F.	158	.....	.....	.....	.....	.....	.....	.....	.....	3	4	5
4	Uterine diseases F.	522	.....	.....	.....	1	.....	1	.....	3	30	72	79
5	Others of this group F.	1,307	.....	.....	2	2	1	5	1	22	110	129	154
	VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.												
	Total: Females	7,313	.....	.....	.....	.....	.....	.....	3	24	871	1,641	1,419
1	Abortion F.	721	.....	.....	.....	.....	.....	.....	.....	.....	78	126	158
2	Child-birth F.	5,646	.....	.....	.....	.....	.....	.....	.....	16	613	1,230	1,097
3	Others of this group F.	946	.....	.....	.....	.....	.....	.....	3	8	180	285	164
	IX.—DISEASES OF THE BONES AND JOINTS.												
	Total	2,104	286	130	83	77	45	621	166	170	130	125	123
	Males	1,215	151	67	52	43	26	339	96	111	79	67	67
	Females	889	135	63	31	34	19	282	70	59	57	58	56
1	Diseases of the spine M.	757	137	48	47	35	19	286	50	50	37	37	39
	Diseases of the spine F.	603	123	58	22	27	18	248	43	28	30	33	30
2	Diseases of the bones M.	188	5	8	2	3	1	19	11	15	9	11	10
	Diseases of the bones F.	99	5	2	3	4	.....	14	4	11	6	11	10
3	Diseases of the hip-joint M.	131	5	5	.....	2	3	15	25	29	14	7	12
	Diseases of the hip-joint F.	98	3	1	3	2	1	10	21	13	8	7	5
4	Others of this group M.	139	4	6	3	3	3	19	10	17	19	12	6
	Others of this group F.	89	4	2	3	1	.....	10	2	7	13	7	11
	X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.												
	Total	1,896	355	89	41	24	22	531	62	56	81	111	100
	Males	1,055	196	45	21	15	11	288	37	27	49	54	55
	Females	841	159	44	20	9	11	243	25	23	32	57	45
1	Abscess M.	727	112	30	14	7	7	170	31	21	41	46	44
	Abscess F.	579	85	26	14	5	4	134	24	20	27	51	40
2	Carbuncle M.	127	6	4	2	3	1	16	1	2	5	4	5
	Carbuncle F.	71	6	4	1	.....	1	12	.....	1	1	.....	.....
3	Others of this group M.	201	78	11	5	5	3	102	5	4	3	4	6
	Others of this group F.	191	68	14	5	4	6	97	1	2	4	6	5
	XI.—DISEASES OF THE ABSORBENT SYSTEM.												
	Total	310	23	11	10	8	4	56	10	13	13	27	18
	Males	171	14	8	6	7	2	37	7	10	7	16	11
	Females	139	9	3	4	1	2	19	3	3	6	11	7
1	Addison's disease M.	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	2
	Addison's disease F.	23	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1
2	Disease of the spleen M.	101	4	5	4	3	2	18	4	8	5	7	7
	Disease of the spleen F.	78	4	.....	4	1	1	10	2	1	2	9	4
3	Others of this group M.	47	10	3	2	4	.....	19	3	2	1	4	2
	Others of this group F.	38	5	3	.....	.....	1	9	1	1	3	2	2

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
562	645	641	680	767	804	1,031	1,153	1,198	999	594	263	61	26	37	
307	365	400	426	506	579	778	925	983	814	490	216	47	19	26	
255	280	241	254	261	225	253	228	215	185	95	47	14	7	11	
189	219	240	235	255	325	323	330	274	196	92	33	5	2	11	1
151	165	150	143	171	136	147	131	124	81	35	18	5	3	4	
8	12	10	18	22	26	73	94	101	96	84	28	8	6	2	2
2	6	3	4	1	5	2	3	7	5	3	.....	.....	.....	.....	
76	80	92	115	143	144	210	244	294	251	154	61	17	5	5	3
71	80	62	63	58	65	81	68	57	71	39	20	7	4	5	
15	23	27	24	38	47	99	156	190	175	102	56	8	2	3	4
7	7	15	22	15	8	16	11	13	11	10	2	1	.....	.....	
19	31	31	34	48	37	73	92	124	90	67	38	9	4	5	5
24	22	11	22	16	11	7	15	14	17	8	7	1	.....	2	
207	330	293	266	184	118	106	62	53	37	12	7	1	2	15	
23	33	49	48	49	40	31	23	18	13	3	1	.....	.....	2	1
3	5	8	6	9	3	10	5	2	.....	.....	.....	.....	.....	.....	2
13	21	22	26	17	16	10	9	5	4	.....	1	.....	.....	2	3
69	72	55	42	32	18	20	6	7	7	4	1	.....	.....	4	4
159	199	159	144	77	41	35	19	21	13	5	4	1	2	7	5
1,334	1,186	608	152	16	4	3	.....	.....	1	.....	.....	.....	.....	51	
152	128	60	11	2	1	.....	.....	.....	1	.....	.....	.....	.....	4	1
1,040	958	506	130	12	3	2	.....	.....	.....	.....	.....	.....	.....	39	2
142	100	42	11	2	.....	1	.....	.....	.....	.....	.....	.....	.....	8	3
82	102	63	90	70	66	66	63	70	48	22	11	3	1	6	
49	58	40	49	36	43	34	43	49	28	15	6	2	1	3	
33	44	23	41	34	23	32	20	21	20	7	5	1	.....	3	
26	33	23	33	26	25	18	26	20	13	7	3	2	1	2	1
20	31	16	26	23	15	18	14	12	10	2	3	1	.....	1	
15	12	8	9	6	9	10	9	13	12	4	.....	.....	.....	1	2
5	3	1	3	2	5	9	3	7	2	2	.....	.....	.....	1	
4	9	2	3	.....	1	.....	2	4	1	1	2	.....	.....	.....	3
4	4	2	3	7	2	2	2	.....	4	2	2	.....	.....	.....	
4	4	7	4	4	8	6	6	7	2	3	1	.....	.....	.....	4
4	6	4	9	3	1	8	1	2	4	1	.....	.....	.....	1	
99	93	90	97	117	113	94	76	75	58	25	10	4	4	6	
52	41	52	53	70	64	53	51	41	34	15	4	3	2	4	
47	52	38	44	41	49	41	25	34	24	10	6	1	2	2	
39	34	44	33	49	49	31	35	28	19	6	3	.....	2	3	1
42	40	30	29	28	27	25	14	21	17	4	3	.....	2	1	
6	4	5	14	13	11	10	11	9	6	2	1	1	.....	1	2
3	5	1	6	7	14	8	6	5	1	2	1	.....	.....	.....	
7	8	3	6	14	4	12	5	4	9	7	1	2	.....	.....	3
2	7	7	9	6	8	10	5	8	6	4	2	1	.....	1	
31	22	18	17	15	16	10	13	16	6	7	3	.....	.....	1	
14	15	8	11	9	7	5	3	7	2	3	.....	.....	.....	1	
17	7	10	6	6	9	5	10	9	4	4	3	.....	.....	.....	
4	2	.....	3	2	.....	.....	.....	2	1	1	.....	.....	.....	.....	1
4	2	1	2	2	4	1	1	1	2	.....	.....	.....	.....	.....	
9	10	6	6	5	5	4	3	2	1	1	.....	.....	.....	.....	2
12	3	9	2	3	3	2	6	3	2	3	2	.....	.....	.....	
1	3	.....	2	2	2	1	.....	3	.....	1	.....	.....	.....	1	3
1	2	.....	2	1	2	2	3	5	.....	1	1	.....	.....	.....	

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

	Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
	XII.—ACCIDENTS AND INJURIES.													
	Total		35,901	3,934	1,315	1,228	995	779	8,251	2,604	2,036	2,415	3,129	2,696
	Males		26,283	2,167	717	722	521	416	4,543	1,577	1,546	1,954	2,663	2,261
	Females		9,618	1,767	598	506	474	363	3,708	1,027	490	461	466	435
1	Burns and scalds	M.	1,864	192	288	336	285	161	1,232	180	61	47	46	33
		F.	2,921	174	269	283	300	241	1,267	602	230	162	112	83
2	Drowned	M.	3,705	27	101	116	84	75	403	544	474	434	424	289
		F.	614	27	68	54	43	18	210	99	51	53	32	25
3	Exposure and neglect	M.	700	355	53	43	22	5	478	17	11	6	15	11
		F.	598	300	58	18	11	7	394	11	9	17	22	24
4	Gunshot wounds	M.	2,078	8	2	10	16	9	45	78	130	272	396	304
		F.	209	4	8	10	8	7	37	29	23	24	21	19
5	Homicide	M.	1,147	5	5	4	1	1	16	17	22	61	215	191
		F.	189	10	3	1	4	7	25	14	9	17	20	23
6	Infanticide	M.	19	19	.....	.....	.....	.....	19	.....	.....	.....	.....	.....
		F.	19	19	.....	.....	.....	.....	19	.....	.....	.....	.....	.....
7	Injuries by machinery	M.	112	1	.....	1	.....	1	3	5	12	14	16	15
		F.	8	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
8	Railroad accidents	M.	2,161	4	15	11	5	6	41	80	134	202	366	262
		F.	188	3	3	2	4	3	15	13	12	10	12	11
9	Suffocation	M.	1,360	843	84	36	20	21	1,004	41	24	7	26	22
		F.	962	708	46	29	18	6	807	26	7	4	6	5
10	Suicide by shooting	M.	433	.....	.....	.....	.....	.....	.....	1	3	26	65	56
		F.	39	.....	.....	.....	.....	.....	.....	.....	.....	7	8	8
11	Suicide by drowning	M.	94	.....	.....	.....	.....	.....	.....	.....	.....	2	7	3
		F.	60	.....	.....	.....	.....	.....	.....	.....	.....	4	5	8
12	Suicide by poison	M.	218	.....	.....	.....	.....	.....	.....	.....	.....	8	13	20
		F.	117	.....	.....	.....	.....	.....	.....	.....	.....	19	27	23
13	Other suicides	M.	1,269	.....	.....	.....	.....	.....	.....	1	9	53	95	110
		F.	281	.....	.....	.....	.....	.....	.....	1	4	22	30	28
14	Sunstroke	M.	440	10	3	5	1	3	22	15	11	21	41	44
		F.	115	9	6	2	3	3	23	11	4	4	7	10
15	Surgical operations	M.	163	5	.....	2	1	3	11	4	5	10	14	11
		F.	68	2	3	2	1	2	10	1	.....	3	5	9
16	Wounds	M.	453	19	14	4	8	1	46	13	27	30	50	35
		F.	98	10	5	3	2	4	24	3	6	4	6	10
17	Other accidents and injuries	M.	10,067	679	152	154	108	130	1,223	581	623	761	874	850
		F.	3,132	501	129	102	80	65	877	217	134	110	153	149

TABLE VII.—MORTALITY OF THE UNITED STATES AND OF EACH STATE GROUP—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	
2,327	2,172	1,788	1,623	1,462	1,106	1,128	825	709	605	382	202	93	48	300	
1,977	1,837	1,509	1,363	1,214	902	886	620	484	386	186	92	41	19	223	
350	335	279	260	248	204	242	205	225	219	196	110	52	29	77	
49	38	19	35	20	12	16	20	13	10	8	6	4	3	7	1
64	54	56	32	44	21	43	24	27	33	34	7	6	3	13	
208	219	180	135	129	69	77	41	25	13	7	3	3	1	29	2
20	17	16	17	19	11	12	13	5	1	2	2	.....	1	8	
5	15	20	9	20	6	12	13	15	17	14	4	3	2	7	3
16	13	13	4	10	5	11	11	3	12	5	5	2	2	4	
257	211	122	93	64	41	24	11	10	5	.....	1	.....	.....	14	4
12	8	6	3	9	2	1	6	5	3	.....	.....	.....	.....	.....	
160	127	77	95	59	30	27	11	15	2	3	2	.....	.....	8	5
19	6	15	11	5	5	6	1	1	2	2	1	.....	.....	5	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
11	7	5	4	6	4	4	.....	4	1	.....	.....	.....	.....	1	7
1	2	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	
205	187	158	117	116	69	68	41	40	22	10	7	.....	.....	27	8
9	11	7	15	10	13	10	12	7	6	6	2	2	.....	5	
29	29	21	23	14	13	24	14	8	9	10	2	.....	.....	40	9
14	10	13	9	10	2	8	6	7	6	7	.....	1	1	13	
49	56	41	30	35	28	12	14	6	6	1	.....	.....	.....	4	10
6	2	2	1	1	1	.....	1	1	.....	.....	.....	.....	.....	1	
9	10	6	12	11	11	3	3	7	3	2	.....	1	.....	4	11
6	3	7	6	3	7	5	3	1	2	.....	.....	.....	.....	.....	
32	30	25	24	22	7	15	11	5	4	1	.....	.....	.....	1	12
10	12	7	8	3	1	2	2	3	.....	.....	.....	.....	.....	.....	
102	113	114	122	127	123	111	80	46	35	9	4	2	1	12	13
24	33	25	27	22	16	14	9	16	2	3	1	.....	.....	4	
40	33	42	32	30	27	21	13	9	22	4	2	.....	.....	2	14
5	5	3	6	10	5	7	4	6	4	.....	1	.....	.....	.....	
13	9	15	14	11	11	12	10	9	1	1	1	.....	.....	1	15
7	8	9	5	6	2	2	1	1	1	.....	.....	.....	.....	.....	
45	31	30	33	29	16	25	14	9	9	3	2	1	2	4	16
5	4	1	4	5	4	3	7	5	1	3	2	.....	.....	1	
763	722	634	586	512	426	435	324	263	227	104	59	28	10	62	17
132	149	99	112	91	106	117	103	132	146	134	89	41	17	24	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1034	190	53	32	28	13	316	37	29	51	52	59	46	68	59	61	55	33	50	38	33	16	17	5	2	5	2
Total: Males		528	99	27	15	17	7	156	19	17	18	22	35	23	37	35	31	29	18	27	23	18	7	8	....	2	2	1
Females		506	100	26	17	11	6	160	18	12	33	30	24	23	31	24	30	26	15	23	15	15	9	9	5	....	3	1
Unknown causes.																												
Total		36	6	1	2	....	1	10	3	1	2	4	2	....	....	3	2	3	1	1	2	....	1	....	....	....	....	1
Males		20	2	1	1	....	1	5	2	1	....	3	2	....	....	2	2	....	1	1	....	....	1	....	....	....	....	....
Females		16	4	....	1	....	....	5	1	....	2	1	....	....	....	1	....	3	....	....	2	....	....	....	....	....	....	1
I.—GENERAL DISEASES.																												
General Diseases—A.																												
Total		209	47	24	13	10	2	96	15	10	14	6	6	11	7	5	7	13	3	4	3	6	1	1	....	....	....	1
Males		98	20	10	4	5	2	41	7	4	8	2	4	1	2	2	4	7	3	3	3	5	1	....	....	....	....	1
Females		111	27	14	9	5	....	55	8	6	6	4	2	10	5	3	3	6	....	1	....	1	....	1	....	....	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	3	....	....	1	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	1	1	1	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	7	3	2	....	....	....	5	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	9	5	1	....	1	....	7	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	12	....	....	1	....	1	2	1	1	3	....	1	....	1	....	....	....	1	1	....	1	....	....	....	....	....	....
	F.	14	....	1	1	1	....	3	1	1	4	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	11	3	2	....	1	....	6	....	....	....	....	....	....	....	....	1	2	....	1	....	....	1	....	....	....	....	....
	F.	14	8	4	....	....	....	12	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	10	4	1	....	1	....	6	....	....	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	10	3	1	....	....	....	4	1	....	....	1	....	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	17	7	2	....	1	....	10	....	....	2	....	....	....	....	....	1	2	....	....	2	....	....	....	....	....	....	....
	F.	17	3	2	4	....	....	9	....	1	....	1	....	1	....	....	....	2	....	1	....	1	....	1	....	....	....	....
12. Cholera morbus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	3	2	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	30	2	3	....	1	1	7	5	3	3	....	2	....	....	1	1	2	1	1	....	4	....	....	....	....	....	....
	F.	27	3	2	1	2	....	8	4	3	....	....	....	2	3	1	3	3	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General Diseases—B.																												
Total		19	4	....	1	2	....	7	3	....	....	1	3	....	....	1	2	1	....	1	....	....	....	....	....	....	....	....
Males		9	1	....	....	1	....	2	1	....	....	....	2	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....
Females		10	3	....	1	1	....	5	2	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	2	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	1	1	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	3	....	....	....	....	3	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General Diseases—C.																												
Total		60	26	3	2	....	1	32	....	....	....	....	....	....	....	....	....	....	1	4	1	3	1	3	3	2	5	....
Males		28	12	2	2	....	....	16	....	....	....	....	....	....	....	....	....	....	....	2	1	1	....	4	....	2	2	....
Females		32	14	1	....	....	1	16	....	....	....	....	....	....	....	....	....	....	1	2	....	2	1	4	3	....	3	....
1. Premature birth	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	12	5	2	2	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....
	F.	7	4	1	....	....	1	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	3	....	2	1	....
	F.	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	1	1	4	3	....	3	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		225	4	6	2	3	3	18	8	4	19	17	20	15	30	21	20	15	12	11	4	10	2	1			
Males		98	3	3	1	3	2	12	3	4	5	4	8	10	16	12	7	6	4	4	1	1		1			
Females		127	1	3	1		1	6	3		14	13	12	5	14	9	13	9	8	7	3	9	2				
1. Rheumatism	M.	1															1										
	F.	1										1															
2. Scrofula and tabes	M.	2			1		1	2																			
	F.	6		1				1	1		1	1				1							1				
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	73	2	2		1		5	1	1	5	4	7	10	14	9	6	5	2	2	1	1					
	F.	87		2			1	3	1		11	10	11	5	11	8	8	6	5	4	2	2					
5. Hydrocephalus	M.	6	1			2		3	1						1	1											
	F.																										
6. Cancer	M.	5											1			1			1	2							
	F.	17									1				1		3	2	3	3	1	3					
7. Tumor	M.																										
	F.	2															2										
8. Anæmia	M.	1		1				1																			
	F.	2	1					1							1												
9. Dropsy	M.	9					1	1	1	2					1	1		1	1				1				
	F.	12			1			1	1		1	1	1		1			1				4	1					
10. Glycosuria	M.																										
	F.																										
11. Others of this group	M.	1								1																	
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		179	65	11	6	8	4	94	4	7	3	4	6	3	4	5	10	3	6	12	11	5	2				
Males		102	30	8	4	6	1	49	2	4		3	5	1	4	4	6	3	4	7	7	3					
Females		77	35	3	2	2	3	45	2	3	3	1	1	2		1	4		2	5	4	2	2				
1. Inflammation of the brain	M	4				1		1	1				1		1												
	F.	3				1		1				1									1						
2. Meningitis	M.	9	2	2				4		2			2									1					
	F.	2								1	1																
3. Apoplexy	M.	11										2	1		1		1		1	2	2	1					
	F.	9							1					1			1			2	2	1	1				
4. Paralysis	M.	8			1			1								1	1			1	4						
	F.	2																		1			1				
5. Tetanus and trismus nascentium.	M.	26	21					21				1	1			1	2										
	F.	23	22					22								1											
6. Epilepsy	M.	1								1																	
	F.	1									1																
7. Convulsions	M.	16	5	4	3	2		14	1					1													
	F.	23	12	1	2		3	18	1	2	1						1										
8. Mental diseases	M.																										
	F.	1																		1							
9. Diseases of the brain	M.	26	2	2		3	1	8		1					2	2	2	2	3	4	1	1					
	F.	13	1	2		1		4					1	1			2		2	1	1	1					
10. Diseases of the spinal cord	M.	1																1									
	F.																										
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		70	3				1	4	2	2	5	3	2	2	5	2	6	5	5	2	7	4	4	1	2		
Males		32	2				1	3	2	1	1	1		1	2	4	2	3	2	1	4	4	1				
Females		38	1					1		1	4	2	2	1	3	5	4	2	3	1	3		3	1	2		
1. Angina pectoris	M.																										
	F.	2															1						1				
2. Aneurism	M.	2	1					1							1												
	F.	1																	1								
3. Diseases of the heart	M.	27					1	1	2	1	1	1		1	1	4	1	3	2	1	3	4	1				
	F.	34								1	4	2	2	1	3	5	3	2	2	1	3		2	1	2		
4. Others of this group	M.	3	1					1									1				1						
	F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		75	23	2	4	4		33	1	1	2	2	7	2	4	4	2	5	1	6	1	1	1	2			
Males		37	10		2	2		14					5	2	4	1	1	3	1	3		1	1	1			
Females		38	13	2	2	2		19	1	1	2	2	2			3	1	2		3	1			1			
1. Croup	M.	4			1	1		2							1							1					
	F.	6	4		2			6																			
2. Laryngitis	M.	3	2					2					1														
	F.	1																1									
3. Bronchitis	M.	6	4					4								1			1								
	F.	5	3	1				4	1																		
4. Pneumonia	M.	19	3		1	1		5					4	2	2			2		2			1	1			
	F.	23	6	1	2			9		1	2	2	2			2	1	1		1	1			1			
5. Pleurisy	M.	1																1									
	F.	1														1											
6. Asthma	M.																										
	F.																										
7. Others of this group	M.	4	1					1							1		1			1							
	F.	2																		2							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	43	7	6	1			14	1	1		3	3	1	3	4	4	2	1	1	1	1						
Males	24	6	3				9	1	1			3	2		3	2	1	1		1							
Females	19	1	3	1			5				3		2	3	1	2	1		1		1						
1. Dentition M.	4	2	2				4																				
1. Dentition F.	3		2	1			3																				
2. Angina M.																											
2. Angina F.																											
3. Gastritis M.	1														1												
3. Gastritis F.	2	1					1												1								
4. Other diseases of the stomach M.	1															1											
4. Other diseases of the stomach F.																											
5. Obstruction of the bowels M.	2							1				1															
5. Obstruction of the bowels F.	1													1													
6. Hernia M.	1														1												
6. Hernia F.																											
7. Other diseases of the bowels M.																											
7. Other diseases of the bowels F.	2		1				1						1														
8. Jaundice M.	2	1					1						1														
8. Jaundice F.																											
9. Inflammation and abscess of the liver M.	3											1				1		1									
9. Inflammation and abscess of the liver F.	2															1					1						
10. Other diseases of the liver M.	1														1												
10. Other diseases of the liver F.	3										1			1		1											
11. Peritonitis M.	5	1	1				2					1	1							1							
11. Peritonitis F.	5										2		1	1			1										
12. Ascites M.	1																1										
12. Ascites F.																											
13. Others of this group M.	3	2					2		1																		
13. Others of this group F.	1														1												
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	59	1		1		1	3			1	3	5	2	5	3	5	4	2	8	8	3	4	3				
Males	41	1		1			2			1	1	3	2	3	3	3	3	1	5	6	3	3	2				
Females	18					1	1				2	2		2		2	1	1	3	2		1	1				
1. Bright's disease M.	30										1	3	2	2	2	3	3	1	5	3	2	2	1				
1. Bright's disease F.	12										1	1		2		2		1	3	2							
2. Calculus, urinary M.																											
2. Calculus, urinary F.	1					1	1																				
3. Diseases of the kidney M.	4	1					1			1				1						1							
3. Diseases of the kidney F.	3										1						1					1					
4. Diseases of the bladder M.	4																			1	1	1	1				
4. Diseases of the bladder F.																											
5. Others of this group M.	3			1			1								1					1							
5. Others of this group F.	2											1											1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	3									1			1				1										
1. Ovarian tumors F.																											
2. Ovarian diseases F.																											
3. Uterine tumors F.																											
4. Uterine diseases F.	1																										
5. Others of this group F.	2									1			1				1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	8											2	2	4													
1. Abortion F.																											
2. Child-birth F.	7											2	1	4													
3. Others of this group F.	1												1														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	2									1						1											
Males	2									1						1											
Females																											
1. Diseases of the spine M.	2									1						1											
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		1																1									
Males																											
Females		1																1									
1. Abscess	M.																										
	F.																										
2. Carbuncle	M.																										
	F.	1																1									
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		45	4			1		5	2	3	3	9	3	4	6	4	3	1	1					1			
Males		37	3					3	1	2	2	8	3	4	6	3	3	1	1								
Females		8	1			1		2	1	1	1	1				1								1			
1. Burns and scalds	M.																										
	F.	3							1		1					1											
2. Drowned	M.	10								2		1		1	3	2		1									
	F.	1				1		1																			
3. Exposure and neglect	M.	1	1					1																			
	F.																										
4. Gunshot wounds	M.	9									1	3	1	2	1		1										
	F.																										
5. Homicide	M.	2											1			1											
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	1												1													
	F.																										
8. Railroad accidents	M.	4									1				2		1										
	F.																										
9. Suffocation	M.																										
	F.	1	1					1																			
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	1															1										
	F.																										
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	3	1					1				1						1									
	F.																										
17. Other accidents and injuries	M.	6	1					1	1			3	1														
	F.	3								1		1												1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		5452	1387	548	271	146	95	2447	285	171	279	341	269	195	201	165	144	140	111	179	124	139	105	89	36	13	12	7
Total: Males		2641	754	287	137	70	48	1296	115	81	121	134	107	80	69	53	63	74	60	96	66	75	67	46	23	7	3	5
Females		2811	633	261	134	76	47	1151	170	90	158	207	162	115	132	112	81	66	51	83	58	64	38	43	13	6	9	2
Unknown causes.																												
Total		442	230	55	23	7	6	321	14	2	5	9	8	5	9	6	6	3	7	7	3	8	8	9	2	4	3	3
Males		225	130	26	11	1	3	171	6	1	....	5	5	....	1	3	1	2	5	6	1	2	5	6	1	1	2	1
Females		217	100	29	12	6	3	150	8	1	5	4	3	5	8	3	5	1	2	1	2	6	3	3	1	3	1	2
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1742	447	279	137	54	42	959	128	73	93	105	69	49	42	34	21	27	19	34	23	26	17	14	7	....	1	1
Males		816	219	139	70	21	23	472	53	31	47	43	28	19	10	14	11	13	10	19	11	12	10	8	4	....	....	1
Females		926	228	140	67	33	19	487	75	42	46	62	41	30	32	20	10	14	9	15	12	14	7	6	3	....	1	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	79	29	16	6	4	....	55	6	4	3	1	1	4	....	1	2	1	....	1	....	....	....	....	....	....	....	....
	F.	69	23	8	8	4	2	45	7	2	1	3	4	....	2	1	....	1	....	2	1	....	....	....	....	....	....	....
3. Scarlet fever	M.	5	4	....	....	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	1	....	....	....	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	52	13	13	11	6	2	45	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	68	28	4	6	10	4	52	10	3	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	126	60	29	22	3	4	118	6	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	155	87	38	18	4	4	151	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	16	3	5	1	....	1	10	2	1	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	27	5	5	....	2	....	12	3	2	2	3	2	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	6	2	....	1	....	....	3	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	1	....	....	1	....	2	3	2	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	146	8	5	4	2	2	21	9	10	22	21	17	10	4	6	2	3	2	3	3	3	4	3	2	....	....	1
	F.	174	12	15	8	2	6	43	14	20	18	26	14	7	6	3	4	3	3	3	6	2	2	....	....	....	....	....
9. Diarrhœa	M.	26	7	5	2	....	1	15	1	....	....	....	....	....	1	1	1	1	....	3	1	1	1	....	....	....	....	....
	F.	33	7	12	2	....	....	21	....	1	....	1	2	....	1	1	....	....	....	1	....	2	....	3	....	....	....	....
10. Dysentery	M.	51	21	9	5	....	....	35	....	....	2	2	1	1	....	....	....	1	....	3	1	2	1	....	2	....	....	....
	F.	62	10	15	6	2	....	33	4	1	....	1	1	2	1	....	1	2	1	5	....	4	2	2	1	....	1	....
11. Enteritis	M.	58	17	11	3	1	1	35	2	3	3	2	....	....	1	1	....	1	2	3	1	3	1	....	....	....	....	....
	F.	55	9	13	1	1	1	25	4	1	4	3	2	2	2	2	2	3	....	1	2	1	....	....	1	....	....	....
12. Cholera morbus	M.	7	1	....	....	....	....	1	2	....	....	....	....	1	....	1	....	1	....	1	1	....	....	....	....	....	....	....
	F.	6	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....
13. Cholera infantum	M.	74	38	28	6	....	2	74	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	48	25	12	9	2	....	48	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	150	10	18	7	5	10	50	16	11	15	11	8	3	4	2	6	5	3	5	1	3	3	4	....	....	....	....
	F.	148	17	16	8	5	2	48	23	9	9	12	5	9	7	9	3	4	2	....	2	2	3	1	....	....	....	....
15. Erysipelas	M.	15	5	....	....	....	....	5	....	1	....	3	1	....	....	2	....	....	1	1	....	....	....	1	....	....	....	....
	F.	9	3	1	....	....	....	4	1	....	....	....	....	....	....	1	....	....	1	....	1	....	1	....	1	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	47	....	....	....	....	....	....	....	....	6	13	8	5	12	3	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	1	1	....	1	....	....	....	....	....	....
General diseases—B.																												
Total		53	12	8	9	4	3	36	11	....	....	1	1	....	....	....	....	3	....	....	....	....	....	....	1	....	....	....
Males		21	3	3	5	1	2	14	4	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
Females		32	9	5	4	3	1	22	7	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....
1. Worms	M.	16	3	2	5	1	2	13	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	24	6	4	4	3	....	17	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	3	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	5	2	....	....	....	1	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
6. Inanition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		265	202	1	....	1	....	204	....	....	1	2	1	3	....	....	1	....	....	5	2	6	7	12	12	2	6	1
Males		157	123	1	....	1	....	125	....	....	1	1	....	1	....	....	1	....	....	4	1	3	5	5	7	1	1	1
Females		108	79	....	....	....	....	79	....	....	....	1	1	2	....	....	....	....	....	1	1	3	2	7	5	1	5	....
1. Premature birth	M.	23	23	....	....	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	22	....	....	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	89	89	....	....	....	....	89	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	53	53	....	....	....	....	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	20	9	1	....	1	....	11	....	....	1	1	....	1	....	....	1	....	....	1	1	1	....	1	....	....	....	1
	F.	8	3	....	....	....	....	3	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
	F.	34	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	2	5	4	7	1	1	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	3	2	7	5	1	4	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1041	51	33	23	14	12	133	37	35	78	119	94	70	78	76	54	40	35	59	34	46	26	18	4	4	1
Males		415	26	19	11	9	7	72	15	16	22	36	24	22	29	21	17	21	15	26	16	30	10	10	3	3	1
Females		626	25	14	12	5	5	61	22	19	56	83	70	48	49	55	37	19	20	33	18	16	16	8	1	1	
1. Rheumatism	M.	13								1					2	2	1	1	1	2	2	1					
	F.	5										1		1				1	1				1				
2. Scrofula and tabes	M.	22	4	5	1	1	1	12	1	3	2	1		1						1		1					
	F.	29	7	5	2		2	16	4	4	1	1	1		1	1											
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	270	20	7	4	6	3	40	6	10	18	30	22	21	24	17	12	17	11	9	5	13	6	5	1	2	1
	F.	477	12	7	8	2	3	32	12	12	51	77	63	45	42	44	28	13	10	20	10	12	1	5			
5. Hydrocephalus	M.	1							1																		
	F.																										
6. Cancer	M.	20													1			3	1	5	1	5	1	1	2		
	F.	38		1	1			2	1		1	1	1	1	2	4	2	4	4	3	4	2	2	3	1		
7. Tumor	M.	2																		1			1				
	F.	1																					1				
8. Anæmia	M.	1			1			1																			
	F.	1															1										
9. Dropsy	M.	83	2	7	5	2	3	19	7	2	1	4	2		2	1	4		2	8	8	10	8	4		1	
	F.	74	6	1	1	3		11	5	8	3	3	5	1	4	6	6	1	4	10	4	2	5			1	
10. Glycosuria	M.	3									1	1				1											
	F.	1																	1								
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.	1												1													
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		449	121	58	20	21	10	230	40	12	18	12	14	11	16	4	12	5	11	16	15	11	9	9	3	1	
Males		232	68	31	13	12	4	128	12	7	7	7	10	2	8	1	4	3	7	7	9	7	6	5	1	1	
Females		217	53	27	7	9	6	102	28	5	11	5	4	9	8	3	8	2	4	9	6	4	3	4	2		
1. Inflammation of the brain	M.	47	12	10	2	5	1	30	3	2	2	2	2		4				1		1						
	F.	44	12	7	2		2	23	10	2	2	1	1	2					1			1	1				
2. Meningitis	M.	17	6	3	1	1		11	1		1		3													1	
	F.	19	5	3		2		10	2	1	1	1	1	2					1								
3. Apoplexy	M	11													1		1		2		2	2	2		1		
	F.	6													2			1		1		1	1		1		
4. Paralysis	M.	21	1	1	1			3										1	2	3	3	3	4	2			
	F.	28	1				2	3	1					1	2		5		1	3	3	3	1	4	1			
5. Tetanus and trismus nascentium.	M.	6	5					5	1																		
	F.	4	3					3												1							
6. Epilepsy	M.	7	1					1		1		1	1		1		1					1					
	F.	10				1	1	2	2		2	1		1		1				1							
7. Convulsions	M.	55	28	7	5	2		42	2		1	1	1							2	2	1		3			
	F.	61	26	7	1	2	1	37	3	1	6	2	2	3	1	1			1	3	1						
8. Mental diseases	M.	2									1								1								
	F.	2													1	1											
9. Diseases of the brain	M.	57	14	7	2	4	2	29	5	4	2	2	3	2	1	1	2	2	1	2	1						
	F.	37	5	9	4	3		21	9	1					1		2	1		1	1						
10. Diseases of the spinal cord	M.	6	1	3	2			6																			
	F.	4	1	1		1		3	1																		
11. Others of this group	M.	3					1	1				1			1												
	F.	2													1		1										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		117	4	1	2	1	2	10	5	7	4	9	6	4	8	5	4	8	3	10	10	7	7	9		1	
Males		55	3		1	1	1	6	2	4	4	2	2	2	1	2	1	7	1	3	5	3	5	4		1	
Females		62	1	1	1		1	4	3	3		7	4	2	7	3	3	1	2	7	5	4	2	5			
1. Angina pectoris	M.	2																		1			1				
	F.	2														1						1					
2. Aneurism	M.																										
	F.	1		1				1																			
3. Diseases of the heart	M.	53	3		1	1	1	6	2	4	4	2	2	2	1	2	1	7	1	2	5	3	4	4		1	
	F.	59	1		1		1	3	3	3		7	4	2	7	2	3	1	2	7	5	3	2	5			
4. Others of this group	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		819	234	69	38	31	11	383	21	23	44	43	39	28	23	21	24	34	24	32	27	26	14	9	2	1	1
Males		439	141	43	17	15	5	221	7	12	21	23	22	18	8	6	12	13	16	21	17	11	7	2	1		1
Females		380	93	26	21	16	6	162	14	11	23	20	17	10	15	15	12	21	8	11	10	15	7	7	1	1	
1. Croup	M.	121	87	19	2	7	2	117	3	1																	
	F.	87	52	12	8	7	3	82	4	1																	
2. Laryngitis	M.	1			1			1																			
	F.	1					1	1																			
3. Bronchitis	M.	21	3	4	3		1	11		1	2			2					1		2	2					
	F.	20	4	3	1	1		9	1	1	1		1	1	2							2	1			1	
4. Pneumonia	M.	272	47	19	11	7	2	86	4	10	19	23	21	12	7	5	12	12	15	19	12	6	6	1	1		1
	F.	245	36	10	12	8	2	68	9	8	20	18	10	8	11	14	9	19	7	10	8	10	4	6			
5. Pleurisy	M.	4		1				1												1	1		1				
	F.	5	1					1									1	1				1	1				
6. Asthma	M.	5												1								3		1			
	F.	5																			2	2			1		
7. Others of this group	M.	15	4			1		5					1	3	1	1		1		1	2						
	F.	17		1				1		1	2	2		1	2	1	2	1	1	1			1	1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	173	44	31	3	3	2	83	8	4	5	9	7	1	6	5	5	9	4	8	4	3	5	2	5	....	....	....
Males	93	21	20	1	2	2	46	6	3	3	1	1	....	4	3	4	6	2	3	2	1	2	1	5	....	....	....
Females	80	23	11	2	1	....	37	2	1	2	8	6	1	2	2	1	3	2	5	2	2	3	1	....	....	....	....
1. Dentition M.	8	1	7	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition F.	16	8	7	1	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis F.	3	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach M.	18	3	4	....	1	....	8	....	....	2	1	....	....	....	....	1	2	....	....	....	1	1	1	1	....	....	....
4. Other diseases of the stomach F.	14	2	....	....	....	....	2	1	....	1	2	2	....	....	1	....	1	1	2	....	....	1	....	....	....	....	....
5. Obstruction of the bowels M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Hernia M.	4	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....
6. Hernia F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels M.	10	1	3	1	....	....	5	2	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Other diseases of the bowels F.	5	....	....	1	....	....	1	....	....	....	1	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....
8. Jaundice M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....
8. Jaundice F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. M.	9	2	1	....	....	....	3	1	1	....	....	....	....	....	1	2	....	1	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. F.	10	2	1	....	....	....	3	....	1	....	1	2	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....
10. Other diseases of the liver M.	13	3	....	....	1	1	5	1	1	....	....	....	....	1	1	....	3	....	1	....	....	....	....	....	....	....	....
10. Other diseases of the liver F.	12	3	1	....	....	....	4	1	....	....	2	....	1	....	1	....	....	....	1	....	1	1	....	....	....	....	....
11. Peritonitis M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
11. Peritonitis F.	4	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
12. Ascites M.	4	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
12. Ascites F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group M.	20	10	8	....	....	....	13	....	....	1	....	....	....	1	1	1	1	1	....	....	....	....	....	1	....	....	....
13. Others of this group F.	11	6	1	....	1	....	8	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	28	....	....	1	....	....	1	....	1	1	2	....	....	1	....	1	2	....	1	2	3	8	4	....	....	1	....
Males	23	....	....	....	....	....	....	....	....	....	2	....	....	1	....	1	2	....	1	1	3	8	4	....	....	....	....
Females	5	....	....	1	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....
1. Bright's disease M.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	1	....	2	....	....	....	....
1. Bright's disease F.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....
2. Calculus, urinary M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....
2. Calculus, urinary F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney M.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	2	....	1	....	1	....	....	....	....	....	....
3. Diseases of the kidney F.	2	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	5	....	....	....	....	....
4. Diseases of the bladder F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	1	....	....	....	....
5. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	19	....	....	....	....	....	....	....	....	1	2	3	1	3	2	1	2	3	....	1	....	....	....	....	....	....	....
1. Ovarian tumors F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases F.	12	....	....	....	....	....	....	....	....	1	....	1	1	2	1	1	2	3	....	....	....	....	....	....	....	....	....
5. Others of this group F.	6	....	....	....	....	....	....	....	....	....	2	2	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	42	....	....	....	....	....	....	....	....	8	8	10	5	7	4	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion F.	3	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth F.	36	....	....	....	....	....	....	....	....	7	6	10	4	5	4	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group F.	3	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	12	1	....	1	....	....	2	....	1	....	2	1	....	....	2	2	....	1	....	....	1	....	....	....	....	....	....
Males	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....
Females	8	1	....	1	....	....	2	....	1	....	2	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine F.	3	1	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....
4. Others of this group F.	5	....	....	1	....	....	1	....	....	....	1	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.		Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		4	1					1				1						1		1								
Males		4	1					1				1						1		1								
Females																												
1. Abscess	M.	4	1					1				1						1		1								
	F.																											
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		2			1			1					1															
Males		1			1			1																				
Females		1											1															
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.	1			1			1																				
	F.																											
3. Others of this group	M.																											
	F.	1											1															
XII.—ACCIDENTS AND INJURIES.																												
Total		243	40	13	13	10	7	83	21	13	21	17	15	17	8	6	13	6	4	6	3	2	4	2	1		1	
Males		156	19	5	7	7	1	39	10	7	16	13	13	16	7	3	10	4	3	5	3	2	3	1	1			
Females		87	21	8	6	3	6	44	11	6	5	4	2	1	1	3	3	2	1	1			1	1			1	
1. Burns and scalds	M.	13	3	1	3	2	1	10	1					1						1								
	F.	31	2	5	2	1	4	14	9	3		2				1		1					1					
2. Drowned	M.	15							2		4	3	1		2			1			1	1						
	F.	4			1			1	2									1										
3. Exposure and neglect	M.	7	1		1	1		3	1				1										1		1			
	F.	5	2					2				1				1			1									
4. Gunshot wounds	M.	15								1	2	3	3	4				1	1									
	F.																											
5. Homicide	M.	13								2	1	2	4	1			2			1								
	F.																											
6. Infanticide	M.	1	1					1																				
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	10								1	2	1	1	2		1				1	1							
	F.	1															1											
9. Suffocation	M.	9	7	1				8	1																			
	F.	11	10	1				11																				
10. Suicide by shooting	M.	1											1															
	F.																											
11. Suicide by drowning	M.																											
	F.	1										1																
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	3									1	1			1													
	F.																											
14. Sunstroke	M.	2												1				1										
	F.																											
15. Surgical operations	M.	1															1											
	F.																											
16. Wounds	M.	5									1	1		1			2											
	F.																											
17. Other accidents and injuries	M.	51	7	3	3	4		17	5	3	5	2	2	6	4	2	5	1	2	2	1	1	2	1				
	F.	34	7	2	3	2	2	16		3	5		2	1	1	1	2			1				1			1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		11443	2919	998	623	387	254	5181	685	381	506	647	486	399	346	338	303	364	220	351	283	289	233	201	100	62	47	21
Total: Males		5673	1567	538	331	194	126	2756	374	202	210	259	189	154	125	107	131	176	115	198	159	147	137	116	54	32	22	10
Females		5770	1352	460	292	193	128	2425	311	179	296	388	297	245	221	231	172	188	105	153	124	142	96	85	46	30	25	11
Unknown causes.																												
Total		1214	540	134	73	38	18	803	48	28	26	31	32	19	18	19	19	23	13	24	18	24	22	17	12	1	4	13
Males		602	268	77	33	20	8	406	32	16	11	12	16	5	5	9	8	6	4	11	8	12	17	9	6	1	2	6
Females		612	272	57	40	18	10	397	16	12	15	19	16	14	13	10	11	17	9	13	10	12	5	8	6	....	2	7
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		3282	708	428	264	158	116	1674	287	143	179	166	130	81	83	70	59	73	38	70	69	49	44	34	19	8	2	4
Males		1615	385	231	143	79	59	898	158	62	76	69	54	30	26	14	30	39	19	32	35	19	26	15	8	4	....	1
Females		1667	322	197	121	79	57	776	129	81	103	97	76	51	57	56	29	34	19	38	34	30	18	19	11	4	2	3
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	116	35	20	18	3	3	79	10	2	4	6	5	3	3	1	1	1	....	....	1	....	....	....	....	....	....	....
	F.	93	25	18	7	7	2	59	8	....	3	6	3	2	2	3	....	2	2	2	1	....	....	....	....	....	....	....
3. Scarlet fever	M.	3	1	....	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	55	15	8	12	6	2	43	8	....	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	49	15	12	7	4	1	39	9	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	121	72	24	13	5	4	118	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	128	71	27	10	7	8	123	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Fever	M.	112	32	16	11	8	5	72	10	5	6	6	1	1	1	....	1	1	1	1	2	....	2	1	1	....	....	....
	F.	116	32	9	9	5	6	61	5	6	4	4	5	4	2	3	1	4	1	....	5	5	1	4	....	....	1	....
7. Cerebro-spinal fever	M.	30	4	2	1	3	3	13	4	7	3	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	21	2	....	....	3	....	5	6	5	1	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	201	19	7	9	10	2	47	25	14	24	15	19	8	3	3	8	11	4	6	3	2	3	3	2	....	....	1
	F.	229	23	15	11	3	6	58	16	19	27	21	19	10	8	10	9	9	2	5	4	5	4	....	2	....	....	1
9. Diarrhœa	M.	87	21	19	11	8	3	62	3	1	....	1	1	4	....	1	4	....	....	....	2	1	3	2	....	2	....	....
	F.	62	17	6	8	2	1	34	1	....	3	1	1	1	1	1	1	1	2	4	2	3	1	1	4	....	....	....
10. Dysentery	M.	136	36	34	13	3	2	88	6	2	1	2	4	1	3	....	3	4	2	3	6	2	4	2	2	1	....	....
	F.	106	22	19	9	7	2	59	6	2	4	3	2	2	1	4	1	1	1	7	3	3	3	2	2	....	....	....
11. Enteritis	M.	166	33	20	6	8	5	72	23	8	6	10	7	2	2	1	2	4	4	5	9	4	4	2	....	1	....	....
	F.	136	21	22	11	9	3	66	8	7	7	4	4	5	7	5	4	4	2	2	3	3	....	4	1	....	....	....
12. Cholera morbus	M.	10	2	2	1	....	1	6	2	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	10	....	....	1	....	....	1	3	....	1	2	....	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....
13. Cholera infantum	M.	85	44	29	9	1	2	85	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	77	39	26	10	2	....	77	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	467	65	48	39	24	26	202	61	22	29	26	16	10	10	8	7	17	8	15	11	10	8	4	3	....	....	....
	F.	495	51	40	36	28	28	183	65	36	29	28	14	12	17	18	9	12	8	17	13	11	9	7	2	4	....	1
15. Erysipelas	M.	16	4	1	....	....	1	6	1	1	1	1	....	1	2	....	....	....	....	1	....	....	1	1	....	....	....	....
	F.	13	3	1	1	1	....	6	....	1	....	....	....	....	1	1	....	1	....	....	2	....	....	....	....	....	1	....
16. Septicæmia	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	112	....	....	....	....	....	....	....	2	23	27	25	12	13	7	2	....	1	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	4	2	1	....	....	....	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	2	....	....	....	2	....	....	....	1	1	1	....	1	1	....	....	1	1	....	....	....	....	....	....	....
19. Others of this group	M.	4	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
	F.	5	....	....	1	....	....	1	1	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		154	29	26	26	20	4	105	16	2	....	3	....	3	3	5	3	4	3	3	....	....	2	2	....	....	....	....
Males		96	20	18	14	13	3	68	6	2	....	2	....	2	2	4	2	1	2	2	....	....	2	1	....	....	....	....
Females		58	9	8	12	7	1	37	10	....	....	1	....	1	1	1	1	3	1	1	....	....	....	1	....	....	....	....
1. Worms	M.	67	14	15	14	12	3	58	6	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	38	9	5	10	5	1	30	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	9	....	....	....	....	....	....	....	....	....	....	....	1	....	2	2	....	1	1	....	....	1	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	13	....	2	....	1	....	3	....	....	....	2	....	1	2	2	....	1	1	....	....	....	1	....	....	....	....	....
	F.	19	....	3	2	2	....	7	2	....	....	1	....	1	1	1	1	3	1	1	....	....	....	....	....	....	....	....
6. Inanition	M.	7	6	1	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
General diseases—C.																												
Total		811	560	10	3	4	4	581	6	4	3	3	1	4	4	2	1	4	1	11	4	23	31	42	22	31	31	2
Males		437	319	5	....	2	1	327	1	2	2	1	1	1	....	1	....	2	1	7	2	14	11	23	11	12	16	2
Females		374	241	5	3	2	3	254	5	2	1	2	..	3	4	1	1	2	....	4	2	9	20	19	11	19	15	....
1. Premature birth	M.	48	48	....	....	....	....	48	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	41	41	....	....	....	....	41	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	247	247	....	....	....	....	247	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	180	180	....	....	....	....	180	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	66	20	5	....	2	1	28	1	2	2	1	1	....	1	....	2	1	6	1	5	2	6	....	2	2	2	....
	F.	59	16	5	3	2	3	29	5	2	1	2	....	3	4	1	1	2	....	3	....	....	....	3	3	....	....	....
5. Old age	M.	72	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	9	9	17	11	10	14	....
	F.	90	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	9	20	16	8	19	15	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	..	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																												
Total		1608	88	60	40	42	18	248	65	57	88	168	124	109	103	109	93	96	61	79	54	51	47	29	20	3	4	....
Males		681	54	33	23	21	9	140	37	33	29	65	33	34	30	35	34	39	26	37	29	22	20	18	15	3	2	....
Females		927	34	27	17	21	9	108	28	24	59	103	91	75	73	74	59	57	35	42	25	29	27	11	5	....	2	....
1. Rheumatism	M.	33	....	1	1	1	1	4	2	1	1	....	2	....	1	1	1	6	2	....	2	2	2	4	2	....	....	....
	F.	20	....	....	....	....	1	1	1	1	....	....	....	....	....	1	7	1	2	3	....	1	1	....	1	....	....	....
2. Scrofula and tabes	M.	36	13	3	2	1	....	19	3	....	2	6	1	....	....	1	1	1	1	1	....	....	....	....	....	....	....	....
	F.	34	8	4	4	2	1	19	2	1	3	..	2	....	1	1	....	1	2	1	....	1	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	306	20	9	3	4	4	40	9	15	16	44	22	23	24	22	21	16	11	12	12	8	5	1	3	2	....	....
	F.	487	13	9	4	7	1	34	8	9	13	75	70	56	48	41	18	29	15	15	8	12	5	....	1	....	....	....
5. Hydrocephalus	M.	11	8	2	....	1	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	40	....	....	....	....	....	....	1	3	....	1	....	7	....	1	2	3	3	3	2	3	5	5	1	....	....	....
	F.	82	....	....	....	....	....	....	....	....	....	1	1	5	4	9	20	12	5	8	6	4	4	2	1	....	....	....
7. Tumor	M.	5	....	2	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	3	1	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....
9. Dropsy	M.	241	12	16	17	14	4	63	19	14	9	13	8	4	5	9	9	13	9	20	13	8	6	8	8	1	2	....
	F.	292	13	13	8	12	6	52	16	12	13	27	18	14	18	21	12	13	11	14	11	11	16	9	2	....	2	....
10. Glycosuria	M.	5	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		949	267	79	48	38	20	461	84	37	29	48	31	18	21	16	17	24	20	25	38	27	23	15	7	6	2	....
Males		517	139	50	25	19	17	250	39	24	18	21	13	9	12	6	8	12	12	17	25	14	16	11	5	5	....	....
Females		432	128	29	23	19	12	211	45	13	11	27	18	9	9	10	9	12	8	8	13	13	7	4	2	1	2	....
1. Inflammation of the brain	M.	37	7	5	3	2	3	20	5	2	3	2	1	..	1	....	....	1	....	1	....	....	....	....	1	....	....	....	....
	F.	40	10	3	5	2	3	23	6	1	1	2	1	2	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	59	13	6	4	1	5	29	6	9	4	....	1	2	2	1	....	1	....	1	1	....	1	....	....	1	....	....	....
	F.	61	18	5	5	3	1	32	9	3	1	4	2	1	1	1	1	2	2	1	....	....	1	....	....	....	....	....	....
3. Apoplexy	M.	36	....	....	....	....	....	....	1	....	....	....	3	2	1	1	3	....	3	3	7	3	4	3	2	....	....	....	....
	F.	17	....	....	....	....	....	....	....	....	....	....	2	....	1	1	2	1	....	1	2	4	2	....	1	....	....	....	....
4. Paralysis	M.	71	2	1	....	2	....	5	6	2	1	1	1	1	1	3	....	5	4	7	10	6	10	6	1	1	....	....	....
	F.	45	1	....	3	2	..	6	1	....	....	5	1	2	....	2	2	1	3	1	5	7	3	3	1	1	1	....	....
5. Tetanus and trismus nascentium.	M.	28	19	2	....	1	....	22	2	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	16	1	....	....	....	17	....	1	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	13	1	....	....	....	....	1	1	....	1	1	1	1	3	....	....	....	2	....	....	1	1	....	....	....	....	....	....
	F.	8	....	....	2	1	....	3	....	....	....	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	164	82	25	12	7	6	132	8	1	2	5	2	1	1	1	1	1	2	1	2	1	....	1	1	1	....	....	....
	F.	139	65	15	4	6	4	94	16	3	9	6	3	2	4	1	....	2	1	1	....	1	....	1	....	....	1	....	....
8. Mental diseases	M.	5	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	1	....	1	....	1	1	1	....	2	....	1	....	....	....	....	....	....	....
9. Diseases of the brain	M.	93	15	11	6	6	3	41	10	7	6	7	3	1	2	....	3	4	1	3	3	1	....	....	....	1	....	....	....
	F.	86	17	5	4	5	4	35	19	5	....	5	4	1	2	3	1	1	1	2	6	....	1	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	4	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	7	....	....	....	....	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		357	15	5	5	3	3	31	17	10	11	18	10	21	10	23	23	33	21	25	28	34	22	14	8	2	1	....
Males		163	6	2	3	2	2	15	8	2	1	6	4	3	4	5	6	18	12	16	19	20	13	7	2	2	....	....
Females		194	9	3	2	1	1	16	9	8	10	12	6	18	6	18	17	15	9	9	9	14	9	7	1	....	1	....
1. Angina pectoris	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	2	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....
2. Aneurism	M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	155	5	2	3	2	2	14	8	2	1	6	3	2	4	5	5	18	12	16	18	19	13	5	2	2	....	....
	F.	189	8	3	2	1	1	15	9	7	10	12	6	18	6	17	17	15	9	9	9	14	8	7	1	....	....	....
4. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1665	419	133	93	44	32	721	82	54	86	95	76	71	56	50	42	75	36	66	42	48	20	26	11	7	1	....
Males		889	232	70	55	21	16	394	48	31	42	39	36	42	30	17	23	41	18	41	18	29	16	17	4	3	....	....
Females		776	187	63	38	23	16	327	34	23	44	56	40	29	26	33	19	34	18	25	24	19	4	9	7	4	1	....
1. Croup	M.	156	109	15	13	4	6	147	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	125	83	12	10	8	3	116	5	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	3	1	....	....	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	49	13	2	8	....	1	19	1	3	3	....	1	4	....	....	....	2	1	5	1	3	1	3	2	....	....	....	....
	F.	47	7	3	1	1	1	13	2	....	2	3	3	3	2	3	3	2	3	3	2	2	....	....	....	1	....	....	....
4. Pneumonia	M.	636	103	49	37	15	8	212	33	28	36	37	32	37	30	16	23	37	16	30	17	24	13	11	1	3	....	....	....
	F.	553	97	46	26	13	11	193	25	18	40	45	34	25	22	28	14	27	9	22	19	14	3	8	4	2	1	....	....
5. Pleurisy	M.	9	2	1	1	....	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....
	F.	12	....	....	....	1	....	1	....	....	1	3	1	....	....	1	1	2	....	....	....	....	....	....	1	1	....	....	....
6. Asthma	M.	9	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	3	....	1	....	2	1	....	....	....	....
	F.	12	....	1	....	....	....	1	....	....	....	2	....	....	....	....	....	2	....	....	2	1	1	1	2	....	....	....	....
7. Others of this group	M.	27	4	3	....	1	....	8	3	....	3	2	3	1	....	1	....	1	1	3	....	....	1	....	....	....	....	....	....
	F.	23	....	1	1	....	1	3	....	2	1	2	2	1	2	1	1	....	5	..	1	2	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		435	145	82	29	9	8	273	8	7	10	11	10	10	7	9	12	10	11	13	12	11	6	9	3	1	1	1
Males		208	66	35	14	3	1	119	5	4	5	4	5	6	3	3	6	5	9	8	9	7	3	5	...	...	1	1
Females		227	79	47	15	6	7	154	3	3	5	7	5	4	4	6	6	5	2	5	3	4	3	4	3	1	...	...
1. Dentition	M.	66	33	26	7	...	...	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	91	45	35	8	...	1	89	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina	M.	6	3	1	1	...	...	5	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	6	3	...	1	...	1	5	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis	M.	7	...	...	...	1	...	1	...	...	...	...	...	1	...	...	...	1	1	...	2	...	...	1	...	...	...	...
	F.	4	2	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
4. Other diseases of the stomach	M.	15	2	2	...	...	...	4	...	...	...	1	1	...	2	...	1	1	...	2	1	1	1	...	...	...	...	...
	F.	15	2	1	...	1	1	5	...	...	1	1	1	1	...	...	...	...	1	2	...	1	...	1	1	...	...	...
5. Obstruction of the bowels	M.	8	2	...	...	...	...	2	...	...	1	1	...	...	...	...	2	...	...	1	...	1	...	...	...	...	...	...
	F.	6	2	...	...	...	...	2	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	1	...	...	...
6. Hernia	M.	6	4	...	...	...	...	4	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...
7. Other diseases of the bowels	M.	9	1	2	...	1	...	4	1	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
	F.	11	1	...	4	1	1	7	...	...	...	...	1	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...
8. Jaundice	M.	9	3	...	1	...	...	4	...	...	1	1	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	F.	10	1	1	1	1	...	4	1	...	...	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver.	M.	8	1	...	...	...	...	1	...	2	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	1	1
	F.	8	2	...	...	1	1	4	...	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	...
10. Other diseases of the liver	M.	29	5	...	...	...	...	5	4	...	2	...	1	2	1	1	1	2	2	3	2	3	...	...	...	...	...	...
	F.	23	5	2	...	1	...	8	...	...	1	...	1	...	2	1	1	3	1	1	1	...	2	1	...	...	...	...
11. Peritonitis	M.	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...
	F.	7	...	...	...	...	...	...	...	1	1	1	...	1	...	1	...	...	...	...	...	1	...	1	...	...	...	...
12. Ascites	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Others of this group	M.	41	12	4	5	1	1	23	...	1	...	...	2	...	...	2	...	...	4	1	2	...	2	4	...	...	...	...
	F.	42	16	8	1	...	2	27	...	1	2	2	1	1	...	3	2	...	...	...	...	1	...	...	1	1	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		88	2	...	...	...	...	2	4	...	2	6	1	6	3	2	5	5	5	11	10	11	7	4	2	2	...	...
Males		65	1	...	...	...	...	1	2	...	1	4	1	4	3	1	2	5	4	10	8	6	6	3	2	2	...	...
Females		23	1	...	...	...	...	1	2	...	1	2	...	2	...	1	3	...	1	1	2	5	1	1	...	...	...	...
1. Bright's disease	M.	26	...	...	...	...	...	...	...	...	1	3	1	3	2	1	1	3	2	4	1	2	1	1	...	...	...	...
	F.	10	1	...	...	...	...	1	...	...	...	1	...	2	...	...	2	...	1	...	1	2	...	...	...	...	...	...
2. Calculus, urinary	M.	12	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...	1	1	1	1	1	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...
3. Diseases of the kidney	M.	16	...	...	...	...	...	...	1	...	...	1	...	...	1	...	...	1	2	3	2	2	1	...	2	...	...	...
	F.	10	...	...	...	...	...	...	2	...	1	1	...	...	...	1	1	...	...	1	1	1	1	...	...	...	...	...
4. Diseases of the bladder	M.	8	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	1	3	1	...	1	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		62	...	...	1	...	...	1	...	1	4	7	6	11	6	6	7	3	2	3	...	3	1	...	...	...	...	1
1. Ovarian tumors	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...
2. Ovarian diseases	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
4. Uterine diseases	F.	13	...	...	...	...	...	...	...	...	...	2	3	2	2	1	1	...	1	...	...	1	...	...	...	...	...	...
5. Others of this group	F.	43	...	...	1	...	...	1	...	1	4	5	3	9	3	5	3	3	1	1	...	2	1	...	...	...	...	1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		169	...	...	...	...	...	...	...	2	34	44	31	23	18	10	5	1	...	1	...	...	...	...	...	...	...	...
1. Abortion	F.	7	...	...	...	...	...	...	...	...	1	3	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth	F.	162	...	...	...	...	...	...	...	2	31	38	26	23	17	9	4	1	...	1	...	...	...	...	...	...	...	...
3. Others of this group	F.	10	...	...	...	...	...	...	...	...	2	3	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		10	...	...	1	...	...	1	1	...	2	...	2	1	...	2	...	...	...	...	...	...	...	1	...	...	...	...
Males		9	...	...	1	...	...	1	1	...	1	...	2	1	...	2	...	...	...	...	...	...	...	1	...	...	...	...
Females		1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Diseases of the spine	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones	M.	3	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint	M.	2	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group	M.	4	...	...	1	...	...	1	...	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ALABAMA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		10	2	....	....	1	....	3	....	....	....	1	....	....	....	1	1	....	1	1	1	1	....	....	....	....	....	....
Males		9	2	....	....	1	....	3	....	....	....	1	....	....	....	....	1	....	1	1	1	1	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Abscess	M.	5	1	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Carbuncle	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	4	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Males		2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		625	143	41	40	30	22	276	67	35	32	46	32	22	14	14	16	13	7	19	7	7	7	8	1	1	1	....
Males		379	73	17	20	13	10	133	37	26	24	35	24	17	10	10	11	8	6	16	5	3	6	6	1	....	1	....
Females		246	70	24	20	17	12	143	30	9	8	11	8	5	4	4	5	5	1	3	2	4	1	2	....	1	....	....
1. Burns and scalds	M.	81	12	9	15	10	7	53	15	4	3	....	....	....	....	1	1	....	1	2	1	....	....	1	1	....	1	....
	F.	105	9	11	13	13	10	56	25	5	5	3	2	1	....	1	1	....	....	....	....	2	1	1	....	....	....	....
2. Drowned	M.	32	....	....	....	....	....	....	4	5	5	9	3	2	1	1	....	1	....	....	....	....	1	....	....	....	....	....
	F.	8	....	3	....	....	2	5	....	....	....	....	1	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....
3. Exposure and neglect	M.	27	16	1	2	....	....	19	2	1	1	2	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
	F.	24	12	3	4	....	....	19	1	....	1	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	34	....	....	....	....	....	....	2	....	1	9	5	6	2	3	2	2	....	1	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	18	....	....	....	1	....	1	....	....	....	4	3	....	3	....	2	....	2	2	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	3	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	11	....	....	....	....	....	....	1	....	1	2	2	1	1	....	....	....	1	1	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	32	26	3	....	....	1	30	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	28	25	1	1	1	....	28	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	5	....	....	....	....	....	....	1	1	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	126	19	4	3	2	2	30	11	14	11	8	11	5	....	4	6	5	2	6	3	1	2	4	....	....	....	....
	F.	67	22	4	2	3	....	31	3	3	....	5	2	3	4	2	4	3	....	2	1	2	....	1	....	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARIZONA.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	291	50	11	9	4	....	80	11	6	8	18	32	29	29	22	18	15	4	7	2	3	1	2	....	....	1	3
Total: Males	207	30	6	4	2	....	42	4	4	4	14	25	23	21	21	15	13	3	7	2	3	1	1	....	....	1	3
Females	84	26	5	5	2	....	38	7	2	4	4	7	6	8	1	3	2	1	....	....	....	....	1	....	....	....	....
Unknown causes.																											
Total	20	15	1	....	1	....	17	1	....	....	....	1	1	..	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	12	8	....	....	1	....	9	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	8	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	66	21	5	6	2	....	34	3	2	2	1	4	5	1	3	1	3	1	3	2	....	1	....	....	....	....	....
Males	38	12	3	2	....	....	17	....	....	1	1	3	2	1	2	1	3	1	3	2	....	1	....	....	....	....	....
Females	28	9	2	4	2	....	17	3	2	1	....	1	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	3	....	1	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	3	3	1	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	10	6	....	....	....	....	6	....	....	....	....	1	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....
6. Fever F.	4	1	....	....	1	....	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	3	....	....	1	....	....	1	....	....	1	1	....	1	....	1	1	....	....	1	1	....	....	....	....	....	....	....
8. Enteric fever F.	3	....	....	2	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	5	1	1	....	....	....	2	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....
11. Enteritis F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	4	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
14. Malarial fever F.	2	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	3	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	9	1	....	....	....	....	1	....	....	....	....	1	2	1	1	1	1	....	1	....	....	....	....	....	....	....	....
Males	8	1	....	....	....	....	1	....	....	....	....	....	2	1	1	1	1	....	1	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	6	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	....	1	....	....	....	....	....	....	....	....
3. Alcoholism F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	2	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	12	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	1
Males	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1
Females	8	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
1. Premature birth M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1
5. Old age M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
5. Old age F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARIZONA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																												
Total		24			1			1				4	3	7	2	2	2	1	1									1
Males		15			1			1				3	1	5	1	2			1									1
Females		9										1	2	2	1		2	1										
1. Rheumatism	M.																											
	F.																											
2. Scrofula and tabes	M.																											
	F.																											
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	10			1			1				3	1	2		2												1
	F.	8										1	2	2	1		1	1										
5. Hydrocephalus	M.																											
	F.																											
6. Cancer	M.																											
	F.																											
7. Tumor	M.																											
	F.																											
8. Anæmia	M.																											
	F.																											
9. Dropsy	M.	4												2	1				1									
	F.	1															1											
10. Glycosuria	M.																											
	F.																											
11. Others of this group	M.	1												1														
	F.																											
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		111	5	1		1		7	1	1				2	2	2	1	2	1									
Males		16	4	1		1		6	1	1				2	2	2	1	1										
Females		3	1					1										1	1									
1. Inflammation of the brain	M.	3	2					2						1														
	F.																											
2. Meningitis	M.	1							1																			
	F.																											
3. Apoplexy	M.	4													1	2	1											
	F.	1																1										
4. Paralysis	M.	1								1																		
	F.																											
5. Tetanus and trismus nascentium.	M.																											
	F.																											
6. Epilepsy	M.	1												1														
	F.																											
7. Convulsions	M.	2	2					2																				
	F.																											
8. Mental diseases	M.																											
	F.																											
9. Diseases of the brain	M.	3		1		1		2							1													
	F.	2	1					1											1									
10. Diseases of the spinal cord	M.	1																1										
	F.																											
11. Others of this group	M.																											
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		7													2	2	1	2										
Males		6													1	2	1	2										
Females		1													1													
1. Angina pectoris	M.	2														2												
	F.																											
2. Aneurism	M.	1																1										
	F.																											
3. Diseases of the heart	M.	3													1		1	1										
	F.	1													1													
4. Others of this group	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		31	2	1				3	1	1		2	4	3	5	3	5	1		2		1						
Males		24	2					2		1		1	4	3	1	3	5	1		2		1						
Females		7		1				1	1			1			4													
1. Croup	M.																											
	F.																											
2. Laryngitis	M.																											
	F.																											
3. Bronchitis	M.																											
	F.																											
4. Pneumonia	M.	23	2					2		1		1	4	3	1	2	5	1		2		1						
	F.	7		1				1	1			1			4													
5. Pleurisy	M.																											
	F.																											
6. Asthma	M.	1														1												
	F.																											
7. Others of this group	M.																											
	F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARIZONA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	16	4	3				7				1	1	1	1	1	1	2				1						
Males	10	2	2				4					1		1	1		2				1						
Females	6	2	1				3				1		1			1											
1. Dentition M.	1		1				1																				
1. Dentition F.	2	2					2																				
2. Angina M.	1	1					1																				
2. Angina F.																											
3. Gastritis M.	2													1	1												
3. Gastritis F.																											
4. Other diseases of the stomach M.	2																1				1						
4. Other diseases of the stomach F.																											
5. Obstruction of the bowels M.																											
5. Obstruction of the bowels F.																											
6. Hernia M.																											
6. Hernia F.																											
7. Other diseases of the bowels M.																											
7. Other diseases of the bowels F.																											
8. Jaundice M.																											
8. Jaundice F.																											
9. Inflammation and abscess of the liver. M.	2											1					1										
9. Inflammation and abscess of the liver. F.	1															1											
10. Other diseases of the liver M.																											
10. Other diseases of the liver F.																											
11. Peritonitis M.	1		1				1																				
11. Peritonitis F.	1										1																
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.	1	1					1																				
13. Others of this group F.	2		1				1						1														
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	1																						1				
Males	1																						1				
Females																											
1. Bright's disease M.	1																						1				
1. Bright's disease F.																											
2. Calculus, urinary M.																											
2. Calculus, urinary F.																											
3. Diseases of the kidney M.																											
3. Diseases of the kidney F.																											
4. Diseases of the bladder M.																											
4. Diseases of the bladder F.																											
5. Others of this group M.																											
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females																											
1. Ovarian tumors F.																											
2. Ovarian diseases F.																											
3. Uterine tumors F.																											
4. Uterine diseases F.																											
5. Others of this group F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	5									3	1	3		2													
1. Abortion F.																											
2. Child-birth F.	9									3	1	3		2													
3. Others of this group F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine M.																											
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARIZONA—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Males																											
Females																											
1. Abscess { M.																											
1. Abscess { F.																											
2. Carbuncle { M.																											
2. Carbuncle { F.																											
3. Others of this group { M.																											
3. Others of this group { F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease { M.																											
1. Addison's disease { F.																											
2. Diseases of the spleen { M.																											
2. Diseases of the spleen { F.																											
3. Others of this group { M.																											
3. Others of this group { F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	77			2			2	5	2	3	9	15	8	13	8	6	3	1			1						1
Males	73			1			1	2	2	3	9	15	8	13	8	6	3	1			1						1
Females	4			1			1	3																			
1. Burns and scalds { M.																											
1. Burns and scalds { F.	1							1																			
2. Drowned { M.	3							1		1	1																
2. Drowned { F.																											
3. Exposure and neglect { M.	2												1		1												
3. Exposure and neglect { F.	1			1			1																				
4. Gunshot wounds { M.	28								2	2	2	6	2	5	5	3	1										
4. Gunshot wounds { F.																											
5. Homicide { M.	13										3	2	2	2	1	3											
5. Homicide { F.																											
6. Infanticide { M.																											
6. Infanticide { F.																											
7. Injuries by machinery { M.																											
7. Injuries by machinery { F.																											
8. Railroad accidents { M.	1													1													
8. Railroad accidents { F.																											
9. Suffocation { M.																											
9. Suffocation { F.																											
10. Suicide by shooting { M.	4											2		1			1										
10. Suicide by shooting { F.																											
11. Suicide by drowning { M.																											
11. Suicide by drowning { F.																											
12. Suicide by poison { M.	1													1													
12. Suicide by poison { F.																											
13. Other suicides { M.	3											1		1			1										
13. Other suicides { F.																											
14. Sunstroke { M.																											
14. Sunstroke { F.																											
15. Surgical operations { M.																											
15. Surgical operations { F.																											
16. Wounds { M.	2													2													
16. Wounds { F.																											
17. Other accidents and injuries { M.	16			1			1	1			3	4	3		1			1			1						1
17. Other accidents and injuries { F.	2							2																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2518	546	187	142	92	63	1030	199	100	115	184	163	112	109	113	80	79	51	64	26	32	19	13	2	4	9	14
Total: Males	1361	297	102	79	41	35	554	94	56	55	101	90	62	54	60	42	45	33	39	19	21	13	6	...	2	6	9
Females	1157	249	85	63	51	28	476	105	44	60	83	73	50	55	53	38	34	18	25	7	11	6	7	2	2	3	5
Unknown causes.																											
Total	345	149	26	18	22	9	224	24	9	6	18	11	10	8	6	3	7	5	5	1	2	....	1	....	2	1	2
Males	191	84	16	11	8	6	125	13	3	4	8	7	3	5	5	2	4	4	2	1	1	....	1	....	1	1	1
Females	154	65	10	7	14	3	99	11	6	2	10	4	7	3	1	1	3	1	3	....	1	....	....	....	1	....	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	730	130	93	59	42	30	354	75	40	32	28	35	24	19	26	21	20	9	19	6	8	5	3	....	....	1	5
Males	375	70	46	30	21	17	184	37	20	15	11	14	12	10	16	8	6	6	16	4	6	4	1	....	....	1	4
Females	355	60	47	29	21	13	170	38	20	17	17	21	12	9	10	13	14	3	3	2	2	1	2	....	....	....	1
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	19	4	....	....	2	3	9	5	2	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	4	1	1	....	....	....	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	44	9	4	6	6	5	30	6	7	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	34	4	7	3	1	3	18	10	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	10	1	1	....	1	1	4	4	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	10	1	3	2	2	....	8	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	51	18	14	9	3	3	47	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	49	22	12	5	4	2	45	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	3	1	....	2	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	5	....	2	1	....	....	3	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	5	1	....	....	1	....	2	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	18	2	1	1	1	....	5	3	1	1	1	4	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever F.	18	1	1	....	2	....	4	3	1	1	3	1	1	....	....	2	2	....	1	....	....	....	....	....	....	....	....
9. Diarrhœa M.	21	2	2	....	2	....	6	1	....	2	....	1	....	....	2	2	2	1	1	....	....	....	1	....	....	....	2
9. Diarrhœa F.	7	4	1	....	....	....	5	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	23	7	2	....	....	....	11	1	....	....	5	....	....	....	....	1	....	....	3	1	....	1	....	....	....	....	....
10. Dysentery F.	19	3	1	2	....	....	6	2	....	....	....	2	2	1	2	1	1	....	....	2	....	....	....	....	....	....	....
11. Enteritis M.	33	4	8	3	1	....	16	2	1	4	....	....	....	....	....	2	....	1	4	1	1	1	....	....	....	....	....
11. Enteritis F.	29	5	2	2	4	2	15	3	2	....	3	....	1	1	1	3	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	5	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	1
12. Cholera morbus F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	14	6	7	....	....	1	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	14	7	5	2	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	91	10	7	7	4	4	32	10	6	6	8	5	5	4	4	1	1	2	4	2	3	1	....	....	....	1	1
14. Malarial fever F.	119	10	11	9	7	6	43	16	5	8	4	10	5	2	4	5	8	2	2	2	....	....	2	....	....	....	1
15. Erysipelas M.	14	2	....	....	....	....	2	1	....	1	1	....	1	2	2	....	2	....	1	....	1	....	....	....	....	....	....
15. Erysipelas F.	7	1	....	1	....	....	2	....	1	....	....	1	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	18	....	....	....	....	....	....	....	....	4	5	4	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	4	1	....	....	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	20	2	....	....	....	....	2	....	1	1	....	1	1	2	5	1	1	1	3	....	....	1	....	....	....	....	....
19. Others of this group F.	17	1	....	1	1	....	3	....	3	2	2	....	....	2	1	1	2	....	....	....	....	1	....	....	....	....	....
General diseases—B.																											
Total	30	6	4	2	3	1	16	4	3	....	....	....	1	2	....	3	....	....	....	....	1	....	....	....	....	....	1
Males	15	1	3	....	1	1	6	1	3	....	....	....	1	1	....	1	....	....	....	....	1	....	....	....	....	....	1
Females	15	5	1	2	2	....	10	3	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	8	1	1	....	1	1	4	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
1. Worms F.	8	1	....	2	2	....	5	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	3	....	2	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	3	1	1	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Inanition F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	103	72	....	1	....	....	73	....	....	....	1	1	1	....	1	....	....	1	1	1	5	6	4	2	1	5	....
Males	64	49	....	....	....	....	49	....	....	....	1	1	....	....	....	....	....	1	....	....	3	3	2	....	1	3	....
Females	39	23	....	1	....	....	24	....	....	....	....	....	1	....	1	....	....	....	1	1	2	3	2	2	....	2	....
1. Premature birth M.	12	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	34	34	....	....	....	....	34	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	18	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	7	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	3	1	....	....	....	....	....
4. Debility F.	7	2	....	1	....	....	3	....	....	....	....	....	1	....	1	....	....	....	1	1	....	....	....	....	....	....	....
5. Old age M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	2	....	1	3	....
5. Old age F.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	2	2	2	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		267	7	8	8	4	2	29	16	4	16	27	30	20	29	22	15	13	8	20	11	5	3	3	....	1	1	1
Males		126	2	4	6	2	2	16	6	1	5	15	12	13	10	12	8	6	6	7	2	3	2	1	....	....	1	....
Females		141	5	4	2	2	....	13	10	3	11	12	18	7	19	10	7	7	2	13	2	2	1	2	....	1	....	1
1. Rheumatism	M.	3	1	....	....	....	....	1	....	....	....	....	....	1	1	....	1	....	1	1	1	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	4	....	2	1	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	2	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	33	....	2	1	1	1	5	....	....	5	15	11	10	8	9	5	3	5	3	1	2	1	....	....	....	....	....
	F.	92	2	3	2	1	....	7	5	1	6	12	15	5	15	6	6	3	2	7	....	1	....	....	....	....	....	1
5. Hydrocephalus	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	....	1	1	2	2	1	1	....	1	....	....	1	....	....	1	....	....
7. Tumor	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	27	....	....	4	1	1	6	6	....	....	....	1	2	1	3	2	2	....	2	....	....	....	1	....	....	1	....
	F.	27	....	....	....	....	....	....	5	2	5	....	2	1	....	1	....	3	....	4	1	1	....	2	....	....	....	....
10. Glycosuria	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		223	57	20	21	6	7	111	26	14	9	13	13	2	8	6	3	4	5	4	2	3	....	....	....	....	....	....
Males		123	25	10	13	3	2	53	11	11	7	8	9	2	5	5	1	3	1	3	2	2	....	....	....	....	....	....
Females		100	32	10	8	3	5	58	15	3	2	5	4	....	3	1	2	1	4	1	....	1	....	....	....	....	....	....
1. Inflammation of the brain	M.	27	....	3	2	1	1	7	3	4	3	2	3	2	2	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	18	4	2	4	....	1	11	4	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	25	5	1	2	....	1	9	2	3	2	2	2	....	2	2	....	1	....	....	....	....	....	....	....	....	....	....
	F.	12	3	1	....	....	....	4	1	....	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	3	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	....	....	1	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	3	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	13	10	2	2	....	....	14	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	13	2	1	2	....	18	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	30	7	3	6	1	....	17	3	4	2	3	2	....	1	2	1	....	....	2	1	1	....	....	....	....	....	....	....
	F.	29	4	4	3	1	3	15	5	1	....	2	1	....	3	....	....	....	2	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	3	1	1	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	3	....	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III. DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		23	3	....	1	....	1	5	1	....	....	3	1	....	1	3	1	1	3	1	....	1	....	1	....	....	....	1
Males		7	....	....	1	....	....	1	....	....	....	1	....	....	....	1	1	1	2	....	....	....	....	....	....	....	....	....
Females		16	3	....	....	....	1	4	1	....	....	2	1	....	1	2	....	....	1	1	....	1	....	1	....	....	....	1
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	6	....	....	1	....	....	1	....	....	....	....	1	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....
	F.	15	2	....	....	....	1	3	1	....	....	2	1	....	1	2	....	....	1	1	....	1	....	1	....	....	....	....	1
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		417	63	16	20	8	7	114	19	17	31	53	34	26	25	24	22	19	10	7	8	5	1	....	..	....	....	2
Males		259	37	9	13	3	4	66	8	9	21	34	27	15	15	13	14	15	5	6	6	3	....	..	....	....	....	2
Females		158	26	7	7	5	3	48	11	8	10	19	7	11	10	11	8	4	5	1	2	2	1	....	....	....	....	....
1. Croup	M.	30	26	1	3	....	....	30	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	12	1	1	2	2	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	5	1	....	....	1	....	2	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	203	8	7	8	1	3	27	5	7	19	34	25	13	13	13	12	14	4	6	6	3	....	....	....	....	....	....	2
	F.	126	13	6	3	3	1	26	9	5	10	18	6	10	10	10	8	4	5	....	2	2	1	....	....	....	....	....	....
5. Pleurisy	M.	6	1	....	1	....	....	2	1	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	12	1	1	1	1	1	5	1	1	1	....	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	1	....	....	2	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		104	30	12	7	4	2	55	8	2	2	6	1	7	1	4	3	4	3	4	1	1				1	1
Males		52	12	8	3	2	1	26	5	2		2		3	1	1	1	3	2	3	1	1					1
Females		52	18	4	4	2	1	29	3		2	4	1	4		3	2	1	1	1						1	
1. Dentition	M.	9	2	7				9																			
	F.	11	6	3	2			11																			
2. Angina	M.	1							1																		
	F.	1											1														
3. Gastritis	M.	2												1				1									
	F.																										
4. Other diseases of the stomach	M.	12	2	1	1	1	1	6	3			1						1		1							
	F.	7	1			1		2	2			1				1			1								
5. Obstruction of the bowels	M.	1																			1						
	F.	1												1													
6. Hernia	M.	1																				1					
	F.																										
7. Other diseases of the bowels	M.	6	1					1		1		1			1				1	1							
	F.	1			1			1																			
8. Jaundice	M.																										
	F.	1															1										
9. Inflammation and abscess of the liver.	M.	5							1	1				1		1		1									
	F.	7	2		1	1		4			1					1		1									
10. Other diseases of the liver	M.	6	1		1	1		3									1		1								1
	F.	2										1					1										
11. Peritonitis	M.																										
	F.	2							1			1															
12. Ascites	M.																										
	F.	5									1	1		3													
13. Others of this group	M.	2	6		1			7						1						1							
	F.	14	9	1			1	11								1				1						1	
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		27					1	1	1			3	2		1	3	3	5	3	1	1		3					
Males		21					1	1	1			3	1		1	2	2	3	3		1		3					
Females		6											1			1	1	2		1								
1. Bright's disease	M.	10										2				2	1	1	3				1				
	F.	1											1														
2. Calculus, urinary	M.	2																					2				
	F.																										
3. Diseases of the kidney	M.	4					1	1	1								1	1									
	F.	3																2		1							
4. Diseases of the bladder	M.	1																			1						
	F.																										
5. Others of this group	M.	4										1	1		1			1									
	F.	2														1	1										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		19									1	3	2	1	4	5	1	1	1								
1. Ovarian tumors	F.	2										1				1											
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.	3													1	1		1									
5. Others of this group	F.	14									1	2	2	1	3	3	1		1								
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		53								1	12	9	12	6	5	7											1
1. Abortion	F.	7									2	1	2	1		1											
2. Child-birth	F.	43								1	9	7	10	5	4	6											1
3. Others of this group	F.	3									1	1			1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		2		1				1							1												
Males		2		1				1							1												
Females																											
1. Diseases of the spine	M.																										
	F.																										
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.	2		1				1							1												
	F.																										
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUES.																											
Total		8	1	1	1			3			1		1	1			1		1									
Males		6	1	1				2					1	1			1		1									
Females		2			1			1			1																	
1. Abscess	M.	5		1				1					1	1			1		1									
	F.	1									1																	
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.	1	1					1																				
	F.	1			1			1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2										1		1														
Males		2										1		1														
Females																												
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.	2										1		1														
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total		164	28	6	4	5	3	44	24	10	5	19	20	12	5	6	5	5	2	2	2	1	1	1				
Males		117	16	4	2	1	1	24	11	7	3	17	18	11	5	5	3	4	2	2	2	1	1	1				
Females		47	12	2	2	2	2	20	13	3	2	2	2	1		1	2	1										
1. Burns and scalds	M.	9	4	1				5				1	1	1	1													
	F.	16	1	2	1	2	1	7	6	2		1																
2. Drowned	M.	33	2	2				4	4	3	1	5	5	3	3	2			1	1	1							
	F.	5							3	1				1														
3. Exposure and neglect	M.	1	1					1																				
	F.	3	2					2			1																	
4. Gunshot wounds	M.	31	1					1	2	1	2	4	8	5	1	1	3	2		1								
	F.																											
5. Homicide	M.	7										1	2	2				2										
	F.	2														1	1											
6. Infanticide	M.																											
	F.	1	1					1																				
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	3			1			1				1	1															
	F.	2											1				1											
9. Suffocation	M.	4	3			1		4																				
	F.	4	4					4																				
10. Suicide by shooting	M.																											
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	1										1																
	F.																											
14. Sunstroke	M.	1										1																
	F.																											
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.	1								1																		
	F.																											
17. Other accidents and injuries	M.	26	5	1	1		1	8	5	2		3	1			2			1		1	1	1	1				
	F.	14	4		1		1	6	4		1	1	1					1										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 2.

Cause of death		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		12294	2943	1229	668	372	274	5486	761	427	615	844	706	540	506	414	399	318	234	277	240	174	148	107	24	22	21	31
Total: Males		6380	1572	651	333	195	137	2888	400	243	302	433	336	240	197	214	226	178	131	167	140	103	90	49	14	7	5	17
Females		5914	1371	578	335	177	137	2598	361	184	313	411	370	300	309	200	173	140	103	110	100	71	58	58	10	15	16	14
Unknown causes.																												
Total		1421	674	126	67	40	26	933	83	34	48	57	37	32	25	30	21	23	10	27	11	19	19	9	2	....	2	4
Males		733	346	76	35	23	16	496	46	19	17	28	13	12	8	14	14	12	3	14	5	15	11	2	2	....	....	2
Females		688	328	50	32	17	10	437	37	15	26	29	24	20	17	16	7	11	7	13	6	4	8	7	....	..	2	2
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		3807	774	633	327	174	129	2037	345	171	183	216	161	129	118	76	67	61	47	54	38	34	24	20	3	6	4	13
Males		1853	387	312	160	88	67	1014	180	89	86	106	74	56	35	33	27	35	22	27	24	16	11	5	2	2	2	7
Females		1954	387	321	167	86	62	1023	165	82	97	110	87	73	83	43	40	26	25	27	14	18	13	15	1	4	2	6
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	109	26	13	8	4	2	53	11	5	11	13	5	4	2	....	1	2	....	1	....	....	1	....	....	....	....	....
	F.	122	25	21	13	3	1	63	10	3	9	6	9	6	2	3	4	1	2	2	1	1	....	....	....	....	....	....
3. Scarlet fever	M.	119	20	14	24	15	9	82	25	10	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	98	10	14	12	10	11	57	28	7	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2
4. Diphtheria	M.	72	17	14	7	3	9	50	6	4	1	3	3	....	....	1	1	1	1	1	....	....	....	....	....	....	....	....	....
	F.	65	11	5	8	5	10	39	14	3	3	2	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	136	76	35	9	4	3	127	5	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	210	116	49	17	9	4	195	12	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	38	8	4	6	4	1	23	3	1	2	....	....	....	1	2	....	1	....	3	....	1	1	....	....	....	....	....	....
	F.	47	4	8	3	1	....	16	2	1	4	7	3	4	2	2	....	....	1	....	2	1	....	1	....	1	....	....	....
7. Cerebro-spinal fever	M.	39	8	9	....	1	2	20	7	2	1	3	1	1	1	....	....	....	1	1	....	1	....	....	....	....	....	....	....
	F.	17	3	4	1	1	....	9	3	3	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	214	11	12	8	9	4	44	24	18	22	35	16	11	8	4	5	5	5	7	5	3	1	....	....	....	....	....	1
	F.	187	11	13	7	2	5	38	13	17	26	14	16	14	9	8	8	7	3	6	3	1	1	3	....	....	....	....	....
9. Diarrhœa	M.	96	23	28	14	2	3	70	2	2	4	1	1	2	1	5	....	1	2	1	1	....	1	....	....	1	....	....	1
	F.	83	26	27	10	3	2	68	2	....	1	1	....	....	1	1	....	....	....	1	2	3	1	....	....	1	....	....	1
10. Dysentery	M.	228	41	62	34	16	6	159	20	4	6	....	6	2	3	2	3	4	1	2	4	5	2	1	1	....	1	2
	F.	218	36	61	25	14	4	140	16	4	3	4	4	2	8	3	7	5	5	3	1	2	4	4	1	....	2	....
11. Enteritis	M.	143	40	28	8	9	2	87	15	5	5	6	4	6	4	5	1	1	1	2	1	....	....	....	....	....	....	....	....
	F.	123	26	21	19	8	1	75	9	6	1	3	4	4	5	2	3	....	1	2	....	2	1	2	....	....	....	....	....
12. Cholera morbus	M.	12	1	3	....	1	....	5	2	....	....	....	....	....	....	....	1	....	1	....	....	1	....	1	1	....	....	....	....
	F.	13	3	3	1	....	....	7	....	1	....	1	....	....	1	....	1	1	....	....	....	....	....	1	....	....	....	....	....
13. Cholera infantum	M.	103	49	41	11	2	....	103	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	104	42	44	13	4	1	104	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	462	46	44	30	16	26	162	53	34	33	40	31	22	8	9	11	17	9	9	12	3	3	2	....	1	1	2
	F.	451	49	43	35	24	22	173	52	31	26	30	21	20	21	16	12	8	9	10	4	7	5	3	....	1	....	2
15. Erysipelas	M.	55	19	2	1	2	....	24	2	1	....	2	3	6	5	3	2	3	1	....	....	1	1	1	....	....	....	....	....
	F.	62	21	5	1	1	1	29	3	2	3	3	1	3	2	4	2	3	1	1	1	1	1	1	....	1	....	....	....
16. Septicæmia	M.	7	....	....	....	....	....	....	....	....	....	1	1	....	1	2	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	1	....	2	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	122	....	....	....	....	....	....	....	....	17	35	27	15	23	2	3	....	....	....	....	....	....	....	....	....	....	....	1
18. Venereal diseases	M.	6	....	....	....	....	....	....	1	....	....	1	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	14	2	3	....	....	....	5	4	....	....	1	1	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	23	4	3	2	1	....	10	1	1	1	1	1	1	3	1	....	1	....	2	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		128	25	18	16	13	8	80	13	4	4	3	4	3	4	4	3	1	1	1	....	1	1	....	....	....	....	1
Males		62	10	9	7	4	3	33	7	3	1	2	2	2	2	3	2	....	1	1	....	1	1	....	....	....	....	....
Females		66	15	9	9	9	5	47	6	1	3	1	2	1	2	1	1	1	....	....	....	....	....	....	....	....	....	....	1
1. Worms	M.	26	1	8	6	4	2	21	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	37	1	7	9	8	4	29	5	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	9	....	....	....	....	....	....	....	....	1	1	....	....	1	2	2	....	1	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	20	3	1	1	....	1	6	4	1	....	1	2	2	1	1	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	13	2	1	....	....	1	4	....	....	2	1	1	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	7	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	15	12	1	....	1	....	14	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		562	435	8	4	2	1	450	2	1	....	2	2	1	1	1	5	5	2	4	9	12	18	18	7	10	11	1
Males		292	244	6	2	1	....	253	1	....	....	1	1	....	1	....	1	2	2	....	2	4	11	6	2	3	1	1
Females		270	191	2	2	1	1	197	1	1	....	1	1	1	....	1	4	3	....	4	7	8	7	12	5	7	10	....
1. Premature birth	M.	69	69	....	....	....	....	69	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	53	53	....	....	....	....	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	152	152	....	....	....	....	152	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	112	112	....	....	....	....	112	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	8	7	....	1	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	44	16	6	1	1	....	24	1	....	....	1	1	....	1	....	1	2	2	....	1	2	5	1	1	1	....	....
	F.	51	17	2	2	1	1	23	1	1	....	1	1	1	....	1	4	3	....	2	3	3	1	4	....	1	1	....	....
5. Old age	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	6	5	1	2	1	1	....
	F.	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	4	5	6	8	5	6	9	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1276	52	46	21	17	12	148	43	41	90	159	146	113	113	97	83	58	29	56	42	20	17	14	1	1	2	3
Males		563	27	25	13	7	7	79	21	26	34	69	47	46	37	39	43	27	12	21	26	11	12	7	1	1	1	3
Females		713	25	21	8	10	5	69	22	15	56	90	99	67	76	58	40	31	17	35	16	9	5	7	....	....	1	....
1. Rheumatism	M.	24	....	....	....	....	....	....	2	3	2	3	3	3	....	1	1	2	1	....	2	....	1	....	....	....	....	....
	F.	24	....	1	....	....	....	1	1	1	1	3	2	1	....	5	1	2	1	2	1	....	1	1	....	....	....	....
2. Scrofula and tabes	M.	50	5	13	8	....	....	26	4	6	5	3	1	1	....	2	1	....	....	....	1	....	....	....	....	....	....	....
	F.	38	11	6	4	2	2	25	4	3	....	1	....	....	....	1	1	2	....	....	1	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	320	5	4	5	2	1	17	1	5	21	56	40	29	31	28	30	17	8	11	12	3	6	2	1	....	....	2
	F.	456	5	3	1	2	....	11	7	8	47	75	82	51	53	36	27	16	8	18	8	5	1	3	....	....	....	....
5. Hydrocephalus	M.	12	10	....	....	1	....	11	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	14	7	3	....	....	....	10	....	....	....	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	23	1	....	....	....	1	2	....	....	....	....	1	1	....	1	1	3	1	1	6	3	1	1	....	....	....	1
	F.	39	1	3	....	....	1	5	....	....	1	....	1	1	4	4	5	4	3	5	3	1	1	....	....	....	1	....
7. Tumor	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	7	....	1	....	....	....	1	....	....	....	....	1	....	1	1	1	....	....	1	1	....	....	....	....	....	....	....	....
8. Anæmia	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	120	1	8	....	4	5	18	13	9	6	7	2	12	6	6	10	4	2	9	5	4	2	4	....	1	....	....
	F.	127	1	3	3	6	2	15	10	3	5	8	11	13	15	11	5	7	5	9	2	3	2	3	....	....	....	....
10. Glycosuria	M.	6	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....
	F.	3	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	2	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1146	284	120	85	52	41	582	105	48	54	58	40	36	22	22	32	21	21	21	21	19	17	12	3	1	....	2
Males		603	144	64	42	29	19	298	48	28	30	26	26	15	9	16	21	9	15	15	14	16	9	6	2	....	....	....
Females		543	140	56	43	23	22	284	57	20	24	32	23	21	13	6	11	12	6	6	7	3	8	6	1	1	....	2
1. Inflammation of the brain	M.	150	41	19	8	11	7	86	14	14	6	4	9	7	1	2	1	....	1	3	1	1	....	....	....	....	....	....
	F.	153	36	22	14	7	7	86	23	9	5	9	5	6	2	1	1	....	1	....	3	....	2	....	....	....	....	....
2. Meningitis	M.	71	12	14	5	4	1	36	9	6	4	2	5	....	1	2	3	1	1	....	1	....	....	....	....	....	....	....
	F.	72	18	11	4	3	3	39	7	4	1	5	3	5	5	1	....	....	2	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	14	....	....	....	....	1	1	1	1	....	1	....	2	....	....	....	2	3	1	....	1	1	....	....	....	....	....
	F.	19	2	1	1	....	....	4	....	....	2	1	1	3	....	1	....	3	2	....	2	....	....	....	....	....	....	....
4. Paralysis	M.	52	2	2	1	....	....	5	1	1	....	1	....	1	....	2	3	2	5	6	8	8	3	4	2	....	....	....
	F.	80	2	....	....	1	1	4	1	1	1	1	....	....	....	1	4	5	....	3	1	3	3	3	1	1	....	....
5. Tetanus and trismus nascentium.	M.	14	9	....	....	2	....	11	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	6	3	....	....	....	....	3	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	25	2	....	1	....	....	3	2	....	3	4	1	....	....	2	2	2	1	....	....	2	1	....	....	....	....	....
	F.	21	3	1	....	....	....	4	....	1	2	4	3	4	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....
7. Convulsions	M.	74	38	10	5	4	3	60	1	....	3	3	1	1	1	1	2	....	....	....	....	1	....	....	....	....	....	....	....
	F.	74	40	8	6	4	1	59	4	....	2	2	2	....	1	....	....	1	....	....	1	....	1	....	....	....	....	....	1
8. Mental diseases	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	148	27	13	17	6	7	70	16	4	10	8	8	4	2	5	7	1	2	1	3	4	2	1	....	....	....	....
	F.	117	26	8	14	6	6	60	16	4	8	8	6	3	3	1	3	1	1	1	....	....	1	....	....	....	....	....	1
10. Diseases of the spinal cord	M.	45	13	6	5	2	....	26	3	2	4	3	2	....	1	1	....	1	1	....	1	....	....	....	....	....	....	....	....
	F.	36	8	5	4	2	4	23	4	1	2	1	1	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	....	1	....	....	1	....	....	....	....	....	....
	F.	11	2	....	....	....	....	2	1	....	....	1	1	....	1	....	....	1	....	1	....	....	1	2	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		196	1	5	2	1	2	11	5	4	9	10	12	15	23	16	9	15	17	16	14	5	8	7	....	....	....	....
Males		87	1	2	....	....	....	3	2	2	3	4	6	5	12	4	4	7	10	11	4	3	3	4	....	....	....	....
Females		109	....	3	2	1	2	8	3	2	6	6	6	10	11	12	5	8	7	5	10	2	5	3	....	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	85	1	2	....	....	....	3	2	2	3	4	6	5	12	3	3	7	10	11	4	3	3	4	....	....	....	....
	F.	106	....	3	2	1	2	8	3	1	6	6	6	9	10	12	5	8	7	5	10	2	5	3	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		2331	489	164	91	40	30	814	64	68	138	209	168	126	116	100	116	95	70	73	70	44	27	18	3	4	2	6
Males		1438	286	108	50	24	13	477	36	43	85	138	115	73	62	63	78	59	40	59	41	25	19	12	2	1	1	3
Females		893	203	56	45	16	17	337	28	25	53	71	53	53	54	37	38	36	24	14	29	19	8	6	1	3	1	3
1. Croup	M.	262	182	47	15	7	2	253	5	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1
	F.	185	121	19	18	6	10	174	6	....	1	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	2
2. Laryngitis	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	72	15	11	4	1	1	32	1	1	3	5	2	2	1	1	1	2	2	6	5	3	4	1	....	....	....	....
	F.	68	17	8	2	2	1	30	2	1	1	6	2	4	2	4	1	3	1	2	2	5	....	2	....	....	....	....
4. Pneumonia	M.	1033	80	47	25	13	9	174	21	38	82	128	110	70	60	59	68	55	39	48	32	20	13	11	1	1	1	2
	F.	590	54	29	20	8	6	117	18	22	49	62	46	46	50	30	35	33	22	10	25	10	7	3	1	3	....	1
5. Pleurisy	M.	8	....	....	....	1	....	1	....	....	....	....	....	....	....	....	2	1	....	1	1	1	1	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	1	1	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
6. Asthma	M.	8	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	1	1	2	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....
7. Others of this group	M.	54	7	3	2	2	1	15	7	4	....	5	2	1	1	3	7	1	4	3	1	....	....	....	....	....	....	....	....
	F.	38	9	....	5	....	....	14	2	2	1	1	4	3	1	2	1	....	....	....	2	3	....	1	....	....	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		529	108	70	28	14	10	230	46	15	18	23	22	24	23	22	21	20	19	9	19	9	4	3	1	....	1
Males		290	70	37	16	7	6	136	25	10	8	10	11	8	8	13	12	13	7	5	13	5	4	1	1	....	....
Females		239	38	33	12	7	4	94	21	5	10	13	11	16	15	9	9	7	12	4	6	4	....	2	....	....	1
1. Dentition	M.	29	11	15	3	....	....	29	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	2	13	1	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	23	7	1	3	3	2	16	2	1	....	....	....	....	1	1	....	....	....	....	2	....	....	....	....	....	....
	F.	16	....	2	2	3	1	8	1	1	1	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....	1
3. Gastritis	M.	8	3	....	....	....	....	3	3	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	6	1	1	1	....	....	3	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....
4. Other diseases of the stomach	M.	56	10	7	1	2	1	21	8	4	2	3	1	....	2	3	3	4	3	....	....	1	....	....	1	....	....
	F.	56	8	5	6	2	....	21	9	1	1	....	2	3	2	1	4	3	5	....	3	1	....	....	....	....	....
5. Obstruction of the bowels	M.	4	1	....	....	....	....	1	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	1	....	....	....	2	1	....	....	....	1	....	....	....	....	....	....	....	....
6. Hernia	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	41	6	7	5	....	3	21	5	1	2	1	2	1	....	2	3	1	....	1	....	1	....	....	....	....	....
	F.	38	10	6	....	1	....	17	6	1	2	2	2	3	1	1	....	1	1	1	....	....	....	....	....	....	....
8. Jaundice	M.	13	3	1	....	....	....	4	1	1	....	....	....	2	....	....	1	1	....	....	2	1	....	....	....	....	....
	F.	6	3	....	....	1	1	5	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	17	2	2	1	....	....	5	2	....	....	1	2	2	....	....	....	2	....	....	3	....	....	....	....	....	....
	F.	17	....	2	....	....	....	2	1	1	2	1	....	3	2	....	1	....	1	1	1	....	....	1	....	....	....
10. Other diseases of the liver	M.	44	9	....	1	1	....	11	2	1	1	3	4	1	3	2	3	4	2	3	2	....	2	....	....	....	....
	F.	23	3	1	1	....	1	6	....	....	1	2	2	....	3	1	1	2	2	1	1	1	....	....	....	....	....
11. Peritonitis	M.	9	....	....	1	1	....	2	1	....	2	....	1	....	....	....	1	....	....	....	....	2	....	....	....	....	....
	F.	21	1	....	....	....	1	2	1	....	2	6	4	2	3	1	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	6	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	1	....	2	....	....	....	....	....	....
	F.	6	....	1	....	....	....	1	1	....	....	....	....	....	....	1	2	....	....	....	....	1	....	....	....	....	....
13. Others of this group	M.	38	17	4	1	....	....	22	1	1	....	1	1	1	....	4	1	1	1	1	1	....	2	....	....	....	....
	F.	28	10	2	1	....	....	13	2	....	1	1	....	2	3	1	1	....	2	1	....	....	....	1	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		71	2	3	1	2	....	8	4	1	1	4	7	2	1	6	3	4	5	6	7	4	4	3	1	....	....
Males		55	1	2	1	1	....	5	3	1	1	4	3	1	1	5	3	2	4	5	7	3	3	3	1	....	....
Females		16	1	1	....	1	....	3	1	....	....	....	4	1	....	1	....	2	1	1	....	1	1	....	....	....	....
1. Bright's disease	M.	12	1	1	....	....	....	2	....	....	....	1	1	1	1	....	1	1	1	1	2	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	2	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	6	....	1	....	....	....	1	1	....	....	....	....	....	....	....	1	....	1	....	1	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	24	....	....	....	1	....	1	2	....	1	3	2	....	....	3	....	1	1	1	3	1	2	2	1	....	....
	F.	8	1	1	....	....	....	2	1	....	....	....	1	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....
4. Diseases of the bladder	M.	11	....	....	1	....	....	1	....	1	....	....	....	....	....	2	1	....	1	2	1	1	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
*5. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		42	....	....	....	....	....	....	....	1	2	1	8	3	5	2	12	3	2	1	1	1	....	....	....	....	....
1. Ovarian tumors	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	11	....	....	....	....	....	....	....	....	....	....	3	1	2	....	2	....	1	1	....	1	....	....	....	....	....
5. Others of this group	F.	28	....	....	....	....	....	....	....	1	2	1	4	2	3	2	5	3	1	....	1	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		165	....	....	....	....	....	....	....	....	26	43	36	27	23	9	1	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	18	....	....	....	....	....	....	....	....	3	2	2	7	3	....	1	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	132	....	....	....	....	....	....	....	....	19	35	30	19	20	9	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	15	....	....	....	....	....	....	....	....	4	6	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		53	14	9	2	1	2	28	5	3	3	2	1	1	2	1	3	1	1	1	....	....	1	....	....	....	....
Males		28	8	3	....	1	1	13	3	2	3	1	....	....	....	1	1	1	1	1	....	....	1	....	....	....	....
Females		25	6	6	2	....	1	15	2	1	....	1	1	1	2	....	2	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	25	8	2	....	1	1	12	3	1	3	1	....	....	....	1	1	1	....	1	....	....	1	....	....	....	....
	F.	20	5	6	1	....	1	13	2	1	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	1	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	3	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ARKANSAS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		27	2	2				4	1			4	3	2	1	1	2	2	2	1	1	1	2				
Males		17	2					2	1			2	2	1	1	1	2	2	1	1			1				
Females		10		2				2				2	1	1					1		1	1	1				
1. Abscess	M.	10							1			2	1		1	1	1	1	1				1				
	F.	5										2	1	1								1					
2. Carbuncle	M.	4	1					1					1	1						1							
	F.	3		1				1													1		1				
3. Others of this group	M.	3	1					1									1	1									
	F.	2		1				1											1								
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		8			1			1		1		1		1	1				1	2							
Males		2																		2							
Females		6			1			1		1		1		1	1				1								
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	2																		2							
	F.	6			1			1		1		1		1	1				1								
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		529	83	23	23	15	13	157	45	35	44	52	50	25	28	27	21	9	7	5	7	5	6	3	3		
Males		357	46	7	11	10	5	79	27	20	34	42	36	21	21	22	18	9	7	5	4	4	4	3	1		
Females		172	37	16	12	5	8	78	18	15	10	10	14	4	7	5	3				3	1	2		2		
1. Burns and scalds	M.	27	7	2	4	6	2	21	3				3														
	F.	70	9	9	7	4	7	36	14	6	3	2	5		1	1	1								1		
2. Drowned	M.	26							4	3	6	4	2	1	4	1				1							
	F.	3								2			1														
3. Exposure and neglect	M.	13	9	1				10						1	1								1				
	F.	15	4	3	1			8			2	1	3												1		
4. Gunshot wounds	M.	57							1	1	7	15	9	5	7	1	4	3	2	2							
	F.	2								1	1																
5. Homicide	M.	8									1	2	1	2		1	1										
	F.																										
6. Infanticide	M.	1	1					1																			
	F.	2	2					2																			
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.																										
	F.																										
9. Suffocation	M.	22	17	2			1	20												1		1					
	F.	18	14		1		1	16	1	1																	
10. Suicide by shooting	M.	6							1			1		1		2				1							
	F.																										
11. Suicide by drowning	M.	1												1													
	F.																										
12. Suicide by poison	M.																										
	F.	1									1																
13. Other suicides	M.	5										1				2	1				1						
	F.																										
14. Sunstroke	M.	13					1	1	5			3	3	1		1	1										
	F.	1												1													
15. Surgical operations	M.	1																	1								
	F.																										
16. Wounds	M.	7	2					2			1	1		1	1			1									
	F.																										
17. Other accidents and injuries	M.	170	10	2	7	4	1	24	15	16	19	15	18	8	8	14	11	5	4		3	3	3	3	1		
	F.	60	8	4	3	1		16	3	5	3	7	5	3	6	4	2				3	1	2				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3775	481	140	103	73	67	864	179	105	164	236	223	217	237	222	273	286	217	162	137	100	62	35	11	7	3	35
Total: Males		2506	270	65	49	40	31	455	87	53	74	133	152	164	175	180	226	229	174	129	103	68	41	26	6	5	3	23
Females		1269	211	75	54	33	36	409	92	52	90	103	71	53	62	42	47	57	43	33	34	32	21	9	5	2	....	12
Unknown causes.																												
Total		162	39	5	3	3	1	51	6	1	4	7	3	4	13	8	20	8	11	9	8	3	1	....	....	....	1	4
Males		121	22	2	2	2	1	29	4	....	2	4	3	3	10	7	20	8	10	8	6	1	1	....	....	....	1	4
Females		41	17	3	1	1	....	22	2	1	2	3	....	1	3	1	....	..	1	1	2	2	....	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		772	125	54	47	38	41	305	87	46	41	37	31	32	23	28	37	33	21	13	8	10	7	8	1	....	....	4
Males		449	71	24	22	21	18	156	35	21	18	22	23	24	18	21	29	29	19	10	7	5	4	6	1	....	....	1
Females		323	54	30	25	17	23	149	52	25	23	15	8	8	5	7	8	4	2	3	1	5	3	2	....	....	....	3
1. Small-pox	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	7	3	3	....	....	....	6	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	15	3	....	4	2	4	13	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1
	F.	11	....	....	2	2	2	6	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	89	6	5	7	16	10	44	27	11	4	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	110	8	10	15	10	11	54	39	9	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	25	14	6	4	....	1	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	10	1	1	2	1	15	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Fever	M.	13	1	1	1	....	....	3	....	....	....	1	....	....	3	2	3	....	....	1	....	....	....	....	....	....	....	....
	F.	10	3	1	1	....	....	5	....	2	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	4	1	1	....	....	....	2	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	6	1	....	1	....	1	3	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	101	....	1	1	1	1	4	3	5	7	15	9	10	5	10	5	8	9	3	2	1	2	3	....	....	....	....
	F.	24	....	....	....	1	....	1	2	2	7	4	1	1	1	1	2	....	....	....	....	1	....	1	....	....	....	....
9 Diarrhœa	M.	12	7	....	....	....	....	7	....	....	....	....	....	1	....	....	....	2	1	....	....	....	....	....	1	....	....	....
	F.	6	1	....	....	....	1	2	....	....	....	....	....	....	....	....	1	....	....	2	1	....	....	....	....	....	....	....
10. Dysentery	M.	17	4	1	....	1	1	7	2	....	....	....	1	....	....	1	2	1	....	1	....	2	....	....	....	....	....	....
	F.	12	5	4	....	....	1	10	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	37	9	2	....	....	....	11	....	....	3	2	3	1	2	2	1	5	1	3	2	....	1	....	....	....	....	....
	F.	31	7	4	4	1	2	18	....	6	....	1	....	2	1	1	....	1	....	....	....	1	....	....	....	....	....	....
12. Cholera morbus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1
13. Cholera infantum	M.	23	16	3	3	....	1	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	9	8	....	1	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	66	5	....	1	1	....	7	3	2	4	1	4	7	6	6	11	6	6	2	1	....	1	....	....	....	....	....
	F.	43	8	1	1	....	4	14	5	2	3	3	2	1	1	1	2	1	1	1	....	3	2	1	....	....	....	....
15. Erysipelas	M.	23	2	....	....	....	....	2	....	1	....	1	3	1	2	....	3	4	1	....	....	2	1	2	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	4	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
17. Puerperal septicæmia	F.	17	....	....	....	....	....	....	....	....	5	5	3	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	9	....	1	....	....	....	1	....	....	....	1	1	2	....	....	3	1	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	1	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		95	16	5	3	....	....	24	1	1	....	5	5	4	13	5	7	9	8	6	5	....	....	....	....	1	....	1
Males		72	11	3	1	....	....	15	....	....	....	1	4	4	11	4	7	9	6	6	4	....	....	....	....	1	....	....
Females		23	5	2	2	....	....	9	1	1	....	4	1	....	2	1	....	....	2	....	1	....	....	....	....	....	....	1
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	39	....	....	....	....	....	....	....	....	....	....	1	1	10	2	5	7	4	5	3	....	....	....	....	1	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	15	....	2	1	....	....	3	....	....	....	1	1	2	....	2	2	2	1	....	1	....	....	....	....	....	....	....
	F.	13	1	1	2	....	....	4	1	1	....	3	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	18	11	1	....	....	....	12	....	....	....	....	2	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	1
	F.	9	4	1	....	....	....	5	....	....	....	1	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		235	118	3	....	....	....	121	....	1	2	....	....	3	....	3	3	9	8	11	13	22	19	9	6	4	1	....
Males		142	72	1	....	....	....	73	....	....	....	....	....	2	....	2	2	5	5	9	8	13	12	6	2	2	1	....
Females		93	46	2	....	....	....	48	....	1	2	....	....	1	....	1	1	4	3	2	5	9	7	3	4	2	....	....
1. Premature birth	M.	18	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	33	33	....	....	....	....	33	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	24	24	....	....	....	....	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	47	13	1	....	....	....	14	....	....	....	....	....	2	....	2	2	3	4	5	5	6	3	....	1	....	....	....
	F.	29	8	2	....	....	....	10	....	1	2	....	....	1	....	1	1	2	3	1	3	....	4	....	....	....	....	....
5. Old age	M.	36	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	4	3	7	9	6	1	2	1	....
	F.	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	2	9	3	3	4	2	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		699	25	5	8	1	1	40	4	9	46	73	61	50	79	57	64	64	53	29	24	13	12	3			1	8
Males		444	16	2	5			23	4	4	13	27	38	41	49	46	46	45	37	23	18	11	9	2			1	7
Females		255	9	3	3	1	1	17		5	33	46	23	18	30	11	18	19	16	6	6	2	3	1				1
1. Rheumatism	M.	11					1	1		1			2		1		1	2	2	1								1
	F.	10										1			1	1	1	2	3									
2. Scrofula and tabes	M.	9			1			1		2		1		1	1	1			2									
	F.	6	2		1	1		4				1			1													
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	337	6	1	1			8	2	1	12	24	36	39	42	35	38	33	15	19	15	7	5	1				5
	F.	195	3	1	1			5		3	31	42	23	15	27	10	13	10	8	3	1	1	1	1				1
5. Hydrocephalus	M.	12	8	1	2			11				1																
	F.	6	3	2	1			6																				
6. Cancer	M.	21	1					1			1	1				3	1	6	6	1		1						
	F.	23	1					1		1	1	1		2	1		2	6	3		4		1					
7. Tumor	M.	4			1			1	1										2									
	F.	3									1	1					1											
8. Anæmia	M.	3	1					1									1											1
	F.																											
9. Dropsy	M.	42													5	7	5	3	9	2	3	2	4	1			1	
	F.	12								1				1			1	1	2	3	1	1	1					
10. Glycosuria	M.	3												1					1			1						
	F.																											
11. Others of this group	M.	2							1									1										
	F.																											
12. Others of this class	M.	1																		1								
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		398	57	28	10	5	8	114	22	12	11	15	11	14	23	19	30	38	25	18	16	17	4	2	1			6
Males		260	26	15	8	1	4	54	10	7	7	12	8	12	20	14	24	26	23	12	11	11	2	2	1			4
Females		138	31	13	8	4	4	60	12	5	4	3	3	2	3	5	6	12	2	6	5	6	2					2
1. Inflammation of the brain	M.	32	6	4	1		1	12	4		2	4	3	2	1		1				1	1						1
	F.	25	6	4	3	1	3	17	3								1	1			2	1						
2. Meningitis	M.	9	2	1	1			4	1	2					1		1											
	F.	12	3	1	1	1	1	7	3		1			1														
3. Apoplexy	M.	34	2	1				3				1	1	2	2	5	3	3	3	1	3	2						2
	F.	14	1					1						1	2		1	3	1	2	1							2
4. Paralysis	M.	79			1		1	2	3			2	1	2	7	5	12	13	14	5	7	2		2	1			1
	F.	19							2	1						3	3	2	1	2	1	3	1					
5. Tetanus and trismus nascentium.	M.	6		1				1		2	1	—	1		1													
	F.																											
6. Epilepsy	M.	14								1	4	3		1	1	1	1		1			1						
	F.	6	1	1				2				1	2		1													
7. Convulsions	M.	21	9	5	4	1	1	20		1																		
	F.	27	14	5	1	1		21	1	2	1							1			1							
8. Mental diseases	M.	6												1			2	2			1							
	F.	2														1		1										
9. Diseases of the brain	M.	46	7	1	1			9	1			2	2	2	7	3	4	6	3	4	1	2						
	F.	27	5	2	2	1		10	3	2	2	2		1		1	1	2		1		1	1					
10. Diseases of the spinal cord	M.	11		2			1	3	1	1				2				2	1			1						
	F.	2	1		1			2																				
11. Others of this group	M.	2																	1			1						
	F.	4																2		1		1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		136	1		1			2	4	3	7	7	10	6	6	15	17	12	7	11	14	6	3	2	1	1		2
Males		99			1			1	2	1	4	2	7	6	5	13	15	8	5	8	10	4	3	2		1		2
Females		37	1					1	2	2	3	5	3		1	2	2	4	2	3	4	2			1			
1. Angina pectoris	M.																											
	F.	1																				1						
2. Aneurism	M.	12												1	1	1	2	3		1	1					1		1
	F.	1																1										
3. Diseases of the heart	M.	87			1			1	2	1	4	2	7	5	4	12	13	5	5	7	9	4	3	2				1
	F.	35	1					1	2	2	3	5	3		1	2	2	3	2	3	4	1			1			
4. Others of this group	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		583	74	20	20	11	14	139	28	17	29	41	34	25	22	32	38	52	37	33	24	19	6	3	1	1		2
Males		391	37	13	6	4	7	67	15	7	17	31	22	20	17	24	36	46	26	26	17	14	2	2	1	1		
Females		192	37	7	14	7	7	72	13	10	12	10	12	5	5	8	2	6	11	7	7	5	4	1				2
1. Croup	M.	24	6	4	2	2	4	18	5							1												
	F.	23	7	3	6	3	1	20	3																			
2. Laryngitis	M.	1											1															
	F.	1	1					1																				
3. Bronchitis	M.	20	4			1		5	1			2		1		1		2	1	3	1	1	1		1			
	F.	15	6		2	1		9				2	1		1			1		1								
4. Pneumonia	M.	318	25	9	6	1	3	42	8	7	17	29	19	17	15	20	34	42	25	16	11	12	1	2		1		
	F.	139	21	4	6	2	6	39	10	9	10	8	11	5	4	6	1	3	10	7	5	4	4	1				2
5. Pleurisy	M.	5														1				2	2							
	F.	2									1							1										
6. Asthma	M.	3																1		2								
	F.	2														1					1							
7. Others of this group	M.	20	2					2	1				2	2	2	1	2	1		3	3	1						
	F.	10	2			1		3		1	1					1	1	1	1		1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.		2.	3.	4.	Total under 5.	5 to 10	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	152	19	14	2	5	1	41	4	1	4	4	9	5	1	8	14	19	13	10	10	2	4	2			1
Males	97	11	2	1	4		18	1		2	2	7	4	1	8	10	14	10	6	9	1	2	1			1
Females	55	8	12	1	1	1	23	3	1	2	2	2	1			4	5	3	4	1	1	2	1			
1. Dentition M.	5	4		1			5																			
1. Dentition F.	9	2	7				9																			
2. Angina M.	5	1			1		2					1	1					1								
2. Angina F.	6	1	1	1		1	4	1		1																
3. Gastritis M.	1																1									
3. Gastritis F.	2																1		1							
4. Other diseases of the stomach. M.	11												1	1	1	1	2	2	1	1			1			1
4. Other diseases of the stomach. F.	2															1										
5. Obstruction of the bowels M.	4	1					1									2	1									
5. Obstruction of the bowels F.	6		1		1		2	1											1		1	1				
6. Hernia M.	7									1					1	1	1	1		2						
6. Hernia F.	1										1															
7. Other diseases of the bowels. M.	6	1			2		3				1		1				1									
7. Other diseases of the bowels. F.	1		1				1																			
8. Jaundice M.	4																3			1						
8. Jaundice F.																										
9. Inflammation and abscess of the liver. M.	15	1					1					2	1		2	2	1	1	1	2		1	1			
9. Inflammation and abscess of the liver. F.	5										1	1						1	1			1				
10. Other diseases of the liver M.	16	1					1				1	2			2	2		3	3	2						
10. Other diseases of the liver F.	10		2				2						1				3	2	1	1						
11. Peritonitis M.	10				1		1			1		1			2	1	2		1		1					
11. Peritonitis F.	7	1					1	1	1	1		1				2										
12. Ascites M.	4	1					1					1					2									
12. Ascites F.	1																1									
13. Others of this group M.	9	1	2				3	1								1		2		1		1				
13. Others of this group F.	5	4					4									1										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	45	1	1				2				1	2	2	1	3		7	7	6	5	3	1	3	1		1
Males	41	1	1				2					1		1	3		7	7	6	5	3	1	3	1		1
Females	4										1	1	2													
1. Bright's disease M.	14											1		1	1		2	4	1	1	2					1
1. Bright's disease F.																										
2. Calculus, urinary M.	1														2		1						1			
2. Calculus, urinary F.																										
3. Diseases of the kidney M.	14	1					1										2	2	3	3	1		1	1		
3. Diseases of the kidney F.	4										1	1	2													
4. Diseases of the bladder M.	3																1	1				1				
4. Diseases of the bladder F.																										
5. Others of this group M.	0		1				1										1		2	1			1			
5. Others of this group F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females	16									2	2	2	2	2	1	3	2									
1. Ovarian tumors F.																										
2. Ovarian diseases F.																										
3. Uterine tumors F.																										
4. Uterine diseases F.	4										1	2				1										
5. Others of this group F.	12									2	1		2	2	1	2	2									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	48									6	10	10	10	9	2											1
1. Abortion F.	5									1	2	1		1												
2. Child-birth F.	37									3	6	8	9	8	2											
3. Others of this group F.	6									2	2	1	1													1
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	9							2	1								3		1		1	1				
Males	7							1	1								3				1	1				
Females	2							1											1							
1. Diseases of the spine M.	3								1								1					1				
1. Diseases of the spine F.	1																									
2. Diseases of the bones M.	2																		1							
2. Diseases of the bones F.																	1				1					
3. Diseases of the hip-joint M.	1							1																		
3. Diseases of the hip-joint F.	1							1																		
4. Others of this group M.	1																1									
4. Others of this group F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 1—Continued

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		16										1	2	1	1	1	3	4	1		2							
Males		11										1		1			3	4	1		1							
Females		5											2		1	1					1							
1. Abscess	M.	10										1		1			3	3	1		1							
	F.	3											1		1	1												
2. Carbuncle	M.																											
	F.	1																			1							
3. Others of this group	M.	1																1										
	F.	1											1															
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1															1										
Males		1															1										
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1															1										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		407	6	5	3	10	1	25	21	13	12	33	43	50	44	40	36	29	23	15	7	5	4	2			5
Males		370	3	2	3	8	1	17	15	12	11	31	39	47	43	38	33	28	22	14	7	5	4	1			3
Females		37	3	3		2		8	6	1	1	2	4	3	1	2	3	1	1	1				1			2
1. Burns and scalds	M.	8			1	3		4	1				1	2				1									
	F.	8	1	1		1		3	2	1	1							1									
2. Drowned	M.	41		2	2	2		6	6	3	2	4	1	4	5	2	2	1	3		1		1				
	F.	5		2		1		3	1			1															
3. Exposure and neglect	M.	3	1					1				1	1		1		1	1			2						
	F.	2											1						1								
4. Gunshot wounds	M.	49							1	3	2	6	3	8	9	1	7	5	2	1			1				
	F.																										
5. Homicide	M.	19							1		2	2	4	4	2	3			1								
	F.	2							1					1													
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	4								1							2	1									
	F.																										
8. Railroad accidents	M.	10								1	1	1	1	3		1	1	1									
	F.																										
9. Suffocation	M.	3	2					2														1					
	F.	2	2					2																			
10. Suicide by shooting	M.	13										3	1	1	2	2	2		1	1							
	F.	2										1			1												
11. Suicide by drowning	M.	2																		1		1					
	F.																										
12. Suicide by poison	M.	5												1		2	1	1									
	F.	2											1				1										
13. Other suicides	M.	33									1	2	3	4	5	4	3	3	3	1	3	1					
	F.	3											1			1	1										
14. Sunstroke	M.	4									1					1	1			1							
	F.	1											1														
15. Surgical operations	M.	5									1			1	1		1						1				
	F.	3												1		1	1										
16. Wounds	M.	12										2		1	1		1	2	3	1							1
	F.																										
17. Other accidents and injuries	M.	154				3	1	4	6	4	1	10	24	18	17	22	11	13	9	8	1	2	2				2
	F.	7							2					1						1				1			2

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 2.

[Exclusive of SAN FRANCISCO and OAKLAND.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2621	454	120	90	56	35	755	121	85	116	154	158	157	144	144	139	103	118	95	78	63	52	32	16	3	5	23
Total: Males	1638	266	74	46	29	18	433	66	41	52	102	82	101	111	89	96	122	91	73	55	41	33	18	10	2	2	18
Females	983	188	46	44	27	17	322	55	44	64	52	76	56	33	55	43	41	27	22	23	22	19	14	6	1	3	5
Unknown causes.																											
Total	64	26	3	....	1	....	30	3	....	2	2	....	4	4	1	1	5	2	2	2	1	2	1	....	....	....	2
Males	39	15	1	....	....	....	16	2	....	1	1	....	3	4	1	1	4	2	1	1	1	....	....	....	....	....	1
Females	25	11	2	....	1	....	14	1	....	1	1	....	1	....	....	....	1	....	1	1	....	2	1	....	....	....	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	494	141	44	38	29	18	270	58	24	22	17	11	10	9	17	10	11	7	6	4	3	7	1	1	....	....	6
Males	264	69	28	18	14	8	137	32	11	9	12	3	3	6	12	7	7	5	5	2	1	5	1	1	....	....	5
Females	230	72	16	20	15	10	133	26	13	13	5	8	7	3	5	3	4	2	1	2	2	2	....	....	....	....	1
1. Small-pox M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	4	2	....	....	....	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	17	3	3	3	1	1	11	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	7	1	....	1	1	2	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	52	6	6	7	5	5	29	14	4	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2
4. Diphtheria F.	44	4	2	8	5	2	21	12	8	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
5. Hooping-cough M.	20	14	1	1	....	....	16	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	39	26	3	2	3	1	35	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	18	7	1	1	2	1	12	4	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
6. Fever F.	12	7	1	....	....	....	8	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	4	1	....	....	1	....	2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	33	....	1	1	1	....	3	5	2	5	6	2	1	2	2	1	....	....	1	....	....	2	....	....	....	....	1
8. Enteric fever F.	27	1	2	1	3	4	11	2	1	7	2	....	1	....	....	1	....	....	....	1	1	....	....	....	....	....	....
9. Diarrhœa M.	11	5	1	1	....	....	7	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....
9. Diarrhœa F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	15	2	4	1	....	....	7	1	....	....	....	....	....	....	4	....	....	1	....	....	....	1	....	....	....	....	1
10. Dysentery F.	6	2	1	1	....	....	4	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Enteritis M.	34	12	4	1	3	....	20	....	1	1	2	....	....	1	3	....	....	2	1	....	....	2	....	1	....	....	....
11. Enteritis F.	29	8	....	1	2	1	12	3	....	2	1	3	2	1	....	2	2	....	....	1	....	....	....	....	....	....	....
12. Cholera morbus M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
13. Cholera infantum M.	18	11	5	1	1	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	24	15	6	3	....	....	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	10	1	1	....	....	....	2	....	....	1	....	....	....	....	....	1	3	....	....	1	1	....	....	....	....	....	....
14. Malarial fever F.	10	....	1	1	1	....	3	1	....	....	....	1	2	....	....	....	1	....	....	....	1	1	....	....	....	....	1
15. Erysipelas M.	3	2	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
15. Erysipelas F.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	4	2	....	1	....	....	3	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	6	1	....	....	....	....	1	....	1	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	7	....	....	....	....	....	....	....	....	....	2	1	1	1	2	....	....	....	....	....	....	1	....	....	....	....	....
18. Venereal diseases M.	15	1	1	....	....	....	2	1	....	....	2	....	1	1	1	2	2	....	3	....	....	....	....	....	....	....	....
18. Venereal diseases F.	3	1	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....
19. Others of this group F.	3	1	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	45	18	1	2	3	....	24	3	1	1	1	....	3	2	2	1	4	....	....	2	1	....	....	....	....	....	....
Males	27	10	1	....	1	....	12	2	1	....	1	....	3	2	2	1	1	....	....	1	1	....	....	....	....	....	....
Females	18	8	....	2	2	....	12	1	....	1	....	....	....	....	....	....	3	....	....	1	....	....	....	....	....	....	....
1. Worms M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	9	....	....	....	....	....	....	....	....	....	1	....	3	2	2	....	1	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	7	1	1	....	....	....	2	2	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	6	....	....	1	2	....	3	1	....	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
6. Inanition M.	10	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Inanition F.	9	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
General diseases—C.																											
Total	159	89	....	....	....	....	89	....	1	....	....	2	....	....	1	2	1	1	2	2	11	14	18	9	3	2	1
Males	94	56	....	....	....	....	56	....	....	....	....	1	....	....	....	1	1	1	2	....	6	6	10	6	2	1	1
Females	65	33	....	....	....	....	33	....	1	....	....	1	....	....	1	1	....	....	....	2	5	8	8	3	1	1	....
1. Premature birth M.	16	16	....	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	31	31	....	....	....	....	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	24	24	....	....	....	....	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	18	7	....	....	....	....	7	....	....	....	....	1	....	....	....	1	1	1	2	....	2	....	2	....	....	....	....
4. Debility F.	15	6	....	....	....	....	6	....	1	....	....	1	....	....	1	1	....	....	....	1	2	....	2	....	....	....	1
5. Old age M.	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....
5. Old age F.	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	6	8	6	2	1	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	8	6	3	1	1	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		656	21	7	11	4	4	47	12	21	49	80	54	62	55	53	50	54	40	30	22	11	9	2	1		1	3
Males		394	18	1	7	1	1	28	2	5	18	51	23	35	41	28	36	42	28	20	19	7	7	1				3
Females		262	3	6	4	3	3	19	10	16	31	29	31	27	14	25	14	12	12	10	3	4	2	1	1		1	
1. Rheumatism	M.	7	1					1			1	1						2	2									
	F.	5					1	1	1					1		1	1											
2. Scrofula and tabes	M.	4			1			1		1						1						1						
	F.	3	1		1			2	4	1											1							
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	201	4		4			8	1	4	16	50	22	34	32	22	28	30	15	8	11	3	4					3
	F.	193		2		1	1	4	5	15	28	27	30	23	10	18	8	6	8	6			2	1	1		1	
5. Hydrocephalus	M.	17	12	1	2	1		16	1																			
	F.	11	2	4	2	2	1	11																				
6. Cancer	M.	36												1	5	2	3	4	7	9	5							
	F.	25									1	1			2	4	3	5	2	4	1	2						
7. Tumor	M.	7	1				1	2							1	1	1	2										
	F.	1													1													
8. Anæmia	M.	1											1															
	F.																											
9. Dropsy	M.	23													3	2	4	3	2	2	2	1	3	1				
	F.	17			1			1			1	1	1	3	1	2	2	1	2			2						
10. Glycosuria	M.	7									1							1	2	1		2						
	F.	2									1										1							
11. Others of this group	M.	1																			1							
	F.																											
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		360	54	25	11	6	6	102	8	9	8	6	3	7	8	6	19	19	17	17	13	10	9	3	4			3
Males		190	40	19	6	4	4	73	4	5	2	4	2	7	7	3	12	14	14	13	9	8	7	1	3			2
Females		79	14	6	5	2	2	29	4	4	4	2	1		1	3	7	5	3	4	4	2	2	2	1			1
1. Inflammation of the brain	M.	33	12	7	2	1	3	25		1	1	1	1			1	1	1			1							
	F.	19	7	3	3			13		1	2						2					1						
2. Meningitis	M.	11	2	4	1		1	8						1	1													1
	F.	5	1	1				2	1										1									1
3. Apoplexy	M.	30													2	2	4	2	4	9	3	1	1		1			1
	F.	9									1		1			2		3			1	1						
4. Paralysis	M.	44							1					2	3		5	7	8	2	3	4	6	1	2			
	F.	20							1							1	4	2	2	3	2	1	1	2	1			
5. Tetanus and trismus nascentium.	M.	5								1	1	1	1	1														
	F.																											
6. Epilepsy	M.	2		1				1									1											
	F.	2	1					1				1																
7. Convulsions	M.	30	24	4		1		29	1																			
	F.	10	3	1	1		2	7		1	1	1																
8. Mental diseases	M.	1																			1							
	F.	2							1												1							
9. Diseases of the brain	M.	22	1	2	2	1		6	2			1		1	1		1	3	2	1	2	2						
	F.	11	1	1	1	2		5	1	3					1		1				1							
10. Diseases of the spinal cord	M.	7	1	1	1	1		4		3																		
	F.																											
11. Others of this group	M.	5										1		2				1				1						
	F.	1	1					1																				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		124	6		2			8	3	3	3	3	8	10	5	10	12	17	11	8	9	8	3	1				2
Males		86	3		1			4	3	1		2	3	7	4	6	8	14	8	7	8	5	3	1				2
Females		38	3		1			4		2	3	1	5	3	1	4	4	3	3	1	1	3						
1. Angina pectoris	M.																											
	F.																											
2. Aneurism	M.	7												1		2		1						1				2
	F.	2									1		1															
3. Diseases of the heart	M.	76			1			1	3	1		2	3	6	4	4	8	13	8	7	8	5	3					
	F.	36	3		1			4		2	2	1	4	3	1	4	4	3	3	1	1	3						
4. Others of this group	M.	3	3					3																				
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		296	70	22	16	7	3	118	12	13	12	8	12	10	7	16	15	19	16	9	12	7	2	3			2	3
Males		172	38	13	8	4	2	65	8	6	7	5	5	5	5	9	10	10	12	7	7	5	1	1			1	3
Females		124	32	9	8	3	1	53	4	7	5	3	7	5	2	7	5	9	4	2	5	2	1	2			1	
1. Croup	M.	18	9	2	1	1	1	14	4																			
	F.	15	5	3	3	1	1	13	1	1																		
2. Laryngitis	M.	3	1				1	2		1																		
	F.																											
3. Bronchitis	M.	15	2	1				3	1					2	2	1	1		3		1		1					
	F.	12	3	1	1			5			1	1	1				1		1		1						1	
4. Pneumonia	M.	106	20	9	6	3		38	3	4	5	4	3	1	2	5	7	6	7	4	5	5		1			1	2
	F.	78	21	4	4	1		30	2	4	3	3	5	3	2	5	3	9	2	2	2	2		2				
5. Pleurisy	M.	7											2	1			1		2									1
	F.	5	1					1						1		1			1		1							
6. Asthma	M.	7	1					1							1		1	1		2	1							
	F.	3	1					1								1					1							
7. Others of this group	M.	16	5	1	1			7		1	2	1		1				3		1								
	F.	11	1	1		1		3	1	2	1		1	1			1						1					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		126	12	12	3	3	1	31	6	1	1	5	6	10	5	7	9	11	11	8	5	7	3				
Males		88	10	7	1	3	1	22	3	1		2	3	7	4	4	5	9	10	8	4	4	2				
Females		38	2	5	2			9	3		1	3	3	3	1	3	4	2	1		1	3	1				
1. Dentition	M.	5		5				5																			
	F.	3		2	1			3																			
2. Angina	M.	5					1	1	1					1	1	1											
	F.	3		1				1							1		1										
3. Gastritis	M.	4	1	1				2				1								1							
	F.																										
4. Other diseases of the stomach	M.	11	1			1		2					2	2					2	1		1	1				
	F.	6	1					1					2	1		1						1					
5. Obstruction of the bowels	M.	3	1					1							1					1							
	F.	4	1		1			2														2					
6. Hernia	M.	4																1		1	1	1					
	F.																										
7. Other diseases of the bowels	M.	5				1		1					1				2	1									
	F.	1															1										
8. Jaundice	M.	4	2		1			3										1									
	F.	2												1				1									
9. Inflammation and abscess of the liver	M.	7							1							1	2	1			1	1					
	F.	3							1							2											
10. Other diseases of the liver	M.	20	1					1	1			1		1		2	1	4	6	2	1						
	F.	3									1						1		1								
11. Peritonitis	M.	7		1				1		1				1	1						1	1	1				
	F.	9		1				1	2			3	1	1			1										
12. Ascites	M.	6	2					2						2	1			1									
	F.	3																1			1		1				
13. Others of this group	M.	7	2			1		3											2	2							
	F.	1		1				1																			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		36	1				1	2	2			1	1	1	2	9	2	3	4	3	3	2	1				
Males		27	1					1	1			1	1	1	2	5	1	3	2	3	3	2	1				
Females		9					1	1	1							4	1		2								
1. Bright's disease	M.	14										1		1	1	4		1	2		2	1	1				
	F.	6					1	1	1							2			2								
2. Calculus, urinary	M.																										
	F.																										
3. Diseases of the kidney	M.	6	1					1	1									1		2	1						
	F.	3														2	1										
4. Diseases of the bladder	M.	3													1	1						1					
	F.																										
5. Others of this group	M.	4											1				1	1		1							
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		9										1	1	2	4			1									
1. Ovarian tumors	F.	1										1															
2. Ovarian diseases	F.	1											1														
3. Uterine tumors	F.																										
4. Uterine diseases	F.																										
5. Others of this group	F.	7												2	4			1									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		33									2	5	13	6	5	1											1
1. Abortion	F.	2												2													
2. Child-birth	F.	30									2	4	13	4	5	1											1
3. Others of this group	F.	1										1															
IX.—DISEASES OF THE BONES AND JOINTS																											
Total		6			1			1	2	2								1									
Males		5							2	2								1									
Females		1			1			1																			
1. Diseases of the spine	M.	2							1									1									
	F.																										
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.	3							1	2																	
	F.																										
4. Others of this group	M.																										
	F.	1			1			1																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CALIFORNIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		10	3					3				1	2				1	1					1	1			
Males		6	2					2				1	1					1						1			
Females		4	1					1					1				1						1				
1. Abscess	M.	3	1					1				1	1														
	F.	3	1					1									1						1				
2. Carbuncle	M.	1																1									
	F.																										
3. Others of this group	M.	2	1					1																1			
	F.	1											1														
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2							1							1											
Males		1							1																		
Females		1														1											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.	1														1											
3. Others of this group	M.	1							1																		
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		292	13	6	6	3	2	30	11	10	18	24	45	32	38	20	17	17	8	10	4	2	1	2	1		2
Males		245	4	4	5	2	2	17	6	9	15	22	40	30	36	19	14	16	8	7	1	1	1	2			1
Females		47	9	2	1	1		13	5	1	3	2	5	2	2	1	3	1		3	3	1			1		1
1. Burns and scalds	M.	9		2	1	1	2	6		1	1			1													
	F.	7				1		1	2		1		1		1						1						
2. Drowned	M.	27		1	3			4	2	2	4	3	3		2	2	1	1	2								
	F.	1															1										
3. Exposure and neglect	M.	4	1		1			2										1				1					
	F.	4	3					3						1													
4. Gunshot wounds	M.	28								1	3	2	1	9	4	5	1	1					1				
	F.	3							1				2														
5. Homicide	M.	18								1	1	1	5	4	2	1	2	1									
	F.	3											2														1
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	22							2	1		2	2	2	5	4	1			1				1			
	F.	2															1					1					
9. Suffocation	M.	1	1					1																			
	F.	2	1		1			2																			
10. Suicide by shooting	M.	8											1		2	1	1		2	1							
	F.	1												1													
11. Suicide by drowning	M.	1														1											
	F.																										
12. Suicide by poison	M.	8											2		3		1	1			1						
	F.	1										1															
13. Other suicides	M.	17										1	3	1	2	1	3	2	1	2				1			
	F.	3									1					1				1							
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	6											3	1	1	1											
	F.	2		1				1			1																
17. Other accidents and injuries	M.	96	2	1		1		4	2	3	6	13	19	12	15	8	4	8	3	3							1
	F.	18	5	1				6		1		1			1		1	1		2	2				1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 1.

[Exclusive of DENVER.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	693	125	48	41	33	22	269	77	34	26	53	46	38	35	25	15	17	15	9	7	11	6	3	2	3	1	1
Total: Males	409	73	30	20	18	12	153	38	22	20	35	33	19	18	15	13	11	9	3	6	4	3	3	2	1	1	....
Females	284	52	18	21	15	10	116	39	12	6	18	13	19	17	10	2	6	6	6	1	7	3	....	....	2	....	1
Unknown causes.																											
Total	83	42	6	7	3	4	62	8	5	....	....	2	....	1	1	....	1	1	1	....	....	....	....	....	....	....	1
Males	50	23	5	3	2	3	36	7	4	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	33	19	1	4	1	1	26	1	1	....	....	....	....	1	....	....	1	1	1	....	....	....	....	....	....	....	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	266	45	26	22	21	14	128	54	16	11	9	9	8	9	6	1	1	5	2	1	3	....	1	2	....	....	....
Males	151	27	16	12	11	8	74	24	10	8	7	7	3	2	3	1	1	4	1	1	2	....	1	2	....	....	....
Females	115	18	10	10	10	6	54	30	6	3	2	2	5	7	3	....	....	1	1	....	1	....	....	....	....	....	....
1. Small-pox M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	5	1	1	1	....	....	3	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	4	1	1	....	1	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	12	3	....	2	3	1	9	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	7	2	1	....	2	....	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	28	....	3	2	3	4	12	11	3	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	42	2	2	6	4	5	19	21	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	47	6	4	5	5	3	23	7	3	3	1	1	2	1	1	....	1	1	....	....	1	....	1	1	....	....	....
6. Fever F.	29	5	4	3	2	1	15	5	1	1	....	....	2	2	....	....	....	1	1	....	1	....	....	....	....	....	....
7. Cerebro-spinal fever M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	17	....	....	....	....	....	....	2	2	4	3	3	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....
8. Enteric fever F.	8	....	....	....	....	....	....	1	2	2	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
10. Dysentery F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	17	7	3	....	....	....	10	1	2	1	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
11. Enteritis F.	3	1	1	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	8	5	3	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	5	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
14. Malarial fever F.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	10	....	....	....	....	....	....	....	....	....	2	1	1	4	2	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	1	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	6	1	1	1	....	....	3	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Females	5	1	1	1	....	....	3	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	3	1	....	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	19	10	....	....	....	....	10	....	....	....	....	1	....	....	....	....	1	1	....	4	....	....	....	1	1	....	....
Males	9	6	....	....	....	....	6	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....
Females	10	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	1	1	....	4	....	....	....	....	....	....	....
1. Premature birth M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	3	2	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
5. Old age M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....
5. Old age F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	3	....	....	....	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		103	3	....	3	1	....	7	1	....	5	19	14	17	14	10	6	4	2	1	1	....	1	....	....	1	....	....
Males		65	2	....	1	....	....	3	1	....	3	14	9	12	8	6	5	3	....	....	1	....	....	....	....	....	....	....
Females		38	1	....	2	1	....	4	....	....	2	5	5	5	6	4	1	1	2	1	....	....	1	....	....	1	....	....
1. Rheumatism	M.	3	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	57	1	....	....	....	....	1	....	....	3	14	8	11	8	6	3	2	....	....	1	....	....	....	....	....	....	....
	F.	27	1	....	1	....	....	2	....	....	1	4	5	4	5	2	1	....	1	1	....	1	....	....	....	....	....	....
5. Hydrocephalus	M.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....
7. Tumor	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		43	7	4	1	1	2	15	4	1	....	4	2	1	4	....	4	2	1	....	1	2	1	1	....	....	....	....
Males		21	4	2	1	1	1	9	....	....	....	1	....	....	3	....	3	1	1	....	1	1	....	1	....	....	....	....
Females		22	3	2	....	....	1	6	4	1	....	3	2	1	1	....	1	1	....	....	....	1	1	....	....	....	....	....
1. Inflammation of the brain	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	10	1	2	....	....	....	3	3	....	....	1	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
2. Meningitis	M.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	2	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
5. Tetanus and trismus nascentium	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	7	2	....	....	1	1	4	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		15	1	....	....	....	....	1	1	1	1	1	2	....	1	....	3	2	....	....	1	....	1	....	....	....	....	....
Males		13	1	....	....	....	....	1	1	1	1	1	1	....	1	....	3	1	....	....	1	....	1	....	....	....	....	....
Females		2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	11	1	....	....	....	....	1	1	1	1	1	1	....	1	....	2	1	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		84	8	8	4	4	2	26	7	4	4	14	7	1	4	2	1	5	2	1	1	2	2	....	....	1	....	....
Males		55	5	6	3	3	....	17	4	2	3	8	5	1	3	1	1	4	2	....	1	1	1	....	....	....	....	....
Females		29	3	2	1	1	2	9	3	2	....	6	2	....	1	1	....	1	....	1	....	1	1	....	....	1	....	....
1. Croup	M.	4	....	3	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	1	....	....	1	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
4. Pneumonia	M.	42	3	3	1	2	....	9	4	2	3	7	3	....	3	1	1	4	2	....	1	1	1	....	....	....	....	....
	F.	18	1	....	1	....	1	3	1	2	....	6	....	....	1	1	....	1	....	1	....	1	1	....	....	....	....	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	5	1	....	....	....	....	1	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	1	....	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		24	6	2	2	1	....	11	1	3	1	....	1	1	....	2	....	1	2	....	....	....	....	1	....	....	....	....
Males		14	4	....	....	....	....	4	1	2	1	....	1	....	....	2	....	....	2	....	....	....	....	1	....	....	....	....
Females		10	2	2	2	1	....	7	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Dentition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	3	2	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		6	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	1	1	1	....	1	....	....	....	....	....
Males		4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	1	....	1	....	....	....	....	....
Females		2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Bright's disease	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		10	....	....	....	....	....	....	....	....	....	1	1	6	1	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	7	....	....	....	....	....	....	....	....	....	1	1	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	2	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Males																											
Females																											
1. Abscess M.																											
1. Abscess F.																											
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	32	2	1	1	2		6		3	4	4	7	3	1	2				1	1							
Males	26	1	1		1		3		3	3	4	7	3	1	1				1								
Females	6	1		1	1		3			1					1					1							
1. Burns and scalds M.																											
1. Burns and scalds F.	2			1			1								1												
2. Drowned M.	3		1		1		2		1																		
2. Drowned F.	1				1		1																				
3. Exposure and neglect M.	3	1					1					1	1														
3. Exposure and neglect F.	1	1					1																				
4. Gunshot wounds M.	8								1	1	3	3															
4. Gunshot wounds F.																											
5. Homicide M.																											
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.																											
8. Railroad accidents F.																											
9. Suffocation M.																											
9. Suffocation F.																											
10. Suicide by shooting M.	3									1	1				1												
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poisoning M.																											
12. Suicide by poisoning F.																											
13. Other suicides M.																											
13. Other suicides F.																											
14. Sunstroke M.																											
14. Sunstroke F.																											
15. Surgical operations M.	1												1														
15. Surgical operations F.																											
16. Wounds M.																											
16. Wounds F.																											
17. Other accidents and injuries M.	3								1	1		3	1	1					1								
17. Other accidents and injuries F.	2									1										1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	1385	225	78	55	54	35	447	90	45	55	123	124	106	93	68	58	46	29	32	19	12	12	3	1	....	....	22
Total: Males	913	114	41	31	35	18	239	41	27	31	89	98	86	73	48	48	38	22	26	12	8	9	....	1	....	....	17
Females	472	111	37	24	19	17	208	49	18	24	34	26	20	20	20	10	8	7	6	7	4	3	3	....	....	....	5
Unknown causes.																											
Total	42	25	2	1	....	....	28	1	....	....	3	....	1	....	2	1	1	3	1	1	....	....	....	....	....	....	....
Males	24	13	1	....	....	....	14	....	....	....	3	....	1	....	....	1	1	2	1	1	....	....	....	....	....	....	....
Females	18	12	1	1	....	....	14	1	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	428	84	43	34	31	20	212	66	28	20	26	14	18	9	8	2	10	3	6	....	1	2	....	....	....	....	3
Males	214	35	22	19	16	10	102	29	13	9	15	8	10	6	3	2	6	2	5	....	1	2	....	....	....	....	1
Females	214	49	21	15	15	10	110	37	15	11	11	6	8	3	5	....	4	1	1	....	....	....	....	....	....	....	2
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	23	5	1	2	2	3	13	2	1	1	5	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	28	7	5	5	2	2	21	4	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	6	....	2	2	2	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	9	1	2	....	....	1	4	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	63	5	7	6	7	5	30	19	10	....	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	63	9	6	5	8	4	32	23	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	11	5	2	1	2	1	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	12	6	....	2	2	1	11	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	13	2	1	3	....	....	6	2	....	....	1	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....
6. Fever F.	4	....	2	1	....	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	4	1	1	2	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	6	4	....	....	....	1	5	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	30	1	1	....	1	....	3	4	2	3	4	4	3	3	....	2	1	....	1	....	....	....	....	....	....	....	....
8. Enteric fever F.	23	....	....	1	1	....	2	3	3	4	3	1	3	2	1	....	1	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	3	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
9. Diarrhœa F.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	8	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
10. Dysentery F.	5	3	1	....	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	15	1	3	2	1	....	7	....	....	2	....	....	2	....	1	....	1	1	....	....	1	....	....	....	....	....	....
11. Enteritis F.	13	4	1	1	....	....	6	1	1	2	1	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....
12. Cholera morbus M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	8	6	2	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	7	5	1	....	1	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	10	1	1	1	....	....	3	1	....	2	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	8	1	1	....	1	....	3	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
15. Erysipelas M.	8	2	....	....	....	....	2	....	....	....	1	1	....	....	....	....	....	....	2	....	....	2	....	....	....	....	....
15. Erysipelas F.	14	6	1	....	....	....	7	....	....	....	....	1	1	....	1	....	2	1	1	....	....	....	....	....	....	....	....
16. Septicæmia M.	7	....	....	....	1	....	1	....	....	1	1	1	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	13	....	....	....	....	....	....	....	....	2	5	3	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	3	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	2	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	15	2	....	....	....	....	2	....	....	....	2	3	2	1	2	1	1	....	....	....	....	....	....	....	....	....	1
Males	12	....	....	....	....	....	....	....	....	....	1	3	2	1	2	1	1	....	....	....	....	....	....	....	....	....	1
Females	3	2	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	12	....	....	....	....	....	....	....	....	....	1	3	2	1	2	1	1	....	....	....	....	....	....	....	....	....	1
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	41	26	2	....	....	....	28	1	....	....	....	....	....	....	....	1	....	1	....	....	4	3	2	1	....	....	....
Males	27	19	1	....	....	....	20	1	....	....	....	....	....	....	....	1	....	....	....	....	2	2	....	1	....	....	....
Females	14	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	1	....	....	2	1	2	....	....	....	....
1. Premature birth M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	12	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	10	7	1	....	....	....	8	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Old age M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	....	1	....	....	....
5. Old age F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	2	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		110	6	5	....	2	....	13	.....	...	7	9	19	11	9	9	11	7	5	1	3	2	1	....	....	....	....	....
Males		60	1	1	....	2	...	4	.....	....	1	3	10	8	8	4	7	6	4	2	1	1	1	....	....	....	....	....
Females		50	5	4	....	....	....	9	.....	....	6	6	9	3	1	5	4	1	1	2	2	1	....	....	....	....	....	....
1. Rheumatism	M.	10	....	....	....	....	....	.....	.....	....	1	....	1	2	1	....	2	2	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	.....	.....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	1	....	....	....	1	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	2	....	....	....	3	.....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	32	....	....	....	1	....	1	.....	....	....	3	8	4	6	2	3	2	1	1	....	1	....	....	....	....	....	....
	F.	32	1	2	....	....	....	3	.....	....	5	5	6	3	1	3	3	1	1	1	....	....	....	....	....	....	....	....
5. Hydrocephalus	M.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	4	....	....	....	....	....	.....	.....	....	....	....	1	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	.....	.....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
7. Tumor	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	.....	.....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	12	....	1	....	....	....	1	.....	....	....	....	....	2	1	2	2	....	2	1	1	....	....	....	....	....	....	....
	F.	7	2	....	....	....	....	2	.....	....	....	1	....	....	....	1	....	....	....	....	2	1	....	....	....	....	....	....	....
10. Glycosuria	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		95	33	5	5	4	4	51	5	2	3	7	4	1	3	4	3	2	4	....	2	....	2	1	....	....	....	1
Males		63	20	2	3	4	3	32	3	2	2	4	4	1	2	4	3	2	2	....	....	....	1	....	....	....	....	1
Females		32	13	3	2	....	1	19	2	....	1	3	....	....	1	....	....	....	2	....	2	....	1	1	....	....	....	....
1. Inflammation of the brain	M.	12	3	1	1	1	1	7	1	1	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	5	....	1	....	1	7	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	6	4	1	....	1	....	6	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	1	....	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	3	....	....	....	....	....	.....	.....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1
	F.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Paralysis	M.	8	1	....	....	....	....	1	.....	....	....	1	1	....	....	2	1	....	1	....	....	....	1	....	....	....	....	....
	F.	4	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....
5. Tetanus and trismus nascentium.	M.	2	1	....	....	....	....	1	.....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	6	6	....	....	....	....	6	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	1	....	....	3	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	22	5	....	1	....	1	7	2	1	1	3	1	1	1	1	1	2	1	....	....	....	....	....	....	....	....	....
	F.	9	3	2	....	....	....	5	.....	....	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	4	....	....	1	2	1	4	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		19	1	...	....	....	....	1	1	1	1	....	....	1	1	1	5	2	....	4	....	....	....	....	....	....	....	1
Males		13	1	....	....	....	....	1	.....	1	1	....	....	....	....	1	4	1	....	4	....	....	....	....	....	....	....	....
Females		6	....	....	....	....	....	.....	1	....	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....	....	....	1
1. Angina pectoris	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	13	1	....	....	....	....	1	.....	1	1	....	....	....	....	1	4	1	....	4	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	.....	1	....	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		382	27	16	12	11	9	75	11	3	16	48	43	41	36	29	17	19	8	11	9	1	3	....	....	....	....	12
Males		310	16	10	8	9	4	47	5	3	13	41	39	35	32	26	15	18	7	8	7	1	2	....	....	....	....	11
Females		72	11	6	4	2	5	28	6	....	3	7	4	6	4	3	2	1	1	3	2	....	1	....	....	....	....	1
1. Croup	M.	12	....	2	4	4	1	11	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	1	1	2	....	3	7	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	11	2	2	....	1	....	5	.....	....	1	2	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	263	10	4	4	3	3	24	4	...	12	36	38	31	30	24	13	18	7	7	5	1	2	....	....	....	....	11
	F.	50	9	5	1	1	1	17	1	....	3	7	3	5	4	3	1	1	....	3	....	....	1	....	....	....	....	1
5. Pleurisy	M.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Others of this group	M.	21	3	2	....	1	....	6	.....	2	....	3	1	3	1	2	1	....	....	....	2	....	....	....	....	....	....	....
	F.	9	1	....	1	1	1	4	1	....	....	....	1	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		54	13	3	1	2	2	21	4	3	1	....	4	2	3	1	5	....	2	2	....	2	....	....	....	....	....	1
Males		31	6	2	....	2	1	11	2	1	....	....	3	1	3	1	3	....	2	2	....	1	....	....	....	....	....	1
Females		23	7	1	1	....	1	10	2	2	1	....	1	1	....	3	2	....	....	....	....	1	....	....	....	....	....	....
1. Dentition	M.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	4	1	....	....	1	....	2	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	6	....	1	....	....	1	2	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	3	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	7	3	....	....	1	....	4	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		20	....	....	....	2	....	2	....	1	2	2	1	1	3	....	1	1	1	1	2	1	1	....	....	....	....	....
Males		16	....	....	....	1	....	1	....	....	2	1	1	1	3	....	....	1	1	1	2	1	1	....	....	....	....	....
Females		4	....	....	....	1	....	1	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease	M.	6	....	....	....	1	....	1	....	....	1	....	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	3	....	....	....	....	....	....	....	....	1	1	....	1	1	....	....	1	....	....	1	1	1	....	....	....	....	....
	F.	3	....	....	....	1	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		3	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		19	....	....	....	....	....	....	....	....	1	5	4	....	8	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	16	....	....	....	....	....	....	....	....	1	5	3	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

COLORADO—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		1	1					1																			
Males		1	1					1																			
Females																											
1. Abscess	M.	1	1					1																			
	F.																										
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1																			1						
Males																											
Females		1																			1						
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.	1																			1						
XII.—ACCIDENTS AND INJURIES.																											
Total		153	6	2	2	2		12	1	7	4	21	31	28	19	7	11	3	2	2	1	1					3
Males		141	2	2	1	1		6	1	7	3	21	30	27	18	7	11	2	2	2	1	1					2
Females		12	4		1	1		6			1		1	1	1			1									1
1. Burns and scalds	M.	7								3			2	1			1										
	F.																										
2. Drowned	M.	6		2				2		1				1	1		1										
	F.	2			1			1							1												
3. Exposure and neglect	M.	1	1					1																			
	F.	1	1					1																			
4. Gunshot wounds	M.	37								1		10	12	3	6		5										
	F.	1				1		1																			
5. Homicide	M.	14										4	1	3	4	1				1							
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	3										1					1										1
	F.																										
9. Suffocation	M.	1				1		1																			
	F.	1	1					1																			
10. Suicide by shooting	M.	3													1	1						1					
	F.	1																1									
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.	3											1	1	1												
	F.																										
13. Other suicides	M.	1												1													
	F.	1											1														
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.	1													1												
	F.	1									1																
16. Wounds	M.	7			1			1					2	3		1											
	F.																										
17. Other accidents and injuries	M.	57	1					1	1	2	3	6	12	14	4	4	4	1	2	1	1						1
	F.	4	2					2						1													1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 1.

[Exclusive of NEW HAVEN.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		4674	772	228	149	99	67	1315	197	76	140	218	188	185	170	150	162	190	174	235	240	283	275	246	150	60	12	8
Total: Males		2308	423	114	73	53	35	698	98	28	61	99	80	88	87	81	74	97	86	125	118	139	138	115	74	13	4	5
Females		2366	349	114	76	46	32	617	99	48	79	119	108	97	83	69	88	93	88	110	122	144	137	131	76	47	8	3
Unknown causes.																												
Total		92	37	2	3	3	....	45	2	....	....	1	1	2	2	1	2	4	4	1	5	6	3	6	1	2	....	4
Males		50	22	1	1	2	....	26	1	....	....	....	1	1	2	....	2	....	2	1	3	2	3	4	1	....	....	1
Females		42	15	1	2	1	....	19	1	....	....	1	....	1	....	1	....	4	2	....	2	4	....	2	....	2	....	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		858	211	82	53	39	33	418	100	29	29	31	23	19	22	14	14	24	16	6	18	29	32	18	8	6	1	1
Males		437	118	46	27	19	16	226	41	9	17	17	10	9	11	11	7	13	8	2	9	18	17	7	4	....	....	1
Females		421	93	36	26	20	17	192	59	20	12	14	13	10	11	3	7	11	8	4	9	11	15	11	4	6	1	....
1. Small-pox	M.	8	....	1	....	....	....	1	1	....	....	3	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	11	1	3	1	2	2	9	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	4	1	1	....	....	6	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	36	3	3	3	3	5	17	15	2	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	44	1	2	6	5	10	24	12	6	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	54	3	2	16	6	5	32	15	4	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	60	....	6	9	11	4	30	28	6	3	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	18	14	2	....	....	1	17	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	36	24	7	2	1	....	34	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
6. Fever	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	14	4	3	....	....	....	7	2	1	1	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	8	....	2	1	1	1	5	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	46	....	3	....	....	....	3	1	2	5	6	4	2	3	0	2	4	1	....	....	4	3	....	....	....	....	....
	F.	35	....	2	....	....	....	2	6	3	2	4	....	....	3	1	2	1	....	1	4	1	5	....	....	....	....	....
9. Diarrhœa	M.	11	3	....	....	1	....	4	....	....	....	....	....	....	....	1	....	1	....	....	2	1	2	....	....	....	....	....	....
	F.	8	1	3	....	....	....	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	....	....	1	....	....	....
10. Dysentery	M.	24	4	3	....	3	....	10	2	....	1	....	....	....	2	....	....	1	....	1	....	4	1	1	1	....	....	....	....
	F.	25	3	....	2	....	1	6	2	....	1	1	....	....	....	....	2	1	....	....	1	3	1	2	....	4	1	....	....
11. Enteritis	M.	35	11	....	1	1	1	14	1	....	4	....	3	1	1	1	1	2	2	1	....	....	2	....	1	....	....	1	1
	F.	16	2	....	....	....	....	2	2	1	1	1	....	1	1	....	1	....	1	....	2	1	....	2	....	....	....	....	....
12. Cholera morbus	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....
	F.	7	1	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	2	1	....	....	....	....
13. Cholera infantum	M.	94	67	24	3	....	....	94	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	69	51	13	3	1	1	69	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	52	5	2	2	3	....	12	3	....	4	6	1	2	4	....	....	2	1	....	5	5	3	3	1	....	....	....	....
	F.	49	2	....	2	....	....	4	3	3	2	5	3	2	1	....	1	5	5	....	1	3	5	3	3	....	....	....	....
15. Erysipelas	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	2	....	....	3	4	3	....	....	....	....	....
	F.	16	3	....	....	....	....	3	....	....	....	....	1	....	2	....	....	3	2	2	....	2	....	....	....	1	....	....	....
16. Septicæmia	M.	4	1	....	....	....	1	2	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
17. Puerperal septicæmia	F.	18	....	....	....	....	....	....	....	....	1	3	4	6	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	3	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	7	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1	....	....	2	1	1	....	1	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	1	2	....	....	....	....	....	....	....
General diseases—B.																												
Total		42	16	1	....	1	....	18	....	1	1	1	2	2	2	3	2	5	1	1	1	1	....	1	....	....	....	....
Males		25	8	1	....	1	....	10	....	1	....	1	1	....	....	3	2	4	1	1	....	1	....	....	....	....	....	....
Females		17	8	....	....	....	....	8	....	....	1	....	1	2	2	....	....	1	....	....	1	....	....	1	....	....	....	....	....
1. Worms	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	8	....	....	....	....	....	....	....	....	....	....	1	....	....	2	2	1	1	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	8	2	....	....	....	....	2	....	1	....	1	....	....	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	1	....	1	1	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....
6. Inanition	M.	7	6	1	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
General diseases—C.																												
Total		483	212	6	3	4	....	225	2	2	1	3	5	4	....	2	1	1	2	5	6	29	26	61	70	29	9	....
Males		235	120	2	2	2	....	126	2	....	1	1	1	2	....	2	....	....	....	3	3	13	10	27	34	6	4	....
Females		248	92	4	1	2	....	99	....	2	....	2	4	2	....	....	1	1	2	2	3	16	16	34	36	23	5	....
1. Premature birth	M.	22	22	....	....	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	62	62	....	....	....	....	62	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	44	44	....	....	....	....	44	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	70	31	2	2	2	....	37	2	....	1	1	1	3	....	2	....	....	....	3	2	9	2	4	4	....	....	....	....
	F.	73	26	3	1	2	....	32	....	2	....	2	4	3	....	....	1	1	1	2	2	7	3	6	7	....	....	....	....
5. Old age	M.	76	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	4	8	23	30	6	4	....	....
	F.	108	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	9	12	28	30	23	5	....	....
6. Atrophy	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1057	38	26	9	9	1	83	9	10	62	117	80	77	70	60	71	60	61	77	65	60	49	30	12	4	....
Males		462	20	14	6	6	1	47	2	2	19	41	31	36	35	28	26	27	34	36	33	26	25	8	6	....	....
Females		595	18	12	3	3	....	36	7	8	43	76	49	41	35	32	45	33	27	41	32	34	24	22	6	4	....
1. Rheumatism	M.	13	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	2	3	1	2	2	1	....	....	....
	F.	17	....	....	....	....	....	....	....	1	1	....	1	2	....	....	2	....	....	2	2	1	3	1	....	1	....
2. Scrofula and tabes	M.	11	3	2	1	....	....	6	....	....	....	....	....	....	1	1	....	1	2	....	....	....	....	....	....	....	....
	F.	6	3	....	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	316	8	5	1	3	....	17	....	1	18	40	30	35	30	24	21	17	14	18	21	13	11	4	2	....	....
	F.	387	6	2	2	3	....	13	3	6	41	76	46	33	30	21	22	12	11	12	14	20	11	10	4	2	....
5. Hydrocephalus	M.	20	7	7	3	2	1	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	8	10	1	....	....	19	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	39	1	....	....	....	....	1	....	....	....	....	....	....	1	2	3	3	6	8	7	3	3	1	1	....	....
	F.	98	....	....	....	....	....	....	....	....	....	....	....	4	3	7	15	15	12	15	8	9	3	6	....	1	....
7. Tumor	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	21	....	....	....	....	....	....	....	....	....	....	....	....	1	2	3	4	2	3	....	1	3	2	....	....	....
8. Anæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....
9. Dropsy	M.	45	1	....	1	1	....	3	1	....	....	....	1	....	1	1	1	4	6	6	4	6	7	1	3	....	....
	F.	37	1	....	....	....	....	1	2	....	....	....	1	....	1	2	3	2	2	6	7	3	4	2	1	....	....
10. Glycosuria	M.	12	....	....	....	....	....	....	....	1	1	1	....	....	1	....	....	1	3	1	....	1	1	1	....	....	....
	F.	7	....	....	....	....	....	....	....	1	1	....	....	2	....	....	....	....	....	2	1	....	....	....	....	....	....
11. Others of this group	M.	3	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		670	108	40	22	15	8	193	24	14	14	11	14	18	13	13	16	32	27	44	37	46	72	57	20	11	2	1
Males		336	56	17	11	8	5	97	13	6	6	5	4	12	8	4	6	17	14	25	13	22	42	31	8	2	....	1
Females		343	52	23	11	7	3	96	11	8	8	6	10	6	5	9	10	15	13	19	24	24	30	26	12	9	2	....
1. Inflammation of the brain	M.	15	3	1	3	....	1	8	2	2	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	13	2	6	....	....	....	8	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
2. Meningitis	M.	20	5	1	2	2	2	12	4	....	....	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....
	F.	29	5	3	1	5	....	14	6	3	1	1	....	1	1	....	1	....	....	....	1	....	....	....	....	....	....	....
3. Apoplexy	M.	81	....	....	....	1	....	1	....	....	....	1	1	1	....	....	2	10	7	11	7	4	18	14	4	....	....	....
	F.	59	....	....	....	....	1	1	....	....	1	....	1	....	2	2	2	4	4	5	5	8	8	9	2	4	1	....
4. Paralysis	M.	80	1	1	....	....	....	2	....	....	1	2	1	1	3	1	3	1	4	8	4	10	18	15	3	2	....	1
	F.	101	....	1	1	....	....	2	....	1	1	....	....	2	1	3	4	7	8	11	16	7	10	15	8	4	1	....
5. Tetanus and trismus nascentium.	M.	11	....	....	....	....	....	....	1	1	2	1	....	4	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	4	2	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
6. Epilepsy	M.	11	....	....	....	....	1	1	1	....	....	....	1	1	2	....	....	....	....	....	....	1	1	1	1	....	....	....
	F.	6	....	....	....	....	....	....	1	....	....	1	2	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
7. Convulsions	M.	64	37	8	2	5	1	53	3	2	1	....	....	2	....	1	....	1	....	....	1	....	....	....	....	....	....	....
	F.	72	38	12	5	2	....	57	1	1	4	2	3	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....
	F.	10	....	....	....	....	....	....	....	1	....	1	2	1	....	1	....	....	....	1	....	1	1	....	....	....	....	....
9. Diseases of the brain	M.	44	8	5	4	....	....	17	2	....	1	....	....	3	3	1	....	3	2	3	1	5	3	....	....	....	....	....
	F.	39	4	1	3	....	2	10	....	1	1	1	....	....	....	1	1	3	....	2	2	5	9	1	1	1	....	....
10. Diseases of the spinal cord	M.	6	2	1	....	....	....	3	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	1	....	1	....	....	2	....	1	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	2	....	....	1	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		254	13	....	....	....	....	13	4	6	1	6	7	9	6	11	13	15	15	34	24	34	25	17	11	3	....	....
Males		129	11	....	....	....	....	11	2	2	1	3	4	4	2	6	6	5	6	21	14	17	8	12	3	2	....	....
Females		125	2	....	....	....	....	2	2	4	....	3	3	5	4	5	7	10	9	13	10	17	17	5	8	1	....	....
1. Angina pectoris	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	3	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Diseases of the heart	M.	118	6	....	....	....	....	6	2	2	1	3	4	4	2	6	5	5	6	20	13	14	8	12	3	2	....	....
	F.	121	2	....	....	....	....	2	2	4	....	3	3	5	3	5	7	9	8	13	10	16	17	5	5	1	....	....
4. Others of this group	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		643	89	59	42	18	18	226	33	4	7	16	13	18	22	19	22	17	24	33	44	46	38	38	18	4	....	1
Males		314	38	25	16	8	7	94	21	3	1	12	8	7	15	13	12	10	10	17	19	23	16	18	12	2	....	1
Females		329	51	34	26	10	11	132	12	1	6	4	5	11	7	6	10	7	14	16	25	23	22	20	6	2	....	....
1. Croup	M.	39	8	6	6	6	3	29	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	55	10	8	17	5	9	49	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Bronchitis	M.	37	7	6	3	1	1	18	1	....	....	....	....	2	....	....	....	1	....	1	5	2	3	2	2	....	....	....
	F.	32	9	5	....	2	....	16	1	....	1	....	....	1	....	....	....	....	....	....	2	1	5	3	1	1	....	....
4. Pneumonia	M.	204	16	12	5	1	3	37	10	3	1	10	8	4	13	13	8	7	9	13	13	18	12	15	9	1	....	....
	F.	209	25	18	9	2	2	56	5	....	5	3	4	9	7	6	10	6	12	14	17	18	14	17	5	1	....	....
5. Pleurisy	M.	7	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	1	....	1	1	....	....	1	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
6. Asthma	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	2	....	....	....	....	....	....
7. Others of this group	M.	23	6	1	1	....	....	8	....	....	....	....	....	1	1	....	3	1	....	3	....	2	1	1	....	1	....	1
	F.	21	6	3	....	....	....	9	....	....	....	....	....	1	....	....	....	1	1	2	2	2	3	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		185	26	8	4	3	2	43	5	1	3	4	2	6	4	5	6	14	11	17	18	14	15	9	2	....	....
Males		82	18	6	....	1	2	27	1	....	2	1	1	2	1	....	3	9	4	8	7	5	6	3	2	....	....
Females		103	8	2	4	2	....	16	4	1	1	3	7	4	3	5	3	5	7	9	11	9	9	6	....	....	....
1. Dentition	M.	13	7	5	....	1	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	2	2	....	....	....	....	2	....	....	1	....	....	....	....	....	1	1	....	1	....	....	1	....	1	....	....	....
	F.	12	1	....	....	....	....	1	....	....	....	....	....	....	....	1	1	....	3	1	....	3	1	1	....	....	....	....
4. Other diseases of the stomach	M.	7	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	....	....	....	....	....
	F.	10	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	1	1	3	....	1	1	....	....	....	....
5. Obstruction of the bowels	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	1	....	....	....	....
7. Other diseases of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	1	....	2	....	1	1	....	....	....	....	....
8. Jaundice	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
	F.	4	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	2	....	....	....	....
	F.	6	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	1	2	....	1	....	....	....	....	....	....
10. Other diseases of the liver	M.	22	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	3	3	4	4	4	....	1	....	....	....	....
	F.	30	1	....	....	1	....	2	1	....	....	1	1	2	1	2	1	3	1	1	8	3	2	1	....	....	....	....
11. Peritonitis	M.	7	....	....	....	....	2	2	1	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	....	....	1	....	....	1	1	....	1	2	3	1	1	....	....	1	1	1	....	....	2	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....
13. Others of this group	M.	10	3	....	....	....	....	3	....	....	....	....	....	2	....	....	1	2	....	....	1	....	1	....	....	....	....	....
	F.	6	2	....	1	....	....	3	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		88	1	....	....	....	1	2	1	....	3	4	3	3	5	6	4	8	7	3	12	7	10	6	3	....	....	1
Males		59	....	....	....	....	1	1	1	....	1	....	2	1	2	5	3	6	4	3	10	5	8	4	2	....	....	1
Females		29	1	....	....	....	....	1	....	....	2	4	1	2	3	1	1	2	3	....	2	2	2	2	1	....	....	....
1. Bright's disease	M.	35	....	....	....	....	1	1	1	....	1	....	2	1	2	5	3	6	2	1	5	....	1	3	....	....	....	1
	F.	20	1	....	....	....	....	1	....	....	1	2	1	1	3	....	....	2	3	....	2	1	2	1	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	1	4	....	1	....	....	....
	F.	7	....	....	....	....	....	....	....	....	1	1	....	1	....	1	1	....	....	....	....	....	....	1	1	....	....	....
4. Diseases of the bladder	M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	3	2	3	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		12	....	....	....	....	....	....	....	....	....	1	....	2	1	3	1	1	....	2	1	....	....	....	....	....	....	....
1. Ovarian tumors	F.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....
2. Ovarian diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		39	....	....	....	....	....	....	....	....	2	2	12	10	10	2	....	1	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	4	....	....	....	....	....	....	....	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	30	....	....	....	....	....	....	....	....	1	2	9	7	8	2	....	1	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	5	....	....	....	....	....	....	....	....	1	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		10	....	....	....	....	....	....	1	2	3	2	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Males		5	....	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females		5	....	....	....	....	....	....	1	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	3	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		13		1				1			1	1		1			1	3	1	1	1		1	1				
Males		5										1						2			1			1				
Females		8		1				1			1			1			1	1	1	1			1					
1. Abscess	M.	3										1						1						1				
	F.	3		1				1			1			1														
2. Carbuncle	M.	2																1			1							
	F.	3															1	1	1									
3. Others of this group	M.																											
	F.	2																		1			1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		3															1		1			1						
Males		1																				1						
Females		2															1		1									
1. Addison's disease	M.	1																				1						
	F.	2															1		1									
2. Disease of the spleen	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		216	21	3	13	7	4	48	16	7	13	18	19	14	13	11	8	5	4	10	5	10	4	2	5	1		
Males		168	12	2	10	6	3	33	14	4	11	10	17	14	11	9	7	4	3	7	6	6	3		2	1		
Females		48	9	1	3	1	1	15	2	3	2	2	2		2	2	1	1	1	3	2	4	1	2	3			
1. Burns and scalds	M.	9			3	2		5	1	1				1								1						
	F.	10	1	1	2			4		2		2			1	1												
2. Drowned	M.	37		1	2	2	1	6	4	2	6	5	5	2	2	2	1		1		1							
	F.	4			1	1		2	1		1																	
3. Exposure and neglect	M.	2	1					1												1								
	F.	1																			1							
4. Gunshot wounds	M.	7									1	1	1	3	1													
	F.																											
5. Homicide	M.	1													1													
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.	1														1												
	F.																											
8. Railroad accidents	M.	24			1			1	3			3	4	4	1	1	1	1	1		1	1	1		1			
	F.	3														1		1							1			
9. Suffocation	M.	13	9		1	2		12															1					
	F.	4	4					4																				
10. Suicide by shooting	M.	1									1																	
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	4												2			1					1						
	F.	1															1											
13. Other suicides	M.	10									1	1	1	1		2	1	1			2							
	F.	4																	1	1		2						
14. Sunstroke	M.	7								1		1	1	1		1	1						1					
	F.																											
15. Surgical operations	M.	1																		1								
	F.																											
16. Wounds	M.	1							1																			
	F.																											
17. Other accidents and injuries	M.	50	2	1	3		2	8	5		2	5	5		3	2	2	2	1	5	2	3			1	1		
	F.	21	4				1	5	1	1	1		2		1					2	1	2	1	2	2			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 2.

[Exclusive of HARTFORD.]

Cause of death.	Total.	Under 1.	1.	2.	.	.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2929	475	110	58	47	29	719	95	76	109	131	100	102	115	83	95	108	124	178	162	227	203	155	84	35	13	15
Total: Males	1472	282	68	26	18	16	410	48	31	45	55	46	47	46	41	54	56	73	90	83	128	98	65	34	7	5	10
Females	1457	193	42	32	29	13	309	47	45	64	76	54	55	69	42	41	52	51	88	79	99	105	90	50	28	8	5
Unknown causes.																											
Total	51	24	1	1	1	....	27	....	....	1	....	1	....	....	1	2	2	1	....	4	6	....	3	1	1	....	1
Males	30	16	....	1	1	....	18	....	....	1	....	....	....	....	....	1	1	1	....	2	3	....	2	....	....	....	1
Females	21	8	1	....	....	....	9	....	....	....	....	1	....	....	1	1	1	....	....	2	3	....	1	1	1	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	518	126	38	22	18	12	216	40	29	22	19	8	13	18	11	10	6	20	20	16	24	25	11	5	2	....	3
Males	245	72	22	9	5	8	116	16	11	9	7	4	2	6	2	7	3	10	11	10	11	10	5	1	2	....	2
Females	273	54	16	13	13	4	100	24	18	13	12	4	11	12	9	3	3	10	9	6	13	15	6	4	....	....	1
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	5	1	2	1	....	....	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
2. Measles F.	3	....	1	1	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	11	1	....	1	2	1	5	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	11	4	1	....	1	1	7	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	27	3	3	3	....	4	13	9	1	1	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....
4. Diphtheria F.	39	2	....	3	5	2	12	14	5	1	2	....	3	....	....	....	....	....	....	1	1	....	....	....	....	....	....
5. Hooping-cough M.	4	3	....	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	3	1	1	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
7. Cerebro-spinal fever M.	5	....	1	....	1	....	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
7. Cerebro-spinal fever F.	9	2	1	....	....	....	3	1	1	1	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....
8. Enteric fever M.	45	2	4	....	2	....	8	1	3	6	5	1	....	3	1	2	2	3	3	1	3	2	....	....	....	....	1
8. Enteric fever F.	41	1	1	1	1	....	4	2	8	7	2	1	4	3	3	2	....	3	....	....	....	....	1	1	....	....	....
9. Diarrhœa M.	5	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....
9. Diarrhœa F.	12	4	1	....	1	....	6	....	....	....	....	....	....	....	1	1	2	....	....	1	1	....	....	....	....	....	....
10. Dysentery M.	16	....	4	1	....	....	5	....	1	....	1	....	....	1	1	....	....	1	....	1	2	2	....	....	1	....	....
10. Dysentery F.	26	1	4	1	1	....	7	....	1	....	....	....	....	1	....	....	1	2	2	1	4	6	....	1	....	....	....
11. Enteritis M.	13	1	2	....	....	1	4	....	1	1	....	....	....	....	....	....	....	1	3	....	1	....	1	1	....	....	....
11. Enteritis F.	15	2	....	....	....	....	2	1	1	....	1	1	....	1	2	....	....	1	2	....	....	3	....	....	....	....	....
12. Cholera morbus M.	7	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	59	50	6	3	....	....	59	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	42	32	5	3	2	....	42	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	37	7	....	....	....	2	9	....	1	1	1	1	1	2	....	....	1	2	2	7	2	3	2	....	1	....	1
14. Malarial fever F.	39	4	1	3	2	1	11	1	1	3	1	....	1	2	....	....	....	2	2	2	4	3	5	1	....	....	....
15. Erysipelas M.	8	1	....	....	....	....	1	....	....	....	....	1	1	....	....	1	....	1	1	....	2	....	....	....	....	....	....
15. Erysipelas F.	8	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	1	1	1	1	1	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	3	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	11	....	....	....	....	....	....	....	....	....	4	....	2	2	2	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	7	1	....	....	....	....	1	....	....	....	....	....	....	....	....	2	....	....	1	....	....	2	1	....	....	....	....
19. Others of this group F.	7	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	2	....	1	1	....	1	....	....	....
General diseases—B.																											
Total	32	16	....	1	....	1	18	1	....	2	....	....	....	2	4	....	....	....	....	1	....	1	2	....	....	....	1
Males	17	8	....	....	....	1	9	....	....	1	....	....	....	1	3	....	....	....	....	....	....	1	1	....	....	....	1
Females	15	8	....	1	....	....	9	1	....	1	....	....	....	1	1	....	....	....	....	1	....	....	1	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	2	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	1	1	....	....	....	....
3. Alcoholism F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	4	....	....	....	....	1	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	4	1	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	1
6. Inanition M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	8	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
General diseases—C.																											
Total	268	111	2	....	....	....	113	1	....	1	....	1	....	1	....	....	....	....	3	4	10	28	46	32	20	7	1
Males	139	68	1	....	....	....	69	1	....	....	....	1	....	1	....	....	....	....	....	2	5	15	21	17	4	3	....
Females	129	43	1	....	....	....	44	....	....	1	....	....	....	....	....	....	....	....	3	2	5	13	25	15	16	4	1
1. Premature birth M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	11	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	37	37	....	....	....	....	37	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	20	20	....	....	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	30	18	1	....	....	....	19	1	....	....	....	1	....	1	....	....	....	....	....	2	2	3	1	....	....	....	....
4. Debility F.	19	9	1	....	....	....	10	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	59	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	3	....	2	....	1	....	....
5. Old age F.	76	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	12	20	17	4	3	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	2	13	23	15	15	4	1
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		690	23	10	4	1	2	40	7	9	45	74	61	46	42	32	34	40	27	65	42	53	37	20	11	3	2
Males		306	14	6	2	...	1	23	5	3	10	27	26	21	14	18	15	17	13	32	23	35	14	5	4	...	1
Females		384	9	4	2	1	1	17	2	6	35	47	35	25	28	14	19	23	14	33	19	18	23	15	7	3	1
1. Rheumatism	M.	3	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...
2. Scrofula and tabes	M.	2	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	3	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
3. Leprosy	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption	M.	190	4	3	2	...	1	10	2	1	8	27	25	21	12	14	7	12	7	22	11	12	3	2	2	...	1
	F.	248	3	3	1	...	1	8	1	5	34	47	31	22	23	10	9	17	7	14	4	4	5	3	3	1	...
5. Hydrocephalus	M.	8	4	3	...	...	...	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	7	5	...	1	...	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Cancer	M.	37	1	...	...	...	...	1	...	...	...	...	...	...	1	2	3	4	2	4	5	10	3	1	1	...	...
	F.	58	...	...	...	1	...	1	...	...	...	...	1	1	2	2	4	5	4	8	5	8	8	5	3	1	...
7. Tumor	M.	2	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	F.	9	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	1	3	2	...	...	...	...	...
8. Anæmia	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Dropsy	M.	45	4	...	...	...	...	4	1	...	2	...	1	...	1	...	2	1	1	6	7	9	7	2	1	...	...
	F.	51	...	...	...	...	...	...	...	1	1	...	1	1	3	1	3	1	3	8	6	4	9	5	1	1	...	1
10. Glycosuria	M.	7	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	2	...	...	2	1	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...
11. Others of this group	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
12. Others of this class	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		449	72	21	16	11	6	126	14	11	11	11	8	6	10	6	11	17	31	26	28	39	34	34	16	6	4
Males		234	42	15	8	5	2	72	6	4	5	3	2	2	7	2	6	6	23	16	16	26	15	16	5	1	1
Females		215	30	6	8	6	4	54	8	7	6	8	6	4	3	4	5	11	8	10	12	13	19	18	11	5	3
1. Inflammation of the brain	M.	13	4	...	1	...	...	5	...	...	...	1	...	...	...	...	...	...	2	2	...	...	1	2	...	...	...
	F.	21	6	2	2	2	1	13	...	1	1	...	...	...	1	...	...	1	1	...	1	...	...	1	...	...	1
2. Meningitis	M.	17	4	...	2	1	...	7	1	3	1	1	...	...	...	2	...	1	1	...	...	...	...	...	...	...	...
	F.	19	5	2	1	...	2	10	1	4	1	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
3. Apoplexy	M.	65	...	3	...	...	...	3	2	...	1	1	...	1	2	...	2	2	11	8	7	12	6	5	2	...	...
	F.	62	...	...	...	...	...	...	1	1	2	3	4	2	...	3	2	5	2	4	4	6	5	11	4	2	1
4. Paralysis	M.	44	...	...	...	...	...	...	...	...	1	...	2	...	...	...	2	2	4	2	4	10	6	7	2	1	1
	F.	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3	3	6	5	10	6	6	3	1
5. Tetanus and trismus nascentium	M.	3	1	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
6. Epilepsy	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Convulsions	M.	46	28	8	3	3	1	43	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	40	18	2	3	3	1	27	1	1	1	1	2	1	2	1	...	1	...	...	...	1	1	...	...	...	...
8. Mental diseases	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
9. Diseases of the brain	M.	43	5	4	2	1	1	13	2	...	1	...	...	1	3	...	2	1	5	3	5	2	2	2	1	...	...
	F.	23	1	...	2	1	...	4	4	...	1	2	...	1	...	...	...	2	2	1	1	1	3	...	1	...	...
10. Diseases of the spinal cord	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		175	6	1	...	...	...	7	4	2	5	3	5	6	4	3	7	12	14	15	18	29	22	13	5	1	...
Males		87	4	1	...	...	...	5	1	...	3	...	3	3	1	2	3	8	8	7	11	17	9	5	1	...	...
Females		88	2	...	...	...	...	2	3	2	2	3	2	3	3	1	4	4	6	8	7	12	13	8	4	1	...
1. Angina pectoris	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
2. Aneurism	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the heart	M.	84	4	1	...	...	...	5	1	...	3	...	3	3	1	2	3	7	8	7	10	16	9	5	1	...	...
	F.	87	2	...	...	...	...	2	3	2	2	3	2	3	3	1	4	4	5	8	7	12	13	8	4	1	...
4. Others of this group	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		371	69	22	9	12	4	116	9	6	9	11	7	13	12	8	9	13	15	24	34	27	30	15	10	...	2	1
Males		184	42	10	3	6	3	64	5	1	8	9	6	9	4	5	7	8	6	8	9	10	13	7	3	...	1	1
Females		187	27	12	6	6	1	52	4	5	1	2	1	4	8	3	2	5	9	16	25	17	17	8	7	...	1	...
1. Croup	M.	23	12	4	1	3	2	22	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	21	4	7	3	3	1	18	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Laryngitis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Bronchitis	M.	9	4	...	...	...	...	4	1	...	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	1	...
	F.	20	2	4	1	1	...	8	...	...	...	...	...	...	1	...	...	...	1	1	...	3	3	1	2	...	...	...
4. Pneumonia	M.	122	12	5	2	2	1	22	2	1	7	6	3	8	3	4	6	8	5	7	8	8	13	7	3	...	...	1
	F.	116	11	1	2	1	...	15	1	2	1	...	1	3	7	3	1	4	8	11	24	12	12	5	5	...	1	...
5. Pleurisy	M.	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...
	F.	6	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...
6. Asthma	M.	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
7. Others of this group	M.	25	14	1	...	1	...	16	1	...	...	2	2	1	...	...	1	...	...	...	...	2	...	...	...	...	...	...
	F.	23	10	...	...	1	...	11	...	2	...	1	...	1	...	...	1	1	...	3	...	...	1	2	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 2—Continued.

Cause of death.		Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		108	15	11	1	1	....	28	1	4	4	2	2	3	5	5	4	6	6	6	6	11	0	5	....	....	4
Males		54	8	9	....	....	....	17	....	2	2	2	1	2	4	....	2	2	4	4	4	1	4	1	....	....	2
Females		54	7	2	1	1	....	11	1	2	2	....	1	1	1	5	2	4	2	2	2	10	2	4	....	....	2
1. Dentition	M.	5	....	5	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	5	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	1	....	....	1	1	....	1	....	....	....	....	....	2	....	2	....	....	....
4. Other diseases of the stomach	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	5	1	1	....	....	....	2	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	9	1	....	....	....	....	1	....	....	....	1	....	....	1	....	1	....	....	....	1	1	....	1	....	....	2
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	3	....	....	....	....	....
7. Other diseases of the bowels	M.	7	1	....	....	....	....	1	....	1	1	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	1	....	....	1	....	2	....	....	1	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....
8. Jaundice	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....
10. Other diseases of the liver	M.	11	2	1	....	....	....	3	....	....	....	....	....	....	1	....	1	....	1	1	1	....	3	....	....	....	....
	F.	12	1	....	....	....	....	1	....	....	....	....	....	....	....	1	1	2	2	....	2	1	2	....	....	....	....
11. Peritonitis	M.	5	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....
	F.	5	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	2	....	1	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	7	1	1	....	....	....	2	....	....	....	1	....	....	1	....	....	1	....	....	2	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		87	....	2	....	....	....	2	1	1	2	2	2	3	7	2	7	5	6	9	3	16	15	1	2	....	....	1
Males		61	....	2	....	....	....	2	1	....	....	....	1	1	1	2	5	5	5	5	2	14	13	1	2	....	....	1
Females		26	....	....	....	....	....	....	....	1	2	2	1	2	6	....	2	....	1	4	1	2	2	....	....	....	....	....
1. Bright's disease	M.	30	....	....	....	....	....	....	1	....	....	....	1	1	1	1	5	4	3	3	....	4	4	1	1	....	....	....
	F.	15	....	....	....	....	....	....	....	....	1	2	....	3	3	....	2	....	....	3	....	1	1	....	....	....	....	....
2. Calculus, urinary	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	2	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	10	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	1	1	2	1	3	4	....	1	....	....	1
	F.	6	....	....	....	....	....	....	....	1	....	....	....	....	2	....	....	....	1	....	....	1	1	....	....	....	....	....
4. Diseases of the bladder	M.	5	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
5. Others of this group	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		13	....	....	....	....	....	....	....	....	....	1	3	4	4	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	3	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	8	....	....	....	....	....	....	....	....	....	....	2	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		3	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		2	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

CONNECTICUT—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		10	2	1				3				1			1	1	2	1					1				
Males		5	1	1				2									2						1				
Females		5	1					1				1			1	1		1									
1. Abscess	M.	5	1	1				2									2						1				
	F.	5	1					1				1			1	1		1									
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2															1		1								
Males		1																	1								
Females		1															1										
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1																	1								
	F.	1															1										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		151	11	1	4	3	4	23	17	13	6	7	2	7	8	9	8	6	3	10	6	12	4	5	2	2	1
Males		108	7	1	3	1	1	13	13	10	6	7	2	6	7	7	6	6	2	7	4	6	3	1	1		1
Females		43	4		1	2	3	10	4	3				1	1	2	2		1	3	2	6	1	4	1	2	
1. Burns and scalds	M.	5	1	1	1			3	1					1													
	F.	7			1	1		2	3												1					1	
2. Drowned	M.	22	1		1	1	1	4	6	6	1	2								3							
	F.	3					1	1						1		1											
3. Exposure and neglect	M.																										
	F.	1																		1							
4. Gunshot wounds	M.																										
	F.																										
5. Homicide	M.	2									1				1												
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	9									1				1	4	1			2							
	F.	3								1						1						1					
9. Suffocation	M.	6	4		1			5	1																		
	F.	4	3					3							1												
10. Suicide by shooting	M.	1																1									
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.	2										1						1									
	F.																										
13. Other suicides	M.	11							1			2	1	2	1	1	1	1				1					
	F.	2															1					1					
14. Sunstroke	M.	3																		1			1	1			
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	2													1							1					
	F.																										
17. Other accidents and injuries	M.	45	1			1		1	4	4	3	2	1	3	3	2	4	3	2	1	4	1	2		1		1
	F.	23	1			1	2	4	1	2							1		1	2	1	4	1	4	1	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	649	143	45	45	28	24	285	73	42	17	39	30	28	22	18	21	13	12	17	10	7	4	5	....	3	....	3
Total: Males	345	80	23	32	10	11	156	44	14	8	19	13	14	12	7	14	9	7	7	6	5	3	4	....	1	....	2
Females	304	63	22	13	18	13	129	29	28	9	20	17	14	10	11	7	4	5	10	4	2	1	1	....	2	....	1
Unknown causes.																											
Total	58	28	9	3	1	....	41	2	2	....	1	1	1	2	1	....	1	1	....	1	1	....	3	....	....	....	....
Males	32	14	5	2	....	....	21	2	1	....	1	....	1	2	....	....	1	....	....	....	1	....	2	....	....	....	....
Females	26	14	4	1	1	....	20	....	1	....	....	1	....	....	1	....	....	1	....	1	....	....	1	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	199	33	14	18	17	13	95	46	19	6	11	7	4	2	3	3	....	1	....	....	1	....	....	....	....	....	1
Males	92	17	7	12	5	5	46	29	4	2	4	3	....	....	1	1	....	1	....	....	1	....	....	....	....	....	....
Females	107	16	7	6	12	8	49	17	15	4	7	4	4	2	2	2	....	....	....	....	....	....	....	....	....	....	1
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	7	2	1	1	1	....	5	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	7	1	2	1	....	2	6	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	8	2	1	2	1	....	6	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	53	3	3	7	5	3	21	28	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	51	4	1	1	7	8	21	13	13	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	2	1	....	1	....	....	2	....	1	1	2	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
F.	12	1	....	....	1	....	2	2	1	2	1	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
F.	4	1	2	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
F.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	6	3	....	1	....	....	4	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	2	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	4	2	1	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	7	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever M.	1	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
F.	3	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	6	....	....	....	....	....	....	....	....	....	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	7	3	1	....	1	....	5	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
Males	5	2	....	....	1	....	3	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
Females	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	3	....	....	....	1	....	1	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	25	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	3	....	....
Males	16	13	....	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....
Females	9	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	2	....	....
1. Premature birth M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	10	10	....	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	2	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		105	6	2	3	1	3	15	5	7	6	10	4	10	4	7	8	4	6	10	5	1	1	1			1
Males		58	1	1	3		2	7	4	3	3	5	1	7	2	3	5	2	3	6	4	1		1			1
Females		47	5	1		1	1	8	1	4	3	5	3	3	2	4	3	2	3	4	1		1				
1. Rheumatism	M.	3							1								1				1						
	F.																										
2. Scrofula and tabes	M.	1							1																		
	F.																										
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	45		1	3		2	6	1	3	3	5	1	6	2	2	4		3	4	3	1					1
	F.	38	5			1		6	1	4	3	5	3	2	1	4	2	2		3	1		1				
5. Hydrocephalus	M.																										
	F.																										
6. Cancer	M.	4												1						2				1			
	F.	4		1				1											2	1							
7. Tumor	M.	1							1																		
	F.																										
8. Anæmia	M.	1	1					1																			
	F.	1													1												
9. Dropsy	M.	3														1		2									
	F.	4					1	1						1			1		1								
10. Glycosuria	M.																										
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		44	18	7	6			31	4	3	1	2	1		1				1								
Males		25	9	6	5			20	1	2					1				1								
Females		19	9	1	1			11	3	1	1	2	1														
1. Inflammation of the brain	M.	4	1	2	1			4																			
	F.	4	2					2	1	1																	
2. Meningitis	M.	4	2	1	1			4																			
	F.	1										1															
3. Apoplexy	M.	1																	1								
	F.	1										1															
4. Paralysis	M.																										
	F.																										
5. Tetanus and trismus nascentium.	M.	1													1												
	F.																										
6. Epilepsy	M.																										
	F.	2							1				1														
7. Convulsions	M.	6	5		1			6																			
	F.	3	3					3																			
8. Mental diseases	M.																										
	F.																										
9. Diseases of the brain	M.	7	1	3	1			5	1	1																	
	F.	6	3		1			4	1		1																
10. Diseases of the spinal cord	M.	2			1			1		1																	
	F.	2	1	1				2																			
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		11	2					2	1	1		1			1		2	1			1		1				
Males		5	1					1									2	1					1				
Females		6	1					1	1	1		1			1						1						
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.																										
	F.																										
3. Diseases of the heart	M.	5	1					1									2	1					1				
	F.	5							1	1		1			1						1						
4. Others of this group	M.																										
	F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		82	22	9	11	7	5	54	8	1		2		2	4	1	1	2	1	3	1	2					
Males		40	13	3	8	3	3	30	3					1	2		1	1	1			1					
Females		42	9	6	3	4	2	24	5	1		2		1	2	1		1		3	1	1					
1. Croup	M.	15	4	3	3	1	1	12	3																		
	F.	11		2	1	3	2	8	3																		
2. Laryngitis	M.																										
	F.	1				1		1																			
3. Bronchitis	M.	5	4					4									1										
	F.	2		1	1			2																			
4. Pneumonia	M.	16	4		4	1	2	11						1	2			1	1								
	F.	24	7	3	1			11	1	1		2		1	2	1		1		2	1	1					
5. Pleurisy	M.																										
	F.																										
6. Asthma	M.	1																				1					
	F.	1																		1							
7. Others of this group	M.	3	1		1	1		3																			
	F.	3	2					2	1																		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		24	8	2	2	....	....	12	....	1	1	1	....	....	4	1	....	1	....	1	2	....	....	....	....	....	....	....
Males		15	6	....	1	....	....	7	....	1	1	1	....	....	2	1	....	....	....	....	2	....	....	....	....	....	....	....
Females		9	2	2	1	....	....	5	....	....	....	....	....	....	2	....	....	1	....	1	....	....	....	....	....	....	....	....
1. Dentition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	6	2	....	1	....	....	3	....	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
11. Peritonitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		8	....	....	....	....	....	....	....	....	....	....	2	1	1	....	1	1	....	....	....	....	1	1	....	....	....	....
Males		7	....	....	....	....	....	....	....	....	....	....	2	....	1	....	1	1	....	....	....	....	1	1	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		3	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		17	....	....	....	....	....	....	....	....	1	2	7	4	....	1	2	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	2	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	15	....	....	....	....	....	....	....	....	1	2	6	3	....	1	2	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		2	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		3							2		1																
Males		2							1		1																
Females		1							1																		
1. Abscess	M.	2							1		1																
	F.	1							1																		
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		61	5	1	2	1	3	12	5	6	1	9	8	5	3	3	2	3	2	1							1
Males		47	4	1	1	1	1	8	4	2	1	8	7	5	2	2	2	3	1	1							1
Females		14	1		1		2	4	1	4		1	1		1	1			1								
1. Burns and scalds	M.	4	1	1				2					1	1													
	F.	3			1		1	2					1														
2. Drowned	M.	5				1		1				3		1													
	F.	2					1	1		1																	
3. Exposure and neglect	M.	2	1					1																			1
	F.	2	1					1							1												
4. Gunshot wounds	M.	3										1	1					1									
	F	1										1															
5. Homicide	M.	3										2					1										
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.																										
	F.																										
9. Suffocation	M.	2										1	1														
	F.																										
10. Suicide by shooting	M.	1												1													
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	2										1	1														
	F.	1																	1								
14. Sunstroke	M.	2	1					1	1																		
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	23	1		1		1	3	3	2	1		3	2	2	2	1	2	1	1							
	F.	5							1	3						1											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		446	108	42	32	21	16	219	57	27	11	13	22	16	17	5	11	10	8	8	6	9	4	2	....	....	1	....
Total: Males		264	67	23	20	9	8	127	27	15	5	11	14	11	12	4	8	8	3	5	4	5	2	2	....	....	1	....
Females		182	41	19	12	12	8	92	30	12	6	2	8	5	5	1	3	2	5	3	2	4	2	....	....	....	....	....
Unknown causes.																												
Total		20	15	2	1	....	....	18	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Males		12	8	1	1	....	....	10	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females		8	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		218	40	30	26	17	14	127	47	22	5	8	5	....	1	....	1	1	2	2	2	....	....	....	....	....	....	....
Males		122	28	18	15	7	6	74	23	10	2	2	3	....	1	....	1	1	2	2	1	....	....	....	....	....	....	....
Females		96	12	12	11	10	8	53	24	12	3	1	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	83	12	14	14	6	6	52	22	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	81	6	9	10	10	8	43	23	12	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	5	1	....	1	....	....	2	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	1	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
9. Diarrhœa	M.	6	4	1	....	....	....	5	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	8	1	1	....	....	....	2	....	....	....	1	1	....	....	....	1	....	2	1	....	....	....	....	....	....	....	....
	F.	3	....	2	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	6	2	....	....	....	....	2	....	1	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		9	5	1	....	....	1	7	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males		6	3	....	....	....	1	4	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Females		3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		26	19	....	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	1	3	1	1	....	....	1	....
Males		17	13	....	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	....
Females		9	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....
1. Premature birth	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	12	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		40	4	2				6		2	3		7	4	6	2	4	2		1		1	2					
Males		26	2	1				3		2	2		5	3	5	2	1			1		1	1					
Females		14	2	1				3			1		2	1	1		3	2					1					
1. Rheumatism	M.																										
	F.	1																1									
2. Scrofula and tabes	M.																										
	F.																										
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	20	1					1		2	2		5	3	4	1	1						1				
	F.	8	1	1				2			1		1	1	1		2										
5. Hydrocephalus	M.	2	1	1				2																			
	F.																										
6. Cancer	M.	1																		1							
	F.	3											1				1						1				
7. Tumor	M.																										
	F.																										
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.	2													1	1											
	F.	2	1					1										1									
10. Glycosuria	M.	1																				1					
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		32	8	4	1	1		14	2			2	2		6	1		2		1		1		1			
Males		15	4			1		5	2			1	1		2	1		2						1			
Females		17	4	4	1			9				1	1		4					1		1					
1. Inflammation of the brain	M.	2	2					2																			
	F.	3		1	1			2				1															
2. Meningitis	M.	1				1		1																			
	F.	3	2	1				3																			
3. Apoplexy	M.	1																						1			
	F.	5													3					1		1					
4. Paralysis	M.	3							1			1						1									
	F.	2	1	1				2																			
5. Tetanus and trismus nascentium.	M.																										
	F.																										
6. Epilepsy	M.	1													1												
	F.																										
7. Convulsions	M.	2	2					2																			
	F.	2	1	1				2																			
8. Mental diseases	M.	1											1														
	F.																										
9. Diseases of the brain	M.	3													1	1		1									
	F.																										
10. Diseases of the spinal cord	M.	1							1																		
	F.																										
11. Others of this group	M.																										
	F.	2											1		1												
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		5												1			1	1	1		1						
Males		3															1	1			1						
Females		2												1					1								
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.	1															1										
	F.																										
3. Diseases of the heart	M.	2																1			1						
	F.	2												1					1								
4. Others of this group	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		46	12	2	1	3	1	19	5		2	1	4	1	2	1	2	1	3	1	2	2					
Males		22	5	2	1	1	1	10	1			1	2	1	2		2	1			1	1					
Females		24	7			2		9	4		2		2			1			3	1	1	1					
1. Croup	M.	6	2	1	1	1	1	6																			
	F.	7	4			1		5	2																		
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.	1																				1					
	F.																										
4. Pneumonia	M.	11	1	1				2	1				2	1	2		2	1									
	F.	13	1			1		2	1		2		2			1			2	1	1	1					
5. Pleurisy	M.																										
	F.																										
6. Asthma	M.	1																			1						
	F.	1																	1								
7. Others of this group	M.	3	2					2				1															
	F.	3	2					2	1																		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		16	3	1	1			5	1	1		2		1			1	1	1	2		1					
Males		12	2	1	1			4		1		2		1			1	1		1		1					
Females		4	1					1	1										1	1							
1. Dentition	M.	2	1		1			2																			
	F.	1	1					1																			
2. Angina	M.																										
	F.	1							1																		
3. Gastritis	M.																										
	F.																										
4. Other diseases of the stomach	M.	2		1				1												1							
	F.	1																	1								
5. Obstruction of the bowels	M.																										
	F.																										
6. Hernia	M.	1															1										
	F.																										
7. Other diseases of the bowels	M.																										
	F.																										
8. Jaundice	M.																										
	F.																										
9. Inflammation and abscess of the liver.	M.	4								1		2						1									
	F.																										
10. Other diseases of the liver	M.	1												1													
	F.																										
11. Peritonitis	M.	1																				1					
	F.																										
12. Ascites	M.																										
	F.																										
13. Others of this group	M.	1	1					1																			
	F.	1																		1							
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		4	1					1			1											1	1				
Males		4	1					1			1											1	1				
Females																											
1. Bright's disease	M.	1									1																
	F.																										
2. Calculus, urinary	M.	2	1					1														1					
	F.																										
3. Diseases of the kidney	M.																										
	F.																										
4. Diseases of the bladder	M.	1																					1				
	F.																										
5. Others of this group	M.																										
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females																											
1. Ovarian tumors	F.																										
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.																										
5. Others of this group	F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		4											1	3													
1. Abortion	F.																										
2. Child-birth	F.	4											1	3													
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		2												2													
Males		2												2													
Females																											
1. Diseases of the spine	M.																										
	F.																										
2. Diseases of the bones	M.	2												2													
	F.																										
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Males																											
Females																											
1. Abscess {M.																											
1. Abscess {F.																											
2. Carbuncle {M.																											
2. Carbuncle {F.																											
3. Others of this group {M.																											
3. Others of this group {F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease {M.																											
1. Addison's disease {F.																											
2. Disease of the spleen {M.																											
2. Disease of the spleen {F.																											
3. Others of this group {M.																											
3. Others of this group {F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	24	1		2			3	2	2		4	3	3	2	1	1	1	1	1								
Males	23	1		2			3	1	2		4	3	3	2	1	1	1	1	1								
Females	1							1																			
1. Burns and scalds {M.	1			1			1																				
1. Burns and scalds {F.																											
2. Drowned {M.	5			1			1		2					1				1									
2. Drowned {F.																											
3. Exposure and neglect {M.																											
3. Exposure and neglect {F.																											
4. Gunshot wounds {M.	2												1	1													
4. Gunshot wounds {F.																											
5. Homicide {M.	3										2					1											
5. Homicide {F.																											
6. Infanticide {M.																											
6. Infanticide {F.																											
7. Injuries by machinery {M.																											
7. Injuries by machinery {F.																											
8. Railroad accidents {M.	1											1															
8. Railroad accidents {F.																											
9. Suffocation {M.	1	1					1																				
9. Suffocation {F.																											
10. Suicide by shooting {M.	1																1										
10. Suicide by shooting {F.																											
11. Suicide by drowning {M.	1										1																
11. Suicide by drowning {F.																											
12. Suicide by poison {M.																											
12. Suicide by poison {F.																											
13. Other suicides {M.																											
13. Other suicides {F.																											
14. Sunstroke {M.																											
14. Sunstroke {F.																											
15. Surgical operations {M.																											
15. Surgical operations {F.																											
16. Wounds {M.	1												1														
16. Wounds {F.																											
17. Other accidents and injuries {M.	7							1			1	2	1		1				1								
17. Other accidents and injuries {F.	1							1																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	209	28	3	4	5	10	50	21	6	4	21	22	19	14	19	17	6	5	2	2	1						
Total: Males	134	10		2	2	5	19	9	5	2	15	14	13	10	17	15	5	5	2	2	1						
Females	75	18	3	2	3	5	31	12	1	2	6	8	6	4	2	2	1										
Unknown causes.																											
Total	1													1													
Males	1													1													
Females																											
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	59	6	2	3	4	6	21	13	3	3	6	3	5		2	1	1		1								
Males	29			1	2	2	5	6	2	2	4	2	3		2	1	1		1								
Females	30	6	2	2	2	4	16	7	1	1	2	1	2														
1. Small-pox M.																											
1. Small-pox F.	1							1																			
2. Measles M.																											
2. Measles F.																											
3. Scarlet fever M.																											
3. Scarlet fever F.																											
4. Diphtheria M.	15			1	2	2	5	6	2	1	1																
4. Diphtheria F.	18	3	1	1	2	4	11	5	1	1																	
5. Hooping-cough M.																											
5. Hooping-cough F.	2		1	1			2																				
6. Fever M.	3											1			2												
6. Fever F.																											
7. Cerebro-spinal fever M.	1															1											
7. Cerebro-spinal fever F.																											
8. Enteric fever M.	5										2		2					1									
8. Enteric fever F.																											
9. Diarrhœa M.																											
9. Diarrhœa F.																											
10. Dysentery M.	1												1														
10. Dysentery F.																											
11. Enteritis M.	1									1																	
11. Enteritis F.	1							1																			
12. Cholera morbus M.																											
12. Cholera morbus F.																											
13. Cholera infantum M.																											
13. Cholera infantum F.	3	3					3																				
14. Malarial fever M.	1										1																
14. Malarial fever F.	1											1															
15. Erysipelas M.	2											1					1										
15. Erysipelas F.	1												1														
16. Septicæmia M.																											
16. Septicæmia F.	1										1																
17. Puerperal septicæmia F.	1												1														
18. Venereal diseases M.																											
18. Venereal diseases F.																											
19. Others of this group M.																											
19. Others of this group F.	1										1																
General diseases—B.																											
Total	5	2					2							2		1											
Males	3													2		1											
Females	2	2					2																				
1. Worms M.																											
1. Worms F.																											
2. Other parasitic diseases M.																											
2. Other parasitic diseases F.																											
3. Alcoholism M.	3													2		1											
3. Alcoholism F.																											
4. Lead poison M.																											
4. Lead poison F.																											
5. Other poisons M.																											
5. Other poisons F.																											
6. Inanition M.																											
6. Inanition F.	2	2					2																				
General diseases—C.																											
Total	6	6					6																				
Males	3	3					3																				
Females	3	3					3																				
1. Premature birth M.	1	1					1																				
1. Premature birth F.	1	1					1																				
2. Stillborn M.	1	1					1																				
2. Stillborn F.	2	2					2																				
3. Malformation M.																											
3. Malformation F.																											
4. Debility M.	1	1					1																				
4. Debility F.																											
5. Old age M.																											
5. Old age F.																											
6. Atrophy M.																											
6. Atrophy F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		10				1		1					2		1	4	1		1									
Males		8											2		1	4			1									
Females		2				1		1									1											
1. Rheumatism	M.																										
	F.																										
2. Scrofula and tabes	M.																										
	F.																										
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	5											2		1	2											
	F.																										
5. Hydrocephalus	M.																										
	F.	1				1		1																			
6. Cancer	M.	1														1											
	F.																										
7. Tumor	M.																										
	F.																										
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.	2														1			1								
	F.	1															1										
10. Glycosuria	M.																										
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		22	7	1	1		1	10	1	1			4	3		2	1					1						
Males		11	3		1		1	5		1				2		2						1						
Females		11	4	1				5	1				4				1											
1. Inflammation of the brain	M.																										
	F.																										
2. Meningitis	M.	2	1					1						1													
	F.																										
3. Apoplexy	M.	2														2											
	F.																										
4. Paralysis	M.																										
	F.																										
5. Tetanus and trismus nascentium.	M.																										
	F.																										
6. Epilepsy	M.	3	1				1	2						1													
	F.	1											1														
7. Convulsions	M.																										
	F.	2	1					1									1										
8. Mental diseases	M.																										
	F.																										
9. Diseases of the brain	M.	3	1					1		1												1					
	F.	3	3					3	1				2														
10. Diseases of the spinal cord	M.	1			1			1																			
	F.	2		1				1					1														
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		3	1					1				1					1										
Males		2										1					1										
Females		1	1					1																			
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.																										
	F.																										
3. Diseases of the heart	M.	2										1					1										
	F.	1	1					1																			
4. Others of this group	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		52	4				2	6	7			7	5	4	5	6	6	3	2	1								
Males		38	2				1	3	3			5	3	4	4	5	6	2	2	1								
Females		14	2				1	3	4			2	2		1	1		1										
1. Croup	M	1	1					1																			
	F.	1	1					1																			
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.																										
	F.	1	1					1																			
4. Pneumonia	M.	36	1				1	2	3			5	3	4	4	5	5	2	2	1								
	F.	10					1	1	3			2	1		1	1		1										
5. Pleurisy	M.																										
	F.																										
6. Asthma	M.																										
	F.																										
7. Others of this group	M.	1															1										
	F.	2							1				1														

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	6	1				1	2					1	1	2													
Males	2	1				1	2																				
Females	4											1	1	2													
1. Dentition M.																											
1. Dentition F.																											
2. Angina M.																											
2. Angina F.																											
3. Gastritis M.																											
3. Gastritis F.	1													1													
4. Other diseases of the stomach M.																											
4. Other diseases of the stomach F.	2												1	1													
5. Obstruction of the bowels M.																											
5. Obstruction of the bowels F.																											
6. Hernia M.																											
6. Hernia F.																											
7. Other diseases of the bowels. M.	1					1	1																				
7. Other diseases of the bowels. F.																											
8. Jaundice M.																											
8. Jaundice F.																											
9. Inflammation and abscess of the liver. M.																											
9. Inflammation and abscess of the liver. F.																											
10. Other diseases of the liver M.																											
10. Other diseases of the liver F.																											
11. Peritonitis M.	1	1					1																				
11. Peritonitis F.	1											1															
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.																											
13. Others of this group F.																											
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	4											1					1	1		1							
Males	4											1					1	1		1							
Females																											
1. Bright's disease M.	3											1					1			1							
1. Bright's disease F.																											
2. Calculus, urinary M.																											
2. Calculus, urinary F.																											
3. Diseases of the kidney M.																											
3. Diseases of the kidney F.																											
4. Diseases of the bladder M.																											
4. Diseases of the bladder F.																											
5. Others of this group M.	1																	1									
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	3									1		2															
1. Ovarian tumors F.																											
2. Ovarian diseases F.	1												1														
3. Uterine tumors F.																											
4. Uterine diseases F.	1									1																	
5. Others of this group F.	1												1														
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	5										2		1	1	1												
1. Abortion F.	2										1		1														
2. Child-birth F.	3										1			1	1												
3. Others of this group F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine M.																											
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DAKOTA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Males																											
Females																											
1. Abscess M.																											
1. Abscess F.																											
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	33	1					1		2		5	6	4	2	4	6	1	1		1							
Males	33	1					1		2		5	6	4	2	4	6	1	1		1							
Females																											
1. Burns and scalds M.																											
1. Burns and scalds F.																											
2. Drowned M.																											
2. Drowned F.																											
3. Exposure and neglect M.	1																			1							
3. Exposure and neglect F.																											
4. Gunshot wounds M.	4								2		1	1															
4. Gunshot wounds F.																											
5. Homicide M.	6											1		1	1	3											
5. Homicide F.																											
6 Infanticide M.																											
6 Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.																											
8. Railroad accidents F.																											
9. Suffocation M.																											
9. Suffocation F.																											
10. Suicide by shooting M.																											
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.																											
12. Suicide by poison F.																											
13. Other suicides M.	1												1														
13. Other suicides F.																											
14. Sunstroke M.																											
14. Sunstroke F.																											
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.																											
16. Wounds F.																											
17. Other accidents and injuries M.	21	1					1				4	4	3	1	3	3	1	1									
17. Other accidents and injuries F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DELAWARE.

[Exclusive of WILMINGTON.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	1302	314	95	53	25	28	515	46	34	50	50	51	43	37	38	32	51	42	63	57	61	65	38	14	8	7	....
Total: Males	661	163	48	20	11	18	260	28	21	19	26	19	16	20	14	17	27	24	37	34	34	33	19	7	3	3	....
Females	641	151	47	33	14	10	255	18	13	31	24	32	27	17	24	15	24	18	26	23	27	32	19	7	5	4	....
Unknown causes.																											
Total	70	37	1	2	....	1	41	1	2	1	....	2	1	....	4	2	2	2	2	4	3	1	....	1	1	....	....
Males	31	18	....	....	....	....	18	1	....	1	....	1	....	....	2	....	2	1	1	2	....	1	....	1	....	....	....
Females	39	19	1	2	....	1	23	....	2	....	....	1	1	....	2	2	....	1	1	2	3	....	....	....	1	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	339	119	39	27	11	18	214	26	11	12	11	8	7	3	5	4	8	2	9	6	4	4	2	....	2	1	....
Males	171	51	21	9	7	10	98	15	6	5	9	1	2	2	1	3	7	....	7	6	3	3	1	....	1	1	....
Females	168	68	18	18	4	8	116	11	5	7	2	7	5	1	4	1	1	2	2	....	1	1	1	....	1	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	4	1	....	2	....	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	5	....	....	3	....	....	3	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	30	8	3	1	3	5	20	7	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Diphtheria F.	26	2	1	3	2	4	12	10	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	10	5	4	....	....	1	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	17	9	3	3	1	1	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	32	....	1	1	1	1	4	3	3	3	6	1	1	1	1	3	2	....	3	1	....	....	....	....	....	....	....
8. Enteric fever F.	17	....	....	....	1	1	2	1	1	4	1	5	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	11	6	2	....	....	1	9	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Diarrhœa F.	8	4	2	....	....	....	6	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
10. Dysentery M.	13	2	4	2	....	..	8	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	1	....
10. Dysentery F.	17	9	2	2	....	....	13	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....
11. Enteritis M.	6	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....
11. Enteritis F.	7	3	....	1	....	....	4	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
12. Cholera morbus F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
13. Cholera infantum M.	32	25	5	2	....	....	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	51	36	9	5	....	1	51	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	19	2	....	1	3	1	7	1	1	1	3	....	....	....	....	....	2	....	2	2	....	....	....	....	....	....	....
14. Malarial fever F.	10	2	1	1	....	1	5	....	....	....	....	....	2	....	1	....	....	1	....	....	....	....	....	....	1	....	....
15. Erysipelas M.	3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
15. Erysipelas F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	7	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	1	1	1	1	....	....	....	....
19. Others of this group F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	9	4	2	....	....	....	6	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	7	2	2	....	....	....	4	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	4	2	1	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	106	47	3	....	....	....	50	....	....	....	....	....	....	....	1	....	....	1	4	1	7	14	15	4	4	5	....
Males	53	28	1	....	....	....	29	....	....	....	....	....	....	....	....	....	....	....	3	....	4	9	3	1	2	2	....
Females	53	19	2	....	....	....	21	....	....	....	....	....	....	....	1	....	....	1	1	1	3	5	12	3	2	3	....
1. Premature birth M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	13	13	....	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	15	6	1	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	15	6	2	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	3	....	2	3	....	....	....	....	....
5. Old age M.	16	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	1	1	....	....	2	....	....	....
5. Old age F.	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	6	3	1	2	2	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	5	12	1	2	3	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DELAWARE—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		272	11	9	2	1	1	24	5	9	19	25	22	14	18	16	16	19	13	21	15	17	13	3	2		1	
Males		121	6	2			1	9	3	4	5	12	9	6	9	4	9	8	7	10	8	11	4	2	1			
Females		151	5	7	2	1		15	2	5	14	13	13	8	9	12	7	11	6	11	7	6	9	1	1		1	
1. Rheumatism	M.	2										1										1						
	F.	4							1					1						1					1			
2. Scrofula and tabes	M.	2		1				1				1																
	F.	5	1					1	1				1		1		1											
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	99	4					4	2	4	5	10	9	6	9	3	7	7	4	7	7	5	2	1	1			
	F.	107	2	3	1			6		4	12	13	12	7	7	10	2	7	4	8	7	5	3					
5. Hydrocephalus	M.	2		1				1	1																			
	F.	2		2				2																				
6. Cancer	M.	10															2		2	1	1	2	2					
	F.	16				1		1								1	3	4	2	2			2	1				
7. Tumor	M.																											
	F.	2									1				1													
8. Anæmia	M.	1																				1						
	F.	1	1					1																				
9. Dropsy	M.	10	1				1	2								1		1	1	2		2		1				
	F.	14	1	2	1			4		1	1					1	1					1	4				1	
10. Glycosuria	M.																											
	F.																											
11. Others of this group	M.	1	1					1																				
	F.																											
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		144	31	13	10	4	1	59	4	3	3	1	4	1	6	3	2	6	3	6	10	10	13	5	4	1		
Males		72	17	7	5		1	30	2	3	2		1	1	4	2		3	2	4	5	4	3	4	2			
Females		72	14	6	5	4		29	2		1	1	3		2	1	2	3	1	2	5	6	10	1	2	1		
1. Inflammation of the brain	M.	17	6	5	3		1	15							1										1			
	F.	16	6	2	4	2		14	1		1																	
2. Meningitis	M.	9	3	2	1			6	1	1	1																	
	F.	10	4	2	1	1		8							1			1										
3. Apoplexy	M.	8											1		1			1	1	1	2		1					
	F.	9							1			1	1				1				2	2	1					
4. Paralysis	M.	17								1								2		3	3	3	1	4				
	F.	20		1				1							1	1	1				3	3	7	1	2			
5. Tetanus and trismus nascentium.	M.	2							1	1																		
	F.	1											1															
6. Epilepsy	M.	3			1			1			1			1														
	F.																											
7. Convulsions	M.	4	4					4																				
	F.	6	3	1		1		5										1										
8. Mental diseases	M.	1														1												
	F.																											
9. Diseases of the brain	M.	9	4					4							2				1				1		1			
	F.	8											1					1	1	2		1	2					
10. Diseases of the spinal cord	M.	1														1												
	F.	1	1					1																				
11. Others of this group	M.	1																				1						
	F.	1																								1		
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		46	7					7				2		1	3	2		4	4	6	7	1	5	2	2			
Males		21	4					4						1	1	2		1	2	3	2		2	2	1			
Females		25	3					3				2			2			3	2	3	5	1	3		1			
1. Angina pectoris	M.	1																		1								
	F.	2																1			1							
2. Aneurism	M.																											
	F.																											
3. Diseases of the heart	M.	19	3					3						1	1	2		1	2	2	2		2	2	1			
	F.	22	2					2				2			2			2	2	3	4	1	3		1			
4. Others of this group	M.	1	1					1																				
	F.	1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		164	34	17	9	7	5	72	7	5	3	2	1	5	4	3	6	4	10	12	6	9	7	8				
Males		86	19	8	4	3	4	38	4	4		1		1	1	1	3	1	6	7	4	6	4	5				
Females		78	15	9	5	4	1	34	3	1	3	1	1	4	3	2	3	3	4	5	2	3	3	3				
1. Croup	M.	15	4	2	4	1	2	13	2																			
	F.	16	6	4	3	2	1	16																				
2. Laryngitis	M.																											
	F.																											
3. Bronchitis	M.	13	4	2				6		1					1					2			1	2				
	F.	6	1	1		1		3								1	1		1									
4. Pneumonia	M.	45	9	4		2	2	17	2	2		1				1	1	1	4	4	4	4	2	2				
	F.	42	3	4	2			9	3	1	3	1		4	2	1	2	3	2	4	1	2	2	2				
5. Pleurisy	M.	4	1					1		1									1					1				
	F.	2											1									1						
6. Asthma	M.	3																				2	1					
	F.	3	1					1											1		1							
7. Others of this group	M.	6	1					1						1			2		1	1								
	F.	9	4			1		5							1					1			1	1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DELAWARE—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		53	15	6	1	1	1	24		1	1	1	3	1	1			3	3	1	6	3	3	2			
Males		39	12	5	1	1	1	20		1	1		2		1			1	3	1	5	1	2	1			
Females		14	3	1				4				1	1	1				2			1	2	1	1			
1. Dentition	M.	8	2	4	1	1		8																			
	F.	1	1					1																			
2. Angina	M.	1	1					1																			
	F.	1												1													
3. Gastritis	M.	5	2					2													2		1				
	F.	1											1														
4. Other diseases of the stomach	M.	2											1									1					
	F.	1																			1						
5. Obstructions of the bowels	M.	1											1														
	F.	1																				1					
6. Hernia	M.	4	2					2													1		1				
	F.																										
7. Other diseases of the bowels	M.	2		1				1													1						
	F.	1	1					1																			
8. Jaundice	M.	1																1									
	F.	1																									
9. Inflammation and abscess of the liver	M.	2																	1		1		1				
	F.	3		1				1				1										1					
10. Other diseases of the liver	M.	6					1	1			1				1				1	1				1			
	F.	3																2						1			
11. Peritonitis	M.																										
	F.																										
12. Ascites	M.	2								1								1									
	F.																										
13. Others of this group	M.	5	5					5																			
	F.	1	1					1																			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		30		1		1		2		1	1		3	2	1		2	3	2	1	1	5	5	1			
Males		23								1	1		2	2	1		2	2	1	1	1	3	5	1			
Females		7		1		1		2					1					1	1			2					
1. Bright's disease	M.	11								1	1		1	1			1	2	1	1	1		1				
	F.	5				1		1										1	1			2					
2. Calculus, urinary	M.	2													1							1					
	F.																										
3. Diseases of the kidney	M.	5											1				1					1	1	1			
	F.	2		1				1					1														
4. Diseases of the bladder	M.	2												1									1				
	F.																										
5. Others of this group	M.	3																				1	2				
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		2											1		1												
1. Ovarian tumors	F.	1														1											
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.																										
5. Others of this group	F.	1												1													
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		15									1	4	4	5		1											
1. Abortion	F.																										
2. Child-birth	F.	14									1	4	4	4		1											
3. Others of this group	F.	1												1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		5	1					1			1		1					1		1							
Males		3	1					1																			
Females		2									1		1					1			1						
1. Diseases of the spine	M.	2	1					1																			
	F.	1																1									
2. Diseases of the bones	M.																				1						
	F.																										
3. Diseases of the hip-joint	M.																										
	F.	1									1																
4. Others of this group	M.	1											1														
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DELAWARE—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		1																			1						
Males		1																			1						
Females																											
1. Abscess	M.																										
	F.																										
2. Carbuncle	M.	1																			1						
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		46	8	4	2		1	15	3	1	8	3	3	5	1	1		1	2			2			1		
Males		33	5	2	1		1	9	3	1	4	3	2	3	1	1		1	2			2			1		
Females		13	3	2	1			6			4		1	2													
1. Burns and scalds	M.	2	1		1			2																			
	F.	7		1	1			2			4			1													
2. Drowned	M.	9							1		2	2	1	1	1				1								
	F.																										
3. Exposure and neglect	M.	1	1					1																			
	F.	2		1				1					1														
4. Gunshot wounds	M.	2										1		1													
	F.																										
5. Homicide	M.																										
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	4					1	1								1		1							1		
	F.																										
9. Suffocation	M.	3	2	1				3																			
	F.	1	1					1																			
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	1																	1								
	F.																										
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.	1	1					1																			
17. Other accidents and injuries	M.	11	1	1				2	2	1	2		1	1								2					
	F.	2	1					1						1													

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DISTRICT OF COLUMBIA.

[Exclusive of WASHINGTON.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	715	156	56	23	8	8	251	16	10	25	37	44	36	47	28	27	38	28	26	23	28	22	16	6	4	3	....
Total: Males	391	93	23	13	5	4	138	8	6	10	20	25	22	28	14	14	25	20	12	12	16	9	7	2	2	1	....
Females	324	63	33	10	3	4	113	8	4	15	17	19	14	19	14	13	13	8	14	11	12	13	9	4	2	2	....
Unknown causes.																											
Total	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	123	40	23	7	1	2	73	4	1	3	4	5	1	5	3	4	3	2	3	2	6	1	1	....	2	....	....
Males	71	27	9	4	....	1	41	2	1	2	4	3	1	2	2	3	1	2	1	1	4	....	....	....	1	....	....
Females	52	13	14	3	1	1	32	2	....	1	....	2	....	3	1	1	2	....	2	1	2	1	1	....	1	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	3	....	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	7	2	3	2	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	6	2	3	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	7	....	....	....	....	....	....	2	1	1	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
8. Enteric fever F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
9. Diarrhœa M.	18	6	4	....	....	....	10	....	....	....	1	1	....	1	1	....	....	1	....	....	3	....	....	....	....	....	....
9. Diarrhœa F.	17	7	3	1	....	1	12	....	....	....	....	1	....	1	....	....	....	....	....	....	2	1	....	....	....	....	....
10. Dysentery M.	8	1	....	....	....	1	2	....	....	....	2	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....	....
10. Dysentery F.	4	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....
11. Enteritis M.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	3	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....
12. Cholera morbus M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	17	16	....	1	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	7	4	3	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
15. Erysipelas M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	2	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	5	....	1	....	....	....	1	....	....	1	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....
19. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	16	11	2	....	....	....	13	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....
Males	8	4	1	....	....	....	5	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	8	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Other poisons F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	8	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	59	28	3	1	1	....	33	....	....	....	....	....	....	....	....	....	....	....	....	3	6	5	6	4	1	1	....
Males	28	16	1	1	1	....	19	....	....	....	....	....	....	....	....	....	....	....	....	2	2	2	3	....	....	....	....
Females	31	12	2	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	1	4	3	3	4	1	1	....
1. Premature birth M.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	19	7	1	1	1	....	10	....	....	....	....	....	....	....	....	....	....	....	....	2	2	2	3	....	....	....	....
4. Debility F.	28	9	2	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	1	4	3	3	4	1	1	....
5. Old age M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DISTRICT OF COLUMBIA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		204	6	11	4	2	3	26	4	5	12	20	31	21	20	9	11	14	8	6	7	7	4	1	1	1	1
Males		95	3	6	....	1	2	12	1	2	2	3	18	10	10	3	2	10	4	3	4	3	....	....	1	1	1
Females		109	3	5	4	1	1	14	3	3	10	12	13	11	10	6	4	4	4	3	3	4	4	1	....	....	....
1. Rheumatism	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	83	3	6	....	1	1	11	1	2	2	8	17	10	10	3	2	7	3	2	4	1	....	....	....	....	....	....
	F.	92	2	3	4	1	1	11	1	3	10	12	12	11	3	3	3	4	2	3	4	2	....	....	....	....	....	....
5. Hydrocephalus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	1	....	....	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	6	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	2	....	1	....	....	....	....	....	1	1	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	1	....	....	....	....	2	1	....	....	....	....	....
7. Tumor	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		128	35	5	3	1	1	45	1	....	3	5	2	6	11	9	7	9	6	5	7	4	3	4	1	....	1	....
Males		80	22	1	2	1	1	27	1	....	1	3	1	5	9	6	3	6	4	3	3	2	2	3	1	....	....	....
Females		48	13	4	1	....	....	18	....	....	1	2	1	1	2	3	4	3	2	2	4	2	1	1	....	....	1	....
1. Inflammation of the brain	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
2. Meningitis	M.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	2	2	....	2	....	....	....	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Paralysis	M.	13	1	....	....	....	....	1	....	....	1	1	1	1	1	....	....	2	....	2	....	1	....	2	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	2	....	1	1	1	1	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	4	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	14	12	1	1	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	7	2	1	....	....	10	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	20	....	....	....	....	....	....	....	....	....	1	....	3	5	4	2	1	1	1	1	....	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	3	1	1	....	....	1	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	10	2	....	1	1	....	4	....	....	....	1	....	....	....	1	....	1	....	....	....	1	1	1	....	....	....	....	....
	F.	9	2	2	....	....	....	4	....	....	....	....	....	....	....	....	2	....	....	1	1	....	....	....	....	....	....	1	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total		25	2	....	....	....	....	2	....	1	....	....	....	3	2	....	2	4	4	2	....	3	3	....	....	....	....	....	....
Males		13	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	2	2	....	....	3	2	....	....	....	....	....	....
Females		12	2	....	....	....	....	2	....	1	....	....	....	1	1	....	....	2	2	2	....	....	1	....	....	....	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	12	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	2	1	....	....	3	2	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	1	2	1	....	....	1	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total		81	21	5	7	2	2	37	4	1	3	3	3	2	....	4	4	3	5	2	1	1	5	3	....	....	....	....
Males		48	13	3	6	1	....	23	2	1	2	2	2	1	....	2	2	3	5	....	....	1	2	....	....	....	....	....
Females		33	8	2	1	1	2	14	2	....	1	1	1	1	....	2	2	....	....	2	1	....	3	3	....	....	....	....
1. Croup	M.	4	1	1	1	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	11	6	1	1	1	....	9	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....
4. Pneumonia	M.	23	6	1	2	....	....	9	1	....	1	2	1	1	....	1	3	2	2	....	....	....	1	....	....	....	....	....	....
	F.	16	1	2	....	....	1	7	2	....	1	....	....	1	....	1	2	....	....	1	1	....	....	....	....	....	....	....	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
7. Others of this group	M.	9	....	....	2	....	....	2	....	1	1	....	1	....	....	1	....	....	2	....	....	1	....	....	....	....	....	....	....
	F.	6	....	....	....	1	1	2	....	....	....	1	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DISTRICT OF COLUMBIA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		33	8	6				14	1			1	1	2		1	4	2	1	2	3	1						
Males		18	5	2				7				1		2		1	2		1	1	2	1						
Females		15	3	4				7	1				1				2	2		1	1							
1. Dentition	M.	3	2	1				3																			
	F.	3		3				3																			
2. Angina	M.	1												1													
	F.																										
3. Gastritis	M.	3	1					1											1		1						
	F.																										
4. Other diseases of the stomach	M.	2																		1	1						
	F.	1																			1						
5. Obstruction of the bowels	M.																										
	F.																										
6. Hernia	M.																										
	F.	1	1					1																			
7. Other diseases of the bowels	M.	1																				1					
	F.																										
8. Jaundice	M.																										
	F.	1															1										
9. Inflammation and abscess of the liver	M.	1														1											
	F.	1																1									
10. Other diseases of the liver	M.	1												1													
	F.																										
11. Peritonitis	M.	3										1					2										
	F.	4							1				1				1			1							
12. Ascites	M.																										
	F.	1		1				1																			
13. Others of this group	M.	3	2	1				3																			
	F.	2	2					2										1									
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		7		1				1					1		1			1		3							
Males		3													1			1		1							
Females		4		1				1					1							2							
1. Bright's disease	M.	2													1					1							
	F.	2																		2							
2. Calculus, urinary	M.																										
	F.																										
3. Diseases of the kidney	M.	1																1									
	F.	1		1				1																			
4. Diseases of the bladder	M.																										
	F.																										
5. Others of this group	M.																										
	F.	1											1														
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		2									1					1											
1. Ovarian tumors	F.																										
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.	2									1					1											
5. Others of this group	F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		4										1			2	1											
1. Abortion	F.	1													1												
2. Child-birth	F.	3										1			1	1											
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine	M.																										
	F.																										
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

DISTRICT OF COLUMBIA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total																												
Males																												
Females																												
1. Abscess	M.																											
	F.																											
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total																												
Males																												
Females																												
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		32	5		1	1		7	2	2	3	3	1	2	4			2	1	3			1	1				
Males		27	3			1		4	2	2	3	2	1	2	3			2	1	3			1	1				
Females		5	2		1			3				1			1													
1. Burns and scalds	M.	2				1		1												1								
	F.	1			1			1																				
2. Drowned	M.	9							1	2	3	1		1				1										
	F.	1										1																
3. Exposure and neglect	M.																											
	F.																											
4. Gunshot wounds	M.	2										1	1															
	F.																											
5. Homicide	M.																											
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injured by machinery	M.																											
	F.																											
8. Railroad accidents	M.	1													1													
	F.																											
9. Suffocation	M.	1	1					1																				
	F.	1	1					1																				
10. Suicide by shooting	M.	1																1										
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	3												1	1								1					
	F.																											
14. Sunstroke	M.																											
	F.																											
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.																											
	F.																											
17. Other accidents and injuries	M.	8	2					2	1						1				1	2				1				
	F.	2	1					1							1													

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

FLORIDA.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3159	622	190	172	128	99	1211	235	125	130	195	174	130	122	104	117	110	79	109	83	66	61	37	15	12	17	27
Total: Males		1619	321	106	88	68	40	623	128	58	59	87	78	71	51	54	60	60	52	69	48	39	35	15	8	6	9	9
Females		1540	301	84	84	60	59	588	107	67	71	108	96	59	71	50	57	50	27	40	35	27	26	22	7	6	8	18
Unknown causes.																												
Total		317	130	17	16	18	11	192	24	7	6	12	7	3	6	3	9	7	4	10	11	2	5	3	....	....	2	4
Males		163	72	10	7	10	4	103	15	3	2	5	2	....	3	2	5	3	2	6	7	....	4	....	....	....	....	1
Females		154	58	7	9	8	7	89	9	4	4	7	5	3	3	1	4	4	2	4	4	2	1	3	....	....	2	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		868	169	70	74	56	42	411	90	36	32	46	32	33	27	25	23	23	18	19	13	14	9	7	2	1	....	7
Males		434	81	48	37	33	19	218	52	17	12	20	14	16	8	12	12	11	10	8	6	9	4	2	1	....	....	2
Females		434	88	22	37	23	23	193	38	19	20	26	18	17	19	13	11	12	8	11	7	5	5	5	1	1	....	5
1. Small-pox	M.																											
	F.																											
2. Measles	M.	9	2	3	1	1	....	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	1	1	....	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	3	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	11	4	3	1	2	....	10	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	2	....	....	3	....	5	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	1
5. Hooping-cough	M.	26	12	5	4	....	....	21	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	24	9	4	6	2	2	23	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	61	15	5	2	5	2	29	11	2	....	3	1	4	....	3	....	1	2	3	....	2	....	....	....	....	....	....
	F.	54	12	2	6	4	0	30	4	1	3	2	3	1	1	....	....	....	....	2	1	1	2	1	....	1	....	1
7. Cerebro-spinal fever	M.	5	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	46	1	2	1	1	2	7	2	1	1	11	2	3	1	3	3	2	3	....	2	2	2	....	1	....	....	....
	F.	55	....	1	1	....	....	2	11	7	6	5	3	0	4	4	4	2	....	1	....	....	1	....	....	....	....	....
9. Diarrhœa	M.	18	1	2	5	2	....	10	4	....	....	1	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....
	F.	16	3	1	1	2	....	7	1	1	....	....	....	....	1	1	....	1	....	1	....	....	1	1	1	....	....	....
10. Dysentery	M.	16	1	2	1	....	....	4	3	1	....	1	1	2	....	....	1	1	1	....	....	1	....	....	....	....	....	....
	F.	12	4	1	3	1	....	9	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
11. Enteritis	M.	39	8	3	6	4	1	22	3	2	2	1	2	....	....	....	....	....	1	2	1	1	1	....	....	....	....	1
	F.	27	7	2	5	....	1	15	....	....	1	....	2	2	1	1	1	....	2	1	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	7	....	....	....	....	1	1	3	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	7	1	....	1	....	....	2	1	....	....	....	....	....	....	....	....	2	1	1	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	29	16	7	4	2	....	29	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	34	24	6	2	1	1	34	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	148	18	14	12	16	13	73	19	7	7	2	3	4	4	6	6	5	3	3	2	3	....	....	....	....	....	1
	F.	153	23	5	9	9	12	58	19	10	7	11	6	4	6	5	3	4	7	4	4	4	....	1	....	....	....	....
15. Erysipelas	M.	10	2	....	....	....	....	2	....	....	2	....	2	....	....	....	....	....	....	....	1	....	1	2	....	....	....	....
	F.	8	1	....	1	....	....	2	....	....	....	1	....	1	....	....	2	1	....	....	....	....	....	1	....	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	18	....	....	....	....	....	....	....	....	....	6	3	3	2	1	....	....	....	....	....	....	....	....	....	....	....	3
18. Venereal diseases	M.	4	....	....	....	....	....	....	....	....	....	1	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	1	....	....	....	....
General diseases—B.																												
Total		54	4	7	7	6	3	27	11	1	1	1	3	....	1	....	....	1	....	3	1	1	....	....	1	....	....	2
Males		28	2	4	1	2	1	13	4	1	1	1	2	....	1	....	....	1	....	1	....	1	....	....	....	....	....	1
Females		26	2	3	3	4	2	14	7	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	1	....	....	1
1. Worms	M.	14	2	2	3	2	1	10	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	1	2	3	4	2	12	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	7	....	....	....	....	....	....	....	....	....	1	2	....	1	....	....	1	....	1	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	7	....	2	1	....	....	3	1	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
	F.	6	....	1	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	1
6. Inanition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		167	88	8	4	....	1	101	1	2	....	3	1	....	2	1	1	2	....	4	5	4	11	9	3	5	12	....
Males		89	48	4	3	....	....	55	....	....	....	3	....	....	....	....	1	1	....	2	3	1	5	5	2	4	7	....
Females		78	40	4	1	....	1	46	1	2	....	....	1	....	2	1	....	1	....	2	2	3	6	4	1	1	5	....
1. Premature birth	M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	33	33	....	....	....	....	33	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	23	....	....	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	27	7	4	3	....	....	14	....	....	....	3	....	....	....	1	1	....	1	2	....	2	2	....	1	....	....	....
	F.	27	7	4	1	....	1	13	1	2	....	....	1	....	2	1	....	1	....	2	2	3	6	4	1	1	5	....
5. Old age	M.	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	1	....	....	....	1	....
	F.	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	3	3	2	3	7	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	5	4	1	1	4	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

FLORIDA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		493	14	15	10	12	7	58	23	20	21	31	04	28	33	32	32	32	20	19	18	19	12	6	2	2	1
Males		264	6	8	6	5	2	27	13	0	12	25	30	18	17	20	15	17	14	14	8	12	10	1	1	1	
Females		229	8	7	4	7	5	31	10	11	9	26	34	10	16	12	17	15	6	5	10	7	2	5	1	1	1
1. Rheumatism	M.	11							1			1	1		1			1	1	2	1	1	1				
	F.	6	1					1	1							1	1					1		1			
2. Scrofula and tabes	M.	6	1	1				2	1	2			1														
	F.	11	4		1	2		7				2	1		1												
3 Leprosy	M.																										
	F.																										
4. Consumption	M.	142		3	2	1		6		1	5	22	23	16	15	17	9	8	8	4	2	6	5				
	F.	115	2	1	1		2	6	3	1	8	18	25	6	9	5	10	4	3	2	7	4	1	2	1		
5. Hydrocephalus	M.	2		1				1			1																
	F.	2		1		1		2																			
6. Cancer	M.	13	1					1					1				2	2	1	2	2	1	1				
	F.	17										1			1	2	3	4	1		2	1				1	1
7. Tumor	M.	4															1	1		1			1				
	F.	1											1														
8. Anæmia	M.	1																	1								
	F.	2								1					1												
9. Dropsy	M.	84	4	3	4	4	2	17	10	6	6	2	4	2	1	3	3	5	8	5	3	4	2	1	1		1
	F.	75	1	5	2	4	3	15	6	9	1	5	7	4	4	4	3	7	2	3	1	1	1	2			
10. Glycosuria	M.	1							1																		
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.	1																		1							
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		344	93	15	24	12	9	153	32	18	18	15	8	7	7	10	13	15	5	8	10	7	4	4	3	1	1	5
Males		187	49	4	9	6	3	71	21	11	6	9	3	5	3	6	7	9	4	7	0	5	1	3	2	1	1	3
Females		157	44	11	15	6	6	82	11	7	12	6	5	2	4	4	6	6	1	1	1	2	3	1	1			2
1. Inflammation of the brain	M.	39	10	1	2	1	1	15	6	5	2	2	1	1	1	2	1			1		1						1
	F.	36	8	3	7	1	1	20	5	2	1	1		1		1	3	2										
2. Meningitis	M.	22	5		2	3		10	5		1	2	1	1			1	1										
	F.	15	1		3	1		5	2	2	1	2	1		1			1										
3. Apoplexy	M.	21									1	4			2	3	1	3	1	1	3	2			1			
	F.	8									2		1		2	1						1						1
4. Paralysis	M.	23	1					1	1	1			1				2	3		3	4	2	1	2	1	1		
	F.	14		1	1			2			1	1				1		2	1		1	1	1	1	1			1
5. Tetanus and trismus nascentium.	M.	19	11					11	1	4							1	1									1	
	F.	16	15					15					1															
6. Epilepsy	M	7			1			1	2					1			1			1								1
	F.	5			1			1			1			1		1	1											
7. Convulsions	M.	36	19	2	3		2	26	5					1				1			2							1
	F.	39	17	3	2	4	4	30	2	1	4	1	1															
8. Mental diseases	M.	1														1												
	F.																											
9. Diseases of the brain	M.	13	3	1	1	2		7	1		1	1							2				1					
	F.	21	3	4	1		1	9	2	1	2	1	1				2	1		1		1						
10. Diseases of the spinal cord	M.	3								1								1	1									
	F.	1								1																		
11. Others of this group	M.	3									1			1						1								
	F.	2													1								1					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		92	2	2				4	5	5	3	6	5	5	4	6	3	7	3	18	4	5	4	2		2		1
Males		43	1	2				3	1	3	1	2	2	3	2	2	2	5	1	11	1	2	2					
Females		40	1					1	4	2	2	4	3	2	2	4	1	2	2	7	3	3	2	2		2		1
1. Angina pectoris	M.																											
	F.																											
2. Aneurism	M.	2																2										
	F.	1											1															
3. Diseases of the heart	M.	41	1	2				3	1	3	1	2	2	2	2	2	2	3	1	11	1	2	2					
	F.	48	1					1	4	2	2	4	2	2	2	4	1	2	2	7	3	3	2	2		2		1
4. Others of this group	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		316	68	23	15	7	12	125	13	14	15	19	13	17	14	10	13	9	12	14	7	4	7	5	1	1		3
Males		166	36	12	9	3	0	66	8	3	7	8	9	8	6	6	3	5	9	8	7	2	5	4		1		1
Females		150	32	11	6	4	6	59	5	11	8	11	4	9	8	4	10	4	3	6		2	2	1	1			2
1. Croup	M.	22	15	2	1	1	2	21										1										
	F.	21	13	1	1	2	1	18	1	1							1											
2. Laryngitis	M.	1															1											
	F.																											
3. Bronchitis	M.	7	2	1	1			4													1			1				1
	F.	5	1					1					1		1				1	1								
4. Pneumonia	M.	111	17	6	5	2	3	33	8	3	6	8	7	8	5	6	1	4	6	4	6	2	2	2				
	F.	98	16	10	3	1	4	34	4	10	7	6	2	8	4	3	7	2	1	5		1	1		1			2
5. Pleurisy	M.	10					1	1					2				1		3	1			1	1				
	F.	8									1	2	1	1	1			1						1				
6. Asthma	M.	4																		2			1		1			
	F.	11			2			2				1			2	1	1	1	1			1	1					
7. Others of this group	M.	11	2	3	2			7			1				1					1			1					
	F.	7	2			1	1	4				2					1											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

FLORIDA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		180	30	21	9	7	7	74	11	9	6	4	8	7	9	5	10	5	8	5	7	7	2			1	2
Males		88	11	10	5	5	2	33	5	3	5	2		4	7	3	6	3	5	4	3	4	1				
Females		92	19	11	4	2	5	41	6	6	1	2	8	3	2	2	4	2	3	1	4	3	1			1	2
1. Dentition	M.	10	3	7				10																			
	F.	10	5	5				10																			
2. Angina	M.	6	1		2	1		4		1								1									
	F.	12	2	2	1	1	1	7	2	2							1										
3. Gastritis	M.	2		1	1			2																			
	F.	7							2	1			1	1	1				1								
4. Other diseases of the stomach	M.	7			1			1	1					1	2		1				1						
	F.	4			1			1	1			1														1	
5. Obstruction of the bowels	M.																										
	F.																										
6. Hernia	M.	5												2	1	1			1								
	F.	1																			1						
7. Other diseases of the bowels	M.	10	4			1	1	6	1	1	1	1															
	F.	15	3		1	1	1	6		1			1	1	1		1	2				1	1				
8. Jaundice	M.	4			1	1		2	1											1							
	F.	4							1				1						1		1						
9. Inflammation and abscess of the liver.	M.																										
	F.	4					1	1					1						1		1						
10. Other diseases of the liver	M.	25			1	1		2	1	1	2	1			4	1	3	2	2	2	1	3					
	F.	14					1	1		2	1	1	1			2	2			1	1	1					1
11. Peritonitis	M.	1															1										
	F.	4					1	1					1	1													1
12. Ascites	M.	4												1						1	1		1				
	F.																										
13. Others of this group	M.	14	3	2	1			6	1		2					1	1		2			1					
	F.	17	9	4	1			14					2									1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		26			1			1	3	2		1	1	2			1		3	4	1	2	1	1	2		1
Males		22			1			1	2	2		1	1	2			1		2	4	1	2	1		1		1
Females		4							1										1					1	1		
1. Bright's disease	M.	4												1					1	1	1						
	F.																										
2. Calculus, urinary	M.	2							1														1				
	F.																										
3. Diseases of the kidney	M.	14			1			1	1	2		1	1	1			1		1	3		1					1
	F.	3							1										1								
4. Diseases of the bladder	M.	1																						1			
	F.																										
5. Others of this group	M.	1																				1					
	F.	1																						1			
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		18										5	2	1	2	1	3	1		1			1				
1. Ovarian tumors	F.	1																									
2. Ovarian diseases	F.											1			1		1			1			1				
3. Uterine tumors	F.																										
4. Uterine diseases	F.	6										1	1		1	1	1										
5. Others of this group	F.	7										3	1	1			1	1					1				
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		74									13	19	14	11	9	7	1										
1. Abortion	F.	1											1														
2. Child-birth	F.	73									13	19	13	11	9	7	1										
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		8		1				1		1		1	1					1		2		1					
Males		7		1				1		1			1					1		2		1					
Females		1										1															
1. Diseases of the spine	M.	7		1				1		1			1					1		2		1					
	F.	1										1															
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

FLORIDA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		15	3	1	1	....	....	5	1	....	....	1	1	1	1	1	....	2	1	....	1	....	....	....	....	....	....	....
Males		7	1	....	1	....	....	2	....	....	....	1	1	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....
Females		8	2	1	....	....	....	3	1	....	....	....	....	1	1	1	....	....	....	....	1	....	....	....	....	....	....	....
1. Abscess	M.	5	....	....	1	....	....	1	....	....	....	1	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	6	2	....	....	....	....	2	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Carbuncle	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		185	21	10	11	10	7	59	21	10	15	11	14	15	7	3	8	5	5	1	4	....	4	....	1	1	....	1
Males		120	14	3	6	4	3	30	7	5	13	10	13	15	4	3	8	2	4	1	2	....	2	....	1	....	....	....
Females		65	7	7	5	6	4	29	14	5	2	1	1	....	3	....	....	3	1	....	2	....	2	....	....	1	....	1
1. Burns and scalds	M.	12	1	....	4	2	2	9	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	1	2	3	5	3	14	10	2	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	1
2. Drowned	M.	14	....	....	1	....	....	1	3	1	1	1	2	1	....	....	2	....	1	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	12	7	2	....	1	....	10	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	8	3	3	1	....	1	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	16	....	....	....	....	....	....	....	1	5	2	1	3	1	1	2	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	....	1	....	....	1	2	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
5. Homicide	M.	9	....	....	....	....	....	....	....	....	....	2	2	3	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	4	3	....	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	5	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	47	3	1	....	1	1	6	2	2	6	4	6	8	3	1	2	2	2	....	1	....	1	....	....	....	....	....
	F.	14	....	2	....	1	....	3	1	1	1	1	....	....	1	....	....	2	1	....	....	....	2	....	....	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2299	583	197	118	53	67	1018	136	86	83	139	115	118	91	64	50	76	37	78	43	52	36	36	15	11	10	5
Total: Males	1197	312	95	70	32	38	547	69	51	32	78	63	50	52	29	26	47	17	42	28	21	17	9	7	7	4	1
Females	1102	271	102	48	21	29	471	67	35	51	61	52	68	39	35	24	29	20	36	15	31	19	27	8	4	6	4
Unknown causes.																											
Total	149	74	8	7	5	2	96	7	4	2	2	3	4	2	4	4	3	3	3	1	5	1	2	....	1	1	1
Males	77	43	2	2	3	....	50	3	2	1	1	1	1	2	3	2	3	1	1	....	2	1	1	....	1	1	....
Females	72	31	6	5	2	2	46	4	2	1	1	2	3	....	1	2	....	2	2	1	3	....	1	....	....	....	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	635	134	92	60	32	34	352	71	33	16	35	20	21	16	10	14	15	2	10	4	6	6	1	2	....	....	1
Males	356	75	46	41	21	20	203	39	19	6	21	12	12	6	5	4	11	....	5	4	3	3	1	2	....	....	....
Females	279	59	46	19	11	14	149	32	14	10	14	8	0	10	5	10	4	2	5	....	3	3	....	....	....	....	1
1. Small-pox M.	2	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	15	2	4	5	1	1	13	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Measles F.	11	4	3	1	....	....	8	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	7	....	2	2	....	1	5	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	4	....	1	1	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	68	7	10	11	6	8	42	16	5	1	1	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
4. Diphtheria F.	54	2	9	5	6	7	29	13	9	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
5. Hooping-cough M.	15	4	4	1	....	1	10	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	16	9	4	1	1	....	15	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	17	5	3	1	2	1	12	1	....	....	....	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Fever F.	23	8	4	3	....	1	16	2	....	....	1	1	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....
7. Cerebro-spinal fever M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	28	1	2	2	1	....	6	2	6	....	7	2	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....
8. Enteric fever F.	23	1	2	....	....	....	3	3	1	5	3	1	1	....	1	3	....	....	2	....	....	....	....	....	....	....	....
9. Diarrhœa M.	24	4	3	1	1	1	10	2	....	....	1	1	2	1	....	1	1	....	1	2	1	....	....	1	....	....	....
9. Diarrhœa F.	15	2	3	....	....	1	6	2	....	....	1	....	....	....	....	2	2	....	....	....	....	2	....	....	....	....	....
10. Dysentery M.	18	5	3	....	2	....	10	1	1	....	....	1	....	1	....	....	1	....	....	1	2	....	....	....	....	....	....
10. Dysentery F.	19	7	4	1	....	....	12	....	1	....	....	1	....	....	....	1	....	3	1	....	....	....	....	....	....	....	1
11. Enteritis M.	22	7	5	2	2	....	16	1	....	1	....	....	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....
11. Enteritis F.	18	5	3	1	....	1	10	2	....	....	1	....	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	3	1	....	1	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	41	26	3	9	1	2	41	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	33	16	9	4	3	1	33	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	81	11	6	5	3	5	30	10	5	4	9	5	3	1	3	2	6	....	....	....	....	2	....	1	....	....	....
14. Malarial fever F.	47	4	4	1	1	3	13	8	1	3	2	2	4	4	2	3	2	....	1	....	2	....	....	....	....	....	....
15. Erysipelas M.	3	1	1	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	5	1	....	....	....	....	1	....	....	....	....	1	....	1	....	....	1	....	1	....	1	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	2	....	....	....	....	....	....	....	....	....	1	2	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	5	....	....	1	....	....	1	....	....	....	3	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	1	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	44	15	7	3	2	3	30	1	2	....	4	....	2	2	1	....	1	....	1	....	....	....	....	....	....	....	....
Males	29	10	4	3	1	2	20	....	....	....	2	....	2	2	1	....	1	....	1	....	....	....	....	....	....	....	....
Females	15	5	3	....	1	1	10	1	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	9	1	2	3	1	2	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	7	....	2	....	1	1	4	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	3	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	7	....	2	....	....	....	2	....	....	....	2	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....
5. Other poisons F.	2	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	10	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	6	5	....	....	....	....	5	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	178	127	7	1	....	1	136	....	....	....	1	....	....	....	....	....	....	....	2	6	10	9	5	3	6	....
Males	79	58	5	1	....	1	65	....	....	....	1	....	....	....	....	....	....	....	2	3	3	1	1	2	1	....
Females	99	69	2	....	....	....	71	....	....	....	....	....	....	....	....	....	....	....	....	3	7	8	4	1	5	....	....
1. Premature birth M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	28	28	....	....	....	....	28	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	37	37	....	....	....	....	37	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	34	34	....	....	....	....	34	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	24	12	5	1	....	1	19	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	15	6	2	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	1	....	....	....
5. Old age M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	4	1	1	....	....	....	....
5. Old age F.	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	1	1	1	1	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	7	3	1	5	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		393	14	10	6	4	6	40	7	11	20	43	42	39	34	25	15	25	10	31	14	14	8	8	2	4	1
Males		194	8	6	2	2	4	22	5	5	8	21	21	13	21	12	11	11	5	16	8	4	5	3	2	1	
Females		199	6	4	4	2	2	18	2	6	12	22	21	26	13	13	4	14	5	15	6	10	3	5		3	1
1. Rheumatism	M.	5										1									2			2			
	F.	7							1	1			2							2		1					
2. Scrofula and tabes	M.	8	1		1	1		3		1		1		1		1							1				
	F.	2	1					1								1											
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	112	1	1				2	2		4	17	17	11	20	10	8	5	3	9	1	2	1				
	F.	121		2			1	3		3	9	20	18	23	9	8	4	7	2	9	2	2		2			
5. Hydrocephalus	M.	5	4	1				5																			
	F.	4	3		1			4							1											1	
6. Cancer	M.	12					1	1				2	1				1	3		2		1	1				
	F.	8									1				1	1		1	1		1	1				1	
7. Tumor	M.																										
	F.	3		1				1										1				1					
8. Anæmia	M.	2																			2						
	F.	1										1															
9. Dropsy	M.	49	2	4	1	1	3	11	3	4	4		3	1	1	1	1	3	2	5	3	1	2	1	2	1	
	F.	49	2	1	3	2	1	9	1	2	2	1	1	2	2	3		5	2	4	2	5	3	3		1	1
10. Glycosuria	M.																										
	F.	1																			1						
11. Others of this group	M.	1														1											
	F.	1												1													
12. Others of this class	M.																										
	F.																										
I.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		237	97	21	6	2	2	128	10	8	6	6	12	7	2	3	5	10	4	8	6	8	3	7	1	1	1
Males		111	49	8	2			59	4	5	2	3	9	4	2		3	4	1	3	4	3	1	2		1	1
Females		126	48	13	4	2	2	69	6	3	4	3	3	3		3	2	6	3	5	2	5	2	5	1		
1. Inflammation of the brain	M.	10	2	1	1			4	1	1	1		1					1					1				
	F.	12	3	2	1	1	1	8	1	1	1			1													
2. Meningitis	M.	9	1	2	1			4		1	1		2		1												
	F.	9	3	1	1		1	6			1								1	1							
3. Apoplexy	M.	7							1				2	2							1					1	
	F.	11							1				2			1	1	2				2		2			
4. Paralysis	M.	14										1					2	2	1	2	2	2		1		1	
	F.	18		1				1						1		1		2	1	3	2	3	1	2	1		
5. Tetanus and trismus nascentium.	M.	17	13					13	1	2				1													
	F.	20	15	1		1		17								1							1	1			
6. Epilepsy	M.	3	1					1					1											1			
	F.																										
7. Convulsions	M.	38	30	5				35	1	1			1														
	F.	37	24	6	2			32		1	1	2						1		1							
8. Mental diseases	M.	1																									
	F.	1											1														
9. Diseases of the brain	M.	12	2					2				2	2	1	1		1			1	1	1					
	F.	16	3	1				4	4	1	1	1		1			1	2		1							
10. Diseases of the spinal cord	M.																										
	F.	1																									1
11. Others of this group	M.																										
	F.	1		1				1																			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		60	3	1		1	1	6	5	2	2	3	3	4	4	5		4	5	4	5	4	2	1			1
Males		25		1		1		2	2	1			3	1	3	3		1	2	2	3	1				1	
Females		35	3				1	4	3	1	2	3		3	1	2		3	3	2	2	3	2	1			
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.	1																				1					
	F.																										
3. Diseases of the heart	M.	24		1		1		2	2	1			3	1	3	5		1	2	2	3					1	
	F.	34	2				1	3	3	1	2	3		3	1	2		3	3	2	2	3	2	1			
4. Others of this group	M.																										
	F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		261	78	14	16	5	10	123	16	6	8	17	10	14	12	7	5	7	5	10	6	4	1	6	2	1	1
Males		146	45	10	8	4	6	73	9	4	3	11	6	8	4	2	1	7	2	7	3	2	1	1	1	1	
Females		115	33	4	8	1	4	50	7	2	5	6	4	6	8	5	4		3	3	3	2		5	1		1
1. Croup	M.	26	17	4	2	1	1	25	1																		
	F.	16	9	1	2	1	2	15	1																		
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.	13	7	1	1	1		10	1				1					1									
	F.	5	1	1				2						1		1			1								
4. Pneumonia	M.	96	18	5	5	2	5	35	5	4	3	10	4	7	3	1	1	6	2	7	3	1	1	1	1	1	
	F.	73	17		5		1	23	4	2	5	6	4	3	5	4	3		2	3	2	2		3	1		1
5. Pleurisy	M.	5							2			1		1	1												
	F.	2	1				1	2	1																		
6. Asthma	M.	3											1			1						1					
	F.	3													1		1							1			
7. Others of this group	M.	3	3					3																			
	F.	15	5	2	1			8	1					2	2						1			1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		121	27	32	8		1	68	5	3	4	2	5	3	3	3	2	4	4	6	2	3	2	2			
Males		58	15	10	4		1	30	2	1	2	2	2	2	2	2	1	3	2	4	2	1					
Females		63	12	22	4			38	3	2	2		3	1	1	1	1	1	2	2		2	2	2			
1. Dentition	M.	19	10	8	1			19																			
	F.	26	6	17	3			26																			
2. Angina	M.	2	1					1	1																		
	F.	3							1		1		1														
3. Gastritis	M.	2											1							1							
	F.	1																				1					
4. Other diseases of the stomach	M.	2			1			1										1									
	F.	2	1					1	1																		
5. Obstruction of the bowels	M.																										
	F.	2												1									1				
6. Hernia	M.	2									1									1							
	F.	1														1											
7. Other diseases of the bowels	M.	1													1												
	F.	1	1					1																			
8. Jaundice	M.	2													1			1									
	F.	3		1				1		1									1								
9. Inflammation and abscess of the liver.	M.	4											1	1		1				1							
	F.	2													1				1								
10. Other diseases of the liver	M.	11	1		1			2	1	1	1	1					1	1			2	1					
	F.	5								1								1		1		1	1				
11. Peritonitis	M.																										
	F.	1											1														
12. Ascites	M.	3												1				2									
	F.	2											1		1												
13. Others of this group	M.	10	3	2	1		1	7				1			1				1								
	F.	14	4	4	1			9	1		1								1				2				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		20		1	1		1	3				1		2	2		1		2	1	2	2	2		1	1	
Males		17					1	1				1		1	2		1		2	1	2	2	2		1	1	
Females		3		1	1			2						1													
1. Bright's disease	M.	2												1	1												
	F.	1												1													
2. Calculus, urinary	M.	3															1				1					1	
	F.	1		1				1																			
3. Diseases of the kidney	M.	6					1	1							1				2		1				1		
	F.																										
4. Diseases of the bladder	M.	3																		1		1	1				
	F.	1			1			1																			
5. Others of this group	M.	3										1										1	1				
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		15									2	2	1	4		2				2	1				1		
1. Ovarian tumors	F.	4																									
2. Ovarian diseases	F.												1	2						1							
3. Uterine tumors	F.	1																									
4. Uterine diseases	F.	4										1		2						1					1		
5. Others of this group	F.	6									2	1			2						1						
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		42									12	8	8	7	5	1	1										
1. Abortion	F.	1									1																
2. Child-birth	F.	40									11	8	8	6	5	1	1										
3. Others of this group	F.	1												1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		5	3					3					1		1												
Males		3	2					2							1												
Females		2	1					1					1														
1. Diseases of the spine	M.	3	2					2							1												
	F.	1	1					1																			
2. Diseases of the bones	M.																										
	F.	1											1														
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	8	1	1	1			3	1			1		1			1	1										
Males	4	1		1			2				1					1											
Females	4		1				1	1					1				1										
1. Abscess M.	2	1		1			2																				
1. Abscess F.	3							1					1				1										
2. Carbuncle M.	1															1											
2. Carbuncle F.																											
3. Others of this group M.	1										1																
3. Others of this group F.	1		1				1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1												1														
Males	1												1														
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.	1												1														
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	130	10	3	9	2	6	30	13	17	11	14	10	9	8	3	2	6	2	2			1		1			1
Males	97	6	3	6		3	18	5	14	10	14	9	5	7	1	2	6	2	2			1					1
Females	33	4		3	2	3	12	8	3	1		1	4	1	2									1			
1. Burns and scalds M.	8	1	2	2		2	7												1								
1. Burns and scalds F.	16			2	2	3	7	5	2	1			1														
2. Drowned M.	16			2			2	4	2	2	3	2							1								
2. Drowned F.	2													1	1												
3. Exposure and neglect M.	2	1	1				2																				
3. Exposure and neglect F.	1	1					1																				
4. Gunshot wounds M.	18					1	1		3	2	5	1	2	1		1	1										1
4. Gunshot wounds F.	1												1														
5. Homicide M.	7			1			1		1		1	1	1	1			1										
5. Homicide F.	3							1					1											1			
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.	10								2	1	3	1		2			1										
8. Railroad accidents F.																											
9. Suffocation M.	3	3					3																				
9. Suffocation F.	2	2					2																				
10. Suicide by shooting M.																											
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.	1												1														
12. Suicide by poison F.																											
13. Other suicides M.	2										1							1									
13. Other suicides F.																											
14. Sunstroke M.	2													1	1												
14. Sunstroke F.	1								1																		
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.	5							1			1	1		2													
16. Wounds F.																											
17. Other accidents and injuries M.	23	1		1			2		6	5		3	1			1	3	1				1					
17. Other accidents and injuries F.	7	1		1			2	2				1	1		1												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		5195	1463	500	259	104	66	2392	169	140	235	308	210	189	162	143	108	132	101	144	168	161	153	119	70	45	25	21
Total: Males		2602	806	282	124	49	39	1300	86	77	95	135	84	77	64	54	50	70	54	79	86	76	74	59	36	20	14	12
Females		2593	657	218	135	55	27	1092	83	63	140	173	126	112	98	89	58	62	47	65	82	85	79	60	34	25	11	9
Unknown causes.																												
Total		334	201	25	11	3	3	243	2	4	4	3	5	5	5	2	3	3	1	7	5	5	8	11	9	2	4	3
Males		169	116	15	3	....	2	136	.....	1	.....	.....	1	1	1	....	2	1	1	3	1	5	4	3	6	1	1	1
Females		165	85	10	8	3	1	107	2	3	4	3	4	4	4	2	1	2	....	4	4	....	4	8	3	1	3	2
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1368	337	241	120	44	23	765	81	54	85	93	48	36	24	18	17	17	12	27	16	19	20	12	10	8	2	4
Males		683	179	130	51	18	12	390	44	25	43	48	23	18	10	5	8	10	6	12	9	10	6	7	2	3	1	3
Females		685	158	111	69	26	11	375	37	29	42	45	25	18	14	13	9	7	6	15	7	9	14	5	8	5	1	1
1. Small-pox	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Measles	M.	17	4	5	1	....	3	13	2	1	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	35	11	7	3	....	1	22	5	1	2	1	.....	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
3. Scarlet fever	M.	2	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Diphtheria	M.	43	15	6	5	4	1	31	6	2	2	....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	40	4	4	4	6	4	22	17	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5. Hooping-cough	M.	55	38	7	4	.....	1	50	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	64	30	18	6	4	3	61	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6. Fever	M.	16	3	3	1	1	....	8	.....	2	.....	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	F.	25	5	2	5	1	....	13	1	1	1	....	2	.....	1	2	.....	1	1	.....	.....	1	.....	.....	.....	1	.....	.....
7. Cerebro-spinal fever	M.	4	1	.....	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	3	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8. Enteric fever	M.	166	3	10	3	4	2	22	15	15	32	31	11	10	6	3	.....	5	4	6	3	.....	.....	3	.....	.....	.....	.....
	F.	138	6	9	6	1	....	22	4	15	27	23	12	6	5	4	6	1	1	5	2	1	1	1	....	1	...	1
9. Diarrhœa	M.	45	17	12	2	2	....	33	3	.....	.....	.....	2	.....	.....	.....	1	.....	.....	1	1	1	2	.....	.....	.....	.....	1
	F.	48	15	11	6	1	....	33	.....	.....	.....	1	.....	.....	1	1	.....	2	1	.....	1	.....	3	2	2	1	.....	.....
10. Dysentery	M.	109	30	32	13	5	3	83	4	.....	.....	1	2	.....	1	.....	1	1	1	1	1	4	2	3	1	2	1	.....
	F.	90	17	21	17	4	....	59	3	.....	1	.....	.....	2	1	.....	1	2	2	3	.....	4	6	1	4	1	.....	.....
11. Enteritis	M.	47	18	6	6	1	....	31	2	1	2	2	1	1	.....	.....	.....	1	.....	1	1	2	1	1	.....	.....	.....	.....
	F.	36	10	6	5	2	....	23	.....	1	.....	2	.....	1	.....	3	.....	.....	.....	2	1	1	1	.....	1	.....	.....	.....
12. Cholera morbus	M.	12	3	3	1	.....	.....	7	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
	F.	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
13. Cholera infantum	M.	86	42	34	8	1	1	86	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	91	47	27	13	4	....	91	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14. Malarial fever	M.	61	....	7	5	.....	.....	12	2	3	7	7	5	6	1	1	6	2	....	2	2	3	1	.....	.....	.....	.....	1
	F.	65	5	4	4	1	1	15	3	5	9	9	3	3	1	1	1	1	1	5	2	2	2	....	1	1	...	....
15. Erysipelas	M.	8	3	1	1	....	....	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	F.	9	5	1	.....	.....	.....	6	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16. Septicæmia	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17. Puerperal septicæmia	F.	22	.....	.....	.....	.....	.....	.....	.....	.....	1	5	6	4	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18. Venereal diseases	M.	9	2	2	.....	.....	.....	4	2	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	6	1	1	.....	.....	1	3	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19. Others of this group	M.	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	F.	5	1	.....	.....	1	.....	2	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General diseases—B.																												
Total		65	17	11	0	4	5	46	4	2	2	....	3	1	1	....	1	....	1	1	1	2	....	.....	.....	.....	.....	.....
Males		34	8	8	5	2	1	24	1	1	...	....	3	....	1	....	1	....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Females		31	9	3	4	2	4	22	3	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
1. Worms	M.	15	....	8	5	2	....	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	18	1	2	4	2	4	13	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Other parasitic diseases	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Alcoholism	M.	4	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4. Lead poison	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5. Other poisons	M.	2	2	.....	.....	.....	.....	2	.....	1	.....	.....	2	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	F.	2	1	1	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
6. Inanition	M.	7	6	.....	.....	.....	.....	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	7	7	.....	.....	.....	.....	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General diseases—C.																												
Total		433	323	1	....	2	1	327	1	...	.....	.....	.....	1	1	1	1	1	1	2	2	6	16	22	22	19	9	1
Males		240	191	.....	.....	2	1	194	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	4	5	8	11	9	7	.....
Females		193	132	1	.....	.....	.....	133	1	.....	.....	.....	.....	1	1	.....	1	1	1	1	2	2	11	14	11	10	2	1
1. Premature birth	M.	30	30	.....	.....	.....	.....	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	20	20	.....	.....	.....	.....	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn	M.	146	146	.....	.....	.....	.....	146	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	100	100	.....	.....	.....	.....	100	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Malformation	M.	6	6	.....	.....	.....	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	5	4	1	.....	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Debility	M.	18	9	.....	.....	2	1	12	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....
	F.	21	8	.....	.....	.....	.....	8	1	.....	.....	.....	.....	1	1	.....	1	1	.....	1	1	.....	1	2	.....	1	2	.....
5. Old age	M.	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	3	7	11	8	7	.....
	F.	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	...	1	2	10	12	10	8	2	1
6. Atrophy	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 2—Continued.

Cause of death.		Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		893	32	20	21	10	7	90	12	26	65	94	86	66	55	62	40	50	33	36	48	36	39	26	12	8	5	4
Males		367	16	9	14	7	5	51	6	20	16	32	34	25	15	22	14	25	12	15	20	13	17	14	7	4	2	2
Females		526	16	11	7	3	2	39	6	6	49	62	52	41	40	40	26	25	21	21	28	23	22	12	5	4	3	1
1. Rheumatism	M.	12								1	2	1						2		1	1	2	1		1			
	F.	11	1					1	1	1			1				1	1	3		1				1			
2. Scrofula and tabes	M.	34	7	3	5	3	2	20	2	4		3				1					1		1		1		1	
	F.	18	4	4		1	2	11	1		1	2	1			1						1						
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	206	2	2	6	1	1	12	2	8	11	27	32	21	14	18	10	16	7	9	6	1	3	5	2	1		1
	F.	312	1	3	1	1		6	2	4	40	53	44	35	29	25	17	13	7	6	10	6	9	2	1	1	1	1
5. Hydrocephalus	M.	6	3	1	1	1		6																				
	F.	9	6	2				8								1												
6. Cancer	M.	15	1					1		1	1			2			1	2			2	1	3	1				
	F.	63	1					1	1		1	1	2	3	7	8	4	5	9	7	7	1	2	3			1	
7. Tumor	M.	3							1												2							
	F.	7				1		1								2				1	2	1						
8. Anæmia	M.																											
	F.	2	1					1															1					
9. Dropsy	M.	80	2	3	2	2	2	11	1	3	2	1	1	2		3	3	5	5	5	5	8	9	8	3	2	1	2
	F.	101	2	1	6			9	1	1	6	6	4	2	4	3	4	6	2	7	8	14	10	7	3	3	1	
10. Glycosuria	M.	7								1					1						3	1				1		
	F.	3		1				1			1			1														
11. Others of this group	M.	4	1					1		2			1															
	F.																											
12. Others of this class	M.	1																		1								
	F.	1				1		1																				
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		433	121	40	24	6	5	196	30	6	10	17	7	10	9	11	9	18	12	17	33	24	25	16	7	4	1	1
Males		261	66	28	16	4	4	118	15	5	5	8	3	3	4	7	5	11	8	11	16	10	15	9	5	2	1	
Females		202	55	12	8	2	1	78	15	1	5	9	4	7	5	4	4	7	4	6	17	14	10	7	2	2		1
1. Inflammation of the brain	M.	56	21	9	7	3		40	5	1		1	1	1		2	1	2	1					1				
	F.	32	13	4	2			19	3		3	1		3		1					1	1						
2. Meningitis	M.	30	8	3	6		2	19	4	1	2			1				1		2								
	F.	19	6		1	1		8	5			2	1			1		1	1									
3. Apoplexy	M.	23		1				1				2	1			1		4	2	3	3	1	2	2	1			
	F.	14										1		1			1	2		2	2	1	1	2	1			
4. Paralysis	M.	53	1					1		1	2	1		1			3	3	5	3	8	7	7	6	4	1		
	F.	51		3				3	2			1		1	1	2	2	2	1	4	9	11	6	4	1	1		
5. Tetanus and trismus nascentium.	M.	3	1					1	1	1																		
	F.	1	1					1																				
6. Epilepsy	M.	11	1					1				2			2	2							3		1			
	F.	12	3					3				2	1	1	3						1			1				
7. Convulsions	M.	42	23	10	1	1	1	36	1	1			1					1		1							1	
	F.	41	24	3	3	1	1	32	3	1	2		1						1									1
8. Mental diseases	M.	1									1					1				1	1							
	F.	1												1														
9. Diseases of the brain	M.	32	10	5	2		1	18	3			2				2				1	2	1	3					
	F.	23	8	2	1			11	1			1			1		1	1			2	1	3			1		
10. Diseases of the spinal cord	M.	3							1								1				1							
	F.	4			1			1	1			1									1							
11. Others of this group	M.	4	1					1							1						1	1						
	F.	4											1				1	1			1							
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		153	8		2	1		11	2	3	2	5	2	5	10	13	9	9	5	18	20	21	7	7	1	1	1	1
Males		82	6		2			8	1	1	1	2	1	3	6	5	8	3	1	12	12	8	4	4	1		1	
Females		71	2			1		3	1	2	1	3	1	2	4	8	1	6	4	6	8	13	3	3		1		1
1. Angina pectoris	M.	3													1						1	1						
	F.	2										1										1						
2. Aneurism	M.																											
	F.																											
3. Diseases of the heart	M.	75	2		2			4	1	1	1	2	1	3	5	5	8	3	1	12	11	7	4	4	1		1	
	F.	67	1			1		2	1	1	1	2	1	2	4	8	1	6	4	6	8	12	3	3		1		1
4. Others of this group	M.	4	4					4																				
	F.	2	1					1		1																		
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		811	302	88	45	25	13	473	24	21	34	34	24	24	13	21	9	18	13	17	17	30	17	11	2	2	3	4
Males		416	155	60	20	12	7	254	14	10	17	14	9	12	7	8	4	11	7	9	7	13	10	5	1		1	3
Females		395	147	28	25	13	6	219	10	11	17	20	15	12	6	13	5	7	6	8	10	17	7	6	1	2	2	1
1. Croup	M.	144	98	24	7	8	1	138	4		2																	
	F.	141	109	9	12	3	1	134	5					1		1												
2. Laryngitis	M.	3		1	2			3																				
	F.	2		1		1		2																				
3. Bronchitis	M.	38	13	11	3	2	1	30		1		1		1					1	2	1						1	
	F.	25	12			1		13			2		1					1	1	1	2	3		1				
4. Pneumonia	M.	179	41	20	6	2	5	74	9	6	14	12	5	8	4	7	3	9	5	6	2	5	5	1	1			3
	F.	191	22	16	12	5	5	60	5	11	13	17	12	9	3	12	4	6	2	3	8	11	5	4	1	2	2	1
5. Pleurisy	M.	25							1	3			3		2		1	1		1	2	4	5	2				
	F.	13		2	1			3				1	1	1					2	2		1	2					
6. Asthma	M.	6		1	1			2						1							1	1		1				
	F.	5	1					1							2				1			1						
7. Others of this group	M.	21	3	3	1			7			1	1	1	2	1	1		1	1		1	3		1				
	F.	18	3			3		6			2	2	1	1	1		1			2		1		1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		303	76	57	18	1	1	153	4	6	8	12	8	10	16	5	5	13	14	10	15	7	6	8	2		1
Males		160	44	23	7	1	1	76	1	3	1	7	3	3	6	3	3	8	11	8	11	4	5	6			1
Females		143	32	34	11			77	3	3	7	5	5	7	10	2	2	5	3	2	4	3	1	2	2		
1. Dentition	M.	31	10	17	4			31																			
	F.	40	7	28	5			40																			
2. Angina	M.	11	5	1				6		1	1								1	1							1
	F.	8	2	1	1			4		1		2					1										
3. Gastritis	M.	7								1		2							1		2			1			
	F.	5							1		1				1					1	1						
4. Other diseases of the stomach	M.	5	1					1				1	1						1		1						
	F.	17	3	1				4	1		5		1	1	2			1				1			1		
5. Obstruction of the bowels	M.	8	2					2					1	1	1	1		1						1			
	F.	2												1				1									
6. Hernia	M.	4																			1	1		2			
	F.																										
7. Other diseases of the bowels	M.	11	6	2				8									1	1		1							
	F.	19	6	2	3			11				1					1	1	1		2		1		1		
8. Jaundice	M.	11	6		1			7								1		1		1	1						
	F.	3	3					3																			
9. Inflammation and abscess of the liver.	M.	11	1	1				2				1					1	2	2		2		1				
	F.	8									1		1	2	1				1		1	1					
10. Other diseases of the liver	M.	22	3		1	1	1	6	1			1		1	1	1		2	3	2	1		3				
	F.	16		1	1			2	1			2	2	1	2	1		1	1	1		1		1			
11. Peritonitis	M.	2										1										1					
	F.	3											1			1								1			
12. Ascites	M.	3	1					1												1		1					
	F.	3								1				1				1									
13. Others of this group	M.	34	9	2	1			12		1		1	1	1	4		1	1	3	2	3	1	1	2			
	F.	19	11	1	1			13		1				1	4												
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		44			1			1	1	1			2	4	1	1	2		2	2	5	10	6	2	3		1
Males		36			1			1	1				1	3	1	1	2		2	2	5	8	3	2	3		1
Females		8								1			1	1								2	3				
1. Bright's disease	M.	9												2			1		1		3				1		1
	F.	5								1			1	1								1	1				
2. Calculus, urinary	M.	11			1			1	1				1	1						1		3	2	1			
	F.	1																				1					
3. Diseases of the kidney	M.	10													1		1			1	1	3	1	1	1		
	F.																										
4. Diseases of the bladder	M.	5														1			1		1	2					
	F.	2																					2				
5. Others of this group	M.	1																							1		
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		19								1			3	5	4	1	5										
1. Ovarian tumors	F.	2											1				1										
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.	3												2			1										
5. Others of this group	F.	14								1			2	3	4	1	3										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		67									11	21	10	9	8	5	3										
1. Abortion	F.	4										3			1												
2. Child-birth	F.	56									9	15	9	9	6	5	3										
3. Others of this group	F.	7									2	3	1		1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		21	7	2	1			10		2	2	2		2	1			1						1			
Males		14	5		1			6		2	2			1	1			1						1			
Females		7	2	2				4				2		1													
1. Diseases of the spine	M.	13	5		1			6		2	2			1				1						1			
	F.	5	2	2				4				1															
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.																										
	F.	1												1													
4. Others of this group	M.	1													1												
	F.	1										1															

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		6	1	1				2			1		1						2								
Males		5	1	1				2			1		1						1								
Females		1																	1								
1. Abscess	M.	3		1				1			1								1								
	F.																										
2. Carbuncle	M.																										
	F.	1																	1								
3. Others of this group	M.	2	1					1					1														
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3	1					1		1														1			
Males		2	1					1		1																	
Females		1																						1			
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1								1																	
	F.	1																						1			
3. Others of this group	M.	1	1					1																			
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		210	37	14	7	7	8	73	8	13	11	27	11	11	14	3	4	3	4	8	8	1	9	2	2	1	1
Males		132	18	8	4	3	6	39	3	8	9	24	5	8	12	2	3	1	3	4	4	1	5			1	
Females		78	19	6	3	4	2	34	5	5	2	3	6	3	2	1	1	2	1	2	2		4	2	2		1
1. Burns and scalds	M.	18	3	6	1	3	2	15	1	1										1							
	F.	21	1	3	2	3	1	10	3	4			1	1						1				1			
2. Drowned	M.	7		1			2	3				2	1		1												
	F.	1					1	1																			
3. Exposure and neglect	M.	4	2		1			3							1												
	F.	14	3	2		1		6			1	2	1		1	1					1				1		
4. Gunshot wounds	M.	21							1	2	7	6	1	3	1												
	F.																										
5. Homicide	M.	11										6			3		1					1					
	F.	1																					1				
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	2								1					1												
	F.																										
8. Railroad accidents	M.	11								1		4		2	1	1	2										
	F.																										
9. Suffocation	M.	14	11	1	1			13							1												
	F.	12	10	1				11	1																		
10. Suicide by shooting	M.	1																		1							
	F.																										
11. Suicide by drowning	M.	1																								1	
	F.	1											1														
12. Suicide by poison	M.																										
	F.	2									1	1															
13. Other suicides	M.	3												1					1		1						
	F.	1															1										
14. Sunstroke	M.	1																1									
	F.	1																1									
15. Surgical operations	M.																										
	F.	1	1					1																			
16. Wounds	M.	4	1					1				1											2				
	F.	1																			1						
17. Other accidents and injuries	M.	34	1		1		2	4	1	3	2	5	3	2	3	1			2	2	3		3				
	F.	22	4		1			5	1	1			3	2	1			1	1	1			3	1	1			1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		14055	3508	1556	825	450	352	6691	835	470	562	711	562	477	469	379	346	395	264	427	323	395	274	223	94	62	85	11
Total:	Males	6983	1904	828	433	249	192	3606	404	235	251	311	225	167	172	166	162	187	128	214	179	201	144	112	45	35	36	3
	Females	7072	1604	728	392	201	160	3085	431	235	311	400	337	310	297	213	184	208	136	213	144	194	130	111	49	27	49	8
Unknown causes.																												
Total		1422	722	145	61	31	23	982	41	31	32	33	26	23	27	27	18	29	15	27	23	30	22	17	7	4	2	3
Males		700	381	73	32	15	10	511	22	17	15	14	7	8	6	9	11	11	6	8	12	14	8	12	4	3	1	1
Females		722	341	72	29	16	13	471	19	14	17	19	19	18	21	18	7	18	9	19	11	16	14	5	3	1	1	2
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		4315	905	704	390	199	160	2358	413	191	208	220	155	116	100	83	58	67	54	67	69	64	34	32	13	7	5	1
Males		2135	478	372	195	111	82	1238	198	89	86	108	68	43	32	38	30	34	26	28	38	36	16	14	6	4	3	....
Females		2180	427	332	195	88	78	1120	215	102	122	112	87	73	68	45	28	33	28	39	31	28	18	18	7	3	2	1
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	216	58	45	28	12	9	152	18	8	9	13	7	1	2	1	1	....	....	1	2	1	....	....	....	....	....	....
	F.	202	45	36	34	11	9	135	11	10	14	9	6	4	5	4	....	2	1	1	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	13	....	1	2	3	2	8	2	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	1	....	1	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	192	22	27	30	21	30	130	52	4	....	1	1	....	....	1	1	....	1	....	....	....	....	....	....	1	....	....
	F.	191	21	29	37	17	17	121	55	9	2	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	232	116	58	30	17	3	224	6	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	268	124	74	39	6	8	251	14	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	93	22	9	5	10	2	48	13	5	4	6	3	5	....	1	....	....	1	1	2	2	2	....	....	....	....	....
	F.	107	28	10	8	1	4	51	13	2	11	6	3	3	4	....	1	2	....	1	4	....	1	4	....	1	....	....
7. Cerebro-spinal fever	M.	13	....	4	....	....	....	4	2	2	1	1	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....
	F.	3	....	2	1	....	....	3	1	1	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	294	8	16	12	7	4	47	23	28	37	53	26	15	4	9	7	8	5	7	10	9	2	4	....	....	....	....
	F.	338	15	16	7	8	9	55	36	27	40	30	25	17	21	10	10	9	8	20	9	7	4	3	1	....	....	....
9. Diarrhœa	M.	124	47	28	12	2	1	90	1	2	....	2	3	2	....	1	....	1	2	1	5	2	5	3	2	1	1	....
	F.	94	23	19	7	6	....	60	....	....	1	1	....	5	1	4	1	1	2	1	2	4	4	5	1	....	1	....
10. Dysentery	M.	166	33	49	21	9	5	117	6	7	2	....	1	5	1	4	3	1	3	1	2	7	1	3	1	1	....	....
	F.	141	37	39	10	6	5	97	5	2	2	2	1	2	2	2	1	3	2	2	2	5	3	3	4	1	....	....
11. Enteritis	M.	145	32	32	12	3	1	80	11	6	8	4	4	2	5	5	3	5	3	2	4	2	....	1	....	....	....	....
	F.	121	22	14	13	4	5	58	5	8	1	7	4	4	4	5	2	5	2	5	7	3	1	....	....	....	....	....
12. Cholera morbus	M.	19	2	1	4	2	....	9	2	1	....	....	1	....	1	2	1	....	....	....	2	....	....	....	....	....	....	....
	F.	10	1	2	1	2	....	6	....	....	....	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	176	94	61	20	1	....	176	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	158	74	65	15	4	....	158	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	413	31	38	18	23	24	134	62	24	24	27	19	11	16	12	12	18	10	11	10	12	4	3	1	1	2	....
	F.	393	23	24	22	22	20	111	69	39	29	18	24	15	13	11	9	11	11	9	6	8	4	2	1	1	1	1
15. Erysipelas	M.	19	9	2	1	....	....	12	....	....	1	....	....	1	1	....	....	....	....	1	1	....	1	....	1	....	....	....
	F.	20	4	2	....	1	....	7	3	....	1	1	3	1	....	....	....	....	1	....	1	....	1	1	....	....	....	....
16. Septicæmia	M.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	104	....	....	....	....	....	....	....	....	13	33	18	14	15	8	3	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	10	3	1	....	....	....	4	....	....	....	....	....	1	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....
	F.	15	5	....	....	....	....	5	1	1	1	2	1	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
19. Others of this group	M.	8	1	....	....	....	1	2	....	....	....	1	....	....	....	1	....	1	....	1	....	1	....	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		211	58	27	31	19	15	150	24	4	1	3	3	5	6	3	6	3	....	....	....	1	2	....	....	....	....	....
Males		131	41	19	15	13	7	95	14	2	1	2	2	3	5	2	2	1	....	....	....	....	2	....	....	....	....	....
Females		80	17	8	16	6	8	55	10	2	....	1	1	2	1	1	4	2	....	....	....	1	....	....	....	....	....	....
1. Worms	M.	59	8	13	13	10	6	50	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	47	5	6	14	5	7	37	9	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	11	....	....	....	....	....	....	....	1	....	....	....	1	4	2	2	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	28	2	6	1	3	1	13	4	1	1	2	2	2	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....
	F.	20	1	2	2	1	1	7	....	1	....	1	....	2	1	1	4	2	....	....	....	1	....	....	....	....	....	....	....
6. Inanition	M.	33	31	....	1	....	....	32	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		849	588	12	3	1	....	584	....	1	....	....	1	....	....	1	3	3	2	7	9	37	36	44	28	31	55	....
Males		427	315	5	3	1	....	324	....	....	....	....	....	....	....	....	1	2	....	2	4	16	17	14	10	15	22	....
Females		415	253	7	....	....	....	260	....	1	....	....	1	....	....	1	2	1	2	5	5	21	19	30	18	16	33	....
1. Premature birth	M.	39	39	....	....	....	....	39	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	41	41	....	....	....	....	41	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	257	257	....	....	....	....	257	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	198	198	....	....	....	....	198	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	6	4	1	....	1	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	44	15	4	3	....	....	22	....	....	....	....	....	....	....	....	1	2	....	2	3	3	6	2	....	2	1	....
	F.	59	13	7	....	....	....	20	....	1	....	....	1	....	....	1	2	1	....	2	4	7	2	5	4	3	6	....
5. Old age	M.	81	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	13	11	12	10	13	21	....
	F.	116	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	1	14	17	25	14	13	27	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1913	50	76	58	38	24	252	63	75	90	192	172	149	156	115	102	105	59	105	72	84	49	36	20	5	0	3
Males		796	30	42	29	23	15	139	33	31	38	65	58	42	49	43	38	47	24	55	37	33	25	20	12	3	3	1
Females		1117	26	34	29	15	9	113	30	44	52	127	114	107	107	72	64	58	35	50	35	51	24	16	8	2	0	2
1. Rheumatism	M.	34	1	....	1	1	1	4	3	....	2	2	1	2	....	3	....	2	1	5	....	2	2	1	2	1	....	1
	F.	30	....	....	....	....	....	....	1	1	1	1	1	1	5	1	1	1	1	5	3	4	....	1	....	....	2	....
2. Scrofula and tabes	M.	46	5	12	1	4	3	25	3	2	2	1	3	....	2	2	3	....	....	1	....	....	2	....	....	....	....	....
	F.	30	7	5	8	....	1	21	3	2	....	7	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	368	10	6	4	5	....	25	4	10	25	49	49	36	38	30	26	25	12	15	10	9	4	....	1	....	....	....
	F.	588	7	7	5	3	3	25	6	28	40	98	93	74	68	41	30	29	11	17	11	11	3	....	1	1	....	1
5 Hydrocephalus	M.	11	4	2	2	....	1	9	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	11	3	5	1	1	....	10	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	46	1	....	....	1	....	2	2	....	....	2	1	1	2	1	3	2	1	10	6	2	5	3	1	....	2	....
	F.	96	1	....	1	....	....	2	....	....	....	1	1	6	7	13	12	12	7	6	10	5	7	2	3	....	1	1
7. Tumor	M.	11	1	....	....	....	....	1	....	1	....	....	....	....	2	3	....	1	1	1	1	....	....	....	....	....	....	....
	F.	20	4	....	....	....	....	4	1	....	2	....	1	2	5	1	1	....	1	....	1	1	....	....	....	....	....	....
8. Anæmia	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....
9. Dropsy	M.	266	7	22	20	12	10	71	21	14	8	11	4	3	5	4	6	16	9	21	18	18	12	14	5	2	1	....
	F.	326	3	17	14	11	5	50	18	12	9	19	18	22	21	15	10	16	15	21	9	28	13	13	4	1	3	....
10. Glycosuria	M.	8	....	....	....	....	....	....	....	3	....	....	....	....	....	....	....	1	....	1	1	2	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....
11. Others of this group	M.	3	1	....	1	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1097	228	89	45	37	36	435	89	51	35	39	35	29	25	26	29	42	42	56	41	40	42	25	9	4	2	1
Males		601	129	40	31	19	24	243	50	26	21	22	21	13	11	13	17	22	22	32	24	20	22	13	5	2	1	1
Females		496	99	49	14	18	12	192	39	25	14	17	14	16	14	13	12	20	20	24	17	20	20	12	4	2	1	....
1. Inflammation of the brain	M.	77	18	11	11	4	4	48	6	5	2	2	5	....	....	2	2	2	2	....	....	1	....	....	....	....	....	....
	F.	61	11	14	1	2	2	30	12	4	1	3	....	3	2	1	1	....	1	1	1	1	....	....	....	....	....	....
2. Meningitis	M.	41	10	4	3	2	6	25	8	2	2	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	30	3	5	2	2	2	14	3	4	1	2	1	....	....	1	1	1	....	1	....	1	....	....	....	....	....	....
3. Apoplexy	M.	52	1	....	....	....	....	1	....	1	....	....	1	3	3	3	2	5	3	14	2	4	5	2	1	....	1	1
	F.	30	....	....	....	1	....	1	....	....	3	....	1	1	....	1	2	3	4	1	4	3	6	....	....	....	....	....
4. Paralysis	M.	116	1	....	....	....	2	3	5	1	5	3	1	3	2	3	5	6	12	13	18	11	13	9	2	1	....	....
	F.	104	2	....	1	....	....	3	....	5	1	1	2	2	5	3	3	6	8	18	10	10	12	10	2	2	1	....
5. Tetanus and trismus nascentium.	M.	14	6	1	....	....	1	8	1	1	....	....	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	22	4	....	1	....	....	5	2	1	2	4	2	....	....	....	1	1	....	1	1	1	1	....	....	....	....	....
	F.	14	2	1	....	....	....	3	1	3	1	....	1	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	109	60	11	7	3	3	90	5	1	5	1	3	....	....	....	....	1	....	....	....	1	....	1	1	....	....	....
	F.	104	52	11	3	6	2	74	8	3	2	5	3	3	2	1	....	....	1	2	....	....	....	....	....	....	....	....
8. Mental diseases	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	145	22	12	9	8	8	59	21	12	5	10	7	6	4	2	1	3	4	3	2	1	3	1	....	1	....	....
	F.	124	23	16	6	6	6	57	13	6	4	3	6	1	3	4	4	7	4	1	1	1	2	2	2	....	....	....
10. Diseases of the spinal cord	M.	13	....	....	....	2	....	2	2	1	....	2	1	....	....	....	3	1	....	....	....	....	....	....	1	....	....	....
	F.	5	3	....	1	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	9	1	1	....	....	....	2	....	1	....	....	....	....	....	....	2	1	1	....	1	1	....	....	....	....	....	....
	F.	16	1	2	....	....	....	3	1	....	....	1	....	4	....	1	....	2	2	....	1	1	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		386	15	7	1	2	1	26	14	16	12	9	17	18	16	18	23	36	23	47	31	31	29	11	5	1	3	....
Males		174	3	5	....	1	1	10	8	7	....	3	8	7	9	6	10	15	12	20	15	19	16	4	2	1	2	....
Females		212	12	2	1	1	....	16	6	9	12	6	9	11	7	12	13	21	11	27	16	12	13	7	3	....	1	....
1. Angina pectoris	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	7	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	4	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	164	3	5	....	1	1	10	8	7	....	3	7	6	9	6	9	15	10	16	15	19	15	4	2	1	2	....
	F.	206	9	2	1	1	....	13	6	9	11	6	8	11	7	12	13	21	10	27	16	12	13	7	3	....	1	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1790	500	208	112	65	52	937	78	53	60	90	59	50	61	43	43	58	32	51	47	49	28	30	7	3	4	1
Males		969	291	110	60	30	31	522	40	30	37	55	24	18	27	23	19	27	20	30	31	26	19	15	2	3	1	....
Females		821	209	98	52	35	21	415	38	23	23	41	35	32	34	20	24	31	12	21	16	23	9	15	5	....	3	1
1. Croup	M.	226	146	37	19	7	11	220	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	168	101	28	17	12	5	163	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
2. Laryngitis	M.	4	....	....	1	1	....	2	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	51	13	7	0	3	5	34	1	....	2	2	....	....	....	1	....	1	....	4	4	1	....	1	....	....	....	....
	F.	42	9	6	4	1	1	21	5	1	....	3	2	....	1	....	....	1	2	1	1	1	2	1	....	....	....	....
4. Pneumonia	M.	613	124	59	31	18	15	247	32	28	31	51	24	16	23	20	15	21	15	19	22	18	14	12	1	3	1	....
	F.	533	92	60	28	21	13	214	27	20	23	30	28	24	32	19	23	23	8	15	12	16	6	9	3	....	1	....
5. Pleurisy	M.	24	2	1	1	....	....	4	1	....	1	....	....	1	1	....	1	2	2	3	2	2	3	1	....	....	....	....
	F.	32	....	2	....	....	1	3	1	....	....	4	....	3	1	1	....	3	2	1	2	4	1	3	1	....	2	....
6. Asthma	M.	15	....	2	....	1	....	3	....	....	1	....	....	....	2	1	....	....	....	3	1	3	1	....	....	....	....	....
	F.	15	1	....	....	....	....	1	....	....	....	3	....	3	....	....	1	2	....	2	1	....	....	1	1	....	....	....
7. Others of this group	M.	36	6	4	2	....	....	12	3	....	1	2	....	1	....	1	2	3	3	1	2	2	1	1	1	....	....	....
	F.	30	6	2	3	1	1	13	2	1	....	1	4	2	....	....	....	2	....	2	....	2	....	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		835	234	227	67	21	9	558	11	9	16	19	18	16	15	22	17	14	19	29	13	24	16	13	3	3	....
Males		436	125	127	33	10	4	299	6	3	9	5	5	3	9	15	9	7	10	16	7	11	8	10	2	2	....
Females		399	109	100	34	11	5	259	5	6	7	14	13	13	6	7	8	7	9	13	6	13	8	3	1	1	....
1. Dentition	M.	170	57	92	18	3	....	170	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	164	63	73	22	6	....	164	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	16	4	4	1	3	1	13	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	....
	F.	17	3	2	2	1	1	9	2	1	....	....	....	3	1	....	....	....	1	....	....	....	....	....	....	....	....
3. Gastritis	M.	9	1	1	....	....	1	3	1	....	....	....	....	....	....	1	....	....	1	....	....	1	1	1	....	....	....
	F.	12	2	1	1	....	1	5	....	....	1	2	....	....	....	1	1	....	....	....	....	2	....	....	....	....	....
4. Other diseases of the stomach	M.	18	4	2	....	....	....	6	....	1	1	....	....	....	1	....	2	1	....	1	1	3	1	....	....	....	....
	F.	28	5	....	3	....	....	8	2	....	1	3	3	1	....	....	3	2	1	1	....	2	1	....	....	....	....
5. Obstruction of the bowels	M.	9	....	1	....	....	....	1	....	....	....	1	1	1	2	....	1	1	....	....	....	....	1	....	....	....	....
	F.	6	....	1	1	....	....	2	....	....	....	....	1	....	2	....	....	....	....	....	1	....	....	....	....	....	....
6. Hernia	M.	13	1	....	1	....	....	2	....	....	1	1	....	1	....	1	....	1	....	....	1	....	2	1	....	2	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	21	4	4	2	1	....	11	1	....	....	....	1	....	....	1	2	....	1	2	....	....	2	....	....	....	....
	F.	15	2	2	2	....	....	6	....	2	1	....	....	1	....	2	2	....	....	1	....	....	....	....	....	....	....
8. Jaundice	M.	22	15	....	....	....	....	15	....	....	2	....	....	....	....	1	....	....	1	1	1	....	1	....	....	....	....
	F.	8	5	....	....	....	2	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
9. Inflammation and abscess of the liver.	M.	17	2	1	....	1	....	4	1	....	....	....	....	....	1	4	....	....	....	3	1	1	2	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	2	....	1	2	1	....	....	....	....
10. Other diseases of the liver	M.	35	3	3	4	....	....	10	2	1	1	1	1	....	3	3	1	1	4	2	1	2	1	....	1	....	....
	F.	31	1	....	....	1	....	2	....	....	1	3	4	3	....	2	....	1	3	3	2	4	3	....	....	....	....
11. Peritonitis	M.	5	....	1	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	1	1	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	7	....	....	....	....	1	1	1	1	....	1	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....
	F.	14	....	....	....	1	....	1	1	2	....	2	3	....	....	....	2	1	....	....	....	1	....	....	1	....	....	....
13. Others of this group	M.	94	34	18	7	2	1	62	....	....	3	1	2	....	2	4	3	2	3	5	2	2	1	2	....	....	....
	F.	87	27	21	3	2	1	54	....	1	2	1	1	3	2	1	....	3	1	8	2	2	4	1	....	1	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		107	1	1	3	....	....	5	2	3	2	5	4	3	6	3	3	5	5	12	8	19	9	5	1	....	3	1
Males		90	....	1	1	....	....	2	1	3	2	5	3	3	4	3	2	4	4	12	8	17	7	7	1	....	2	....
Females		17	1	....	2	....	....	3	1	....	....	....	1	....	2	....	1	1	1	....	....	2	2	1	....	....	1	1
1. Bright's disease	M.	15	....	....	....	....	....	....	....	....	1	3	1	....	....	2	....	....	....	....	2	2	2	1	....	....	1	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	1	....	....	....	....
2. Calculus, urinary	M.	20	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	7	3	3	....	3	1	....	1	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	27	....	1	....	....	....	1	1	1	1	1	2	2	2	1	1	2	3	1	....	6	1	1	....	....	....	....
	F.	11	1	....	2	....	....	3	1	....	....	....	....	....	2	....	....	....	1	....	....	1	1	....	....	....	1	1
4. Diseases of the bladder	M.	13	....	....	....	....	....	....	....	....	....	1	....	1	2	....	....	1	....	2	2	1	2	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	15	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	1	2	1	5	2	1	....	....	—	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		70	....	....	....	1	....	1	....	....	1	5	8	8	6	9	13	4	4	6	1	2	....	1	....	....	....	1
1. Ovarian tumors	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	7	....	....	....	....	....	....	....	....	....	....	1	1	2	2	....	....	....	....	....	1	....	....	....	....	....	....
4. Uterine diseases	F.	12	....	....	....	....	....	....	....	....	....	2	....	2	1	....	4	1	1	1	....	....	....	....	....	....	....	....
5. Others of this group	F.	47	....	....	....	1	....	1	....	....	1	3	7	4	3	5	3	3	3	5	1	1	....	1	....	....	....	1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		183	....	....	....	....	....	....	....	....	45	50	28	18	28	9	4	1	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	12	....	....	....	....	....	....	....	....	4	6	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	152	....	....	....	....	....	....	....	....	34	39	27	15	24	8	4	1	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	19	....	....	....	....	....	....	....	....	7	5	1	2	3	1	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		20	2	....	1	1	....	4	....	3	2	2	1	2	....	....	3	....	1	....	....	....	1	1	....	....	....	....
Males		13	2	....	1	1	....	4	....	2	1	1	....	1	....	....	2	....	1	....	....	....	1	....	....	....	....	....
Females		7	....	....	....	....	....	....	....	1	1	1	1	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....
1. Diseases of the spine	M.	5	1	....	....	1	....	2	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	5	1	....	1	....	....	2	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GEORGIA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		32	8	2	2	....	1	13	....	1	1	2	....	3	....	....	1	6	1	3	....	....	1	....	....	....	....	....
Males		19	5	2	1	....	1	9	....	1	1	1	....	1	....	....	1	2	....	2	....	....	1	....	....	....	....	....
Females		13	3	....	1	....	....	4	....	....	....	1	....	2	....	....	....	4	1	1	....	....	....	....	....	....	....	....
1. Abscess	M.	8	2	....	1	....	1	4	....	1	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	7	2	....	....	....	....	2	....	....	....	1	....	1	....	....	....	2	....	1	....	....	....	....	....	....	....	....
2. Carbuncle	M.	3	1	2	....	....	....	3	....	....	....	1	....	....	....	....	1	1	....	1	....	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3	....	....	1	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males		3	....	....	1	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		826	210	57	50	35	31	383	100	32	57	36	35	33	23	18	23	22	7	17	9	14	5	5	1	4	2	....
Males		488	103	32	31	25	17	208	32	24	40	30	29	24	20	13	20	15	3	9	3	9	2	3	1	2	1	....
Females		338	107	25	19	10	14	175	68	8	17	6	6	9	3	5	3	7	4	8	6	5	3	2	....	2	1	....
1. Burns and scalds	M.	105	9	19	21	20	13	82	11	4	1	1	1	2	....	1	1	....	....	....	....	....	....	....	....	....	1	....
	F.	156	13	14	13	9	14	63	55	5	10	3	2	4	....	....	....	3	1	4	1	....	2	2	....	1	....	....
2. Drowned	M.	29	1	2	....	2	....	5	7	4	5	2	1	....	....	2	1	1	....	1	....	....	....	....	....	....	....	....
	F.	9	2	1	2	....	....	5	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
3. Exposure and neglect	M.	31	19	5	3	....	....	27	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	1	....	....
	F.	28	14	4	1	....	....	19	1	....	....	....	1	1	1	1	1	1	....	....	....	1	1	....	....	....	....	....
4. Gunshot wounds	M.	59	....	....	1	1	1	3	1	5	11	7	10	5	7	2	3	1	1	2	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	4	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	30	....	....	....	....	....	....	....	....	2	4	5	4	3	1	7	3	....	....	....	1	....	....	....	....	....	....
	F.	10	....	....	....	1	....	1	1	1	2	1	....	1	....	....	1	1	....	....	1	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	8	....	....	....	....	....	....	....	....	1	3	....	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	62	49	4	3	....	1	57	....	....	....	....	1	....	....	1	....	3	....	1	....	....	....	....	....	....	....	....
	F.	66	60	1	1	....	....	62	2	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
10. Suicide by shooting	M.	6	....	....	....	....	....	....	....	....	....	2	1	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	4	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	9	....	....	1	....	....	1	....	1	1	1	....	1	....	....	....	2	....	1	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	2	1	....	....	....	....	1	....	1	....	2	....	1	2	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	129	24	2	2	2	2	32	12	9	19	7	7	7	8	4	5	4	1	3	2	4	2	1	1	1	....	....
	F.	52	17	4	1	....	....	22	3	2	3	2	2	....	....	4	1	1	2	4	3	2	....	....	....	1	1	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IDAHO.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		323	48	19	21	5	10	103	23	23	10	14	15	13	20	15	23	25	8	9	7	8	1	1	1	....	....	4
Total: Males		201	25	8	11	1	3	48	14	10	4	11	8	10	15	11	19	22	4	8	5	6	1	1	....	....	....	4
Females		122	23	11	10	4	7	55	9	13	6	3	7	3	5	4	4	3	4	1	2	2	....	....	1	....	....	....
Unknown causes.																												
Total		9	4	1	....	....	1	6	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
Males		4	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
Females		5	3	1	....	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		98	11	9	13	4	8	45	15	16	2	5	2	....	1	3	....	2	2	1	1	....	....	....	....	....	....	3
Males		52	7	4	8	..	2	21	9	7	....	4	1	....	....	2	....	2	1	1	1	....	....	....	....	....	....	3
Females		46	4	5	5	4	6	24	6	9	2	1	1	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	28	1	2	7	....	1	11	9	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3
	F.	27	3	2	1	3	4	13	6	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	4	3	....	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	6	....	....	....	....	....	....	....	1	....	2	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....
	F.	6	....	1	1	....	....	2	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	4	2	....	....	....	....	2	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	4	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
Males		2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		15	7	....	....	....	....	7	....	....	....	....	....	....	1	....	....	....	....	....	1	5	....	....	1	....	....	....
Males		6	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	4	....	....	....	....	....	....
Females		9	5	....	....	....	....	5	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	1	....	....	....
1. Premature birth	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
5. Old age	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IDAHO—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																												
Total		35	3	1	....	....	....	4	2	3	1	2	6	2	1	2	5	4	1	....	2	....	....	....	....	....	....	..
Males		17	2	....	....	....	....	2	1	....	....	....	1	1	1	2	5	3	....	....	1	....	....	....	....	....	....	....
Females		18	1	1	....	....	....	2	1	3	1	2	5	1	....	....	....	1	1	....	1	....	....	....	....	....	....	....
1. Rheumatism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	13	1	....	....	....	....	1	....	....	....	....	1	1	1	2	4	3	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	1	1	5	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Hydrocephalus	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Tumor	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		27	8	1	2	1	....	12	1	....	....	....	....	....	1	1	4	4	....	2	....	1	1	....	....	....	....	....
Males		20	5	1	2	1	....	9	....	....	....	....	....	....	1	1	2	4	....	2	....	....	1	....	....	....	....	....
Females		7	3	....	....	....	....	3	1	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....
1. Inflammation of the brain	M.	5	1	1	2	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	3	....	1	....	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		10	1	....	....	....	....	1	....	....	....	1	....	....	1	....	....	3	1	1	1	1	....	....	....	....	....	....
Males		8	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	3	1	....	1	1	....	....	....	....	....	....
Females		2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	8	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	3	1	....	1	1	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		46	13	3	4	....	1	21	1	1	2	5	2	1	2	2	4	....	2	1	1	1	....	....	....	....	....
Males		30	7	1	1	....	1	10	1	....	2	5	2	1	1	2	3	....	....	1	1	1	....	....	....	....	....
Females		16	6	2	3	....	....	11	....	1	....	....	....	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....
1. Croup	M.	3	1	1	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	23	4	....	1	....	....	5	1	....	2	5	2	....	1	2	3	....	....	1	....	1	....	....	....	....	....	....
	F.	12	4	1	3	....	....	8	....	1	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IDAHO—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	17		3	1			4		1	1			2	2	2	1	3		1								
Males	10		2				2		1				1	1	2	1	1		1								
Females	7		1	1			2			1			1	1			2										
1. Dentition M.	1		1				1																				
1. Dentition F.	1		1				1																				
2. Angina M.																											
2. Angina F.																											
3. Gastritis M.	1														1												
3. Gastritis F.																											
4. Other diseases of the stomach M.																											
4. Other diseases of the stomach F.	2			1			1						1														
5. Obstruction of the bowels M.																											
5. Obstruction of the bowels F.																											
6. Hernia M.																											
6. Hernia F.																											
7. Other diseases of the bowels M.																											
7. Other diseases of the bowels F.																											
8. Jaundice M.																											
8. Jaundice F.																											
9. Inflammation and abscess of the liver. M.	1														1												
9. Inflammation and abscess of the liver. F.	1																1										
10. Other diseases of the liver... M.	5								1				1	1		1	1										
10. Other diseases of the liver... F.	1													1													
11. Peritonitis M.	1		1				1																				
11. Peritonitis F.	2									1							1										
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.	1																		1								
13. Others of this group F.																											
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	7													1		3	1		1				1				
Males	6													1		2	1		1				1				
Females	1															1											
1. Bright's disease M.	5													1		2			1				1				
1. Bright's disease F.	1															1											
2. Calculus, urinary M.																											
2. Calculus, urinary F.																											
3. Diseases of the kidney M.																											
3. Diseases of the kidney F.																											
4. Diseases of the bladder M.	1																1										
4. Diseases of the bladder F.																											
5. Others of this group M.																											
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	1														1												
1. Ovarian tumors F.																											
2. Ovarian diseases F.																											
3. Uterine tumors F.																											
4. Uterine diseases F.																											
5. Others of this group F.	1														1												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	4												1	1	2												
1. Abortion F.																											
2. Child-birth F.	4												1	1	2												
3. Others of this group F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	1																1										
Males	1																1										
Females																											
1. Diseases of the spine M.	1																1										
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IDAHO—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Males																											
Females																											
1. Abscess { M.																											
1. Abscess { F.																											
2. Carbuncle { M.																											
2. Carbuncle { F.																											
3. Others of this group { M.																											
3. Others of this group { F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease { M.																											
1. Addison's disease { F.																											
2. Diseases of the spleen { M.																											
2. Diseases of the spleen { F.																											
3. Others of this group { M.																											
3. Others of this group { F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	51	1	1	1			3	4	1	4	1	5	7	9	1	6	4	2	2	1							1
Males	45	1					1	3	1	2	1	4	7	9	1	6	4	2	2	1							1
Females	6		1	1			2	1		2		1															
1. Burns and scalds { M.	1																		1								
1. Burns and scalds { F.	1			1			1																				
2. Drowned { M.	10							3		1		1	2	3													
2. Drowned { F.	2		1				1	1																			
3. Exposure and neglect { M.																											
3. Exposure and neglect { F.																											
4. Gunshot wounds { M.	3												2			1											
4. Gunshot wounds { F.																											
5. Homicide { M.	4												1			2	1										
5. Homicide { F.																											
6. Infanticide { M.																											
6. Infanticide { F.																											
7. Injuries by machinery { M.																											
7. Injuries by machinery { F.																											
8. Railroad accidents { M.																											
8. Railroad accidents { F.																											
9. Suffocation { M.	1	1					1																				
9. Suffocation { F.																											
10. Suicide by shooting { M.	1																										1
10. Suicide by shooting { F.																											
11. Suicide by drowning { M.																											
11. Suicide by drowning { F.																											
12. Suicide by poison { M.																											
12. Suicide by poison { F.																											
13. Other suicides { M.	2												1						1								
13. Other suicides { F.																											
14. Sunstroke { M.	1											1															
14. Sunstroke { F.																											
15. Surgical operations { M.	1															1											
15. Surgical operations { F.	1											1															
16. Wounds { M.	3													1		1	1										
16. Wounds { F.																											
17. Other accidents and injuries { M.	18								1	1	1	2	1	5	1	1	2	2		1							
17. Other accidents and injuries { F.	2									2																	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 1.

[Exclusive of CHICAGO.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		983	209	64	30	28	28	359	72	38	31	54	37	41	48	27	35	33	33	34	33	40	28	23	13	2	1	1
Total: Males		539	111	33	17	18	12	191	43	17	17	27	20	19	24	12	23	18	21	28	20	27	16	11	5			
Females		444	98	31	13	10	16	168	29	21	14	27	17	22	24	15	12	15	12	6	13	13	12	12	8	2	1	1
Unknown causes.																												
Total		26	10	3	2	....	....	15	....	1	1	....	....	....	1	1	1	1	....	2	2	1	....	....	....	....	....	....
Males		13	6	2	....	....	....	8	....	....	....	....	....	....	1	1	1	....	....	....	1	1	....	....	....	....	....	....
Females		13	4	1	2	....	....	7	....	1	1	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		328	87	33	16	15	19	170	53	27	5	16	9	7	8	5	5	5	3	3	....	7	3	1	1	....	....	....
Males		170	44	17	11	7	11	90	27	10	4	9	3	4	2	1	2	4	3	2	....	6	1	1	1	....	....	....
Females		158	43	16	5	8	8	80	26	17	1	7	6	3	6	4	3	1	....	1	....	1	2	....	....	....	....	....
1. Small-pox	M.	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	5	1	2	..	....	....	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	....	3	..	1	....	4	1	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	12	....	....	3	2	4	9	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	....	2	..	2	3	7	4	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	52	5	6	6	3	7	27	18	4	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	48	2	2	3	4	4	15	18	13	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	3	1	..	....	....	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	1	....	....	..	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	19	....	....	....	1	....	1	1	3	1	6	1	2	1	....	....	2	....	....	....	....	1	....	....	....	....	....
	F.	7	....	....	....	....	1	1	1	....	1	....	2	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	13	6	2	1	....	....	9	....	....	....	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....
	F.	13	2	2	1	....	....	5	1	....	....	....	1	1	2	1	1	....	....	....	....	....	1	....	....	....	....	....
10. Dysentery	M.	9	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	1	1	2	....	1	....	....	1	....	....	....
	F.	7	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	13	3	1	....	1	....	5	3	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	2	1	....	....	....	3	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
12. Cholera morbus	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	27	22	5	....	....	....	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	31	26	5	....	....	....	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	6	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	4	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	9	....	....	....	....	....	....	....	....	....	4	1	1	....	3	....	....	....	1	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	4	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
General diseases—B.																												
Total		19	12	1	....	....	....	13	....	....	....	....	....	....	....	....	....	2	1	1	1	1	....	....	....	....	....	....
Males		11	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	2	1	....	1	1	....	....	....	....	....	....
Females		8	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Inanition	M.	5	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		61	21	2	....	2	....	25	1	....	....	....	....	1	....	....	1	1	1	....	2	5	8	8	5	2	1	....
Males		32	13	1	....	2	....	16	1	....	....	....	....	....	....	....	1	1	1	....	1	1	5	5	....	....	....	....
Females		29	8	1	....	....	....	9	....	....	....	....	....	1	....	....	....	....	....	....	1	4	3	3	5	2	1	....
1. Premature birth	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	12	5	1	....	1	....	7	1	....	....	....	....	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....
	F.	9	2	1	..	....	....	3	....	....	....	....	....	1	....	....	....	....	....	....	....	1	2	....	1	....	1	....
5. Old age	M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	5	5	....	....	....	....
	F.	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	1	3	4	2	....	....
6. Atrophy	M.	1	..	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		141	8	4	....	1	....	13	1	2	8	17	13	15	17	5	10	9	7	6	8	3	4	1	1	....	....	1
Males		72	4	....	....	1	....	5	1	1	2	7	7	3	11	3	6	5	3	6	5	3	3	....	1	....	....	
Females		69	4	4	....	....	....	8	.....	1	6	10	6	12	6	2	4	4	4	....	3	....	1	1	....	....	....	1
1. Rheumatism	M.	3	....	....	....	....	....	.....	.....	.....	.....	.....	.....	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	5	....	....	....	....	....	.....	.....	.....	1	....	1	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....
2. Scrofula and tabes	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	1	....	....	....	....	....	.....	.....	.....	.....	.....	.....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption	M.	47	....	....	....	....	....	.....	1	1	2	6	4	2	10	3	3	4	2	3	4	1	1	....	....	....	....	....
	F.	43	2	1	....	....	....	3	.....	1	5	10	4	11	2	1	3	....	1	....	1	....	....	....	....	....	....	1
5. Hydrocephalus	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	2	....	....	....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6. Cancer	M.	9	....	....	....	....	....	.....	.....	.....	.....	1	....	....	....	....	1	1	1	3	1	1	....	....	....	....	....	....
	F.	9	1	....	....	....	....	1	.....	.....	.....	.....	.....	.....	2	1	1	1	1	....	1	....	1	....	....	....	....	....
7. Tumor	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	2	....	....	....	....	....	.....	.....	.....	.....	.....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9. Dropsy	M.	6	....	....	....	1	....	1	.....	.....	.....	.....	1	....	....	....	1	....	....	....	....	1	2	....	....	....	....	....
	F.	5	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	1	....	....	2	2	....	....	....	....	....	....	....	....	....
10. Glycosuria	M.	3	....	....	....	....	....	.....	.....	.....	.....	.....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11. Others of this group	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12. Others of this class	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
II—DISEASES OF THE NERVOUS SYSTEM.																											
Total		130	39	9	3	3	2	56	3	1	5	6	6	5	5	3	7	3	5	5	5	6	4	4	1	....	....	....
Males		69	17	5	...	3	1	26	3	1	1	2	5	4	2	1	5	1	4	5	3	3	2	....	1	....	....	....
Females		61	22	4	3	....	1	30	.....	....	4	4	1	1	3	2	2	2	1	....	2	3	2	4	....	....	....	....
1. Inflammation of the brain	M.	4	1	1	....	....	....	2	.....	.....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	.....	.....	.....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	7	1	....	....	2	1	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	10	4	2	1	....	....	7	.....	.....	.....	.....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	8	....	....	....	....	....	.....	.....	.....	.....	.....	1	....	....	....	2	....	1	1	1	1	....	1	....	....	....	....
	F.	7	....	....	....	....	....	.....	.....	.....	.....	.....	.....	....	1	....	....	....	....	....	1	2	2	1	....	....	....	....
4. Paralysis	M.	9	....	....	....	....	....	.....	.....	.....	.....	1	1	1	....	....	1	....	2	....	1	2	....	....	....	....	....	....
	F.	4	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	....	1	....	2	....	....	....	....
5. Tetanus and trismus nascentium.	M.	1	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	....	....	....	....
	F.	1	1	....	....	....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6. Epilepsy	M.	3	....	....	....	....	....	.....	.....	.....	.....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	.....	.....	.....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	18	13	3	....	1	....	17	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	19	13	2	2	....	1	18	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8. Mental diseases	M.	6	....	....	....	....	....	.....	.....	.....	.....	.....	1	....	1	1	1	....	....	2	....	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	.....	.....	.....	.....	2	....	1	1	....	2	1	....	....	1	....	....	1	....	....	....	....
9. Diseases of the brain	M.	12	2	1	....	....	....	3	1	....	....	....	....	2	1	....	1	1	1	1	1	....	....	....	....	....	....	....
	F.	4	2	....	....	....	....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	1	1	....	....	....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11. Others of this group	M.	1	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	F.	1	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		35	1	....	....	1	....	2	1	....	....	3	....	2	4	3	2	1	4	4	3	4	1	1	....	....	....	....
Males		19	1	....	....	1	....	2	1	....	....	....	....	2	2	2	1	1	1	4	....	2	1	....	....	....	....	....
Females		16	....	....	....	....	....	.....	.....	.....	.....	3	....	....	2	1	1	....	3	....	3	2	....	1	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	2	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Diseases of the heart	M.	19	1	....	....	1	....	2	1	....	....	....	....	2	2	2	1	1	1	4	....	2	1	....	....	....	....	....
	F.	14	....	....	....	....	....	.....	.....	.....	.....	3	....	....	2	1	1	....	3	....	2	1	....	1	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		129	23	10	0	5	6	50	8	3	3	1	5	1	6	1	5	4	3	8	8	8	7	5	3	....	....	....
Males		79	15	7	3	4	....	29	6	2	3	1	3	....	3	....	4	....	2	7	7	5	3	3	1	....	....	....
Females		50	8	3	3	1	6	21	2	1	....	....	2	1	3	1	1	4	1	1	1	3	4	2	2	....	....	....
1. Croup	M.	17	7	2	2	3	....	14	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	1	1	2	1	4	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
2. Laryngitis	M.	2	....	1	....	....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	F.	3	....	....	....	....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
3. Bronchitis	M.	8	3	1	....	....	....	4	.....	.....	.....	.....	1	....	....	....	....	....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
	F.	7	2	....	....	....	....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
4. Pneumonia	M.	33	3	2	....	1	....	6	2	2	2	....	2	....	3	....	1	....	1	2	6	1	2	2	1	....	....	....
	F.	23	3	2	1	....	1	7	1	1	.....	....	2	....	2	....	1	2	1	....	1	....	3	1	1	....	....	....
5. Pleurisy	M.	2	....	....	....	....	....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	F.	1	1	....	....	....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6. Asthma	M.	5	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
	F.	1	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7. Others of this group	M.	12	2	1	1	....	....	4	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	2	1	1	.....	.....	.....	.....
	F.	5	1	....	....	....	....	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	22	3			1		4	1	1		4	1	1	1	2		1	2	2	1	1						
Males	12	3					3	1			4	1						1	1		1						
Females	10				1		1		1				1	1	2		1	1	1	1							
1. Dentition M.	1	1					1																				
1. Dentition F.																											
2. Angina M.																											
2. Angina F.																											
3. Gastritis M.																											
3. Gastritis F.	2													1	1												
4. Other diseases of the stomach. M.	2																		1		1						
4. Other diseases of the stomach. F.	2																1		1								
5. Obstruction of the bowels M.																											
5. Obstruction of the bowels F.																											
6. Hernia M.																											
6. Hernia F.																											
7. Other diseases of the bowels M.	4	2					2	1			1																
7. Other diseases of the bowels F.	1														1												
8. Jaundice M.																											
8. Jaundice F.																											
9. Inflammation and abscess of the liver. M.																											
9. Inflammation and abscess of the liver. F.																											
10. Other diseases of the liver M.	1										1																
10. Other diseases of the liver F.	1																	1									
11. Peritonitis M.	2										1	1															
11. Peritonitis F.	3								1				1							1							
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.	2										1							1									
13. Others of this group F.	1				1		1																				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	12			1			1	1					1		1			1	1	1	2	1	2				
Males	10			1			1	1					1					1	1	1	2	1	2				
Females	2														1			1									
1. Bright's disease M.	3												1							1	1						
1. Bright's disease F.	1														1												
2. Calculus, urinary M.																											
2. Calculus, urinary F.																											
3. Diseases of the kidney M.	2							1													1						
3. Diseases of the kidney F.	1																	1									
4. Diseases of the bladder M.	3																		1			1	1				
4. Diseases of the bladder F.																											
5. Others of this group M.	2			1			1																1				
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	3												1	1			1										
1. Ovarian tumors F.																											
2. Ovarian diseases F.																											
3. Uterine tumors F.	1																										
4. Uterine diseases F.	1													1			1										
5. Others of this group F.	1												1														
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	7									2	1	1	2	1													
1. Abortion F.																											
2. Child-birth F.	4											1	2	1													
3. Others of this group F.	3									2	1																
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	1								1																		
Males	1								1																		
Females																											
1. Diseases of the spine M.	1								1																		
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4										1		1				2									
Males		3												1				2									
Females		1										1															
1. Abscess	M.	3												1				2									
	F.	1										1															
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1							1																		
Males		1							1																		
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.	1							1																		
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		64	5	2	2	...	1	10	2	2	7	5	2	4	4	6	4	3	6	2	2	2	....	1	2	....	....
Males		47	3	....	2	....	....	5	1	2	7	4	1	4	3	4	3	2	5	2	1	2	....	....	1	....	....
Females		17	2	2	....	....	1	5	1	....	....	1	1	....	1	2	1	1	1	....	1	....	....	1	1	....	....
1. Burns and scalds	M.	2			2			2																			
	F.																										
2. Drowned	M.	9								2	1	1			1	2	1	1									
	F.	2							1			1															
3. Exposure and neglect	M.	2							1									1									
	F.	1											1														
4. Gunshot wounds	M.	3										1			1		1										
	F.																										
5. Homicide	M.	1																				1					
	F.																										
6. Infanticide	M																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	15									6	2		1		1			3	1		1					
	F.																										
9. Suffocation	M.	4	3					3								1											
	F.	2	1	1				2																			
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	2												2													
	F.	5														2			1		1			1			
14. Sunstroke	M.																										
	F.	1															1										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	9											1	1	1		1		2	1	1				1		
	F.	6	1	1			1	3							1			1							1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		8633	1958	706	377	207	164	3412	406	254	419	549	398	349	345	310	296	307	270	294	319	251	187	114	58	29	12	54
Total: Males		4616	1070	360	219	113	91	1853	220	134	213	271	184	154	142	148	157	193	167	166	197	137	124	69	19	14	6	48
Females		4017	888	346	158	94	73	1559	186	120	206	278	214	195	203	162	139	114	103	128	122	114	63	45	39	15	6	6
Unknown causes.																												
Total		278	152	15	8	3	2	180	11	4	6	8	7	5	7	5	10	5	3	3	10	5	2	5	2	....	....	....
Males		155	82	9	4	3	2	100	6	2	5	3	2	1	5	3	6	2	2	2	7	3	2	3	1	....	....	....
Females		123	70	6	4	....	....	80	5	2	1	5	5	4	2	2	4	3	1	1	3	2	....	2	1	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2527	609	378	193	98	91	1369	190	95	137	152	101	68	56	31	44	40	44	50	42	35	24	14	8	2	1	24
Males		1290	329	185	110	45	59	728	94	45	62	74	52	25	16	15	20	23	27	21	23	19	15	6	2	1	1	21
Females		1237	280	193	83	53	32	641	96	50	75	78	49	43	40	16	24	17	17	29	19	16	9	8	6	1	....	3
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	37	15	1	5	3	4	28	2	....	2	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	33	7	5	8	....	4	24	1	....	3	....	3	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	31	3	8	8	3	3	25	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	41	9	5	7	2	1	24	13	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	184	19	18	36	19	24	116	46	10	5	2	3	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	134	10	23	13	16	14	76	36	11	4	3	1	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....
5. Hooping-cough	M.	48	27	14	4	....	2	47	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	58	30	14	4	7	1	56	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	15	6	4	1	....	....	11	....	....	1	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	14	2	4	2	....	....	8	1	1	....	1	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	36	9	7	2	2	1	21	2	3	3	1	1	1	2	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	31	4	11	2	1	2	20	1	4	1	....	1	....	1	1	....	1	....	....	1	....	....	....	....	....	....	....
8. Enteric fever	M.	205	6	7	6	3	7	29	14	9	32	32	30	10	4	4	4	7	7	7	3	1	6	....	....	....	....	6
	F.	177	5	3	6	4	1	19	21	15	33	20	10	5	10	7	6	5	9	5	4	5	2	....	1	....	....	....
9. Diarrhœa	M.	96	36	22	5	1	....	64	....	1	2	1	....	2	1	1	1	3	3	1	4	1	2	2	....	1	1	5
	F.	76	26	32	4	3	....	65	....	....	1	....	....	1	....	1	1	....	....	....	2	....	1	2	1	....	....	1
10. Dysentery	M.	91	22	18	13	4	4	61	1	2	2	1	2	1	1	2	....	2	2	2	2	4	1	1	1	....	....	4
	F.	63	17	11	10	4	1	43	1	....	5	....	1	2	....	....	....	....	....	2	1	1	2	4	1	....	....	....
11. Enteritis	M.	93	29	12	5	....	3	49	4	7	2	6	....	1	2	2	2	2	1	2	4	6	2	1	....	....	....	....
	F.	102	27	14	8	1	3	53	4	5	....	6	3	5	6	....	1	5	1	7	1	1	....	1	3	....	....	....
12. Cholera morbus	M.	24	3	2	....	....	....	5	1	2	1	....	....	....	1	1	....	2	1	1	3	....	2	1	....	....	....	3
	F.	24	4	1	....	2	....	7	....	2	1	1	....	1	....	....	2	....	....	4	4	1	1	....	....	....	....	....
13. Cholera infantum	M.	174	107	53	9	2	1	172	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	175	106	56	11	2	....	175	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	185	34	15	11	6	9	75	18	8	9	22	7	7	3	1	6	3	7	3	3	8	2	1	1	....	....	1
	F.	166	17	11	7	7	4	46	16	8	15	17	5	12	6	3	6	5	4	6	4	6	3	1	....	1	....	2
15. Erysipelas	M.	49	11	1	3	2	1	18	....	....	1	4	7	....	....	2	6	3	5	2	1	....	....	....	....	....	....	....
	F.	37	13	2	....	2	1	18	1	....	4	1	2	1	1	....	2	....	2	4	....	1	....	....	....	....	....	....
16. Septicæmia	M.	8	....	....	....	....	....	....	2	....	1	1	....	....	2	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	12	1	....	....	....	....	1	....	....	2	2	3	2	....	1	....	1	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	75	....	....	....	....	....	....	....	....	3	24	20	12	14	1	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	4	....	2	....	....	....	2	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	1	....	....	....	2	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	10	2	1	2	....	....	5	....	1	1	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	12	1	....	....	2	....	3	....	....	1	2	....	1	....	....	2	....	1	1	1	....	....	....	....	....	....	....
General diseases—B.																												
Total		82	34	5	5	1	2	47	8	....	2	4	3	2	1	1	1	2	2	4	1	2	....	....	....	....	....	2
Males		47	18	2	3	1	1	25	5	....	1	2	2	1	....	1	1	2	1	2	....	2	....	....	....	....	....	2
Females		35	16	3	2	....	1	22	3	....	1	2	1	1	1	....	....	....	1	2	1	....	....	....	....	....	....	....
1. Worms	M.	8	....	1	3	1	....	5	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	2	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	1	1	2	....	1	....	....	....	....	....	2
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	7	2	1	....	....	1	4	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	1	1	1	....	1	4	2	....	1	2	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Inanition	M.	20	16	....	....	....	....	16	....	....	....	....	2	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	18	14	....	1	....	....	15	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
General diseases—C.																												
Total		578	412	5	4	....	....	421	....	....	....	....	1	1	1	1	1	1	2	4	9	27	35	31	19	14	8	2
Males		307	229	2	1	....	....	232	....	....	....	....	1	1	....	....	....	....	2	3	4	8	19	20	6	5	4	2
Females		271	183	3	3	....	....	189	....	....	....	....	....	....	1	1	1	1	....	1	5	19	16	11	13	9	4	....
1. Premature birth	M.	47	47	....	....	....	....	47	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	35	....	....	....	....	35	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	126	126	....	....	....	....	126	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	97	97	....	....	....	....	97	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	78	48	2	1	....	....	51	....	....	....	....	1	1	....	....	....	....	2	2	....	6	5	6	1	1	2	....
	F.	67	45	3	3	....	....	51	....	....	....	....	....	....	1	1	1	1	....	....	2	3	3	1	2	1	....	....
5. Old age	M.	48	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	4	2	14	14	5	4	2	2
	F.	66	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	16	13	10	11	8	4	....
6. Atrophy	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total-under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1373	62	24	10	5	10	111	33	36	88	159	131	109	105	108	94	85	70	71	56	44	30	20	8	4	11
Males		654	31	11	6	4	3	55	22	13	31	67	49	38	43	54	43	46	38	39	39	31	21	10	3	2	10
Females		719	31	13	4	1	7	50	11	23	57	92	82	71	62	54	51	39	32	32	17	13	9	10	5	2	1
1. Rheumatism	M.	15	1					1	2		2	1		1		2	1		2	2		1					
	F.	19					2	2	1	2			1	2		1	1	2			2	1	1	2	1			
2. Scrofula and tabes	M.	18	4	1	1	1		7	3	2	1		1	1	1		1			1							
	F.	17	5	4	1			10		2	1		2		1	1											
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	421	13	7	3			23	6	1	23	58	44	29	33	40	33	31	21	24	22	15	8	1	1	1	7
	F.	496	14	5	1		1	21	7	13	54	80	68	54	50	34	33	19	18	14	9	5	5	4	2		
5. Hydrocephalus	M.	14	9	2	1			12		1							1										
	F.	18	11	3	1		1	16	1					1													
6. Cancer	M.	65	1			1		2			1		1	2	3	3	3	9	8	3	11	6	7	3			3
	F.	75			1			1						6	7	10	11	12	8	11	1	2	3	1		1	1
7. Tumor	M.	10	2					2	1	1					1				2	1		1		1			
	F.	13	1					1				2	1	1	1	1	2	1		1	1	1					
8. Anæmia	M.	5	1					1	1			1							1					1			
	F.	10								1		2	3	2			1								1		
9. Dropsy	M.	87		1	1	1	2	5	8	4	2	5	3	4	4	7	4	5	6	7	3	9	5	4	1	1	
	F.	67		1		1	3	5	2	5	2	2	6	5	3	6	3	5	6	5	4	4		2	1	1	
10. Glycosuria	M.	18					1	1	1	4	2	2		1	1	2		1		1	1				1		
	F.	3											1							1				1			
11. Others of this group	M.	1				1		1																			
	F.	1														1											
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		870	263	95	39	30	14	441	45	18	35	30	22	25	23	16	14	31	18	26	44	39	23	14	3	1	2
Males		510	150	40	24	18	6	247	30	11	20	16	14	17	15	7	5	20	11	18	31	20	13	11	2	1	1
Females		360	113	40	15	12	8	194	15	7	15	14	8	8	8	9	9	11	7	8	13	19	10	3	1		1
1. Inflammation of the brain	M.	95	26	22	5	6	2	61	8	1	7	1	2	3	5	2		2		1	1	1					
	F.	64	29	8	4	4	2	47	7	2	1	1	1	1		3			1								
2. Meningitis	M.	41	15	5	1	2		23	5	2		2	1	1	3					1	2	1					
	F.	37	18	8	3	2		31	1		2	1			1		1										
3. Apoplexy	M.	44	2	1				3		1		2	1	2		2	2	6	3	5	9	2	5	1			
	F.	31	1	1				2		1	1	1		1		1	2	5	1	1	6	8	1				
4. Paralysis	M.	60	1	1		2		4	1			1	2	1	2	1	1	3	3	2	10	11	6	9	2	1	
	F.	52			1		1	2		1	1	1		1	3	3	3	5	1	6	4	10	6	3	1		1
5. Tetanus and trismus nascentium.	M.	20	8	2	1	1		12	3	3	1						1										
	F.	2	1					1		1																	
6. Epilepsy	M.	13	1			1		2	1		4	2	1							2	1						
	F.	8									1	1	2	1						1		1	1				
7. Convulsions	M.	95	67	8	9	2	2	88	1	1		1	2		1			1										
	F.	81	45	13	3	4	1	66	1		2	5	2		3		1						1				
8. Mental diseases	M.	6										1		2			1	1								1	
	F.	1												1													
9. Diseases of the brain	M.	102	23	6	3	4	1	37	8	2	3	5	5	7	3	2	1	5	3	7	7	5	1	1			
	F.	60	12	14	3	2	3	34	4	2	4	3	2	3		1			4		3						
10. Diseases of the spinal cord	M.	32	7	4	5		1	17	3	1	5	1		1					2		1		1				
	F.	22	7	2	1		1	11	2		2	1	1		1	1	2						1				
11. Others of this group	M.	2																2									
	F.	2									1							1									
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		252	21	1	4	1	1	28	5	8	11	11	9	7	12	15	19	21	18	21	28	10	14	6	4	1	4
Males		131	13	1	3	1		18	3	4	3	7	2	4	4	4	8	12	12	8	17	6	8	5	1	1	4
Females		121	8		1		1	10	2	4	8	4	7	3	8	11	11	9	6	13	11	4	6	1	3		
1. Angina pectoris	M.	1																							1		
	F.	4											1		1	1									1		
2. Aneurism	M.	2														1		1									
	F.	1																			1						
3. Diseases of the heart	M.	116	6		3	1		10	3	4	3	7	1	4	4	3	8	11	11	8	17	6	6	5		1	4
	F.	109	4		1		1	6	2	4	8	4	6	3	7	9	11	7	6	13	10	4	6	1	2		
4. Others of this group	M.	12	7	1				8					1						1				2				
	F.	7	4					4								1		2									
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		1602	253	128	84	52	33	550	69	43	82	85	67	67	68	80	66	66	74	73	86	52	37	16	12	8	6
Males		889	131	72	46	30	14	293	35	19	51	55	38	34	32	34	46	45	45	47	48	24	28	8	2	1	4
Females		713	122	56	38	22	19	257	34	24	31	30	29	33	36	46	20	21	29	26	38	28	9	8	10	2	2
1. Croup	M.	132	61	16	20	16	8	121	7	1		1	1						1								
	F.	121	48	20	17	15	10	110	10	1																	
2. Laryngitis	M.	1										1															
	F.	2		1				1								1											
3. Bronchitis	M.	62	12	10	3	2	1	28	1	1	1	2	1	1		1	1	7	1	5	6	2	3	1			
	F.	43	13	2	4	1		20	1	1	1	2		3	2	2	3	1	1	2	1	3	1				
4. Pneumonia	M.	608	47	45	21	11	5	129	25	17	46	46	31	32	31	31	36	33	36	33	30	15	20	5	2		1
	F.	489	50	31	16	5	8	110	19	21	28	26	25	27	33	40	17	18	26	21	35	21	7	7	6	1	1
5. Pleurisy	M.	10									2	1					2			1		2		1		1	
	F.	9		1				1	2		1			2								2	1				
6. Asthma	M.	13																3	1	3	1	2	2	1			
	F.	8												1						1	1			1	3	1	
7. Others of this group	M.	63	11	1	2	1		15	2		2	4	5	1	1	2	7	2	6	5	5	3	3				
	F.	41	11	1	1	1	1	15	2	1	1	2	4		1	3	1	2	2	2	1	2			1		1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		418	120	41	12	6	3	182	12	15	7	20	15	16	12	14	24	18	16	17	18	17	9	3	1	1	1	
Males		241	69	22	10	5		106	5	11	5	9	9	9	7	7	14	14	10	6	8	8	8	3	1	1		
Females		177	51	19	2	1	3	76	7	4	2	11	6	7	5	7	10	4	6	11	10	9	1				1	
1. Dentition	M.	25	13	8	4			25																				
	F.	18	5	10	2			17	1																			
2. Angina	M.	15	6	3	1	1		11	1				1		1					1								
	F.	4	2			1		3			1																	
3. Gastritis	M.	13		1				1		2	1		1			2	1	2	1			1			1			
	F.	13	4	2				6	2				1				1					1	1				1	
4. Other diseases of the stomach	M.	35	2	1	1	1		5	3	2	1	3	3	5	2		4	1	2		1		2	1				
	F.	37	6	1			3	10	2	2		5		3	1	5	1	1	1	2		4						
5. Obstruction of the bowels	M.	14	2			1		3	1	2	1	1	2		2		1		1									
	F.	7	1					1	1				1				1		1	1		1						
6. Hernia	M.	7	1					1				1			1		1	1				1		1				
	F.	6	4					4									1			1								
7. Other diseases of the bowels	M.	11	6	1				7										1				1	2					
	F.	2							1												1							
8. Jaundice	M.	6		1				1				1					1	2			1							
	F.	5	2					2			1				1							1						
9. Inflammation and abscess of the liver	M.	19	2	1				3		1	1	1		2	1	1	2	1	4		2							
	F.	13												2		2	2	2		2	1	1						
10. Other diseases of the liver	M.	21			1			1		2			2			1	3	3	1	2	2	1	3					
	F.	13		1				1							1		1	1	1	3	5							
11. Peritonitis	M.	10	2	1				3			1			1				1	1	1	1		1					
	F.	18								2		5	4	2	1				1	1	2							
12. Ascites	M.	5														1				1	1	2						
	F.	3		1				1														1						
13. Others of this group	M.	60	35	5	3	2		45		2		2		1		2	1	2		1		2	1			1		
	F.	33	27	4				31				1			1		2		1	1	1							
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		101	1	1	2			4	5	4	1	2	3	4	5	5	5	7	7	8	15	10	10	3	1	2		
Males		77	1	1	2			4	3	3	1	1	1	3		4	2	5	6	7	14	9	9	3	1	1		
Females		24							2	1		1	2	1	5	1	3	2	1	1	1	1	1			1		
1. Bright's disease	M.	17		1	1			2	1				1	1		1			1	2	2	2	3	1				
	F.	9							1			1	1	1	2		2						1					
2. Calculus, urinary	M.	11							1	1							1	1	1	1	2	1	2					
	F.																											
3. Diseases of the kidney	M.	23	1		1			2	1	1	1	1		2		2	1	2		1	3	2	2	1		1		
	F.	8							1	1			1		1	1	1				1	1						
4. Diseases of the bladder	M.	14																1	3		5	1	2	1	1			
	F.	4																										
5. Others of this group	M.	12								1								1	1	1					1			
	F.	3													2			1										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		29									3	6	4	5	4	1	1	2	2		1							
1. Ovarian tumors	F.	11											1					1			1							
2. Ovarian diseases	F.	2																										
3. Uterine tumors	F.	1									1	1																
4. Uterine diseases	F.	6																	1									
5. Others of this group	F.	17									1	2	3	4	4		1	1	1									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		110									12	26	13	19	26	13	1											
1. Abortion	F.	7										1	2		2	2												
2. Child-birth	F.	87									8	21	9	16	23	9	1											
3. Others of this group	F.	16									4	4	2	3	1	2												
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		25	3		1		2	6	2		1	5	2	2	2		1	1			2	1						
Males		17	1		1		2	4	1		1	4	1	2	1		1				1	1						
Females		8	2					2	1			1	1		1			1			1							
1. Diseases of the spine	M.	7			1		2	3				1			1		1				1							
	F.	7	2					2	1			1			1			1			1							
2. Diseases of the bones	M.	6										3	1	2														
	F.	1											1															
3. Diseases of the hip-joint	M.	2	1					1	1																			
	F.																											
4. Others of this group	M.	2									1																	
	F.																					1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		18	6	1				7				4			1		1	1	2	1		1						
Males		11	4	1				5				3			1				2									
Females		7	2					2				1					1	1		1		1						
1. Abscess	M.	8	2	1				3				2			1				2									
	F.	6	1					1				1					1	1		1		1						
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.	3	2					2				1																
	F.	1	1					1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		3														1				1	1							
Males		2														1				1								
Females		1																			1							
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.	2														1				1								
	F.																											
3. Others of this group	M.																											
	F.	1																			1							
XII.—ACCIDENTS AND INJURIES.																												
Total		367	22	12	15	11	6	66	26	31	34	37	20	19	22	19	14	27	12	15	6	8	3	2		1		5
Males		285	12	5	9	6	4	36	16	26	33	30	13	19	18	18	11	24	11	12	5	6	1			1		5
Females		82	10	7	6	5	2	30	10	5	1	7	7		4	1	3	3	1	3	1	2	2	2				
1. Burns and scalds	M.	21	2	3	5	4	3	17	1			1	1	1														
	F.	22	3	2	1	2	2	10	5	2		2					1						2					
2. Drowned	M.	47		1	2	2		5	6	12	6	7	2		1	2	3	3										
	F.	8			1	2		3	1	1	1									2								
3. Exposure and neglect	M.	2	1					1			1																	
	F.	4	1					1				1	1					1										
4. Gunshot wounds	M.	22							1	2	5	2	2	1	4		1	1	1	1								1
	F.	1							1																			
5. Homicide	M.	5										2		2					1									
	F.	2										1	1															
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.	1																		1								
	F.																											
8. Railroad accidents	M.	35							2	2	7	6	1	2		5	1	6	1									2
	F.																											
9. Suffocation	M.	11	4				1	5	1	1		1		1				1				1						
	F.	7	4	1	1			6	1																			
10. Suicide by shooting	M.	7										2	1	1			1	1	1									
	F.																											
11. Suicide by drowning	M.	1																		1								
	F.	1																		1								
12. Suicide by poison	M.	6										1		2	1	1				1								
	F.	2											1			1												
13. Other suicides	M.	12												1	1	5	1	2	1	1								
	F.	2										1			1													
14. Sunstroke	M.	6										1	1	1				1	1	1								
	F.	1																				1						
15. Surgical operations	M.	3							1											2								
	F.																											
16. Wounds	M.	3	2					2		2	2				1							1						
	F.	5		2				2				1	2															
17. Other accidents and injuries	M.	98	3	1	2			6	4	7	12	7	5	7	10	5	4	9	5	6	3	4	1			1		2
	F.	27	2	2	3	1		8	2	2		1	2		3		2	2	1	1		1		2				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		24948	5268	2342	1097	731	487	9925	1421	948	1204	1305	1060	916	946	794	795	794	825	874	852	793	660	411	204	83	30	108
Total: Males		12949	2847	1319	584	373	260	5383	701	451	578	590	482	387	406	376	426	451	483	488	475	473	357	219	107	38	17	61
Females		11999	2421	1023	513	358	227	4542	720	497	626	715	578	529	540	418	369	343	342	386	377	320	303	192	97	45	13	47
Unknown causes.																												
Total		1383	771	159	48	19	8	1005	22	18	20	22	18	26	21	15	16	20	30	31	25	28	28	8	12	....	2	16
Males		728	408	88	28	12	5	541	15	13	8	10	5	7	6	10	8	10	17	14	14	11	16	4	6	....	2	11
Females		655	363	71	20	7	3	464	7	5	12	12	13	19	15	5	8	10	13	17	11	17	12	4	6	....	....	5
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		7377	1449	1140	576	377	270	3812	823	520	408	317	203	174	174	130	116	111	93	119	110	113	75	36	16	2	3	22
Males		3640	760	616	309	194	135	2014	395	215	192	126	75	71	61	57	57	55	59	67	59	59	41	20	9	2	1	5
Females		3737	689	524	267	183	135	1798	428	305	216	191	128	103	113	73	59	56	34	52	51	54	34	16	7	....	2	17
1. Small-pox	M.	14	2	2	1	1	1	7	2	1	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	2	1	2	1	....	6	4	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	185	41	45	21	14	9	130	22	5	14	5	2	3	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	195	37	36	23	13	7	116	22	10	14	6	1	7	1	1	2	1	1	1	....	1	....	....	....	....	....	....	2
3. Scarlet fever	M.	411	87	57	62	53	32	241	109	44	16	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	445	30	51	60	51	38	230	106	72	20	7	7	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria	M.	524	55	41	55	64	57	272	144	70	18	6	2	1	....	1	....	3	2	3	1	....	1	....	....	....	....	....	....
	F.	565	50	41	50	64	51	256	163	110	16	5	3	3	1	2	....	....	1	2	1	....	1	....	....	....	....	....	1
5. Hooping-cough	M.	151	69	53	13	5	5	145	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	178	68	57	19	14	5	163	10	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
6. Fever	M.	19	11	2	....	....	....	13	1	....	1	....	....	....	....	....	....	1	....	1	....	2	....	....	....	....	....	....	....
	F.	26	7	3	....	3	2	15	1	....	2	....	2	1	1	2	....	....	....	....	1	....	....	....	1	....	....	....	....
7. Cerebro-spinal fever	M.	59	30	14	6	6	3	59	13	5	5	1	2	4	1	3	1	....	2	1	....	1	....	....	....	....	....	....	....
	F.	77	18	14	5	4	1	42	6	5	5	7	1	2	3	1	1	....	1	1	1	1	....	....	....	....	....	....	....
8. Enteric fever	M.	543	12	19	11	12	7	61	38	43	85	71	38	34	21	21	20	16	22	21	21	17	3	8	2	....	....	1
	F.	536	10	13	11	8	10	52	49	46	95	75	41	26	26	22	15	17	12	16	13	17	7	3	....	....	1	3
9. Diarrhœa	M.	201	60	60	22	3	1	155	1	....	1	....	2	2	3	3	2	4	2	6	4	2	7	4	1	1	1	....
	F.	145	59	47	12	1	1	120	....	....	....	1	....	....	2	1	1	2	3	3	3	3	3	5	1	....	....	....
10. Dysentery	M.	208	66	47	27	8	5	153	13	6	4	1	1	1	2	....	4	3	3	1	4	4	5	2	1	....	....	....
	F.	163	37	37	28	6	..	108	6	....	1	1	1	4	3	3	3	6	....	3	4	12	3	1	1	....	1	2
11. Enteritis	M.	254	68	44	9	10	5	136	12	13	14	10	5	5	10	3	6	8	7	5	4	6	6	1	2	....	....	1
	F.	259	58	31	11	3	5	108	15	16	12	11	15	11	8	9	6	11	5	5	6	9	4	3	2	....	....	3
12. Cholera morbus	M.	43	5	5	2	....	1	13	4	1	....	1	....	1	4	....	....	2	3	4	3	6	1	....	....	....	....	....	....
	F.	43	7	....	3	1	....	11	3	4	1	2	....	....	1	....	2	2	1	....	7	3	1	4	1	....	....	....	....
13. Cholera infantum	M.	479	225	183	65	2	4	479	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	423	234	160	23	3	3	423	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	333	34	23	12	13	5	87	28	21	22	24	18	11	12	14	15	11	14	12	13	12	12	2	2	1	....	2
	F.	332	34	26	14	9	11	94	38	24	19	16	18	11	19	11	17	12	8	15	9	5	11	2	2	....	....	1
15. Erysipelas	M.	127	30	19	2	3	....	54	3	3	10	4	4	5	3	5	4	4	4	10	7	3	2	2	....	....	....	....
	F.	75	24	1	3	1	1	30	5	5	3	4	....	3	4	2	3	1	1	5	2	1	1	1	....	....	....	1
16. Septicæmia	M.	19	1	....	....	....	....	1	1	2	....	1	1	2	2	2	2	....	....	3	....	1	1	....	....	....	....	....	....
	F.	30	6	....	....	....	....	6	....	....	....	5	1	3	8	4	1	....	1	....	1	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	192	....	....	....	....	....	....	....	....	24	50	36	31	35	12	4	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	9	4	..	1	....	....	5	....	....	....	....	....	....	1	....	....	2	....	....	....	1	....	....	....	....	....	....	....
	F.	6	2	2	....	....	....	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
19. Others of this group	M.	22	1	2	....	....	....	3	....	1	1	1	....	1	....	2	2	1	....	....	1	4	3	1	1	....	....	....	....
	F.	34	6	4	3	1	....	14	....	1	3	1	1	1	1	1	3	....	....	1	3	2	1	1	....	....	....	....	....
General diseases—B.																													
Total		213	83	16	8	5	7	119	12	4	4	6	3	7	5	5	8	12	7	7	6	3	2	1	1	....	....	1
Males		132	42	12	4	1	5	64	5	2	4	3	2	5	5	5	7	8	6	5	6	2	1	1	....	....	....	1
Females		81	41	4	4	4	2	55	7	2	....	3	1	2	....	....	1	4	1	2	....	1	1	....	1	....	....	....	....
1. Worms	M.	5	1	....	1	....	2	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	1	1	3	2	....	7	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	33	....	....	....	....	....	....	....	....	....	....	1	4	3	4	4	6	4	2	4	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	46	4	6	3	1	3	17	3	2	3	3	....	1	2	1	3	2	2	3	2	1	....	....	....	....	....	....	1
	F.	28	5	3	1	2	2	13	4	....	....	2	1	1	....	....	1	4	....	1	....	....	1	....	....	....	....	....	....
6. Inanition	M.	47	37	6	....	....	....	43	1	....	1	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	39	35	....	....	....	....	35	1	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....
General diseases—C.																													
Total		1557	1036	21	1	1	....	1059	1	....	....	1	....	1	3	4	2	2	4	13	21	72	93	119	90	51	18	3
Males		855	596	20	1	....	....	617	....	....	....	1	....	....	1	....	1	1	3	4	11	34	45	59	46	22	10	....
Females		702	440	1	....	1	....	442	1	....	....	....	....	1	2	4	1	1	1	9	10	38	48	60	44	29	8	3
1. Premature birth	M.	153	153	....	....	....	....	153	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	125	125	....	....	....	....	125	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	386	386	....	....	....	....	386	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	256	256	....	....	....	....	256	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	19	19	....	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	13	....	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	123	98	20	1	....	....	59	....	....	....	1	....	....	1	....	1	1	3	3	9	15	10	13	6	....	1	....	....
	F.	111	46	1	....	....	....	47	1	....	....	....	....	1	2	4	1	1	1	5	6	9	13	12	5	1	....	2	....
5. Old age	M.	174	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	19	35	46	40	22	9	....	....
	F.	196	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	4	29	35	48	39	28	8	1	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		4032	188	88	57	23	14	370	74	94	309	420	399	317	294	243	260	243	232	187	192	162	113	55	18	8	16
Males		1805	86	48	34	11	5	184	40	25	102	178	171	108	119	98	138	119	123	87	103	104	58	31	6	3	8
Females		2227	102	40	23	12	9	186	34	69	207	248	228	209	175	145	142	124	109	100	89	58	55	24	12	5	8
1. Rheumatism	M.	70				1		1	7	6	5	3	3	1	5	3	1	7	5	5	4	5	5	3		1	
	F.	61	3	1		1	1	6	5	7	5	3	1	1	3	3	4	3	2	4	5	6		1	2		
2. Scrofula and tabes	M.	71	17	10	12	1	1	41	7	1	3	5	5	2		1	3		1			1		1			
	F.	82	25	7	4	3	1	40	2	4	6	1	4	3	5	2	2	3	6	2			1	1			
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	1233	43	23	15	6	2	89	11	12	87	159	155	90	96	78	113	76	75	48	50	51	25	9	1	1	7
	F.	1562	46	21	8	5	3	83	13	37	180	233	206	183	145	109	87	76	57	49	37	24	22	8	3	3	7
5. Hydrocephalus	M.	21	11	5	1			17	1	1							1						1				
	F.	24	14	4		1		19	2	1		1			1												
6. Cancer	M.	139		1	1			2		1	1	2	2	3	7	3	7	18	21	13	21	18	8	8	4		
	F.	194	1		3			4		1		2	2	4	9	20	24	27	26	18	24	13	11	5	3	1	
7. Tumor	M.	25	3		3			6	1	1	1	1	2		2	3	2		1	1	1	2	1				
	F.	45	5					5	1	1	1		1	1	4	2	7	2	4	4	5	4	3				
8. Anæmia	M.	9	2			1	1	4						1				2				1	1				
	F.	8	2	1				3		1	2			2													
9. Dropsy	M.	191	8	6	2	1		17	12	2		5	3	8	6	8	9	16	18	16	24	22	14	9	1	1	
	F.	227	5	6	7	1	4	23	11	15	9	6	12	12	6	7	18	13	10	23	18	11	18	9	4	1	1
10. Glycosuria	M.	39	2	1				3		1	4	3	1	3	3	2	2		1	4	3	4	3	1			1
	F.	19	1		1	1		3		2	4	1	1	2	2	1			3								
11. Others of this group	M.	7		2		1	1	4	1		1								1								
	F.	5											1	1	1		1		1								
12. Others of this class	M.	4													2		1		1								
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		2603	672	357	111	86	48	1274	141	77	75	80	51	59	65	53	67	67	86	113	96	97	105	50	23	8	16
Males		1441	370	218	59	47	25	719	70	43	39	43	31	29	31	24	40	38	46	72	49	58	57	21	16	4	11
Females		1162	302	139	52	39	23	555	71	34	36	37	20	30	34	29	27	29	40	41	47	39	48	29	7	4	5
1. Inflammation of the brain	M.	356	104	85	33	18	8	248	16	11	5	7	5	5	3	2	4	4	7	4	4	2	2	4			3
	F.	255	85	53	24	14	5	181	24	8	10	8	2	3	3	3	3	1	1	4	1	1	2				
2. Meningitis	M.	98	31	25	3	7	4	70	6	5	3	4	3		2	1				2			1				1
	F.	99	24	18	7	7	3	59	14	5	4	6		2	2	2			2	1			1				1
3. Apoplexy	M.	85	2	2	1		1	6			1	1	1	1	4	3	3	7	7	15	9	10	10	2	3	2	
	F.	72	1					1		1		1	3	4	10	2	2	6	8	5	8	9	7	5			
4. Paralysis	M.	209	2			3		5		1	1	4	4	6	7	3	15	16	14	27	21	32	23	12	11	2	
	F.	188	5	1				6	3		5	3	1	2		3	9	15	13	21	25	23	32	17	6	4	
5. Tetanus and trismus nascentium.	M.	30	10				1	11	2	1	2	3	4	3			1		2		1						
	F.	9	4			1		5	2	1										1							
6. Epilepsy	M.	50	12					12	2	2	6	6	2	5	5	3	1	2			2		1				1
	F.	35	4	1	1		1	7	1	1	2	4	4	4	5	2			3	1		1					
7. Convulsions	M.	238	132	61	11	7	4	215	7	1	2	3	1	1	1			1	1	2		1					2
	F.	195	120	35	7	8	1	171	3	1	4	3	3	3	2				1	1			1				2
8. Mental diseases	M.	36									2	1	4	3	3	3	3	2	4	5	3	2		1			
	F.	27										3	1	2	5	4	4	4	2	1	1						
9. Diseases of the brain	M.	274	65	44	8	8	6	131	11	15	14	12	4	3	6	3	11	4	7	12	7	11	12	1	1		4
	F.	197	50	23	11	6	10	100	17	12	6	6	2	5	3	11	4	1	5	4	8	5	2	3	1		2
10. Diseases of the spinal cord	M.	48	11	1	3	4	1	20	6	6	2	2	2	1		1	1	1	1	4	1						
	F.	53	9	8	2	3	3	25	7	5	3	1	2	2	2	1	2		2			1					
11. Others of this group	M.	17	1					1		1	1		1	1			1	1	3	1	1	1	3	1			
	F.	32									2	2	2	3	2	1	3	2	3	2	4		3	3			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		769	50	31	5	1	2	89	20	20	27	26	30	37	41	39	36	49	49	73	84	60	54	27	6	1	1
Males		406	28	24	3		2	57	11	8	10	11	9	16	21	17	16	24	22	34	51	44	31	17	5	1	1
Females		363	22	7	2	1		32	9	12	17	15	21	21	20	22	20	25	27	39	33	16	23	10	1		
1. Angina pectoris	M.	11														1	1	2	1	3	2		1				
	F.	5									1										1	1	1				
2. Aneurism	M.	4																1	1		1	1					
	F.	1																1									
3. Diseases of the heart	M.	359	19	3	3		2	27	11	8	10	11	9	16	21	16	14	21	20	30	48	43	30	17	5	1	1
	F.	330	5	2	2	1		10	9	12	14	15	20	21	20	22	20	23	27	39	32	14	22	9	1		
4. Others of this group	M.	32	9	21				30									1			1							
	F.	27	17	5				22			2		1					1				1					
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		4087	639	400	222	157	90	1508	211	88	166	194	152	119	174	170	150	175	204	209	197	150	109	71	18	9	5	8
Males		2270	352	217	110	79	56	814	101	51	109	110	82	64	98	101	88	111	126	123	107	78	53	38	7	5	2	2
Females		1817	287	183	112	78	34	694	110	37	57	84	70	55	76	69	62	64	78	86	90	72	56	33	11	4	3	6
1. Croup	M.	376	119	75	54	45	35	328	44	2					1								1				
	F.	350	97	70	58	47	25	297	44	6	1										1		1				
2. Laryngitis	M.	10		1	1		1	3	2				1		1	2					1						
	F.	10	1					1	2	1	1	1	1	2							1						
3. Bronchitis	M.	130	30	26	9	2	1	98	1		2		4	2	6	3	4	7	4	11	5	5	8	6	1	2	
	F.	135	30	20	4	4	2	60	5		3	8	5	5	3	6	4	2	4	3	6	7	10	4			
4. Pneumonia	M.	1530	170	101	43	20	17	360	47	43	98	101	73	59	79	90	78	94	108	93	80	54	33	23	5	3	2	1
	F.	1120	130	76	45	20	7	278	49	28	45	70	58	41	67	58	44	54	62	76	68	49	36	17	9	4	2	5
5. Pleurisy	M.	21	1					1		1	2	2			1	2		1	1	3	1	3	1	2				
	F.	18		1				1	1		1						3	2			2	4	2	1				1
6. Asthma	M.	34	1					1	1	1					4	1		3	4	3	2	6	4	3				1
	F.	32									1				1		1	1	7	2	6	5	5	2	1			
7. Others of this group	M.	100	31	14	3	3	2	53	6	4	7	7	4	3	6	3	6	6	9	12	13	10	6	4	1		
	F.	152	29	10	5	7		57	9	2	5	5	6	7	5	5	10	5	5	3	8	7	2	9	1		1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		1027	218	62	23	20	13	336	40	22	36	47	50	53	38	33	42	46	56	61	64	41	29	13	11	1	8
Males		530	110	41	10	8	5	174	21	13	18	16	24	23	14	18	25	29	28	35	31	26	15	5	4	1	7
Females		497	108	21	13	12	8	162	19	9	18	31	26	30	24	15	17	17	28	26	33	15	14	5	7		1
1. Dentition	M.	20	12	7	1			20																			
	F.	18	12	5	1			18																			
2. Angina	M.	17	6	2	1			9	1			2			1	1					1			1	1		
	F.	26	7	3	1	3	2	16	4		1	1		1	1					1			1				
3. Gastritis	M.	17	2	3				5				1			1	1		1	2		1	3	1				1
	F.	31	5			3		8			2	2		4	4	1		1	2	2	3		1	1			
4. Other diseases of the stomach	M.	112	21	8	3	2	1	35	8	1	1	2	7	7	4	3	7	3	3	12	6	4	5	1		1	2
	F.	111	18	4	1	2	3	28	9	2	6	8	9	1	5	6	2	2	6	7	11	4	2	1	1		1
5. Obstruction of the bowels	M.	24				1	1	2	2	3	3		1	2				1	4		2	2			1		1
	F.	17	2					2	1	1	1	1				1		1		1	6	1	1				
6. Hernia	M.	27	5	1				6	1	1	1	1	1				2	3	2	3	3	2			1		
	F.	14			1			1	1				1		1		1	2	4		2	1					
7. Other diseases of the bowels	M.	54	17	4	2	1		24	2	3	2	4	2	5	1		1	1	1	2	3	3					
	F.	29	6	2				8	1	3	2	3	2	2	1		1	2	1		1		2				
8. Jaundice	M.	20	6				1	7	1								1	2	1	2	3	1	1				1
	F.	22	8		1		1	10	1	1	1		1				2		1	1	1	1	2				
9. Inflammation and abscess of the liver.	M.	35	3				1	4	3		2	2	4	3	1	2	2	3	2		3		1	2			1
	F.	33	1			1		2				1	2	2	1	1	4	2	2	6	4	1		1	4		
10. Other diseases of the liver	M.	83	6	2	1	1		10			5	1	1	2	3	9	7	13	7	10	4	7	2	1	1		
	F.	61	11	1	3	2	1	18	1			4	3	4		1	2	3	9	4	4	5	2		1		
11. Peritonitis	M.	30		2			1	3	2	3	3	2	3	3	2		2	1	1	1	2			1			1
	F.	55	1		2			3	1	1	4	9	7	12	8	4	3	1		1					1		
12. Ascites	M.	11	1		1			2		1	1						1		2	2	1	1					
	F.	12									1		1	2			2	2	2			1	1				
13. Others of this group	M.	80	31	12	1	3		47	1	1		1	5	1	1	2	2	1	3	2	3	3	5	2			
	F.	68	37	6	2	1	1	48		1		2		2	3	1		1	1	3	1	1	2	2			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		295	20	5	4	3		32	4	6	10	4	9	9	8	11	13	15	20	19	33	46	30	16	8		1	1
Males		234	13	3	1	3		20	3	5	8	2	7	6	3	6	7	14	16	15	27	43	28	15	7		1	1
Females		61	7	2	3			12	1	1	2	2	2	3	5	5	6	1	4	4	6	3	2	1	1			
1. Bright's disease	M.	66		1	1			2	1	2	5		4	2	2	4	2	6	8	5	10	6	6	1			
	F.	21	1	1				2	1		1	1	2	1	1	1	2		1	2	4	1		1			
2. Calculus, urinary	M.	18	1					1						1						3	2	2	7	1	1		
	F.	4												1	1	1							1				
3. Diseases of the kidney	M.	87	6	2				8	1	2	3	2	2	3		2	2	5	5	3	8	23	6	10	2		
	F.	29	6	1	3			10		1		1			1	2	4	1	3	1	2	1	1		1		
4. Diseases of the bladder	M.	36	3			1		4		1			1		1		1	1	1	1	6	10	4	1	3		1
	F.	5												1	1	1				1		1					
5. Others of this group	M.	27	3			2		5	1								2	2	2	3	1	2	5	2	1		1
	F.	2									1				1												
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		82								1	7	14	10	6	16	8	8	2	2	5		1	1	2			1
1. Ovarian tumors	F.	11										3	1	1	1		1	1	2	1							
2. Ovarian diseases	F.	1													1												
3. Uterine tumors	F.																										
4. Uterine diseases	F.	25									1	5	3	2	5	4	1			1			1	2			
5. Others of this group	F.	45								1	6	6	6	3	9	4	6	1		1		1					1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		247									30	50	42	36	49	33	7										
1. Abortion	F.	21									2	2	6	4	5	2											
2. Child-birth	F.	187									23	32	31	29	36	29	7										
3. Others of this group	F.	39									5	16	5	3	8	2											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		152	30	22	6	8	8	74	11	16	7	7	6	2	4	5	5	3	1	4	2	3			1		1
Males		75	19	9	5	3	5	41	5	7	3	2	3	1	1	2	3	1		2	1	1			1		1
Females		77	11	13	1	5	3	33	6	9	4	5	3	1	3	3	2	2	1	2	1	2					
1. Diseases of the spine	M.	61	18	8	5	3	4	38	4	5	2	1	3		1	2	2	1		1		1					
	F.	70	11	13	1	5	3	33	6	7	3	3	3	1	2	2	2	2	1	2	1	2					
2. Diseases of the bones	M.	5	1					1						1			1			1							1
	F.	1								1										1							
3. Diseases of the hip-joint	M.																										
	F.																										
4 Others of this group	M.	9		1			1	2	1	2	1	1													1		
	F.	6								1	1	2			1	1					1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

ILLINOIS—GROUP 3—Continued.

.Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		59	11	3	2	1	1	18		2	2	8	5	4		5	5		1	3	2	2	1	1			
Males		26	5	2	1	1		9		1		2	5	1		3			1	2	1			1			
Females		33	6	1	1		1	9		1	2	6		3		2	5			1	1	2	1				
1. Abscess	M.	19	4	2	1			7		1		2	4	1		2			1					1			
	F.	27	3	1	1		1	6		1	2	6		3		2	4			1		2					
2. Carbuncle	M.	1																			1						
	F.	2															1				1						
3. Others of this group	M.	6	1			1		2					1			1				2							
	F.	4	3					3															1				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		17							1		2		1	3	3		2	1	1		2	1					
Males		12									1		1	2	3		2	1			1	1					
Females		5							1		1			1					1		1						
1. Addison's disease	M.	2															1	1									
	F.																										
2. Diseases of the spleen	M.	9									1		1	2	3						1	1					
	F.	5							1		1			1					1		1						
3. Others of this group	M.	1															1										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		1044	101	38	34	30	26	229	61	80	101	103	81	61	51	39	38	47	39	32	18	14	20	12		3		15
Males		791	58	21	19	14	17	129	35	68	84	86	67	52	43	34	34	39	36	28	14	12	12	4				14
Females		253	43	17	15	16	9	100	26	12	17	17	14	9	8	5	4	8	3	4	4	2	8	8		3		1
1. Burns and scalds	M.	44	8	7	8	4	4	31	2	2	2	1	1	3	1		1											
	F.	75	8	10	6	12	4	40	9	8	1	5	6	2	1								2	1			
2. Drowned	M.	73		4	5	4	4	17	4	14	11	9	3	5	2	3	1	1	1				1				1
	F.	25		3	3	2	1	9	5		5		1			1		1	1	1	1						
3. Exposure and neglect	M.	11	6	1				7				1						1		2							
	F.	11	9					9													1			1			
4. Gunshot wounds	M.	67					3	3	2	6	11	15	9	7	6	3	1	1	2			1					
	F.	7			2			2	2		2	1															
5. Homicide	M.	19										1	3	3		2	3	2	3			2					
	F.	2									1						1										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.																										
	F.																										
9. Suffocation	M.	40	24	2	1			27	2	1	1	1				3	3	1									1
	F.	18	15					15										1				1					1
10. Suicide by shooting	M.	8									1		1	1	1			2			2						
	F.	1												1													
11. Suicide by drowning	M.	2										1					1										
	F.	3													2		1										
12. Suicide by poison	M.	2													1		1										
	F.	3									3																
13. Other suicides	M.	42									1	2	4	2	3	2	2	4	9	4	1	1	2				5
	F.	13									1	5	3	1	1		1						1				
14. Sunstroke	M.	12								1		1	2	1		1		2		1			3				
	F.	2										1						1									
15. Surgical operations	M.	5											1		1		1	1	1								
	F.	1					1	1																			
16. Wounds	M.	6								1	1	2	1							1							
	F.	1											1														
17. Other accidents and injuries	M.	460	20	7	5	6	6	44	25	43	56	52	42	30	25	20	22	25	20	20	11	8	6	4				7
	F.	91	11	4	4	2	3	24	10	4	4	5	3	5	4	4	1	5	2	3	2	1	5	6		3		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	832	106	60	43	19	19	307	53	37	32	43	25	23	31	24	19	37	30	40	42	32	32	17	4	3	1
Total: Males	422	92	33	27	7	8	167	29	19	10	17	15	7	14	9	13	18	17	24	20	12	17	10	3	1	
Females	410	74	27	16	12	11	140	24	18	22	26	10	16	17	15	6	19	13	16	22	20	15	7	1	2	1
Unknown causes.																										
Total	16	9	1				10				1			1	2					1		1				
Males	9	5	1				6				1				1							1				
Females	7	4					4							1	1					1						
I.—GENERAL DISEASES.																										
General diseases—A.																										
Total	255	64	30	18	11	8	131	37	24	16	9	3	6		3		5	6	2	1	5	6	1			
Males	135	37	18	11	4	4	74	22	12	6	1	3	3		1		3	3			2	4	1			
Females	120	27	12	7	7	4	57	15	12	10	8		3		2		2	3	2	1	3	2				
1. Small-pox M.																										
1. Small-pox F.																										
2. Measles M.	18	4	6				10	3	2		1	1						1								
2. Measles F.	19	3	3		2	1	9	2	3	4	1															
3. Scarlet fever M.	10	3	1	1	1		6	3	1																	
3. Scarlet fever F.	8			2	1		3	3	2																	
4. Diphtheria M.	42	2	7	4	2	3	18	14	8	2																
4. Diphtheria F.	28	3	2		3	3	11	9	7	1																
5. Hooping-cough M.	7	4	2	1			7																			
5. Hooping-cough F.	3	2		1			3																			
6. Fever M.																										
6. Fever F.	2	1					1																			
7. Cerebro-spinal fever M.	4			1		1	2			1					1			1								
7. Cerebro-spinal fever F.	5	1		1			2	1			2															
8. Enteric fever M.	5	1					1		1	1		1					1									
8. Enteric fever F.	12	1	1	1	1		4			1	4						1		1		1					
9. Diarrhœa M.	8	6	1				7															1				
9. Diarrhœa F.	6	3	3				6																			
10. Dysentery M.	2	1					1														1					
10. Dysentery F.	3	1					1								1							1				
11. Enteritis M.	8	2			1		3			1			1				1	1				1				
11. Enteritis F.	4	1					1						2				1					1				
12. Cholera morbus M.	6	1					1					1	1				1					2				
12. Cholera morbus F.	3																									
13. Cholera infantum M.	13	11		2			13													1	1	1				
13. Cholera infantum F.	16	11	3	2			16																			
14. Malarial fever M.	8		1	2			3	2		1								1			1					
14. Malarial fever F.	1									1																
15. Erysipelas M.	3	2					2						1													
15. Erysipelas F.	6									1					1		1	1	1		1					
16. Septicæmia M.																										
16. Septicæmia F.																										
17. Puerperal septicæmia F.	4									2	1		1													
18. Venereal diseases M.																										
18. Venereal diseases F.																										
19. Others of this group M.	1																									
19. Others of this group F.																						1				
General diseases—B.																										
Total	12	6		1			7						1	1		1					1	1				
Males	7	3		1			4							1		1					1					
Females	5	3					3						1									1				
1. Worms M.	1			1			1																			
1. Worms F.																										
2. Other parasitic diseases M.																										
2. Other parasitic diseases F.																										
3. Alcoholism M.	3													1		1					1					
3. Alcoholism F.																										
4. Lead poison M.																										
4. Lead poison F.																										
5. Other poisons M.																										
5. Other poisons F.	2																									
6. Inanition M.	3	3					3						1									1				
6. Inanition F.	3	3					3																			
General diseases—C.																										
Total	43	22	2				24											2	1	1	3	3	6	2		1
Males	23	14	1				15											1				2	4	1		
Females	20	8	1				9											1	1	1	3	1	2	1		1
1. Premature birth M.	2	2					2																			
1. Premature birth F.	3	3					3																			
2. Stillborn M.	6	6					6																			
2. Stillborn F.	3	3					3																			
3. Malformation M.	1	1					1																			
3. Malformation F.																										
4. Debility M.	8	5	1				6																			
4. Debility F.	5	2	1				3											1				1				
5. Old age M.	6																	1			1					
5. Old age F.	9																					2	3	1		
6. Atrophy M.																			1	1	2	1	2	1		1
6. Atrophy F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		163	5	5	3	....	3	16	1	3	8	20	12	6	16	10	7	12	9	15	11	3	8	....	1	....	....	....
Males		69	3	2	3	....	1	9	1	2	2	6	7	1	6	3	5	5	6	7	2	4	2	....	1	....	....	....
Females		94	2	3	....	....	2	7	....	1	6	14	5	5	10	7	2	7	3	8	9	4	6	....	....	....	....	....
1. Rheumatism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	2	2	....	....	....	....	....	....	....	2	....	....	....	1	....	1	1	....	....	....	....	....
2. Scrofula and tabes	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	41	1	....	1	....	....	2	....	2	2	5	6	1	6	1	3	2	4	3	1	2	....	....	1	....	....	....
	F.	59	....	2	....	....	....	2	....	....	6	13	5	4	7	4	1	5	1	4	1	3	3	....	....	....	....	....
5. Hydrocephalus	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	10	....	....	....	....	1	1	....	....	....	....	....	....	....	....	2	1	....	2	1	2	1	....	....	....	....	....
	F.	16	....	....	....	....	....	....	....	1	....	....	....	1	2	1	....	2	....	3	5	....	1	....	....	....	....	....
7. Tumor	M.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	6	....	....	1	....	....	1	....	....	....	....	1	....	....	2	....	....	2	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	3	....	1	....	....	....	....	....
10. Glycosuria	M.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		94	32	9	5	2	1	49	4	....	1	2	....	3	4	1	2	3	3	7	4	2	6	3	....	....	1	....
Males		46	15	1	2	2	....	20	....	....	....	2	....	2	3	....	2	....	2	6	2	1	4	1	....	....	1	....
Females		48	17	8	3	....	1	29	4	....	1	....	....	1	1	1	....	2	1	1	2	1	2	2	....	....	....	....
1. Inflammation of the brain	M.	10	3	....	1	1	....	5	....	....	....	1	....	2	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	F.	9	4	2	1	....	....	7	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	3	1	1	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	2	....	1	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	....	2	....	....	1	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	1	1	....	....	....	....
4. Paralysis	M.	11	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	2	....	1	4	....	....	....	1	....
	F.	7	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	1	1	1	1	....	....	....	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	10	9	....	1	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	10	4	1	....	1	16	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	1	....	....	....	2	1	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		27	....	....	1	....	....	1	....	1	....	....	2	1	1	1	3	2	3	....	7	5	....	1	....	....	....	....
Males		12	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	....	5	1	....	1	....	....	....	....
Females		15	....	....	1	....	....	1	....	1	....	....	2	1	....	....	2	1	2	....	2	3	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	12	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	....	5	1	....	1	....	....	....	....
	F.	15	....	....	1	....	....	1	....	1	....	....	2	1	....	....	2	1	2	....	2	3	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		133	15	12	12	6	5	50	8	4	6	4	3	2	2	1	4	7	5	10	10	6	5	4	1	....	1	....
Males		70	7	10	8	1	1	27	3	2	2	3	2	....	1	1	3	2	4	7	6	1	3	2	1	....	....	....
Females		63	8	2	4	5	4	23	5	2	4	1	1	2	1	....	1	5	1	3	4	5	2	2	....	....	1	....
1. Croup	M.	6	....	4	....	....	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	2	1	....	3	1	7	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	5	....	1	2	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....
4. Pneumonia	M.	54	7	5	5	1	1	19	1	2	2	3	2	....	1	1	3	2	3	5	6	1	1	1	1	....	....	....
	F.	41	5	1	2	2	3	13	....	....	4	1	....	2	1	....	1	4	1	3	2	4	2	2	....	....	1	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	4	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....
	F.	6	1	....	1	....	....	2	1	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		34	7				1	8	1	1		1	1	1	2	1		5		4	4	2	1	2				
Males		20	5				1	6	1				1		1			4		3	2	1		1				
Females		14	2					2		1		1		1	1	1		1		1	2	1	1	1				
1. Dentition	M.	2	2					2																			
	F.	1	1					1																			
2. Angina	M.																										
	F.																										
3. Gastritis	M.	2																				1		1			
	F.	3													1							1	1				
4. Other diseases of the stomach	M.	2											1								1						
	F.																										
5. Obstruction of the bowels	M.	1																		1							
	F.	1														1											
6. Hernia	M.	2	1					1										1									
	F.	2																			1			1			
7. Other diseases of the bowels	M.	2							1									1									
	F.	1	1					1																			
8. Jaundice	M.	2	1					1												1							
	F.	1																1									
9. Inflammation and abscess of the liver.	M.	1													1												
	F.	1																		1							
10. Other diseases of the liver	M.	3					1	1										1			1						
	F.	1																			1						
11. Peritonitis	M.																										
	F.	2								1		1															
12. Ascites	M.	1																1									
	F.	1												1													
13. Others of this group	M.	2	1					1												1							
	F.																										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		6					1	1							1			1	1			1	1				
Males		4					1	1										1				1	1				
Females		2													1				1								
1. Bright's disease	M.	3					1	1										1				1					
	F.	1													1												
2. Calculus, urinary	M.																										
	F.																										
3. Diseases of the kidney	M.	1																					1				
	F.																										
4. Diseases of the bladder	M.																										
	F.	1																	1								
5. Others of this group	M.																										
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		3														1		1	1								
1. Ovarian tumors	F.	2																1	1								
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.																										
5. Others of this group	F.	1														1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		9									1	1	1	2	2	1											1
1. Abortion	F.	3												1	1												1
2. Child-birth	F.	6									1	1	1	1	1	1											
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		3	1		2			3																			
Males		2	1		1			2																			
Females		1			1			1																			
1. Diseases of the spine	M.	2	1		1			2																			
	F.																										
2. Diseases of the bones	M.																										
	F.	1			1			1																			
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		3	2					2													1							
Males		1																			1							
Females		2	2					2																				
1. Abscess	M.	1																			1							
	F.	1	1					1																				
2. Carbuncle	M.																											
	F.	1	1					1																				
3. Others of this group	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total																												
Males																												
Females																												
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		31	3	1	1			5	2	4		5	3	1	1	3	2	2		1	2							
Males		24	2		1			3	2	3		4	2	1	1	2	1	2		1	2							
Females		7	1	1				2		1		1	1			1	1											
1. Burns and scalds	M.	2			1			1						1														
	F.																											
2. Drowned	M.	2										1									1							
	F.																											
3. Exposure and neglect	M.	1	1					1																				
	F.	1											1															
4. Gunshot wounds	M.	1										1																
	F.																											
5. Homicide	M.	1											1															
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	6								2		1	1		1	1												
	F.	1								1																		
9. Suffocation	M.																											
	F.	1	1					1																				
10. Suicide by shooting	M.																											
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	1														1												
	F.																											
13. Other suicides	M.	2										1									1							
	F.	1															1											
14. Sunstroke	M.	1							1																			
	F.																											
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.	1																1										
	F.																											
17. Other accidents and injuries	M.	6	1					1	1	1							1	1		1								
	F.	3		1				1				1				1												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		6758	1402	589	309	194	154	2648	440	252	319	392	345	253	232	244	216	230	186	229	249	179	146	115	54	22	6	1
Total: Males		3548	791	303	155	107	64	1420	247	128	160	179	166	129	91	117	118	125	114	134	144	99	74	60	29	12	2	....
Females		3210	611	286	154	87	90	1228	193	124	159	213	179	124	141	127	98	105	72	95	105	80	72	55	25	10	4	1
Unknown causes.																												
Total		269	156	28	9	5	3	201	6	1	1	6	1	5	2	4	5	2	5	9	7	3	4	6	1	....	....	....
Males		150	98	15	4	2	....	119	1	1	1	3	1	2	....	2	2	1	3	4	4	2	1	2	1	....	....	....
Females		119	58	13	5	3	3	82	5	....	....	3	....	3	2	2	3	1	2	5	3	1	3	4	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2233	409	353	169	110	82	1123	264	140	111	104	77	55	55	40	34	39	25	45	48	24	23	10	13	1	2	....
Males		1131	209	187	85	57	36	574	144	61	60	37	43	26	18	21	21	16	16	25	29	15	13	5	6	....	1	....
Females		1102	200	166	84	53	46	549	120	79	51	67	34	29	37	19	13	23	9	20	19	9	10	5	7	1	1	....
1. Small-pox	M.	2	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	27	3	8	5	....	5	21	2	....	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	4	5	3	2	....	14	5	3	1	....	3	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....
3. Scarlet fever	M.	241	24	32	26	32	19	133	82	18	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	233	19	35	33	30	25	142	61	24	3	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Diphtheria	M.	52	5	7	9	6	4	31	17	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	70	7	12	9	4	7	39	18	11	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	34	12	12	4	4	1	33	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	36	13	11	5	3	3	35	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	14	3	3	2	1	....	9	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	2	5	4	....	....	11	3	....	3	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	199	6	2	8	5	2	23	12	20	23	24	26	13	2	11	8	5	6	7	9	3	5	1	1	....	....	....
	F.	152	4	9	7	....	1	21	11	19	20	21	11	5	12	3	5	6	3	6	4	1	1	1	2	....	....	....
9. Diarrhœa	M.	43	8	5	4	1	1	19	....	....	....	....	....	2	2	1	1	3	....	4	4	3	....	2	1	....	1	....
	F.	18	9	2	1	....	....	12	1	1	....	....	....	....	....	1	1	....	....	1	....	....	1	....	....	....	....	....
10. Dysentery	M.	105	21	22	10	3	1	57	9	7	4	1	3	1	1	....	3	2	3	5	5	2	2	....	....	....	....	....
	F.	87	11	17	8	1	4	41	6	1	4	3	....	2	2	3	2	6	2	0	3	2	2	1	....	1	....	....
11. Enteritis	M.	91	26	12	3	1	1	43	8	4	4	3	2	....	1	3	3	2	2	3	7	1	3	1	1	....	....	....
	F.	83	19	9	5	3	1	37	1	2	2	4	....	3	9	2	1	2	1	3	7	2	2	2	3	....	....	....
12. Cholera morbus	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....
	F.	6	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	....	....	....	....
13. Cholera infantum	M.	162	84	72	6	....	....	162	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	149	93	47	7	1	1	149	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	111	7	6	7	4	2	28	11	8	9	4	8	6	8	4	3	2	5	5	3	4	....	1	2	....	....	....
	F.	133	10	13	3	9	3	37	12	17	12	13	3	7	3	3	3	9	1	3	4	2	3	....	1	....	....	....
15. Erysipelas	M.	30	6	2	1	....	....	9	1	....	5	2	1	2	2	1	2	2	....	1	....	1	1	....	....	....	....	....
	F.	16	6	....	....	....	1	7	....	1	1	2	1	1	1	....	....	....	1	....	....	....	....	....	....	....	1	....
16. Septicæmia	M.	5	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	58	....	....	....	....	....	....	....	....	3	18	13	8	9	6	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	9	3	2	....	....	....	5	....	....	....	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	6	3	....	....	....	....	3	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	3	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
General diseases—B.																												
Total		66	41	1	2	1	1	46	1	1	....	3	1	....	4	1	....	....	1	2	....	2	....	....	....	1	....	....
Males		42	28	....	2	1	....	31	1	1	....	1	....	....	1	1	....	....	1	2	....	....	....	....	....	....	....	....
Females		24	13	1	....	....	1	15	....	....	....	2	1	....	3	....	....	....	....	....	....	2	....	....	....	1	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	7	....	....	....	....	....	....	....	....	....	1	....	....	1	4	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	3	2	....	2	1	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	1	1	....	....	1	3	....	....	....	1	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Inanition	M.	29	26	....	....	....	....	26	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	16	11	....	....	....	....	11	....	....	....	1	1	....	1	....	....	....	....	....	....	1	....	....	....	1	....	....
General diseases—C.																												
Total		426	319	2	....	....	....	321	....	....	1	....	....	....	2	....	1	....	2	4	5	12	20	25	19	12	2	....
Males		242	194	1	....	....	....	195	....	....	....	....	....	....	1	....	1	....	1	3	2	7	7	10	9	6	....	....
Females		184	125	1	....	....	....	126	....	....	1	....	....	....	1	....	....	....	1	1	3	5	13	15	10	6	2	....
1. Premature birth	M.	32	32	....	....	....	....	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	25	....	....	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	147	147	....	....	....	....	147	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	86	86	....	....	....	....	86	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	24	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	12	1	....	....	....	13	....	....	1	....	....	....	1	....	1	....	1	2	1	6	1	2	1	....	....	....
5. Old age	M.	31	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	2	....	4	2	....	....	....	....
	F.	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	0	8	8	6	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	5	9	13	10	6	2	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1332	52	41	15	9	0	126	30	32	87	162	155	102	87	92	76	77	71	70	52	55	20	21	7	4	....	....
Males		603	25	16	7	8	4	60	18	13	31	65	64	42	29	29	35	39	42	48	25	30	12	13	5	3	....	....
Females		729	27	25	8	1	5	66	18	19	56	97	91	60	58	63	41	38	29	22	27	25	8	8	2	1	....	....
1. Rheumatism	M.	11	....	1	1	....	....	2	....	2	....	1	....	....	....	....	2	....	....	2	1	1	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	1	1	....	....	....	1	1	....	1	1	....	2	....	3	....	....	....	....	....	....
2. Scrofula and tabes	M.	18	9	5	....	2	1	14	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	28	9	5	1	....	....	15	4	4	....	2	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	429	11	6	3	3	....	23	7	7	28	57	61	42	27	26	30	23	33	25	14	12	6	5	2	1	....	....
	F.	554	11	10	3	1	....	25	8	13	54	90	82	59	50	51	30	28	14	15	14	12	6	3	....	....	....	....
5. Hydrocephalus	M.	5	4	....	....	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	4	3	....	....	....	7	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	53	1	....	1	....	1	3	3	....	....	....	2	....	....	2	3	3	4	10	4	7	....	5	1	1	....	....
	F.	57	1	1	1	....	3	6	....	....	1	1	3	....	6	7	6	3	9	1	6	3	2	1	1	1	....	....
7. Tumor	M.	6	1	....	....	....	....	1	....	1	....	....	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	1	1	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	69	2	4	2	2	2	12	7	3	2	4	....	....	2	....	....	7	4	0	4	7	5	3	2	1	....	....
	F.	65	2	6	3	....	2	13	5	....	1	3	5	....	1	4	2	6	3	4	7	6	....	4	1	....	....	....
10. Glycosuria	M.	12	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	4	2	3	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		730	231	80	43	26	21	401	51	20	22	16	10	14	12	14	19	17	14	29	26	16	25	18	8	1	2	....
Males		377	127	34	25	15	7	208	30	14	6	8	3	10	8	9	11	7	10	11	13	6	11	10	..	1	1	....
Females		353	104	46	18	11	14	193	21	6	16	8	7	4	4	5	8	10	4	18	13	10	14	8	3	....	1	....
1. Inflammation of the brain	M.	117	46	16	16	6	3	87	13	5	1	1	....	3	1	1	1	....	1	1	2	....	....	....	....	....	....	....
	F.	110	40	24	8	3	10	85	10	1	6	3	1	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....
2. Meningitis	M.	38	14	7	1	3	3	28	5	1	....	....	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....
	F.	21	10	1	2	2	....	15	1	....	2	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	21	....	....	1	....	....	1	....	....	....	1	1	1	....	1	1	1	....	3	2	2	4	2	....	1	....	....
	F.	27	....	1	....	....	....	1	....	....	1	....	....	....	1	....	2	3	....	8	3	3	1	....	....	....	1	....
4. Paralysis	M.	50	1	....	....	....	....	1	1	....	2	....	....	1	1	4	3	1	8	4	8	3	5	7	....	....	1	....
	F.	54	1	3	2	....	....	6	2	....	....	2	....	....	....	....	4	2	3	2	10	7	8	6	2	....	....	....
5. Tetanus and trismus nascentium.	M.	11	1	....	....	....	....	1	2	2	....	1	1	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....
	F.	6	4	....	....	....	....	4	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Epilepsy	M.	20	4	2	1	....	....	7	3	1	....	3	....	2	2	....	....	1	....	....	....	....	1	....	....	....	....	....
	F.	9	2	....	....	....	....	2	....	....	3	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	65	49	5	2	4	1	61	2	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	75	35	11	5	4	2	57	6	3	3	....	....	2	....	1	....	2	....	1	....	....	....	....	....	....	....	....
8. Mental diseases	M.	7	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	2	....	1	....	....	1	1	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	2	....	....	2	....	1	....	....	....
9. Diseases of the brain	M.	48	12	4	4	2	....	22	4	5	3	1	....	2	2	1	2	2	1	2	....	1	....	....	....	....	....	....
	F.	42	12	6	1	2	2	23	2	1	1	....	5	1	....	1	2	2	....	2	....	....	1	1	....	....	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		176	6	1	2	....	....	9	3	6	10	4	3	8	7	14	14	16	7	15	24	16	14	6	....	....	....	....
Males		81	2	1	1	....	....	4	1	4	3	2	....	2	2	5	7	6	6	6	15	9	6	3	....	....	....	....
Females		95	4	....	1	....	....	5	2	2	7	2	3	6	5	9	7	10	1	9	9	7	8	3	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	80	1	1	1	....	....	3	1	4	3	2	....	2	2	5	7	6	6	6	15	9	6	3	....	....	....	....
	F.	92	2	....	1	....	....	3	2	2	7	2	3	6	5	9	7	10	1	9	8	7	8	3	....	....	....	....
4. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1012	147	60	60	32	28	327	58	29	58	60	52	31	27	54	40	58	38	38	53	30	29	20	6	3	....	1
Males		601	85	36	28	20	13	182	35	15	43	40	30	21	16	30	27	43	20	20	28	19	17	9	4	2	....	....
Females		411	62	24	32	12	15	145	23	14	15	20	22	10	11	24	13	15	18	18	25	11	12	11	2	1	....	1
1. Croup	M.	91	25	18	16	10	8	77	12	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	56	22	10	9	1	4	46	8	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....
2. Laryngitis	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	41	12	5	2	2	....	21	1	2	2	1	....	....	1	....	1	1	....	1	4	2	2	2	....	....	....	....
	F.	38	5	3	2	3	2	15	2	....	1	1	....	2	3	3	....	....	2	3	1	2	1	1	....	1	....	....
4. Pneumonia	M.	427	88	11	8	7	5	69	18	13	33	35	30	17	14	28	24	40	19	17	23	17	13	7	3	2	....	....
	F.	291	30	11	18	8	9	76	11	13	14	17	20	8	7	20	13	15	16	15	19	8	8	8	2	....	....	1
5. Pleurisy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....
7. Others of this group	M.	37	10	2	1	1	....	14	4	....	2	3	....	4	1	1	1	2	1	1	....	....	2	....	1	....	....	....
	F.	22	4	....	3	....	....	7	2	1	....	2	2	....	1	....	....	....	....	....	4	1	1	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		114	20	8	2	2	....	32	2	6	5	3	6	2	1	3	6	5	7	7	13	10	4	2	....	....	....	....
Males		63	15	6	....	1	....	22	2	4	1	1	2	....	....	1	2	1	3	7	10	4	2	1	....	....	....	....
Females		51	5	2	2	1	....	10	....	2	4	2	4	2	1	2	4	4	4	....	3	6	2	1	....	....	....	....
1. Dentition	M.	9	3	6	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	2	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Gastritis	M.	9	2	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	1	3	2	....	....	....	....	....	....
	F.	5	....	....	1	....	....	1	....	....	1	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach.	M.	7	3	....	....	....	....	3	....	....	....	....	1	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....
5. Obstruction of the bowels	M.	2	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Hernia	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Other diseases of the bowels.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	6	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	2	2	....	....	....	....	....	....	....	....
	F.	7	1	....	....	....	....	1	....	....	....	1	....	1	....	....	....	2	....	....	....	1	1	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	15	5	....	....	....	....	5	1	2	....	....	....	....	....	....	1	....	....	3	1	....	1	1	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	1	....	1	5	....	....	....	....	2	1	....	....	....	....	....
11. Peritonitis	M.	5	1	....	....	....	....	1	1	....	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	1	1	2	....	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	1	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		55	1	....	....	1	1	3	2	2	1	....	2	4	3	2	....	4	5	5	3	3	4	4	3	....	....	....
Males		47	1	....	....	1	1	3	2	....	1	....	2	4	3	2	....	3	3	4	6	3	4	4	3	....	....	....
Females		8	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	2	1	2	....	....	....	....	....	....	....
1. Bright's disease	M.	15	....	....	....	....	....	....	....	....	1	....	....	....	3	1	....	1	3	2	2	1	....	....	1	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
2. Calculus, urinary	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	27	1	....	....	1	1	3	2	....	....	....	2	4	....	1	....	2	....	2	3	2	2	3	1	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		12	....	....	....	....	....	....	....	....	1	2	3	1	4	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	10	....	....	....	....	....	....	....	....	....	2	3	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		39	....	....	....	....	4	....	....	....	2	4	10	7	11	1	3	1	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	9	....	....	....	....	....	....	....	....	....	....	4	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	30	....	....	....	....	....	....	....	....	2	4	6	6	7	1	3	1	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		41	12	8	1	1	2	24	3	3	1	1	1	....	2	1	1	....	....	2	1	1	....	....	....	....	....	....
Males		18	3	4	1	....	....	8	1	3	1	1	1	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....
Females		23	9	4	....	1	2	16	2	....	....	....	....	....	2	1	1	....	....	1	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	16	3	4	1	....	....	8	1	3	1	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	21	8	4	....	1	2	15	2	....	....	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		19	2	3				5			1		1		1		1	1									
Males		2	1					1					1															
Females		8	1	3				4			1				1		1	1									
1. Abscess	M.	1											1														
	F.	7		3				3			1				1		1	1									
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.	1	1					1																			
	F.	1	1					1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1																	1								
Males																											
Females		1																	1								
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.	1																	1								
XII.—ACCIDENTS AND INJURIES.																											
Total		242	6	4	6	7	7	30	14	12	18	27	23	24	14	14	16	10	10	3	12	7	3	3	2		
Males		191	3	3	2	2	3	13	12	12	13	21	19	22	13	14	12	9	9	3	11	3	1	3	1		
Females		51	3	1	4	5	4	17	2		5	6	4	2	1		4	1	1		1	4	2		1		
1. Burns and scalds	M.	7		2		2		4	1	1		1															
	F.	15	1		2	5	2	10			2	1	1						1								
2. Drowned	M.	29	1					1	4	4	2	7	2	2	1	1	2	1	2								
	F.	8			1			1	2		2	1	1				1										
3. Exposure and neglect	M.	4										1	1			1		1									
	F.	3	1					1													1		1				
4. Gunshot wounds	M.																										
	F.																										
5. Homicide	M.	7											2		2		1	1		1							
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	15							1		1	3	2	3		2	1	1			1						
	F.	2											1				1										
9. Suffocation	M.	2		1			1	2																			
	F.																										
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M	4												1	1		1						1				
	F.	2										1										1					
13. Other suicides	M.	18									1		2	3	2	2	2	1	2		1	2					
	F.	6									1	2	1		1			1									
14. Sunstroke	M.	4								1				1							2						
	F.	1																				1					
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	101	2		2		2	6	6	6	9	9	10	12	7	8	5	4	5	2	7	1	1	2	1		
	F.	14	1	1	1		2	5				1		2			2					2	1		1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 3.

[Exclusive of INDIANAPOLIS.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		21951	4920	1604	886	575	470	8455	1280	757	1112	1407	1041	814	903	758	702	705	644	744	716	658	582	355	154	48	13	103
Total: Males		11140	2713	847	450	283	236	4529	603	353	489	613	463	356	391	377	368	382	389	422	386	351	314	195	76	21	6	56
Females		10811	2207	757	436	292	234	3926	677	404	623	794	578	458	512	381	334	323	255	322	330	307	268	160	78	27	7	47
Unknown causes.																												
Total		945	498	59	25	13	8	603	21	15	16	33	25	17	31	18	19	20	14	21	28	19	20	14	8	3	....	5
Males		481	275	34	11	5	3	328	15	8	4	11	12	6	8	9	5	12	7	8	12	12	12	9	3	....	....	2
Females		464	223	25	14	8	5	275	6	7	12	22	13	11	25	9	14	8	7	13	11	7	8	5	5	3	....	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		6644	1555	822	479	307	258	3421	743	369	348	330	230	152	163	144	115	111	100	81	87	90	75	35	16	3	2	29
Males		3264	815	423	236	140	133	1747	335	165	159	131	115	62	70	70	64	59	64	48	43	47	40	19	9	2	....	15
Females		3380	740	399	243	167	125	1674	408	204	189	199	115	90	93	74	51	52	36	33	44	43	35	16	7	1	2	14
1. Small-pox	M.	2	..	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	191	46	36	17	11	8	118	21	13	13	10	5	4	1	4	....	1	1	....	....	....	....	....	....	....	....	1
	F.	208	33	30	18	7	12	100	16	17	22	21	5	8	7	3	2	5	2	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	348	39	47	47	42	36	211	97	25	8	1	3	....	....	....	1	....	....	....	....	1	....	....	....	....	....	1
	F.	372	26	43	43	42	29	183	128	41	12	3	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....	1
4. Diphtheria	M.	368	31	41	40	35	48	195	120	33	9	....	4	2	1	1	....	1	....	....	1	....	....	....	....	....	....	....
	F.	429	19	38	50	64	44	215	138	49	9	5	3	4	3	1	....	1	....	....	....	1	....	....	....	....	....	....
5. Hooping-cough	M.	209	121	37	23	9	4	194	9	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	258	128	44	34	16	10	232	19	5	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Fever	M.	12	4	1	1	....	....	6	....	....	....	....	1	....	....	2	....	....	2	....	1	....	....	....	....	....	....	....	....
	F.	15	3	....	1	....	....	4	....	....	1	3	....	....	1	1	2	....	1	....	1	....	....	1	....	....	....	....	....
7. Cerebro-spinal fever	M.	92	17	15	10	4	7	53	9	4	6	4	3	4	3	1	1	2	1	1	....	....	....	....	....	....	....	....
	F.	89	16	17	6	3	4	46	13	7	8	3	3	2	2	2	2	1	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	562	13	10	10	10	7	50	34	49	78	89	58	25	27	20	27	25	21	18	12	16	8	....	1	....	....	4
	F.	471	6	8	14	6	7	41	42	51	74	56	38	23	27	27	16	17	9	15	16	8	7	3	....	....	....	1
9. Diarrhœa	M.	138	54	24	6	1	....	85	2	1	....	2	....	1	4	3	6	2	4	6	4	7	6	3	2	....	....	....
	F.	94	40	22	6	....	....	68	2	....	....	2	....	2	1	2	2	3	1	....	2	3	3	1	1	1	....	....
10. Dysentery	M.	164	46	45	28	4	7	130	10	3	2	1	....	1	1	2	....	....	3	1	2	2	4	2	....	....	....	....
	F.	152	43	31	17	4	8	103	4	2	2	1	4	1	1	....	5	2	3	6	5	7	6	....	....	....	....	....
11. Enteritis	M.	215	65	20	11	5	8	109	8	13	10	6	12	8	10	5	7	5	6	3	4	2	3	3	1	....	....	....
	F.	184	56	23	11	5	....	95	11	9	4	5	6	7	5	8	5	4	4	2	6	7	2	3	1	....	....	....
12. Cholera morbus	M.	26	2	5	2	....	....	9	1	....	....	1	....	....	1	2	....	1	1	1	2	3	....	3	....	1	....	....
	F.	18	3	....	1	1	....	5	3	....	....	2	1	1	....	....	....	....	....	....	1	2	2	1	....	....	....	....
13. Cholera infantum	M.	454	300	119	28	4	1	452	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	451	294	120	27	9	....	450	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	310	46	18	9	13	7	93	17	14	28	11	17	11	13	16	9	15	10	9	12	8	14	6	2	1	....	4
	F.	306	31	20	13	7	9	80	28	17	30	26	11	12	13	11	9	12	5	8	9	11	12	5	3	....	1	3
15. Erysipelas	M.	96	20	4	2	....	....	26	5	2	3	1	5	2	3	8	9	7	6	7	5	4	3	....	....	....	....	....
	F.	100	30	2	....	1	....	33	3	4	5	6	5	1	5	9	4	2	6	2	4	4	2	2	2	....	1	....
16. Septicæmia	M.	34	1	1	1	1	....	4	1	3	2	2	4	2	4	2	1	1	6	....	....	2	....	....	....	....	....	....
	F.	26	4	....	1	1	....	6	....	2	1	3	4	3	2	....	1	1	2	....	....	....	....	....	....	....	....	1
17. Puerperal septicæmia	F.	176	....	....	....	....	....	....	....	....	13	63	31	24	25	8	1	....	....	....	....	....	....	....	....	....	....	6
18. Venereal diseases	M.	16	4	....	1	....	....	5	....	....	....	2	....	1	2	1	2	....	....	....	....	1	1	....	....	....	....	1
	F.	9	6	....	....	1	....	7	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	27	6	....	....	1	....	7	1	1	1	1	2	1	....	3	....	....	2	1	....	1	1	2	3	....	....	....
	F.	22	2	1	1	....	2	6	1	....	3	....	2	1	....	1	1	3	3	....	....	1	....	....	....	....	....	....
General diseases—B.																												
Total		258	139	6	8	2	3	158	8	2	7	5	4	3	19	9	6	5	6	13	4	2	5	1	....	1	....	....
Males		128	59	2	4	2	....	67	1	1	2	5	2	2	12	8	5	3	6	9	2	....	2	1	....	....	....	....
Females		130	80	4	4	....	3	91	7	1	5	....	2	1	7	1	1	2	....	4	2	2	3	....	....	1	....	....
1. Worms	M.	2	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	....	1	3	....	2	6	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	31	....	....	....	....	....	....	....	....	1	1	1	1	8	6	1	3	3	4	....	....	1	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	32	4	2	2	1	....	9	....	1	....	4	1	....	4	2	2	....	3	4	1	....	1	....	....	....	....	....
	F.	37	5	2	1	....	1	9	6	....	4	....	2	1	6	1	....	1	....	3	1	....	1	....	....	....	....	....
6. Inanition	M.	60	55	....	1	....	....	56	....	....	1	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....
	F.	82	75	1	....	....	....	76	1	....	....	....	....	....	....	....	....	....	....	1	....	1	2	....	....	1	....	....
General diseases—C.																												
Total		1448	1084	6	1	1	1	1093	1	1	1	1	1	1	1	2	2	5	3	13	16	45	70	91	64	28	6	3
Males		804	642	4	....	....	....	646	1	....	....	....	....	....	....	2	1	2	2	9	5	19	36	37	29	10	3	2
Females		644	442	2	1	1	1	447	....	1	1	1	1	1	1	....	1	3	1	4	11	26	34	54	35	18	3	1
1. Premature birth	M.	117	117	....	....	....	....	117	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	85	85	....	....	....	....	85	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	457	457	....	....	....	....	457	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	307	307	....	....	....	....	307	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	22	20	1	....	....	....	21	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	21	1	....	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	96	48	3	....	....	....	51	....	....	....	....	....	....	....	2	1	2	2	4	4	9	9	6	3	....	1	2
	F.	77	20	1	1	1	1	53	....	1	1	1	1	1	1	....	1	3	....	....	5	10	5	8	5	....	....	1
5. Old age	M.	112	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	5	1	10	27	31	26	10	2	....
	F.	153	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	4	6	16	29	46	30	18	3	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		3882	176	86	38	35	19	354	105	111	308	565	403	290	289	218	199	199	168	196	154	137	95	54	19	1	17
Males		1657	95	46	20	20	8	189	44	37	85	210	152	108	113	85	97	99	89	99	76	76	49	27	10	1	8
Females		2225	81	40	18	15	11	165	61	74	220	355	251	182	176	133	102	100	79	97	78	61	46	27	9		9
1. Rheumatism	M.	51					1	1	3	4	2	4	2	3	5	2	1	2	3	5	3	6	3	2			
	F.	53	1					1	4	9	5	3	2	1	2	2	3	2	5	4	3	3	3	1			1
2. Scrofula and tabes	M.	95	26	14	3	2	2	49	4	5	5	7	8	3	4		4	2	1	1	1		1				
	F.	80	29	10	4	4	1	48	7	5	7	3	1	5	1			1		1	1						
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	1078	32	19	4	6		61	13	16	68	186	131	96	92	72	75	63	56	50	36	31	16	5	4		7
	F.	1574	22	12	6	7	6	53	21	45	193	316	230	162	142	99	65	66	39	49	34	22	21	9	2		6
5. Hydrocephalus	M.	56	27	8	5	4	1	45	5	3		1			1			1									
	F.	45	18	11	5	1	1	36	7		1				1												
6. Cancer	M.	115		1	1			2			2	1	1	3	3	1	10	17	12	19	15	12	10	4	2		1
	F.	191	2			1		3		1	3	6	5	5	12	16	22	19	22	20	20	15	11	6	4		1
7. Tumor	M.	17	1					1			2	3			1	1	1	3	1	1	1	2					
	F.	17	1				1	2					1	2	2	4	2		1	2	2		1				
8. Anæmia	M.	7	3					3			1	1						1			1						
	F.	32	5	2				7		1	3	4	5	1	5	1		1				3	1				
9. Dropsy	M.	185	3	3	7	7	4	24	12	5	6	4	9	2	6	8	6	8	15	18	15	18	12	14	4	1	
	F.	196	2	3	2	2	2	11	18	7	7	18	6	6	10	9	10	8	9	19	18	17	9	11	3		
10. Glycosuria	M.	48		1		1		2	4	4	2	3	1	1	1	3		2	1	5	3	7	7	2			
	F.	19							3	5		2		1	1	1		2	2	1		1					
11. Others of this group	M.	5	1					1	3												1						
	F.	18	1	2	1			4	1	1	1	3	2			1		1	1	1		1					1
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		2373	662	231	110	66	53	1122	142	63	62	70	69	64	57	60	67	67	79	85	97	96	91	51	15	4	12
Males		1225	359	105	60	34	27	585	70	24	29	39	37	37	33	24	29	36	53	43	53	49	39	27	9	2	7
Females		1148	303	126	50	32	26	537	72	39	33	31	32	27	24	36	38	31	26	42	44	47	52	24	6	2	5
1. Inflammation of the brain	M.	276	119	44	22	15	8	208	24	4	8	5	5		3	3	1	3	8	1		1	1	1			
	F.	272	96	60	19	10	14	199	21	12	7	6	5	3	6	2	3	1		3	2		2				
2. Meningitis	M.	115	29	12	9	7	5	62	16	3	5	5	4	1	6	1	1	2	4	1		3					1
	F.	97	28	20	10	5	3	66	8	5	7	3	1	3		1				2	1						
3. Apoplexy	M.	97	6					6		3		3	5	8	6	1	5	7	9	10	17	5	5	5	2		
	F.	74										2	1		3	5	6	8	2	11	10	14	8	3			1
4. Paralysis	M.	185	4	4				8	3	2	3	2	2	3	4	4	7	10	16	20	25	28	23	17	6	2	
	F.	187	1	1	3			5	4	3	2	2	1	3	5	4	9	9	12	20	24	26	32	18	4	2	2
5. Tetanus and trismus nascentium.	M.	14	7					7	3	1		1	1	1	1												
	F.	9	5	1			1	7	1						1												
6. Epilepsy	M.	50	6	1	2	1		10	2	1	3	9	4	0	1	2	2	1		3		1		1			1
	F.	44	6	2		1		9	2	3	4	4	7	2	1	3	2	2	1		2		1		1		
7. Convulsions	M.	154	112	16	7	1	4	140	5		1	2			1	1	1	1		1							1
	F.	141	94	16	6	4	2	122	2	1	3	3	1	2	2	2		1		1		1					
8. Mental diseases	M.	51								1	2	4	6	5	6	6	4	4	3	2	1	2	1	1	1		2
	F.	57							2	2	3	3	9	7	1	10	5	4	4	3	1	2	1				
9. Diseases of the brain	M.	204	53	18	16	8	7	102	9	5	6	6	8	7	5	4	8	8	9	4	7	7	6	1			2
	F.	193	60	21	9	5	5	100	20	7	5	6	4	5	2	6	8	4	5	2	4	2	7	3	1		2
10. Diseases of the spinal cord	M.	66	23	9	4	2	2	40	7	4	1	2	2	1		1			4	1	1	1	1				
	F.	55	12	5	3	7	1	28	10	5	2	1		2	2		2	1	2								
11. Others of this group	M.	13		1			1	2	2					2		1					2	1	2	1			
	F.	19	1					1	2	1		1	3		1	3	3	1				2	1					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		651	69	4	3	3	6	85	18	19	18	23	24	19	32	33	33	51	41	58	56	57	55	22	8		4
Males		305	38	2		3	4	47	8	5	6	6	9	9	8	12	13	20	23	28	19	36	39	16			1
Females		340	31	2	3		2	38	10	14	12	17	15	10	24	21	20	31	18	30	37	21	16	6	8		3
1. Angina pectoris	M.	9																2		1	2	2	1	1			
	F.	9													1			2		1	4	1					
2. Aneurism	M.	7											1	1		1		2		1			1				
	F.	2	1					1									1										
3. Diseases of the heart	M.	260	12	2		2	4	20	8	4	6	6	8	8	8	11	13	16	23	25	17	34	37	15			1
	F.	313	14	2	3		2	21	10	14	12	16	14	9	23	21	19	29	18	28	33	19	15	6	3		3
4. Others of this group	M.	29	26			1		27		1										1							
	F.	22	16					16				1	1	1						1		1	1				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		3435	477	300	177	109	92	1155	149	88	173	174	124	120	161	151	166	163	139	171	181	132	100	45	15	6	4	18
Males		1996	281	173	95	59	47	655	82	46	100	118	61	70	89	97	96	100	95	111	108	63	48	29	9	4	3	12
Females		1439	196	127	82	50	45	500	67	42	73	56	63	50	72	54	70	63	44	60	73	69	52	16	6	2	1	6
1. Croup	M.	258	79	59	39	28	22	227	30	1																	
	F.	214	56	36	40	29	26	187	22	2		1					1				1						
2. Laryngitis	M.	13	2	2	3		1	8	1		1							1		1		1					
	F.	13	4	2		1	1	8	3			1					1										
3. Bronchitis	M.	124	34	18	5	7	5	69	4	2	1	6		2	4	1	5	1	5	5	6	4	5	2		1		1
	F.	113	29	17	4	4		54	2	2	5	2	4	5	5	4	1	7		2	3	5	8	3		1		
4. Pneumonia	M.	1405	134	83	38	21	17	293	43	37	90	100	56	61	78	86	84	86	77	93	88	49	38	22	9	2	3	10
	F.	934	82	64	31	13	14	204	33	33	61	42	52	40	57	43	57	48	41	51	61	52	39	10	3	1	1	3
5. Pleurisy	M.	20	2		1			3			4		1					3	1	3	1	3	1					
	F.	17	1			1		2	1			2			2		1	1	1	1	3	2	1				
6. Asthma	M.	21	1					1				1	1		1	1		1	3	1	5	2	2	2				
	F.	18					1	1		1		1		1	1		2	1		1	1	6	1	1				
7. Others of this group	M.	155	29	11	9	3	2	54	4	6	4	11	3	7	6	9	7	8	9	8	8	4	3	3		1		1
	F.	130	24	8	7	2	3	44	6	4	7	7	7	4	7	7	7	6	2	5	4	4	3	2	3			1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		842	149	47	28	11	6	241	36	21	36	29	40	42	40	45	24	34	49	54	51	42	28	23	5	1	1
Males		443	91	31	14	3	2	141	12	13	22	9	17	17	15	30	13	15	23	34	29	20	14	16	1	1	1
Females		399	58	16	14	8	4	100	24	8	14	20	23	25	25	15	11	19	26	20	22	22	14	7	4		
1. Dentition	M.	12	5	7				12																			
	F.	13	5	6	1	1		13																			
2. Angina	M.	15	3	3	3			9	1	1				1						1	1	1					
	F.	12	2		2	1		5	3		1		1	1				1									
3. Gastritis	M.	21	2	1		1		4			1	1			2	2	1	1	3	3	1		1	1			
	F.	19			1			1	1		1		2	1	1	2	1			1	4	4					
4. Other diseases of the stomach	M.	91	14	6	3		1	24	1	2	3	1	3	9	3	11	4	3	5	5	8	1	3	5			
	F.	88	9	4	5	4		22	4	4	4	3	3	8	7	1	1	3	10	1	6	5	3	1	2		
5. Obstruction of the bowels	M.	33	2	3	1			6	3		5	3	2	3	1	1				4	1	1	1	1			
	F.	19	1			1		2	2						1		1	4		4	2	1	1		1		
6. Hernia	M.	17	3					3			2			1	1			1	1	4	1	1		1		1	
	F.	7	1					1				1		1	1	1	1			1							
7. Other diseases of the bowels	M.	44	13	4	3			20	1	2		1	5			3	1	1	2	4	1	1		2			
	F.	31	6	1	2		1	10	2		2	1	2	2		1	3	2	1	3		2					
8. Jaundice	M.	18	5					5	1	1	1					1	1			2	1	2					
	F.	16	5		1	1	1	8					1						3	1	1	2					
9. Inflammation and abscess of the liver	M.	28	1			1		2	1		3	1	1	1	2	4	2	2	3	2	2	1		1			
	F.	32	2		1		1	4	3	2		1	1	2	1	3	1	1	2	1	3	1	6				
10. Other diseases of the liver	M.	50	9	2	1	1	1	14	1	2		1	1	1	1	3		3	7	4	5	4	2	1			
	F.	55	11				1	12		1	1	4	5	1	3	2	1	5	6	3	3	4	3	1			
11. Peritonitis	M.	39	3	2	1			6	1	2	5	1	3	1	4	4	1	3	1	1	2	3		1			
	F.	47							6		3	9	7	4	5	2	1	1	2	2	2	2		1			
12. Ascites	M.	12			1			1	1	2					1						1	1	5				
	F.	14	1					1	2	1	1			1		1		1	2	1		1	3				
13. Others of this group	M.	63	31	8	1			35	1	1	2		1			1	3	1	1	4	5	4	1	1	1		1
	F.	46	15	5	1			21	1		1	1	1	5	6	2	1	2	1	1		1		1	1		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		232	5	4	1	2	2	14	7	5	7	11	6	8	9	9	10	10	12	18	23	29	26	14	5	1	2
Males		176	4	3	1	1	2	10	4	2	4	6	4	5	2	8	6	12	8	16	19	25	25	13	5		2
Females		56	1	2		1		4	3	3	3	5	2	3	7	1	4	4	4	2	4	4	1	1		1	
1. Bright's disease	M.	54			1		1	2	2		1	4	2	1		4	3	5	4	5	3	7	7	2			2
	F.	23		1				1	3	3		1	1	1	3		3		2	1	2	2					
2. Calculus, urinary	M.	12									1		1	1						2	2	1	2	1	1		
	F.	2		1				1														1					
3. Diseases of the kidney	M.	60	4	1			1	6	2	2	2	2	1	1	2		3	5	1	5	2	4	2	5	2		
	F.	27	1			1		2			3	3	1	2	3	1		4	2	1	1	1	1	1		1	
4. Diseases of the bladder	M.	28		1		1		2						1		2			1	2	5	5	7	1	2		
	F.	1																			1						
5. Others of this group	M.	22												1		2		2	2	2		8	1	4			
	F.	3										1			1		1										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		70								2	7	8	6	10	10	10	5	3	4	3	1		1				
1. Ovarian tumors	F.	11										1			4	1			2	2			1				
2. Ovarian diseases	F.	2								1										1							
3. Uterine tumors	F.	6												1		1		2	2								
4. Uterine diseases	F.	20									2	6	2	2	4	3		1									
5. Others of this group	F.	31								1	5	1	4	7	2	5	5				1						
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		250									36	68	43	42	36	16	5	1	1								2
1. Abortion	F.	32									2	5	7	6	8	3			1								
2. Child-birth	F.	161									18	41	30	30	24	11	5										2
3. Others of this group	F.	57									16	22	6	6	4	2		1									
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		85	14	7	2	4	1	30	8	6	9	5	2	3	4	2	6	3	2	2	1	1	1				
Males		48	6	5	1	2	2	16	4	5	5	4	1	1	2	1	3	1	2	1	1		1				
Females		37	8	2	1	2	1	14	4	1	4	1	1	2	2	1	3	2		1		1					
1. Diseases of the spine	M.	28	5	4	1	2	1	13	2	2	2	2			1	1	2	1			1		1				
	F.	29	8	2		2	1	13	3		4	1	1	1	2		2	2									
2. Diseases of the bones	M.	6		1				1	2	1	1								1								
	F.	4														1	1			1		1					
3. Diseases of the hip-joint	M.	5	1				1	2		2	1	1		1	1												
	F.	4			1			1	1	1				1													
4. Others of this group	M.	6									1	1	1				1		1	1							
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

INDIANA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 1 .	1 to 10.	10 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		45	10	3	....	1	1	15	1	1	1	4	2	1	2	2	3	2	2	4	4	1	....	....	....	....	....	1
Males		29	5	1	....	1	....	7	1	1	....	2	2	1	2	....	2	2	1	2	4	1	....	....	....	....	....	1
Females		16	5	2	....	....	1	8	....	....	1	2	....	....	....	2	....	....	1	2	....	....	....	....	....	....	....	....
1. Abscess	M.	17	2	1	....	....	....	3	1	1	....	2	1	1	2	....	2	1	1	....	1	....	....	....	....	....	....	1
	F.	11	4	....	....	....	....	4	....	....	1	2	....	....	....	1	....	....	1	2	....	....	....	....	....	....	....	....
2. Carbuncle	M.	6	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	2	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	6	3	....	....	1	....	4	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	5	1	2	....	....	1	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		22	3	2	....	....	1	6	....	1	2	....	3	1	2	1	2	1	1	1	....	1	....	....	....	....	....	....
Males		12	2	2	....	....	1	5	....	1	1	....	1	1	1	....	1	....	....	....	....	1	....	....	....	....	....	....
Females		10	1	....	....	....	....	1	....	....	1	....	2	....	1	1	1	1	1	1	....	....	....	....	....	....	....	....
1. Addison's disease	M.	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	7	1	2	....	....	1	4	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	....	....	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																												
Total		769	79	27	14	21	17	158	41	53	81	81	59	41	47	38	41	24	23	24	18	6	15	5	4	1	....	9
Males		572	41	17	8	13	7	86	26	45	69	72	50	37	38	31	33	21	16	14	15	2	9	1	1	1	...	5
Females		197	38	10	6	8	10	72	15	8	12	9	9	4	9	7	8	3	7	10	3	4	6	4	3	....	....	4
1. Burns and scalds	M.	27	3	7	3	5	2	20	3	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	50	5	6	3	3	5	22	11	4	3	2	1	....	2	1	....	....	....	1	1	....	1	1	....	....	....	....
2. Drowned	M.	54	....	....	2	1	1	4	6	13	11	8	6	1	1	2	2	....	....	....	....	....	....	....	....	....	....	....
	F.	11	....	1	1	3	....	5	2	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	10	5	1	....	....	....	6	1	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	9	....	....	....	....	9	....	....	....	....	1	....	1	2	....	....	....	1	....	....	....	....	....	....	....	1
4. Gunshot wounds	M.	28	....	....	....	....	....	....	1	5	10	4	5	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	1	1	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	30	....	....	....	....	....	....	2	....	....	5	3	2	10	....	2	2	2	....	1	....	....	....	....	....	....	1
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	77	....	....	....	....	....	....	2	5	13	18	12	8	4	4	7	....	1	1	1	....	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	2	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	44	24	4	1	....	1	30	2	2	....	....	1	....	....	2	1	....	1	1	....	....	2	....	....	....	....	2
	F.	23	16	1	1	1	....	19	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	1	....	....	....	....	....
10. Suicide by shooting	M.	10	....	....	....	....	....	....	....	....	1	5	....	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	8	....	....	....	....	....	....	....	....	1	2	2	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	2	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	37	....	....	....	....	....	....	....	....	3	3	3	3	2	3	5	6	4	1	1	....	1	....	....	1	....	....	1
	F.	9	....	....	....	....	....	....	....	....	2	2	1	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	1
14. Sunstroke	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	8	....	1	....	....	....	1	1	....	1	....	....	....	....	3	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	231	8	4	2	7	3	24	7	18	29	25	16	20	17	16	12	12	5	10	10	2	5	1	....	1	....	1
	F.	58	7	2	....	1	3	13	2	....	2	1	2	2	2	2	3	1	4	7	1	4	5	2	3	....	....	2

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3550	686	224	144	107	96	1257	236	115	145	160	125	123	112	121	109	130	158	146	182	156	127	69	35	5	9	30
Total: Males	1903	361	119	87	60	48	675	109	62	64	77	63	52	53	60	59	72	95	89	115	93	77	38	21	2	4	18
Females	1647	325	105	57	47	48	582	127	53	81	83	62	71	59	61	50	58	63	57	67	58	50	31	14	3	5	12
Unknown causes.																											
Total	118	53	4	4	3	1	65	3	3	2	....	2	....	3	2	3	3	7	2	9	4	0	....	....	1	....	4
Males	72	33	2	4	1	....	40	1	3	1	....	2	....	....	1	2	1	5	1	4	4	3	....	....	1	....	3
Females	46	20	2	....	2	1	25	2	....	1	....	....	....	3	1	....	2	2	1	5	....	3	....	....	....	....	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	1033	212	116	80	66	66	540	152	62	51	29	20	21	16	17	12	9	16	26	18	21	12	6	3	....	1	1
Males	538	114	62	45	40	31	292	72	34	16	14	10	11	4	7	6	4	10	18	12	14	8	3	3	....	....	....
Females	495	98	54	35	26	35	248	80	28	35	15	10	10	12	10	6	5	6	8	6	7	4	3	....	....	1	1
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	18	5	3	1	2	1	12	1	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	10	1	3	4	1	....	9	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	99	12	16	18	14	12	72	18	7	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	80	3	10	7	10	12	42	27	6	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	128	13	15	8	19	16	71	36	19	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
F.	126	5	16	13	12	19	65	42	13	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	13	8	4	....	....	....	12	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	25	15	2	6	1	....	24	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	3	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	6	1	....	....	....	1	2	1	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
8. Enteric fever M.	57	1	1	3	3	....	8	3	1	0	6	6	4	....	3	2	1	4	7	1	1	3	1	....	....	....	....
F.	44	1	....	1	....	2	4	3	3	15	3	1	....	4	3	1	1	....	3	1	2	....	....	....	....	....	....
9. Diarrhœa M.	27	15	3	....	....	1	19	....	....	....	....	....	1	....	....	2	....	1	2	1	1	....	....	....	....	....	....
F.	26	15	3	1	....	....	19	....	....	1	....	1	....	....	1	....	1	....	....	....	....	....	2	....	....	....	1
10. Dysentery M.	16	5	2	2	....	....	9	1	....	....	....	1	1	....	....	....	....	....	3	....	1	....	....	....	....	....	....
F.	17	7	3	....	....	....	10	1	1	1	....	....	....	2	....	....	....	....	....	1	1	....	....	....	....	....	....
11. Enteritis M.	39	11	1	1	....	....	13	4	3	4	1	1	1	....	....	1	2	1	2	3	1	....	2	....	....	....	....
F.	31	5	4	2	1	....	12	4	1	1	....	....	....	1	4	3	1	....	1	1	....	2	....	....	....	....	....
12. Cholera morbus M.	14	1	1	....	....	....	2	....	....	....	1	....	2	2	....	....	....	2	....	3	2	....	....	....	....	....	....
F.	8	2	1	....	....	....	3	....	1	....	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....
13. Cholera infantum M.	54	37	12	5	....	....	54	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	47	35	12	....	....	....	47	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	44	2	3	5	1	1	12	5	2	1	1	2	....	....	1	1	....	2	3	3	5	4	....	2	....	....	....
F.	38	4	....	....	1	1	6	1	2	6	3	2	2	2	....	....	....	5	2	1	3	1	1	....	....	1	....
15. Erysipelas M.	12	4	....	1	....	....	5	....	....	2	1	....	....	....	1	....	....	....	1	1	1	....	....	....	....	....	....
F.	10	3	....	1	....	....	4	....	....	1	1	....	....	1	....	....	....	....	....	1	1	1	....	....	....	....	....
16. Septicæmia M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	19	....	....	....	....	....	....	....	....	....	6	5	6	1	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	3	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	7	....	....	....	1	....	1	....	....	1	1	....	....	....	2	....	....	....	....	....	....	1	....	1	....	....	....
F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	30	9	2	1	....	1	13	1	1	....	2	....	1	....	3	2	1	2	1	1	2	....	....	....	....	....	....
Males	18	5	1	....	....	1	7	....	1	....	1	....	....	....	2	....	1	2	1	1	2	....	....	....	....	....	....
Females	12	4	1	1	....	....	6	1	....	....	1	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	1	1	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	8	1	1	....	....	1	3	....	1	....	1	....	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....
F.	7	....	1	1	....	....	2	....	....	....	1	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	240	147	3	1	....	....	151	....	....	....	....	....	....	....	....	1	....	1	5	1	9	24	22	16	3	7	....
Males	118	77	1	....	....	....	78	....	....	....	....	....	....	....	....	....	....	....	3	....	5	12	9	7	1	3	....
Females	122	70	2	1	....	....	73	....	....	....	....	....	....	....	....	1	....	1	2	1	4	12	13	9	2	4	....
1. Premature birth M.	14	14	....	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	55	55	....	....	....	....	55	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	53	53	....	....	....	....	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	15	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	22	9	2	1	....	....	12	....	....	....	....	....	....	....	....	....	....	....	3	....	2	3	1	....	....	....	....
5. Old age M.	31	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	....	....	2	2	2	....	....	....	....
F.	39	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	9	8	7	1	3	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	10	11	9	2	4	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																												
Total		593	22	8	5	4	1	40	5	13	39	57	48	50	40	39	33	51	37	29	38	29	23	8	3	1	....	10
Males		277	12	5	3	3	1	24	3	4	11	18	21	19	19	18	16	25	17	18	24	18	12	4	2	....	....	4
Females		316	10	3	2	1	....	16	2	9	28	39	27	31	21	21	17	26	20	11	14	11	11	4	1	1	....	6
1. Rheumatism	M.	12	....	....	....	....	....	....	1	1	1	....	....	....	1	....	1	1	1	1	2	....	....	1	1	....	....	....	....
	F.	9	....	1	....	....	....	1	2	1	2	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....
2. Scrofula and tabes	M.	5	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	187	5	....	2	....	....	7	1	2	10	16	21	19	16	16	12	14	10	13	13	10	3	1	1	....	....	2
	F.	210	3	....	2	....	....	5	....	5	26	37	26	27	13	14	10	13	9	3	4	6	5	3	1	....	....	3
5. Hydrocephalus	M.	9	6	2	....	1	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	6	1	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	25	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	3	3	2	6	4	5	....	....	....	....	....
	F.	44	....	....	....	....	....	....	....	....	....	....	....	2	6	5	3	9	5	2	4	4	2	....	....	1	....	1
7. Tumor	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....
	F.	12	....	....	....	....	....	....	....	1	....	1	....	....	2	1	2	....	1	2	1	1	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
9. Dropsy	M.	31	....	2	1	1	1	5	1	....	....	2	....	....	2	2	2	2	....	2	2	3	4	2	....	....	....	2
	F.	26	....	1	....	....	....	1	....	1	....	....	1	2	....	1	2	3	4	3	3	....	3	1	....	....	....	1
10. Glycosuria	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....
11. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		398	107	37	18	7	5	174	17	11	10	11	9	7	8	12	6	15	24	24	25	19	17	6	2	....	....	1
Males		205	58	19	11	3	2	93	7	4	8	7	7	1	5	5	4	6	8	9	19	8	9	3	1	....	....	1
Females		193	49	18	7	4	3	81	10	7	2	4	2	6	3	7	2	9	16	15	6	11	8	3	1	....	....	....
1. Inflammation of the brain	M.	33	12	9	5	1	1	28	1	2	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	32	11	10	1	....	2	24	1	4	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	10	2	2	1	....	....	5	1	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
	F.	7	2	1	2	....	1	6	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Apoplexy	M.	22	....	....	....	....	....	....	....	....	....	1	1	....	1	....	2	....	4	2	4	2	3	2	....	....	....	....
	F.	26	1	....	....	....	....	1	....	....	....	2	....	1	....	6	....	4	4	3	2	1	1	....	1	....	....	....
4. Paralysis	M.	31	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	3	2	3	10	3	5	1	....	....	....	....
	F.	42	1	....	....	....	....	1	4	....	....	1	....	2	....	....	2	3	3	7	2	8	6	3	....	....	....	....
5. Tetanus and trismus nascentium.	M.	6	1	....	....	....	....	1	....	....	3	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	11	1	....	....	....	....	1	....	....	....	2	4	....	....	1	....	1	....	1	....	....	1	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	1	....	1	1	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....
7. Convulsions	M.	44	30	5	3	....	....	38	3	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	38	26	5	1	2	....	34	1	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	30	12	3	1	2	....	18	2	....	1	1	2	....	2	....	....	1	1	2	3	2	....	....	1	....	....	....
	F.	26	5	2	2	1	....	10	3	....	....	....	....	1	1	....	....	1	6	3	1	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	7	....	....	1	....	1	2	....	....	1	1	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	3	1	....	1	1	....	3	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
11. Others of this group	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	0	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		155	5	1	....	....	1	7	5	4	7	9	1	3	6	9	9	10	11	14	20	19	11	5	2	....	1	2
Males		84	3	1	....	....	1	5	4	1	5	5	....	3	4	3	1	8	5	5	9	9	5	5	....	....	1	2
Females		71	2	....	....	....	....	2	1	3	2	4	1	....	2	6	8	2	6	9	11	10	6	....	2	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	82	3	1	....	....	1	4	3	1	5	5	....	3	4	3	1	8	5	9	9	9	5	5	....	....	1	2
	F.	66	....	....	....	....	....	....	1	3	2	4	1	....	3	6	5	2	6	5	11	10	6	....	2	....	....	....
4. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		527	79	39	30	20	16	184	40	8	11	12	18	17	16	13	23	18	30	25	39	31	18	12	5	....	....	7
Males		284	34	23	20	10	9	96	13	5	3	5	8	5	12	6	14	9	23	13	23	20	13	8	4	....	....	4
Females		243	45	16	10	10	7	88	27	3	8	7	10	12	4	7	9	9	7	12	16	11	5	4	1	....	....	3
1. Croup	M.	57	10	11	10	5	7	43	10	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3
	F.	48	11	5	5	5	3	29	17	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	9	2	1	....	....	....	3	....	....	....	....	....	....	....	1	....	....	1	....	1	2	....	1	....	....	....	....
	F.	20	9	....	....	....	....	9	2	....	....	1	1	....	....	....	....	....	1	2	1	1	....	1	....	....	....	1
4. Pneumonia	M.	178	18	8	10	3	1	42	2	4	2	2	7	5	11	4	13	8	19	11	17	14	8	3	3	....	....	1
	F.	146	19	8	5	5	3	40	5	2	8	6	7	10	3	7	8	8	6	7	12	10	3	3	....	....	....	1
5. Pleurisy	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	2	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	1	....	....	....	1	2	....	....	....	....	....	....	1	....	1	....	....	....	....	....
6. Asthma	M.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	3	2	....	2	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....
7. Others of this group	M.	25	4	3	....	....	1	8	....	....	1	2	1	....	....	1	1	1	1	1	3	1	3	1	....	....	....	....
	F.	19	6	3	....	....	1	10	2	....	....	....	....	....	1	....	....	....	....	2	1	....	1	1	....	....	....	....	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	147	26	8	3	2	2	41	4	2	6	3	5	6	6	8	8	8	8	12	12	8	6	2	1		1
Males	88	10	5	2	1	1	19	2	1	5	2	2	3	1	7	6	5	5	11	6	5	5	2	1		
Females	59	16	3	1	1	1	22	2	1	1	1	3	3	5	1	2	3	3	1	6	3	1				1
1. Dentition M.	4	2	1	1			4																			
1. Dentition F.	5	2	3				5																			
2. Angina M.	2	1		1			2																			
2. Angina F.	2							2																		
3. Gastritis M.	5		1			1	2									2						1				
3. Gastritis F.	2			1			1														1					1
4. Other diseases of the stomach M.	17										1		1			1	1	1	6	2	1	2		1		
4. Other diseases of the stomach F.	9	2			1		3		1	1				1			1			1	1					
5. Obstruction of the bowels M.	5									1						1	1			1		1				
5. Obstruction of the bowels F.	3	1					1						1							1						
6. Hernia M.	4	1					1			1	1						1									
6. Hernia F.	4													2		1				1						
7. Other diseases of the bowels M.	3		2				2								1											
7. Other diseases of the bowels F.	6	3					3											1		1		1				
8. Jaundice M.	3	1					1						1		1											
8. Jaundice F.	2	1					1						1													
9. Inflammation and abscess of the liver. M.	4							1					1				1				1					
9. Inflammation and abscess of the liver. F.	1																1									
10. Other diseases of the liver M.	16											2		1	4	1	2	1	4	1						
10. Other diseases of the liver F.	10	2				1	3					8					1	1	1	1						
11. Peritonitis M.	8				1		1		1						1				1	2		1	1			
11. Peritonitis F.	3										1			2	1	1										
12. Ascites M.	1																	1								
12. Ascites F.	1																			1						
13. Others of this group M.	16	5	1				6	1		3						1		1			3		1			
13. Others of this group F.	8	5					5						1					1			1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	52	3					3		1		2		2	3	3		3	7	4	10	7	3	3	1		
Males	43	1					1				2		2	1	1		3	6	2	10	7	3	2	1		
Females	9	2					2		1					2				1	2				1			
1. Bright's disease M.	15										2		1	1	1			2		4	1			1		
1. Bright's disease F.	1																		1							
2. Calculus, urinary M.	3																	1	1	1						
2. Calculus, urinary F.	2																	1								
3. Diseases of the kidney M.	12	1					1						1		1		2	1		1	4	1				
3. Diseases of the kidney F.	6	2					2		1					1					1				1			
4. Diseases of the bladder M.	8																1	1	1	2		1	2			
4. Diseases of the bladder F.																										
5. Others of this group M.	5														1			1		2		1				
5. Others of this group F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females	5												1	1	1		1	1								
1. Ovarian tumors F.	2														1			1								
2. Ovarian diseases F.																										
3. Uterine tumors F.	1																1									
4. Uterine diseases F.																										
5. Others of this group F.	2												1	1												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	32									1	8	7	7	5	3	1										
1. Abortion F.	2										1	1														
2. Child-birth F.	28									1	7	5	6	5	3	1										
3. Others of this group F.	2											1	1													
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	10	2	1	1			4	1	1	1	1	1									1					
Males	6	2		1			3	1	1		1															
Females	4		1				1			1		1									1					
1. Diseases of the spine M.	4	2		1			3				1															
1. Diseases of the spine F.	3		1				1			1		1														
2. Diseases of the bones M.	1								1																	
2. Diseases of the bones F.																										
3. Diseases of the hip-joint M.	1							1																		
3. Diseases of the hip-joint F.																										
4. Others of this group M.																										
4. Others of this group F.	1																				1					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		11	3					3	1							1	1		4		1						
Males		9	2					2	1								1		4		1						
Females		2	1					1								1											
1. Abscess	M.	7							1								1		4		1						
	F.	1														1											
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.	2	2					2																			
	F.	1	1					1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1															1										
Males		1															1										
Females																											
1. Addison's disease	M.	1															1										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		198	18	5	1	3	3	32	7	9	17	26	14	8	8	10	10	11	10	4	8	6	7	5	2		4
Males		160	10		1	2	2	15	5	8	15	22	13	8	7	8	8	10	10	4	6	6	7	2	2		4
Females		38	8	5		3	1	17	2	1	2	4	1		1	2	2	1			2			3			
1. Burns and scalds	M.	4			1	1		2	1														1				
	F.	9		3		1		4	2			2									1						
2. Drowned	M.	24				1		1	2	5	5	6	2		1				1	1							
	F.	3	1	1		1		3																			
3. Exposure and neglect	M.	7	4					4									1				1		1				
	F.	1	1					1																			
4. Gunshot wounds	M.	13								1	2	3	3	1	1		1	1			1						
	F.	1														1											
5. Homicide	M.	8									1	1		3	1			1									
	F.	1										1															
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	1																	1								
	F.																										
8. Railroad accidents	M.	20									2	5	3	2		1	1	1	2		1		1				1
	F.	1																			1						
9. Suffocation	M.	3	3					3																			
	F.	6	3	1		1		5								1											
10. Suicide by shooting	M.	4											1		1						1		1				
	F.																										
11. Suicide by drowning	M.	1									1																
	F.																										
12. Suicide by poison	M.																										
	F.	2									1	1															
13. Other suicides	M.	9												1	1	2		2	2		1						
	F.	2									1						1										
14. Sunstroke	M.	4											1	1		1		1									
	F.																										
15. Surgical operations	M.	2								1			1														
	F.																										
16. Wounds	M.	2											1									1					
	F.																										
17. Other accidents and injuries	M.	58	3				2	5	2	1	4	6	2	1	1	5	5	3	4	3	1	5	3	2	2			3
	F.	12	3				1	4		1			1		1		1	1						3				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		14365	2930	1160	787	504	391	5772	1220	643	647	738	541	400	432	400	385	350	414	466	516	461	379	288	140	33	25	115
Total: Males		7526	1694	640	428	267	198	3227	601	307	279	316	228	164	174	188	215	210	224	288	294	277	204	159	76	16	10	69
Females		6839	1236	520	359	237	193	2545	619	336	368	422	313	236	258	212	170	140	190	178	222	184	175	129	64	17	15	46
Unknown causes.																												
Total		642	368	30	13	9	4	424	9	9	7	18	4	15	11	10	8	11	13	12	22	12	16	10	9	....	....	22
Males		383	225	22	9	4	2	262	7	5	6	9	4	2	3	7	6	4	7	10	12	6	9	6	3	....	....	15
Females		259	143	8	4	5	2	162	2	4	1	9	....	13	8	3	2	7	6	2	10	6	7	4	6	....	....	7
1.—GENERAL DISEASES.																												
General diseases—A.																												
Total		5029	880	618	436	305	286	2525	872	411	257	194	110	83	71	68	58	42	48	63	71	54	41	28	11	4	2	16
Males		2562	496	330	239	155	147	1367	416	184	120	100	45	29	20	24	38	17	24	39	44	37	21	17	5	2	1	12
Females		2467	384	288	197	150	139	1158	456	227	137	94	65	54	51	44	20	25	24	24	27	17	20	11	6	2	1	4
1. Small-pox	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	64	17	13	9	3	3	45	4	4	3	3	3	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	53	11	9	8	....	2	30	6	3	4	1	2	4	1	....	....	1	....	....	....	....	1	....	....	....	....	....
3. Scarlet fever	M.	203	18	28	32	32	26	136	44	16	3	1	....	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....
	F.	206	16	28	31	32	16	123	55	20	2	2	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria	M.	916	55	73	112	102	97	439	287	116	43	17	5	....	....	....	....	1	....	2	1	....	....	....	....	....	....	5
	F.	920	36	68	81	85	101	371	342	140	40	12	4	2	4	....	2	....	1	....	1	1	....	....	....	....	....	....
5. Hooping-cough	M.	37	20	6	4	2	1	33	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	54	24	12	5	4	5	50	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	15	4	3	2	....	....	9	....	1	....	1	....	....	....	....	1	1	....	....	....	1	....	1	....	....	....	....
	F.	13	1	....	....	....	2	3	....	....	1	2	....	2	1	....	1	1	1	....	1	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	26	6	4	3	....	....	13	4	....	3	2	....	....	....	1	8	....	....	....	....	....	....	....	....	....	....	....
	F.	33	5	8	3	6	....	22	3	....	1	2	1	....	....	1	....	1	1	....	....	....	....	....	1	....	....	....
8. Enteric fever	M.	301	8	3	10	4	6	31	28	26	50	47	23	19	5	10	10	4	8	5	17	7	3	1	....	....	....	4
	F.	233	8	7	7	7	4	33	15	27	53	27	14	12	10	7	7	3	3	7	6	2	4	3	....	....	....	....
9. Diarrhœa	M.	78	31	16	4	1	1	53	2	1	1	2	1	1	....	....	2	2	2	1	1	5	2	1	1	....	....	....
	F.	72	35	19	3	....	....	57	1	1	....	1	....	....	....	3	....	3	....	....	....	1	3	1	....	1	....	....
10. Dysentery	M.	149	35	46	28	6	4	119	6	2	....	1	....	....	....	1	....	1	....	2	5	4	2	4	....	....	....	2
	F.	145	24	40	24	5	3	96	2	5	3	6	1	1	1	4	2	2	4	4	5	2	3	2	1	....	....	1
11. Enteritis	M.	162	43	18	7	....	2	70	15	9	8	10	4	2	3	4	6	2	4	11	5	3	2	2	....	1	....	1
	F.	120	31	7	4	3	2	47	9	7	7	5	7	4	4	3	3	4	3	6	6	2	1	1	....	1	....	....
12. Cholera morbus	M.	27	5	4	....	....	....	9	1	....	....	....	....	....	....	....	2	3	2	1	2	3	4	....	....	....	....	....
	F.	28	6	3	2	....	....	11	4	3	1	1	2	....	....	....	1	....	1	1	....	1	1	....	1	....	....	....
13. Cholera infantum	M.	347	215	107	19	3	3	347	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	246	153	72	17	4	....	246	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	142	13	5	7	1	3	29	13	7	6	13	7	6	2	3	11	2	5	9	9	9	5	4	1	....	1	....
	F.	156	14	11	8	4	1	38	10	14	16	11	7	2	11	8	2	8	4	2	6	6	4	4	1	....	....	2
15. Erysipelas	M.	55	21	2	....	1	....	24	2	....	2	....	1	....	6	....	1	....	2	2	4	3	2	3	2	1	....	....
	F.	54	16	2	2	....	2	22	1	3	2	3	1	1	2	4	1	....	4	3	1	2	3	....	1	....	....	....
16. Septicæmia	M.	19	1	1	2	....	1	5	3	....	....	1	1	....	1	1	2	....	....	3	....	1	1	....	....	....	....	....
	F.	32	1	....	....	....	1	2	4	3	1	3	2	6	5	1	....	2	....	....	....	....	....	....	1	....	....	....
17. Puerperal septicæmia	F.	82	....	....	....	....	....	....	....	....	4	15	22	18	11	11	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	6	2	....	....	....	....	2	....	....	....	....	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....
	F.	5	3	....	....	....	....	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	14	2	1	....	....	....	3	3	2	1	2	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....
	F.	15	....	2	2	....	....	4	....	1	....	2	1	2	....	....	....	....	2	1	1	....	....	....	....	1	....	....
General diseases—B.																												
Total		138	56	12	5	2	4	79	6	4	6	4	5	3	4	5	3	3	4	1	....	3	3	2	....	....	....	3
Males		79	30	9	3	2	1	45	1	2	2	2	4	1	3	5	2	3	3	....	....	2	2	1	....	....	....	1
Females		59	26	3	2	....	3	34	5	2	4	2	1	2	1	....	1	....	1	1	....	1	1	1	....	....	....	2
1. Worms	M.	5	2	1	1	....	....	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	9	....	....	....	....	....	....	....	....	....	....	2	1	2	1	2	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	35	4	8	2	2	1	17	1	2	1	2	1	....	....	4	....	3	1	....	....	....	2	1	....	....	....	....
	F.	26	1	2	2	....	3	8	3	2	4	1	1	2	1	....	....	....	1	....	....	1	....	....	....	....	....	....
6. Inanition	M.	29	24	....	....	....	....	24	....	....	....	....	....	....	1	....	....	....	1	....	....	1	1	1	....	....	....	1
	F.	30	23	1	....	....	....	24	1	....	....	1	....	....	....	1	....	1	1	....	....	2	....	....	....	....	....	2
General diseases—C.																												
Total		871	545	4	....	2	....	551	1	3	1	1	1	1	....	3	....	....	2	8	13	30	59	96	66	19	15	1
Males		488	335	1	....	2	....	338	....	2	....	....	1	....	....	1	....	....	1	2	5	15	30	44	33	9	6	1
Females		383	210	3	....	....	....	213	1	1	1	1	....	1	....	2	....	....	1	6	8	15	29	52	33	10	9	....
1. Premature birth	M.	56	56	....	....	....	....	56	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	25	....	....	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	224	224	....	....	....	....	224	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	137	137	....	....	....	....	137	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	20	19	1	....	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	19	18	1	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	63	36	....	....	2	....	38	....	2	....	....	1	....	....	1	....	....	1	2	1	5	4	3	1	1	2	1
	F.	53	30	2	....	....	....	32	1	1	1	1	....	1	....	2	....	....	....	2	4	2	2	4	....	....	....	....
5. Old age	M.	125	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	10	26	41	32	8	4	....
	F.	149	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	13	27	48	33	10	9	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2091	106	38	35	12	3	194	37	49	148	245	226	145	153	113	120	106	108	118	103	91	67	29	0	2	3	28
Males		914	55	21	14	7	1	98	18	21	28	71	91	69	55	49	54	57	50	71	60	51	35	17	4	1	2	12
Females		1177	51	17	21	5	2	96	19	28	120	174	135	76	98	64	66	49	58	47	43	40	32	12	2	1	1	16
1. Rheumatism	M.	13	....	....	1	....	....	1	3	7	2	3	1	1	....	2	5	4	4	3	3	2	2	....	....	....	....	....
	F.	40	....	....	....	....	....	....	3	4	3	3	1	1	1	3	7	1	1	5	1	3	2	....	....	....	....	1
2. Scrofula and tabes	M.	38	13	5	4	2	1	25	4	1	1	....	....	1	....	1	2	1	....	....	1	....	....	1	....	....	....	....
	F.	36	8	5	6	....	....	19	1	....	4	2	1	2	1	....	1	....	1	....	....	....	....	2	1	....	....	1
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	580	22	8	3	1	....	34	2	5	24	64	81	59	46	37	39	32	29	47	22	29	13	6	2	....	....	9
	F.	817	21	7	8	2	2	40	9	17	103	164	123	66	83	50	38	25	26	16	17	17	13	2	....	....	....	8
5. Hydrocephalus	M.	31	13	5	5	1	....	24	2	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	31	16	4	4	1	....	25	2	....	1	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....
6. Cancer	M.	97	1	....	....	1	....	2	1	1	....	1	2	2	4	4	5	14	10	11	18	5	6	5	2	1	1	2
	F.	124	2	1	....	1	....	4	....	....	....	2	1	4	11	8	14	11	18	13	13	9	6	4	1	1	1	3
7. Tumor	M.	16	2	....	1	1	....	4	....	....	....	....	....	....	2	2	1	2	....	2	1	1	....	1	....	....	....	....
	F.	17	....	....	....	....	....	....	....	....	1	....	2	....	....	....	2	1	2	4	1	2	1	....	....	....	....	1
8. Anæmia	M.	5	2	....	....	....	....	2	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	68	1	2	....	....	....	3	3	3	1	1	4	4	1	1	1	3	5	4	9	10	13	1	....	....	....	1
	F.	97	4	....	3	1	....	8	2	4	7	3	4	3	1	2	4	8	10	8	9	9	10	3	....	....	....	2
10. Glycosuria	M.	29	....	....	....	....	....	....	....	1	....	....	2	2	2	1	1	1	1	4	5	4	1	3	....	....	1	....
	F.	11	....	....	....	....	....	....	2	1	....	....	3	....	1	....	....	2	....	....	2	....	....	....	....	....	....	....	....
11. Others of this group	M.	7	1	1	....	1	....	3	2	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1382	362	143	67	37	16	625	70	44	47	51	27	16	22	26	32	29	48	51	76	79	59	44	23	3	1	9
Males		764	208	86	36	19	12	361	30	17	22	21	12	9	11	15	17	18	22	31	44	53	26	28	15	1	....	5
Females		618	154	57	31	18	4	264	34	27	25	30	15	7	11	11	15	11	26	20	32	26	33	16	8	2	1	4
1. Inflammation of the brain	M.	157	50	36	10	6	5	107	14	3	5	7	4	2	1	3	1	2	1	3	2	1	1	....	....	....	....	....
	F.	130	36	29	11	7	3	86	11	10	10	3	4	....	1	1	1	1	....	1	....	1	....	....	....	....	....	....
2. Meningitis	M.	47	9	12	9	4	1	35	5	2	....	1	1	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....
	F.	34	7	5	6	1	....	19	1	4	1	2	1	2	....	1	....	....	1	....	....	....	2	....	....	....	....	....
3. Apoplexy	M.	85	3	1	....	....	....	4	2	1	2	....	1	....	2	5	5	5	6	8	14	14	3	9	3	....	....	1
	F.	52	1	....	1	....	....	2	1	....	2	2	1	1	1	2	5	1	4	5	8	3	7	4	2	1	....	....
4. Paralysis	M.	142	....	4	....	....	....	4	1	4	4	4	....	1	3	3	3	3	9	15	17	29	15	15	12	....	....	....
	F.	134	5	2	1	3	....	11	3	3	2	5	1	1	2	2	5	3	12	10	20	18	18	11	5	1	....	1
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	20	5	1	....	....	....	6	....	3	2	3	1	....	....	....	....	1	1	....	2	....	1	....	....	....	....	....
	F.	18	3	2	....	....	....	5	....	....	1	3	2	1	2	1	....	....	....	....	....	....	1	....	....	....	1	1
7. Convulsions	M.	108	87	10	3	2	....	102	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3
	F.	98	50	6	5	2	....	72	9	2	3	5	2	....	....	1	....	1	....	....	....	1	....	....	....	....	....	2
8. Mental diseases	M.	16	....	....	....	....	....	....	....	....	1	....	2	1	2	....	3	....	1	1	2	1	1	1	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	2	....	....	1	2	....	1	2	2	1	....	....	....	....	....	....	....
9. Diseases of the brain	M.	113	34	14	9	5	3	65	5	2	4	1	2	5	2	3	3	4	3	2	2	5	3	2	....	....	....	....
	F.	79	29	8	5	2	....	44	3	5	4	4	1	1	2	....	3	3	2	1	2	2	2	....	....	....	....	1
10. Diseases of the spinal cord	M.	61	20	8	5	2	3	38	7	1	2	4	1	....	....	1	1	1	1	1	1	....	....	1	....	....	....	....
	F.	40	13	5	2	3	1	24	3	2	1	1	2	....	1	1	1	....	2	....	1	1	....	....	....	....	....	....
11. Others of this group	M.	15	....	....	....	....	....	....	1	1	....	1	....	....	1	....	1	1	....	1	2	3	2	....	....	1	....	....
	F.	19	1	....	....	....	....	1	....	1	1	3	1	1	1	....	....	1	3	1	....	1	2	1	1	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		505	45	3	3	2	3	56	23	9	24	26	13	17	21	30	23	29	43	47	52	41	25	18	2	1	....	5
Males		255	23	2	1	2	....	28	13	2	11	12	7	7	9	12	9	16	23	23	27	26	17	10	....	1	....	2
Females		250	22	1	2	....	3	28	10	7	13	14	6	10	12	18	14	13	20	24	25	15	8	8	2	....	....	3
1. Angina pectoris	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	1	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	2	3	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....
3. Diseases of the heart	M.	231	9	2	1	2	....	14	12	2	11	12	7	7	9	12	7	16	22	22	25	26	15	9	....	1	....	2
	F.	228	14	1	2	....	3	20	10	7	13	13	5	9	11	17	14	13	19	24	24	12	5	8	1	....	....	3
4. Others of this group	M.	19	14	....	....	....	....	14	1	....	....	....	....	....	....	....	2	....	1	....	1	....	....	....	....	....	....	....	....
	F.	13	8	....	....	....	....	8	....	....	....	....	1	1	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		2021	376	224	181	100	50	931	130	44	59	64	50	46	47	56	66	52	75	90	101	93	55	35	11	3	1	13
Males		1098	208	115	101	56	26	506	64	23	36	40	22	21	25	29	39	37	43	57	47	45	27	20	8	1	1	7
Females		923	168	109	80	44	24	425	66	21	23	24	28	25	22	27	27	15	32	33	54	48	28	15	3	2	....	5
1. Croup	M.	244	53	48	58	37	15	211	31	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	212	41	46	46	26	14	173	35	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	8	2	....	1	....	....	3	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	7	....	1	....	1	....	2	1	....	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	69	21	8	4	2	2	37	2	1	2	1	1	2	3	....	....	1	2	4	3	2	4	....	2	1	1	....
	F.	76	19	12	2	2	2	37	3	....	1	1	5	....	3	1	....	1	2	4	7	6	4	1	....	....	....	....
4. Pneumonia	M.	609	101	46	34	15	8	204	23	18	30	28	16	15	18	24	29	30	31	36	31	33	17	17	4	....	....	5
	F.	507	89	43	24	15	6	177	24	17	16	18	15	19	12	21	24	12	27	22	42	28	18	8	2	1	....	4
5. Pleurisy	M.	10	....	....	1	....	....	1	....	....	....	1	4	....	1	....	2	1	....	4	2	....	....	....	....	....	....	....	....
	F.	12	....	....	1	....	....	1	....	....	....	....	....	1	2	....	1	1	2	1	1	....	1	1	....	....	....	....	....
6. Asthma	M.	24	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	3	5	5	5	1	1	....	....	....	....	....
	F.	15	2	....	....	....	....	2	1	....	1	....	....	1	2	....	....	....	....	....	1	4	1	2	....	....	....	....	....
7. Others of this group	M.	128	31	13	3	2	1	50	5	2	3	6	4	3	4	4	7	4	7	8	6	5	4	2	2	....	....	2
	F.	94	17	7	7	....	2	33	2	1	3	5	7	2	4	3	2	....	2	6	4	10	4	3	1	1	....	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		622	117	50	17	13	7	204	23	17	17	29	26	26	22	25	29	39	33	35	34	23	23	10	3	....	1	3
Males		338	74	30	9	6	1	120	11	11	10	9	7	9	12	10	17	26	20	23	18	13	12	7	....	....	....	3
Females		284	43	20	8	7	6	84	12	6	7	20	19	17	10	15	12	13	13	12	16	10	11	3	3	....	1	....
1. Dentition	M.	27	11	15	1	....	....	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	4	10	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	12	2	1	1	....	....	4	3	1	1	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....
	F.	14	3	....	1	....	....	4	5	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....
3. Gastritis	M.	17	1	1	....	2	....	4	....	....	....	....	....	2	1	....	2	4	1	1	1	1	....	....	....	....	....	....
	F.	14	1	1	....	1	....	3	....	....	....	1	3	....	....	1	1	....	1	1	1	1	1	....	....	....	....	....
4. Other diseases of the stomach	M.	49	5	4	2	1	....	12	2	2	1	....	....	....	1	1	3	6	9	4	2	1	3	2	....	....	....	....
	F.	41	2	1	5	2	....	10	1	....	3	4	3	3	2	3	3	....	3	....	3	2	....	....	....	....	1	....
5. Obstruction of the bowels	M.	17	4	....	1	....	1	6	....	1	2	1	1	1	....	1	1	1	....	1	....	....	1	....	....	....	....	....
	F.	11	2	....	....	....	....	2	1	1	....	1	....	1	....	4	....	....	....	....	1	....	....	....	....	....	....	....
6. Hernia	M.	16	2	....	....	....	....	2	1	2	2	1	....	....	1	....	....	2	....	2	1	1	....	....	....	....	....	1
	F.	12	....	....	....	....	....	....	....	1	....	....	....	2	1	....	....	1	3	1	....	....	1	2	....	....	....	....
7. Other diseases of the bowels	M.	19	3	2	....	2	....	7	....	....	1	1	....	3	1	1	....	1	....	1	....	1	....	2	....	....	....	....
	F.	20	4	1	....	1	2	8	1	....	1	1	....	1	....	1	1	1	1	....	1	2	....	....	1	....	....	....
8. Jaundice	M.	19	7	....	....	....	....	7	....	....	....	....	....	....	1	2	....	1	1	3	3	....	1	....	....	....	....	....
	F.	16	3	....	1	1	2	7	2	....	....	2	....	....	....	....	1	1	....	1	....	1	1	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	21	1	1	....	....	....	2	1	1	....	1	2	....	....	1	3	3	1	1	3	1	1	....	....	....	....	1
	F.	15	1	1	....	....	....	2	....	....	....	....	1	....	1	2	2	....	....	3	1	....	3	....	....	....	....	....
10. Other diseases of the liver	M.	48	8	3	1	....	....	11	1	....	....	1	1	3	3	3	4	3	5	5	5	2	2	....	....	....	....	....
	F.	36	3	1	....	1	1	6	....	....	....	2	2	2	2	2	1	5	3	2	2	2	4	....	1	....	....	....
11. Peritonitis	M.	25	3	....	1	1	....	5	2	2	3	2	....	....	1	1	1	4	1	....	....	1	....	1	....	....	....	1
	F.	37	1	....	1	1	1	4	....	1	1	7	8	4	3	1	2	....	1	3	1	....	1	....	....	....	....	....
12. Ascites	M.	6	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	1	1	....	1	....	....	....	....
	F.	13	....	....	....	....	....	....	....	1	....	1	....	3	....	1	1	2	1	....	3	....	....	....	....	....	....	....
13. Others of this group	M.	62	27	4	2	....	....	33	1	2	....	1	3	....	3	1	3	1	1	4	1	3	4	1	....	....	....	....
	F.	41	19	3	....	....	....	24	2	1	1	....	2	1	....	....	....	3	....	1	3	2	....	1	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		182	7	2	1	1	....	11	11	7	4	11	6	4	7	2	6	10	12	13	24	17	22	8	5	1	1	....
Males		139	4	1	1	1	....	7	6	2	1	9	3	3	5	1	5	8	10	9	21	16	20	7	5	1	....	....
Females		43	3	1	....	....	....	4	5	5	3	2	3	1	2	1	1	2	2	4	3	1	2	1	....	....	1	....
1. Bright's disease	M.	32	....	....	....	1	....	1	....	1	....	4	2	1	1	1	2	2	3	....	5	5	3	....	1	....	....	....
	F.	15	....	....	....	....	....	....	1	2	1	1	1	1	1	....	....	1	....	2	1	....	2	....	....	....	....	....
2. Calculus, urinary	M.	15	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	4	4	2	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	55	2	....	....	....	....	2	4	1	1	....	1	1	3	....	2	3	6	5	8	4	10	3	1	....	....	....
	F.	22	2	1	....	....	....	3	3	2	2	1	2	....	1	....	1	....	2	2	1	1	2	....	....	....	1	....
4. Diseases of the bladder	M.	17	....	1	....	....	....	1	....	....	....	....	....	1	....	....	1	....	....	2	4	2	4	1	1	....	....	....
	F.	4	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....
5. Others of this group	M.	20	2	....	1	....	....	3	2	....	....	4	....	....	1	....	....	2	....	2	....	1	1	1	2	1	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		60	....	....	....	....	....	....	....	1	7	7	12	3	9	9	4	2	2	....	3	....	....	1	....	....	....	....
1. Ovarian tumors	F.	9	....	....	....	....	....	....	....	....	....	....	3	....	....	2	2	....	1	....	1	....	....	....	....	....	....	....
2. Ovarian diseases	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	13	....	....	....	....	....	....	....	....	1	2	3	1	3	2	1	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	35	....	....	....	....	....	....	....	1	6	5	5	2	6	4	1	2	1	....	1	....	....	1	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		150	....	....	....	....	....	....	....	....	15	40	23	22	27	15	5	....	....	....	....	....	....	....	....	....	....	3
1. Abortion	F.	13	....	....	....	....	....	....	....	....	....	1	2	6	2	1	1	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	113	....	....	....	....	....	....	....	....	9	28	18	13	25	14	3	....	....	....	....	....	....	....	....	....	....	3
3. Others of this group	F.	24	....	....	....	....	....	....	....	....	6	11	3	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		31	4	3	4	2	....	13	4	....	3	1	2	....	3	....	....	....	1	1	....	1	....	....	....	....	....	....
Males		22	2	3	4	1	....	10	3	....	3	1	2	....	2	....	....	....	1	....	....	1	....	....	....	....	....	....
Females		9	2	....	....	1	....	3	1	....	2	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	15	2	2	3	1	....	8	2	....	....	....	2	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	6	1	....	....	1	....	2	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	2	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	3	....	1	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		33	4	1	1			6		2	2	1	2	1	2	1	5	1	3	3	1	1		1			1	
Males		18	3	1				4		2		1			1		4	1	3		1	1						
Females		15	1		1			2			2		2	1	1	1	1			3				1			1	
1. Abscess	M.	15	3	1				4		2		1					2	1	3		1	1						
	F.	10									2		2	1	1	1				2							1	
2. Carbuncle	M.	2													1		1											
	F.	1															1											
3. Others of this group	M.	1															1											
	F.	4	1		1			2												1				1				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		5									1	1		1		1			1									
Males		4									1			1		1			1									
Females		1										1																
1. Addison's disease	M.	1												1														
	F.																											
2. Diseases of the spleen	M.	3									1					1			1									
	F.																											
3. Others of this group	M.																											
	F.	1										1																
XII.—ACCIDENTS AND INJURIES.																											
Total		601	60	32	24	19	18	153	34	43	47	44	34	17	33	35	26	26	21	24	16	16	9	6	4			13
Males		461	31	19	11	12	8	81	26	36	39	41	30	13	28	33	24	23	16	23	15	12	5	2	3			11
Females		140	29	13	13	7	10	72	8	7	8	3	4	4	5	2	2	3	5	1	1	4	4	4	1			2
1. Burns and scalds	M.	20	3	6	4	3		16		1							1				1	1						
	F.	40	2	10	8	4	5	29	5	3	2		1					1										
2. Drowned	M.	46		1	2	3	2	8	10	11	6	5	2	1		2	1											
	F.	8		1	2		1	4		2		1		1														
3. Exposure and neglect	M.	11	4	2			1	8	1						1							1						
	F.	8	4				2	6														1	1					
4. Gunshot wounds	M.	23		1	1	1		3	1	1	11	2		1		1	1			2								
	F.	2				1		1										1										
5. Homicide	M.	7								1		1	1	1	2			1										
	F.	1																	1									
6. Infanticide	M.	2	2					2																				
	F.																											
7. Injuries by machinery	M.	2													1	1												
	F.	1												1														
8. Railroad accidents	M.	44							2	2	3	6	8	4	7	3	4	2	1			1						1
	F.	3												1						1				1				
9. Suffocation	M.	39	12	6	2	1	2	23	2	2	1	2	1			1	1					1						5
	F.	25	15	2		1	1	19	1					1	1	1												2
10. Suicide by shooting	M.	13										2		1	2	1	1		2		2		1					1
	F.																											
11. Suicide by drowning	M.	1																	1									
	F.																											
12. Suicide by poison	M.	10										1	1		1		2	2		3								
	F.	1													1													
13. Other suicides	M.	26								2	2	2	4		2	4		2	1	2	2	1			1			1
	F.	6								1	1		1			1			1		1							
14. Sunstroke	M.	14									1	3			1		2	1	1		2		2	1				
	F.	1			1			1																				
15. Surgical operations	M.	4			1			1	1									1		1								
	F.	1									1																	
16. Wounds	M.	14	1			3		4				1		2	1	1		2			1	1	1					
	F.	2																	1				1					
17. Other accidents and injuries	M.	185	9	2	1	1	3	16	9	16	15	10	13	3	10	19	11	12	10	14	7	6	2	1	2			3
	F.	41	8		2	1	1	12	2	2	4	2	2		3		2	1	2			2	3	3	1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	1462	326	137	86	52	43	644	134	102	59	76	71	36	59	37	42	33	32	27	28	36	22	12	2	2	3	5
Total: Males	758	172	79	51	26	25	353	69	50	25	34	32	17	26	15	19	20	18	21	17	16	14	5	2	1	2	2
Females	704	154	58	35	26	18	291	65	52	34	42	39	19	33	22	23	13	14	6	11	20	8	7	....	1	1	3
Unknown causes.																											
Total	55	35	2	....	1	1	39	2	....	....	2	....	....	3	1	2	1	2	....	....	....	1	2	....	....	....	....
Males	22	14	1	....	1	....	16	2	....	....	1	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....
Females	33	21	1	....	....	1	23	....	....	....	1	....	....	3	1	2	....	1	....	....	....	....	2	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	587	121	77	45	33	30	306	92	75	29	19	16	7	6	5	5	4	1	7	3	5	5	1	....	....	....	1
Males	297	62	44	25	15	17	163	47	35	11	6	7	3	5	2	2	3	....	6	1	1	4	....	....	....	....	1
Females	290	59	33	20	18	13	143	45	40	18	13	9	4	1	3	3	1	1	1	2	4	1	1	....	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	11	1	2	1	4	1	9	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	16	7	2	1	....	1	11	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	12	2	3	2	....	1	8	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	9	1	1	2	2	....	6	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	126	8	13	14	9	13	57	36	25	4	....	1	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....
4. Diphtheria F.	99	7	3	10	11	6	37	31	26	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	4	2	1	....	....	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	8	5	1	1	....	....	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	4	1	1	1	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	4	....	1	1	....	1	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	42	1	1	2	....	....	4	3	8	6	4	6	2	....	2	2	3	....	3	....	1	....	....	....	....	....	....
8. Enteric fever F.	43	....	3	....	3	....	6	4	5	8	6	6	2	....	2	2	....	....	....	....	2	....	....	....	....	....	....
9. Diarrhœa M.	4	1	2	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	3	....	2	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	11	5	5	....	....	1	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	6	1	1	....	....	1	3	....	1	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....
11. Enteritis M.	4	1	1	....	....	....	2	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	7	2	1	....	....	....	3	1	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
12. Cholera morbus M.	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
13. Cholera infantum M.	54	37	14	3	....	....	54	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	51	30	16	3	....	2	51	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	21	2	1	1	2	....	6	2	2	....	2	....	1	2	....	....	....	....	3	....	....	2	....	....	....	....	1
14. Malarial fever F.	31	5	2	1	1	2	11	3	5	3	3	2	....	1	....	....	....	....	....	1	1	....	1	....	....	....	....
15. Erysipelas M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
15. Erysipelas F.	7	1	....	....	....	....	1	....	....	....	....	1	2	....	....	1	1	....	1	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	4	....	....	....	....	....	....	....	....	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
19. Others of this group F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	9	....	1	2	....	....	3	1	....	....	....	....	2	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....
Males	6	....	1	....	....	....	1	1	....	....	....	....	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
Females	3	....	....	2	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	5	....	1	....	....	....	1	1	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....
5. Other poisons F.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	63	46	....	1	....	....	47	....	....	....	....	....	....	....	....	....	....	1	2	....	1	3	5	....	1	3	....
Males	38	25	....	1	....	....	26	....	....	....	....	....	....	....	....	....	....	1	2	....	1	2	3	....	1	2	....
Females	25	21	....	....	....	....	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	1	....
1. Premature birth M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	18	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	15	15	....	....	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
4. Debility F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	2	3	....	1	2	....
5. Old age F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	1	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		185	14	2	7	3	1	27	2	3	11	18	19	9	20	14	10	13	11	3	7	9	4				
Males		80	5		3	2	1	11	1	1	5	5	6	3	11	3	5	7	6	1	5	6	1				
Females		105	9	2	4	1		16	1	2	6	13	13	6	9	11	5	6	5	4	2	3	3				
1. Rheumatism	M.	3									1					1					1						
	F.																										
2. Scrofula and tabes	M.	3	2			1		3																			
	F.	3	2	1				3				1						1									
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	45	2		2		1	5		1	4	4	6	2	9	1	3	3	3		1	3					
	F.	70	4		1	1		6		2	6	12	13	6	5	10	2	2	1	1	1	2	1				
5. Hydrocephalus	M.	2	1		1			2																			
	F.	5	3		2			5																			
6. Cancer	M.	9				1		1										3	1	1	3						
	F.	8													1		2	1	2	2							
7. Tumor	M.																										
	F.	1																1									
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.	18							1			1		1	2	1	2	1	2	3		3	1				
	F.	16		1	1			2	1						3	1	1	1	2	1	1	1	3				
10. Glycosuria	M.																										
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		132	43	16	9	3	3	74	11	8	2	4	6		3	3	5	1	1	1	3	4	3	2		1	
Males		72	26	10	6	3	1	46	6	3	2	2	5		2	1				1	1	1	1	1			
Females		60	17	6	3		2	28	5	5		2	1		1	2	5	1	1		2	3	2	1		1	
1. Inflammation of the brain	M.	25	8	7	1	1	1	18	2	1		1	3														
	F.	19	6	4	1			11	2	4								1			1						
2. Meningitis	M.																										
	F.																										
3. Apoplexy	M.	3								1					1	1											
	F.	5										1					3					1					
4. Paralysis	M.	6									1		1							1	1	1	1				
	F.	11	1					1				1	1			1	1		1			2	2	1			
5. Tetanus and trismus nascentium.	M.																										
	F.	1					1	1																			
6. Epilepsy	M.	1											1														
	F.	2														1					1						
7. Convulsions	M.	14	10		1	1		12		1	1																
	F.	11	6	1			1	8	1						1											1	
8. Mental diseases	M.																										
	F.																										
9. Diseases of the brain	M.	18	6	2	3	1		12	3			1			1									1			
	F.	10	3	1	2			6	2	1							1										
10. Diseases of the spinal cord	M.	5	2	1	1			4	1																		
	F.	1	1					1																			
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		32	1		1			2	1	1	1	1	2	1	3	3	2	4	2	1	4	2	2				
Males		16			1			1		1				1	2	1	2	1	1	1	2	1	2				
Females		16	1					1	1		1	1	2		1	2		3	1		2	1					
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.																										
	F.																										
3. Diseases of the heart	M.	16			1			1		1				1	2	1	2	1	1	1	2	1	2				
	F.	15							1		1	1	2		1	2		3	1		2	1					
4. Others of this group	M.																										
	F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		242	44	28	15	8	7	102	19	6	7	15	15	6	13	5	11	4	8	4	9	8	3	2	2		3
Males		136	25	17	10	4	5	61	8	3	2	11	8	4	2	3	7	3	5	4	6	3	2	1	2		1
Females		106	19	11	5	4	2	41	11	3	5	4	7	2	11	2	4	1	3		3	5	1	1			2
1. Croup	M.	35	7	11	5	3	4	30	5																		
	F.	22	4	4	3	3	2	16	6																		
2. Laryngitis	M.	1														1											
	F.																										
3. Bronchitis	M.	4	1		1			2				1					1										
	F.	3	1			1		2							1												
4. Pneumonia	M.	94	16	6	4	1	1	28	3	3	2	10	8	4	2	2	6	3	5	4	5	3	2	1	2		1
	F.	81	14	7	2			23	5	3	5	4	7	2	10	2	4	1	3		3	5	1	1			2
5. Pleurisy	M.																										
	F.																										
6. Asthma	M.	2	1					1													1						
	F.																										
7. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		59	16	6	2	3	1	28	2	2	1	3	2	2	3	....	5	5	1	2	....	3	....	....	....	....	....	....
Males		32	11	3	1	1	1	17	1	1	....	2	....	1	1	....	2	4	1	1	....	1	....	....	....	....	....	....
Females		27	5	3	1	2	....	11	1	1	1	1	2	1	2	....	3	1	....	1	....	2	....	....	....	....	....	....
1. Dentition	M.	5	3	2	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	2	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	12	6	....	1	1	....	8	1	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	12	2	....	....	2	....	4	1	1	1	....	1	....	....	....	2	1	....	....	....	1	....	....	....	....	....	....
8. Jaundice	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	1	....	....	....	....	1	1	....	....	....	....	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	7	2	....	....	....	....	2	....	....	....	....	1	....	2	....	1	....	....	....	....	1	....	....	....	....	....	....
11. Peritonitis	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	4	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		11	....	....	....	....	....	....	1	1	....	1	2	....	....	1	....	....	1	....	1	2	1	....	....	....	....	....
Males		8	....	....	....	....	....	....	....	....	....	1	2	....	....	1	....	....	1	....	1	1	1	....	....	....	....	....
Females		3	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
1. Bright's disease	M.	3	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Calculus, urinary	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidneys	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		25	....	....	....	....	....	....	....	....	2	6	5	5	5	....	....	....	1	....	....	....	....	....	....	....	....	1
1. Abortion	F.	3	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	22	....	....	....	....	....	....	....	....	2	6	4	4	4	....	....	....	1	....	....	....	....	....	....	....	....	1
3. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

IOWA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		2	1					1														1					
Males																											
Females		2	1					1														1					
1. Abscess	M.																										
	F.																										
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.	2	1					1														1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		58	5	5	4	1		15	3	5	6	7	4	4	3	3	1	1	3	1	1	1					
Males		50	4	3	4			11	3	5	5	6	4	3	3	3	1	1	2	1	1	1					
Females		8	1	2		1		4			1	1		1					1								
1. Burns and scalds	M.	3	1		1			2		1																	
	F.	4		2		1		3						1													
2. Drowned	M.	11			3			3	1	2	4	1															
	F.																										
3. Exposure and neglect	M.																										
	F.																										
4. Gunshot wounds	M.																										
	F.																										
5. Homicide	M.	1													1												
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	9								2		3		2				1	1								
	F.																										
9. Suffocation	M.	4	2	1				3	1																		
	F.	1	1					1																			
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.	1										1															
13. Other suicides	M.	2														1				1							
	F.																										
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	20	1	2				3	1		1	2	4	1	2	2	1		1		1	1					
	F.	2									1								1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		13321	3316	1393	770	457	360	6296	1017	573	610	695	580	430	505	349	370	334	317	295	279	226	181	88	55	11	16	94
Total: Males		6958	1807	729	402	246	179	3363	482	279	283	318	280	178	225	187	229	220	190	186	151	126	104	46	38	4	9	60
Females		6363	1509	664	368	211	181	2933	535	294	327	377	300	252	280	162	141	114	127	109	128	100	77	42	17	7	7	34
Unknown causes.																												
Total		736	468	44	23	12	11	558	25	19	15	15	18	13	10	6	7	4	3	8	11	6	4	3	4	....	....	7
Males		378	251	28	10	9	6	304	11	12	7	5	5	7	3	3	2	2	1	4	5	3	1	....	....	....	....	3
Females		358	217	16	13	3	5	254	14	7	8	10	13	6	7	3	5	2	2	4	6	3	3	3	4	....	....	4
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		5155	1154	799	423	252	209	2837	638	327	270	216	101	103	133	71	67	56	55	55	45	36	30	9	8	3	....	35
Males		2502	595	401	223	129	93	1441	286	146	116	101	71	40	48	34	32	31	37	37	18	16	17	2	5	1	....	23
Females		2653	559	398	200	123	116	1396	352	181	154	115	90	63	85	37	35	25	18	18	27	20	13	7	3	2	....	12
1. Small-pox	M.	3	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	220	50	42	37	14	7	150	28	9	11	6	8	....	1	4	....	....	1	....	....	....	1	....	....	....	....	....	1
	F.	235	53	48	25	17	9	152	17	12	17	9	10	5	5	1	2	1	2	....	1	....	....	....	....	....	....	....	1
3. Scarlet fever	M.	201	23	28	28	26	21	126	49	18	2	2	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	227	13	30	22	26	30	121	60	28	10	6	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria	M.	434	37	44	62	55	37	235	130	45	12	3	1	....	1	....	1	....	1	1	....	....	....	....	....	....	....	....	4
	F.	454	35	49	56	42	48	230	149	54	10	6	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
5. Hooping-cough	M.	90	49	23	9	1	2	84	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	117	65	24	12	7	3	111	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	14	5	2	1	....	1	9	....	....	1	1	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....
	F.	15	2	1	....	....	....	3	1	....	....	1	4	2	2	....	....	....	....	1	....	....	....	1	....	....	....	....	....
7. Cerebro-spinal fever	M.	40	15	4	2	5	2	28	4	2	2	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	33	7	2	3	4	1	17	5	3	1	2	....	....	....	1	....	....	1	1	....	1	1	....	....	....	....	....	....
8. Enteric fever	M.	282	10	7	7	4	1	29	14	28	39	51	31	19	16	11	6	6	8	11	5	1	2	....	1	....	....	....	4
	F.	289	9	6	7	5	5	32	42	44	51	30	14	13	13	13	11	7	3	6	2	2	2	....	1	....	....	....	3
9. Diarrhœa	M.	150	51	48	10	3	2	114	2	4	3	....	....	....	....	1	2	2	5	6	3	1	3	1	....	....	....	....	3
	F.	121	45	37	10	2	3	97	2	....	1	2	....	2	3	2	....	....	1	1	4	1	....	1	....	1	....	....	3
10. Dysentery	M.	145	44	43	15	5	4	111	2	3	2	....	2	2	3	1	3	2	3	2	2	1	1	1	1	....	....	....	3
	F.	107	31	31	13	2	2	79	5	1	2	....	3	1	1	1	2	1	3	....	5	1	....	....	....	1	....	....	1
11. Enteritis	M.	133	42	22	7	....	2	73	9	8	9	3	5	2	4	3	3	3	4	2	....	4	....	....	1	....	....	....	....
	F.	154	47	25	12	3	4	91	11	6	5	3	3	7	6	3	2	3	1	3	2	2	1	....	....	....	....	....	....
12. Cholera morbus	M.	12	1	1	....	1	....	3	1	1	....	....	1	....	1	....	3	....	....	1	....	....	....	....	....	....	....	....	1
	F.	13	1	....	1	....	....	2	....	....	3	....	1	....	....	2	....	....	....	....	3	1	1	....	....	....	....	....	....
13. Cholera infantum	M.	367	215	117	26	3	3	364	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3
	F.	344	195	123	19	4	2	343	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	320	34	16	15	10	9	84	37	24	30	31	18	12	13	8	7	14	6	11	8	6	6	1	....	....	....	....	4
	F.	345	31	19	18	11	8	87	48	30	42	27	16	10	14	8	13	9	6	6	7	10	4	5	2	....	....	....	1
15. Erysipelas	M.	53	12	3	1	2	2	20	....	3	2	2	1	....	3	2	1	1	6	3	1	....	2	....	2	1	....	....	....
	F.	48	14	2	2	....	....	18	3	1	2	....	2	....	3	1	3	2	....	....	3	2	3	....	....	....	....	....	....
16. Septicæmia	M.	12	1	....	1	....	....	2	3	....	....	....	1	....	1	2	....	....	1	1	....	....	1	....	....	....	....	....	....
	F.	26	3	....	....	....	1	4	2	1	....	5	3	2	5	2	....	1	....	....	....	....	1	....	....	....	....	....	....
17. Puerperal septicæmia	F.	105	....	....	....	....	....	....	....	....	7	24	26	18	26	1	2	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	3	....	....	1	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	23	6	1	1	....	....	8	1	....	2	....	....	2	1	....	2	....	1	2	1	1	2	....	....	....	....	....	....
	F.	16	6	1	....	....	....	7	1	1	2	....	2	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		142	34	21	11	8	1	75	9	3	2	4	6	6	5	8	10	6	1	5	....	1	1	....	....	....	....	....	....
Males		93	24	9	6	3	1	43	4	1	2	3	5	4	3	7	9	6	1	4	....	1	....	....	....	....	....	....	....
Females		49	10	12	5	5	....	32	5	2	....	1	1	2	2	1	1	....	....	1	....	....	1	....	....	....	....	....	....
1. Worms	M.	8	2	....	4	1	....	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	2	1	....	....	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	23	....	....	....	....	....	....	....	....	....	....	....	1	1	3	3	7	4	1	3	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	43	3	9	2	2	1	17	3	1	2	3	4	3	....	4	2	2	....	1	....	1	....	....	....	....	....	....	....
	F.	32	1	8	4	5	....	18	4	1	....	1	1	2	1	1	1	....	....	1	....	....	1	....	....	....	....	....	....
6. Inanition	M.	19	19	....	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	9	2	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		682	570	4	3	1	....	578	1	....	1	2	1	....	....	1	....	....	2	1	10	12	24	20	12	5	9	3
Males		376	318	4	1	1	....	324	....	....	....	2	....	....	....	....	....	....	....	1	6	5	13	8	9	2	5	1
Females		306	252	....	2	....	....	254	1	....	1	....	1	....	....	1	....	....	2	....	4	7	11	12	3	3	4	2
1. Premature birth	M.	79	79	....	....	....	....	79	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	55	55	....	....	....	....	55	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	190	190	....	....	....	....	190	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	153	153	....	....	....	....	153	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	13	13	....	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	51	34	4	1	1	....	40	....	....	....	2	....	....	....	....	....	....	....	3	2	1	2	....	....	....	....	....	1
	F.	47	33	....	2	....	....	35	1	....	1	....	1	....	....	1	....	....	2	....	2	3	12	6	9	2	5	....	1
5. Old age	M.	41	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	2	....	....	....	....	....	....
	F.	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	3	12	6	9	2	5	....	....
6. Atrophy	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	2	7	10	10	3	3	4	1	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX AND SPECIFIED DISEASE.

KANSAS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1526	93	49	20	10	11	183	41	41	97	186	163	117	113	92	90	95	73	66	57	48	34	11	6	1	2	10
Males		739	60	31	10	5	5	111	25	15	39	68	76	43	50	41	56	61	36	28	28	23	21	5	5	....	1	5
Females		787	33	18	10	5	6	72	16	26	58	118	87	74	63	51	34	34	35	38	29	25	13	6	1	1	1	5
1. Rheumatism	M.	32	1	1	1	....	1	4	3	....	3	3	2	....	1	2	2	4	2	4	1	1	....	....	....	....	....	....
	F.	27	....	....	....	....	....	....	....	3	1	1	4	3	2	....	1	2	....	2	2	4	....	....	1	1	....	....
2. Scrofula and tabes	M.	47	15	8	4	1	1	29	4	1	1	1	....	1	1	2	3	1	2	1	....	....	....	....	....	....	....	....
	F.	28	5	....	2	1	1	9	2	3	4	1	2	1	4	1	....	....	1	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	458	23	10	2	1	1	37	7	8	29	59	66	40	40	31	42	30	26	11	11	5	13	1	....	....	....	2
	F.	526	12	9	2	1	2	26	9	13	48	101	70	58	53	36	25	21	18	15	10	11	6	4	....	....	1	1
5. Hydrocephalus	M.	24	11	8	3	....	....	22	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	13	4	4	....	1	22	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	54	1	....	....	1	....	2	2	....	....	....	3	....	5	3	3	12	4	4	5	3	4	1	....	....	1	2
	F.	46	1	....	....	....	....	1	....	....	....	1	....	1	4	7	4	5	5	7	7	1	3	....	....	....	....	....
7. Tumor	M.	9	2	....	....	....	....	2	....	1	....	....	....	....	1	1	1	....	....	....	2	1	....	....	....	....	....	....
	F.	14	1	....	....	....	1	2	....	....	....	1	1	....	....	1	....	2	2	3	1	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	1	1	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	96	7	4	....	2	2	15	6	5	5	4	3	2	1	2	4	11	4	4	8	10	3	3	5	....	....	1
	F.	108	1	5	2	3	1	12	4	5	2	10	6	10	....	6	3	4	7	11	9	9	4	2	....	....	....	4
10. Glycosuria	M.	18	....	....	....	....	....	....	....	....	1	1	2	....	1	....	1	3	....	4	1	3	1	....	....	....	....	....
	F.	5	....	....	....	....	....	....	1	2	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1114	375	137	67	27	26	632	63	39	36	35	31	16	30	24	25	30	29	23	30	22	18	11	9	....	2	9
Males		598	199	76	36	16	16	343	28	17	16	18	13	5	17	13	19	14	16	17	14	14	13	7	5	....	2	7
Females		516	176	61	31	11	10	289	35	22	20	17	18	11	13	11	6	16	13	6	16	8	5	4	4	....	....	2
1. Inflammation of the brain	M.	160	72	28	12	7	3	122	8	6	4	4	4	1	1	2	2	1	3	....	1	....	1	....	....	....	....	....
	F.	142	66	26	10	5	2	109	10	6	2	6	2	3	....	1	2	....	....	....	....	....	....	....	....	....	....	1
2. Meningitis	M.	33	9	8	....	2	1	20	3	....	....	2	....	1	2	....	....	....	1	1	....	....	....	....	....	....	....	3
	F.	25	9	5	5	....	2	21	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	39	3	....	....	....	....	3	1	1	....	....	1	2	2	1	3	4	2	4	4	5	1	1	2	....	1	1
	F.	32	2	1	1	....	....	4	....	1	....	2	3	....	3	3	....	4	4	2	3	1	1	....	....	....	....	1
4. Paralysis	M.	67	2	3	1	....	2	8	2	....	2	....	....	....	3	0	5	2	5	8	3	7	8	5	2	....	1	....
	F.	58	1	1	1	....	1	4	2	2	2	....	1	3	4	1	2	4	6	3	11	6	3	2	2	....	....	....
5. Tetanus and trismus nascentium.	M.	3	3	....	1	....	1	5	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	23	4	1	1	....	....	6	3	1	3	2	3	1	1	....	1	....	1	....	....	....	....	1	....	....	....	....
	F.	16	4	....	1	1	....	6	....	....	2	....	4	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	64	48	4	5	....	....	57	1	1	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	2
	F.	76	48	7	2	....	....	57	4	5	3	2	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	1	1	....	1	2	1	....	1	....	1	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	136	40	25	10	4	4	83	8	2	4	7	3	....	4	3	4	4	2	3	4	1	2	....	1	....	....	1
	F.	108	39	16	6	2	4	67	12	2	8	3	3	....	2	3	1	3	2	....	....	....	....	1	1	....	....	....
10. Diseases of the spinal cord	M.	56	18	7	6	3	3	39	1	4	2	3	1	....	2	....	2	1	....	....	....	....	1	....	....	....	....	....	....
	F.	35	7	5	5	3	1	21	4	4	....	2	1	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....
11. Others of this group	M.	8	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	2	2	1	1	....	....	....	....	....	....	....	....
	F.	15	....	....	....	....	....	....	3	1	....	....	....	1	....	2	1	1	1	....	2	1	1	....	1	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		279	33	1	3	2	4	43	14	7	15	12	15	11	27	12	14	23	18	22	13	12	11	7	1	....	2	....
Males		159	17	....	....	1	2	20	8	1	8	4	6	4	17	5	11	15	13	16	10	9	7	4	1	....	....	....
Females		120	16	1	3	1	2	23	6	6	7	8	9	7	10	7	3	8	5	6	3	3	4	3	....	....	2	....
1. Angina pectoris	M.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	147	8	....	....	1	2	11	8	1	7	4	6	4	17	5	11	15	13	15	10	9	6	4	1	....	....	....
	F.	105	6	1	3	1	2	13	6	5	7	8	9	6	8	7	3	7	5	6	3	3	4	3	....	....	2	....
4. Others of this group	M.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	10	....	....	....	....	10	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		2235	411	254	170	117	78	1030	153	63	86	106	75	69	94	60	81	74	77	68	66	52	31	17	9	1	1	22
Males		1284	236	136	85	67	44	568	77	36	53	59	46	35	49	42	51	58	48	44	36	31	16	11	7	....	1	10
Females		951	175	118	85	50	34	462	76	27	33	47	29	34	45	18	30	16	29	24	30	21	15	6	2	1	....	6
1. Croup	M.	256	68	42	45	34	29	218	31	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4
	F.	213	52	55	35	23	16	181	28	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2
2. Laryngitis	M.	10	2	1	2	....	2	7	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	8	....	2	1	....	....	3	2	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	71	17	9	3	4	3	36	4	....	....	1	4	3	1	5	1	1	3	3	2	4	....	1	1	....	1	....
	F.	65	14	6	6	4	3	33	5	2	1	4	2	1	3	....	....	1	2	3	4	1	2	1	....	....	....	....
4. Pneumonia	M.	817	124	73	32	23	10	262	33	29	48	55	39	29	45	30	43	52	43	37	20	18	14	7	3	....	....	10
	F.	579	88	49	39	21	13	205	37	20	30	41	21	28	33	16	28	14	24	21	24	15	11	4	2	1	....	4
5. Pleurisy	M.	12	1	1	....	....	....	2	....	....	....	....	2	....	....	2	1	1	....	....	3	....	....	....	1	....	....	....	....
	F.	6	1	....	....	....	....	1	....	1	....	....	1	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Asthma	M.	20	1	....	....	....	....	1	1	....	2	....	....	....	1	1	1	2	....	3	2	3	1	2	....	....	....	....	....
	F.	13	....	....	....	1	....	1	1	1	....	1	1	....	1	....	....	1	1	....	1	2	2	....	....	....	....	....	....
7. Others of this group	M.	98	23	10	3	6	....	42	7	5	2	2	1	3	2	4	5	1	2	1	9	6	1	1	2	....	....	2
	F.	67	25	6	4	1	2	38	3	2	2	....	3	4	6	2	1	....	2	....	1	2	....	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		516	125	57	20	9	7	218	23	15	14	22	18	11	24	25	23	18	29	20	23	15	11	4	....	....	3
Males		292	77	28	9	4	3	121	15	10	6	15	13	4	11	17	13	9	15	14	13	7	3	4	....	....	2
Females		224	48	29	11	5	4	97	8	5	8	7	5	7	13	8	10	9	14	6	10	8	8	....	....	....	1
1. Dentition	M.	25	12	12	1	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	8	11	2	1	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	25	8	3	1	2	1	15	2	2	1	....	....	....	....	2	....	1	....	....	....	1	....	1	....	....	....
	F.	17	2	5	1	1	....	9	1	2	....	1	....	....	1	....	....	1	1	....	....	1	....	....	....	....	....
3. Gastritis	M.	10	....	2	1	....	....	3	....	....	....	3	1	1	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	13	2	1	1	1	1	6	....	....	1	....	....	2	....	....	1	1	....	2	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	49	10	5	2	....	1	18	3	....	1	2	2	....	2	3	2	3	2	5	2	2	1	....	....	....	1
	F.	32	4	3	1	1	....	9	4	1	1	1	1	....	2	2	....	1	2	1	....	1	5	....	....	....	1
5. Obstruction of the bowels	M.	15	1	2	....	....	....	3	1	1	....	3	1	....	....	1	2	....	2	....	....	....	....	....	....	....	1
	F.	14	1	....	1	....	....	2	....	1	1	2	....	....	2	1	2	1	1	....	....	....	1	....	....	....	....
6. Hernia	M.	13	5	....	....	....	....	5	....	....	....	1	....	....	1	1	1	....	....	....	2	2	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	1	1	....	....	....	....	....
7. Other diseases of the bowels	M.	21	5	1	1	....	....	7	3	3	2	1	....	....	1	1	....	....	....	....	2	....	....	1	....	....	....
	F.	13	5	1	1	....	....	7	1	....	....	....	....	1	....	....	....	....	2	....	1	....	1	....	....	....	....
8. Jaundice	M.	11	4	1	1	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	....	....	....
	F.	14	7	2	....	....	....	9	....	....	....	....	....	....	....	1	....	....	....	....	2	2	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	23	1	....	....	....	....	1	1	....	....	1	2	....	3	2	3	2	3	3	2	....	....	....	....	....	....
	F.	14	....	....	....	....	1	1	1	....	1	....	2	....	1	....	4	....	....	3	....	1	....	....	....	....	....
10. Other diseases of the liver	M.	28	6	....	....	1	1	8	....	....	....	1	1	2	1	2	2	2	3	3	1	1	1	....	....	....	....
	F.	21	2	1	....	1	1	5	....	....	....	....	....	....	2	1	2	2	2	1	3	2	1	....	....	....	....
11. Peritonitis	M.	11	1	....	....	....	....	1	1	3	1	....	2	....	2	....	....	1	....	....	....	....	....	....	....	....	....
	F.	18	2	....	....	....	....	2	1	1	2	2	2	4	2	1	....	....	....	....	1	....	....	....	....	....	....
12. Ascites	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....
13. Others of this group	M.	59	24	2	2	1	....	29	3	1	1	3	4	1	1	3	2	....	4	3	3	1	....	....	....	....	....
	F.	36	15	5	4	....	1	25	....	....	1	....	....	....	3	2	....	2	2	1	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		128	5	....	2	3	1	11	4	6	3	5	3	5	5	6	7	9	8	10	18	11	9	4	4	....	....
Males		100	3	....	1	1	....	5	1	3	2	3	2	4	3	4	5	9	7	9	16	10	9	4	4	....	....
Females		28	2	....	1	2	1	6	3	3	1	2	1	1	2	2	2	....	1	1	2	1	....	....	....	....	....
1. Bright's disease	M.	26	....	....	....	....	....	....	1	....	1	2	....	3	3	4	....	3	4	2	....	1	2	....	....	....	....
	F.	9	1	....	1	....	....	2	1	....	....	1	1	....	1	1	1	....	....	....	....	1	....	....	....	....	....
2. Calculus, urinary	M.	17	1	....	....	....	....	1	....	2	....	....	1	....	....	....	....	....	....	1	5	4	1	1	1	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	36	2	....	1	1	....	4	....	1	1	1	1	....	....	....	4	5	2	3	6	3	2	2	1	....	....
	F.	17	1	....	....	2	1	4	2	3	1	1	....	1	1	....	1	....	1	1	1	....	....	....	....	....	....
4. Diseases of the bladder	M.	12	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	2	4	1	2	....	1	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
5. Others of this group	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	2	1	1	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		57	....	....	....	....	....	....	....	3	6	6	2	10	8	12	5	2	2	1	....	....	....	....	....	....	....
1. Ovarian tumors	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	2	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	2	....	1	....	....	....	....	....	....	....
3. Uterine tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	12	....	....	....	....	....	....	....	1	3	1	....	3	1	3	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	35	....	....	....	....	....	....	....	2	3	5	2	5	6	7	5	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		165	....	....	....	....	....	....	....	1	20	36	37	32	25	7	5	....	....	....	....	....	....	....	....	....	2
1. Abortion	F.	15	....	....	....	....	....	....	....	....	1	3	5	4	1	1	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	130	....	....	....	....	....	....	....	1	16	27	29	26	20	6	3	....	....	....	....	....	....	....	....	....	2
3. Others of this group	F.	20	....	....	....	....	....	....	....	....	3	6	3	2	4	....	2	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		29	4	3	2	....	....	9	1	3	1	3	....	4	1	....	1	....	3	1	....	2	....	....	....	....	....
Males		16	2	1	2	....	....	5	....	3	....	2	....	2	....	....	....	....	2	....	....	2	....	....	....	....	....
Females		13	2	2	....	....	....	4	1	....	1	1	....	2	1	....	1	....	1	1	....	....	....	....	....	....	....
1. Diseases of the spine	M.	10	2	1	2	....	....	5	....	1	....	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	9	2	2	....	....	....	4	....	....	1	1	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....
2. Diseases of the bones	M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	3	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		25	3	3	1	....	2	9	....	....	3	1	3	....	1	1	3	....	1	1	1	1	....	....	....	....	....	....
Males		15	1	1	1	....	2	5	....	....	2	1	2	....	1	1	3	....	....	....	....	....	....	....	....	....	....	....
Females		10	2	2	....	....	....	4	....	....	1	....	1	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....
1. Abscess	M.	11	1	....	....	....	2	3	....	....	2	1	2	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	2	....	....	....	3	....	....	1	....	1	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....
2. Carbuncle	M.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		7	....	1	1	1	....	3	1	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Males		7	....	1	1	1	....	3	1	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	3	....	1	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	4	....	....	1	1	....	2	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		520	40	19	23	15	10	107	44	45	41	44	47	33	29	24	32	16	13	14	5	8	5	2	2	1	....	3
Males		396	29	12	17	9	7	68	26	34	32	30	41	30	23	20	28	14	11	12	5	5	4	1	2	1	....	3
Females		124	11	7	6	6	3	39	18	11	9	8	6	3	6	4	4	2	2	2	....	3	1	1	....	....	....	....
1. Burns and scalds	M.	30	3	6	10	1	1	21	1	....	1	2	1	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	35	3	5	3	4	2	17	7	3	3	2	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....
2. Drowned	M.	40	....	3	2	3	4	12	6	9	6	1	2	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	2	....	....	2	3	3	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	8	5	....	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	7	2	1	....	1	....	4	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	34	....	....	....	....	....	....	3	2	4	4	3	12	2	1	1	1	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	28	1	....	....	....	....	1	....	....	....	8	4	3	4	1	5	....	....	1	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	26	....	....	....	....	....	....	....	3	6	4	4	1	2	1	2	1	....	2	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	22	6	2	....	....	....	8	1	1	....	....	4	1	....	....	3	1	....	....	....	....	....	....	....	....	....	3
	F.	5	1	1	....	....	....	4	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	14	....	....	....	....	....	....	....	....	....	1	5	2	1	2	1	1	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	13	....	....	....	....	....	....	....	....	1	2	1	2	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
14. Sunstroke	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	1	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	12	....	....	....	....	1	1	....	2	....	1	1	1	1	2	....	....	....	2	....	....	....	....	....	1	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	160	8	1	4	5	1	19	15	17	14	11	16	7	10	11	11	5	7	4	3	4	3	1	1	1	....	....
	F.	45	8	....	1	....	....	9	6	4	5	3	2	1	1	1	1	....	4	2	....	1	4	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1839	480	170	118	68	63	899	174	72	82	86	93	69	61	58	44	27	33	33	35	29	15	7	5	2	15
Total: Males		963	272	99	54	30	32	487	88	40	42	44	41	26	28	28	25	17	13	22	22	13	11	5	3	1	7
Females		876	208	71	64	38	31	412	86	32	40	42	52	43	33	30	19	10	20	11	13	16	4	2	2	1	8
Unknown causes.																											
Total		128	34	5	6	4	1	100	2	2	....	4	..	...	3	2	....	....	3	3	2	2	1	....	....	....	....	4
Males		62	41	3	1	3	....	48	1	1	....	3	....	..	2	1	....	....	2	....	....	1	1	....	....	....	....	2
Females		66	43	2	5	1	1	52	1	1	....	1	....	....	1	1	....	....	1	3	2	1	....	....	....	....	....	2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total		721	135	101	66	37	46	385	102	47	40	33	30	20	11	12	13	4	5	5	2	0	....	1	....	....	....	5
Males		372	83	59	26	14	25	207	51	25	20	17	12	10	2	5	7	4	2	2	2	3	....	1	....	....	....	2
Females		349	52	42	40	23	21	178	51	22	20	16	18	10	9	7	6	....	3	3	....	3	....	....	....	....	....	3
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	25	8	4	2	1	....	15	3	....	4	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	7	1	4	5	1	18	2	....	5	..	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	38	4	6	3	3	9	25	5	5	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	46	4	5	10	3	5	27	12	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	104	11	13	9	7	15	55	31	10	5	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	2
	F.	98	4	7	24	11	11	57	25	8	2	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	4	3	....	....	1	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	1	....	1	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	4	1	1	....	....	....	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	2	....	....	....	....	2	....	....	1	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	4	1	3	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	1	....	....	....	3	1	..	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	47	4	1	2	....	....	7	5	7	3	7	5	2	....	3	2	1	....	2	1	....	....	....	....	....	....	2
	F.	45	....	3	1	1	2	7	6	4	6	4	3	5	4	3	1	....	1	1	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	14	6	4	2	....	....	12	....	..	....	....	....	....	....	....	....	1	....	....	..	1	....	....	....	....	....	....
	F.	9	2	4	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....
10. Dysentery	M.	14	7	3	1	1	....	12	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	10	5	....	1	....	....	6	....	....	....	....	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....
11. Enteritis	M.	24	6	1	2	1	1	11	....	2	2	1	3	1	....	..	1	1	....	....	1	1	....	....	....	....	....	....
	F.	9	1	1	....	....	1	3	1	....	....	....	1	..	1	1	1	....	....	....	....	1	....	....	....	....	....	....
12. Cholera morbus	M.	4	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	..	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	53	29	22	2	....	....	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	36	18	17	....	1	....	36	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	28	2	1	2	....	....	5	4	....	3	7	1	4	1	....	1	1	....	....	....	1	....	....	....	....	....	....
	F.	29	3	1	....	....	1	5	3	5	3	2	4	1	....	1	4	....	1	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	6	1	....	1	....	....	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....
	F.	5	1	1	....	....	....	2	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	15	....	....	....	....	....	....	....	....	1	6	5	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	1	....	2	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total		26	7	1	2	1	1	12	6	....	....	1	....	....	1	1	1	1	1	....	1	....	....	....	....	....	....	1
Males		16	3	1	1	1	....	6	4	....	....	1	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	1
Females		10	4	....	1	....	1	6	2	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Worms	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	14	3	1	1	1	....	6	4	....	....	1	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....
	F.	6	....	....	1	....	1	2	2	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Inanition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total		107	88	....	....	....	....	88	....	....	....	....	....	....	....	....	....	....	....	....	2	5	6	2	3	1	....	....
Males		68	54	....	....	....	....	54	....	....	....	....	....	....	....	....	....	....	....	....	2	2	5	2	3	....	....	....
Females		39	34	....	....	....	....	34	....	....	....	....	....	....	....	....	....	....	....	....	....	3	1	....	....	1	....	....
1. Premature birth	M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	43	43	....	....	....	....	43	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	25	....	....	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	5	2	3	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	1	....	....	1	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		174	16	6	3	2	1	28	8	5	6	12	16	15	17	16	10	7	8	4	12	7	2	1				
Males		85	5	2	2	1	1	11	2	2	2	5	10	7	10	7	6	4	2	1	7	5	1					
Females		89	11	4	1	1		17	6	3	4	7	6	8	7	9	4	3	6		5	2	1	1				
1. Rheumatism	M.	1															1											
	F.																											
2. Scrofula and tabes	M.	7	2	1		1		4	1												1	1						
	F.	5	2					2	1		1	1																
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	61								1	1	5	10	7	9	7	5	4	1	3	5	3						
	F.	67	5	3	1	1		10	3	3	3	6	6	3	6	8	1	1	4		2	2	1					
5. Hydrocephalus	M.	2	2	1				3																				
	F.	3	3					3																				
6. Cancer	M.	2																			1	1						
	F.	5														1		2			2							
7. Tumor	M.	2	1				1	2																				
	F.	2	1					1							1													
8. Anæmia	M.																											
	F.																											
9. Dropsy	M.	3			2			2	1		1				1				1			1	1					
	F.	7		1				1	2										2		1			1				
10. Glycosuria	M.	1								1																		
	F.																											
11. Others of this group	M.																											
	F.																											
12. Others of this class	M.	1																			1							
	F.	2													2													
II.—DISEASES OF THE NERVOUS SYSTEM																												
Total		143	52	13	12	4	4	85	8	1	8	4	8	2	1	2	2	5	3	4	5	3		1	1			
Males		80	32	8	9	4	2	55	3	1	4	3	3		1	1	1	1	1	2	3	1		1				
Females		63	20	5	3		2	30	5		4	2	5	2		1	1	4	2	2	2	2			1			
1. Inflammation of the brain	M.	32	14	6	3	3		26	2	1	2	1																
	F.	17	8		1		1	10	2		1	1	1			1		1										
2. Meningitis	M.	4	1		1			2	1				1															
	F.	3	2					2										1										
3. Apoplexy	M.	6										1								1	2	1		1				
	F.	3		1				1												1		1						
4. Paralysis	M.	5			1			1					1		1					1	1							
	F.	9											1				1	1	1	1	2	1			1			
5. Tetanus and trismus nascentium.	M.																											
	F.																											
6. Epilepsy	M.	3	2	1				3																				
	F.	3	1	1				2					1															
7. Convulsions	M.	9	8		1			9																				
	F.	10	6					6			1	1	1	1														
8. Mental diseases	M.																											
	F.																											
9. Diseases of the brain	M.	12	4	1	3			8			2						1	1										
	F.	11	6	1	2		1	7	2		1			1														
10. Diseases of the spinal cord	M.	8	3			1	2	6								1			1									
	F.	6		2				2	1		1		1						1									
11. Others of this group	M.	1											1															
	F.	1																1										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		39	4				1	5	4	1	1	2	6		3	3	2	2		5	1	1	2		1			
Males		15	2					2	1		1				1	2	2	1		3	1		1					
Females		24	2				1	3	3	1		2	6		2	1		1		2		1	1		1			
1. Angina pectoris	M.																											
	F.																											
2. Aneurism	M.																											
	F.																											
3. Diseases of the heart	M.	14	1					1	1		1				1	2	2	1		3	1		1					
	F.	22					1	1	3	1		2	6		2	1		1		2		1	1		1			
4. Others of this group	M.	1	1					1																				
	F.	2	2					2																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		261	59	31	21	13	5	129	23	8	16	11	8	9	13	2	11	6	8	3	6	4	2	1				1
Males		134	31	19	10	4	3	67	13	4	9	7	4	1	6		6	4	4	2	3	1	1	1				1
Females		127	28	12	11	9	2	62	10	4	7	4	4	8	7	2	5	2	4	1	3	3	1					
1. Croup	M.	30	6	7	3	3	2	23	6	1																		
	F.	27	5	2	7	5	2	21	6																			
2. Laryngitis	M.																											
	F.																											
3. Bronchitis	M.	3	2	1				3																				
	F.	11	5			1		6				1	1		1			1				1						
4. Pneumonia	M.	81	18	8	4	1	1	32	5	3	9	7	3	1	6		3	3	3	1	1	1						
	F.	70	14	8	4	3		29	3	4	3	3	2	7	6		5	1	3		3		1					
5. Pleurisy	M.	1																		1								
	F.	3							1							1						1						
6. Asthma	M.	2																	1				1					
	F.	1																	1									
7. Others of this group	M.	17	5	3	1			9	2				1					1			2			1				1
	F.	15	4	2				6			4		1	1		1				1		1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		81	19	9	5	2	2	37	9	2	4	4	4	4	2	2	2	....	3	5	1	....	1	1	....	....	....	....
Males		37	9	6	2	....	....	17	4	1	2	....	2	1	1	1	....	....	2	5	....	....	1	....	....	....	....	....
Females		44	10	3	3	2	2	20	5	1	2	4	2	3	1	1	2	....	1	....	1	....	....	1	....	....	....	....
1. Dentition	M.	4	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	2	1	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	3	1	1	2	....	....	4	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	....	1	....	1	2	4	3	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	5	1	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	4	1	3	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	1	1	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	1	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
	F.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Peritonitis	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....
13. Others of this group	M.	5	2	....	....	....	....	2	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	6	4	....	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		14	....	....	....	....	....	....	....	....	1	....	....	1	....	3	1	....	....	3	2	1	1	....	....	1	....	....
Males		11	....	....	....	....	....	....	....	....	1	....	....	1	....	1	1	....	....	3	2	....	1	....	....	1	....	....
Females		3	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....
1. Bright's disease	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
3. Diseases of the kidney	M.	7	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	3	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		4	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		30	....	....	....	....	....	....	....	....	2	4	10	6	2	3	1	....	....	....	....	....	....	....	....	....	....	2
1. Abortion	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1
2. Child-birth	F.	20	....	....	....	....	....	....	....	....	....	4	7	3	2	3	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group	F.	7	....	....	....	....	....	....	....	....	1	....	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KANSAS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4				1		1					1	2														
Males		1											1															
Females		3				1		1						2														
1. Abscess	M.	1											1														
	F.	2												2														
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.	1				1		1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		102	14	4	3	4	2	27	12	6	4	11	10	8	5	11	1	2	1	1							2
Males		79	10	1	3	3	1	18	9	6	3	9	9	6	5	9	1	2		1							1
Females		23	4	3		1	1	9	3		1	2	1	2	1	2			1								1
1. Burns and scalds	M.	1		1				1																			
	F.	7		2		1	1	4	1							1											
2. Drowned	M.	6			1	1		2		1			1	1	1												
	F.	1										1															
3. Exposure and neglect	M.	6	6					6																			
	F.																										
4. Gunshot wounds	M.	22			1			1		3	2	4	2	3	4	3											
	F.	3							1		1			1													
5. Homicide	M.	4											1	1		2											
	F.																										
6. Infanticide	M.	1	1					1																			
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	3								1		1	1														
	F.																										
9. Suffocation	M.	3	3					3																			
	F.	2	2					2																			
10. Suicide by shooting	M.	1														1											
	F.	1													1												
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.	1														1											
13. Other suicides	M.																										
	F.																										
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.	1															1										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	31			1	2	1	4	9	1	1	4	4	1		3		2		1							1
	F.	8	2	1				3	1			1	1	1					1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2739	798	253	128	69	34	1282	129	70	101	186	129	97	88	79	57	69	61	63	70	80	61	57	25	19	9	7
Total: Males	1370	439	131	61	38	17	686	58	39	41	78	45	40	37	37	25	37	31	33	36	42	37	34	13	11	6	4
Females	1369	359	122	67	31	17	596	71	31	60	108	84	57	51	42	32	32	30	30	34	38	24	23	12	8	3	3
Unknown causes.																											
Total	347	208	42	11	7	1	272	6	3	2	3	7	2	2	4	4	6	1	2	6	7	7	5	3	1	....	4
Males	188	119	27	7	5	2	160	3	2	....	2	....	....	....	....	....	2	1	1	4	2	4	2	3	....	....	2
Females	159	89	15	4	2	2	112	3	1	2	1	7	2	2	4	4	4	....	1	2	5	3	3	....	1	....	2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	651	179	82	64	31	11	367	61	24	20	34	18	20	22	9	10	10	7	11	11	9	8	5	3	2	....	....
Males	291	90	38	26	13	6	173	21	10	9	16	6	7	7	3	5	5	3	7	6	4	5	3	....	1	....	....
Females	360	89	44	38	18	5	194	40	14	11	18	12	13	15	6	5	5	4	4	5	5	3	2	3	1	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	2	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	4	....	....	....	....	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	3	....	1	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	19	4	1	7	2	1	15	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	16	5	2	3	....	....	10	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	59	35	12	3	2	....	52	5	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	108	42	21	17	6	4	92	13	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	29	6	4	3	3	1	17	3	2	1	2	1	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....
6. Fever F.	31	7	1	1	2	....	11	3	2	1	2	1	3	2	1	....	....	....	1	....	1	....	2	....	1	....	....
7. Cerebro-spinal fever M.	4	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	2	....	....	2	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	54	8	1	2	1	3	15	1	3	5	6	4	4	3	2	1	4	1	1	1	1	2	....	....	....	....	....
8. Enteric fever F.	57	5	1	4	....	1	11	8	3	3	8	3	2	5	2	2	2	4	1	1	....	2	....	....	....	....	....
9. Diarrhœa M.	27	15	5	1	....	....	21	....	....	....	....	....	....	2	....	....	....	....	....	1	1	1	1	....	....	....	....
9. Diarrhœa F.	19	4	3	3	2	....	12	1	....	....	1	....	1	....	....	1	1	....	1	1	....	....	....	....	....	....	....
10. Dysentery M.	25	7	4	3	....	....	14	3	....	1	....	....	....	....	....	....	1	....	2	1	....	1	2	....	....	....	....
10. Dysentery F.	30	5	8	2	5	....	20	2	1	....	1	....	1	1	....	1	....	....	....	1	....	....	....	2	....	....	....
11. Enteritis M.	13	3	1	2	....	....	6	1	....	1	1	1	....	....	....	1	....	....	1	....	....	....	....	....	1	....	....
11. Enteritis F.	14	4	1	1	....	....	6	1	1	....	....	....	1	....	....	....	....	....	....	2	3	....	....	....	....	....	....
12. Cholera morbus M.	4	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
12. Cholera morbus F.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	13	7	5	1	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	9	5	2	2	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	32	2	9	4	3	....	11	2	1	....	7	....	2	1	....	1	....	1	3	1	2	....	....	....	....	....	....
14. Malarial fever F.	45	6	2	3	....	....	13	2	4	3	3	4	2	5	3	1	2	....	1	....	1	....	....	1	....	....	....
15. Erysipelas M.	4	1	1	....	2	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	15	....	....	....	....	....	....	....	....	3	3	4	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	17	2	5	6	....	1	14	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
Males	13	2	4	5	....	1	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
Females	4	....	1	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Worms M.	11	2	4	4	....	1	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	3	....	1	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Inanition M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Inanition F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	214	142	4	1	1	1	149	....	2	1	2	1	....	....	1	....	1	2	2	1	5	8	17	6	9	7	....
Males	119	77	....	....	1	1	79	....	....	....	1	1	....	....	....	....	1	2	2	1	2	2	12	4	7	5	....
Females	95	65	4	1	....	....	70	....	2	1	1	....	....	....	1	....	....	....	....	....	3	6	5	2	2	2	....
1. Premature birth M.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	60	60	....	....	....	....	60	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	52	52	....	....	....	....	52	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	17	6	....	....	1	1	8	....	....	....	1	1	....	....	....	....	1	2	2	....	....	1	....	1	....	....	....
4. Debility F.	18	6	3	1	....	....	10	....	2	1	1	....	....	....	1	....	....	....	....	....	1	1	....	1	....	....	....
5. Old age M.	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	12	3	7	5	....
5. Old age F.	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	5	5	1	2	2	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		566	25	13	7	8	2	55	16	16	41	90	67	38	36	34	19	27	24	26	15	24	16	12	6	2	1	1
Males		229	10	2	5	5	1	23	8	10	10	30	24	14	15	15	5	13	11	13	8	10	9	7	2	1		1
Females		337	15	11	2	3	1	32	8	6	31	60	43	24	21	19	14	14	13	13	7	14	7	5	4	1	1	
1. Rheumatism	M.	8							1	1	1	2													2	1		
	F.	7	1				1	2										1	1	1		1			1			
2. Scrofula and tabes	M.	18	3		3	4		10				1	2		1	1		1				1		1				
	F.	12	2	4		1		7				3	1			1				1								
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	148	6	1	1			8	2	0	7	27	18	14	14	11	5	8	8	6	3	6	3	2				
	F.	242	7	3		2		12	2	0	31	35	40	19	18	11	11	10	8	5	4	5	2	1	1	1		
5. Hydrocephalus	M.	2	1					1	1																			
	F.	6	2	2	1			5	1																			
6. Cancer	M.	10																1	1	2	1		3	1				1
	F.	18										2		1	2	2		1	2	3		3	2					
7. Tumor	M.	3																1					1					
	F.	4												1			1		1					1				
8. Anæmia	M.																											
	F.																											
9. Dropsy	M.	40		1	1	1	1	4	4	3	2		4			3		2	2	5	3	3	2	3				
	F.	48	3	2	1			6	5			1	2	3	1	6	2	2	1	3	3	5	3	3	2		1	
10. Glycosuria	M.	1																			1							
	F.																											
11. Others of this group	M.																											
	F.																											
12. Others of this class	M.	1							1																			
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		185	47	31	7	5	2	92	13	2	7	9	3	2	2	5	3	7	5	5	5	11	5	5	3	1		
Males		92	21	12	3	2	1	39	10	1	5	3	1	2	2	2	2	4	1	3	1	3	4	2	2			
Females		93	26	19	4	3	1	53	3	1	2	6	2			3	1	3	4	2	4	3	1	3	1	1		
1. Inflammation of the brain	M.	34	14	8	1	1		24	5		1	1						1	2									
	F.	34	16	9	3	3	1	32			2																	
2. Meningitis	M.	3	1		1			2										1										
	F.	8	2	4				6	1			1																
3. Apoplexy	M.	2												1									1					
	F.	3														1		1				1						
4. Paralysis	M.	23	1					1	3			1		1	1	1		2		2	1	5	3	1	1			
	F.	19		3				3				1					1	2	2	1	2	1	1	3	1	1		
5. Tetanus and trismus nascentium.	M.																											
	F.																											
6. Epilepsy	M.	5	1					1			1		1											1	1			
	F.	1																			1							
7. Convulsions	M.	12	1	2	1		1	5	1	1	2									1		2						
	F.	13	4	2				6	1	1		2				1			1	1								
8. Mental diseases	M.	2														1			1									
	F.	1																				1						
9. Diseases of the brain	M.	9	3	2		1		6	1			1			1													
	F.	9	3	1	1			5	1							1		1		1								
10. Diseases of the spinal cord	M.	1									1																	
	F.	4	1					1				2	1															
11. Others of this group	M.	1																				1						
	F.	1											1															
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		66	5	3				8	3		3	6	3	3	3	3	4	2	5	1	3	9	3	1	1			
Males		35	1	3				4	1		3	2		1	2	2	3	1	4		5	5	2					
Females		31	4					4	2			4	3	2	1	1	1	1	1	1	3	4	1	1	1			
1. Angina pectoris	M.																											
	F.																											
2. Aneurism	M.																											
	F.																											
3. Diseases of the heart	M.	35	1	3				4	1		3	2		1	2	2	3	1	4		5	5	2					
	F.	31	4					4	2			4	3	2	1	1	1	1	1	1	3	4	1	1	1			
4. Others of this group	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		427	153	61	24	12	10	260	18	10	18	15	9	9	9	10	8	7	7	8	10	10	11	5	2			1
Males		237	92	37	11	8	5	153	10	6	7	6	1	4	3	6	5	4	3	4	6	6	9	3	1			
Females		190	61	24	13	4	5	107	8	4	11	9	8	5	6	4	3	3	4	4	4	4	2	2	1			1
1. Croup	M.	110	71	21	5	3	2	102	4	4																		
	F.	76	45	18	5	3	2	73	3																			
2. Laryngitis	M.	3			1			1															2					
	F.																											
3. Bronchitis	M.	22	4	4				8	1		1	1			2	1	3				2	1	1		1			
	F.	18	6	1	2			9	1	1	1	1	1				1				2			1				
4. Pneumonia	M.	97	17	12	5	5	3	42	5	1	6	5	1	3		5	2	4	3	3	4	5	5	3				
	F.	83	10	4	6	1	2	23	4	1	5	5	4	5	6	3	2	3	4	4	2	4	2	1	1			1
5. Pleurisy	M.																											
	F.	2											1	1														
6. Asthma	M.	1																		1								
	F.																											
7. Others of this group	M.	4								1				1	1								1					
	F.	11		1			1	2		2	2	2	2			1												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		51	10	3	1	3	...	17	1	...	1	2	4	2	3	2	3	1	3	4	2	1	...	...	1	3	1
Males		31	8	1	1	3	...	13	...	...	1	1	1	1	2	2	1	1	2	1	...	1	...	...	1	2	1
Females		20	2	2	...	...	...	4	1	...	...	1	3	1	1	...	2	...	1	3	2	...	...	...	...	1	...	...
1. Dentition	M.	2	1	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina	M.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...
	F.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
4. Other diseases of the stomach	M.	8	5	1	...	...	...	6	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
	F.	2	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Obstruction of the bowels	M.	3	...	...	...	2	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Hernia	M.	3	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
7. Other diseases of the bowels	M.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Jaundice	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
9. Inflammation and abscess of the liver	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	5	...	1	...	...	...	1	...	...	...	...	2	...	...	...	1	...	...	...	1	...	...	...	...	...	...
10. Other diseases of the liver	M.	5	1	...	...	1	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	1	...	...
	F.	5	1	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...
11. Peritonitis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Ascites	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Others of this group	M.	6	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	2	1	...	...	...	...	...	1	...
	F.	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		17	...	...	...	...	...	...	...	...	1	...	1	1	1	1	...	...	1	1	2	2	1	4	...	1	...	...
Males		11	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	1	2	1	4	...	...	...	...
Females		6	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	1	...	...	...	...	1	...	...
1. Bright's disease	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Calculus, urinary	M.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	1	2	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the kidney	M.	4	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	1	...	...	...	...
	F.	6	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	1	...	...	...	...	1	...	...
4. Diseases of the bladder	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		10	...	...	...	...	...	...	...	...	...	...	1	1	...	2	1	1	1	1	2	...	...	...	...	...	...	...
1. Ovarian tumors	F.	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
2. Ovarian diseases	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Uterine diseases	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...
5. Others of this group	F.	4	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	1	...	...	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		21	...	...	...	...	...	...	...	...	...	6	2	6	4	2	...	...	1	...	...	...	...	...	...	...	...	...
1. Abortion	F.	4	...	...	...	...	...	...	...	...	...	1	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth	F.	14	...	...	...	...	...	...	...	...	...	5	1	2	3	2	...	...	1	...	...	...	...	...	...	...	...	...
3. Others of this group	F.	3	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		4	...	...	...	...	...	...	...	...	1	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Males		3	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females		1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Diseases of the spine	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones	M.	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group	M.	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Males																											
Females																											
1. Abscess	M.																										
	F.																										
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3										1	1	1													
Males		1											1														
Females		2										1		1													
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1											1														
	F.	2										1		1													
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		159	27	9	7	2	3	48	9	13	6	18	10	11	8	6	5	7	4	2	7	2	2	3			
Males		119	19	7	3	1		30	4	10	5	17	9	10	8	6	4	6	3	2	4	2	1	1			
Females		40	8	2	4	1	3	18	5	3	1	1	1	1	1		1	1	1		3		1	2			
1. Burns and scalds	M.	10	4		2	1		7		1	1			1													
	F.	12	3	1	1		1	6	3	2													1				
2. Drowned	M.	7		2				2	1	1	1	1					1										
	F.	3			1	1		2													1						
3. Exposure and neglect	M.	4	2					2														1		1			
	F.	3												1				1			1						
4. Gunshot wounds	M.	29			1			1		2		6	4	4	3	2	2	2	2		1						
	F.																										
5. Homicide	M.	13										7	1	2	1	1					1						
	F.	1											1														
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	1												1													
	F.																										
9. Suffocation	M.	8	5	3				8									1										
	F.	6	3		2		1	6																			
10. Suicide by shooting	M.	1											1														
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	1								1																	
	F.																										
14. Sunstroke	M.	4										1				1						1	1				
	F.	1										1															
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	2		1				1													1						
	F.																										
17. Other accidents and injuries	M.	38	8	1				9	3	5	3	2	3	2	1	2		4	1	2	1						
	F.	14	2	1			1	4	2	1	1				1		1		1		1			2			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 2.

[Exclusive of LOUISVILLE.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	4673	1055	342	222	131	88	1838	280	146	231	313	198	199	192	169	141	131	151	132	156	135	98	92	31	16	12	12
Total: Males	2416	596	197	113	69	45	1020	134	68	106	141	78	89	79	82	88	73	93	69	90	69	54	49	16	8	4	6
Females	2257	459	145	109	62	43	818	146	78	125	172	120	110	113	87	53	58	58	63	66	66	44	43	15	8	8	6
Unknown causes.																											
Total	262	154	19	11	5	....	189	12	2	6	5	7	3	3	2	4	4	5	1	6	6	3	4	....	....	....	....
Males	155	92	14	6	4	....	116	7	....	3	2	3	2	1	2	3	4	3	1	4	1	2	1	....	....	....	....
Females	107	62	5	5	1	....	73	5	2	3	3	4	1	2	....	1	....	2	....	2	5	1	3	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	1228	290	148	108	55	36	637	135	51	71	81	31	38	32	25	14	20	29	22	23	12	11	10	3	....	1	2
Males	621	155	81	57	29	14	336	60	24	39	23	15	16	12	16	8	12	17	10	14	4	7	3	2	....	1	2
Females	607	135	67	51	26	22	301	75	27	32	38	16	22	20	9	6	8	12	12	9	8	4	7	1	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	28	10	7	5	1	1	24	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	40	15	6	8	1	1	31	5	....	2	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	102	11	18	19	15	6	69	24	4	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1
3. Scarlet fever F.	97	7	6	18	11	12	54	32	8	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	34	2	3	2	5	5	17	12	1	2	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Diphtheria F.	43	8	4	4	4	1	21	14	5	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	20	14	2	2	1	....	19	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	20	5	7	3	1	1	17	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Fever M.	4	1	....	....	....	....	1	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	5	....	....	....	....	....	....	....	....	2	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	16	2	3	3	....	1	9	....	1	2	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	11	2	1	2	....	....	5	2	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	80	....	2	2	....	....	4	6	7	16	12	3	8	3	2	2	3	6	3	4	....	1	....	....	....	....	....
8. Enteric fever F.	70	....	2	....	....	1	3	8	6	13	10	3	3	9	1	3	2	3	3	1	1	....	1	....	....	....	....
9. Diarrhœa M.	44	11	9	2	3	....	25	2	2	1	2	....	2	....	3	1	1	1	2	....	....	1	....	....	....	....	1
9. Diarrhœa F.	38	19	6	3	2	1	31	1	1	....	....	....	....	....	1	....	....	1	....	....	....	2	....	1	....	....	....
10. Dysentery M.	37	6	7	5	1	....	19	1	....	2	....	....	....	3	1	1	3	4	1	....	2	....	....	....	....	....	....
10. Dysentery F.	37	11	7	2	1	1	22	....	....	....	3	1	1	....	1	....	2	....	2	1	2	1	1	....	....	....	....
11. Enteritis M.	48	21	3	3	....	....	27	2	2	2	....	1	1	1	4	....	....	2	2	1	....	1	....	2	....	....	....
11. Enteritis F.	36	12	5	2	....	....	19	1	1	1	1	....	1	1	1	....	....	3	1	3	1	1	....	....	....	....	....
12. Cholera morbus M.	10	1	....	....	....	....	1	....	....	....	1	....	....	1	....	....	2	2	2	....	....	1	....	....	....	....	....	....
12. Cholera morbus F.	7	....	1	....	....	....	1	2	....	1	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
13. Cholera infantum M.	84	58	21	4	1	....	84	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	67	44	18	4	....	1	67	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	76	6	3	9	2	1	21	9	4	9	5	8	2	2	3	2	....	....	....	5	1	2	3	....	....	....	....
14. Malarial fever F.	67	5	4	4	6	2	21	8	4	6	3	2	4	2	1	....	2	3	2	3	2	....	4	....	....	....	....
15. Erysipelas M.	19	6	2	1	....	....	9	....	1	2	1	1	....	1	2	....	1	....	....	....	....	....	....	....	....	1	....
15. Erysipelas F.	15	4	....	1	....	1	6	....	....	....	1	....	1	1	....	....	1	1	2	1	1	....	....	....	....	....	....
16. Septicæmia M.	4	2	....	....	....	....	2	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	6	....	....	....	....	....	....	....	....	....	1	1	2	1	....	....	....	....	....	....	....	....	1	....	....	....	....
17. Puerperal septicæmia F.	41	....	....	....	....	....	....	....	....	2	16	8	7	6	2	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	0	3	....	....	....	....	3	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....
18. Venereal diseases F.	0	2	....	....	....	....	2	....	....	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	9	1	1	....	....	....	2	....	....	1	....	....	1	....	....	....	....	1	....	2	1	1	....	....	....	....	....
19. Others of this group F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	79	37	9	5	4	1	55	6	1	....	1	8	2	1	1	2	1	3	....	1	1	....	....	....	....	....	....
Males	47	19	5	1	3	....	28	4	1	....	1	2	2	1	1	2	....	3	....	1	1	....	....	....	....	....	....
Females	32	18	4	4	1	1	28	2	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Worms M.	9	5	1	....	1	....	7	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	8	4	2	1	....	....	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	7	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	....	1	....	....	1	....	....	....	....	....	....
3. Alcoholism F.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	16	1	3	1	1	....	6	2	1	....	1	1	1	....	....	1	....	2	....	1	....	....	....	....	....	....	....
5. Other poisons F.	6	1	1	1	....	1	4	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	15	13	1	....	1	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	16	13	1	2	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	292	188	....	....	1	....	189	....	....	....	....	1	....	1	2	....	1	....	3	6	6	19	27	19	9	8	1
Males	161	119	....	....	1	....	120	....	....	....	....	1	....	1	....	....	1	....	1	3	1	7	10	8	5	2	1
Females	131	69	....	....	....	....	69	....	....	....	....	....	....	....	2	....	....	....	2	3	5	12	17	11	4	6	....
1. Premature birth M.	26	26	....	....	....	....	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	20	20	....	....	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	74	74	....	....	....	....	74	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	40	40	....	....	....	....	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	10	10	....	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	16	9	....	....	1	....	10	....	....	....	....	1	....	1	....	....	....	....	1	1	....	1	1	....	....	....	....
4. Debility F.	16	8	....	....	....	....	8	....	....	....	....	....	....	....	2	....	....	....	....	2	1	1	1	1	1	....	....
5. Old age M.	35	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	1	0	9	8	5	2	1
5. Old age F.	54	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	3	11	16	10	3	6	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		948	40	17	20	8	6	91	25	30	77	138	90	75	80	58	51	43	44	38	34	38	12	13	4	2	1	1
Males		414	18	9	10	2	3	42	12	11	22	59	28	29	28	28	25	21	26	20	20	23	9	6	4	1		
Females		534	22	8	10	6	3	49	13	19	55	79	62	46	52	30	26	22	18	18	14	15	3	7		1	1	1
1. Rheumatism	M.	6							1	1	2												1	1				
	F.	7								1	2	2					1	1										
2. Scrofula and tabes	M.	30	7	2	3	1		13	4		1	1	2	1		1			2		1	2						
	F.	27	7	2	2	2		13	1	1	1	2	3		2					1	1	1						1
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	292	6	4	3	1	1	15	3	4	19	52	25	27	27	24	21	12	17	15	10	13	5	1	1	1		
	F.	404	9	3	4	1	1	18	8	15	47	74	56	42	43	24	21	14	8	9	11	9	1	1				2
5. Hydrocephalus	M.	8	4	1	3			8																				
	F.	12	8	1	1	1	1	10		1	1																	
6. Cancer	M.	23	1					1	2							1	2	3	3	1	3	3		1	2			
	F.	41			2			2					1	2	6	4	3	6	5	4	1	3	1	2			1	
7. Tumor	M.	5								1						1		2				1						
	F.	5													1	1			2	1								
8. Anæmia	M.																											
	F.	2								1								1										
9. Dropsy	M.	41		2	1		2	5	2	3		4	1	1	1			2	3	4	5	4	3	2	1			
	F.	34		2	1	2	1	6	3		4	1	2	2		1	1		3	2	1	2	1	3		1		1
10. Glycosuria	M.	7								1						1	2	1	1		1							
	F.	2							1											1									
11. Others of this group	M.	2								1								1										
	F.																											
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		521	147	58	26	15	19	265	29	19	13	27	14	11	15	15	12	14	11	15	20	19	13	7		2		
Males		270	74	34	12	6	14	140	15	5	7	12	6	6	5	6	10	9	5	8	12	10	8	5		1		
Females		251	73	24	14	9	5	125	14	14	6	15	8	5	10	9	2	5	6	7	8	9	5	2		1		
1. Inflammation of the brain	M.	75	23	13	6	4	4	50	8	2	2	2	2	2	1	1		1	1	1	1	1						
	F.	65	22	14	7	3		46	4	3	3	3	1	4					1									
2. Meningitis	M.	29	6	11	1		1	19	2		1	3	1			1	1				1							
	F.	18	5	5	1		1	12	2		1	1			1							1						
3. Apoplexy	M.	23			1	1		2			1			1		1	3	3	1	3	2	2	2	2				
	F.	16								1		2			2	2	1	1	1	2	2		1	1				
4. Paralysis	M.	28												2	2		3	4		1	6	5	3	2				
	F.	34	1	1	3			5	1			1	1		1	2	1	1	3	3	6	5	2	1		1		
5. Tetanus and trismus nascentium	M.	6	2		1			3	1		1				1													
	F.	6	4					4		1								1										
6. Epilepsy	M.	10		1		1	1	3		1		3	1	1	1													
	F.	4								1	1		2															
7. Convulsions	M.	41	30	4	1		3	38				1	1				1											
	F.	46	32	3	1		1	37	2	2	1	1	1		1						1							
8. Mental diseases	M.																											
	F.	3											1			1					1							
9. Diseases of the brain	M.	41	9	3	2		2	16	3	1	2	3	1			3	2	1	1	3	1		2	1		1		
	F.	37	7	1	1	3	1	13	4	3		3	2		2	3		2				3	2					
10. Diseases of the spinal cord	M.	11	4	2			2	8	1	1												1						
	F.	14	1		1	3	1	6	1	2		4		1														
11. Others of this group	M.	6					1	1											2		1	1	1					
	F.	8	1				1	2		1					3	1			1									
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		153	3		1	2	3	9	5	5	3	7	7	9	7	16	13	5	11	12	15	10	10	7	1			1
Males		73	3		1	2	3	9	2	3	1	4	3	4	3	6	4	2	4	3	9	6	4	6				
Females		80							3	2	2	3	4	5	4	10	9	3	7	9	6	4	6	1	1			1
1. Angina pectoris	M.	5									1					1			1		1	1						
	F.																											
2. Aneurism	M.																											
	F.	1										1																
3. Diseases of the heart	M.	67	2		1	2	3	8	2	3		4	3	4	3	5	4	2	3	3	8	5	4	6				
	F.	79							3	2	2	2	4	5	4	10	9	3	7	9	6	4	6	1	1			1
4. Others of this group	M.	1	1					1																				
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		626	132	54	40	27	13	266	32	15	26	27	11	22	21	21	21	24	22	25	31	25	22	9	3	1	1	1
Males		356	77	29	19	12	6	143	13	10	18	19	8	11	13	11	17	15	16	16	15	10	12	7	1			1
Females		270	55	25	21	15	7	123	19	5	8	8	3	11	8	10	4	9	6	9	16	15	10	2	2	1	1	
1. Croup	M.	51	24	5	8	4	3	44	4	2								1										
	F.	58	23	7	6	9	6	51	6	1																		
2. Laryngitis	M.	3	1			1		2		1																		
	F.	1	1					1																				
3. Bronchitis	M.	40	11	4	2	1		18				1	1	1	1	1	4	3	1	1		3	4	1				
	F.	18	6	1	2	1		10	1					1						1	2	1		1	1			
4. Pneumonia	M.	233	35	18	8	5	3	69	8	7	17	17	6	9	10	10	10	10	14	15	13	6	6	5				1
	F.	166	22	16	12	4	1	55	9	2	7	8	3	9	6	8	4	9	5	6	11	11	10		1	1	1	
5. Pleurisy	M.	3												1	1		1											
	F.	5							1	1					1	1			1									
6. Asthma	M.	7									1				1		1					1	1		1			
	F.	7													1					2	3	1						
7. Others of this group	M.	19	6	2	1	1		10	1			1	1				1	1			2		1	1				
	F.	15	3	1	1	1		6	2	1	1			1		1						2		1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		167	35	21	5	....	2	63	4	5	4	5	7	5	4	10	8	8	10	4	9	10	1	9	....	....	....	1
Males		92	20	15	4	....	2	41	2	4	1	2	2	1	2	4	5	3	4	4	4	6	....	6	....	....	....	1
Females		75	15	6	1	....	....	22	2	1	3	3	5	4	2	6	3	5	6	....	5	4	1	3	....	....	....	....
1. Dentition	M.	12	3	6	2	....	1	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	4	5	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	7	1	1	....	....	....	2	....	....	....	....	....	1	....	....	1	....	....	....	....	....	2	....	1	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....
4. Other diseases of the stomach	M.	11	3	....	....	....	....	3	....	2	....	1	....	....	1	1	....	....	....	1	3	....	....	....	....	....	....	....
	F.	14	2	....	1	....	....	3	....	1	2	....	1	1	....	....	1	1	....	....	1	1	....	2	....	....	....	....
5. Obstruction of the bowels	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	1	....	....	....	....	....	1	3	....	1	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	8	1	2	....	....	....	3	1	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....
8. Jaundice	M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	6	1	1	....	....	....	2	....	....	....	....	1	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	10	....	1	1	....	....	2	1	....	....	....	2	....	....	1	1	....	....	....	....	1	....	1	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	13	1	2	....	....	1	4	....	....	....	1	....	....	....	....	2	1	1	1	....	1	....	2	....	....	....	....
	F.	10	2	....	....	....	....	2	....	....	....	....	2	2	....	1	....	1	1	....	....	1	....	....	....	....	....	....
11. Peritonitis	M.	5	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
13. Others of this group	M.	18	9	2	....	....	....	11	....	....	....	....	....	....	1	1	....	1	....	....	1	1	....	1	....	....	....	1
	F.	8	3	....	....	....	....	3	....	....	....	1	....	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		56	....	1	....	1	....	2	1	....	....	3	2	4	1	2	4	1	7	6	6	7	3	4	1	2	....	....
Males		38	....	....	....	1	....	1	....	....	....	1	1	1	....	1	4	....	6	3	6	6	3	3	1	1	....	....
Females		18	....	1	....	....	....	1	1	....	....	2	1	3	1	1	....	1	1	3	....	1	....	1	....	1	....	....
1. Bright's disease	M.	13	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	1	2	5	1	1	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	1	1	1	....	....	....	....	1	1	....	1	....	1	....	....	....	....
2. Calculus, urinary	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	11	....	....	....	1	....	1	....	....	....	1	1	....	....	....	....	....	3	1	....	2	1	1	....	....	....	....
	F.	6	....	....	....	....	....	....	1	....	....	1	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	2	....	....	1	....	1	1	1	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		16	....	....	....	....	....	....	....	1	1	1	3	3	2	....	....	2	....	1	2	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....
5. Others of this group	F.	10	....	....	....	....	....	....	....	1	....	1	2	3	....	....	....	1	....	1	1	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		62	....	....	....	....	....	....	....	1	8	17	11	10	8	7	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	3	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	53	....	....	....	....	....	....	....	1	5	13	10	10	8	6	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	6	....	....	....	....	....	....	....	....	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		27	6	1	2	4	1	14	4	1	2	....	1	....	3	....	....	....	1	....	1	....	....	....	....	....	....	....
Males		17	4	1	1	2	1	9	2	1	1	....	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....
Females		10	2	....	1	2	....	5	2	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	14	4	1	1	2	1	9	1	1	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	8	2	....	1	1	....	4	2	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	3	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		8	2	2	1			5	1		1					1											
Males		4	1	2	1			4																			
Females		4	1					1	1		1					1											
1. Abscess	M.	1		1				1																			
	F.	3							1		1					1											
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.	3	1	1	1			3																			
	F.	1	1					1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2							1			1															
Males		1							1																		
Females		1										1															
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1							1																		
	F.	1										1															
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		226	21	12	3	9	7	52	25	15	19	20	10	17	14	9	12	8	8	5	2	1	4	2			1	2
Males		167	14	7	1	7	2	31	16	9	14	18	8	17	12	7	10	6	8	3	1	1	2	2			1	1
Females		59	7	5	2	2	5	21	9	6	5	2	2		2	2	2	2		2	1		2					1
1. Burns and scalds	M.	10		1		5		6	3							1												
	F.	24	1	3	2		4	10	7	3						1	1			1			1					
2. Drowned	M.	35		2			1	3	7	2	3	4	2	4	4	1	1	2	1	1								
	F.	5							2		2		1			1												
3. Exposure and neglect	M.	2	2					2																				
	F.	4		1				1		2	1																	
4. Gunshot wounds	M.	3									1	2	1	1	1	1			1									
	F.																											
5. Homicide	M.	13									1	6	3		2		1											
	F.																											
6. Infanticide	M.																											
	F.	1	1					1																				
7. Injuries by machinery	M.	4	1					1			1	1						1										
	F.																											
8. Railroad accidents	M.	6							1					1	2		1			1								
	F.																											
9. Suffocation	M.	11	6	4	1			11																				
	F.	5	1			1		5																				
10. Suicide by shooting	M.	5									1			1		1	1		1									
	F.	2									1		1															
11. Suicide by drowning	M.	3												1		1								1				
	F.																											
12. Suicide by poison	M.	1									1																	
	F.																											
13. Other suicides	M.	7												1			1	1	3			1						
	F.	3									1				1			1										
14. Sunstroke	M.	2											1		1													
	F.	2											1					1										
15. Surgical operations	M.	4								2	1			1														
	F.																											
16. Wounds	M.	6				1		1			2			2					1									
	F.	1																										1
17. Other accidents and injuries	M.	50	5			1	1	7	5	5	3	4	2	5	2	2	5	2	1	1	1		2	1			1	1
	F.	12	1	1		1	1	4		1		1	1		1		1			1	1		1					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	447	105	31	12	9	13	170	22	19	14	24	27	27	21	17	20	11	24	9	10	11	6	6	5	1	1	2
Total: Males	244	61	22	7	6	8	104	12	9	5	10	12	15	11	6	5	8	17	4	6	6	5	4	3	1	....	1
Females	203	44	9	5	3	5	66	10	10	9	14	15	12	10	11	15	3	7	5	4	5	1	2	2	....	1	1
Unknown causes.																											
Total	49	30	5	1	1	1	38	1	....	....	1	1	....	....	....	1	1	1	1	2	....	....	....	1	....	....	1
Males	22	14	3	....	....	1	18	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	1
Females	27	16	2	1	1	....	20	....	....	....	1	1	....	....	....	1	1	....	1	2	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	111	26	16	6	3	4	55	7	8	2	4	4	6	7	2	1	2	5	2	1	1	2	....	2	....	....	....
Males	64	15	13	4	3	2	37	4	3	....	2	1	3	4	1	....	2	1	2	1	....	2	....	1	....	....	....
Females	47	11	3	2	....	2	18	3	5	2	2	3	3	3	1	1	....	4	....	....	1	....	....	1	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	3	....	....	....	2	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	3	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	11	....	1	....	....	....	1	1	1	....	1	1	....	....	....	....	1	1	2	1	....	1	....	....	....	....	....
8. Enteric fever F.	7	....	1	....	....	1	2	....	2	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	4	2	....	....	....	....	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
10. Dysentery M.	8	2	4	2	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	11	2	1	1	....	....	4	1	1	....	1	1	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....
11. Enteritis M.	5	1	1	1	1	....	4	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	4	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....
12. Cholera morbus M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	9	7	2	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	5	4	....	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	17	1	3	....	....	1	5	3	2	....	1	....	2	1	1	....	....	....	....	....	....	1	....	1	....	....	....
14. Malarial fever F.	9	1	....	....	....	1	2	....	1	2	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	1	....	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	2	....	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	6	....	1	1	....	....	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	4	....	1	1	....	....	2	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	2	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	21	13	....	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	4	....	3	....	1	....	....
Males	14	10	....	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	1	....	....
Females	7	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	1	....	....	....	....
1. Premature birth M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	1	....	....
5. Old age F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	1	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		79	3	3	2	1	1	10	4	3	3	9	11	5	7	6	7	1	5	2	2	1	....	1	1	....	....	1
Males		40	2	2	1	....	1	6	3	1	1	2	4	2	3	3	3	1	5	1	2	1	....	1	1	....	....	....
Females		39	1	1	1	1	....	4	1	2	2	7	7	3	4	3	4	....	....	1	....	....	....	....	....	....	....	1
1. Rheumatism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	5	1	2	....	....	....	3	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	1	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	27	1	....	1	....	....	2	1	1	1	1	4	2	3	2	2	1	4	1	1	....	....	....	1	....	....	....
	F.	30	....	....	1	....	....	1	....	2	2	6	6	2	3	3	4	....	....	....	....	....	....	....	....	....	....	1
5. Hydrocephalus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Tumor	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	5	....	....	....	....	1	1	1	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....
	F.	4	....	....	....	1	....	1	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
10. Glycosuria	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		33	11	2	....	1	2	16	3	1	2	3	2	2	1	....	....	2	1	....	....	....	....	....	....	....	....	....
Males		23	7	1	....	1	2	11	1	1	2	2	1	1	1	....	....	2	1	....	....	....	....	....	....	....	....	....
Females		10	4	1	....	....	....	5	2	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Inflammation of the brain	M.	12	6	....	....	1	1	8	....	1	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	4	1	....	....	....	1	2	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	2	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		18	....	....	....	....	....	....	....	2	....	1	....	....	....	....	3	1	4	1	2	2	....	....	....	....	....	....
Males		5	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	2	....	....	2	....	....	....	....	....	....
Females		13	....	....	....	....	....	....	....	1	....	1	....	....	....	....	3	1	2	1	2	....	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	5	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	2	....	....	2	....	....	....	....	....	....
	F.	13	....	....	....	....	....	....	....	1	....	1	....	....	....	....	3	1	2	1	2	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		83	16	4	2	1	2	25	4	4	4	4	4	6	2	6	5	4	5	2	....	3	3	1	....	....	1	....
Males		51	11	2	1	1	....	15	3	2	2	4	4	4	1	2	1	3	5	1	....	2	2	....	....	....	....	....
Females		32	5	2	1	....	2	10	1	2	2	....	....	2	1	4	4	1	....	1	....	1	1	1	....	....	1	....
1. Croup	M.	9	5	....	1	1	....	7	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	5	1	1	....	2	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	5	2	....	....	....	....	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	37	4	2	....	....	....	6	....	2	2	1	4	3	1	2	1	3	4	1	....	2	2	....	....	....	....	....
	F.	18	....	....	....	....	....	....	1	2	2	....	....	1	1	3	3	1	....	1	....	....	1	1	....	....	1	....
5. Pleurisy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	14	3				2	5	2				1	2	1		1							1	1			
Males	8	1				1	2					1	2	1		1							1				
Females	6	2				1	3	2																1			
1. Dentition M.	1	1					1																				
1. Dentition F.																											
2. Angina M.																											
2. Angina F.	1							1																			
3. Gastritis M.	3												1	1		1											
3. Gastritis F.	1																							1			
4. Other diseases of the stomach M.	1												1														
4. Other diseases of the stomach F.	2	2					2																				
5. Obstruction of the bowels M.																											
5. Obstruction of the bowels F.																											
5. Hernia M.																											
5. Hernia F.																											
6. Other diseases of the bowels M.																											
6. Other diseases of the bowels F.																											
8. Jaundice M.																											
8. Jaundice F.	1					1	1																				
9. Inflammation and abscess of the liver. M.	2					1	1					1															
9. Inflammation and abscess of the liver. F.																											
10. Other diseases of the liver M.																											
10. Other diseases of the liver F.																											
11. Peritonitis M.																											
11. Peritonitis F.																											
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.	1																						1				
13. Others of this group F.	1							1																			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	6										1							2	1	1		1					
Males	3																	1		1		1					
Females	3										1							1	1								
1. Bright's disease M.																											
1. Bright's disease F.	1																		1								
2. Calculus, urinary M.																											
2. Calculus, urinary F.																											
3. Diseases of the kidney M.	2																	1				1					
3. Diseases of the kidney F.	2										1							1									
4. Diseases of the bladder M.																											
4. Diseases of the bladder F.																											
5. Others of this group M.	1																			1							
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	2											1			1												
1. Ovarian tumors F.																											
2. Ovarian diseases F.																											
3. Uterine tumors F.																											
4. Uterine diseases F.	1											1															
5. Others of this group F.	1														1												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	12										3		2	3	2	2											
1. Abortion F.	1										1																
2. Child-birth F.	11										2		2	3	2	2											
3. Others of this group F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine M.																											
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	1																	1									
Males	1																	1									
Females																											
1. Abscess M.																											
1. Abscess F.																											
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.	1																	1									
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	12	3			2	1	6		1			1	1	1						2							
Males	9	1			1	1	3		1			1	1	1						2							
Females	3	2			1		3																				
1. Burns and scalds M.																											
1. Burns and scalds F.	2	1			1		2																				
2. Drowned M.	4	1			1	1	3		1																		
2. Drowned F.																											
3. Exposure and neglect M.																											
3. Exposure and neglect F.	1	1					1																				
4. Gunshot wounds M.	2												1	1													
4. Gunshot wounds F.																											
5. Homicide M.																											
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.																											
8. Railroad accidents F.																											
9. Suffocation M.																											
9. Suffocation F.																											
10. Suicide by shooting M.																											
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.																											
12. Suicide by poison F.																											
13. Other suicides M.	1																			1							
13. Other suicides F.																											
14. Sunstroke M.																											
14. Sunstroke F.																											
15. Surgical operations M.	1																			1							
15. Surgical operations F.																											
16. Wounds M.																											
16. Wounds F.																											
17. Other accidents and injuries M.	1											1															
17. Other accidents and injuries F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 4.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		13071	3101	1070	581	316	231	5299	636	402	688	889	622	543	443	387	373	301	300	405	390	419	291	255	139	61	32	105
Total: Males		6463	1733	536	289	151	136	2845	293	174	277	363	262	219	173	181	181	219	188	214	199	231	156	122	72	28	12	54
Females		6608	1368	534	292	165	95	2454	343	228	411	526	360	324	270	206	192	172	112	191	191	188	135	133	67	33	21	51
Unknown causes.																												
Total		978	605	71	31	11	13	731	25	15	19	19	8	10	9	12	6	12	12	13	13	14	16	15	3	3	....	23
Males		499	322	36	16	4	4	382	13	5	7	7	4	3	4	4	4	5	5	6	8	10	11	5	2	2	....	12
Females		479	283	35	15	7	9	349	12	10	12	12	4	7	5	8	2	7	7	7	5	4	5	10	1	1	....	11
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		3029	601	461	238	135	100	1535	282	120	166	182	117	84	82	53	53	61	32	66	47	45	40	25	16	5	3	15
Males		1485	326	226	128	68	55	803	116	45	72	84	60	43	34	22	25	33	21	32	19	23	18	16	8	3	1	7
Females		1544	275	235	110	67	45	732	166	75	94	98	57	41	48	31	28	28	11	34	28	22	22	9	8	2	2	8
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	67	17	18	5	6	4	50	6	....	2	2	2	2	1	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	70	14	13	7	4	1	39	11	1	8	3	....	1	3	....	1	2	....	....	....	1	....	....	....	....	....	....
2. Scarlet fever	M.	62	6	7	11	4	10	38	19	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	85	8	8	7	11	10	44	24	12	2	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	99	17	11	18	15	11	72	20	6	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	117	13	20	19	15	11	78	32	4	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	113	53	21	17	8	4	103	8	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	113	57	41	17	10	8	133	8	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Fever	M.	45	12	4	2	1	1	20	2	1	3	4	3	1	3	1	2	....	....	1	1	1	1	....	1	....	....	....
	F.	48	6	2	....	....	1	9	10	1	4	7	3	1	4	2	....	1	1	2	....	1	....	1	1	....	....	....
7. Cerebro-spinal fever	M.	28	5	6	3	3	2	19	2	2	2	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
	F.	31	7	3	3	2	1	21	4	4	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	236	7	8	4	7	2	28	16	14	37	41	28	18	11	8	6	7	4	5	2	6	1	2	....	....	1	1
	F.	214	6	8	6	4	3	27	20	24	39	30	16	9	10	7	9	7	1	7	4	2	1	....	1	....	....	....
9. Diarrhœa	M.	73	28	17	6	1	....	52	....	1	2	2	....	....	1	1	1	1	2	3	1	1	1	2	1	....	....	1
	F.	64	12	18	7	3	....	40	4	1	1	....	1	....	1	....	1	1	1	....	3	2	1	2	1	1	1	2
10. Dysentery	M.	225	40	50	27	16	11	144	14	8	6	6	4	2	4	2	4	8	4	5	3	3	4	3	....	....	....	1
	F.	186	26	41	19	4	3	93	18	6	11	5	3	5	2	4	2	4	4	7	8	6	6	1	1	....	....	....
11. Enteritis	M.	97	30	10	8	3	1	52	4	1	7	3	1	2	2	3	1	2	4	2	3	4	2	3	....	1	....	....
	F.	87	22	12	6	3	3	46	5	2	2	1	3	3	....	5	1	....	1	7	4	3	1	3	....	....	....	....
12. Cholera morbus	M.	18	3	1	....	....	....	4	1	....	....	1	....	....	....	....	1	1	3	2	....	2	1	....	....	....	....	2
	F.	11	1	1	....	....	....	2	1	....	1	1	....	....	1	1	1	....	....	....	....	1	2	....	....	....	....	....
13. Cholera infantum	M.	136	74	48	12	....	2	136	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	120	65	41	11	2	1	120	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	213	18	16	12	4	6	56	23	6	10	20	15	14	9	6	7	6	2	12	7	6	3	4	5	1	....	1
	F.	234	17	16	8	6	3	50	27	19	16	22	13	11	14	3	3	11	2	10	8	6	8	2	4	....	1	4
15. Erysipelas	M.	34	8	3	3	....	....	14	1	1	1	1	1	....	2	....	2	4	1	2	1	....	1	1	1	....	....	....
	F.	35	18	3	....	1	....	22	....	....	2	1	....	1	....	....	3	1	1	1	....	....	2	....	....	1	....	....
16. Septicæmia	M.	6	....	2	....	....	....	2	....	....	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	....	....	....	....	....	....	1	....	2	5	3	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	62	....	....	....	....	....	....	....	....	5	19	12	6	10	6	4	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	16	4	1	....	....	....	5	....	....	....	1	3	3	....	....	1	2	....	....	....	....	....	....	....	....	....	....
	F.	9	2	....	....	2	....	4	....	....	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....
19. Others of this group	M.	17	4	3	....	....	1	8	....	1	....	1	1	....	1	....	....	2	....	....	....	....	2	1	....	....	....	1
	F.	12	1	3	....	....	....	4	1	....	....	....	1	2	....	....	2	....	....	....	1	....	1	....	....	....	....	....
General diseases—B.																												
Total		127	40	11	13	7	1	72	5	1	2	3	5	2	6	5	3	4	2	3	2	2	5	1	1	1	....	2
Males		74	25	3	3	2	1	34	2	1	1	2	3	2	6	5	3	3	1	2	2	1	5	....	....	....	....	1
Females		53	15	8	10	5	....	38	3	....	1	1	2	....	....	....	....	1	1	1	....	1	....	1	1	1	....	1
1. Worms	M.	11	1	2	2	2	1	8	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	....	7	9	3	....	19	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	15	....	....	....	....	....	....	....	....	....	1	1	....	4	3	....	1	....	2	2	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	21	2	....	1	....	....	3	....	....	1	1	2	2	2	2	3	1	1	....	....	....	2	....	....	....	....	1
	F.	17	2	1	....	2	....	5	2	....	1	1	1	....	....	....	....	1	1	1	....	1	....	....	1	1	....	1
6. Inanition	M.	26	22	1	....	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	13	....	1	....	....	14	....	....	....	....	1	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....
General diseases—C.																												
Total		873	615	3	4	....	....	622	2	....	....	....	1	....	1	....	....	....	1	4	10	32	33	58	43	32	25	4
Males		487	365	2	2	....	....	369	2	....	....	....	1	....	....	....	....	....	1	2	6	18	16	22	25	15	7	3
Females		386	250	1	2	....	....	253	....	....	....	....	....	....	1	....	....	....	....	2	4	14	17	36	23	17	18	1
1. Premature birth	M.	63	63	....	....	....	....	63	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	45	45	....	....	....	....	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	284	284	....	....	....	....	284	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	186	186	....	....	....	....	186	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	9	8	1	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	39	10	1	2	....	....	13	2	....	....	....	1	....	....	....	....	....	1	1	4	6	3	3	3	1	....	1
	F.	26	12	....	2	....	....	14	....	....	....	....	....	....	1	....	....	....	....	1	2	3	3	....	1	....	1	....
5. Old age	M.	92	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	12	13	19	22	14	7	2
	F.	121	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	11	14	36	22	17	17	1
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2973	128	85	57	34	22	326	76	119	275	445	299	246	182	156	144	132	94	114	111	91	67	51	19	7	1	18
Males		1197	84	47	23	15	12	181	34	39	72	141	100	83	55	62	54	73	55	63	56	46	39	20	12	3	1	8
Females		1776	44	38	34	19	10	145	42	80	203	304	199	103	127	94	90	59	39	51	55	45	28	31	7	4	....	10
1. Rheumatism	M.	36	....	....	....	....	1	1	2	4	1	1	1	....	....	....	2	3	3	2	7	2	4	2	1	....	....	....
	F.	33	....	....	....	....	....	....	3	2	4	2	1	2	2	1	2	2	....	2	2	2	1	4	1	....	....	....
2. Scrofula and tabes	M.	111	25	19	7	8	3	62	10	13	8	3	1	4	1	1	1	....	1	2	1	....	1	1	....	....	....	1
	F.	114	16	10	13	5	6	50	13	8	5	13	4	6	3	2	4	2	....	....	3	....	1	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	817	40	19	7	1	5	72	13	20	59	128	93	71	50	49	44	55	36	41	36	23	16	3	1	1	....	6
	F.	1361	23	14	15	10	2	64	21	65	188	276	180	144	103	80	62	33	21	30	26	31	10	16	2	1	....	8
5. Hydrocephalus	M.	29	12	4	4	1	3	24	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	3	8	5	....	....	16	2	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	64	1	....	....	1	....	2	....	....	....	2	....	5	2	4	3	9	4	6	5	10	5	3	3	....	....	1
	F.	110	1	....	....	....	1	2	....	....	....	5	4	5	9	4	12	13	13	8	13	5	9	4	3	....	....	1
7. Tumor	M.	12	2	2	1	....	....	5	....	....	1	2	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	....	1	....	....	....	1	....	....	....	....	1	1	3	1	1	1	1	....	....	1	....	....	....	....	....	....
8. Anæmia	M.	4	2	....	....	1	....	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	104	2	2	4	3	....	11	4	2	1	4	4	3	2	6	2	4	7	11	6	9	11	9	5	2	1	....
	F.	110	1	4	1	4	1	11	3	4	1	5	8	5	7	4	9	5	4	10	9	6	7	7	1	3	....	1
10. Glycosuria	M.	18	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	2	3	1	1	2	2	2	2	....	....	....
	F.	10	....	....	....	....	....	....	....	1	2	1	....	....	....	1	....	3	....	....	2	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	21	....	....	....	....	....	....	1	....	3	8	5	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1420	406	179	84	36	34	739	79	44	38	34	33	28	24	32	36	39	41	35	59	61	38	30	8	4	3	9
Males		754	222	90	39	17	21	389	42	26	18	20	21	15	15	19	20	26	25	14	31	34	15	12	3	2	3	4
Females		666	184	89	45	19	13	350	37	18	20	14	12	13	9	13	16	13	16	21	28	30	23	18	5	2	....	5
1. Inflammation of the brain	M.	221	86	44	26	7	7	170	18	12	2	1	3	1	5	1	2	1	1	....	1	2	....	....	....	....	1	....
	F.	202	73	42	26	10	5	156	16	2	7	4	1	3	....	1	6	1	....	1	3	....	....	1	....	....	....	....
2. Meningitis	M.	84	24	16	4	3	5	52	7	4	5	3	2	....	1	2	....	3	1	....	1	2	....	....	....	....	....	1
	F.	63	23	15	3	4	3	48	6	2	....	....	2	....	....	....	....	....	1	2	....	....	....	....	....	....	....	2
3. Apoplexy	M.	47	1	....	1	....	....	2	....	1	1	2	....	3	3	1	5	6	5	4	7	6	....	2	....	....	....	....
	F.	47	....	1	....	....	....	1	1	1	3	1	1	2	....	5	3	6	1	5	5	3	4	4	1	....	....	....
4. Paralysis	M.	109	2	1	....	1	....	4	....	1	....	2	6	2	2	3	8	6	12	7	14	18	10	8	3	1	2	....
	F.	110	1	1	1	2	1	6	1	1	2	....	2	2	4	2	4	5	7	10	15	20	11	12	4	2	....	....
5. Tetanus and trismus nascentium.	M.	27	9	....	....	....	5	14	2	3	1	1	3	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	6	....	....	....	....	6	....	2	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	28	2	....	2	1	....	5	....	1	3	5	3	1	....	3	1	1	1	2	1	....	1	....	....	....	....	....
	F.	12	....	1	1	1	1	4	....	2	1	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	97	61	14	2	4	....	81	6	....	1	3	1	2	....	1	....	....	....	....	....	1	....	....	....	....	....	1
	F.	88	59	11	7	1	1	79	1	....	....	2	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	3
8. Mental diseases	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	1	1	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	2	....	....	1	....	....	....	....	....	....
9. Diseases of the brain	M.	78	19	7	1	....	2	29	6	1	2	2	1	2	2	4	2	8	4	....	6	3	2	2	....	1	....	1
	F.	71	14	13	3	....	2	32	4	4	3	2	1	3	2	3	2	....	2	5	4	1	3	....	....	....	....	....
10. Diseases of the spinal cord	M.	51	18	8	3	1	2	32	3	3	2	....	2	2	....	2	1	....	1	....	....	1	1	....	....	....	....	1
	F.	39	8	5	4	1	....	18	8	2	1	1	1	1	1	....	....	....	1	....	....	1	3	1	....	....	....	....
11. Others of this group	M.	7	....	....	....	....	....	....	....	....	1	1	....	2	....	....	....	1	....	....	....	1	1	....	....	....	....	....
	F.	17	....	....	....	....	....	....	....	2	2	....	....	....	1	....	1	1	2	1	1	4	2	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		405	24	2	4	1	1	32	7	10	19	17	14	20	22	17	14	30	25	47	37	43	26	13	8	1	....	3
Males		201	15	1	2	....	....	18	3	4	8	8	4	8	7	5	4	14	18	28	23	21	13	9	5	....	....	1
Females		204	9	1	2	1	1	14	4	6	11	9	10	12	15	12	10	16	7	19	14	22	13	4	3	1	....	2
1. Angina pectoris	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	....	1	1	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
2. Aneurism	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	185	11	1	2	....	....	14	3	4	8	8	4	8	7	4	3	14	16	26	22	20	12	7	4	....	....	1
	F.	195	8	1	2	1	1	13	4	6	10	8	9	11	13	12	10	16	7	18	13	22	13	4	3	1	....	2
4. Others of this group	M.	5	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	8	1	....	....	....	....	1	....	....	1	1	1	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1765	433	183	104	61	44	825	88	40	78	75	43	59	37	47	52	60	48	65	68	73	40	29	17	5	....	16
Males		960	230	97	55	33	31	446	44	22	45	48	19	26	16	28	33	36	31	37	29	42	21	17	7	2	....	11
Females		805	203	86	49	28	13	379	44	18	33	27	24	33	21	19	19	24	17	28	39	31	19	12	10	3	....	5
1. Croup	M.	233	114	29	22	24	21	210	20	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2
	F.	201	103	34	24	12	7	180	15	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
2. Laryngitis	M.	3	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	7	2	....	2	....	....	4	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	83	23	13	7	2	1	46	3	....	1	1	1	2	1	4	3	3	1	....	1	5	2	4	4	....	....	1
	F.	83	23	8	3	3	....	37	2	2	4	4	4	3	2	1	1	1	3	4	5	5	2	1	1	1	....	....
4. Pneumonia	M.	580	82	51	21	7	9	170	18	21	40	41	17	20	14	22	27	26	28	34	26	36	16	11	3	2	....	8
	F.	457	67	42	18	12	5	144	23	12	24	22	19	25	16	18	13	21	13	19	30	25	13	10	5	2	....	3
5. Pleurisy	M.	14	1	....	1	....	....	2	....	1	2	3	....	2	....	....	1	1	1	....	....	....	....	1	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	1	....	....	2	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....
6. Asthma	M.	8	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	2	1	....	1	....	....	....	....	....	....
	F.	10	....	1	....	....	....	1	....	....	....	....	....	3	....	....	2	....	....	1	2	....	....	1	....	....	....	....	....
7. Others of this group	M.	39	8	2	3	....	....	13	3	....	2	3	1	2	1	2	2	3	1	1	1	1	2	1	....	....	....	....
	F.	40	8	1	2	1	1	13	3	....	3	1	....	....	3	....	2	2	1	3	1	1	3	....	4	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		534	138	44	21	9	8	218	18	12	26	26	23	18	19	18	22	20	20	21	17	16	9	15	10	....	....	6
Males		256	74	24	10	3	3	114	5	7	12	8	8	7	7	7	15	10	15	11	7	7	4	7	4	....	....	1
Females		278	64	20	11	6	3	104	13	5	14	18	15	11	12	11	7	10	5	10	10	9	5	8	6	....	....	5
1. Dentition	M.	24	7	12	5	....	....	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	8	11	2	....	....	21	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....
2. Angina	M.	16	6	....	....	....	1	7	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	3	1	1	2	2	9	4	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	13	4	....	....	1	....	5	....	....	....	....	1	1	1	1	....	1	....	....	....	1	....	1	1	....	....	....
	F.	16	2	1	....	....	....	3	....	1	1	1	3	1	....	....	....	....	1	1	....	3	....	....	1	....	....	....
4. Other diseases of the stomach	M.	30	6	3	2	1	1	13	....	2	....	1	2	....	2	2	4	....	....	1	1	1	....	1	....	....	....	....
	F.	34	6	1	1	2	....	10	1	....	2	2	1	3	2	....	2	1	1	2	4	1	1	....	1	....	....	....
5. Obstruction of the bowels	M.	13	1	....	....	....	....	1	....	2	2	1	....	1	1	....	1	1	....	....	1	....	....	2	....	....	....	....
	F.	17	4	....	1	....	1	6	1	....	1	....	2	....	....	2	1	....	....	....	2	....	....	1	1	....	....	....
6. Hernia	M.	16	2	....	1	....	....	3	....	....	1	....	....	1	2	....	2	1	2	1	....	2	1	....	....	....	....	....
	F.	11	2	1	....	....	....	3	....	....	....	1	....	1	....	1	1	2	....	2	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	26	11	3	2	....	....	16	....	1	2	2	....	....	....	....	....	....	2	1	1	....	....	....	1	....	....	....
	F.	26	7	....	3	1	....	11	4	....	1	2	....	....	1	....	....	1	1	....	....	....	1	4	....	....	....	....
8. Jaundice	M.	12	9	....	....	....	....	9	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	18	12	....	....	....	....	12	....	....	....	....	....	....	1	1	....	....	1	1	....	....	1	....	....	....	....	1
9. Inflammation and abscess of the liver.	M.	16	....	2	....	....	....	2	....	....	2	2	....	....	1	....	2	1	2	....	1	....	1	1	....	....	....	1
	F.	14	2	....	1	....	....	3	....	1	....	....	....	1	1	1	....	2	....	1	2	1	....	1	....	....	....	....
10. Other diseases of the liver	M.	21	3	2	....	1	....	6	....	....	....	....	1	1	....	2	2	4	2	2	....	1	....	....	....	....	....	....
	F.	26	4	2	2	1	....	9	....	1	1	4	2	....	2	2	1	....	....	1	1	....	1	....	....	....	....	1
11. Peritonitis	M.	14	4	....	....	....	....	4	....	....	1	....	2	1	....	1	2	1	2	....	....	....	....	....	....	....	....	....
	F.	29	2	....	....	....	....	2	....	1	3	7	6	4	2	2	....	....	....	....	....	....	....	....	1	....	....	1
12. Ascites	M.	3	1	....	....	....	1	2	1	....	1	....	....	....	....	....	....	....	1	1	1	....	....	....	1	....	....	....
	F.	8	....	....	....	....	....	....	....	....	1	1	....	....	2	....	....	3	1	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	47	20	2	....	....	....	22	2	1	1	2	1	2	....	1	2	1	3	4	1	2	....	2	....	....	....	....
	F.	43	12	3	....	....	....	15	3	1	3	....	....	1	1	1	2	1	....	2	1	4	1	2	2	....	....	2
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		130	2	2	2	....	1	7	1	4	3	1	6	5	7	2	2	8	8	18	13	24	8	10	5	1	....	2
Males		104	1	1	1	....	1	4	1	4	2	1	4	2	5	2	1	3	7	13	11	22	7	9	4	....	....	2
Females		26	1	1	1	....	....	3	....	....	1	....	2	3	2	....	1	....	1	5	2	2	1	1	1	1	....	....
1. Bright's disease	M.	20	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	....	2	5	1	5	1	2	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	....	1	2	....	....	1	....	1	1	2	1	....	....	....	....	....	....
2. Calculus, urinary	M.	12	....	....	....	....	....	....	1	2	....	....	1	....	....	....	....	....	1	2	2	1	1	....	....	....	....	1
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
3. Diseases of the kidney	M.	42	1	....	1	....	1	3	....	2	1	1	....	1	4	1	....	3	3	3	7	5	3	3	2	....	....	....
	F.	14	....	1	1	....	....	2	....	....	1	....	1	1	1	....	....	....	....	4	....	1	1	....	1	1	....	....
4. Diseases of the bladder	M.	16	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	1	2	....	4	2	2	2	....	....	1
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	14	....	1	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	1	1	7	....	2	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		60	....	....	....	....	....	....	....	....	3	7	8	7	6	5	8	6	3	5	1	2	....	....	....	....	....	....
1. Ovarian tumors	F.	10	....	....	....	....	....	....	....	....	1	1	2	1	....	....	1	1	....	2	1	....	....	....	....	....	....	....
2. Ovarian diseases	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	10	....	....	....	....	....	....	....	....	....	3	2	2	....	....	2	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	36	....	....	....	....	....	....	....	....	2	3	3	4	5	5	5	3	1	3	....	2	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		122	....	....	....	....	....	....	....	1	12	30	18	26	19	9	5	1	....	....	....	....	....	....	....	....	....	1
1. Abortion	F.	13	....	....	....	....	....	....	....	....	1	3	3	3	1	....	1	1	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	84	....	....	....	....	....	....	....	....	8	20	10	19	15	7	4	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group	F.	25	....	....	....	....	....	....	....	1	3	7	5	4	3	2	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		30	2	....	4	1	....	7	2	2	4	1	2	1	2	1	2	....	1	....	2	....	....	....	1	....	....	1
Males		21	1	....	3	1	....	5	2	1	2	1	3	....	2	....	2	....	....	....	1	....	....	....	1	....	....	1
Females		9	1	....	1	....	....	2	....	1	2	....	....	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....
1. Diseases of the spine	M.	13	1	....	3	....	....	4	1	1	1	1	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1
	F.	5	1	....	1	....	....	2	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	5	....	....	....	1	....	1	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

KENTUCKY—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		25	4	3	1	....	....	8	....	....	3	....	1	2	1	3	2	1	1	1	....	1	1	....	....	....	....	....
Males		12	3	1	....	....	....	4	....	....	2	....	1	1	....	2	1	....	....	....	....	1	....	....	....	....	....	....
Females		13	1	2	1	....	....	4	....	....	1	....	....	1	1	1	1	1	1	1	....	....	1	....	....	....	....	....
1. Abscess	M.	4	....	....	....	....	....	....	....	....	1	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	1	1	....	....	2	....	....	1	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....
2. Carbuncle	M.	4	1	....	....	....	....	1	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	4	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	6	1	1	....	....	....	2	....	....	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3	1	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Males		2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females		1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		576	102	26	18	21	9	176	50	33	37	41	38	34	27	26	21	22	12	10	10	12	8	8	3	2	1	5
Males		390	65	8	7	8	8	96	28	19	33	35	29	28	22	24	16	16	9	6	6	6	7	5	1	1	....	3
Females		186	37	18	11	13	1	80	22	14	4	6	9	6	5	2	5	6	3	4	4	6	1	3	2	1	1	2
1. Burns and scalds	M.	31	6	4	4	3	6	23	5	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	71	2	5	4	11	1	28	17	10	2	1	4	3	5	1	....	1	....	1	....	1	....	1	....	1	....	....
2. Drowned	M.	42	1	3	2	1	1	8	3	7	11	3	2	2	1	....	1	....	1	2	....	....	....	....	....	....	....	1
	F.	5	....	1	1	....	....	2	1	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
3. Exposure and neglect	M.	16	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	....	....	1
	F.	10	6	3	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Gunshot wounds	M.	02	....	....	....	1	....	1	2	4	8	8	11	13	4	5	....	3	2	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	23	....	....	....	....	....	....	....	1	2	4	3	4	3	2	....	3	1	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
6. Infanticide	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	13	....	....	....	....	....	....	....	1	1	5	....	....	....	2	2	1	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	26	18	....	....	1	1	20	2	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	22	17	....	2	....	....	19	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....
10. Suicide by shooting	M.	3	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	3	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	13	....	....	....	....	....	....	....	....	....	....	2	1	1	....	3	1	....	2	3	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	2	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
15. Surgical operations	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	11	....	....	....	....	....	....	....	....	1	1	....	1	1	3	1	....	1	....	....	1	....	....	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	134	26	1	1	2	....	30	15	6	9	11	11	4	10	7	8	4	3	2	3	3	5	2	....	....	....	1
	F.	58	12	6	3	2	....	23	3	4	1	2	4	2	....	....	2	2	2	3	3	1	....	2	2	....	1	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 1.

[Exclusive of NEW ORLEANS.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		4151	777	315	222	147	116	1577	310	155	179	265	202	157	197	180	146	169	114	137	83	104	72	48	21	9	22	4
Total: Males		2233	406	170	120	77	58	831	165	78	100	129	97	78	115	99	94	98	73	79	46	63	43	20	8	8	8	1
Females		1918	371	145	102	70	58	746	145	77	79	136	105	79	82	81	52	71	41	58	37	41	29	28	13	1	14	3
Unknown causes.																												
Total		252	88	23	13	9	8	141	13	5	9	6	6	7	5	9	7	12	6	10	2	7	4	2	....	1	....	....
Males		138	51	13	7	3	4	78	8	3	7	3	....	4	4	4	4	7	5	5	....	4	1	1	....	....	....	....
Females		114	37	10	6	6	4	63	5	2	2	3	6	3	1	5	3	5	1	5	2	3	3	1	....	1	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1223	181	129	108	83	52	554	150	69	63	62	60	40	43	32	23	28	23	28	16	15	13	4	....	....	....	....
Males		662	93	71	53	53	25	295	79	38	34	40	29	21	25	22	14	11	15	11	9	10	8	1	....	....	....	....
Females		561	88	58	55	31	27	259	71	31	29	22	31	19	18	10	9	17	8	17	7	5	5	3	....	....	....	....
1. Small-pox	M.	0	....	....	....	1	....	1	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	0	1	....	....	1	....	2	3	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	13	3	2	1	3	1	10	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	6	4	4	....	....	14	4	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	5	....	....	2	1	1	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	34	4	6	4	8	3	25	4	1	....	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	31	5	3	4	1	....	13	11	3	1	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	28	14	4	1	5	1	25	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	31	15	4	5	5	1	30	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	47	8	7	3	7	1	26	7	6	2	1	1	1	....	1	1	....	....	1	....	....	....	....	....	....	....	....
	F.	46	8	6	7	3	1	25	11	1	2	1	....	2	1	....	....	2	....	1	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	85	5	3	5	2	5	20	15	13	11	6	5	1	3	5	1	1	....	2	1	....	....	1	....	....	....	....
	F.	57	3	4	5	2	4	18	5	5	9	4	3	2	....	2	2	2	2	2	....	1	....	....	....	....	....	....
9. Diarrhœa	M.	53	11	10	6	6	2	35	2	1	....	2	1	2	2	1	....	1	....	2	1	1	2	....	....	....	....	....
	F.	38	6	12	6	2	....	26	....	1	....	....	3	....	2	....	....	....	....	2	2	....	1	1	....	....	....	....
10. Dysentery	M.	52	4	9	4	3	1	21	5	....	1	....	2	....	3	4	3	1	3	1	3	3	2	....	....	....	....	....
	F.	42	4	4	4	3	3	18	2	....	....	1	1	3	....	1	2	3	1	5	2	2	1	....	....	....	....	....
11. Enteritis	M.	42	11	3	4	4	1	23	5	....	2	5	1	1	1	1	....	1	....	1	....	....	1	....	....	....	....	....
	F.	45	6	4	3	....	2	15	5	2	2	2	2	2	1	1	....	5	2	3	2	....	1	....	....	....	....	....
12. Cholera morbus	M.	10	2	....	....	....	1	3	....	1	1	....	....	....	1	....	2	....	1	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	20	11	7	2	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	13	3	2	2	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	152	10	11	14	11	4	50	23	8	11	10	10	5	7	5	4	3	5	1	2	5	3	....	....	....	....	....
	F.	122	13	10	9	8	11	51	18	4	5	3	14	3	6	2	2	4	2	3	1	2	2	....	....	....	....	....
15. Erysipelas	M.	4	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	3	3	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
17. Puerperal septicæmia	F.	14	....	....	....	....	....	....	....	....	....	3	1	5	3	1	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	8	2	2	1	....	....	5	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	101	5	7	6	2	4	24	8	8	5	13	7	11	7	5	3	2	4	3	1	....	....	....	....	....	....	....
	F.	72	5	3	6	4	5	23	8	8	8	7	6	2	4	2	1	....	1	1	....	....	....	1	....	....	....	....
General diseases—B.																												
Total		105	26	14	14	10	9	73	8	....	1	1	2	2	6	....	4	3	1	3	1	....	....	....	....	....	....	....
Males		62	15	8	9	2	6	40	4	....	1	....	2	1	6	....	3	1	....	3	1	....	....	....	....	....	....	....
Females		43	11	6	5	8	3	33	4	....	....	1	....	1	....	....	1	2	1	....	....	....	....	....	....	....	....	....
1. Worms	M.	25	3	6	6	1	6	22	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	19	....	6	2	5	2	15	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	13	....	....	....	....	....	....	....	....	1	....	....	1	5	....	2	1	....	2	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	8	....	1	2	....	....	3	1	....	....	....	1	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	10	1	....	1	2	1	5	....	....	....	....	....	1	....	....	1	2	1	....	....	....	....	....	....	....	....	....
6. Inanition	M.	15	12	1	1	1	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	10	....	2	1	....	13	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		212	100	8	....	....	....	108	4	1	....	2	2	1	....	1	....	2	3	3	3	19	14	18	12	5	14	....
Males		92	42	3	....	....	....	45	3	....	....	....	1	1	....	....	....	1	1	2	....	11	10	5	3	5	4	....
Females		120	58	5	....	....	....	63	1	1	....	2	1	....	....	1	....	1	2	1	3	8	4	13	9	....	10	....
1. Premature birth	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	23	23	....	....	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	40	40	....	....	....	....	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	36	11	3	....	....	....	14	3	....	....	....	1	1	....	....	....	1	1	....	....	7	3	4	1	....	....	....
	F.	35	8	5	....	....	....	13	1	1	....	2	1	....	....	1	....	1	2	1	1	3	1	4	1	....	1	....
5. Old age	M.	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	3	7	1	2	5	4	....
	F.	35	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	4	3	9	8	....	9	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		566	20	16	12	6	9	63	18	16	26	55	43	40	48	47	40	41	32	32	13	20	12	10	5	1	2	2
Males		286	9	10	8	1	5	33	11	5	15	18	19	13	24	25	25	23	19	18	9	12	7	7	2	1		
Females		280	11	6	4	5	4	30	7	11	11	37	24	27	24	22	15	18	13	14	4	8	5	3	3		2	2
1. Rheumatism	M.	21					1	1		1			1				2	2	3	1	3	2	1	2	1			
	F.	13									1	1						2	1	4		1	2	1				
2. Scrofula and tabes	M.	8	1					1	1	1	1		1				1					1		1				
	F.	7		1	2			3	2	1	1																	
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	157	2	4	1			7	4	2	11	18	13	10	18	18	15	14	10	8	3	2	4					
	F.	159	4			3	2	9	2	8	8	33	19	17	20	13	5	7	5	4	1	1	3		2		1	1
5. Hydrocephalus	M.	8	4	1	1			6							1											1		
	F.	3	3					3																				
6. Cancer	M.	15	1					1						1	2	3		1	1	3	1			2				
	F.	30	1					1					1	2	2	5	6	3	4	1	1	1		1			1	1
7. Tumor	M.	1																		1								
	F.	3			1			1								1		1										
8. Anæmia	M.	1															1											
	F.	1		1				1																				
9. Dropsy	M.	70		4	6		4	14	6	1	3		4	2	3	4	5	6	4	4	2	7	2	2	1			
	F.	62	3	4	1	2	2	12	2	2	1	3	4	8	2	3	4	5	3	5	2	4		1	1			
10. Glycosuria	M.	3		1				1												1	1							
	F.	1																				1						
11. Others of this group	M.	2	1			1		2																				
	F.	1							1																			
12. Others of this class	M.	1							1																			
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		386	144	17	7	5	12	185	33	13	16	19	10	10	9	12	8	15	9	12	15	9	8	1			2	
Males		202	72	8	4	2	6	92	18	7	7	10	5	6	3	5	6	8	6	9	9	6	3				2	
Females		184	72	9	3	3	6	93	15	6	9	9	5	4	6	7	2	7	3	3	6	3	5	1				
1. Inflammation of the brain	M.	25	4	1	3		3	11	3	2	3	1			1			1	1	1	1							
	F.	27	7	2			2	11	3	1	3	2		1	2	1					2		1					
2. Meningitis	M.	11	3					3	2	1	2	1				1	1											
	F.	11	0	1				7	3	1																		
3. Apoplexy	M.	17										1		1			3	2	2	1	2	3	1				1	
	F.	17										1	2			1	2	6	1	1	1	1	2					
4. Paralysis	M.	19			1			1					1	1			1	1		5	5	1	2				1	
	F.	13				1		1			1	1			1	2				1	2	2	1	1				
5. Tetanus and trismus nascentium.	M.	59	48	1			1	50	2	1				2	1	1					1							
	F.	56	46	2	1	1	1	51			1		1	1	1	1												
6. Epilepsy	M.	4							1		1	2																
	F.	4		1				1			1	1				1												
7. Convulsions	M.	24	13	4			1	18	3	2												1						
	F.	26	10	3	2			15	4		2	2	1	1	1													
8. Mental diseases	M.	3									1		1			1												
	F.	2							1		1																	
9. Diseases of the brain	M.	35	3	1		2	1	7	6	1		5	1	2	1	2	1	3	3	2		1						
	F.	24	3			1	3	7	3	4		1	1	1	1			2	2		1		1					
10. Diseases of the spinal cord	M.	3	1	1				2					1															
	F.																											
11. Others of this group	M.	2																1										
	F.	1							1			1				1				1								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		104	3	1				4	3	2	6	4	6	3	8	7	6	12	9	5	10	8	4	2			1	
Males		56	2	1				3	1		4	1	3	1	2	3	3	8	6	5	7	4	2	2			1	
Females		48	1					1	2	2	2	3	3	2	6	4	3	4	3	4	3	4	2					
1. Angina pectoris	M.	1																			1							
	F.	1										1																
2. Aneurism	M.	4															1	1	2									
	F.	1														1												
3. Diseases of the heart	M.	49		1				1	1		4	1	3	1	2	3	2	7	4	5	6	4	2	2			1	
	F.	46	1					1	2	2	2	2	3	2	6	3	3	4	3	4	3	4	2					
4. Others of this group	M.	2	2					2																				
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		573	111	44	31	10	13	218	18	17	17	53	26	21	25	38	19	35	18	24	13	12	6	7	1	2	2	1
Males		342	65	25	20	11	7	128	9	10	9	27	13	12	18	24	15	25	11	17	5	8	3	3	1	2	1	1
Females		231	46	19	11	8	6	90	9	7	8	26	13	9	7	14	4	10	7	7	8	4	3	4			1	
1. Croup	M.	47	29	7	6	3	1	46	1																			
	F.	40	22	6	2	4	4	38	1			1																
2. Laryngitis	M.	2		1				1	1																			
	F.	3							1			2																
3. Bronchitis	M.	28	11	2	1	1		15	2		2	1	1		1			1	2		1	1	1					
	F.	18	9				1	10	1			1	1					1			2			2				
4. Pneumonia	M.	221	20	14	11	6	6	57	3	10	6	25	10	7	15	21	9	17	8	15	4	6	1	2	1	2	1	1
	F.	140	13	11	8	4		36	4	7	8	18	9	7	5	14	2	8	7	4	5	2	3	1				
5. Pleurisy	M.	28	2	1	2	1		6	2			1	2	4			5	5		2		1						
	F.	19	1	1	1		1	4	1			3	3	2	1					2	1	1		1				
6. Asthma	M.	3														1							1	1				
	F.	5		1				1									1	1		1		1						
7. Others of this group	M.	13	3					3			1			1	2	2	1	2	1									
	F.	6	1					1	1			1			1		1										1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		289	71	54	25	5	7	162	21	6	6	5	11	5	10	9	12	7	8	5	2	8	7	3			1
Males		151	39	27	14	1	4	85	11	5	4	1	4	1	7	4	6	3	6	4		4	5	1			
Females		138	32	27	11	4	3	77	10	1	2	4	7	4	3	5	6	4	2	1	2	5	2	2			1
1. Dentition	M.	47	17	22	6	1		46	1																		
	F.	52	18	21	10	2	1	52																			
2. Angina	M.	21	7	3	4		1	15	5	1																	
	F.	20	5	3		2	1	11	7				1				1										
3. Gastritis	M.	2												1								1					
	F.	3									1	1				1											
4. Other diseases of the stomach	M.	6	1				1	2		1						1	1	1									
	F.	4											1	1				1					1				
5. Obstruction of the bowels	M.	4	1					1	1	1					1												
	F.	2											1			1											
6. Hernia	M.	8	1					1							1					1		2	2	1			
	F.	2												1								1					
7. Other diseases of the bowels	M.	4		1			1	2			1						1										
	F.	5	2					2	1		1	1															
8. Jaundice	M.	3	1				1	2			1																
	F.	1	1					1																			
9. Inflammation and abscess of the liver.	M.	10		1				1			2				3	1			1	1			1				
	F.	6		1				1									2	1					1	1			
10. Other diseases of the liver	M.	14	2					2	2	1		1	1		1		1		2	1		1	1				
	F.	15					1	1	1					1	2		3	2	1		1	2		1				
11. Peritonitis	M.	4							1	1							1		1								
	F.	5										1	1			2											1
12. Ascites	M.	4			1			1							1	1		1									
	F.	9										1	3	1		1			1	1		1					
13. Others of this group	M.	24	9		3			12	1				3			1	2	1	2	1			1				
	F.	14	6	2	1			9	1	1					1						1	1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		33	2		1		1	4		1		2	2	1	4	1	5	1	1	2	2	3	1	1	2		
Males		25	1		1		1	3		1		1	2	1	3	1	3	1		2	2	2	1		2		
Females		8	1					1				1			1		2		1			1		1			
1. Bright's disease	M.	0								1			1		2		2										
	F.																										
2. Calculus, urinary	M.	3			1			1														1	1				
	F.	1	1					1																			
3. Diseases of the kidney	M.	7	1				1	2						1	1		1	1							1		
	F.	4										1			1		2										
4. Diseases of the bladder	M.	4																			2	1			1		
	F.	2																				1		1			
5. Others of this group	M.	5											1	1		1				2							
	F.	1																	1								
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		20								2	3	2	1	1	2	5	2			2							
1. Ovarian tumors	F.	2														1	1										
2. Ovarian diseases	F.																										
3. Uterine tumors	F.	1																		1							
4. Uterine diseases	F.	5									1			1	1	1				1							
5. Others of this group	F.	12								2	2	2	1		1	3	1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		77								5	11	19	14	8	10	7	2										1
1. Abortion	F.	10									1	1	1	3	2		1										
2. Child-birth	F.	59								4	9	14	11	5	8	7	1										1
3. Others of this group	F.	8								1	1	4	2														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		3		1		1		2									1										
Males		1				1		1																			
Females		2		1				1									1										
1. Diseases of the spine	M.	1				1		1																			
	F.																										
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.																										
	F.	1																									
4. Others of this group	M.																1										
	F.	1		1				1																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		12	2			1		3		1	1			1	1		1	2	1			1						
Males		8	2			1		3			1				1		1		1			1						
Females		4								1				1				2										
1. Abscess	M.	4	1			1		2			1											1						
	F.	2								1								1										
2. Carbuncle	M.	3													1		1		1									
	F.	2												1				1										
3. Others of this group	M.	1	1					1																				
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2							1							1												
Males																												
Females		2							1							1												
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.	1														1												
3. Others of this group	M.																											
	F.	1							1																			
XII.—ACCIDENTS AND INJURIES.																												
Total		293	29	8	11	7	5	60	40	17	20	35	19	17	26	11	16	11	3	7	6	1	3		1			
Males		207	15	4	4	2		25	20	9	18	28	19	17	22	11	14	10	3	3	4	1	3					
Females		86	14	4	7	5	5	35	20	8	2	7			4		2	1		4	2				1			
1. Burns and scalds	M.	10		2	1			3			1	1			3		1				1							
	F.	27		3	3	3	2	11	11	2		1			2													
2. Drowned	M.	45			1	2		3	7	4	3	5	5	3	7	3	2	6										
	F.	14			2	1		3	3	3		2					1			1	1							
3. Exposure and neglect	M.	6	5		1			6																				
	F.	11	4	1	1			6	1			1					1			1	1							
4. Gunshot wounds	M.	26									4	5	3	3	5	3	1	1	1									
	F.	3									1	1								1								
5. Homicide	M.	22									2	4	5	3	2	2	3	1										
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	5								2	1	1								1								
	F.																											
9. Suffocation	M.	5	3	1				4	1																			
	F.	5	4			1		5																				
10 Suicide by shooting	M.	3									1						1		1									
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	4											1					2	1									
	F.																											
14. Sunstroke	M.	7		1				1	1		2						1					1		1				
	F.	6					1	1	5																			
15. Surgical operations	M.																											
	F.	1					1	1																				
16. Wounds	M.	5	1					1				1		1		1	1											
	F.	3					1	1		2																		
17. Other accidents and injuries	M.	69	6		1			7	11	3	4	11	5	7	5	2	4	3		2	2	1	2		1			
	F.	16	6		1			7		1	1	2			2			1		1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1471	284	122	76	46	49	577	92	50	53	78	78	64	71	63	43	43	30	72	40	40	24	25	4	8	13	3
Total: Males		759	148	51	36	25	24	284	47	20	25	44	38	32	36	33	24	29	17	43	24	22	14	13	3	3	6	
Females		712	136	71	40	21	25	293	45	30	28	34	40	32	35	30	19	14	13	29	16	18	10	12	1	5	7	2 1
Unknown causes.																												
Total		122	54	11	9	5	8	87	9	4	2	1	3	1		3		1		4	4	1	1	1				
Males		62	30	6	3	2	4	45	5	2	1	1		1		1		1		3	3							
Females		60	24	5	6	3	4	42	4	2	1		3			2				2	1	1	1	1				
1.—GENERAL DISEASES.																												
General diseases—A.																												
Total		349	52	48	30	17	17	164	31	9	12	15	16	12	9	9	9	7	8	14	10	8	6	6		1	2	1
Males		178	30	18	15	12	8	83	15	5	5	6	6	4	5	6	7	4	5	8	5	5	4	3			2	
Females		171	22	30	15	5	9	81	16	4	7	9	10	8	4	3	2	3	3	6	5	3	2	3		1		1
1. Small-pox	M.																											
	F.																											
2. Measles	M.	8	1		3			4	1	1	1						1											
	F.	2	1					1								1												
3. Scarlet fever	M.																											
	F.																											
4. Diphtheria	M.	5		1	1	1		3	1														1					
	F.	4					1	1	2									1										
5. Hooping-cough	M.	3	2				1	3																				
	F.	7	2	2	2			6	1																			
6. Fever	M.	25	9		4	2	3	18					1							1	1	1	1	1			1	
	F.	22	2	7	3	1	2	15	2			1			1						1		1					1
7. Cerebro-spinal fever	M.	4	1		1		1	3	1																			
	F.	3							2													1						
8. Enteric fever	M.	15		1		1		2	1	2	3	2	2			1				1				1				
	F.	17		1	4			5			2	2	2	3			1			2								
9. Diarrhœa	M.	14	2	3	1		1	7	1				1							1	2	1		1				
	F.	11	3	3		1	1	8				1						2										
10. Dysentery	M.	20	3	1	2			7			1	1	1		1		1	3	2	2	1							
	F.	12	2	1	2		1	6	1	1						1				1			1	1				
11. Enteritis	M.	7	1	1		1		3	1					1		1			1									
	F.	15	4	2				6	1		1	1	1	1	1			2					1					
12. Cholera morbus	M.	3	1					1				1				1												
	F.	2																		1		1						
13. Cholera infantum	M.	7	5	1	1			7																				
	F.	4	1	2			1	4																				
14. Malarial fever	M.	61	4	10	3	5	2	24	9	2		1	1	3	3	3	4	1	1	2	1	3	2				1	
	F.	56	7	10	4	3	3	27	7	3	2	2	3	2	2	1	1		1	1	1	1		1		1		
15. Erysipelas	M.	1																	1									
	F.	3		1				1					1									1						
16. Septicæmia	M.	2										1					1											
	F.	1																			1							
17. Puerperal septicæmia	F.	8									1	2	3	2														
18. Venereal diseases	M.																											
	F.	4		1				1			1									1	1							
19. Others of this group	M.	3	1					1							1					1								
	F.																											
General diseases—B.																												
Total		33	11	7	3	4	1	26	4					1		1			1									
Males		11	3	2	2	1		8	1					1					1									
Females		22	8	5	1	3	1	18	3							1			1									
1. Worms	M.	6		2	2	1		5	1																			
	F.	13	2	5	1	2	1	11	2																			
2. Other parasitic diseases	M.																											
	F.																											
3. Alcoholism	M.	2																										
	F.													1					1									
4. Lead poison	M.																											
	F.																											
5. Other poisons	M.																											
	F.	3				1		1	1							1												
6. Inanition	M.	3	3					3																				
	F.	6	6					6																				
General diseases—C.																												
Total		85	43	1	2			46		2					1	1		3	1	1	2	5	3	4		5	11	
Males		40	26		1			27		1								2	1	1				2		2	4	
Females		45	17	1	1			19		1					1	1		1			2	5	3	2		3	7	
1. Premature birth	M.	4	4					4																				
	F.	1	1					1																				
2. Stillborn	M.	17	17					17																				
	F.	8	8					8																				
3. Malformation	M.	1	1					1																				
	F.																											
4. Debility	M.	10	4		1			5		1								2	1	1								
	F.	21	8	1	1			10		1					1	1		1			2	4		1				
5. Old age	M.	8																										
	F.	15																						2		2	4	
6. Atrophy	M.																					1	3	1		3	7	
	F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																												
Total		204	3	10	4	2	3	22	11	11	9	11	23	12	22	22	9	9	9	15	6	6	4	3				
Males		89	1	4	2	1	2	10	8	2	6	2	8	6	9	9	4	3	2	7	4	4	2	3				
Females		115	2	6	2	1	1	12	3	9	3	9	15	6	13	13	5	6	7	8	2	2	2					
1. Rheumatism	M.	5			2			2									1	1						1				
	F.	4									1							1	1				1					
2. Scrofula and tabes	M.	1										1																
	F.	1	1					1																				
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	60					1	1		1	6	1	8	6	8	9	2	1	2	7	3	3		2				
	F.	69		2			1	3		7	2	6	14	5	6	9	2	2	5	5	2	1						
5. Hydrocephalus	M.	1	1					1																				
	F.	1	1					1																				
6. Cancer	M.	3							2						1													
	F.	12												1	3	3	2	1	1				1					
7. Tumor	M.																											
	F.																											
8. Anæmia	M.																											
	F.	1											1															
9. Dropsy	M.	19		4		1	1	6	6	1							1	1			1	1	2					
	F.	26		4	2	1		7	3	2		3			3	1	1	2		3		1						
10. Glycosuria	M.																											
	F.	1													1													
11. Others of this group	M.																											
	F.																											
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		157	57	9	9	9	5	89	11	4	8	4	2	5	8	1	3	8		4	3	1	1	4	1			
Males		84	31	3	5	5	2	46	5	3	3	4	1	3	4	1	1	6		2	2		1	1	1			
Females		73	26	6	4	4	3	43	6	1	5		1	2	4		2	2		2	1	1		3				
1. Inflammation of the brain	M.	6	2		2			4				1		1														
	F.	3		1				1	1		1																	
2. Meningitis	M.	9	3			2		5	2		1	1																
	F.	5		1		1		2	1					1	1													
3. Apoplexy	M.	13												1	1	1		4		2	1		1	1	1			
	F.	5									1						1			1		1		1				
4. Paralysis	M.	7								2	1	1					1	1			1							
	F.	6			1			1						1			1	1						2				
5. Tetanus and trismus nascentium.	M.	15	13					13					1					1										
	F.	9	9					9																				
6. Epilepsy	M.	4							1		1	1			1													
	F.	3							1		1									1								
7. Convulsions	M.	20	13	3		2	2	20																				
	F.	29	16	4	2	3	2	26		1	1				1													
8. Mental diseases	M.																											
	F.	1													1													
9. Diseases of the brain	M.	5			2			2	2						1													
	F.	9	1		1	1	1	4	3						1						1							
10. Diseases of the spinal cord	M.	3								1				1	1													
	F.																											
11. Others of this group	M.	2			1	1		2																				
	F.	3									1		1					1										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		39								2	1	3	1	6	1	1	2	2	3	5	6	3		2	1			
Males		25								1		2		3	1		1	2	2	5	5	1		1	1			
Females		14								1	1	1	1	3		1	1		1		1	2		1				
1. Angina pectoris	M.																											
	F.																											
2. Aneurism	M.	2																1			1							
	F.	1												1														
3. Diseases of the heart	M.	23								1		2		3	1		1	1	2	5	4	1		1	1			
	F.	13								1	1	1	1	2		1	1		1		1	2		1				
4. Others of this group	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		217	29	16	11	2	3	61	7	11	10	22	10	8	16	9	8	5	4	19	6	7	6	5	1	1		1
Males		127	14	7	6	1	1	29	5	1	5	16	10	4	12	5	4	4	4	12	3	4	4	3	1			1
Females		90	15	9	5	1	2	32	2	10	5	6		4	4	4	4	1		7	3	3	2	2		1		
1. Croup	M.	10	4	4	2			10																				
	F.	10	5	4	1			10																				
2. Laryngitis	M.	1			1			1																				
	F.																											
3. Bronchitis	M.	4		1	1			2	1														1					
	F.	13	4	3	1	1		9				1			1						1		1					
4. Pneumonia	M.	101	10	1	2	1	1	15	4	1	5	15	10	3	11	5	3	2	4	10	3	3	2	3	1			1
	F.	60	4	1	2		1	8	1	10	5	3		4	3	4	4	1		6	2	3	1	2		1		
5. Pleurisy	M.	6										1		1	1		1			1			1					
	F.	1																		1								
6. Asthma	M.	3																1		1		1						
	F.																											
7. Others of this group	M.	2		1				1										1										
	F.	6	2	1	1		1	5	1																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		83	17	15	5	5	7	49	3	2	2	1	3	1	1	4	4	4	1	3		3	1					1
Males		48	4	9	1	2	6	22	2	2	1		3		1	3	2	4	1	3		2	1					1
Females		35	13	6	4	3	1	27	1		1	1		1		1	2					1						
1. Dentition	M.	8	1	6				7																			1
	F.	11	5	3	2	1		11																			
2. Angina	M.	1		1				1																			
	F.	4	2		1			3														1					
3. Gastritis	M.	1											1														
	F.																										
4. Other diseases of the stomach	M.	5	1		1		1	3	1	1																	
	F.	3			1	1	1	3																			
5. Obstruction of the bowels	M.																										
	F.	1		1				1																			
6. Hernia	M.	4											1		1					2							
	F.	1														1											
7. Other diseases of the bowels	M.	6				1	3	4	1	1																	
	F.	2	1					1						1													
8. Jaundice	M.	1					1	1																			
	F.																										
9. Inflammation and abscess of the liver	M.	5											1				1	2				1					
	F.	2										1					1										
10. Other diseases of the liver	M.	3																1	1	1							
	F.																										
11. Peritonitis	M.	1														1											
	F.	3				1		1			1						1										
12. Ascites	M.	2				1		1															1				
	F.	2		1				1	1																		
13. Others of this group	M.	11	2	2			1	5			1					2	1	1				1					
	F.	6	5	1				6																			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		13									1		1		1		2	1	1	2	1	3					
Males		7									1						3			1		3					
Females		6											1		1			1	1	1	1						
1. Bright's disease	M.	1															1										
	F.	4													1			1	1	1							
2. Calculus, urinary	M.																										
	F.	1																			1						
3. Diseases of the kidney	M.	4									1						1			1		1					
	F.																										
4. Diseases of the bladder	M.																										
	F.																										
5. Others of this group	M.	2																				2					
	F.	1											1														
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		6								1			1	1	2	1											
1. Ovarian tumors	F.	1														1											
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.	1													1												
5. Others of this group	F.	4								1			1	1	1												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		32									1	7	7	7	6	3	1										
1. Abortion	F.																										
2. Child-birth	F.	29									1	6	7	6	5	3	1										
3. Others of this group	F.	3										1		1	1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		3	1					1	1								1										
Males		2	1					1	1																		
Females		1															1										
1. Diseases of the spine	M.	1	1					1																			
	F.																										
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.	1							1								1										
	F.	1																									

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4	1		2			3														1					
Males		2	1					1														1					
Females		2			2			2																			
1. Abscess	M.	1																				1					
	F.																										
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.	1	1					1																			
	F.	2			2			2																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		124	16	5	1	2	5	29	15	4	7	14	11	10	4	8	4	3	2	5	2	2	2		1	1	
Males		84	7	2	1	1	1	12	5	3	3	13	10	10	4	8	3	3	1	2	2	2	2			1	
Females		40	9	3		1	4	17	10	1	4	1	1				1		1	3					1		
1. Burns and scalds	M.	4	1	2				3			1																
	F.	17	1	1		1	3	6	8		1						1			1							
2. Drowned	M.	7							3	1								1			1				1		
	F.																										
3. Exposure and neglect	M.	2	2					2																			
	F.	5	2	1				3	1		1																
4. Gunshot wounds	M.	15								1	1	4	3	3	1	1		1									
	F.	3					1	1		1	1																
5. Homicide	M.	11										3	3	3		1						1					
	F.	3									1	1	1														
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.	1																		1							
8. Railroad accidents	M.	1								1																	
	F.																										
9. Suffocation	M.	2	2					2																			
	F.	4	4					4																			
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	2														2											
	F.																										
14. Sunstroke	M.	2												1		1											
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	3										1		1		1											
	F.																										
17. Other accidents and injuries	M.	35	2		1	1	1	5	2		1	5	4	2	3	2	3	1	1	2	1	1	2				
	F.	7	2	1				3	1										1	1					1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3286	694	218	153	91	80	1236	229	124	148	243	192	160	129	126	113	98	89	107	87	68	46	46	15	10	20	....
Total: Males		1742	399	123	75	44	34	675	126	60	65	129	96	85	54	65	59	53	53	62	58	31	24	27	9	4	7	....
Females		1544	295	95	78	47	46	561	103	64	83	114	96	75	75	61	54	45	36	45	29	37	22	19	6	6	13	....
Unknown causes.																												
Total		287	137	15	16	7	4	179	23	10	11	8	8	6	4	7	6	2	5	3	7	2	2	1	1	1	1	....
Males		143	77	9	8	2	1	97	8	3	2	4	1	3	1	3	4	2	4	1	5	1	2	....	1	1	....	....
Females		144	60	6	8	5	3	82	15	7	9	4	7	3	3	4	2	....	1	2	2	1	....	1	....	....	1	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		751	120	80	60	44	37	341	90	43	35	36	28	28	25	15	13	11	15	18	14	19	12	4	2	2	....	....
Males		377	66	46	31	24	14	181	46	22	18	21	13	15	13	5	2	4	5	7	9	6	4	4	1	1	....	....
Females		374	54	34	29	20	23	160	44	21	17	15	15	13	12	10	11	7	10	11	5	13	8	....	1	1	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	3	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	6	2	....	2	....	....	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	23	5	5	1	4	....	15	6	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	4	....	2	3	4	13	3	2	1	....	....	....	....	1	2	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	19	9	3	3	....	3	18	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	3	4	5	1	....	13	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	39	9	5	3	5	....	22	6	4	4	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....
	F.	32	10	2	1	3	2	18	6	3	....	....	2	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....
7. Cerebro-spinal fever	M.	5	1	....	1	....	....	2	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	5	1	1	....	....	1	3	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	35	1	3	....	1	....	5	7	3	4	2	4	1	4	....	....	....	....	....	3	....	2	....	....	....	....	....
	F.	50	....	2	4	2	3	11	3	4	5	2	4	2	1	2	4	2	2	4	....	1	2	....	1	....	....	....
9. Diarrhœa	M.	21	4	4	2	1	....	11	1	....	2	1	....	....	1	....	....	1	1	....	....	1	....	....	1	1	....	....
	F.	11	2	1	....	....	1	4	....	....	....	1	1	1	1	....	1	....	....	....	1	1	....	....	....	....	....	....
10. Dysentery	M.	45	6	12	3	2	3	26	3	2	....	1	....	2	1	1	2	1	1	....	....	2	1	1	....	....	....	....
	F.	51	6	9	2	5	3	25	3	1	1	1	1	1	1	2	....	1	1	3	2	5	3	....	....	....	....	....
11. Enteritis	M.	31	9	3	4	1	1	18	2	1	....	4	....	2	1	....	....	....	....	....	1	1	....	1	....	....	....	....
	F.	30	6	2	1	1	3	13	2	3	1	....	1	1	....	....	1	1	2	1	....	2	2	....	....	....	....	....
12. Cholera morbus	M.	9	1	....	....	1	....	2	3	1	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	15	6	6	1	1	1	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	9	6	1	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	121	13	5	12	8	6	44	10	8	8	11	9	7	3	2	1	1	2	4	2	....	1	2	....	....	....	....
	F.	106	10	5	11	5	6	37	24	7	6	7	3	2	3	1	3	2	3	1	2	4	1	....	....	....	....	....
15. Erysipelas	M.	7	1	....	....	....	....	1	....	1	....	1	....	1	1	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	4	....	1	....	....	....	1	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	18	....	....	....	....	....	....	....	....	3	4	2	3	3	3	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		66	22	8	8	4	1	43	7	....	....	2	2	1	5	....	1	1	....	2	1	1	....	....	....	....	....	....
Males		43	16	5	3	....	1	25	5	....	....	2	2	1	3	....	1	....	....	2	1	1	....	....	....	....	....	....
Females		23	6	3	5	4	....	18	2	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	15	3	4	3	....	1	11	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	3	3	5	2	....	13	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	10	....	....	....	....	....	....	....	....	....	1	1	1	2	....	1	....	....	2	1	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	7	2	1	....	....	....	3	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	11	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	3	....	....	....	....	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		156	95	1	....	1	....	97	....	....	1	....	....	....	....	....	....	....	1	1	5	4	6	18	7	4	12	....
Males		92	65	....	....	....	....	65	....	....	....	....	....	....	....	....	....	....	1	1	2	....	2	10	5	1	5	....
Females		64	30	1	....	1	....	32	....	....	1	....	....	....	....	....	....	....	....	....	3	4	4	8	2	3	7	....
1. Premature birth	M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	46	46	....	....	....	....	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	22	....	....	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	13	10	....	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	2	1	....	1	....	4	....	....	1	....	....	....	....	....	....	....	1	....	2	....	....	1	....	....	....	....
5. Old age	M.	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	1	....	....
	F.	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	10	5	1	5	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	2	4	7	2	2	7	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		403	7	12	11	5	6	41	16	11	13	54	47	29	32	28	27	24	17	20	11	12	8	10	....	1	2	....
	Males	190	4	7	6	3	3	23	9	7	4	20	21	11	11	14	11	11	12	14	8	6	1	5	....	1	1	....
	Females	213	3	5	5	2	3	18	7	4	9	34	26	18	21	14	16	13	5	6	3	6	7	5	....	....	1	....
1. Rheumatism	M.	11	1	....	1	....	....	2	....	....	2	1	1	....	....	....	....	....	1	2	1	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	4	2	2	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	99	1	1	2	1	2	7	1	....	....	15	15	10	5	12	8	9	5	4	4	1	....	2	....	....	1	....
	F.	116	....	1	2	....	....	3	2	1	7	24	18	12	17	9	4	4	3	3	2	4	1	2	....	....	....	....
5. Hydrocephalus	M.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	1	....	....	....	....	1	1	....	....	....	1	1	....	....	....	1	....	....	1	1	1	....	....	....	....	....	....
	F.	23	1	....	....	....	....	1	....	....	....	1	1	....	2	4	4	6	1	1	....	....	....	1	....	....	1	....
7. Tumor	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	64	....	3	2	2	....	7	8	6	2	3	4	1	6	2	1	2	6	7	1	3	1	3	....	1	....	....
	F.	67	....	2	3	2	3	10	5	3	2	9	7	5	2	1	7	2	1	2	1	2	6	2	....	....	....	....
10. Glycosuria	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		325	97	21	15	15	13	161	27	12	13	13	10	5	11	12	11	9	7	5	10	10	4	4	....	1	....	....
	Males	181	51	9	4	7	6	87	16	8	7	6	5	4	5	5	9	3	6	1	7	6	3	3	....	....	....	....
	Females	144	36	12	11	8	7	74	11	4	6	7	5	1	6	7	2	6	1	4	3	4	1	1	....	1	....	....
1. Inflammation of the brain	M.	24	3	5	1	3	1	13	1	....	2	2	....	....	1	2	2	....	1	....	....	....	....	....	....	....	....	....
	F.	26	1	2	3	4	3	13	3	2	2	2	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	12	1	....	1	2	....	4	....	....	2	1	2	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	1	2	1	....	1	5	2	....	....	1	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....
3. Apoplexy	M.	4	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....
	F.	7	....	....	....	1	....	1	....	....	....	1	....	....	....	3	1	1	....	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	19	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	1	1	....	6	5	1	2	....	....	....	....
	F.	17	....	....	....	....	....	....	....	....	2	....	1	....	....	3	....	2	....	2	2	3	1	1	....	1	....	....
5. Tetanus and trismus nascentium.	M.	26	22	....	....	....	....	22	1	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	13	11	....	....	1	....	12	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	2	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	45	30	2	1	1	2	36	4	1	....	....	2	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	32	19	3	4	....	2	28	....	1	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	34	2	1	1	....	2	6	8	3	2	3	1	2	....	....	3	2	2	1	....	....	1	....	....	....	....	....
	F.	24	1	5	1	2	1	10	1	....	1	1	1	....	2	....	1	1	1	1	1	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	10	3	1	....	1	....	5	1	1	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	11	2	....	1	....	....	3	2	1	....	1	1	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....
11. Others of this group	M.	4	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		79	....	2	....	....	....	2	3	4	4	6	5	3	5	4	5	5	9	10	10	2	1	1	....	....	....	....
	Males	45	....	2	....	....	....	2	3	2	3	3	1	1	3	3	3	1	4	5	7	2	1	1	....	....	....	....
	Females	34	....	....	....	....	....	....	....	2	1	3	4	2	2	1	2	4	5	5	3	....	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	44	....	2	....	....	....	2	3	2	3	3	1	1	3	3	3	1	4	5	7	2	....	1	....	....	....	....
	F.	34	....	....	....	....	....	....	....	2	1	3	4	2	2	1	2	4	5	5	3	....	....	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		743	147	53	26	6	6	238	26	23	40	75	59	57	18	34	35	24	24	34	20	14	6	7	4	1	4	....
	Males	437	78	35	14	3	5	135	17	11	20	47	39	36	8	22	18	18	14	21	13	6	6	4	1	....	1	....
	Females	306	69	18	12	3	1	103	9	12	20	28	20	21	10	12	17	6	10	13	7	8	....	3	3	1	3	....
1. Croup	M.	39	25	6	3	2	....	36	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	40	37	3	2	2	1	45	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	13	3	2	1	....	....	6	....	1	1	....	....	1	....	1	....	1	....	1	1	....	....	....	....	....	....	....
	F.	17	4	1	....	....	....	5	1	1	1	2	....	1	....	....	....	1	....	2	2	1	....	....	....	....	....	....
4. Pneumonia	M.	374	49	25	10	1	5	90	14	9	19	46	39	35	7	20	17	17	13	19	11	6	6	4	1	....	1	....
	F.	236	27	14	9	....	....	50	7	10	19	26	20	19	10	12	16	4	10	11	5	7	....	3	3	1	3	....
5. Pleurisy	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	9	1	2	....	....	....	3	....	....	....	1	....	....	1	1	....	....	1	1	1	....	....	....	....	....	....	....
	F.	4	1	....	....	1	....	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		143	36	18	8	2	2	66	7	1	6	7	4	6	5	6	5	10	3	6	3	2	4	1	1		
Males		67	16	5	3	2		26	3		4	3	2	4	3	2	4	3	3	3	2	1	3		1		
Females		76	20	13	5		2	40	4	1	2	4	2	2	2	4	1	7		3	1	1	1	1			
1. Dentition	M.	9	4	4	1			9																			
	F.	16	7	7	2			10																			
2. Angina	M.	7							2		1				1				1				2				
	F.	7		2			1	3	1	1		1		1													
3. Gastritis	M.	2																1						1			
	F.	1													1												
4. Other diseases of the stomach	M.	7				1		1	1				1				1	1	1		1						
	F.	10	1					1	2		1		2			1	1			2							
5. Obstruction of the bowels	M.	4	2					2								1		1									
	F.																										
6. Hernia	M.	4																	1	1	1		1				
	F.	1	1					1																			
7. Other diseases of the bowels	M.	6	2		1			3			1	1										1					
	F.	3	2	1				3																			
8. Jaundice	M.	4	2			1		3					1														
	F.	6			1		1	2				1						2						1			
9. Inflammation and abscess of the liver.	M.	3												2						1							
	F.	3																1		1			1				
10. Other diseases of the liver	M.	6	1					1				1		1	1		2										
	F.	6			1			1	1			1				2		1									
11. Peritonitis	M.	2									1	1															
	F.	2										1		1													
12. Ascites	M.	1									1																
	F.	1														1											
13. Others of this group	M.	12	5	1	1			7						1	1	1	1			1							
	F.	20	9	3	1			13			1				1			3			1	1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		23	1				1	2	2	1	2				2	1		1	2	4	2	2	2				
Males		21					1	1	2	1	1				2	1		1	2	4	2	2	2				
Females		2	1					1			1																
1. Bright's disease	M.	3							1												2						
	F.	1									1																
2. Calculus, urinary	M.	1																					1				
	F.																										
3. Diseases of the kidney	M.	9					1	1		1					2	1		1	1	2							
	F.																										
4. Diseases of the bladder	M.	5																	1	2		2					
	F.	1	1					1																			
5. Others of this group	M.	3							1		1												1				
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		22									1	1	5	1	6	4	1		2							1	
1. Ovarian tumors	F.																										
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.																										
5. Others of this group	F.	22									1	1	5	1	6	4	1		2							1	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		62								1	14	14	9	12	7	3	2										
1. Abortion	F.	8												3													
2. Child-birth	F.	54									14	11	8	9	7	3	2										
3. Others of this group	F.	5								1		3	1														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		1																			1						
Males		1																			1						
Females																											
1. Diseases of the spine	M.																										
	F.																										
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.	1																			1						
	F.																										
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

LOUISIANA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		8	1	1			1	3				2				1			1		1						
Males		2										1							1								
Females		6	1	1			1	3				1				1					1						
1. Abscess	M.	2										1							1								
	F.	4	1					1				1				1					1						
2. Carbuncle	M.																										
	F.	1					1	1																			
3. Others of this group	M.																										
	F.	1		1				1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3			1			1								1					1						
Males		2			1			1								1											
Females		1																			1						
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	2			1			1								1											
	F.	1																			1						
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		214	31	7	8	7	9	62	28	18	8	25	15	12	9	10	7	11	3	4	1		1				
Males		141	16	5	5	3	3	32	17	6	6	22	12	10	5	9	7	10	1	3	1						
Females		73	15	2	3	4	6	30	11	12	2	3	3	2	4	1		1	2	1			1				
1. Burns and scalds	M.	15		3	4	2	1	10	3	2																	
	F.	31	1	1	2	4	4	12	8	7	1	1	1			1											
2. Drowned	M.	16				1		1	6	1	2	1	1	1	1			1			1						
	F.	4							1	2					1												
3. Exposure and neglect	M.	2	1					1		1								1									
	F.	3	1					1												1			1				
4. Gunshot wounds	M.	32							1		2	3	5	5	3	2	1	4		1							
	F.	2					1	1										1									
5. Homicide	M.	13										1	2	2		4		2		2							
	F.	5									1	1	1	1	1												
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.																										
	F.																										
9. Suffocation	M.	12	10	1				11	1																		
	F.	8	7		1			8																			
10. Suicide by shooting	M.																										
	F.	2											1	1													
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	3										3															
	F.	1										1															
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.	1														1											
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	46	5	1	1		2	9	6	2	2	9	4	2	1	2	6	2	1								
	F.	17	6	1			1	8	2	3					2				2								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		6492	704	240	201	151	127	1423	337	217	266	391	313	233	208	227	224	200	271	307	359	428	422	349	203	80	32	2
Total: Males		3207	379	137	88	64	62	730	177	108	103	150	121	99	95	110	110	96	154	177	216	242	221	158	94	32	12	2
Females		3285	325	103	113	87	65	693	160	109	163	241	192	134	113	117	114	104	117	130	143	186	201	191	109	48	20	
Unknown causes.																												
Total		180	61	5	4	5	2	77	3	1	8	4	7	1	1	9	6	7	5	9	7	15	7	7	5		1	
Males		89	39	2		2		43	3	1	3	1	1		1	5	3	1	2	5	2	9	2	4	2		1	
Females		91	22	3	4	3	2	34			5	3	6	1		4	3	6	3	4	5	6	5	3	3			
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1351	194	116	115	94	81	600	221	122	60	53	37	18	25	21	13	19	22	19	20	25	36	16	19	2	2	1
Males		675	97	68	51	43	40	299	113	58	27	22	12	11	11	12	9	11	15	14	11	12	17	7	10	1	2	1
Females		676	97	48	64	51	41	301	108	64	33	31	25	7	14	9	4	8	7	5	9	13	19	9	9	1		
1. Small-pox	M.																											
	F.	2			1			1														1						
2. Measles	M.	14	4	4	2		2	12	1	1																		
	F.	10	4	1	2		1	8					2															
3. Scarlet fever	M.	128	8	17	21	20	11	77	40	6	1	1				2			1									
	F.	125	6	17	26	14	16	79	28	10	2	5		1														
4. Diphtheria	M.	194	11	18	14	15	24	82	59	33	4	5	2	5			2		1									
	F.	216	6	13	20	28	22	89	64	36	12	3	5	2	2		1			1				1				1
5. Hooping-cough	M.	16	10	2				12	3	1																		
	F.	11	7	1	3			11																				
6. Fever	M.	10	1	1	1			3	1				2					1					3					
	F.	7				1		1		1		2	1									1	1					
7. Cerebro-spinal fever	M.	6		1	1	1		3	1	1									1									
	F.	9	1	1	1			3	3	1			2															
8. Enteric fever	M.	80	1	1	3	2		7	3	11	12	11	2	3	3	3	2	4	3	4	4	4	2	1	1			
	F.	78		1		2		3	5	14	14	8	1	1	5	5	2	4	1	1	3	2	8	1				
9. Diarrhœa	M.	24	8	2	2			12			1				2		1			2	2		1	1		1	
	F.	19	4	1	1	2		8					3		1						2		2	3				
10. Dysentery	M.	15	4	5		1	1	9	1														1	1	2		1	
	F.	18	4	1	2		1	8	1			1								1	1	2	2	1	1			
11. Enteritis	M.	43	3	3	1	1	1	9	2	4	2	3	1	1	1	3		1	2	3	3	1	3	2	2			
	F.	34	8		1	1		10	4	2	1	3	2	1	3		1		2	2		1	1		1			
12. Cholera morbus	M.	19	2	3				5	2		1		2			1	1	1	2		3			1				
	F.	5							2			1								1				1				
13. Cholera infantum	M.	57	38	11	6	1	1	57																				
	F.	72	51	12	5	3	1	72																				
14. Malarial fever	M.	9	1					1			3		1	1					1	1		1						
	F.	11	1		1			2				1			1	1		1				2	1	2				
15. Erysipelas	M.	18	2					2		1	1		1				2	1	1	2	1	2	3		1			
	F.	18	3					3				1	1			2		1	2			3	2		3			
16. Septicæmia	M.	8									1				1		1	1	2						1			
	F.	12	1					1	1		1	3	1			1			2			1	1					
17. Puerperal septicæmia	F.	12									2	3	5	2														
18. Venereal diseases	M.	3	1					1								1			1									
	F.	4											2		1			1										
19. Others of this group	M.	31	3	2		2		7			1	2	1	1	4	2		2	1		1	1	4	1	2	1		
	F.	13	1		1			2			1				1			1			2		1	2	2	1		
General diseases—B.																												
Total		38	9	1		5	3	18	1	1		1	1	1	1		2	2	2	2	1	1	3	1				
Males		24	7	1		1	2	11	1	1				1	1		2	2	2	1	1	1						
Females		14	2			4	1	7				1	1							1			3	1				
1. Worms	M.																											
	F.	3				3		3																				
2. Other parasitic diseases	M.																											
	F.																											
3. Alcoholism	M.	4												1	1			2										
	F.	1											1															
4. Lead poison	M.	2															2											
	F.																											
5. Other poisons	M.	9		1		1	2	4	1	1									2	1								
	F.	5				1	1	2																				
6. Inanition	M.	9	7					7				1											2					
	F.	5	2					2													1	1						
General diseases—C.																												
Total		410	142	1			1	144	2	1	2	3				2	2		4	2	6	13	29	33	69	39	24		
Males		190	71	1				72	1		1	1					1		2	1	4	7	12	31	35	14	8	
Females		220	71				1	72	1	1	1	2				2	1		2	1	2	6	17	37	34	25	16	
1. Premature birth	M.	4	4					4																				
	F.	12	12					12																				
2. Stillborn	M.	47	47					47																				
	F.	45	45					45																				
3. Malformation	M.	7	7					7																				
	F.	2	2					2																				
4. Debility	M.	33	13	1				14	1		1	1				1		2	1	2	2		4	4				
	F.	39	12				1	13	1	1	1	2				2	1	2	1	1	1	5	4	4				
5. Old age	M.	99																			2	5	12	27	31	14	8	
	F.	122																			1	5	12	33	30	25	10	
6. Atrophy	M.																											
	F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases.—D.																											
Total		1861	54	28	20	4	4	110	29	36	124	228	180	137	103	94	96	87	104	105	115	127	102	54	20	8	1	1
Males		775	31	12	10	1	2	56	12	14	32	79	65	48	38	34	44	34	56	49	62	66	53	16	13	3	....	1
Females		1086	23	16	10	3	2	54	17	22	92	149	115	89	65	60	52	53	48	56	53	61	49	38	7	5	1	....
1. Rheumatism	M.	18	....	....	....	....	....	....	....	....	2	....	....	....	2	....	1	1	1	1	4	1	3	1	1	....	....	....
	F.	19	....	....	1	....	....	1	3	1	....	1	....	....	....	1	2	1	2	1	....	....	1	3	....	2	....	....
2. Scrofula and tabes	M.	19	4	2	1	....	....	7	1	2	1	3	....	....	2	1	....	....	1	1	....	....	....	....	....	....	....	....
	F.	16	....	3	2	....	....	5	2	1	....	....	1	....	....	....	2	1	....	....	....	3	1	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	505	18	3	3	....	1	25	4	9	27	74	61	45	31	30	36	23	32	22	31	25	19	5	5	1	....	....
	F.	777	10	8	2	1	1	22	6	18	91	143	111	80	52	45	30	28	23	29	18	30	29	18	8	1	....	....
5. Hydrocephalus	M.	23	8	6	4	....	....	18	4	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	7	5	1	1	1	15	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
6. Cancer	M.	115	....	1	....	....	....	1	1	....	....	....	1	1	2	2	5	7	11	21	21	19	15	4	3	1	....	....
	F.	129	2	....	2	1	....	5	....	....	....	1	1	4	4	8	12	13	14	17	20	13	5	10	1	1	....	....
7. Tumor	M.	8	1	....	1	....	....	2	....	....	....	....	1	....	....	....	....	....	3	....	....	....	....	2	....	....	....	....
	F.	32	1	....	1	....	....	2	....	....	....	....	2	1	2	4	2	4	1	3	3	3	4	1	....	....	....	....
8. Anæmia	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1
	F.	5	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	1	1	....	....	....	....	....	....
9. Dropsy	M.	68	....	....	1	1	....	2	1	2	....	2	....	2	....	1	2	2	7	2	6	17	14	4	4	....	....	....
	F.	75	3	....	1	....	....	4	....	1	....	2	....	4	3	2	1	5	7	5	11	11	9	6	3	1	....	....
10. Glycosuria	M.	16	....	....	....	....	1	1	1	1	2	....	1	....	1	....	....	1	1	1	....	4	2	....	....	....	....	....
	F.	13	....	....	....	....	....	....	2	1	1	1	....	....	2	....	3	1	1	1	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		818	80	41	23	13	10	167	23	16	16	15	14	9	16	32	37	23	39	49	63	68	94	82	39	15	1	....
Males		415	34	21	12	5	5	77	9	8	10	11	6	3	10	20	14	14	20	29	38	37	57	31	16	5	....	....
Females		403	46	20	11	8	5	90	14	8	6	4	8	6	6	12	23	9	19	20	25	31	37	51	23	10	1	....
1. Inflammation of the brain	M.	45	7	4	4	....	2	17	5	2	7	2	3	1	....	1	1	....	....	1	1	....	3	1	....	....	....	....
	F.	39	6	6	5	3	1	21	1	4	2	1	....	2	....	....	3	....	1	1	....	1	1	1	....	....	....	....
2. Meningitis	M.	18	3	4	1	1	....	9	3	1	....	1	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....
	F.	25	8	3	3	2	....	16	3	1	2	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	67	1	....	1	....	....	2	....	....	....	2	....	1	1	3	2	4	5	8	10	7	14	3	3	2	....	....
	F.	56	....	....	....	....	....	....	1	....	1	....	1	....	2	3	4	1	2	5	5	9	8	9	3	1	1	....
4. Paralysis	M.	159	1	....	1	....	....	2	....	1	....	1	1	....	4	8	0	6	9	14	16	24	30	23	11	3	....	....
	F.	165	....	....	....	1	1	2	....	....	....	1	1	1	2	0	6	5	13	9	16	13	24	38	18	8	....	....
5. Tetanus and trismus nascentium.	M.	2	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	11	1	....	....	....	....	1	....	....	1	2	....	....	2	....	....	....	....	....	2	....	2	1	....	....	....	....
	F.	11	....	2	....	....	....	2	....	1	1	1	2	....	....	1	....	....	....	....	....	2	....	....	....	1	....	....
7. Convulsions	M.	25	13	6	2	....	....	21	....	2	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	30	24	3	1	1	2	31	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	14	....	....	....	....	....	....	....	....	2	....	....	....	....	2	3	....	2	....	2	1	1	1	....	....	....	....
	F.	15	....	....	....	....	....	....	....	1	....	....	....	2	....	1	2	2	2	1	1	....	2	....	1	....	....	....
9. Diseases of the brain	M.	71	8	6	3	4	3	24	1	1	....	2	....	....	2	5	2	2	3	6	7	5	7	2	2	....	....	....
	F.	51	7	6	2	1	1	17	0	....	....	....	2	....	1	1	7	1	1	3	2	6	2	1	1	....	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	3	....	1	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	1	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	1	1	....	....	2	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		334	13	....	....	1	2	16	4	1	7	11	9	0	6	10	14	15	25	32	41	51	36	37	8	1	1	....
Males		187	10	....	....	1	2	13	3	3	4	4	3	1	3	6	5	6	10	17	29	35	17	25	3	....	....	....
Females		147	3	....	....	....	....	3	1	1	3	7	6	5	3	4	9	9	15	15	12	16	19	12	5	1	1	....
1. Angina pectoris	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	2	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	179	7	....	....	1	2	10	3	3	4	1	3	1	3	5	5	6	9	17	28	35	15	25	3	....	....	....
	F.	142	2	....	....	....	....	2	1	1	3	7	6	4	3	3	9	9	15	15	11	16	18	12	5	1	1	....
4. Others of this group	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		729	108	43	29	26	15	221	24	13	15	24	16	8	11	15	22	18	28	42	58	68	65	46	25	8	2	....
Males		369	64	29	10	10	7	120	13	4	6	11	7	5	7	7	12	10	15	25	31	35	26	24	7	3	1	....
Females		360	44	14	19	16	8	101	11	9	9	13	9	3	4	8	10	8	13	17	27	33	39	22	18	5	1	....
1. Croup	M.	56	18	14	6	7	3	48	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	49	10	3	11	9	6	39	8	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	25	6	3	....	....	....	9	....	....	....	....	....	....	....	....	1	....	....	1	1	1	5	3	4	1	....	....
	F.	28	6	1	1	1	....	9	1	....	....	....	....	....	....	1	....	....	1	....	3	5	1	2	4	1	....	....
4. Pneumonia	M.	229	23	8	4	3	4	42	2	4	5	10	6	5	5	6	9	7	15	21	23	28	14	18	6	2	1	....
	F.	227	20	9	4	6	2	41	1	6	8	12	6	3	4	4	9	6	12	13	19	21	33	15	10	3	1	....
5. Pleurisy	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	....	....	....	....	....
	F.	8	1	....	....	....	....	1	....	....	1	....	1	....	....	2	....	....	....	....	1	....	....	1	1	....	....	....
6. Asthma	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	3	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	47	17	3	....	....	....	20	3	....	1	1	1	....	2	1	1	1	....	1	6	1	5	2	....	1	....	....
	F.	45	7	1	2	....	....	10	1	2	....	1	1	....	....	....	1	1	....	4	4	7	5	4	3	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		247	27	3	3	1	1	35	4	4	6	10	6	11	9	12	12	9	18	16	20	29	18	16	8	4	....
Males		130	16	2	1	1	1	21	2	4	2	2	3	4	3	5	4	4	12	12	14	16	13	4	2	3	....
Females		117	11	1	2	....	....	14	2	....	4	8	3	7	6	7	8	5	6	4	6	13	5	12	6	1	....
1. Dentition	M.	4	2	1	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	5	1	....	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	2	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	8	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	2	1	....	2	....	....	....	....	....
	F.	14	1	....	1	....	....	2	....	....	1	....	1	....	2	1	....	....	....	....	1	1	2	....	2	1	....	....
4. Other diseases of the stomach	M.	12	1	....	....	....	....	1	1	....	....	....	....	1	1	....	....	2	....	....	2	1	2	....	....	1	....	....
	F.	23	1	....	....	....	....	1	....	....	1	3	....	2	2	....	3	1	2	....	4	1	2	....	1	....	....	....
5. Obstruction of the bowels	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	17	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	2	2	1	3	2	....	2	1	1	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....
7. Other diseases of the bowels	M.	8	1	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	1	1	....	....	2	1	....	....	....	....
	F.	7	1	....	....	....	....	1	....	....	....	1	1	1	....	....	....	....	1	....	....	....	1	....	1	....	....	....
8. Jaundice	M.	6	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....
	F.	7	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	3	....	1	....	....	....	....
9. Inflammation and abscess of the liver.	M.	8	1	....	....	....	....	1	....	....	....	....	....	....	....	2	....	....	1	....	3	1	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	1	....	....	1	1	....	....	....	....	....
10. Other diseases of the liver	M.	31	2	....	....	1	....	3	....	2	....	....	2	1	1	2	1	....	3	6	3	5	1	1	....	....	....	....
	F.	24	1	....	....	....	....	1	....	....	....	1	....	....	....	2	3	2	....	1	....	5	1	6	2	....	....	....
11. Peritonitis	M.	12	3	....	....	....	....	3	....	....	1	2	....	....	1	....	....	....	....	....	....	1	4	....	....	....	....	....
	F.	15	....	....	....	....	....	....	....	....	1	2	1	3	1	2	....	1	3	1	....	....	....	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....
13. Others of this group	M.	17	2	1	....	....	....	3	....	....	....	....	1	....	....	1	1	....	3	....	1	2	2	1	1	1	....	....
	F.	7	....	....	1	....	....	1	1	....	1	....	....	....	....	....	2	1	....	....	....	....	....	1	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		151	2	....	....	....	....	2	2	2	4	4	8	6	5	6	6	3	9	14	21	21	20	10	5	2	....	....
Males		125	1	....	....	....	....	1	2	1	3	2	5	3	5	3	5	1	8	13	19	19	18	10	5	2	....	....
Females		26	1	....	....	....	....	1	....	1	1	2	3	3	1	3	1	2	1	1	2	2	2	....	....	....	....	....
1. Bright's disease	M.	48	....	....	....	....	....	....	1	1	2	1	3	1	3	1	5	1	2	3	6	9	7	2	....	....	....	....
	F.	20	....	....	....	....	....	....	....	1	....	2	1	3	1	3	....	2	1	1	2	2	1	....	....	....	....	....
2. Calculus, urinary	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	39	1	....	....	....	....	1	1	....	1	1	1	1	1	2	....	....	3	5	7	3	6	4	1	1	....	....
	F.	6	1	....	....	....	....	1	....	....	1	....	2	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....
4. Diseases of the bladder	M.	21	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	2	4	3	5	2	2	2	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	3	2	3	2	1	1	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		17	....	....	....	....	....	....	....	....	1	....	2	1	....	3	1	3	2	1	1	....	2	....	....	....	....	....
1. Ovarian tumors	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....
4. Uterine diseases	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	8	....	....	....	....	....	....	....	....	1	....	1	....	....	2	1	1	....	....	1	....	1	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		43	....	....	....	....	....	....	....	....	5	9	9	8	8	4	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	36	....	....	....	....	....	....	....	....	5	7	7	6	7	4	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	7	....	....	....	....	....	....	....	....	....	2	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		21	1	....	1	....	....	2	3	....	2	6	....	....	3	....	....	1	....	1	1	....	....	1	1	....	....	....
Males		10	1	....	....	....	....	1	3	....	1	2	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....
Females		11	....	....	1	....	....	1	....	....	1	4	....	....	3	....	....	....	....	1	....	....	....	....	1	....	....	....
1. Diseases of the spine	M.	7	1	....	....	....	....	1	2	....	1	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	8	....	....	1	....	....	1	....	....	....	3	....	....	2	....	....	....	....	1	....	....	....	....	1	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	3	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		13	1					1			1	1			1			2		3	1			2	1			
Males		5																2		1	1			1				
Females		8	1					1			1	1			1					2				1	1			
1. Abscess	M.	3																2		1								
	F.	5	1					1			1	1			1					1								
2. Carbuncle	M.	2																			1			1				
	F.	1																							1			
3. Others of this group	M.																											
	F.	2																		1				1				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		4							1						2								1					
Males		1							1																			
Females		3													2								1					
1. Addison's disease	M.																											
	F.	1													1													
2. Diseases of the spleen	M.	1							1																			
	F.	2													1								1					
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		275	12	2	6	2	8	30	20	17	16	22	24	27	16	19	13	11	13	11	4	10	9	9	3	1		
Males		212	8	1	4		3	16	14	14	14	15	19	23	16	18	11	10	12	10	3	5	6	4	1	1		
Females		63	4	1	2	2	5	14	6	3	2	7	5	4		1	2	1	1	1	1	5	3	5	2			
1. Burns and scalds	M.	2			1			1	1																			
	F.	10			2		4	6	1	1											1	1						
2. Drowned	M.	61		1	1			2	12	10	6	1	9	5	6	5	3		2									
	F.	14				2		2	4		2	2	2	2														
3. Exposure and neglect	M.	6	1		1			2									1			1		1		1				
	F.	2	1					1															1					
4. Gunshot wounds	M.	4			1			1		1					1	1												
	F.	1								1																		
5. Homicide	M.	2												1			1											
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	5									1	1	1	1	1													
	F.	2														1		1										
9. Suffocation	M.	4	1					1										1	1	1								
	F.	5	3	1				4														1						
10. Suicide by shooting	M.	2									1							1										
	F.																											
11. Suicide by drowning	M.	2															1		1									
	F.	2										1					1											
12. Suicide by poison	M.	2																		1	1							
	F.	1											1															
13. Other suicides	M.	21									1	1		1		3	1	3	2	3		3	2			1		
	F.	6											1				1		1	1		2						
14. Sunstroke	M.	3										1	1						1									
	F.																											
15. Surgical operations	M.	2												1							1							
	F.																											
16. Wounds	M.	5								1					1			1	1					1				
	F.	1																							1			
17. Other accidents and injuries	M.	91	6				8	9	1	2	5	11	8	14	7	9	4	4	4	4	1	1	4	2	1			
	F.	19					1	1	1	1		3	2	2								1	2	5	1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3031	347	116	118	84	61	726	229	117	127	143	103	100	97	107	87	84	90	163	172	184	208	146	81	39	14	8
Total: Males		1515	186	62	54	51	30	383	120	63	45	51	38	37	41	51	45	43	49	93	92	108	109	82	44	13	5	3
Females		1516	161	54	64	33	31	343	109	54	82	92	65	63	56	56	42	41	47	70	80	76	99	64	37	26	9	5
Unknown causes.																												
Total		78	22	8	1	....	....	28	1	....	3	1	3	2	1	1	3	1	5	6	4	3	6	1	5	1	2	1
Males		38	11	2	1	....	....	14	....	....	3	....	1	....	....	1	2	1	2	3	2	2	4	....	2	....	1	....
Females		40	11	3	....	....	....	14	1	....	....	1	2	2	1	....	1	....	3	3	2	1	2	1	3	1	1	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		795	115	60	80	65	50	373	171	69	38	15	6	14	11	9	6	6	8	9	17	9	12	9	11	2	....	....
Males		400	60	28	35	37	24	184	91	36	15	5	4	5	4	1	4	3	5	4	9	3	7	6	8	1	....	....
Females		395	55	35	45	28	26	189	80	33	23	10	2	9	7	8	2	3	3	5	8	1	5	3	3	1	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	0	....	....	1	1	....	2	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	6	1	1	....	....	....	2	....	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	16	1	3	2	3	2	11	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	....	2	1	4	2	9	3	2	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	236	26	14	25	26	21	112	80	30	9	1	....	....	1	....	1	....	1	....	....	....	1	....	....	....	....	....
	F.	244	20	24	38	22	24	128	72	26	10	3	....	1	1	....	....	1	....	....	1	....	....	....	1	....	....	....
5. Hooping-cough	M.	13	9	2	....	2	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	10	4	1	....	....	15	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	14	4	....	1	....	....	5	2	2	1	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	10	3	....	1	....	....	4	....	2	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	....
7. Cerebro-spinal fever	M.	6	1	1	2	1	....	5	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	17	..	1	....	....	....	1	....	....	....	1	2	2	1	....	1	....	....	2	3	1	....	2	1	....	....	....
	F.	16	....	....	....	....	....	....	1	....	3	....	1	4	2	3	....	1	....	....	1	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	13	1	1	....	....	....	2	....	....	1	....	2	1	....	....	....	2	....	1	....	1	1	1	....	1	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	2	....	....	....	....	....	....	....	....
10. Dysentery	M.	8	1	3	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....
	F.	6	1	....	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....
11. Enteritis	M.	26	5	1	....	1	....	7	2	1	2	2	....	....	....	1	....	....	1	....	2	4	2	....	2	....	....	....	....
	F.	18	2	....	....	....	....	2	....	....	2	1	....	2	1	2	....	1	1	2	2	....	1	1	....	....	....	....	....
12. Cholera morbus	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	2	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	15	7	2	3	3	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	15	4	2	1	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....
15. Erysipelas	M.	11	5	....	....	....	....	5	....	....	2	....	....	....	1	....	....	....	....	1	2	....	....	....	....	....	....	....	....
	F.	11	3	....	....	....	....	3	1	1	2	....	....	....	....	....	....	....	2	....	1	....	....	1	....	....	....	....	....
16. Septicæmia	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	1	....	....	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	8	....	....	....	....	....	....	....	....	3	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	11	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	2	4	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	1	....	....	....	....
General diseases—B.																												
Total		11	3	....	1	1	....	5	....	....	....	1	....	1	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....
Males		6	2	....	1	1	....	4	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
Females		5	1	....	....	....	....	1	....	....	....	1	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		233	74	....	....	....	....	74	1	....	1	1	....	....	....	....	....	2	....	3	5	9	26	44	35	23	9	....	....
Males		120	43	....	....	....	....	43	1	....	1	1	....	....	....	....	....	1	....	2	4	7	12	24	14	7	3	....	....
Females		113	31	....	....	....	....	31	....	....	....	....	....	....	....	....	....	1	....	1	1	2	14	20	21	16	6	....	....
1. Premature birth	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	28	28	....	....	....	....	28	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	19	19	....	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	24	11	....	....	....	....	11	1	....	1	1	....	....	....	....	....	1	....	....	3	1	....	4	....	1	....	....	....
	F.	16	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	1	....	1	1	....	4	1	....	1	....	....	....
5. Old age	M.	64	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	6	12	20	14	6	3	....	....
	F.	73	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	10	19	21	15	6	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		800	32	5	4	3	....	44	10	19	62	87	61	58	40	51	38	31	32	52	62	49	43	24	7	3	....	5
Males		323	16	4	1	3	....	24	8	6	15	26	18	20	21	23	14	13	12	27	35	26	14	13	3	....	....	3
Females		477	16	1	3	....	....	20	8	13	47	61	43	38	25	28	24	18	20	25	27	23	29	11	2	3	....	2
1. Rheumatism	M.	6	....	....	....	....	....	....	2	....	....	....	....	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	7	1	2	....	1	....	4	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	2	....	....	2	....	1	1	....	....	....	1	....	1	1	....	....	....	....	1	....	....	1	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	207	6	1	....	....	....	7	2	1	14	24	17	20	19	20	11	8	2	15	18	15	6	7	1	....	....	2
	F.	336	6	....	1	....	....	7	5	11	45	60	40	37	21	17	16	4	8	18	14	11	13	6	....	1	....	2
5. Hydrocephalus	M.	12	7	1	....	2	....	10	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	9	1	....	....	....	10	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	45	....	....	....	....	....	....	....	1	....	....	....	....	....	1	3	1	4	8	9	4	6	3	4	....	....	1
	F.	71	....	....	....	....	....	....	....	....	....	....	....	....	1	7	5	6	6	12	10	10	11	2	1	....	....	....
7. Tumor	M.	6	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	1	1	....	1	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	1	1	....	1	1	2	4	....	....	....	....	....	1	....	....	....	....
8. Anæmia	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	28	1	....	....	....	....	2	....	3	....	....	....	....	....	....	....	3	3	3	6	5	1	2	....	....	....	....
	F.	32	1	....	....	....	....	1	2	....	....	....	2	....	....	3	....	3	6	3	2	2	4	2	1	1	....	....
10. Glycosuria	M.	10	....	....	....	....	....	....	1	1	1	....	....	....	1	1	....	....	1	....	1	2	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		309	29	17	10	5	5	66	8	7	6	5	2	1	11	10	13	9	14	17	28	37	33	24	12	5	1	....
Males		169	11	14	5	3	3	36	4	5	4	....	1	1	3	3	6	4	9	15	12	18	20	14	6	2	1	....
Females		140	18	3	5	2	2	30	4	2	2	5	1	....	8	2	7	5	5	2	16	19	13	10	6	3	....	....
1. Inflammation of the brain	M.	28	3	6	1	1	2	13	2	2	3	....	1	1	1	2	....	....	....	....	....	....	3	....	....	....	....	....
	F.	18	2	2	2	1	2	9	2	....	....	2	1	....	1	....	1	....	....	....	2	....	....	....	....	....	....	....
2. Meningitis	M.	4	1	1	....	1	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	24	....	....	....	....	....	....	....	1	1	....	....	....	1	1	....	3	....	3	1	6	2	4	1	....	....	....
	F.	29	....	....	....	....	....	....	....	....	1	....	....	....	3	....	2	2	2	1	4	4	2	6	1	1	....	....
4. Paralysis	M.	61	....	1	....	....	....	1	....	....	....	....	....	....	....	4	2	....	6	4	9	9	11	7	5	2	1	....
	F.	56	....	....	....	....	....	....	....	2	....	1	....	....	3	....	4	2	3	1	8	13	10	4	4	1	....	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	13	6	4	1	....	....	11	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
	F.	15	11	....	3	....	....	14	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	1	2	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	25	1	2	2	1	1	7	2	1	....	....	....	....	1	....	2	1	2	5	1	2	1	....	....	....	....	....
	F.	10	2	1	....	1	....	4	1	....	....	1	....	....	....	1	....	....	....	....	....	1	....	....	1	1	....	....
10. Diseases of the spinal cord	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	2	1	1	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		172	3	1	....	1	....	5	4	....	....	3	2	5	3	7	9	10	12	19	18	31	24	15	8	....	....	2
Males		98	2	1	....	....	....	3	3	....	....	1	1	2	3	2	5	7	7	13	7	18	14	9	3	....	....	....
Females		74	1	....	....	1	....	2	1	....	....	2	1	3	....	5	4	3	5	6	11	13	10	6	....	....	....	2
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	98	2	1	....	....	....	3	3	....	....	1	1	2	3	2	5	7	7	13	7	18	14	9	3	....	....	....
	F.	73	1	....	....	1	....	2	1	....	....	2	1	3	....	5	4	3	5	6	10	13	10	6	....	....	....	2
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		299	55	20	11	7	4	97	17	9	4	6	6	5	4	9	10	9	7	22	20	22	22	20	5	3	2	....
Males		158	32	12	6	5	2	57	7	8	1	2	2	3	1	6	8	4	5	9	9	12	9	10	3	2	....	....
Females		141	23	8	5	2	2	40	10	1	3	4	4	2	3	3	2	5	2	13	11	10	13	10	2	1	2	....
1. Croup	M.	27	6	5	4	4	2	21	3	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	13	6	2	2	1	1	12	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	10	3	....	....	....	....	3	....	....	....	....	....	....	....	1	....	....	....	1	1	1	....	3	....	....	....	....
	F.	6	2	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	1	....	....	....	....
4. Pneumonia	M.	91	17	4	2	1	....	24	3	4	....	1	2	3	1	3	6	3	5	7	7	7	8	4	2	1	....	....
	F.	97	11	5	2	1	....	19	8	1	3	2	4	2	3	2	2	4	1	8	9	8	10	7	2	....	2	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	2	....	....	....	....	....
6. Asthma	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Others of this group	M.	26	6	3	....	....	....	9	1	2	1	1	....	....	....	2	....	1	....	1	1	2	1	2	1	1	....	....
	F.	18	3	1	1	....	1	6	....	....	....	2	....	....	....	....	....	1	....	3	....	2	1	2	....	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		92	4	2	2	....	2	10	1	4	1	4	3	2	3	3	2	7	5	11	7	6	17	2	1	....	....
Males		50	3	....	1	....	1	5	....	3	....	2	1	....	1	1	1	4	5	9	4	2	11	....	1	....	....
Females		42	1	2	1	....	1	5	1	1	1	2	2	2	2	2	1	3	2	2	3	4	6	2	....	....	....
1. Dentition	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....
4. Other diseases of the stomach	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	2	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	....	1	1	....	1	....	....	1	....	....	1	1	1	....	....	....
5. Obstruction of the bowels	M.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	4	1	....	1	....	....	2	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....
7. Other diseases of the bowels	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
8. Jaundice	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
9 Inflammation and abscess of the liver.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	1	....	....	....
10. Other diseases of the liver	M.	13	....	....	....	....	1	1	....	....	....	1	....	....	....	1	1	....	1	3	1	....	3	....	1	....	....
	F.	5	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	1	....	1	....	....	....	....	....
11. Peritonitis	M.	3	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	1	1	....	....	....	2	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	10	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	2	2	1	....	2	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		60	....	....	....	....	....	....	....	....	....	1	1	2	2	3	1	1	3	4	7	12	16	6	....	1	....	....
Males		52	....	....	....	....	....	....	....	....	....	1	1	1	2	3	....	1	2	4	6	11	13	6	....	1	....	....
Females		8	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	1	1	3	....	....	....	....	....
1. Bright's disease	M.	20	....	....	....	....	....	....	....	....	....	....	1	....	2	2	....	....	1	2	2	4	5	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
3. Diseases of the kidney	M.	13	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	1	2	....	2	2	2	....	1	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	2	....	....	....	....
4. Diseases of the bladder	M.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	4	2	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	4	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		13	....	....	....	....	....	....	....	....	2	....	2	2	1	3	....	2	....	1	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	7	....	....	....	....	....	....	....	....	1	....	1	1	1	1	....	2	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	3	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
5. Others of this group	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		27	....	....	....	....	....	....	....	....	3	5	6	3	6	4	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	3	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	23	....	....	....	....	....	....	....	....	2	5	4	2	6	4	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		11	1	1	1	....	....	3	....	2	1	....	1	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....
Males		6	1	....	....	....	....	1	....	2	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females		5	....	1	1	....	....	2	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	3	1	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	1	1	....	....	2	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MAINE—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		10								1		1	1	1				1		3		1	1					
Males		5												1				1		2			1					
Females		5								1		1	1							1		1						
1. Abscess	M.	2																		2								
	F.	4								1		1	1							1								
2. Carbuncle	M.	1																					1					
	F.																											
3. Others of this group	M.	2												1				1										
	F.	1																				1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total																												
Males																												
Females																												
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		121	9	2	8	2		21	10	6	6	13	9	3	7	5	5	5	4	6	4	5	8	1	2	1		
Males		90	5	1	4	2		12	6	3	5	13	9	3	6	4	5	4	1	5	4	4	4		2			
Females		31	4	1	4			9	4	3	1				1	1		1	3	1		1	4	1		1		
1. Burns and scalds	M.	4	1		1	1		3															1					
	F.	6			2			2	1		1				1											1		
2. Drowned	M.	17			1			1	4	2	1	1	3	1		2		2										
	F.	4		1	1			2		2																		
3. Exposure and neglect	M.	1				1		1																				
	F.	1	1					1																				
4. Gunshot wounds	M.	2										1			1													
	F.																											
5. Homicide	M.	1																	1									
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.	4									1	1	1							1								
	F.																											
8. Railroad accidents	M.	3										2										1						
	F.																											
9. Suffocation	M.	4	3					3												1								
	F.	2	2					2																				
10. Suicide by shooting	M.	1																1										
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	2										1					1											
	F.																											
13. Other suicides	M.	7									1		1		1		2			2								
	F.	3																1	1			1						
14. Sunstroke	M.																											
	F.																											
15. Surgical operations	M.	2													1										1			
	F.																											
16. Wounds	M.	1																			1							
	F.	2																	2									
17. Other accidents and injuries	M.	41	1	1	2			4	2	1	2	7	4	2	3	1	2	1		1	3	3	3		1			
	F.	13	1		1			2	3	1						1				1			4	1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 1.

[Exclusive of BALTIMORE.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		6851	1640	514	304	195	176	2829	365	211	273	297	290	261	229	224	198	214	213	241	265	268	174	162	76	26	24	17
Total: Males		3436	878	268	153	100	90	1489	169	103	130	131	130	106	95	105	91	110	129	127	150	138	99	71	31	14	11	7
Females		3415	762	246	151	95	86	1340	196	108	143	166	160	155	128	119	107	104	84	114	115	130	75	91	45	12	13	10
Unknown causes.																												
Total		485	282	37	16	12	11	358	10	2	7	6	6	4	7	11	9	7	11	7	14	11	6	7	1			1
Males		248	151	20	10	7	7	195	5		2	3	1		4	2	4	2	7	1	9	6	4	3				
Females		237	131	17	6	5	4	163	5	2	5	3	5	4	3	9	5	5	4	6	5	5	2	4	1			1
1.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1868	543	257	143	86	82	1111	188	86	85	66	46	38	33	26	15	23	24	23	27	32	17	14	8	3		3
Males		915	267	135	70	40	44	556	85	35	47	31	21	17	12	14	5	15	14	13	14	17	10	7	1	1		
Females		953	276	122	73	46	38	555	103	51	38	35	25	21	21	12	10	8	10	10	13	15	7	7	7	2		3
1. Small-pox	M.	1								2						1												
	F.	2								1	1																	
2. Measles	M.	19	3	4	4		1	12	2			3	1			1												
	F.	26	2	3	3	2	1	11	5	4	1	2	1		1	1												
3. Scarlet fever	M.	59	6	10	2	5	9	32	15	4	4		1	2	1													
	F.	64	6	7	10	9	6	38	18	2	2			1	2							1						
4. Diphtheria	M.	107	14	6	18	13	17	68	22	8	5		1	1								1		1				
	F.	133	13	10	15	13	15	66	46	15	3	1			1											1		
5. Hooping-cough	M.	82	34	22	11	2	3	72	5	1		1				2					1							
	F.	92	37	22	11	7	4	81	5	1				2			1			1								1
6. Fever	M.																											
	F.																											
7. Cerebro-spinal fever	M.	5	2	1				3	1			1																
	F.	4	1	1	1			3				1																
8. Enteric fever	M.	139	2	2	2	9	4	19	10	10	25	19	11	5	3	5	2	6	7	3	5	6	2	1				
	F.	121	4	6	4	2	4	20	9	17	21	14	11	6	3	4	2	4	2	1	2	1	1	2	1			
9. Diarrhœa	M.	41	19	7	1		1	28	1	1				2		1		1	2	1	1	2	1					
	F.	58	30	6	4			40	1	1						2		1	2	2	3	3	3	1				
10. Dysentery	M.	109	27	16	12	3	4	62	11	3	5	2	3	1	1	1	1	3	3	3	1	3	3	2	1			
	F.	83	19	11	5	3	3	41	7	2	1	3	2	2	6	1	1		1	2	6	1	3	2	1	1		
11. Enteritis	M.	33	6	4	2	1		13	4	2		1		1	1	1	1	1		3	1	3	1					
	F.	22	7	1	2		1	11	2					1	3				2			1		1	1			
12. Cholera morbus	M.	10							5		1							2		1			1					
	F.	5	1					1									1			1		1						1
13. Cholera infantum	M.	212	140	55	12	3	2	212																				
	F.	206	138	49	13	5	1	206																				
14. Malarial fever	M.	75	9	8	6	4	3	30	9	3	6	4	3	4	4	1		2	1	1	3	1		2		1		
	F.	87	10	5	4	5	3	27	9	8	6	5	5	4		3	2	1	3	2	2	5	1	1				
15. Erysipelas	M.	14	3					3		1	1			1	1		1		1	1	1	1	2					
	F.	14	6		1			7			1							1				2		1	2			
16. Septicæmia	M.	3	1					1					1		1													
	F.	3							1									1										1
17. Puerperal septicæmia	F.	24									2	6	4	5	4		3											
18. Venereal diseases	M.	2	1					1								1												
	F.	5	2					2					1		1													
19. Others of this group	M.	2																		1								
	F.	3		1				1					1			1					1			1				
General diseases—B.																												
Total		57	32	3	3	1	1	40	5	1		1	2			2	1	1		2			2					
Males		31	23	1	1	1		26	1				1			2							1					
Females		26	9	2	2		1	14	4	1		1	1				1	1		2			1					
1. Worms	M.	1							1																			
	F.	8	1	2	2			5	2	1																		
2. Other parasitic diseases	M.	1														1												
	F.																											
3. Alcoholism	M.																											
	F.	1											1															
4. Lead poison	M.																											
	F.																											
5. Other poisons	M.	8	4		1	1		6					1			1												
	F.	9	2				1	3	2								1	1		2								
6. Inanition	M.	21	19	1				20															1					
	F.	8	6					6				1											1					
General diseases—C.																												
Total		371	177	6	2	3	1	189	1				1		1		3	3		3	4	17	27	62	26	14	19	1
Males		180	106	3	1	1	1	112									3	2		1		6	11	21	9	7	8	
Females		191	71	3	1	2		77	1				1		1			1		2	4	11	16	41	17	7	11	1
1. Premature birth	M.	21	21					21																				
	F.	16	16					16																				
2. Stillborn	M.	69	69					69																				
	F.	42	42					42																				
3. Malformation	M.	1	1					1																				
	F.	1	1					1																				
4. Debility	M.	34	15	3	1	1	1	21														1	1	2	2	1		
	F.	32	12	3	1	2		18	1				1		1		3	2		1		1	1	2	2	1		
5. Old age	M.	55																1				3	3	3		1		
	F.	100																				5	10	19	7	6	8	
6. Atrophy	M.																				2	4	8	13	38	17	6	11
	F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1384	68	37	28	18	11	162	45	48	97	136	141	113	83	89	66	74	74	74	71	51	30	16	11	1	1	1
Males		602	37	22	13	10	2	84	15	25	34	45	61	39	27	44	26	29	40	39	40	22	19	6	5	....	1	1
Females		782	31	15	15	8	9	78	30	23	63	91	80	74	56	45	40	45	34	35	31	29	11	10	6	1	....	....
1. Rheumatism	M.	14	....	....	....	....	....	....	....	....	1	1	1	....	1	2	....	1	....	2	1	2	2	....	....	....	....	....
	F.	14	1	....	....	....	....	1	....	....	1	2	1	1	1	....	....	1	2	1	....	....	1	2	....	....	....	....
2. Scrofula and tabes	M.	27	8	1	2	1	1	13	2	2	3	....	2	1	1	1	....	....	....	1	1	....	....	....	....	....	....	....
	F.	23	5	3	1	1	1	11	1	3	1	1	1	....	2	....	1	1	1	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	464	18	12	8	5	1	44	10	18	27	43	55	32	22	29	20	18	28	21	21	6	5	1	3	....	....	1
	F.	580	15	9	10	6	6	46	20	19	60	84	73	68	42	35	26	30	15	24	11	13	6	4	3	1	....	....
5. Hydrocephalus	M.	21	9	6	2	1	....	18	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	8	1	1	....	1	11	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	49	....	....	1	....	....	1	....	....	....	....	1	....	2	....	5	2	6	4	7	7	5	5	2	2	....	....
	F.	65	....	....	....	....	....	....	....	....	....	....	....	2	5	4	9	11	10	7	10	6	1	....	....	....	....	....
7. Tumor	M.	3	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	1	4	....	....	....	....	....	....
8. Anæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	73	2	2	....	3	....	7	2	5	3	....	....	3	3	4	2	4	6	8	9	6	7	3	....	....	1	....
	F.	76	2	2	3	1	1	9	7	1	1	4	5	3	5	5	3	2	4	3	8	6	3	4	3	....	....	....
10. Glycosuria	M.	7	....	....	....	....	....	....	....	....	....	....	2	1	....	1	....	....	1	....	....	2	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....
11. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		791	259	51	41	19	21	391	35	18	19	11	14	18	19	20	18	20	26	31	40	41	32	15	12	4	1	6
Males		423	144	24	19	10	10	207	19	11	9	6	7	12	13	7	9	9	16	19	28	16	17	9	3	3	....	3
Females		368	115	27	22	9	11	184	16	7	10	5	7	6	6	13	9	11	10	12	12	25	15	6	9	1	1	3
1. Inflammation of the brain	M.	64	22	9	9	5	2	47	5	1	3	....	1	1	1	....	2	....	1	....	....	....	1	1	....	....	....	....
	F.	57	22	11	4	2	4	43	6	....	3	....	1	....	....	....	....	....	....	1	....	2	....	....	....	....	....	1
2. Meningitis	M.	23	8	2	2	2	1	15	1	1	1	....	1	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	16	6	....	2	....	....	8	2	....	2	....	....	1	....	1	....	1	....	1	....	....	....	....	....	....	....	....
3. Apoplexy	M.	36	....	....	....	....	1	1	....	....	....	....	....	....	2	....	3	2	2	3	11	5	5	1	....	....	....	1
	F.	30	1	....	....	....	....	1	1	....	....	1	....	1	1	1	1	3	3	3	3	6	3	1	1	....	....	....
4. Paralysis	M.	71	2	1	....	....	....	3	2	....	2	....	1	1	3	3	....	3	8	12	11	6	7	5	2	2	....	....
	F.	72	....	....	....	1	2	3	....	....	1	1	....	....	1	4	2	5	5	4	8	14	10	5	7	1	1	....
5. Tetanus and trismus nascentium.	M.	14	8	....	....	....	....	8	2	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	5	3	....	....	....	....	3	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	12	....	....	....	1	....	1	1	2	1	1	1	1	1	....	1	....	....	....	....	....	2	....	....	....	....	....
	F.	8	....	....	1	1	....	2	....	2	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	116	88	5	7	1	5	106	4	1	1	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	115	68	8	8	5	5	94	2	1	2	....	1	1	1	3	4	2	....	1	....	1	....	....	....	....	....	2
8. Mental diseases	M.	16	....	....	....	....	....	....	....	....	....	....	1	2	3	1	1	1	....	1	1	2	1	1	1	....	....	....
	F.	10	....	....	....	....	....	....	....	....	....	....	2	1	1	2	2	....	....	1	....	....	1	....	....	....	....	....
9. Diseases of the brain	M.	56	14	6	1	1	1	23	3	4	....	....	1	4	1	3	2	3	3	1	3	1	2	....	....	1	....	1
	F.	44	13	8	6	....	....	27	1	3	1	1	1	2	....	2	....	....	1	1	1	2	1	....	....	....	....	....
10. Diseases of the spinal cord	M.	9	1	1	....	....	....	2	1	1	1	1	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	8	2	....	1	....	....	3	3	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	6	1	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	1	....	1	....	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		260	17	....	1	1	1	20	5	4	7	7	9	8	16	15	15	16	16	30	32	34	11	14	2	3	1	1
Males		131	7	....	1	....	....	8	1	2	4	2	3	2	6	4	6	10	11	14	18	24	6	7	....	2	....	1
Females		135	10	....	....	1	1	12	4	2	3	5	6	6	10	11	9	6	5	16	14	10	5	7	2	1	1	....
1. Angina pectoris	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	1	....	....	....
2. Aneurism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Diseases of the heart	M.	126	7	....	1	....	....	8	1	2	4	2	3	2	6	3	6	9	11	14	18	22	5	7	....	2	....	1
	F.	128	8	....	....	1	1	10	4	2	3	5	6	6	10	11	8	6	5	15	13	9	5	7	1	1	1	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		820	143	80	48	38	30	339	42	20	24	30	26	17	23	35	29	34	34	42	41	39	28	16	8	....	1	1
Males		457	75	42	25	21	16	179	23	13	15	20	12	11	14	22	15	16	24	24	17	18	17	8	7	....	1	1
Females		372	68	38	23	17	14	160	19	7	9	10	14	6	9	13	14	18	10	18	24	21	11	8	1	....	....	....
1. Croup	M.	87	27	18	11	12	7	75	11	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	59	14	13	8	7	7	49	8	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	36	10	3	2	1	....	16	2	1	....	2	1	1	2	....	....	1	1	3	....	2	2	1	1	....	....	....	....
	F.	40	10	3	5	2	1	21	3	....	....	1	2	....	1	1	2	....	....	1	4	4	....	....	....	....	....	....	....
4. Pneumonia	M.	286	32	20	11	8	8	79	8	9	11	18	11	9	10	20	13	14	19	16	14	13	12	6	4	....	....	....
	F.	237	38	21	8	8	4	79	8	4	7	7	12	6	5	11	11	15	9	15	18	15	8	6	1	....	....	....
5. Pleurisy	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	1	....	....	....	....
	F.	6	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	1	....	1	1	....	....	....	....	....
6. Asthma	M.	14	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	2	2	1	2	1	1	....	1	1	....
	F.	9	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	1	1	1	....	2	1	1	....	....	....	....	....
7. Others of this group	M.	28	4	1	1	....	1	7	2	2	4	....	....	1	2	2	1	1	3	1	1	1	....	....	....	....	....	....	....
	F.	19	4	1	2	....	1	8	....	....	2	2	....	....	2	1	....	1	....	1	1	....	1	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		276	76	27	10	7	2	122	6	7	6	5	9	9	8	8	16	10	8	9	17	15	10	6	3	1	1
Males		155	44	10	5	5	1	65	4	4	3	4	6	3	6	4	10	7	4	5	9	10	7	1	1	1	1
Females		121	32	17	5	2	1	57	2	3	3	1	3	6	2	4	6	3	4	4	8	5	3	5	2		
1. Dentition	M.	20	12	7	1			20																			
	F.	29	13	12	4			29																			
2. Angina	M.	10	2		2			4		1		1			1						2	1					
	F.	6	2					2			1			1			1				1						
3. Gastritis	M.	7			1	1		2						1			1		1			1		1			
	F.	3											1						1		1	1		1			
4. Other diseases of the stomach	M.	16	5			1		6					1		2	1					2	1	1			1	1
	F.	11	1	1	1		1	4	2		1					1					1	2					
5. Obstruction of the bowels	M.	10	3					3			1		1	1			2			2							
	F.	4												1					1		1			1			
6. Hernia	M.	6	1					1	1				1			1			1			1					
	F.	2																				1	1				
7. Other diseases of the bowels	M.	10	1	1		1		3		1	1	1				1			1	1		1					
	F.	2								1						1											
8. Jaundice	M.	15	8					8	1									2			3	1					
	F.	6								1		1	1					1			2						
9. Inflammation and abscess of the liver.	M.	3													1		1						1				
	F.	2															1						1				
10. Other diseases of the liver	M.	13	1					1	1					1	1		2	1	1		1	2	2				
	F.	9	1					1						2		1	2		2			1					
11. Peritonitis	M.	7				1		1				1	2		1		1	1									
	F.	5								1	1		1	1		1											
12. Ascites	M.	1				1		1																			
	F.	3	1					1												1				1			
13. Others of this group	M.	37	11	2	1		1	15	1	2	1	1	1			1	3	3		2	1	2	3	1			
	F.	34	14	4		2		20						1	2		2	2		3	2		1		1		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		108		1			1	2	1	2	3	2	2	4	3	5	9	9	9	13	10	13	6	9	5		1
Males		69		1			1	2				1	2	2	1	2	4	6	6	10	8	7	6	7	5		
Females		39							1	2	3	1		2	2	3	5	3	3	3	2	6		2			1
1. Bright's disease	M.	34										1	1	1	1	2	2	4	4	6	5	1	2	3	1		
	F.	28							1	1	2	1		2	2	2	4	3	2	1	1	4		1			1
2. Calculus, urinary	M.	5																		1			1	2	1		
	F.	1																		1							
3. Diseases of the kidney	M.	16		1			1	2					1	1			2	1	1	2	1	3	1		1		
	F.	8								1	1					1	1			1	1	1		1			
4. Diseases of the bladder	M.	8																		1	2	1		2	2		
	F.	1																				1					
5. Others of this group	M.	6																1	1			2	2				
	F.	1																	1								
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		19									1	1	3	1	1	1	2	2	1								
1. Ovarian tumors	F.	4															2		1	1							
2. Ovarian diseases	F.																										
3. Uterine tumors	F.	2														1		1									
4. Uterine diseases	F.	4											1		1		1		1								
5. Others of this group	F.	9									1	1	2	3			1	1									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		72									6	12	12	19	15	5	3										
1. Abortion	F.	5									1		1		2		1										
2. Child-birth	F.	63									5	10	11	19	11	5	2										
3. Others of this group	F.	4										2			2												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		13	1		1	1	2	5	2	1	1		1		1	1						1					
Males		5	1					1	1	1	1											1					
Females		8			1	1	2	4	1				1		1	1											
1. Diseases of the spine	M.	2	1					1		1																	
	F.	3			1	1	2	4	1				1		1	1											
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.	2							1		1																
	F.																										
4. Others of this group	M.	1																				1					
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		15	4	1	...	1	...	6	...	...	1	1	...	...	...	...	...	2	1	...	1	2	1	...	...	...	...	...
Males		8	1	1	...	1	...	3	...	...	...	1	...	...	...	...	...	1	...	...	1	2	...	...	...	...	...	...
Females		7	3	...	...	...	...	3	...	...	1	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...
1. Abscess	M.	3	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
	F.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
2. Carbuncle	M.	5	1	...	...	1	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
3. Others of this group	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	4	2	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Males		1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Females		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Addison's disease	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the spleen	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Others of this group	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
XII.—ACCIDENTS AND INJURIES.																												
Total		296	38	14	11	8	13	84	25	22	16	10	18	28	12	6	10	13	8	6	8	12	4	3	...	...	...	2
Males		211	22	9	8	4	8	51	15	12	15	18	16	20	11	4	9	13	7	1	6	9	1	2	...	...	...	1
Females		85	16	5	3	4	5	33	10	10	1	1	2	8	1	2	1	...	1	5	2	3	3	1	...	...	...	1
1. Burns and scalds	M.	26	2	6	3	2	5	18	2	1	1	...	1	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...
	F.	35	...	3	1	2	5	11	8	7	1	1	1	3	1	...	...	...	...	1	...	...	1	...	...	...	...	...
2. Drowned	M.	34	...	...	2	...	1	3	3	3	3	4	4	4	3	1	...	3	...	...	2	1	...	...	...	...	...	...
	F.	3	...	1	...	1	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Exposure and neglect	M.	4	1	...	1	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1
	F.	5	3	...	2	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Gunshot wounds	M.	12	...	...	...	...	...	...	...	1	3	2	...	2	...	...	1	1	1	...	...	1	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Homicide	M.	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Infanticide	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Injuries by machinery	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Railroad accidents	M.	15	...	...	...	1	...	1	...	2	1	2	1	1	2	...	1	2	...	...	1	...	...	1	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Suffocation	M.	9	6	1	...	...	...	7	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...
	F.	8	6	...	...	...	...	6	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
10. Suicide by shooting	M.	2	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Suicide by drowning	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Suicide by poison	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Other suicides	M.	6	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	...	1	...	2	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...
14. Sunstroke	M.	7	...	...	1	...	...	1	...	...	...	1	1	1	...	1	...	...	2	...	...	...	...	...	...	...	...	...
	F.	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	2	...	...	...	...	...	...
15. Surgical operations	M.	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	3	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
16. Wounds	M.	4	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
17. Other accidents and injuries	M.	87	13	2	1	1	2	19	9	5	7	5	6	12	6	1	5	3	3	...	2	3	1	...	...	...	...	...
	F.	23	7	...	...	1	...	8	1	1	...	...	...	3	...	2	...	...	1	2	1	1	2	1	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	1720	391	101	61	36	30	619	84	49	53	76	81	59	63	56	37	59	53	78	65	102	79	57	25	13	5	7
Total: Males	890	233	49	35	20	15	352	43	23	23	40	38	25	28	34	21	24	26	36	30	55	42	27	14	4	2	2
Females	830	158	52	26	16	15	267	41	26	30	36	43	34	35	22	16	35	27	42	35	46	37	30	11	9	3	5
Unknown causes.																											
Total	59	28	12	....	1	2	43	2	....	1	....	....	....	....	1	....	1	....	2	....	5	2	2	....	....	....	....
Males	34	16	6	....	....	2	24	1	....	....	....	....	....	....	....	....	1	....	1	....	4	2	1	....	....	....	....
Females	25	12	6	....	1	....	19	1	....	1	....	....	....	....	1	....	....	....	1	....	1	....	1	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	336	160	31	25	11	13	180	39	24	7	14	15	6	9	3	4	5	1	7	5	4	7	3	1	1	....	1
Males	169	82	13	13	7	6	101	17	8	3	9	7	3	4	1	3	3	....	2	1	2	3	....	1	....	....	1
Females	167	38	18	12	4	7	79	22	16	4	5	8	3	5	2	1	2	1	5	4	2	4	3	....	1	....	....
1. Small-pox { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever { M.	14	1	2	2	1	2	8	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	17	3	1	1	1	1	7	7	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria { M.	25	2	2	3	4	3	14	8	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	37	2	2	7	1	4	16	11	9	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough { M.	10	9	1	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	14	6	4	1	2	1	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever { M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever { M.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever { M.	24	....	2	1	1	1	5	....	1	2	6	4	1	2	....	....	1	....	....	1	....	....	....	....	....	....	....
F.	20	....	....	....	....	....	....	2	4	3	1	3	....	1	....	....	1	....	2	1	2	....	....	....	....	....	....
9. Diarrhœa { M.	4	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
F.	10	2	1	1	....	....	4	....	....	....	....	....	....	1	1	....	1	....	1	1	....	1	....	....	....	....	....
10. Dysentery { M.	5	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....
F.	7	4	2	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
11. Enteritis { M.	16	8	....	....	....	....	8	2	2	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....
F.	13	3	2	1	....	....	6	....	....	....	1	1	....	....	....	1	....	1	....	....	....	1	2	....	....	....	....
12. Cholera morbus { M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	6	2	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	1	....	....
13. Cholera infantum { M.	41	30	5	5	....	....	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
F.	22	16	5	1	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever { M.	6	1	....	1	....	....	2	1	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
F.	3	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
15. Erysipelas { M.	6	....	....	....	....	....	....	....	....	....	2	2	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....
F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
16. Septicæmia { M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
F.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	10	....	....	....	....	....	....	....	....	....	3	3	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases { M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group { M.	10	2	....	1	....	....	3	1	1	....	....	....	....	....	....	1	1	....	1	....	1	1	....	....	....	....	....
F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
General diseases—B.																											
Total	12	7	1	....	....	....	8	....	1	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....
Males	9	5	1	....	....	....	6	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Worms { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism { M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons { M.	3	2	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition { M.	4	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	154	90	....	....	....	....	90	....	....	....	....	....	....	1	....	....	....	....	3	3	5	13	19	10	5	5	....
Males	88	57	....	....	....	....	57	....	....	....	....	....	....	....	....	....	....	....	2	1	3	8	9	6	....	2	....
Females	66	33	....	....	....	....	33	....	....	....	....	....	....	1	....	....	....	....	1	2	2	5	10	4	5	3	....
1. Premature birth { M.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn { M.	38	38	....	....	....	....	38	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	19	19	....	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation { M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility { M.	16	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	1	1	2	1	1	1	....	....	....
F.	15	6	....	....	....	....	6	....	....	....	....	....	....	1	....	....	....	....	1	1	1	3	1	1	....	....	....
5. Old age { M.	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	7	8	5	....	2	....
F.	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	9	3	5	3	....
6. Atrophy { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		348	19	10	5	3	3	40	7	6	27	24	36	30	24	21	11	18	16	22	16	21	15	7	5		2
Males		151	11	3	1	1	1	17	5	2	11	12	18	11	9	12	6	4	4	8	7	11	7	4	3		
Females		197	8	7	4	2	2	23	2	4	16	12	18	19	15	9	5	14	12	14	9	10	8	3	2		2
1. Rheumatism	M.	6							1			1							1	1	1	1					
	F.	9					1	1			1				2			1	1	1			2				
2. Scrofula and tabes	M.	5	3					3			1											1					
	F.	9	4	2	1			7						1							1						
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	100	3	2	1	1		7	3		4	10	17	11	8	11	4	3	3	3	3	5	5	2			
	F.	128	3	3	1	2		9	2	4	15	12	18	18	10	7	3	6	6	4	5	8	3	2	1		
5. Hydrocephaloid	M.	7	3				1	4		1	2																
	F.	2		1	1			2																			
6. Cancer	M.	8							1		1					1	1	1			1		1		1		
	F.	25													1	1	1	6	2	6	1	4	2		1		
7. Tumor	M.																										
	F.	3															1	1									1
8. Anæmia	M.	1										1															
	F.	1																				1					
9. Dropsy	M.	19	1	1				2			2		1		1		1		3	2	2	1	2	2			
	F.	18	1	1	1		1	4							2	1		2	2	2	2	1	1				1
10. Glycosuria	M.	4	1					1		1	1										1						
	F.	2																	1	1							
11. Others of this group	M.	1																		1							
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		248	79	11	7	8	3	108	9	3	4	4	7	1	7	5	5	6	7	14	14	17	16	15	2	3	1
Males		120	45	5	4	4		58	4	1	2	2	1		5	2	2		4	7	5	10	9	5	1	1	1
Females		128	34	6	3	4	3	50	5	2	2	2	6	1	2	3	3	6	3	7	9	7	7	10	1	2	
1. Inflammation of the brain	M.	21	9	3		2		14	1		1				2					2		1					
	F.	23	8	3	1	1	2	15	2	1						2		1	1	1							
2. Meningitis	M.	6	2	1	2			5		1																	
	F.	5	1					1		1	1	1	1														
3. Apoplexy	M.	20													1				4	3	1	4	3	2	1	1	
	F.	15											2					2	1	1	3	1	2	3			
4. Paralysis	M.	21							1		1	2				2				2	3	3	4	2			1
	F.	31					1	1								1	1	1	1	4	4	5	4	6	1	2	
5. Tetanus and trismus nascentium.	M.	3	3					3																			
	F.	2	1					1										1									
6. Epilepsy	M.	3							1								1						1				
	F.	2											1				1										
7. Convulsions	M.	30	28		1	1		30																			
	F.	33	23	2	1	2		28	3						2												
8. Mental diseases	M.	2													1						1						
	F.	3											2								1						
9. Diseases of the brain	M.	10	3	1	1	1		6					1				1					1		1			
	F.	11	1			1		2				1		1			1	1			1		1	1			
10. Diseases of the spinal cord	M.	1							1																		
	F.	4		1	1			2			1										1						
11. Others of this group	M.	3													1							1	1				
	F.	1																				1					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		65	3	1				4	2	4		2		3	1	2	3	5	6	8	4	11	7	1	2		
Males		38	3	1				4	2	1					1	2	1	2	4	4	2	9	5	1			
Females		27								3		2		3			2	3	2	4	2	2	2		2		
1. Angina pectoris	M.																										
	F.	1												1													
2. Aneurism	M.	1																				1					
	F.																										
3. Diseases of the heart	M.	35	1	1				2	2	1					1	2	1	2	4	4	2	8	5	1			
	F.	24								3		2		2			2	3	2	4	2	2	1		1		
4. Others of this group	M.	2	2					2																			
	F.	2																					1		1		
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		246	50	30	20	10	4	114	15	4	2	7	5	4	7	5	8	6	11	10	10	22	10	6	2	3	
Males		135	26	16	13	6	2	63	10	4	1	2	2	3	4	5	3	5	5	4	5	8	4	4	1	2	
Females		111	24	14	7	4	2	51	5		1	5	3	1	3			1	6	6	5	14	6	2	1	1	
1. Croup	M.	24	4	4	5	4	2	19	4	1																	
	F.	14	6	2	2	1	1	12	2																		
2. Laryngitis	M.	1												1													
	F.	2	1					1													1						
3. Bronchitis	M.	14	6		3			9											2			2		1			
	F.	6	1	2	1			4													1	1					
4. Pneumonia	M.	78	16	7	4	2		29	5	3	1	1	2	2	3	2	1	5	2	4	3	5	4	3	1	2	
	F.	80	14	9	4	3	1	31	2		1	4	2	1	3			1	5	6	3	12	5	2	1	1	
5. Pleurisy	M.	2														1			1								
	F.	1											1														
6. Asthma	M.	4															1				2	1					
	F.	2																	1		1						
7. Others of this group	M.	12		5	1			6	1			1			1	2	1										
	F.	6	2	1				3	1				1										1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		65	7	4	1			12	4		2		2	3	1	2	4	9	4	3	5	6	3	2	2	1	
Males		37	4	4	1			9	1		1		1	1		2	3	5	2	2	4	3		1	1	1	
Females		28	3					3	3		1		1	2	1		1	4	2	1	1	3	3	1	1		
1. Dentition	M.	3	1	2				3																			
	F.																										
2. Angina	M.																										
	F.	1							1																		
3. Gastritis	M.	1																1									
	F.	3																1	1				1				
4. Other diseases of the stomach	M.	7		1				1	1				1			1				1		1			1		
	F.	3																1		1	1						
5. Obstruction of the bowels	M.	3	1					1									1		1								
	F.																										
6. Hernia	M.	3	1	1				2										1									
	F.																										
7. Other diseases of the bowels	M.																										
	F.																										
8. Jaundice	M.	1																1									
	F.	1	1					1																			
9. Inflammation and abscess of the liver.	M.	4												1		1		1	1								
	F.	3							1									1		1							
10. Other diseases of the liver	M.	5			1			1									2				1			1			
	F.	5	2					2										1	1					1			
11. Peritonitis	M.	1																			1						
	F.	3									1			1	1												
12. Ascites	M.	2																			1	1					
	F.	1																					1				
13. Others of this group	M.	7	1					1			1							1		1	1	1		1			
	F.	8							1				1	1			1					2	1		1			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		49	1				1	2	1		3	2	2	3	2	5		3	6	2	5	8	3	2				
Males		30					1	1	1		1	1	1	2	1	4		1	5	1	3	5	1	2				
Females		19	1					1			2	1	1	1	1	1		2	1	1	2	3	2					
1. Bright's disease	M.	14							1		1	1	1		1	2		1	5		1							
	F.	16									1	1	1	1	1	1		2	1	1	2	3	1					
2. Calculus, urinary	M.	4												1							1	1		1				
	F.																											
3. Diseases of the kidney	M.	4					1	1						1						1	1							
	F.	1									1																	
4. Diseases of the bladder	M.	3																				2		1				
	F.																											
5. Others of this group	M.	5														2						2	1					
	F.	2	1					1															1					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		8									1	1		2			1	2				1					
1. Ovarian tumors	F.	1												1													
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.																										
5. Others of this group	F.	7									1	1		1			1	2				1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		22										3	5	1	6	4	2										1
1. Abortion	F.	1													1													
2. Child-birth	F.	14										2	1	1	4	4	1										1
3. Others of this group	F.	7										1	1		1		1										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		7				1		1	1	1	1		1							1	1						
Males		4				1		1		1			1								1						
Females		3							1		1									1							
1. Diseases of the spine	M.	2											1								1						
	F.	2							1		1																
2. Diseases of the bones	M.																										
	F.	1																		1							
3. Diseases of the hip-joint	M.	1								1																	
	F.																										
4. Others of this group	M.	1				1		1																			
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MARYLAND—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4										1			1					1	1						
Males		3										1			1					1							
Females		1																			1						
1. Abscess	M.	3										1			1					1							
	F.	1																			1						
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		97	7	1	3	2	4	17	4	6	5	18	8	5	4	8	3	4	2	4	1	2	3		1		2
Males		72	4		3	1	3	11	2	5	4	13	7	4	3	6	2	3	2	4	1	1	3		1		
Females		25	3	1		1	1	6	2	1	1	5	1	1	1	2	1	1				1						2
1. Burns and scalds	M.	7			2		2	4	1	1		1															
	F.	14				1	1	2	1	1	1	4	1			1	1	1									1
2. Drowned	M.	10			1	1	1	3	1	1			2		1	1	1										
	F.	1		1				1																			
3. Exposure and neglect	M.	3	1					1										1					1				
	F.																										
4. Gunshot wounds	M.	3								1				1		1											
	F.	1										1															
5. Homicide	M.	1											1														
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	7									1	2	3			1											
	F.																										
9. Suffocation	M.	3	2					2								1											
	F.	4	3					3	1																		
10. Suicide by shooting	M.	2																	1		1						
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.	1												1													
	F.																										
13. Other suicides	M.	4										2							1	1							
	F.	2												1		1											
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	3										1			1			1									
	F.																										
17. Other accidents and injuries	M.	28	1					1		2	3	7	1	2	1	2	1	1		3		1	2		1		
	F.	3													1							1					1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 1.

[Exclusive of BOSTON, CAMBRIDGE, FALL RIVER, LAWRENCE, LOWELL, and LYNN.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	12068	2161	543	321	236	196	3457	535	222	393	583	520	468	481	420	394	438	459	542	668	706	722	569	343	130	27	6
Total: Males	6001	1223	277	167	133	95	1895	270	108	165	251	213	204	231	201	200	228	237	308	350	350	353	248	135	43	5	6
Females	6067	938	266	154	103	101	1562	265	114	228	332	307	264	250	219	194	210	222	234	313	356	369	321	208	87	22	...
Unknown causes.																											
Total	227	78	5	2	3	5	93	10	2	4	6	7	4	6	4	5	8	9	10	14	13	19	9	2	....	1	1
Males	132	43	3	2	2	2	52	6	1	2	6	3	3	3	3	3	4	5	6	9	8	11	4	1	....	1	1
Females	95	35	2	..	1	3	41	4	1	2	...	4	1	3	1	2	4	4	4	5	5	8	5	1	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	2250	556	244	171	115	110	1196	322	98	72	68	58	40	44	35	31	27	25	31	48	49	52	36	12	3	1	2
Males	1131	302	130	92	60	53	637	145	40	34	29	22	16	19	14	17	16	10	15	29	26	32	19	7	2	....	2
Females	1119	254	114	79	55	57	559	177	58	38	39	36	24	25	21	14	11	15	16	19	23	20	17	5	1	1	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	11	4	1	1	1	....	7	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	3	....	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	108	16	13	20	20	9	78	26	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	92	6	18	15	11	7	57	23	4	2	2	2	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
4. Diphtheria M.	308	12	42	49	27	32	162	102	25	5	4	2	1	4	1	....	....	....	....	....	....	....	....	....	....	....	2
4. Diphtheria F.	351	10	40	46	36	41	173	118	39	6	4	3	2	2	1	....	2	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	37	19	11	5	..	1	36	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	43	26	8	4	1	....	39	3	1	..	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....
6. Fever F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	20	4	1	2	1	....	....	2	2	....	....	2	1	....	....	2	....	....	1	1	1	....	....	....	....	....	....
7. Cerebro-spinal fever F.	27	1	1	2	2	1	....	8	1	2	1	....	....	2	1	....	1	....	1	2	1	....	....	....	....	....	....
8. Enteric fever M.	121	1	....	2	1	1	5	4	5	21	18	11	9	5	8	9	6	2	3	7	2	5	1	....	....	....	....
8. Enteric fever F.	97	2	....	1	..	4	7	10	9	18	15	10	4	4	3	2	....	2	2	4	3	5	....	1	....	....	....
9. Diarrhœa M.	55	21	1	....	1	1	24	1	....	....	1	....	....	2	1	2	....	2	3	4	6	4	2	3	....	....	....
9. Diarrhœa F.	41	17	6	1	....	....	24	1	....	....	....	4	....	....	2	1	....	....	....	2	1	1	4	1	....	....	....
10. Dysentery M.	92	19	17	6	6	2	50	5	....	1	2	4	1	2	....	....	1	..	2	3	6	8	6	1	....	....	....
10. Dysentery F.	82	15	9	0	1	2	33	5	1	1	1	1	2	1	3	2	4	3	4	3	9	2	4	1	1	1	....
11. Enteritis M.	40	14	3	1	2	....	20	....	1	2	1	....	1	2	....	1	4	2	2	2	2	....	....	....	....	....	....
11. Enteritis F.	47	11	1	....	....	....	12	2	1	3	1	1	1	1	6	3	2	2	3	1	1	4	3	....	....	....	....
12. Cholera morbus M.	16	3	1	....	....	....	4	1	....	....	....	....	1	....	....	....	....	2	1	2	1	3	....	1	....	....	....
12. Cholera morbus F.	21	3	1	....	....	....	4	1	1	....	....	....	....	1	1	2	....	....	3	1	3	2	2	....	....	....	....
13. Cholera infantum M.	204	160	37	4	1	2	204	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	174	144	23	3	4	....	174	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	14	1	....	....	....	2	3	....	....	1	1	3	....	....	1	....	....	....	1	1	2	1	....	....	....	....	....
14. Malarial fever F.	11	....	1	....	....	1	2	....	1	2	....	....	1	1	....	....	....	2	....	1	1	....	....	....	....	....	....
15. Erysipelas M.	38	12	1	1	....	....	14	....	....	....	....	....	1	2	1	1	2	....	2	3	3	6	3	....	....	....	....
15. Erysipelas F.	26	7	2	....	....	....	9	1	....	....	....	....	1	....	....	2	1	3	2	3	1	1	2	....	....	....	....
16. Septicæmia M.	18	1	....	1	..	3	5	1	2	2	....	....	....	....	2	1	3	....	....	1	1	....	....	....	....	....	....
16. Septicæmia F.	21	....	1	....	....	1	2	3	....	....	3	2	5	2	1	1	1	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	44	....	....	....	....	....	....	....	....	....	3	10	11	5	11	2	1	....	1	....	....	....	....	....	....	....	....
18. Venereal diseases M.	13	9	1	....	....	....	10	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....
18. Venereal diseases F.	13	8	1	....	....	....	9	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	33	6	1	....	....	....	7	....	....	2	....	....	1	1	....	....	....	1	1	4	2	4	6	2	2	....	....
19. Others of this group F.	25	4	1	1	....	....	6	....	....	1	1	..	1	....	1	....	....	1	1	2	3	5	1	2	....	....	....
General diseases—B.																											
Total	75	25	....	1	....	4	30	....	....	....	2	4	5	4	8	5	5	5	5	1	....	....	....	1	....	....	....
Males	46	12	....	....	....	1	13	....	....	....	1	3	3	4	5	3	5	4	3	1	....	....	....	1	....	....	....
Females	29	13	....	1	....	3	17	....	....	....	1	1	2	....	3	2	....	1	2	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	2	....	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	23	....	....	....	....	....	....	....	....	....	1	2	2	3	3	3	4	1	3	1	....	....	....	....	....	....	....
3. Alcoholism F.	5	....	....	....	....	....	....	....	....	....	1	1	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....
4. Lead poison M.	1	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	11	1	..	....	....	1	2	....	....	....	....	1	1	1	2	....	1	2	....	....	....	....	....	1	....	....	....
5. Other poisons F.	6	....	....	....	....	2	2	....	....	....	....	....	....	....	2	1	....	....	1	....	....	....	....	....	....	....	....
6. Inanition M.	11	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	16	13	....	....	....	....	13	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	1611	816	17	2	2	1	838	3	1	1	3	3	3	2	4	7	2	3	16	20	56	128	213	195	91	22	....
Males	787	475	6	1	1	....	483	1	....	1	2	1	....	1	....	5	1	1	6	9	33	56	84	67	32	4	....
Females	824	341	11	1	1	1	355	2	1	....	1	2	3	1	4	2	1	2	10	11	23	72	129	128	59	18	....
1. Premature birth M.	74	74	....	....	....	....	74	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	62	62	....	....	....	....	62	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	267	267	....	....	....	....	267	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	172	172	....	....	....	....	172	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	12	10	1	....	....	....	11	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	193	124	5	1	1	....	131	1	....	1	1	1	....	1	....	5	1	1	5	8	14	8	6	6	1	2	....
4. Debility F.	202	102	11	1	1	1	116	2	1	....	1	2	3	1	4	2	1	2	7	5	8	21	13	12	1	....	....
5. Old age M.	241	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	19	48	78	61	31	2	....
5. Old age F.	383	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	6	15	51	116	116	58	18	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2831	121	50	30	19	12	232	29	42	214	322	291	224	206	179	156	164	129	158	162	148	110	51	12	2	....	....
Males		1234	70	30	16	9	7	132	11	16	71	125	112	88	95	77	67	76	63	87	74	68	45	21	5	1	....	....
Females		1597	51	20	14	10	5	100	18	26	143	197	179	136	111	102	89	88	66	71	88	80	65	30	7	1	....	....
1. Rheumatism	M.	23	....	....	....	....	....	....	....	3	1	2	1	....	1	1	1	2	1	....	3	3	3	1	....	....	....	....
	F.	20	....	....	....	1	....	1	2	4	1	....	....	....	....	....	....	....	2	1	5	1	2	1	....	....	....	....
2. Scrofula and tabes	M.	14	7	1	1	....	1	10	....	....	....	2	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	14	3	1	....	....	1	5	....	1	2	....	....	....	....	....	1	....	1	1	....	2	....	1	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	895	29	12	4	2	3	50	3	7	66	120	100	85	88	68	58	56	40	45	40	33	19	8	2	1	....	....
	F.	1099	21	8	6	3	....	38	7	17	135	193	163	122	88	66	49	51	28	26	35	38	28	13	2	....	....	....
5. Hydrocephalus	M.	73	29	15	10	6	2	62	7	2	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	64	24	11	7	6	4	52	6	3	1	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
6. Cancer	M.	115	1	....	....	....	....	1	1	1	....	1	1	2	2	2	4	13	12	25	14	17	11	6	2	....	....	....
	F.	248	....	....	....	....	....	....	....	1	....	....	3	10	9	25	31	28	30	27	29	24	20	9	2	....	....	....
7. Tumor	M.	14	1	....	....	....	....	1	....	1	1	....	1	....	....	1	1	1	1	3	1	2	....	....	....	....	....	....
	F.	35	....	....	....	....	....	....	....	....	....	1	....	....	5	6	5	3	1	5	3	3	2	....	1	....	....	....
8. Anæmia	M.	10	2	....	....	....	....	2	....	1	....	....	1	1	....	....	1	....	....	1	1	....	2	....	....	....	....	....
	F.	22	2	....	1	....	....	3	....	....	1	2	5	1	4	....	1	....	....	2	1	....	2	....	....	....	....	....
9. Dropsy	M.	76	....	2	1	1	....	4	....	1	1	....	1	....	2	4	1	4	5	12	13	11	10	6	1	....	....	....
	F.	79	....	....	....	....	....	....	2	....	3	1	3	3	3	4	2	5	3	7	14	11	10	5	2	1	....	....
10. Glycosuria	M.	12	....	....	....	....	....	....	....	....	2	....	....	....	1	1	1	....	3	1	2	1	....	....	....	....	....	....	....
	F.	13	....	....	....	....	....	....	....	....	....	....	4	....	2	1	....	1	1	1	1	1	1	....	....	....	....	....	....
11. Others of this group	M.	2	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1528	211	88	48	33	19	399	33	18	14	31	21	30	44	57	49	56	86	95	129	161	140	102	48	13	1	1
Males		758	114	37	23	20	6	200	24	14	9	13	6	14	24	32	28	27	46	60	57	72	63	46	20	2	....	1
Females		770	97	51	25	13	13	199	9	4	5	18	15	16	20	25	21	29	40	35	72	89	77	56	28	11	1	....
1. Inflammation of the brain	M.	31	6	2	2	4	2	16	2	3	1	1	1	....	1	1	1	1	....	....	....	2	....	....	....	....	....	1
	F.	35	9	6	1	1	4	21	3	1	1	1	1	1	1	....	....	2	1	1	....	1	....	....	....	....	....	....
2. Meningitis	M.	74	21	10	7	5	4	47	9	4	2	1	1	....	2	2	....	....	3	....	1	2	....	....	....	....	....	....
	F.	81	17	12	11	8	3	51	4	2	....	7	2	1	3	1	2	1	1	....	2	2	1	1	....	....	....	....
3. Apoplexy	M.	149	1	....	....	....	....	1	....	....	....	....	1	3	4	5	10	11	17	17	15	24	21	16	8	1	....	....
	F.	171	1	....	1	....	....	2	....	....	....	....	3	4	9	8	8	10	14	9	26	22	24	15	11	5	1	....
4. Paralysis	M.	199	....	....	....	....	....	....	....	....	....	4	....	6	2	12	7	9	15	25	24	28	32	20	14	1	....	....
	F.	234	1	1	....	....	....	2	....	....	....	1	3	3	3	8	7	8	11	17	33	43	38	33	15	4	....	....
5. Tetanus and trismus nascentium.	M.	9	3	....	....	....	....	3	2	1	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	5	4	....	....	....	....	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	8	....	....	....	....	....	....	1	....	1	....	....	....	....	3	....	....	1	1	....	1	....	....	....	....	....	....	....
	F.	14	....	....	....	....	1	1	....	....	1	2	....	3	1	....	....	1	....	1	....	2	2	....	....	....	....	....	....
7. Convulsions	M.	109	66	11	11	9	....	97	4	1	1	....	1	....	2	....	....	....	1	....	....	....	....	2	....	....	....	....	....
	F.	96	54	25	7	4	5	95	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	38	....	....	....	....	....	....	....	....	....	1	1	3	8	4	4	2	1	3	4	5	....	1	1	....	....	....	....
	F.	86	....	....	....	....	....	....	....	....	1	2	3	2	2	1	2	3	4	2	2	4	3	3	1	1	....	....
9. Diseases of the brain	M.	132	17	14	3	2	....	36	6	5	3	3	1	2	5	4	6	4	8	12	13	9	8	5	2	....	....	....
	F.	87	11	7	4	....	....	22	2	....	2	3	3	1	....	7	1	3	7	5	6	10	9	5	....	1	....	....
10. Diseases of the spinal cord	M.	5	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....
	F.	7	....	....	1	....	....	1	....	....	....	1	....	1	....	....	....	1	....	....	3	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		781	44	3	2	1	4	54	11	10	10	22	21	19	33	34	31	49	57	62	92	95	103	49	22	4	1	2
Males		415	24	2	2	1	3	32	3	3	5	12	8	7	18	11	15	25	32	41	56	55	62	16	11	1	....	2
Females		366	20	1	....	....	1	22	8	7	5	10	13	12	15	23	16	24	25	21	36	40	41	33	11	3	1	....
1. Angina pectoris	M.	13	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	1	....	2	5	1	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	2	....	1	....	1	....	....	....	....	....
2. Aneurism	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	384	11	2	1	1	3	18	3	3	5	12	8	7	17	10	12	23	31	41	53	50	61	16	11	1	....	2
	F.	351	13	1	....	....	1	15	8	7	5	10	12	12	14	22	16	24	25	18	36	39	41	32	11	3	1	....
4. Others of this group	M.	14	13	....	1	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1426	218	107	48	47	29	449	74	14	32	39	33	47	68	36	46	54	74	82	86	101	81	62	36	12	....	....
Males		706	133	55	21	29	14	252	40	7	10	18	15	20	32	16	22	31	37	41	41	42	39	28	12	3	....	....
Females		720	85	52	27	18	15	197	34	7	22	21	18	27	36	20	24	23	37	41	45	59	42	34	24	9	....	....
1. Croup	M.	103	20	20	10	18	9	77	25	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	82	7	19	12	11	9	58	20	1	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....
2. Laryngitis	M.	7	2	1	....	....	....	3	1	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	5	1	....	....	2	....	3	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	85	30	6	2	....	1	39	2	1	....	2	1	1	....	1	....	....	4	4	5	7	6	7	4	1	....	....
	F.	91	17	3	3	....	....	23	2	....	3	3	....	6	4	1	1	2	5	2	4	10	7	10	7	1	....	....
4. Pneumonia	M.	413	54	25	8	10	4	101	8	5	8	12	12	14	25	13	18	26	27	34	31	26	26	18	7	2	....	....
	F.	428	44	26	9	2	5	86	11	5	15	11	14	15	23	17	17	21	19	32	30	40	30	20	14	6	....	....
5. Pleurisy	M.	18	....	....	....	....	....	....	....	1	1	3	....	3	2	....	1	2	....	....	1	1	3	....	....	....	....	....	....
	F.	25	....	....	1	....	....	1	....	....	....	2	1	4	2	1	....	....	4	4	3	2	....	....	1	....	....	....	....
6. Asthma	M.	9	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	2	....	1	1	1	....	1	....	....	....	....	....
	F.	9	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	3	....	2	1	....	....	....	1	....	....	....	....
7. Others of this group	M.	71	25	3	1	1	....	30	4	....	1	....	2	2	4	1	1	3	5	2	2	7	4	2	1	....	....	....
	F.	80	15	4	2	3	1	25	1	1	4	5	3	1	3	1	3	....	8	1	6	6	5	4	2	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		449	65	14	7	4	1	91	4	6	14	20	24	15	19	16	19	35	27	27	42	37	30	17	4	2	.....
Males		214	37	4	5	2	....	48	1	4	8	7	13	6	5	10	11	18	11	11	20	16	12	10	3	....	.....
Females		235	28	10	2	2	1	43	3	2	6	13	11	9	14	6	8	17	16	16	22	21	18	7	1	2	.....
1. Dentition	M.	20	13	4	3	....	....	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	22	14	7	1	....	....	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Gastritis	M.	17	1	.....	.....	1	....	2	.....	.....	1	.....	1	.....	.....	1	3	1	.....	.....	.....	4	1	3	.....	.....	.....
	F.	24	2	1	1	.....	....	4	1	.....	.....	2	.....	1	2	1	2	2	2	1	1	1	2	1	.....	1	.....
4. Other diseases of the stomach	M.	29	3	.....	.....	1	....	4	.....	.....	.....	.....	1	2	2	1	1	1	2	2	6	2	2	3	.....	.....	.....
	F.	29	1	1	.....	1	....	3	1	.....	2	1	1	2	1	.....	1	1	2	.....	3	7	4	.....	.....	.....	.....
5. Obstruction of the bowels	M.	12	2	.....	.....	.....	....	2	.....	1	1	.....	1	.....	1	.....	1	.....	1	1	1	.....	2	.....	.....	.....	.....
	F.	19	.....	.....	.....	1	....	1	.....	.....	.....	.....	.....	1	1	2	.....	2	1	3	4	.....	3	1	.....	.....	.....
6. Hernia	M.	11	2	.....	.....	.....	....	2	.....	.....	1	3	.....	.....	.....	.....	.....	1	.....	.....	.....	3	1	.....	.....	.....	.....
	F.	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7. Other diseases of the bowels	M.	14	2	.....	.....	.....	....	2	.....	1	.....	.....	2	.....	.....	.....	1	.....	2	1	3	2	.....	.....	.....	.....	.....
	F.	13	1	.....	.....	.....	....	1	.....	1	1	1	2	.....	.....	.....	1	1	.....	2	1	1	.....	1	.....	.....	.....
8. Jaundice	M.	11	6	.....	.....	.....	....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	1	.....
	F.	3	1	.....	.....	.....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
9. Inflammation and abscess of the liver.	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10. Other diseases of the liver	M.	55	2	.....	1	.....	....	3	.....	1	.....	1	4	3	.....	5	2	7	3	5	8	4	6	.....	1	.....	.....
	F.	59	3	1	.....	.....	....	4	.....	.....	.....	2	1	1	1	2	2	7	6	6	8	6	7	5	1	.....	.....
11. Peritonitis	M.	33	3	.....	.....	.....	....	3	1	1	5	3	4	1	2	2	2	4	1	1	2	.....	.....	1	.....	.....	.....
	F.	47	4	.....	.....	.....	1	5	1	1	3	7	7	3	8	1	1	3	.....	4	.....	3	.....	.....	.....	.....	.....
12. Ascites	M.	2	.....	.....	1	.....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	F.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	2	.....	.....	.....	1	.....	.....	.....	.....
13. Others of this group	M.	10	3	.....	.....	.....	....	3	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	2	.....	.....
	F.	3	2	.....	.....	.....	....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		318	....	2	2	2	1	7	4	9	7	17	11	19	13	16	16	17	23	23	45	32	31	19	8	1	.....
Males		208	....	2	1	1	....	4	4	4	3	8	3	11	8	12	6	9	14	15	37	24	23	16	6	1	.....
Females		110	....	.....	1	1	1	3	.....	5	4	9	8	8	5	4	10	8	9	8	8	8	8	3	2	....	.....
1. Bright's disease	M.	97	....	1	1	.....	....	2	2	3	3	3	2	8	6	9	4	7	10	5	15	7	6	3	2	.....	.....
	F.	68	....	.....	.....	.....	1	1	.....	3	3	4	6	6	3	4	7	7	6	4	5	4	4	1	.....	.....	.....
2. Calculus, urinary	M.	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Diseases of the kidney	M.	58	....	1	....	1	....	2	1	1	.....	4	1	2	1	2	1	2	2	2	10	8	9	5	1	.....	.....
	F.	28	....	.....	....	1	....	1	....	2	1	3	1	2	.....	.....	2	1	3	4	3	2	2	.....	1	.....	.....
4. Diseases of the bladder	M.	29	....	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	6	7	5	3	2	2	1	.....
	F.	4	....	.....	.....	.....	....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
5. Others of this group	M.	21	....	.....	.....	.....	....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	1	1	4	4	5	2	1	.....	.....
	F.	10	....	.....	1	.....	....	1	.....	.....	.....	1	1	.....	2	.....	1	.....	.....	.....	.....	2	.....	1	1	.....	.....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		18	....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	1	1	1	1	2	3	.....	.....	3	.....	.....	.....	.....
1. Ovarian tumors	F.	5	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....
2. Ovarian diseases	F.	1	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
3. Uterine tumors	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Uterine diseases	F.	2	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5. Others of this group	F.	10	....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	1	1	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		63	....	.....	.....	.....	.....	.....	3	....	1	10	12	18	13	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Abortion	F.	4	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Child-birth	F.	35	....	.....	.....	.....	.....	.....	.....	.....	1	5	7	10	9	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Others of this group	F.	24	....	.....	.....	.....	.....	.....	3	....	.....	5	4	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		29	....	1	....	1	....	2	1	1	1	4	2	1	1	1	1	1	2	6	1	3	.....	1	.....	.....	.....
Males		11	....	.....	....	1	....	1	1	....	1	.....	.....	.....	.....	1	1	.....	2	2	.....	1	.....	1	.....	.....	.....
Females		18	....	1	....	.....	....	1	.....	1	....	4	2	1	1	.....	.....	1	.....	4	1	2	.....	.....	.....	.....	.....
1. Diseases of the spine	M.	9	....	.....	....	1	....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	2	2	.....	1	.....	1	.....	.....	.....
	F.	16	....	1	....	.....	....	1	.....	1	....	3	2	1	1	.....	.....	1	.....	3	1	2	.....	.....	.....	.....	.....
2. Diseases of the bones	M.	2	....	.....	....	.....	....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	2	....	.....	....	.....	....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
3. Diseases of the hip-joint	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Others of this group	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		35	5		1			6	3		2	2	1	3	1		1	1	3	3	2	3	4				
Males		18	4					4	3			1		3	1			1	1	1		1	2				
Females		17	1		1			2			2	1	1				1		2	2	2	2	2				
1. Abscess	M.	17	4					4	3					3	1			1	1	1		1	2				
	F.	12	1		1			2			1	1	1				1		1	1	1	1	2				
2. Carbuncle	M.	1										1															
	F.	4									1								1		1	1					
3. Others of this group	M.																										
	F.	1																		1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2													1						1						
Males																											
Females		2													1						1						
1. Addison's disease	M.																										
	F.	2													1						1						
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		423	22	12	7	9	10	60	38	21	21	33	31	39	25	24	25	17	13	21	20	8	11	10	3	2	1
Males		340	9	8	4	7	9	37	31	19	21	29	27	33	21	20	22	15	10	20	17	4	8	3	2	1	
Females		83	13	4	3	2	1	23	7	2		4	4	6	4	4	3	2	3	1	3	4	3	7	1	1	1
1. Burns and scalds	M.	16		3	3	2	1	9	1	1	1	1		1			1						1				
	F.	14	1		3	1	1	6	3	1			1	1		1		1									
2. Drowned	M.	87		2	1	3	3	9	18	6	9	8	6	6	5	4	2	4	3	1	4		2				
	F.	10		2				2	1	1		1	1	1		1	1	1									
3. Exposure and neglect	M.	2																1							1		
	F.	2	1					1														1					
4. Gunshot wounds	M.	5									1	1		2					1								
	F.	1										1															
5. Homicide	M.																										
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	1																				1					
	F.																										
8. Railroad accidents	M.	35		1				1	2	1	5	3	5	2	3		4	3		2	2	1	1				
	F.	3										2									1						
9. Suffocation	M.	17	5	1			3	9		3			1	2			1		1								
	F.	7	4					4	1					1						1							
10. Suicide by shooting	M.	4														1			2	1							
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.	3															2			1							
	F.																										
13. Other suicides	M.	31									1	4	3	2	1	2	3	4		4	3	2	2				
	F.	5													2	1	1							1			
14. Sunstroke	M.	3								1			1							1							
	F.	1	1					1																			
15. Surgical operations	M.	2													1							1					
	F.																										
16. Wounds	M.	1																		1							
	F.	1																					1				
17. Other accidents and injuries	M.	133	4	1		2	2	9	10	7	4	12	11	13	11	13	9	3	3	9	7		2	3	1	1	
	F.	39	6	2		1		9	2				2	3	2	1	1		3		2	3	3	5	1	1	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 2.

[Exclusive of WORCESTER.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		7115	1269	337	226	176	138	2146	314	151	268	361	280	242	296	226	216	219	281	318	366	404	412	336	181	66	30	2
Total: Males		3524	725	174	118	76	67	1160	156	74	102	153	129	104	118	118	84	102	147	175	193	217	207	166	81	26	11	1
Females		3591	544	163	108	100	71	986	158	77	166	208	151	138	178	108	132	117	134	143	173	187	205	170	100	40	19	1
Unknown causes.																												
Total		58	25	....	....	1	....	26	2	1	2	2	2	2	3	....	1	2	2	....	4	5	2	1	1	....	....	....
Males		26	14	..	..	..	....	14	.....	1	....	....	....	....	....	....	1	2	..	....	2	4	1	1	....	....	....	....
Females		32	11	..	..	1	....	12	2	....	2	2	2	2	3	....	....	....	2	....	2	1	1	....	1	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1471	366	142	117	100	88	813	181	66	54	40	32	32	28	26	20	22	22	25	29	26	22	20	9	3	1	....
Males		718	188	70	59	40	39	396	88	29	27	15	14	19	9	13	9	12	11	17	18	13	14	9	3	2	....	....
Females		753	178	72	58	60	49	417	93	37	27	25	18	13	19	13	11	10	11	8	11	13	8	11	6	1	1	....
1. Small-pox	M.	2	..	2	....	....	....	2	.....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	1	..	1	2	4	.....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	15	5	2	4	....	....	11	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	3	7	3	3	....	16	2	3	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	123	14	16	24	17	12	83	30	6	1	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	136	9	12	21	24	15	81	39	5	5	1	1	1	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....
4. Diphtheria	M.	141	9	16	19	16	19	79	43	10	2	2	1	2	1	..	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	158	9	21	19	22	28	99	36	13	1	2	....	2	....	....	1	1	....	2	....	....	....	....	....	....	1	....	....
5. Hooping-cough	M.	12	10	2	....	....	....	12	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	37	22	8	1	2	1	34	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	1	....	....	....	....	....	1	.....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	17	....	1	1	2	2	6	4	2	3	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
	F.	13	1	....	2	2	....	5	4	..	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	101	5	2	....	2	4	13	7	6	13	8	5	10	5	5	3	3	7	7	2	3	3	1	....	....	....	....	....
	F.	78	2	1	....	1	....	4	6	9	11	8	6	6	8	2	3	3	2	1	1	3	....	3	1	1	....	....	....
9. Diarrhœa	M.	26	14	3	....	....	....	17	.....	....	....	....	....	1	....	1	1	....	....	....	3	1	1	1	....	....	....	....	....
	F.	19	11	1	....	....	....	12	.....	....	....	1	....	....	1	....	1	....	....	....	1	1	....	1	1	....	....	....	....
10. Dysentery	M.	30	10	3	2	2	1	18	1	....	....	....	....	....	....	....	....	2	....	1	2	1	3	....	1	1	....	....	....
	F.	32	13	1	2	..	....	16	.....	....	....	1	....	....	....	1	2	....	2	....	3	....	3	3	1	....	....	....	....
11. Enteritis	M.	56	19	4	3	....	....	26	1	3	4	1	3	1	1	2	1	2	1	3	4	2	1	....	....	....	....	....	....
	F.	56	10	6	3	2	....	21	1	4	2	4	2	1	....	1	....	3	2	4	4	4	....	2	1	....	....	....	....
12. Cholera morbus	M.	11	2	1	....	....	....	3	1	....	....	....	2	1	....	....	....	....	....	....	....	2	1	....	1	....	....	....	....
	F.	12	3	....	....	....	....	3	1	1	....	....	1	1	....	2	1	....	....	....	....	1	....	1	....	....	....	....	....
13. Cholera infantum	M.	117	93	18	5	1	....	117	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	105	86	12	5	....	2	105	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	18	....	....	1	....	1	2	.....	1	2	1	....	1	....	1	....	3	2	3	....	....	1	1	....	....	....	....	....
	F.	14	1	1	....	3	....	5	.....	....	....	....	3	....	....	....	....	2	2	....	....	1	1	....	....	....	....	....	....
15. Erysipelas	M.	25	4	....	....	....	....	4	.....	....	....	1	2	....	2	3	....	1	....	1	5	2	1	3	....	....	....	....	....
	F.	17	4	....	1	....	....	5	1	....	....	1	1	....	1	....	2	....	1	1	2	....	....	1	1	....	....	....	....
16. Septicæmia	M.	4	....	....	....	....	....	....	.....	....	1	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....
	F.	4	....	....	1	....	....	1	.....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....
17. Puerperal septicæmia	F.	23	....	....	....	....	....	....	.....	....	2	6	3	2	7	3	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	2	2	....	....	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	3	....	....	....	....	3	.....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	16	1	....	....	....	....	1	.....	....	....	....	....	2	....	1	....	1	1	....	1	1	3	3	1	1	....	....	....
	F.	12	....	1	....	....	1	2	.....	1	1	1	....	....	....	1	....	....	....	....	..	2	3	....	1	....	....	....	....
General diseases—B.																													
Total		38	10	....	2	1	1	14	.....	....	....	....	2	3	1	5	1	4	2	....	1	3	1	1	....	....	....	....
Males		26	6	....	1	1	....	8	.....	....	....	....	1	2	1	5	1	3	1	....	....	2	1	1	....	....	....	....
Females		12	4	....	1	....	1	6	.....	....	....	....	1	1	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....
1. Worms	M.	1	....	....	1	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	11	....	....	....	....	....	....	.....	....	....	....	1	2	1	5	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	2	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	5	....	....	....	1	....	1	.....	....	....	....	....	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	1	1	.....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	7	6	....	....	....	....	6	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	7	4	....	....	....	....	4	.....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....
General diseases—C.																													
Total		865	365	3	3	3	1	375	.....	1	2	1	3	1	4	4	2	5	7	6	20	51	87	131	93	49	23	....
Males		451	233	1	1	....	1	236	.....	....	1	....	1	....	....	1	1	1	1	5	9	21	46	62	40	19	7	....
Females		414	132	2	2	3	....	139	.....	1	1	1	2	1	4	3	1	4	6	1	11	30	41	69	53	30	16	....
1. Premature birth	M.	22	22	....	....	....	....	22	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	15	....	....	....	....	15	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	129	129	....	....	....	....	129	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	58	58	....	....	....	....	58	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	6	6	....	....	....	....	6	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	112	76	1	1	....	1	79	.....	....	1	....	1	....	....	1	1	1	1	3	6	3	8	4	3	....	....	....	....
	F.	106	57	2	2	3	....	64	.....	1	1	1	2	1	4	3	1	4	6	....	5	5	4	3	1	....	....	....	....
5. Old age	M.	182	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	2	3	18	38	58	37	19	7	....	....
	F.	233	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	1	6	25	37	66	52	30	16	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1632	80	26	24	13	4	147	25	24	135	196	154	115	110	90	81	82	83	94	89	77	68	40	11	2		
Males		677	37	14	13	6	4	74	12	9	34	79	70	41	41	45	22	30	38	41	43	43	34	16	4	1		
Females		955	43	12	11	7		73	13	15	101	117	84	74	69	54	59	52	45	53	46	34	34	24	7	1		
1. Rheumatism	M.	10								1	1			1	1		1			1	2	1	1					
	F.	20							1	1			1	2		1	1	3	3		4	2	1					
2. Scrofula and tabes	M.	14	5	1		1		7			2	1	2	1		1												
	F.	20	5		1			6	2	1	1	2			1		2	2	1		2							
3. Leprosy	M.																											
	F.	1																	1									
4. Consumption	M.	462	10	3	2		1	16	3	5	30	76	64	38	37	41	11	24	26	25	24	21	15	6				
	F.	646	15	4	4	4		27	5	11	93	111	83	65	51	30	30	26	17	20	28	14	15	9	4	1		
5. Hydrocephalus	M.	45	19	9	9	3	1	41	3	1																		
	F.	41	18	8	5	3		34	3		2										1							
6. Cancer	M.	65	1					1	2				1		1	1	4	4	6	6	9	13	11	4	2			
	F.	119										2		5	7	11	15	15	11	22	9	8	7	5	2			
7. Tumor	M.	5	1					1				1		1							1							
	F.	18										1				2	3	3	2		2	1	1	2	1			
8. Anæmia	M.	8	1		1			2				1				1			1	1	1			1				
	F.	15	2					2		2	2			1	2	2			2	1		1						
9. Dropsy	M.	58		1		2	2	5	4	1	1		1		1	2	5	2	3	7	6	7	5	5	2	1		
	F.	68	3					3			2	1		2	5	3	8	5	7	6	6	4	9	7				
10. Glycosuria	M.	9								1			2		1				2			1	2					
	F.	7			1			1	2		1		1		1					1								
11. Others of this group	M.	1			1			1																				
	F.	1																	1									
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		907	152	61	31	18	12	274	34	13	13	24	17	20	28	16	31	22	48	56	56	92	83	54	23	3		
Males		438	84	32	15	4	4	139	17	7	7	11	9	10	14	8	11	10	29	32	21	48	27	23	13	2		
Females		469	68	29	16	14	8	135	17	6	6	13	8	10	14	8	20	12	19	24	35	44	56	31	10	1		
1. Inflammation of the brain	M.	31	7	4	3	1		15	6	4			1	2									1	1				
	F.	39	11	1	4	2	1	19	4	4		4	1	2	1		1			1	1			1				
2. Meningitis	M.	30	12	5	1	2	1	21	3	2	1		1		1						1							
	F.	26	5	5	2	3	2	17	4		2	2										1						
3. Apoplexy	M.	80							2			1	1	2	3	3	3	2	6	16	8	15	7	7	3	1		
	F.	91	1	1		1		3				1	1	2	3	2	6	4	7	9	11	14	18	6	3	1		
4. Paralysis	M.	106							1			1	1	1	3	1	3	6	15	9	9	21	13	11	10	1		
	F.	120	2					2	1	1	1		2	4	3	1	3	3	5	8	12	18	30	20	6			
5. Tetanus and trismus nascentium.	M.	2									1								1									
	F.	1											1															
6. Epilepsy	M.	11									2	3	2	2			2											
	F.	8												1	1		1	1				3	1					
7. Convulsions	M.	85	47	15	8	1	2	73	3	1	1	2				1			1	1		1	1					
	F.	85	36	15	9	7	2	69	5		2	1	2			1	1	1			1	2						
8. Mental diseases	M.	5													1						1		1	2				
	F.	12													1	1	5	1		2	1		1					
9. Diseases of the brain	M.	73	18	8	3		1	30	2		1	2	3	3	3	1	3	2	5	4	2	8	3	1				
	F.	54	11	7		1	2	21	2			3			2	1	1	1	4	3	6	5	3	2				
10. Diseases of the spinal cord	M.	9										2			3	1			1			1	1					
	F.	14	2		1		1	4	1	1	1			1	2	1			1		1		1					
11. Others of this group	M.	6									1					1				1		2		1				
	F.	19										1	2		1	1	2	1	2	1	2	1	2	2	1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		365	23	3	1		1	28	8	6	8	12	9	8	22	12	16	13	26	40	44	38	45	19	9	1	1	
Males		178	16	2				18	3	1	3	5	2	2	10	5	6	5	13	19	25	16	29	10	4		1	
Females		187	7	1	1		1	10	5	5	4	7	7	6	12	7	10	8	13	21	19	22	16	9	5	1		
1. Angina pectoris	M.	2																	1		1							
	F.	4															2				1	1						
2. Aneurism	M.																											
	F.																											
3. Diseases of the heart	M.	166	7	2				9	3	1	3	5	2	2	10	5	6	5	12	19	24	16	29	10	4		1	
	F.	178	5	1	1			7	5	5	4	6	7	5	12	7	8	8	13	21	18	21	16	9	5	1		
4. Others of this group	M.	10	9					9			1																	
	F.	5	2				1	3				1		1														
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		948	179	85	37	29	25	355	29	10	17	30	10	23	39	29	29	29	45	44	67	58	64	39	22	6	3	
Males		499	106	44	21	19	14	204	12	3	12	15	6	10	22	15	15	17	22	18	36	32	29	19	9		3	
Females		449	73	41	16	10	11	151	17	7	5	15	4	13	17	14	14	12	23	26	31	26	35	20	13	6		
1. Croup	M.	68	16	13	9	15	8	61	6								1											
	F.	63	13	15	7	6	8	49	11	2						1												
2. Laryngitis	M.																											
	F.	3	2					2				1																
3. Bronchitis	M.	43	20	3	3	1		27						2	1						3	2	1	4	3			
	F.	54	13	4	2	1	1	21	1	1		2		1	4	2	1	2		1		3	8	2	3	2		
4. Pneumonia	M.	313	46	22	8	3	5	84	6	2	10	12	5	8	19	13	12	15	19	16	28	22	23	12	5		2	
	F.	264	34	19	5	2	2	62	2	3	4	7	4	9	9	8	11	9	22	23	25	19	22	15	8	2		
5. Pleurisy	M.	9		1				1		1		1			1	1						2	2					
	F.	8	1					1							2	1	1	1			1			1				
6. Asthma	M.	5																			3	1	1					
	F.	10										1					1			1	2	1	3	1				
7. Others of this group	M.	61	24	5	1		1	31			2	2	1		1	1	2	2	3	2	2	5	2	3	1		1	
	F.	47	10	3	2	1		16	3	1	1	4		3	2	2			1	1	3	3	2	1	2	2		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		301	40	12	3	3	....	67	9	6	8	7	9	11	16	11	18	15	16	25	20	23	22	11	6	....	1	....
Males		159	26	8	2	2	....	38	7	5	1	1	4	4	6	9	8	7	10	16	12	12	12	6	1	....	....	....
Females		142	23	4	1	1	....	29	2	1	7	6	5	7	10	2	10	8	6	9	8	11	10	5	5	....	1	....
1. Dentition	M.	15	10	5	....	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	6	4	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	7	2	2	1	1	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	44	2	....	....	....	....	2	1	1	....	....	....	....	1	....	....	1	....	1	1	4	1	1	....	....	....	....
	F.	13	....	....	1	....	....	1	....	....	....	....	2	....	3	....	1	2	....	....	....	1	1	....	2	....	....	....
4. Other diseases of the stomach	M.	24	5	....	1	1	....	7	1	....	....	1	....	....	2	1	2	1	....	4	1	....	2	2	....	....	....	....
	F.	18	2	....	....	....	....	2	....	....	1	....	....	1	....	1	1	2	1	3	2	1	2	1	....	....	....	....
5. Obstruction of the bowels	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	1	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
6. Hernia	M.	8	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	1	1	1	....	1	1	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....
7. Other diseases of the bowels	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	6	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	1	....	3	....	....	....	....	....
	F.	13	1	....	....	....	....	1	....	....	1	....	....	....	....	....	2	....	....	....	2	1	2	2	2	....	....	....
9. Inflammation and abscess of the liver.	M.	12	1	....	....	....	....	1	....	....	....	....	1	....	1	1	1	....	1	2	1	1	1	....	1	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	3	....	....	....	1	1	1	....	....	....	....
10. Other diseases of the liver	M.	29	....	....	....	....	....	....	1	....	....	....	2	2	1	3	1	2	3	5	2	4	3	....	....	....	....	....
	F.	21	1	....	....	....	....	1	....	....	....	....	....	3	1	1	1	....	3	2	1	3	4	....	1	....	....	....
11. Peritonitis	M.	23	....	1	....	....	....	1	3	1	1	....	1	1	1	2	3	1	1	1	1	2	1	2	....	....	....	....
	F.	31	....	....	....	1	....	1	....	....	5	5	3	2	5	....	2	1	1	3	2	1	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	15	3	....	....	....	....	3	....	3	....	....	....	....	....	....	....	2	2	1	3	1	....	....	....	....	....	....
	F.	12	5	....	....	....	....	5	1	1	....	....	....	....	1	....	1	....	....	....	1	1	....	1	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		161	6	2	4	....	2	14	9	2	4	12	8	5	5	6	2	5	13	15	16	16	11	11	5	2	....	....
Males		122	5	1	4	....	1	11	4	....	2	7	3	1	2	6	2	3	10	15	11	16	11	11	5	2	....	....
Females		39	1	1	....	....	1	3	5	2	2	5	5	4	3	....	....	2	3	....	5	....	....	....	....	....	....	....
1. Bright's disease	M.	53	....	....	2	....	....	2	2	....	1	7	3	....	1	4	2	3	8	3	5	4	4	4	....	....	....	....
	F.	24	....	....	....	....	1	1	1	2	2	4	3	4	2	....	....	2	....	....	3	....	....	....	....	....	....	....
2. Calculus, urinary	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	37	2	1	2	....	1	6	1	....	1	....	....	1	....	1	....	....	2	6	4	7	4	1	1	2	....	....
	F.	11	1	1	....	....	....	2	2	....	....	1	1	....	1	....	....	....	2	....	2	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	21	1	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	3	1	3	2	6	3	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	0	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	3	1	1	1	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		23	....	....	....	....	....	....	....	....	2	....	5	2	3	2	2	2	2	....	....	1	1	1	....	....	....	....
1. Ovarian tumors	F.	5	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	1	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	5	....	....	....	....	....	....	....	....	....	....	3	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....
5. Others of this group	F.	13	....	....	....	....	....	....	....	....	2	....	2	1	3	1	1	....	1	....	....	1	1	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		43	....	....	....	....	....	....	....	....	4	9	6	5	16	2	....	....	....	....	....	....	....	....	....	....	....	1
1. Abortion	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	1
2. Child-birth	F.	34	....	....	....	....	....	....	....	....	3	9	4	5	12	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	4	....	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		13	....	....	1	....	....	1	1	1	2	1	....	1	1	....	....	1	....	....	1	1	1	....	1	....	....	....
Males		10	....	....	....	....	....	....	1	1	1	....	....	1	1	....	....	1	....	....	1	1	1	....	1	....	....	....
Females		3	....	....	1	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	3	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MASSACHUSETTS—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	14	3					3			1	2	1		1		1	1		1	1			2				
Males	6	1					1							1					1	1			2				
Females	8	2					2			1	2	1				1	1										
1. Abscess M.	2													1						1							
1. Abscess F.	5									1	2	1					1										
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.	4	1					1												1				2				
3. Others of this group F.	3	2					2									1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1																1										
Males																											
Females	1																1										
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.	1																1										
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	275	11	3	3	8	4	29	16	21	16	25	22	14	19	14	12	15	15	12	18	13	5	6	1		1	1
Males	214	9	2	2	4	4	21	12	18	13	20	19	14	11	11	8	11	12	11	14	9	2	6	1			1
Females	61	2	1	1	4		8	4	3	3	5	3		8	3	4	4	3	1	4	4	3				1	
1. Burns and scalds M.	4			1	2		3				1																
1. Burns and scalds F.	7				3		3	2			1				1												
2. Drowned M.	45		1	1		3	5	6	11	3	4	3	2		2	3	1	1	1		2		1				
2. Drowned F.	12							1	3	1	1				1		2	2		1							
3. Exposure and neglect M.	1	1					1																				
3. Exposure and neglect F.	1																				1						
4. Gunshot wounds M.	1											1	2		2			1									
4. Gunshot wounds F.	3		1		1		2	1																			
5. Homicide M.	4							1			1						1			1							
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.	3									1	1							1									
7. Injuries by machinery F.	1													1													
8. Railroad accidents M.	34		1				1		4	2	6	6	7	4						1	2			1			
8. Railroad accidents F.	5									1		2		1							1						
9. Suffocation M.	10	6			1		7									1							2				
9. Suffocation F.	3	1					1				1								1								
10. Suicide by shooting M.	4									1	1	1					1										
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.																											
12. Suicide by poison F.	1															1											
13. Other suicides M.	29										3	2	1		2	1	2	4	5	6	1	1	1				
13. Other suicides F.	5															1	1	1		1	1						
14. Sunstroke M.	5									1	1						1	1		1							
14. Sunstroke F.																											
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.	4											1					1	2									
16. Wounds F.																											
17. Other accidents and injuries M.	65	2			1	1	4	5	3	5	2	5	2	7	5	3	4	2	5	3	4	1	2				1
17. Other accidents and injuries F.	23	1		1			2			1	2	1		6	1	2	1			2	1	3				1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 1.

[Exclusive of DETROIT.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		8138	2102	568	354	261	220	3505	624	301	343	404	317	265	247	227	263	233	193	251	243	241	208	143	69	13	18	30
Total: Males		4323	1173	301	180	137	105	1896	328	151	138	195	146	126	116	115	147	130	113	152	142	147	128	78	42	7	10	16
Females		3815	929	267	174	124	115	1609	296	150	205	209	171	139	131	112	116	103	80	99	101	94	80	65	27	6	8	14
Unknown causes.																												
Total		383	252	19	5	7	8	286	10	6	7	6	6	1	6	3	4	5	2	2	9	4	10	6	1	....	1	8
Males		210	140	9	2	3	....	154	7	3	5	4	3	1	2	1	1	2	1	2	5	3	6	4	1	....	....	5
Females		173	112	10	3	4	3	132	3	3	2	2	3	....	4	2	3	3	1	....	4	1	4	2	....	....	1	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2478	579	300	189	157	157	1382	419	190	93	68	46	42	35	31	21	27	16	33	20	18	19	9	4	1	1	3
Males		1235	307	160	88	77	74	706	205	97	34	29	22	18	15	11	8	14	13	16	13	12	10	5	4	1	1	1
Females		1243	272	140	101	80	83	676	214	93	59	39	24	24	20	20	13	13	3	17	7	6	9	4	....	....	....	2
1. Small-pox	M.	2	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	50	14	11	3	4	....	32	11	3	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	65	18	13	10	2	5	48	4	2	6	2	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	166	20	23	22	18	21	104	37	16	7	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	132	5	16	15	19	16	71	45	11	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	345	24	29	33	38	41	165	120	54	4	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	390	17	35	36	33	47	173	136	62	11	3	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2
5. Hooping-cough	M.	85	53	14	4	5	....	76	8	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	97	64	13	11	5	3	96	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	10	....	3	1	2	1	7	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	1	....	....	....	3	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	16	1	2	4	1	3	11	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	6	2	3	....	1	12	2	1	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....
8. Enteric fever	M.	110	3	2	2	....	1	8	14	7	14	14	11	9	5	8	2	7	5	1	3	2	1	4	....	....	....	....
	F.	100	3	2	4	1	....	10	8	10	21	11	5	6	4	5	4	2	....	5	3	3	2	1	....	....	....	....
9. Diarrhœa	M.	75	36	17	4	1	....	58	....	1	....	1	....	....	1	2	1	1	....	....	2	2	3	....	1	1	....	1
	F.	42	26	5	1	2	2	36	1	....	....	....	....	....	1	1	1	....	....	....	....	....	1	....	....	....	....	....
10. Dysentery	M.	46	18	13	4	1	2	38	....	1	....	....	....	....	....	....	....	....	1	2	1	1	1	....	....	....	1	....
	F.	43	17	9	8	2	1	37	2	1	....	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
11. Enteritis	M.	88	26	8	6	3	1	44	6	3	5	5	2	3	1	3	2	2	2	5	1	2	1	....	1	....	....	....
	F.	73	21	8	2	2	6	39	5	1	6	2	3	2	1	1	2	2	2	4	1	....	2	....	....	....	....	....
12. Cholera morbus	M.	13	3	1	....	1	....	5	....	....	....	....	....	....	1	1	....	1	1	2	1	1	....	....	....	....	....	....
	F.	12	3	3	....	1	1	8	1	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	116	83	28	3	....	2	116	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	96	67	21	5	3	....	96	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	64	12	6	....	2	2	22	2	7	2	3	5	5	2	....	3	2	1	4	....	1	3	1	1	....	....	....
	F.	60	5	9	6	4	....	24	6	4	3	2	1	1	1	5	2	2	....	6	1	1	....	1	....	....	....	....
15. Erysipelas	M.	20	5	1	1	....	....	7	....	....	....	1	2	....	3	....	....	....	....	1	3	1	1	....	1	....	....	....
	F.	32	10	3	....	1	....	14	2	....	1	3	....	1	3	....	1	2	1	2	1	....	....	1	....	....	....	....
16. Septicæmia	M.	7	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	1	1	....	1	1	....	....	....	....	....	....
	F.	4	....	....	....	....	1	1	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	52	....	....	....	....	....	....	....	....	6	12	10	11	7	6	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	5	1	....	....	....	....	1	....	....	....	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	17	7	1	1	....	....	9	2	....	....	....	1	....	1	....	....	....	2	1	1	....	....	....	....	....	....	....
	F.	18	6	....	....	....	....	6	....	....	1	1	....	1	....	1	....	2	....	....	....	2	3	1	....	....	....	....
General diseases—B.																												
Total		69	32	3	4	3	....	42	1	....	2	....	2	4	3	1	2	3	2	4	1	1	1	....	....	....	....	....
Males		45	18	1	1	1	....	21	1	....	1	....	2	3	3	1	2	3	2	3	1	1	1	....	....	....	....	....
Females		24	14	2	3	2	....	21	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Worms	M.	4	1	1	1	1	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	2	....	2	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	13	....	....	....	....	....	....	....	....	....	....	1	1	3	1	2	2	....	2	....	....	1	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	13	2	....	....	....	....	2	1	....	1	....	1	2	....	....	....	1	2	1	1	1	....	....	....	....	....	....
	F.	4	....	....	1	1	....	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	15	15	....	....	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	12	2	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		591	431	....	2	....	....	433	....	....	....	....	....	....	....	1	1	1	....	2	2	20	30	46	33	9	12	1
Males		324	235	....	1	....	....	236	....	....	....	....	....	....	....	....	....	....	....	2	....	9	18	28	19	4	7	1
Females		267	196	....	1	....	....	197	....	....	....	....	....	....	....	1	1	1	....	....	2	11	12	18	14	5	5	....
1. Premature birth	M.	32	32	....	....	....	....	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	30	....	....	....	....	30	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	163	163	....	....	....	....	163	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	129	129	....	....	....	....	129	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	38	34	....	1	....	....	35	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....
	F.	38	30	....	1	....	....	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	84	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	1	1	1	....	....	....	....	....
	F.	63	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	17	28	19	4	7	....
6. Atrophy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	10	11	17	14	5	5	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1405	80	42	16	11	2	151	28	30	110	150	130	93	76	80	103	82	63	85	71	65	52	23	8	....	1	4
Males		651	44	25	12	8	1	90	14	13	37	57	52	33	30	35	50	41	29	51	41	34	29	11	2	....	....	2
Females		754	36	17	4	3	1	61	14	17	73	93	78	60	46	45	53	41	34	34	30	31	23	12	6	....	1	2
1. Rheumatism	M.	20	1	1	....	1	....	3	2	4	3	3	1	1	....	....	....	....	1	1	3	1	2	1	....	....	....	....
	F.	15	....	1	1	....	....	2	2	1	....	1	....	....	....	....	1	1	....	....	1	1	3	....	....	....	....	....
2. Scrofula and tabes	M.	13	6	3	1	....	1	11	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	16	3	2	1	....	....	6	1	....	1	..	2	....	1	....	2	1	1	1	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	440	22	12	4	2	....	40	4	6	28	51	45	30	26	28	39	35	15	28	18	20	17	7	1	....	....	2
	F.	525	15	9	....	1	1	26	8	14	67	91	72	50	38	33	33	22	13	21	12	13	8	1	2	....	....	1
5. Hydrocephalus	M.	35	14	8	7	3	....	32	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	12	5	2	2	....	21	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Cancer	M.	49	....	....	....	....	....	....	....	1	1	1	1	1	....	3	3	3	7	10	10	2	5	....	1	....	....	....
	F.	78	1	....	....	....	....	1	....	....	1	....	0	3	4	9	10	10	14	4	4	4	4	3	3	....	....	1
7. Tumor	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	2	....	....	....	....	....	....	....	....
	F.	17	1	....	....	....	....	1	....	1	1	....	....	2	1	2	1	2	1	2	1	2	....	....	....	....	....	....
8. Anæmia	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Dropsy	M.	59	1	....	....	2	....	3	4	....	1	1	2	....	2	1	4	2	5	10	8	9	4	3	....	....	....	....
	F.	75	4	....	....	....	....	4	1	1	3	1	1	4	1	1	6	4	5	5	9	11	8	8	1	....	1	....
10. Glycosuria	M.	21	....	....	....	....	....	....	1	1	3	1	2	1	2	....	....	....	....	....	2	2	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		737	282	50	33	17	11	393	33	20	15	19	19	14	16	9	15	19	19	21	36	33	25	18	9	....	1	3
Males		398	160	23	19	9	4	215	19	7	7	10	9	6	9	7	7	10	9	10	19	20	16	9	6	....	1	2
Females		339	122	27	14	8	7	178	14	13	8	9	10	8	7	2	8	9	10	11	17	13	9	9	3	....	....	1
1. Inflammation of the brain	M.	68	30	9	7	2	....	48	4	2	....	2	2	....	3	....	....	3	1	....	3	..	....	....	....	....	....	....
	F.	68	28	11	3	4	3	49	8	3	1	1	2	....	1	1	....	1	....	....	1	....	....	....	....	....	....	....
2. Meningitis	M.	16	3	2	....	3	....	8	4	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	2	....	1	1	1	5	1	1	3	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	1
3. Apoplexy	M.	38	1	....	....	1	....	2	....	....	....	1	....	1	..	1	1	2	3	5	7	3	6	2	3	....	1	....
	F.	30	....	1	1	....	1	3	....	....	....	....	1	1	1	....	1	2	5	5	2	3	2	3	1	....	....	....
4. Paralysis	M.	59	....	....	2	....	....	2	2	1	1	1	....	1	3	4	3	2	1	4	4	12	8	7	2	....	....	1
	F.	51	....	1	....	....	....	1	1	....	1	1	1	....	1	1	2	3	2	3	12	9	6	6	1	....	....	....
5. Tetanus and trismus nascentium.	M.	3	....	....	1	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	14	3	....	....	....	....	3	....	2	1	2	3	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....
	F.	10	1	....	....	....	....	1	....	1	....	1	1	2	1	....	....	....	2	....	1	....	....	....	....	....	....	....
7. Convulsions	M.	120	99	0	4	2	2	113	2	....	1	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
	F.	83	61	6	5	1	..	73	2	2	2	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	2	1	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....
9. Diseases of the brain	M.	52	16	5	4	....	2	27	4	....	1	1	1	2	1	1	2	2	2	1	3	2	1	....	1	....	....	....
	F.	43	15	7	3	1	1	27	1	4	1	....	1	....	2	..	2	3	....	2	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	21	7	1	1	1	....	10	3	1	2	2	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	26	12	1	1	1	1	16	1	2	..	1	2	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	....	....	1	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		202	17	2	2	3	1	25	5	5	12	18	7	8	8	13	24	14	21	25	32	20	17	6	1	....	....	1
Males		139	12	1	1	2	1	17	....	2	4	8	2	2	3	5	13	10	10	17	17	14	13	1	1	..	....	....
Females		123	5	1	1	1	....	8	5	3	8	10	5	6	5	8	11	4	11	8	15	6	4	5	....	....	....	1
1. Angina pectoris	M.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	2	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Aneurism	M.	1	....	..	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	127	8	1	1	2	1	13	....	2	4	7	2	2	3	4	12	10	10	16	17	13	10	1	1	....	....	....
	F.	121	4	1	1	1	....	7	5	3	8	10	5	6	5	8	11	4	11	8	15	6	3	5	....	....	....	1
4. Others of this group	M.	6	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1048	280	99	71	41	30	521	59	12	47	38	26	24	25	33	43	31	26	35	33	38	26	17	8	1	1	4
Males		615	174	54	40	22	15	305	33	5	22	29	14	15	13	19	31	19	15	19	19	28	12	10	5	1	....	1
Females		433	106	45	31	19	15	216	26	7	25	9	12	9	12	14	12	12	11	16	14	10	14	7	3	....	1	3
1. Croup	M.	106	48	13	17	10	5	93	12	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	82	21	19	14	7	9	70	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	37	9	5	3	1	....	18	....	....	1	2	2	..	....	1	1	....	2	2	....	3	1	1	2	....	....	....
	F.	39	5	4	3	....	....	12	3	....	4	....	1	....	1	1	1	1	....	2	2	1	5	2	2	..	....	1
4. Pneumonia	M.	369	84	31	17	10	10	152	17	3	18	24	9	12	12	16	23	14	11	13	14	17	6	5	2	....	....	1
	F.	246	61	20	12	10	6	109	8	5	18	8	11	7	10	9	8	6	7	10	10	7	7	3	1	....	....	2
5. Pleurisy	M.	11	1	....	....	....	....	1	....	1	....	....	..	2	....	....	1	1	1	....	1	1	....	1	1	....	....	....
	F.	12	1	....	....	....	....	1	....	....	....	....	....	....	....	2	1	2	1	1	....	1	1	1	....	....	1	....
6. Asthma	M.	13	3	....	....	....	....	3	....	....	....	....	....	....	....	1	....	....	....	2	1	1	4	1	....	....	....	....	....
	F.	7	....	1	....	....	....	1	....	....	....	....	....	1	1	....	....	....	1	1	....	1	1	....	....	....	....	....	....
7. Others of this group	M.	77	29	5	3	1	....	38	4	....	3	3	3	1	....	1	5	4	1	2	3	5	1	2	....	1	....	....
	F.	47	18	1	2	2	....	23	3	2	3	1	....	1	....	2	2	3	2	2	2	....	....	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		353	96	32	14	6	5	153	9	4	7	16	7	7	8	13	10	22	16	21	16	20	12	7	1	....	4
Males		185	53	16	8	4	1	82	3	....	3	9	5	5	3	5	5	11	11	15	6	9	8	1	1	....	3
Females		168	43	16	6	2	4	71	6	4	4	7	2	2	5	8	5	11	5	6	10	11	4	6	....	....	1
1. Dentition	M.	29	12	14	2	1	....	29	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	12	11	....	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	10	5	....	2	1	....	8	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	13	5	....	1	1	2	9	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	2	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	....	1	....	....	1	....	1	2	....	....	....	2	....	....	....	....	....	....
4. Other diseases of the stomach	M.	22	5	1	....	....	1	7	....	....	1	1	....	....	....	1	....	4	....	4	2	....	2	....	....	....	....	....
	F.	18	2	1	....	....	....	3	....	1	....	1	1	....	....	1	1	1	2	1	....	2	2	2	....	....	....	....
5. Obstruction of the bowels	M.	3	3	....	....	....	....	3	....	....	....	1	....	1	....	....	....	....	....	1	1	2	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	17	4	....	....	....	....	4	....	....	....	1	2	....	....	....	1	....	2	2	1	....	2	1	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	1	....	....	....	2	1	....	1	....	1	1	....	1	....	....	....	1
7. Other diseases of the bowels	M.	6	2	....	....	1	....	3	....	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	8	3	....	1	....	....	4	....	....	1	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....
8. Jaundice	M	7	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	1
9. Inflammation and abscess of the liver.	M.	14	1	....	....	....	....	1	....	....	....	2	1	....	....	....	2	....	2	3	....	1	2	....	....	....	....	....	....
	F.	12	....	1	....	....	1	2	....	1	....	....	....	....	....	1	....	1	1	....	4	1	1	....	....	....	....	....	....
10. Other diseases of the liver	M.	19	2	....	....	....	....	2	....	....	1	....	....	2	1	1	1	....	4	2	1	2	2	....	....	....	....	....	....
	F.	30	3	1	1	1	1	7	1	....	1	2	....	....	1	2	1	4	....	2	3	4	....	1	....	....	....	....	1
11. Peritonitis	M.	8	1	....	....	1	....	2	1	....	1	....	1	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	12	....	....	....	....	....	....	....	1	2	1	1	1	2	....	1	1	....	1	....	1	....	....	....	....	....	....	....
12. Ascites	M.	7	....	....	2	....	....	2	2	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	7	....	1	1	....	....	2	1	....	....	....	....	1	....	....	....	1	....	1	1	....	....	....	....	....	....	....	1
13. Others of this group	M.	32	16	....	2	....	....	18	....	....	....	2	1	....	2	2	....	2	1	1	....	2	....	....	1	....	....	....	....
	F.	19	14	1	2	....	....	17	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		93	5	....	1	1	2	9	7	2	2	4	1	4	7	2	4	4	2	8	10	10	8	5	3	....	....	1
Males		71	4	....	....	1	2	7	7	....	1	1	1	2	5	2	2	1	2	7	8	9	8	5	3	....	....	....
Females		22	1	....	1	....	....	2	....	2	1	3	....	2	2	....	2	3	....	1	2	1	....	....	....	....	....	1
1. Bright's disease	M.	25	....	....	....	....	....	....	3	....	1	1	....	1	3	1	1	....	....	4	3	4	1	....	2	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	....	2	1	....	1	2	....	....	1	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	2	2	....	3	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	22	3	....	....	1	2	6	3	....	....	....	....	1	....	....	1	1	1	1	3	1	3	1	....	....	....	....
	F.	12	1	....	1	....	....	2	....	1	1	2	....	....	1	....	1	1	....	1	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	8	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	2	....	2	2	....	....	....	....	....	1
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	7	1	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	1	....	....	....	2	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		19	....	....	....	....	....	....	....	....	2	2	....	3	3	4	1	3	1	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	1	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	7	....	....	....	....	....	....	....	....	2	1	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
												1	....	2	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		140	....	....	....	....	....	....	....	....	16	34	31	22	25	7	5	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	14	....	....	....	....	....	....	....	....	....	1	4	2	4	2	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	113	....	....	....	....	....	....	....	....	12	29	24	20	19	5	4	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	13	....	....	....	....	....	....	....	....	4	4	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		17	4	1	....	....	....	5	3	4	....	....	....	1	....	....	1	....	1	1	1	1	....	....	....	....	....	....	....
Males		12	3	1	....	....	....	4	1	4	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....
Females		5	1	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
1. Diseases of the spine	M.	5	3	1	....	....	....	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	4	....	....	....	....	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.		Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		20	2	1	....	....	....	3	2	....	1	....	1	....	3	2	2	1	1	1	....	1	....	2	....	....	....	....
Males		11	1	....	....	....	....	1	1	....	1	....	....	....	2	2	....	1	....	1	....	1	....	1	....	....	....	....
Females		9	1	1	....	....	....	2	1	....	....	....	1	....	1	....	2	....	1	....	....	....	....	1	....	....	....	....
1. Abscess	M.	8	....	....	....	....	....	....	1	....	1	....	....	....	2	2	....	1	....	....	....	....	....	1	....	....	....	....
	F.	5	....	....	....	....	....	....	1	....	....	....	1	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....
2. Carbuncle	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		3	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males		2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Females		1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																												
Total		520	41	19	17	15	9	101	49	28	29	48	41	42	32	28	27	20	23	13	12	10	8	4	1	2	1	1
Males		425	22	11	8	10	7	58	37	20	23	47	36	41	31	27	27	17	21	8	12	7	7	3	....	1	1	1
Females		95	19	8	9	5	2	43	12	8	6	1	5	1	1	1	....	3	2	5	....	3	1	1	1	1	....	....
1. Burns and scalds	M.	21	....	5	5	4	....	14	1	....	1	....	....	....	....	....	2	....	....	....	1	....	....	1	....	....	....	1
	F.	20	1	4	3	3	2	13	5	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Drowned	M.	109	....	4	2	4	4	14	23	10	7	10	12	12	7	6	3	3	2	....	....	....	....	....	....	....	....	....
	F.	10	....	1	4	....	....	5	2	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	10	8	1	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	10	8	....	....	1	....	9	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	21	....	....	....	1	....	1	1	2	3	1	2	3	4	2	....	2	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	12	....	....	....	....	....	....	....	....	....	....	3	2	....	....	2	1	3	....	....	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	3	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	33	....	....	....	....	1	1	....	2	1	5	2	8	4	1	2	1	4	....	....	1	....	1	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	13	9	1	....	....	....	10	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	4	1	1	....	....	6	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	8	....	....	....	....	....	....	....	1	1	1	....	2	1	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	31	....	....	....	....	....	....	....	....	4	1	....	....	4	3	....	4	4	4	4	1	1	....	....	....	1	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	4	....	....	....	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
17. Other accidents and injuries	M.	148	5	....	1	1	1	8	12	5	5	25	12	13	11	13	14	6	8	4	5	1	4	1	....	1	....	....
	F.	30	6	1	1	....	....	8	4	3	2	1	....	....	1	....	....	1	2	2	....	2	1	1	1	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		9984	1847	534	355	280	222	3238	711	411	417	505	390	348	334	298	292	313	365	403	469	467	394	310	174	40	16	39
Total:	Males	5201	1039	321	189	152	110	1811	392	201	177	216	155	140	154	135	160	163	200	235	266	263	217	182	94	13	6	16
	Females	4783	808	213	166	128	112	1427	319	210	240	289	235	208	230	163	132	150	165	168	203	204	177	128	80	22	10	23
Unknown causes.																												
Total		376	219	15	5	2	1	242	9	4	6	8	5	5	5	3	4	2	12	8	17	14	12	11	7	1	....	2
	Males	201	120	9	3	....	1	133	7	2	....	5	1	4	....	2	2	1	6	3	7	9	6	7	4	1	....	1
	Females	175	99	6	2	2	....	109	2	2	6	3	4	1	5	....	2	1	6	5	10	5	6	4	3	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2997	579	284	209	187	144	1403	550	285	126	112	72	52	52	41	22	41	35	37	37	46	28	33	9	7	2	7
	Males	1531	312	178	106	103	67	766	288	137	60	41	29	22	21	17	13	20	22	17	16	18	12	16	8	3	1	4
	Females	1466	267	106	103	84	77	637	262	148	66	71	43	30	31	24	9	21	13	20	21	28	16	17	1	4	1	3
1. Small-pox	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	42	14	9	1	1	....	25	8	3	2	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	33	5	4	2	0	2	19	4	1	1	4	1	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	98	11	19	10	7	8	55	31	10	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	87	6	7	13	10	10	46	27	10	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	590	26	43	63	66	47	245	206	100	23	9	2	....	1	....	....	....	....	1	....	2	....	....	....	....	....	1
	F.	556	23	34	49	51	50	207	202	105	17	7	5	3	1	3	....	1	1	....	....	2	....	1	....	....	....	1
5. Hooping-cough	M.	78	45	23	3	3	1	75	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	70	44	13	5	5	....	67	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	45	11	10	4	6	....	31	5	1	3	....	....	....	1	2	....	....	2	....	....	....	....	....	....	....	....	....
	F.	43	7	5	5	1	3	21	4	7	1	3	3	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....
8. Enteric fever	M.	157	2	2	1	5	4	14	19	8	18	25	12	10	5	8	4	8	9	6	2	4	3	2	....	1	....	....
	F.	150	1	4	3	1	3	12	11	16	23	21	9	5	7	8	2	8	5	6	7	7	1	1	....	1	....	....
9. Diarrhœa	M.	40	19	7	3	....	....	29	1	....	1	....	....	1	....	1	1	2	....	2	....	4	....	....	....	1	....	....
	F.	33	16	6	1	1	....	24	1	1	....	....	....	1	1	....	....	....	....	1	1	....	2	....	1	....	....	....
10. Dysentery	M.	49	20	12	7	3	1	43	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	2	....	....	....	....
	F.	60	22	11	6	2	3	44	1	1	1	1	1	1	....	....	....	4	....	....	1	....	2	2	....	1	....	....
11. Enteritis	M.	114	26	7	1	5	....	39	8	8	10	3	8	2	5	3	3	7	2	2	5	4	1	3	....	....	....	1
	F.	85	22	....	2	....	1	25	5	2	6	9	4	4	2	2	1	1	4	5	4	4	4	2	....	....	....	1
12. Cholera morbus	M.	14	3	1	....	1	....	5	3	1	....	....	1	....	....	....	....	....	2	....	....	1	....	....	1	....	....	....	....
	F.	10	....	1	....	....	....	1	1	....	....	1	....	2	....	....	....	....	1	1	1	1	....	1	....	....	....	....
13. Cholera infantum	M.	167	114	37	12	3	1	167	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	133	99	19	6	7	2	133	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	72	10	4	1	2	5	22	5	4	2	4	1	1	2	2	4	2	5	3	4	....	3	3	4	....	1	....
	F.	100	9	2	9	....	3	23	2	4	6	7	3	4	3	3	4	4	1	3	6	12	7	6	1	....	1	....
15. Erysipelas	M.	39	8	3	....	1	....	12	1	....	....	....	....	7	4	....	1	....	2	2	2	1	3	4	....	....	....	....
	F.	36	10	....	2	....	....	12	2	....	....	3	3	....	3	2	1	1	1	2	1	1	2	1	....	1	....	....
16. Septicæmia	M.	7	....	....	....	....	....	....	....	2	1	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	....	....	....	....	....	....	....	....	....	2	....	....	4	2	....	1	....	1	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	48	....	....	....	....	....	....	....	....	6	12	14	9	5	2	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	12	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	2	2	3	1	....	....	....
	F.	8	8	....	....	....	....	3	....	....	1	....	....	....	1	1	....	....	....	....	....	1	....	1	....	....	....	....
General diseases—B.																												
Total		85	27	1	4	3	....	35	1	1	2	5	....	6	1	7	4	4	2	6	3	4	2	1	1	....	....	....
	Males	48	10	....	2	1	....	13	1	....	1	1	....	3	....	5	4	4	2	4	3	4	1	1	1	....	....	....
	Females	37	17	1	2	2	....	22	....	1	1	4	....	3	1	2	....	....	....	2	....	....	1	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	17	....	....	....	....	....	....	....	....	1	....	....	1	....	3	2	3	1	2	1	2	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	23	8	....	1	1	....	7	1	....	....	1	....	2	....	2	2	1	1	1	2	1	....	1	1	....	....	....
	F.	18	3	1	2	1	....	7	....	....	1	4	....	2	1	1	....	....	....	1	....	....	1	....	....	....	....	....
6. Inanition	M.	6	5	....	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	17	14	....	....	....	....	14	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		677	328	4	1	1	....	334	1	....	....	2	....	....	....	....	3	2	1	4	16	32	70	105	77	20	10	....
	Males	361	187	1	....	1	....	189	1	....	....	....	....	....	....	....	2	....	1	....	7	17	33	58	42	8	3	....
	Females	316	141	3	1	....	....	145	....	....	....	2	....	....	....	....	1	2	....	4	9	15	37	47	35	12	7	....
1. Premature birth	M.	25	25	....	....	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	20	....	....	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	145	145	....	....	....	....	145	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	111	111	....	....	....	....	111	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	6	5	....	....	1	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	8	....	1	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	33	12	1	....	....	....	13	1	....	....	....	....	....	....	....	2	....	1	....	2	3	7	3	1	....	....	....
	F.	30	2	3	....	....	....	5	....	....	....	2	....	....	....	....	1	2	....	3	1	5	3	4	3	....	1	....
5. Old age	M.	152	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	5	14	26	55	41	8	3	....
	F.	146	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	8	10	34	43	32	12	6	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2060	143	41	22	13	8	227	31	36	134	203	148	138	135	116	119	113	120	122	129	119	110	29	18	2	....	11
Males		917	80	22	13	9	4	128	20	11	36	75	44	53	50	44	52	51	63	62	67	73	64	14	6	1	....	3
Females		1143	63	19	9	4	4	90	11	25	98	128	104	85	85	72	67	62	57	60	62	46	46	15	12	1	....	8
1. Rheumatism	M.	25	1	1	....	....	....	2	....	2	2	....	....	....	2	1	1	2	1	3	3	2	3	1	....	....	....	....	....
	F.	25	....	....	....	....	....	....	....	....	4	....	....	....	1	2	3	2	4	1	4	1	2	....	1	....	....	....	....
2. Scrofula and tabes	M.	22	4	2	1	2	....	9	....	....	1	....	....	1	1	....	....	2	3	1	2	....	1	....	1	....	....	....	....
	F.	17	7	2	..	1	1	11	....	....	....	2	1	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	628	56	13	9	3	3	83	13	4	30	66	40	45	41	39	42	31	39	29	39	38	37	8	2	....	....	2
	F.	794	42	10	8	2	3	65	8	22	93	118	95	73	68	49	43	25	31	23	30	18	21	5	5	....	....	2
5. Hydrocephalus	M.	19	10	4	1	2	....	17	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1
	F.	19	11	6	....	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Cancer	M.	104	1	....	1	....	....	2	1	2	....	3	....	3	3	4	5	9	14	20	12	9	15	....	1	....	....	1
	F.	152	1	....	....	....	....	1	....	....	....	1	2	3	9	12	12	25	10	25	18	10	11	4	4	....	....	5
7. Tumor	M.	12	....	....	....	....	....	....	....	....	1	....	....	....	3	....	2	....	....	1	1	3	1	....	....	....	....	....	....
	F.	26	1	....	....	1	....	2	....	....	....	....	....	2	1	5	5	1	2	6	2	....	....	....	....	....	....	....	....
8. Anæmia	M.	2	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
9. Dropsy	M.	83	5	1	1	1	1	9	4	2	1	4	2	3	....	....	....	6	4	7	8	18	7	5	2	1	....	....	....
	F.	101	1	1	....	....	....	2	2	2	1	6	5	6	6	3	3	8	10	5	7	16	11	6	2	....	....	....	....
10. Glycosuria	M.	21	1	1	..	1	....	3	....	1	1	2	2	1	....	....	2	1	2	1	2	3	....	....	....	....	....	....	....
	F.	5	....	....	1	....	....	1	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....
11. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		996	228	74	27	17	21	367	23	12	21	28	23	13	31	30	25	32	57	42	68	80	55	45	24	3	1	7
Males		539	141	37	11	12	12	213	14	5	10	13	11	4	8	18	11	13	29	27	45	44	24	32	13	1	....	4
Females		457	87	37	16	5	9	154	9	7	11	15	12	9	23	12	14	19	28	15	23	45	31	13	11	2	1	3
1. Inflammation of the brain	M.	78	33	9	3	4	4	53	2	1	3	2	3	....	1	1	2	....	....	1	5	2	1	1	....	....	....	....	....
	F.	56	18	13	4	....	2	37	3	2	1	1	2	3	1	1	1	....	2	1	....	....	1	....	....	....	....	....	....
2. Meningitis	M.	22	6	3	1	4	2	16	2	1	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
	F.	16	4	3	2	1	....	10	2	....	....	1	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....
3. Apoplexy	M.	70	3	....	....	....	....	3	....	....	1	....	....	1	1	3	3	3	10	7	12	13	2	9	1	1	....	....	....
	F.	62	....	1	....	....	....	1	....	....	1	2	....	....	5	5	3	6	9	4	6	7	8	2	2	....	....	1	....
4. Paralysis	M.	149	2	3	....	....	1	6	1	....	1	....	1	....	2	4	2	6	13	12	26	24	20	20	9	....	....	2	....
	F.	126	1	....	....	....	....	1	1	....	2	2	1	....	5	1	4	9	11	6	13	30	17	11	8	2	1	1	....
5. Tetanus and trismus nascentium.	M.	3	1	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	16	1	2	....	....	....	3	1	2	2	2	2	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	23	3	1	....	....	....	4	1	....	2	....	3	1	4	1	1	2	2	....	1	....	1	....	....	....	....	....	....
7. Convulsions	M.	37	60	11	3	2	2	78	2	....	1	3	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	82	42	9	4	2	3	60	1	2	1	7	2	1	1	1	1	....	2	....	1	1	....	1	....	....	....	....	....
8. Mental diseases	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	....	....	....	2	....	2	1	3	....	....	1	....	....	....	....	....	....	....
9. Diseases of the brain	M.	35	30	8	4	2	1	45	3	....	1	3	2	1	1	6	3	2	1	4	2	4	1	2	2	....	....	2	....
	F.	64	16	7	3	2	4	32	....	1	4	1	3	3	3	3	1	1	1	1	2	4	3	....	....	....	....	1	....
10. Diseases of the spinal cord	M.	17	5	1	....	....	2	8	3	1	1	1	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	12	2	3	3	....	....	8	1	1	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
11. Others of this group	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	2	2	....	1	....	....	1	....	....	....	....
	F.	7	1	....	....	....	....	1	....	1	....	....	1	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total		502	21	5	3	1	....	30	5	13	11	16	18	12	22	30	26	31	34	54	71	48	43	25	4	2	....	7
Males		257	14	2	2	1	....	19	4	4	6	7	6	4	12	8	17	14	16	32	36	28	26	14	2	....	....	2
Females		245	7	3	1	....	....	11	1	9	5	9	12	8	10	22	9	17	18	22	35	20	17	11	2	2	....	5
1. Angina pectoris	M.	10	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	2	1	2	1	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	1	1	....	2	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	241	10	2	2	1	....	15	4	4	5	7	6	3	11	7	17	13	16	30	34	26	25	14	2	....	....	2	....
	F.	231	5	3	1	....	....	9	1	9	4	9	11	8	8	20	9	16	17	21	33	19	17	11	2	2	....	5	....
4. Others of this group	M.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	2	....	....	....	....	2	....	....	....	....	....	....	....	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total		1027	184	74	54	38	26	376	47	25	33	34	25	36	39	21	29	39	41	64	58	60	40	32	19	4	1	1	
Males		607	111	49	33	16	12	221	27	14	23	21	14	16	16	14	21	27	24	44	35	31	24	19	11	3	....	2	
Females		420	73	25	21	22	14	155	20	11	10	13	11	20	23	7	8	12	17	20	23	29	16	13	8	1	1	2	
1. Croup	M.	112	29	21	20	11	8	89	19	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
	F.	74	22	9	11	13	6	61	11	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
2. Laryngitis	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
	F.	3	1	....	....	1	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
3. Bronchitis	M.	43	17	3	....	....	1	21	1	....	....	1	2	1	1	1	2	1	1	1	3	5	....	1	1	....	....	....	
	F.	34	8	5	2	1	1	17	2	....	1	....	....	1	1	....	....	1	....	2	1	4	2	1	1	....	....	....	
4. Pneumonia	M.	362	42	19	10	4	2	77	3	8	20	19	7	13	15	10	19	21	20	35	27	23	20	12	10	2	....	1	
	F.	224	26	9	7	6	5	53	5	7	8	9	7	18	13	7	6	10	11	12	16	18	8	8	4	1	1	2	
5. Pleurisy	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	
	F.	13	....	1	....	....	1	2	....	2	....	....	....	....	1	....	....	....	....	2	1	1	3	....	1	....	....	....	
6. Asthma	M.	8	....	1	....	....	....	1	....	....	....	....	1	1	....	....	....	1	....	....	2	2	....	....	....	....	....	....	
	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	2	....	....	....	....	....	
7. Others of this group	M.	77	22	4	3	1	1	31	4	2	3	1	4	1	....	3	....	3	3	8	2	....	4	6	....	1	....	1	
	F.	68	16	1	1	1	1	20	2	1	1	4	3	....	7	....	2	1	6	4	5	5	1	4	2	....	....	....	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		368	60	15	8	5	2	90	12	8	15	13	12	18	13	12	21	21	34	21	29	22	16	7	3	....	1	....
Males		187	32	11	6	4	1	54	8	4	4	4	3	5	6	7	14	10	16	11	13	14	11	2	....	....	....
Females		181	28	4	2	1	1	36	4	4	11	9	9	13	7	5	7	11	18	10	16	8	5	5	3	....	1	....
1. Dentition	M.	6	3	3	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	3	1	....	2	2	....	5	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	3	2	1	....	....	....	3	1	....	....	....	....	....	1	....	1	....	1	....	1	....	....	....	....	....	....	....
3. Gastritis	M.	6	....	1	....	....	....	1	....	....	....	....	....	....	....	....	2	....	2	....	1	....	....	....	....	....	....	....
	F.	11	1	....	....	....	....	1	....	....	1	....	2	....	....	2	....	....	....	2	3	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	38	7	2	1	....	....	10	....	2	2	....	1	1	2	....	3	2	6	1	2	4	2	....	....	....	....	....
	F.	26	3	....	....	....	1	4	1	2	1	3	1	2	....	1	....	1	4	1	3	....	2	....	....	....	....	....
5. Obstruction of the bowels	M.	6	....	....	....	....	....	....	2	....	....	1	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
	F.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	14	2	1	....	....	....	3	....	....	....	....	....	....	3	1	....	2	1	2	....	2	....	....	....	....	....	....	....
	F.	7	1	....	....	....	....	1	....	....	....	....	....	....	....	....	2	....	1	1	2	....	1	....	....	....	....	....	....
7. Other diseases of the bowels	M.	13	5	1	1	....	....	7	2	....	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
	F.	12	4	1	....	....	....	5	....	....	....	1	1	1	1	....	1	....	....	1	....	....	1	....	....	....	....	....	....
8. Jaundice	M.	9	2	1	....	....	....	3	....	....	....	....	....	....	....	1	....	1	1	....	....	2	1	....	1	....	....	....	....
	F.	8	....	....	....	1	....	1	....	....	....	....	2	....	....	....	1	....	1	1	....	....	1	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	14	2	1	1	1	....	5	....	....	....	1	....	....	....	1	1	....	....	1	2	1	1	....	....	....	....	1	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	37	2	....	1	1	1	5	2	1	....	1	1	1	....	4	3	4	2	3	4	2	3	1	....	....	....	....	....
	F.	51	3	....	2	....	....	5	2	1	1	1	1	3	....	1	2	6	7	5	7	3	1	4	1	....	....	....	....
11. Peritonitis	M.	10	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	2	....	1	3	1	....	....	....	....	....	....
	F.	26	2	....	....	....	....	2	....	1	6	4	2	5	3	1	....	....	1	....	1	....	....	....	....	....	....	....	....
12. Ascites	M.	4	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	22	8	1	....	....	....	9	....	....	1	....	....	1	1	....	3	....	....	2	3	....	1	....	....	....	....	....	....
	F.	17	10	1	....	....	....	11	....	....	1	....	....	....	1	....	....	....	1	1	....	1	....	1	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		164	7	....	1	....	1	9	1	2	3	5	3	7	8	6	12	6	10	16	24	19	12	16	5	....	....	....
Males		128	6	....	....	....	1	7	1	2	2	2	2	1	4	5	10	6	6	13	22	15	12	15	3	....	....	....
Females		36	1	....	1	....	....	2	....	....	1	3	1	6	4	1	2	....	4	3	2	4	....	1	2	....	....	....
1. Bright's disease	M.	41	1	....	....	....	....	1	....	1	1	1	1	1	2	1	4	2	3	4	7	5	3	2	2	....	....	....
	F.	17	....	....	....	....	....	....	....	....	1	1	....	3	2	1	1	....	2	1	2	2	....	....	1	....	....	....	....
2. Calculus, urinary	M.	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	3	3	2	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	53	4	....	....	....	....	4	1	1	1	1	1	....	1	4	6	3	3	4	9	2	5	6	1	....	....	....	....
	F.	16	....	....	1	....	....	1	....	....	....	2	1	3	2	....	....	....	2	1	....	2	....	1	1	....	....	....	....
4. Diseases of the bladder	M.	17	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	1	....	2	2	3	2	5	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	2	....	1	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		33	....	....	....	....	....	....	....	1	....	3	8	3	3	4	8	2	....	2	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	11	....	....	....	....	....	....	....	....	....	....	2	....	2	2	4	....	....	1	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	5	....	....	....	....	....	....	....	....	....	....	3	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	17	....	....	....	....	....	....	....	1	....	2	3	3	....	2	3	2	....	1	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		118	....	....	....	....	....	....	....	....	17	23	19	24	26	7	1	....	....	....	....	....	....	....	....	....	....	....	1
1. Abortion	F.	21	....	....	....	....	....	....	....	....	5	2	6	4	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	84	....	....	....	....	....	....	....	....	9	18	13	16	21	6	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	13	....	....	....	....	....	....	....	....	3	3	....	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		45	12	2	2	2	1	19	4	2	7	....	1	1	5	....	....	1	1	2	....	1	1	....	....	....	....	....	....
Males		21	3	1	2	....	1	7	1	2	4	....	....	1	3	....	....	....	1	1	....	1	....	....	....	....	....	....	....
Females		24	9	1	....	2	....	12	3	....	3	....	1	....	2	....	....	1	....	1	....	....	1	....	....	....	....	....	....
1. Diseases of the spine	M.	17	3	1	2	....	1	7	....	....	3	....	....	1	3	....	....	....	1	1	....	1	....	....	....	....	....	....	....
	F.	21	9	1	....	2	....	12	3	....	2	....	1	....	3	....	....	1	....	1	....	....	1	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MICHIGAN—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		37	3	1	....	....	....	4	1	....	3	6	6	1	4	2	5	1	1	1	....	....	1	....	1	....	....	....
Males		23	2	1	....	....	....	3	1	....	2	4	3	....	1	1	3	1	1	1	....	....	1	....	1	....	....	....
Females		14	1	....	....	....	....	1	....	....	1	2	3	1	3	1	2	....	....	....	....	....	....	....	....	....	....	....
1. Abscess	M.	18	1	1	....	....	....	2	1	....	2	3	3	....	1	1	2	1	....	1	....	....	....	....	1	....	....	....
	F.	13	1	....	....	....	....	1	....	....	1	2	3	1	2	1	2	....	....	....	....	....	....	....	....	....	....	....
2. Carbuncle	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		8	....	1	2	....	....	3	....	....	....	1	1	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....
Males		4	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
Females		4	....	....	1	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		491	36	17	17	11	18	99	25	22	39	47	19	32	40	20	13	17	17	24	16	12	4	6	6	1	1	....
Males		377	21	9	10	5	11	56	19	20	29	43	42	27	33	14	11	15	13	20	14	9	3	4	3	1	1	....
Females		114	15	8	7	6	7	43	7	2	10	4	7	5	7	6	2	2	4	4	2	3	1	2	3	....	....	....
1. Burns and scalds	M.	18	3	2	3	2	4	14	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....
	F.	20	2	4	4	2	2	14	2	....	....	....	....	....	2	1	....	....	....	....	....	....	1	....	....	....	....	....
2. Drowned	M.	53	....	2	5	2	2	11	6	5	7	10	6	1	5	....	....	....	....	2	....	....	....	....	....	....	....	....
	F.	13	....	....	2	1	1	4	2	1	2	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	31	....	....	....	....	....	....	2	3	8	4	4	1	2	4	1	1	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	6	....	....	....	....	....	....	1	....	....	1	1	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	5	1	....	....	1	1	3	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	11	....	....	....	....	....	....	....	....	1	1	4	3	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	16	5	1	....	....	1	7	....	1	....	....	....	2	1	....	1	....	....	2	1	....	....	1	....	....	....	....
	F.	5	4	....	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	6	....	....	....	....	....	....	....	....	2	....	....	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	7	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	1	2	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	2	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
13. Other suicides	M.	20	....	....	....	....	....	....	....	....	1	2	1	3	1	1	3	....	5	1	2	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	7	1	....	....	....	....	1	....	....	....	1	....	....	1	2	....	1	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	5	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	192	9	4	2	1	1	20	10	10	10	20	25	13	18	7	4	10	7	14	8	8	2	1	3	1	1	....
	F.	55	5	4	....	2	3	14	3	....	6	2	4	4	3	1	1	1	3	3	2	3	....	2	3	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 1.

[Exclusive of MINNEAPOLIS and SAINT PAUL.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		2336	587	150	81	53	52	923	160	102	106	115	83	76	83	70	81	83	79	59	75	81	68	43	20	12	6	11
Total: Males		1309	351	82	47	31	23	534	91	44	47	59	43	44	46	36	45	51	50	39	50	44	38	24	5	6	5	8
Females		1027	236	68	34	22	29	389	69	58	59	56	40	32	37	34	36	32	29	20	25	37	30	19	15	6	1	3
Unknown causes.																												
Total		190	114	5	4	1	3	127	6	5	2	1	7	3	1	4	2	6	4	....	3	3	5	2	5	....	2	2
Males		103	61	3	3	....	1	68	3	4	1	1	6	....	....	2	1	4	2	....	1	2	3	1	1	....	2	1
Females		87	53	2	1	1	2	59	3	1	1	....	1	3	1	2	1	2	2	....	2	1	2	1	4	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		616	153	62	40	30	30	315	90	62	43	31	13	12	7	6	2	6	2	6	7	6	3	1	1	1	....	2
Males		309	87	36	22	17	14	176	44	20	17	15	5	7	1	2	1	2	1	4	4	5	3	....	1	....	....	1
Females		307	66	26	18	13	16	139	46	42	26	16	8	5	6	4	1	4	1	2	3	1	....	1	....	1	....	1
1. Small-pox	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	17	3	3	1	1	2	10	....	1	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	2	1	....	....	....	3	....	....	....	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	18	2	2	5	2	1	12	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	2	....	....	1	1	4	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	93	10	5	9	11	11	46	27	14	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	128	8	6	13	10	14	51	33	33	7	1	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	8	3	....	....	....	11	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	6	....	1	....	....	....	1	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
8. Enteric fever	M.	37	2	....	....	1	....	3	4	1	6	9	4	4	1	1	1	....	....	1	1	....	1	....	....	....	....	....
	F.	44	2	....	....	1	1	4	4	3	14	9	4	2	2	....	....	1	....	....	....	1	....	....	....	....	....	....
9. Diarrhœa	M.	27	12	8	2	....	....	22	....	....	....	....	....	1	....	1	....	1	....	....	....	1	1	....	....	....	....	....
	F.	22	14	3	1	1	....	19	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
10. Dysentery	M.	20	11	4	....	1	....	16	1	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....
	F.	16	5	4	1	....	....	10	1	3	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....
11. Enteritis	M.	29	10	1	1	1	....	13	2	3	2	1	....	1	....	....	....	....	1	1	2	3	....	....	....	....	....	....
	F.	8	2	1	1	....	....	4	1	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	5	4	....	1	....	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....
13. Cholera infantum	M.	40	26	12	1	....	....	39	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	26	19	7	....	....	....	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	5	1	1	1	....	....	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	6	2	....	1	....	....	3	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1	....	....
16. Septicæmia	M.	3	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	4	1	....	....	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	11	....	....	....	....	....	....	....	1	1	2	2	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		16	3	1	1	....	1	6	2	1	....	....	1	4	....	....	2	....	....	....	....	....	....	....	....	....	....	....
Males		10	1	1	1	....	....	3	1	....	....	....	....	4	....	....	2	....	....	....	....	....	....	....	....	....	....	....
Females		6	2	....	....	....	1	3	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	5	....	1	1	....	....	2	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	1	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		165	110	....	1	....	....	111	....	1	....	....	....	....	....	2	....	....	....	4	....	5	10	14	9	7	2	....
Males		103	74	....	1	....	....	75	....	1	....	....	....	....	....	2	....	....	....	2	....	2	5	9	3	2	2	....
Females		62	36	....	....	....	....	36	....	....	....	....	....	....	....	....	....	....	....	2	....	3	5	5	6	5	....	....
1. Premature birth	M.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	50	50	....	....	....	....	50	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	25	....	....	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	3	2	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	22	13	....	1	....	....	14	....	....	....	....	....	....	....	2	....	....	....	1	....	1	2	1	1	....	....	....
	F.	7	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
5. Old age	M.	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	3	8	2	2	2	....
	F.	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	3	5	4	6	5	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	.	.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		360	21	11	2	1	....	35	7	7	13	40	24	18	37	23	19	25	37	15	16	21	14	8	....	2	1	2
Males		178	12	5	....	....	....	17	7	5	6	18	6	7	19	11	7	16	18	10	11	4	7	4	....	2	....	3
Females		182	9	6	2	1	....	18	....	2	12	22	18	11	18	12	12	9	9	5	5	17	7	4	....	....	1	....
1. Rheumatism	M.	10	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	1	1	1	2	....	....	1	....	1	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	1	....	....	2	....	1	....	....	....	....
2. Scrofula and tabes	M.	10	....	....	....	....	....	....	....	1	1	1	....	....	1	1	2	1	....	....	....	1	....	1	....	....	....	....
	F.	3	1	1	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	103	8	2	....	....	....	10	4	3	5	13	5	7	16	8	3	5	9	5	6	1	1	....	....	....	....	2
	F.	118	7	2	1	....	....	10	....	1	12	22	15	10	12	8	9	4	3	2	....	6	3	....	....	....	1	....
5. Hydrocephalus	M.	6	3	3	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	2	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	23	....	....	....	....	....	....	....	....	....	1	....	....	2	1	2	4	6	....	2	....	3	1	....	....	....	1
	F.	21	....	1	....	....	....	1	....	....	....	....	1	....	2	3	1	3	2	1	1	4	1	1	....	....	....	....
7. Tumor	M.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	2	1	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	19	1	....	....	....	....	1	1	....	....	1	1	....	....	1	....	2	1	3	1	2	3	1	....	1	....	....
	F.	21	....	....	....	1	....	1	....	1	....	....	....	....	1	1	1	2	3	2	2	3	2	1	....	....	....	....
10. Glycosuria	M.	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		223	71	26	7	2	5	111	11	5	7	3	4	2	5	5	12	9	12	4	9	9	9	5	....	....	....	1
Males		136	41	15	5	2	....	63	7	2	4	1	4	1	4	3	9	7	6	4	6	7	5	2	....	....	....	1
Females		87	30	11	2	....	5	48	4	3	3	2	....	1	1	2	3	2	6	....	3	2	4	3	....	....	....	....
1. Inflammation of the brain	M.	34	8	7	5	....	....	20	3	....	1	....	1	....	....	1	1	2	2	....	1	1	1	....	....	....	....	....
	F.	18	9	2	1	....	2	14	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	19	5	3	....	2	....	10	3	....	....	1	1	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....
	F.	5	1	2	....	....	2	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	12	1	....	....	....	....	1	....	....	....	....	....	....	....	....	3	....	3	1	1	3	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	2	....	2	....	1	1	....	....	....	....
4. Paralysis	M.	10	....	....	....	....	....	....	....	....	....	....	1	....	3	....	....	1	1	2	4	2	1	1	....	....	....	....
	F.	12	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	3	....	1	1	3	2	....	....	....	....
5. Tetanus and trismus nascentium.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	3	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....
7. Convulsions	M.	28	21	4	....	....	....	25	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	22	15	4	....	....	....	19	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	18	3	1	....	....	....	4	1	1	2	....	1	1	....	1	3	1	....	....	....	1	2	....	....	....	....	....
	F.	7	2	2	1	....	....	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	7	....	1	....	....	1	2	1	....	1	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		97	6	1	....	....	....	7	3	1	5	3	2	4	3	5	6	11	7	5	11	11	7	6	....	....	....	....
Males		54	3	....	....	....	....	3	1	....	3	1	2	3	3	3	3	5	5	2	8	5	3	4	....	....	....	....
Females		43	3	1	....	....	....	4	2	1	2	2	....	1	....	2	3	6	2	3	3	6	4	2	....	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	50	1	....	....	....	....	1	1	....	3	1	2	3	3	2	3	4	5	2	8	5	3	4	....	....	....	....
	F.	42	3	1	....	....	....	4	2	1	2	2	....	1	....	2	3	6	2	2	3	6	4	2	....	....	....	....
4. Others of this group	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		276	50	30	15	15	10	120	22	7	12	7	2	10	6	8	13	10	11	10	14	13	7	1	2	1	....	....
Males		165	39	14	8	8	6	75	15	4	7	5	1	6	3	3	7	7	8	5	6	8	4	....	....	1	....	....
Females		111	11	16	7	7	4	45	7	3	5	2	1	4	3	5	6	3	3	5	8	5	3	1	2	....	....	....
1. Croup	M.	37	11	3	4	5	3	26	8	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	27	4	8	2	4	4	22	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	19	7	3	2	1	....	13	....	....	....	2	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....
	F.	9	1	1	....	1	....	3	....	....	1	....	....	1	1	1	....	....	....	....	1	1	....	....	....	....	....	....	....
4. Pneumonia	M.	82	15	6	2	2	2	27	5	1	5	2	1	5	3	3	5	4	6	1	5	6	2	....	....	1	....	....
	F.	52	4	6	2	1	....	13	1	3	4	2	....	2	2	4	3	3	2	4	5	3	1	....	....	....	....	....
5. Pleurisy	M.	4	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	1	....	....	....	....	....	....	....	....	....
6. Asthma	M.	7	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	1	....	1	....	1	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....
7. Others of this group	M.	16	4	2	....	....	1	7	1	....	....	1	....	1	....	....	1	1	1	2	....	1	....	....	....	....	....	....	....
	F.	16	2	1	3	1	....	7	1	....	....	....	1	1	....	....	1	....	....	....	1	1	1	....	2	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		136	41	10	2	1	...	54	4	1	1	5	7	4	8	3	11	5	7	6	3	4	7	1	2	1	2
Males		73	23	5	1	1	...	30	2	...	...	3	5	1	3	2	8	2	3	4	2	3	3	...	...	1	1
Females		63	18	5	1	...	...	24	2	1	1	2	2	3	5	1	3	3	4	2	1	1	4	1	2	...	1
1. Dentition	M.	5	2	3	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	8	4	4	...	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina	M.	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	3	...	...	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	1	...
	F.	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Other diseases of the stomach	M.	6	1	...	...	...	...	1	1	...	...	1	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...
	F.	5	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	1	...	...	...
5. Obstruction of the bowels	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
6. Hernia	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...
7. Other diseases of the bowels	M.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	6	4	...	...	...	...	4	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...
8. Jaundice	M.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver.	M.	7	...	...	...	...	...	...	...	...	...	1	2	1	...	...	1	...	...	2	...	...	...	...	...	...	...
	F.	4	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...
10. Other diseases of the liver	M.	13	...	1	...	1	...	2	...	...	...	...	2	...	...	...	3	2	1	...	2	...	...	...	...	...	1
	F.	7	1	...	...	...	...	1	...	...	...	...	...	1	1	1	...	...	...	1	...	...	...	1	...	...	1
11. Peritonitis	M.	7	1	...	...	...	...	1	...	...	...	1	1	...	...	2	1	...	...	...	...	1	...	...	...	...	...
	F.	6	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	1	1	1	...	...	...	...	...	...
12. Ascites	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
13. Others of this group	M.	25	17	1	...	...	...	18	1	...	...	...	...	...	2	...	1	...	...	2	...	...	1	...	...	...	...
	F.	16	9	...	...	...	...	9	...	1	1	...	1	...	2	...	...	...	1	...	...	...	1	...	...	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		31	...	...	...	...	1	1	1	1	1	2	1	2	1	2	4	...	2	...	5	3	2	2	...	...	1
Males		25	...	...	...	...	1	1	...	1	...	2	1	1	1	...	4	...	1	...	5	3	2	2	...	...	1
Females		6	...	...	...	...	...	...	1	...	1	...	...	1	...	2	...	...	1	...	...	...	...	...	...	...	...
1. Bright's disease	M.	8	...	...	...	...	...	...	...	1	...	1	...	1	...	...	3	...	1	...	1	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...
2. Calculus, urinary	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the kidney	M.	9	...	...	...	...	1	1	...	...	...	1	1	...	...	...	...	...	...	...	1	3	1	1	...	...	...
	F.	2	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
4. Diseases of the bladder	M.	7	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	2	...	1	1	...	1	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		9	...	...	...	...	...	...	...	...	1	...	1	...	...	...	3	1	...	...	...	...	...	...	...	...	...
1. Ovarian tumors	F.	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
2. Ovarian diseases	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
3. Uterine tumors	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Uterine diseases	F.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	F.	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		21	...	...	...	...	...	...	...	...	3	7	3	2	2	2	2	...	...	...	...	...	...	...	...	...	...
1. Abortion	F.	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth	F.	18	...	...	...	...	...	...	...	...	2	6	2	2	2	2	2	...	...	...	...	...	...	...	...	...	...
3. Others of this group	F.	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		8	1	...	...	...	...	1	...	...	...	1	2	...	1	...	2	...	...	...	...	...	1	...	...	...	...
Males		4	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	1	...	...	...	...
Females		4	1	...	...	...	...	1	...	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...
1. Diseases of the spine	M.	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	3	1	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		7	1	1				2					2	1				1				1						
Males		6	1	1				2					2	1								1						
Females		1																1										
1. Abscess	M.	5	1					1					2	1								1						
	F.	1																1										
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.	1		1				1																				
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		3	1					1		1		1																
Males		1	1					1																				
Females		2								1		1																
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.	1										1																
3. Others of this group	M.	1	1					1																				
	F.	1								1																		
XII.—ACCIDENTS AND INJURIES.																												
Total		179	15	3	9	3	2	32	12	10	13	14	14	14	12	10	8	9	7	9	7	5	3	3	1			1
Males		141	8	2	6	3	1	20	10	7	9	13	10	13	11	8	2	8	6	8	7	4	2	2				1
Females		38	7	1	3		1	12	2	3	4	1	4	1	1	2	1	1	1	1		1	1	1	1			
1. Burns and scalds	M.	6		1	2	1		4							1									1				
	F.	7			2			2	1	2	2																	
2. Drowned	M.	20		1	3	1		5	3	2	1	3	2	3	2			1	1	2		1						
	F.	4									1		1									1			1			
3. Exposure and neglect	M.	3	1					1	1													1						
	F.	3	2					2															1					
4. Gunshot wounds	M.	6							1			2	2	1														
	F.	1										1																
5. Homicide	M.	2											1			1								1				
	F.	1																										
6. Infanticide	M.	1	1					1																				
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	10									1	3		3		1		1						1				
	F.	1								1																		
9. Suffocation	M.	5	2		1	1		4								1												
	F.	2					1	1								1												
10. Suicide by shooting	M.	1										1	1		1		1											
	F.																											
11. Suicide by drowning	M.	2																	1	1								
	F.	1											1															
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	5											2				1	1		1								
	F.	2														1			1									
14. Sunstroke	M.	3	1					1											1	1								
	F.																											
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.	1										1																
	F.																											
17. Other accidents and injuries	M.	67	3				1	4	5	5	7	3	3	6	7	5	1	5	2	4	6	2	2					1
	F.	10	5	1	1			7	1		1		2	1	1		1	1	1									

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		5283	1271	408	269	218	178	2344	623	289	214	247	179	150	147	114	107	122	120	139	111	126	94	88	32	9	8	20
Total: Males		2785	726	203	154	116	98	1297	309	146	98	105	93	59	77	51	54	72	76	69	71	69	54	52	19	3	2	9
Females		2498	545	205	115	102	80	1047	314	143	116	142	80	91	70	63	53	50	44	70	40	57	40	36	13	6	6	11
Unknown causes.																												
Total		428	300	30	7	8	7	352	9	5	3	4	4	4	5	5	4	6	5	3	3	3	4	3	3	1	....	2
Males		241	176	16	6	2	5	205	4	2	1	....	3	....	3	2	2	5	2	2	2	1	1	3	1	....	....	2
Females		187	124	14	1	6	2	147	5	3	2	4	1	4	2	3	2	1	3	1	1	2	3	....	2	1	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2227	387	250	171	162	138	1108	518	213	94	79	42	32	20	19	16	14	14	9	16	10	5	3	2	....	1	6
Males		1149	219	120	96	93	72	600	254	104	42	37	20	11	14	5	8	10	10	5	11	6	4	2	2	....	1	3
Females		1078	168	130	75	69	66	508	264	109	52	42	22	21	12	14	8	4	4	4	5	4	1	1	....	....	....	3
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	27	9	3	3	1	1	17	4	1	1	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	6	4	1	3	1	15	2	4	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	70	13	11	10	7	6	47	18	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	76	11	14	14	8	6	53	17	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria	M.	606	41	50	62	73	61	287	211	82	15	7	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	617	32	66	48	49	55	250	231	93	26	9	3	1	....	1	....	....	1	1	....	....	....	....	....	....	....	1
5. Hooping-cough	M.	19	13	1	3	....	....	17	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	15	4	1	1	....	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	5	4	....	....	....	....	4	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	2	....	....	....	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	2	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	1	....	....	3	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	111	4	2	2	4	1	13	8	10	17	20	12	4	8	2	1	3	3	....	6	1	2	....	....	....	....	1
	F.	81	1	....	....	2	....	3	5	8	18	14	6	8	4	6	3	2	....	1	2	1	....	....	....	....	....	....
9. Diarrhœa	M.	39	16	15	1	....	1	33	....	....	....	....	....	....	....	....	1	....	1	....	....	3	1	....	....	....	....	....
	F.	42	23	12	....	1	....	36	1	....	1	....	....	1	....	....	1	1	....	....	....	....	....	1	....	....	....	....
10. Dysentery	M.	39	18	8	3	2	1	32	2	....	1	1	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....
	F.	26	11	5	3	1	....	20	....	....	1	....	1	1	....	....	1	....	1	....	....	1	....	....	....	....	....	....
11. Enteritis	M.	63	22	4	2	2	1	31	5	4	4	4	3	2	1	1	1	3	1	1	1	....	....	1	....	....	....	....
	F.	41	7	3	3	2	1	16	5	....	2	4	1	2	3	1	1	....	1	2	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	24	6	2	....	1	....	9	2	....	1	....	....	....	1	1	1	2	1	3	2	....	1	....	....	....	....	....
	F.	8	3	3	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
13. Cholera infantum	M.	98	64	21	9	2	....	96	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	75	51	18	3	2	....	74	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	8	....	....	1	....	....	1	1	1	1	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	11	1	....	2	....	....	3	3	....	....	....	1	....	1	....	....	....	2	....	....	....	1	....	....	....	....	....
15. Erysipelas	M.	19	6	2	....	....	....	8	....	....	....	....	2	....	1	....	2	....	1	....	2	1	....	....	1	....	1	....
	F.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	7	....	....	....	....	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	1	....	1	1	....	....	....
	F.	7	1	....	....	....	....	1	....	1	....	....	....	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	28	....	....	....	....	....	....	....	....	....	3	8	8	4	2	3	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
19. Others of this group	M.	11	2	1	....	....	....	3	....	....	....	2	1	1	....	1	1	....	1	1	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	1	....	2	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		34	8	1	1	2	1	13	2	1	....	4	1	4	3	2	....	....	1	1	1	1	....	....	....	....	....	....
Males		21	3	1	1	....	....	5	2	1	....	1	1	3	3	2	....	....	1	....	1	1	....	....	....	....	....	....
Females		13	5	....	....	2	1	8	....	....	....	3	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Worms	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	8	....	....	....	....	....	....	....	....	....	....	....	1	3	2	....	....	1	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	10	1	1	1	....	....	3	1	1	....	1	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	7	....	....	....	2	....	2	....	....	....	3	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Inanition	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		323	178	2	2	....	....	182	1	....	....	....	....	1	1	1	1	4	1	8	6	20	23	19	15	6	4	....
Males		171	110	1	1	....	....	112	....	....	....	....	....	....	1	....	....	2	....	1	3	5	13	27	6	1	....	....
Females		152	68	1	1	....	....	70	1	....	....	....	....	1	....	1	1	2	1	7	3	15	10	22	9	5	4	....
1. Premature birth	M.	16	16	....	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	84	84	....	....	....	....	84	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	52	52	....	....	....	....	52	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	4	....	....	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	23	6	1	1	....	....	8	....	....	....	....	....	....	1	....	....	2	....	1	2	3	....	4	2	....	....	....
	F.	25	5	1	1	....	....	7	....	....	....	....	....	1	....	1	1	2	1	2	1	4	1	2	2	....	....	....
5. Old age	M.	44	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	13	23	4	1	....	....
	F.	63	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	5	2	11	9	20	7	5	4	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		663	37	13	11	6	4	71	10	16	48	74	61	45	40	25	38	47	30	40	24	32	20	11	2	2	3
Males		308	21	5	7	5		36	6	8	15	25	23	19	21	12	15	28	19	24	17	19	13	6	1		1
Females		355	16	8	4	3	4	35	13	8	33	49	38	26	19	13	23	19	17	25	7	13	7	5	1	2	2
1. Rheumatism	M.	13							1		1	1			1	1		3	1		2		2				
	F.	9	1					1		1		1	1		1			2		1		1					
2. Scrofula and tabes	M.	12	1	2	2	2		7			2	2						1									
	F.	12	2	1	2		1	6			2		1					1	2								
3. Leprosy	M.	2												1	1												
	F.	1											1														
4. Consumption	M.	186	8	1	3			12		7	9	17	20	15	16	8	13	12	11	14	9	12	8	1	1		1
	F.	239	8	3	2		2	15	8	5	29	47	32	22	13	9	15	7	10	11	1	5	5	3			2
5. Hydrocephalus	M.	16	10	2	1	1		14	1											1							
	F.	11	3	3				6	4								1										
6. Cancer	M.	37	2					2	1		1	1		1	1	1	2	1	5	8	2	1		1			
	F.	44				1		1			1		1	2	3	3	6	8	1	10	4	4					
7. Tumor	M.	5			1			1			1										1	1		1			
	F.	9	1	1		1		3				1		1					2			1				1	
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.	25							2	1	1	2	2	1	2	2		2			2	3	2	3			
	F.	30	1			1	1	3	1	2	1		2	1	2	1	1	1	2	3	2	2	2	2	1		1
10. Glycosuria	M.	8										2						1		1	1	2	1				
	F.																										
11. Others of this group	M.	4							1				1	1					1								
	F.																										
12. Others of this class	M.																										
	F.	1	1					1																			
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		376	122	37	23	10	4	196	8	5	15	14	9	10	8	3	8	12	11	15	14	21	14	5	4	1	3
Males		202	71	20	12	4	4	111	6	3	5	5	5	4	5		7	5	8	7	3	10	8	3	4	1	2
Females		174	51	17	11	6		85	2	2	10	9	4	6	3	3	1	7	3	8	11	11	6	2			1
1. Inflammation of the brain	M.	37	15	7	4	2	3	31	1			2		1	1				1								
	F.	32	10	10	6	1		27			3	1		1													
2. Meningitis	M.	12	6		1	1		8	1				1	1			1										
	F.	11	6		1			7	2						1						1						
3. Apoplexy	M.	22											2		1		2		5	2	2	4	3	1			
	F.	10	2					2		1	1	1	1	2	1			4	1			1	1				
4. Paralysis	M.	27							1		1						3	4		3	1	4	5	1	3	1	
	F.	32	1	1				2			1			1		1		2	1	2	3	7	5	2			
5. Tetanus and trismus nascentium	M.	7	4	1				5		1				1													
	F.	3	3					3																			
6. Epilepsy	M.	5	2	1				3				1		1													
	F.	13	2	1				3		1	1	1	3				1			1	1						1
7. Convulsions	M.	53	35	7	3	1		46		1	2	1							1								2
	F.	30	17	3	3	2		25				2			1					2							
8. Mental diseases	M.	8									1		2		2		1					1		1			
	F.	4										1		1						1		1					
9. Diseases of the brain	M.	23	7	4	3			14	2	1	1	1					1		1			1		1			
	F.	18	9	2	1			12			3			1					1	1							
10. Diseases of the spinal cord	M.	6	2		1		1	4	1						1												
	F.	9				3		3				1				1				1	1	2					
11. Others of this group	M.	2																		2							
	F.	6	1					1			1	2				1		1									
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		137	16	3	1	1	1	22	3	4	6	9	5	9	9	9	6	6	13	13	5	5	8	5			
Males		79	9	2		1	1	13	3	1	5	3	3	5	3	3	5	4	8	9	4	2	3	5			
Females		58	7	1	1			9		3	1	6	2	4	6	6	1	2	5	4	1	3	5				
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.	1															1										
	F.	2								1						1											
3. Diseases of the heart	M.	75	6	2		1	1	10	3	1	5	3	3	5	3	3	4	4	8	9	4	2	3	5			
	F.	52	4	1	1			6		2	1	6	2	4	6	5	1	1	5	4	1	3	5				
4. Others of this group	M.	3	3					3																			
	F.	4	3					3										1									
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		479	118	42	36	22	14	232	43	20	15	15	11	9	14	12	11	13	15	18	21	16	6	3	1	1	
Males		259	60	23	23	10	8	124	23	10	9	10	10	4	6	5	6	7	9	5	13	10	3	1	3	1	
Females		220	58	19	13	12	6	108	20	10	6	5	1	5	8	7	5	6	6	13	8	6	3	2	1		
1. Croup	M.	59	14	10	6	6	5	41	11	6		1															
	F.	57	19	10	4	6	4	43	8	6																	
2. Laryngitis	M.																										
	F.	1	1					1																			
3. Bronchitis	M.	15	8		1			9	1			1	1				1				1	1					
	F.	22	4	2	3	1		10	2	2	2	1					1	1		2	1						
4. Pneumonia	M.	136	27	10	14	4	3	58	9	3	5	5	6	4	5	5	3	6	7	4	6	5	1	1	1	1	
	F.	111	29	7	6	5	2	49	5	2	4	4	1	4	8	5	2	4	4	7	4	4	2	2			
5. Pleurisy	M.	7			1			1			1		1				1		1			1	1				
	F.	1																					1				
6. Asthma	M.	8																1			4	1			2		
	F.	9														1	1	1	1	2	1	2					
7. Others of this group	M.	34	11	3	1			15	2	1	3	2	2		1		1		1	1	2	2	1				
	F.	10	5					5	5					1		1	1		1	2	2				1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		229	76	22	3	....	1	102	6	9	4	9	9	7	8	4	6	9	13	11	10	6	8	4	2	....	....	2
Males		122	42	10	2	....	1	55	1	7	....	5	3	3	5	3	1	4	9	7	8	4	5	....	2	....	....	....
Females		107	34	12	1	....	....	47	5	2	4	4	6	4	3	1	5	5	4	4	2	2	3	4	....	....	....	2
1. Dentition	M.	9	4	5	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	2	8	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	4	2	1	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	2	1	1	....	....	4	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	3	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	16	1	1	....	....	....	2	....	....	....	3	1	1	2	....	....	....	1	1	2	2	1	....	....	....	....	....
	F.	3	1	1	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	9	3	....	....	....	....	3	....	1	....	2	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
6. Hernia	M.	7	3	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	1	1	....	....	....	....
7. Other diseases of the bowels	M.	9	3	....	1	....	....	4	1	....	....	....	....	....	....	....	....	....	2	1	1	....	....	....	....	....	....	....
	F.	10	4	2	....	....	....	6	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	2	....	....	....	....
8. Jaundice	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	....	1	....	....	....
	F.	6	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1	....	1	1	....	1	....	....	....	....	....
10. Other diseases of the liver	M.	13	1	....	....	....	....	1	....	2	....	....	1	....	2	1	....	1	1	1	....	1	2	....	....	....	....	....
	F.	14	1	....	....	....	....	1	1	....	....	1	1	....	1	....	2	1	3	2	....	....	....	....	....	....	....	1
11. Peritonitis	M.	8	2	1	....	....	1	4	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	....	....	....	....	....	....	....	2	2	....	1	2	....	....	1	....	1	....	....	....	....	1	....	....	....	....
12. Ascites	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....
	F.	5	....	....	....	....	....	....	1	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	34	23	2	....	....	....	25	....	1	....	....	1	....	....	....	....	....	2	2	3	....	....	....	....	....	....	....
	F.	28	22	....	....	....	....	22	2	....	....	....	....	....	1	....	....	1	....	....	....	1	1	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		47	1	....	1	....	....	2	1	....	3	3	4	1	2	1	....	3	2	4	5	9	2	3	....	....	1	1
Males		35	1	....	....	....	....	1	1	....	2	2	2	....	2	1	....	2	1	3	5	8	1	3	....	....	1	....
Females		12	....	....	1	....	....	1	....	....	1	1	2	1	....	....	....	1	1	1	....	1	1	....	....	....	....	1
1. Bright's disease	M.	10	....	....	....	....	....	....	....	....	2	....	2	....	2	....	....	1	....	1	1	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1
2. Calculus, urinary	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	16	1	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	1	2	3	4	....	3	....	....	....	....
	F.	9	....	....	1	....	....	1	....	....	1	1	1	1	....	....	....	1	1	....	....	1	1	....	....	....	....	....
4. Diseases of the bladder	M.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		12	....	....	....	....	....	....	....	....	....	3	2	1	4	1	....	....	....	....	....	....	1	....	....	....	....	....	....
1. Ovarian tumors	F.	2	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
4. Uterine diseases	F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	6	....	....	....	....	....	....	....	....	....	....	1	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		64	....	....	....	....	....	....	....	....	3	13	8	14	11	11	3	....	....	....	....	....	....	....	....	....	....	1
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	59	....	....	....	....	....	....	....	....	2	13	7	13	10	10	3	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group	F.	4	....	....	....	....	....	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		7	2	1	1	1	....	5	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
Males		5	1	....	1	1	....	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
Females		2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	4	1	....	1	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4	1				1	2				1	1															
Males		4	1				1	2				1	1															
Females																											
1. Abscess	M.	4	1				1	2				1	1															
	F.																											
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1													1												
Males		1													1												
Females																											
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.																											
3. Others of this group	M.	1													1												
	F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total		251	24	7	12	6	7	56	13	16	23	19	22	13	14	21	14	8	9	8	6	3	3	1				2
Males		188	12	5	5	2	6	30	9	10	19	16	22	10	12	18	10	5	9	6	4	3	3	1				1
Females		63	12	2	7	4	1	26	4	6	4	3		3	2	3	4	3		2	2							1
1. Burns and scalds	M.	12	3	2	1		3	9	1						1							1						
	F.	10	1	1	2	2	1	7	1		1									1								
2. Drowned	M.	23		1	1			2	3	2	4	4	4		1	3												
	F.	7		1	2	1		4	2		1																	
3. Exposure and neglect	M.	5	2		1			3					1								1							
	F.	3	2					2			1																	
4. Gunshot wounds	M.	13					1	1			5	1	3		2	1												
	F.	4							1	1		1					1											
5. Homicide	M.	8									1		2	2			1	1		1								
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.	1																	1									
	F.																											
8. Railroad accidents	M.	15					1	1			1	5	4	1			1		1			1						
	F.																											
9. Suffocation	M.	8	3	2				5	1	1											1							
	F.	7	6					6				1																
10. Suicide by shooting	M.	5									1			1	1		1											1
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	1													1													
	F.	2													2													
13. Other suicides	M.	10													3	1	1	1	2		1		1					
	F.	5														2	2	1										
14. Sunstroke	M.	4											1	2		1												
	F.	1															1											
15. Surgical operations	M.																											
	F.	1														1												
16. Wounds	M.	4											1				2	1										
	F.	2			1			1		1																		
17. Other accidents and injuries	M.	70	4		2	2	1	9	4	7	7	6	6	4	3	12	4	2	5	5	1	1	2	1				
	F.	21	3		2	1		6		4	1	1		3				2		1	2							1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	495	143	41	26	20	15	245	28	16	17	33	27	14	22	18	15	15	6	10	5	10	9	2	....	1	1	1
Total: Males	266	77	24	12	13	10	136	14	8	4	16	15	6	8	9	12	11	3	6	2	6	6	1	....	1	1	1
Females	229	66	17	14	7	5	109	14	8	13	17	12	8	14	9	3	4	3	4	3	4	3	1	....	....	....	....
Unknown causes.																											
Total	33	23	1	1	1	1	27	....	....	....	1	1	1	....	1	....	....	....	....	....	1	....	1	....	....	....	....
Males	17	13	....	1	1	....	15	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	16	10	1	....	....	1	12	....	....	....	....	....	1	....	1	....	....	....	....	....	1	....	1	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	143	50	21	14	9	5	99	20	5	4	2	....	1	3	2	1	3	1	1	1	....	....	....	....	....	....	....
Males	76	28	14	5	5	5	57	8	2	....	2	....	....	....	2	1	3	1	....	....	....	....	....	....	....	....	....
Females	67	22	7	9	4	....	42	12	3	4	....	....	1	3	....	....	....	....	1	1	....	....	....	....	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	5	1	1	1	1	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	9	1	4	....	1	1	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	8	1	2	1	1	....	5	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	14	2	3	....	1	3	9	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	16	3	1	3	1	....	8	5	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	5	4	....	....	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	3	1	....	1	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	6	....	....	....	....	....	2	2	1	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
8. Enteric fever F.	6	....	1	....	1	....	2	1	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Diarrhœa M.	8	2	3	1	1	....	7	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	5	2	1	1	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	3	1	1	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	6	2	1	....	....	....	3	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	4	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
12. Cholera morbus M.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	11	8	1	2	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	13	9	2	2	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	3	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	2	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	8	3	....	....	2	....	5	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Males	5	....	....	....	2	....	2	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	2	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	3	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	15	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	1	....	....	4	....	....	1	....	....
Males	12	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	1	....	....	3	....	....	1	....	....
Females	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
1. Premature birth M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
4. Debility F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....
5. Old age F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		97	9	4	1	....	3	17	2	3	7	12	9	3	10	6	8	4	1	3	1	7	3	1	....	....	....	....
Males		50	5	3	1	....	1	10	2	2	1	5	4	....	3	3	6	2	....	3	1	5	2	1	....	....	....	....
Females		47	4	1	....	....	2	7	....	1	6	7	5	3	7	3	2	2	1	....	....	2	1	....	....	....	....	....
1. Rheumatism	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Scrofula and tabes	M.	4	2	1	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	29	3	1	....	....	....	4	2	2	1	5	3	....	1	3	2	1	....	1	....	3	1	....	....	....	....	....
	F.	32	2	1	....	....	1	4	....	....	5	7	5	2	7	2	....	1	....	....	....	....	....	....	....	....	....	....
5. Hydrocephalus	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	3	1	....	....	....	2	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....
7. Tumor	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	1	1	....	....	1	....	....	....	....	....	2	....	1	....	....	1	1	....	....	....	....	....
10. Glycosuria	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		32	12	1	6	1	....	20	2	1	....	2	....	....	....	1	2	....	1	....	....	1	2	....	....	....	....	....
Males		18	7	1	3	1	....	12	2	....	....	1	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....
Females		14	5	....	3	....	....	8	....	1	....	1	....	....	....	1	....	....	1	....	....	1	1	....	....	....	....	....
1. Inflammation of the brain	M.	8	4	1	1	1	....	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	1	....	....	2	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	4	2	....	2	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		17	4	....	....	....	1	5	....	....	....	....	....	1	3	2	2	1	2	1	....	....	....	....	....	....	....	....	....
Males		10	2	....	....	....	....	2	....	....	....	....	....	1	2	....	1	1	2	1	....	....	....	....	....	....	....	....	....
Females		7	2	....	....	....	1	3	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	10	2	....	....	....	....	2	....	....	....	....	....	1	2	....	1	1	2	1	....	....	....	....	....	....	....	....
	F.	6	1	....	....	....	1	2	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		50	15	7	4	3	2	31	....	2	2	2	8	....	1	....	2	2	1	2	1	1	....	....	....	....	....	....
Males		25	6	2	2	3	2	15	....	1	1	....	2	....	1	....	2	2	....	....	....	1	....	....	....	....	....	....
Females		25	9	5	2	....	....	16	....	1	1	2	1	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....
1. Croup	M.	3	....	1	....	2	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	3	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	1	1	....	....	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	14	1	1	1	1	1	5	....	1	1	....	2	....	1	....	1	2	....	....	....	1	....	....	....	....	....	....
	F.	10	1	1	....	....	....	5	....	1	....	2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	4	3	....	....	....	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	1	....	....	2	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	40	16	5	....	3	1	25	2	1	....	1	2	1	2	....	....	1	....	2	1	....	....	....	....	....	1	....
Males	19	7	3	....	1	1	12	2	....	....	....	1	1	....	....	....	1	....	1	....	....	....	....	....	....	1	....
Females	21	9	2	....	2	....	13	....	1	....	1	2	....	2	....	....	....	....	1	1	....	....	....	....	....	....	....
1. Dentition M.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach M.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach F.	3	....	1	....	1	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
7. Other diseases of the bowels M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver M.	2	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver F.	4	1	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
11. Peritonitis M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis F.	3	....	....	....	1	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
12. Ascites F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group M.	7	3	1	....	....	....	4	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
13. Others of this group F.	7	5	1	....	....	....	6	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	4	1	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males	3	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Bright's disease F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	4	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	3	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	10	....	....	....	....	....	....	....	....	2	3	....	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth F.	10	....	....	....	....	....	....	....	....	2	3	....	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MINNESOTA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		3								1			1			1											
Males		1								1																	
Females		2											1			1											
1. Abscess	M.	1								1																	
	F.	2											1			1											
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2		1			1	2																			
Males																											
Females		2		1			1	2																			
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.	2		1			1	2																			
XII.—ACCIDENTS AND INJURIES.																											
Total		37	1	1		1	1	4	2	2	2	8	7	4	1	3		3									1
Males		30	1	1			1	3		1	2	7	6	4	1	3		2									1
Females		7				1		1	2	1		1	1					1									
1. Burns and scalds	M.																										
	F.	2										1	1														
2. Drowned	M.	9		1				1			2	4	2														
	F.	2				1		1	1																		
3. Exposure and neglect	M.																										
	F.																										
4. Gunshot wounds	M.	4								1			1			2											
	F.																										
5. Homicide	M.	2																1									1
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	3											1	1		1											
	F.																										
9. Suffocation	M.	1	1					1																			
	F.																										
10. Suicide by shooting	M.	2										2															
	F.																										
11. Suicide by drowning	M.	1												1													
	F.																										
12. Suicide by poisoning	M.																										
	F.																										
13. Other suicides	M.	2												1				1									
	F.	1																1									
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	6					1	1				1	2	1	1												
	F.	2							1	1																	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	171	32	7	5	6	1	51	0	2	6	8	13	12	12	11	6	5	8	9	6	6	3	3	....	2	1	1
Total: Males	101	21	3	2	4	1	31	2	1	3	6	6	4	6	5	5	4	7	6	3	6	2	2	....	1	1	....
Females	70	11	4	3	2	....	20	4	1	3	2	7	8	6	6	1	1	1	3	3	....	1	1	....	1	....	1
Unknown causes.																											
Total	7	4	....	....	....	1	5	.....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Males	5	3	....	....	....	1	4	.....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females	2	1	....	....	....	....	1	.....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	34	11	4	2	3	....	20	2	....	1	4	....	....	4	1	....	1	....	....	1	....	....	....	....	....	....	....
Males	19	7	2	....	1	....	10	1	....	....	4	....	....	1	1	....	1	....	....	1	....	....	....	....	....	....	....
Females	15	4	2	2	2	....	10	1	....	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	1	....	....	1	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	1	....	....	....	1	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	1	....	....	1	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	7	6	1	....	....	....	7	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	2	1	1	....	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever F.	2	....	....	....	1	....	1	.....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	2	1	1	....	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	3	....	....	....	....	....	.....	.....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	1	....	....	....	1	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	2	....	....	....	....	....	.....	.....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	2	....	....	....	....	....	.....	.....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
19. Others of this group F.	2	....	....	....	....	....	.....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	2	1	....	....	....	....	1	.....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	2	1	....	....	....	....	1	.....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	1	....	....	....	....	....	.....	.....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	6	3	....	....	....	....	3	.....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....
Males	6	3	....	....	....	....	3	.....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....
Females	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	2	2	....	....	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	2	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
4. Debility F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
5. Old age F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy M.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	.....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		59	3			1		4					11	6	6	4	1	2	2			1				1		1
Males		21	2			1		3					6	2	3		1	2	2			1				1		
Females		18	1					1					5	4	3	4												1
1. Rheumatism	M.																										
	F.																										
2. Scrofula and tabes	M.	2	2					2																			
	F.	2	1					1					1														
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	15											5	2	3		1	1	1			1				1		
	F.	11											3	4	1	2												1
5. Hydrocephalus	M.																										
	F.																										
6. Cancer	M.	1											1														
	F.	4											1		2	1											
7. Tumor	M.																										
	F.																										
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.	3				1		1									1	1									
	F.	1														1											
10. Glycosuria	M.																										
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		19	5		1			6			1		1		1		1			2	3	2	1	1			
Males		12	2		1			3			1				1		1			1	2	2	1				
Females		7	3					3					1							1	1			1			
1. Inflammation of the brain	M.																										
	F.																										
2. Meningitis	M.																										
	F.	1	1					1																			
3. Apoplexy	M.	5													1					1	2	1					
	F.																										
4. Paralysis	M.	3			1			1			1												1				
	F.	3																		1	1			1			
5. Tetanus and trismus nascentium	M.																										
	F.	1											1														
6. Epilepsy	M.																										
	F.																										
7. Convulsions	M.	2	2					2																			
	F.	2	2					2																			
8. Mental diseases	M.	1																				1					
	F.																										
9. Diseases of the brain	M.	1														1											
	F.																										
10. Diseases of the spinal cord	M.																										
	F.																										
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		13												1		3	3	1		1	1		1	1			1	
Males		7												1		1	2	1						1			1	
Females		6														2	1			1	1		1					
1. Angina pectoris	M.	1																1									
	F.																										
2. Aneurism	M.																										
	F.																										
3. Diseases of the heart	M.	6												1		1	2							1			1	
	F.	6														2	1			1	1		1					
4. Others of this group	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		16	3	1	2	1		7			2	1		2					1	3							
Males		8	2	1	1	1		5												3							
Females		8	1		1			2			2	1		2					1								
1. Croup	M.																										
	F.																										
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.	1	1					1																			
	F.																										
4. Pneumonia	M.	7	1	1	1	1		4												3							
	F.	7	1		1			2			2	1		1					1								
5. Pleurisy	M.																										
	F.																										
6. Asthma	M.																										
	F.																										
7. Others of this group	M.																										
	F.	1												1													

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	15		1		1		3	2		1	1			1	2		1	1	2						1	
Males	8				1		1	1		1				1	2			1	1							
Females	7		2				2	1			1						1		1						1	
1. Dentition M.	1				1		1																			
1. Dentition F.	2		2				2																			
2. Angina M.																										
2. Angina F.	1							1																		
3. Gastritis M.	1													1												
3. Gastritis F.	2																1		1							
4. Other diseases of the stomach M.	3									1					1				1							
4. Other diseases of the stomach F.																										
5. Obstruction of the bowels M.																										
5. Obstruction of the bowels F.																										
6. Hernia M.																										
6. Hernia F.																										
7. Other diseases of the bowels M.																										
7. Other diseases of the bowels F.																										
8. Jaundice M.	1																	1								
8. Jaundice F.																										
9. Inflammation and abscess of the liver. M.	1							1																		
9. Inflammation and abscess of the liver. F.																										
10. Other diseases of the liver M.																										
10. Other diseases of the liver F.																										
11. Peritonitis M.																										
11. Peritonitis F.	1										1															
12. Ascites M.																										
12. Ascites F.	1																							1		
13. Others of this group M.	1														1											
13. Others of this group F.																										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	2																				1	1				
Males	2																				1	1				
Females																										
1. Bright's disease M.	1																				1					
1. Bright's disease F.																										
2. Calculus, urinary M.																										
2. Calculus, urinary F.																										
3. Diseases of the kidney M.																										
3. Diseases of the kidney F.																										
4. Diseases of the bladder M.	1																					1				
4. Diseases of the bladder F.																										
5. Others of this group M.																										
5. Others of this group F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females																										
1. Ovarian tumors F.																										
2. Ovarian diseases F.																										
3. Uterine tumors F.																										
4. Uterine diseases F.																										
5. Others of this group F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	3											1	2													
1. Abortion F.	1											1														
2. Child-birth F.	2												2													
3. Others of this group F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total																										
Males																										
Females																										
1. Diseases of the spine M.																										
1. Diseases of the spine F.																										
2. Diseases of the bones M.																										
2. Diseases of the bones F.																										
3. Diseases of the hip-joint M.																										
3. Diseases of the hip-joint F.																										
4. Others of this group M.																										
4. Others of this group F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	2	1					1													1							
Males	1	1					1																				
Females	1																			1							
1. Abscess M.	1	1					1																				
1. Abscess F.	1																			1							
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	13	1					1	2	1	1	2				1	1		3	1								
Males	10								1	1	2				1	1		3	1								
Females	3	1					1	2																			
1. Burns and scalds M.																											
1. Burns and scalds F.	2							2																			
2. Drowned M.	4								1		2					1											
2. Drowned F.																											
3. Exposure and neglect M.																											
3. Exposure and neglect F.																											
4. Gunshot wounds M.	2									1								1									
4. Gunshot wounds F.																											
5. Homicide M.	1																	1									
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.	1														1												
8. Railroad accidents F.																											
9. Suffocation M.																											
9. Suffocation F.																											
10. Suicide by shooting M.																											
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.																											
12. Suicide by poison F.																											
13. Other suicides M.																											
13. Other suicides F.																											
14. Sunstroke M.																											
14. Sunstroke F.																											
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.																											
16. Wounds F.																											
17. Other accidents and injuries M.	2																	1	1								
17. Other accidents and injuries F.	1	1					1																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		10707	2594	816	520	319	238	4487	607	393	495	697	527	466	398	401	290	275	265	358	281	281	188	167	51	27	43	10
Total: Males		5446	1449	454	274	175	126	2478	298	202	230	304	219	184	154	168	137	135	150	200	169	148	119	89	28	9	20	5
Females		5261	1145	362	246	144	112	2009	309	191	265	393	308	282	244	233	153	140	115	158	112	133	69	78	23	18	23	5
Unknown causes.																												
Total		1173	540	99	61	38	19	757	69	27	23	41	30	28	13	20	17	19	22	17	14	24	14	20	6	1	4	2
Males		579	281	52	32	18	11	394	32	16	17	16	12	8	5	8	8	7	13	8	7	7	9	7	5	....	....	....
Females		594	259	47	29	20	8	363	37	11	11	25	18	20	8	12	9	12	9	9	7	17	5	13	1	1	4	2
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2483	510	323	203	119	89	1244	223	131	120	149	89	67	71	69	48	42	39	61	50	33	17	14	7	2	5	2
Males		1241	277	177	102	63	50	669	111	73	55	56	32	30	29	26	26	21	16	30	28	13	12	9	2	....	1	....
Females		1242	233	146	101	56	39	575	112	58	65	93	57	37	42	43	22	21	23	31	22	20	5	5	5	2	4	2
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	53	13	7	5	5	3	33	5	4	5	1	1	....	1	1	....	....	1	....	....	....	....	1	....	....	....	....
	F.	51	13	7	8	2	1	31	3	5	3	2	2	....	2	2	1	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	4	1	1	1	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	70	23	11	9	8	8	59	8	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	69	14	8	9	4	7	42	18	5	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	138	81	28	12	8	3	132	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	119	65	19	17	7	3	111	5	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	49	16	6	5	3	3	33	2	2	3	4	2	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	53	14	6	5	2	2	29	1	2	5	5	3	2	1	1	1	....	....	2	1	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	20	2	1	2	....	1	6	4	3	2	2	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	4	1	....	1	....	6	1	3	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
8. Enteric fever	M.	134	10	9	3	3	1	26	13	16	12	17	11	7	6	3	2	4	1	6	4	3	2	1	....	....	....	....
	F.	150	6	3	6	3	4	22	13	15	19	14	7	7	12	8	7	4	7	7	3	3	1	1	....	....	....	....
9. Diarrhœa	M.	75	16	11	5	3	1	36	2	1	1	2	....	3	2	4	4	....	5	2	7	3	1	1	....	....	....	1
	F.	50	10	11	2	3	....	26	....	....	....	1	1	1	2	3	....	1	4	3	1	4	1	....	1	....	....	....
10. Dysentery	M.	116	13	29	13	12	5	72	6	2	1	3	5	2	5	4	4	4	....	5	2	....	....	1	....	....	....	....
	F.	119	23	19	18	6	6	72	3	4	5	5	2	2	....	4	1	2	5	5	4	1	....	....	2	1	....	....
11. Enteritis	M.	105	18	13	9	5	4	49	8	11	6	3	1	2	3	1	4	3	1	2	4	....	2	2	2	....	....	1
	F.	94	18	20	6	3	2	49	9	6	4	4	4	....	2	3	....	3	1	1	4	2	....	1	....	....	1	....
12. Cholera morbus	M.	10	....	4	1	....	....	5	1	....	....	1	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	3	1	1	1	....	....	3	1	....	....	1	....	1	....	....	1	....	....	1	1	....	....	....	....	....	....	....
13. Cholera infantum	M.	68	35	20	13	....	....	68	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	57	22	29	4	....	2	57	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	336	34	30	20	15	19	118	56	30	21	16	11	12	8	10	8	5	6	10	9	6	6	3	....	....	....	1
	F.	321	30	18	22	24	11	105	57	17	13	24	19	5	11	11	8	9	6	9	7	10	3	2	2	1	2	....
15. Erysipelas	M.	26	9	3	2	....	....	14	....	1	1	3	....	....	....	1	1	....	1	3	1	....	....	....	....	....	....	....
	F.	18	6	1	1	....	....	8	....	....	....	2	....	....	1	3	....	2	....	1	1	....	....	....	....	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	87	....	....	....	....	....	....	....	....	12	27	13	18	10	5	2	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	15	....	3	2	1	....	6	....	1	....	3	1	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....
	F.	14	5	3	1	1	1	11	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
19. Others of this group	M.	22	6	1	....	....	2	9	1	....	1	1	....	....	2	....	2	2	1	1	1	....	1	....	....	....	....	....
	F.	10	2	....	1	....	....	3	1	1	....	1	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		156	57	16	13	10	7	103	16	4	....	5	4	3	6	1	1	5	1	4	....	1	....	2	....	....	....	....
Males		104	38	11	8	7	2	66	9	4	....	3	3	3	5	1	....	4	1	3	....	1	....	1	....	....	....	....
Females		52	19	5	5	3	5	37	7	....	....	2	1	....	1	....	1	1	....	1	....	....	....	1	....	....	....	....
1. Worms	M.	34	6	8	5	5	1	25	7	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	24	2	5	4	3	4	18	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	18	....	....	....	....	....	....	....	1	....	1	1	2	5	1	....	2	1	3	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	17	....	2	3	2	1	8	2	....	....	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....
	F.	12	2	....	1	....	1	4	1	....	....	2	1	....	....	....	1	1	....	1	....	....	....	1	....	....	....	....
6. Inanition	M.	34	32	1	....	....	....	33	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	15	15	....	....	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		640	452	5	1	1	....	459	1	1	....	1	....	2	....	3	3	4	1	7	10	30	26	35	17	11	29	....
Males		374	271	4	....	1	....	276	1	....	....	1	....	1	....	1	....	1	1	3	5	12	18	20	11	6	17	....
Females		266	181	1	1	....	....	183	....	1	....	....	....	1	....	2	3	3	....	4	5	18	8	15	6	5	12	....
1. Premature birth	M.	46	46	....	....	....	....	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	42	42	....	....	....	....	42	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	201	201	....	....	....	....	201	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	122	122	....	....	....	....	122	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	8	7	....	....	....	....	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	47	17	4	....	1	....	22	....	....	....	1	....	1	....	1	....	....	1	3	2	4	5	2	4	1	....	....
	F.	37	14	1	1	....	....	16	....	1	....	....	....	1	....	2	3	3	....	3	2	2	1	1	1	1	....	....
5. Old age	M.	72	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	3	8	13	18	7	5	17	....
	F.	62	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	16	7	14	5	4	12	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1509	58	46	31	24	12	171	54	48	108	174	174	141	101	113	80	71	65	87	61	49	37	26	4	4	1	....
Males		645	34	28	15	13	4	94	27	20	28	53	62	52	28	36	32	20	35	45	35	32	21	12	3	....	....	....
Females		924	24	18	16	11	8	77	27	28	80	121	112	89	73	77	48	41	30	42	26	17	16	14	1	4	1	....
1. Rheumatism	M.	29	....	2	....	....	....	2	1	1	2	3	1	2	1	2	2	1	....	3	2	1	3	2	....	....	....	....
	F.	18	1	....	....	....	....	1	....	1	....	3	1	....	....	3	2	....	1	3	....	1	....	2	....	....	....	....
2. Scrofula and tabes	M.	47	8	6	2	3	1	20	7	6	1	1	3	1	1	1	....	1	....	1	3	1	....	....	....	....	....	....
	F.	49	7	4	2	4	2	19	9	5	5	2	2	2	2	1	1	....	....	....	....	1	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	352	12	7	3	3	1	26	5	6	15	44	53	35	22	28	22	17	23	23	9	10	8	4	2	....	....	....
	F.	582	7	9	6	....	3	25	6	13	66	102	89	74	54	40	27	23	14	16	12	4	6	4	1	....	....	....
5. Hydrocephalus	M.	9	2	1	1	1	....	5	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	5	1	2	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	32	....	....	....	....	....	....	....	....	1	....	....	3	1	1	3	3	5	4	6	3	2	....	....	....	....	....
	F.	81	....	....	....	....	....	....	....	....	....	1	3	3	6	12	7	7	6	13	8	4	6	4	....	1	....	....
7. Tumor	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	....	....	....	1	....	1	....	....	1	1	....	1	....	....	2	2	2	1	....	1	....	....	....	....	....	....
8. Anæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	162	11	11	8	5	2	37	12	6	6	5	5	11	3	4	5	8	7	13	14	14	6	5	1	....	....	....
	F.	164	4	3	5	6	3	21	12	9	7	10	15	6	11	15	9	9	7	9	6	6	4	4	....	3	1	....
10. Glycosuria	M.	9	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	3	2	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	3	1	1	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	....	1	....	....	1	....	....	1	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		961	280	79	57	45	32	493	89	46	37	40	17	20	20	27	20	15	25	31	10	18	21	16	1	4	....	2
Males		545	168	40	29	24	19	280	42	26	26	27	7	10	9	17	10	8	18	21	10	9	14	9	....	....	....	2
Females		416	112	39	28	21	13	213	47	20	11	13	10	10	11	10	10	7	7	10	9	9	7	7	1	4	....	....
1. Inflammation of the brain	M.	72	14	12	5	4	3	38	6	4	4	7	2	1	1	3	1	....	2	....	....	1	1	1	....	....	....	....
	F.	56	16	9	3	4	1	33	9	4	....	5	....	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	68	14	4	4	3	6	31	7	6	5	6	2	4	....	1	3	....	2	....	1	....	....	....	....	....	....	....
	F.	44	6	5	2	3	3	19	12	6	4	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Apoplexy	M.	39	....	1	....	....	....	1	....	....	....	4	1	....	2	1	3	1	4	10	4	3	3	2	....	....	....	....
	F.	25	1	....	1	....	....	2	....	....	1	2	3	....	....	....	1	2	1	4	2	5	2	....	....	....	....	....
4. Paralysis	M.	52	2	....	1	....	....	3	2	....	1	2	....	....	1	3	3	2	6	8	2	5	8	5	....	....	....	1
	F.	43	3	2	1	3	....	9	....	....	....	1	....	2	1	....	1	2	4	3	4	3	4	6	1	2	....	....
5. Tetanus and trismus nascentium	M.	20	15	....	1	....	....	16	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	8	....	....	....	....	8	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	16	1	1	....	1	....	3	1	3	1	1	1	1	....	3	....	1	....	....	1	....	....	....	....	....	....	....
	F.	17	2	1	....	....	2	5	....	....	2	1	3	....	2	1	1	....	....	....	1	....	....	....	....	....	1	....
7. Convulsions	M.	126	88	11	9	6	2	116	2	2	3	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	101	59	10	10	5	2	86	5	3	....	1	....	....	1	2	1	....	....	....	....	....	1	....	....	....	1	....
8. Mental diseases	M.	3	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	137	33	11	8	9	8	69	21	10	10	6	1	1	3	5	....	3	3	2	1	....	2	....	....	....	....	....
	F.	94	16	10	11	6	2	45	15	7	3	3	1	3	5	5	2	3	2	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	7	1	....	1	1	....	3	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	15	1	2	....	....	3	6	5	....	....	....	....	1	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....
11. Others of this group	M.	5	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	1	....	....	....	1	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	2	1	....	1	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		296	11	1	....	1	2	15	11	10	10	18	17	20	17	16	20	17	23	23	21	27	18	8	3	1	1	....
Males		138	6	1	....	1	....	8	6	5	3	3	5	4	8	8	7	10	13	12	13	18	9	4	2	....	....	....
Females		158	5	....	....	....	2	7	5	5	7	15	12	16	9	8	13	7	10	11	8	9	9	4	1	1	1	....
1. Angina pectoris	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	133	5	1	....	1	....	7	6	5	3	3	5	4	3	8	7	10	11	11	13	17	9	4	2	....	....	....
	F.	156	4	....	....	....	2	6	4	5	7	15	12	16	9	8	13	7	10	11	8	9	9	4	1	1	1	....
4. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1895	430	139	89	36	41	735	71	62	101	154	82	78	81	77	50	66	56	74	65	68	29	35	9	1	....	1
Males		1049	235	84	55	21	21	416	37	27	61	87	48	36	41	40	27	34	33	43	41	37	16	20	3	1	....	1
Females		846	195	55	34	15	20	319	34	35	40	67	34	42	40	37	23	32	23	31	24	31	13	15	6	....	....	....
1. Croup	M.	168	113	19	16	5	5	158	7	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	145	96	17	11	2	7	133	7	1	2	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
2. Laryngitis	M.	7	1	1	1	1	....	4	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	7	....	1	2	1	1	5	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	69	14	11	3	3	3	34	1	2	3	2	1	2	2	2	1	....	5	2	....	3	3	....	....	....	....	1
	F.	59	11	4	2	2	1	23	2	1	3	2	7	2	5	3	1	....	2	2	3	2	....	1	....	....	....	....
4. Pneumonia	M.	750	99	50	33	12	12	206	23	20	55	82	45	33	36	37	23	33	27	39	30	27	12	18	3	1	....	....
	F.	567	80	31	14	8	10	143	24	30	33	61	24	36	31	31	19	28	17	26	19	25	8	7	5	....	....	....
5. Pleurisy	M.	20	2	....	....	....	....	2	3	....	1	2	....	....	2	....	1	....	....	1	6	1	1	....	....	....	....	....	....
	F.	17	1	1	....	1	....	3	1	2	....	....	....	2	....	1	....	1	1	1	1	1	1	2	....	....	....	....	....
6. Asthma	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....
	F.	15	1	....	....	....	....	1	....	....	....	1	....	....	....	....	1	1	1	1	....	2	3	4	....	....	....	....	....
7. Others of this group	M.	33	6	3	2	....	1	12	2	3	2	1	....	1	1	1	....	1	....	1	4	1	....	3	....	....	....	....	....
	F.	36	3	1	5	1	1	11	....	1	2	3	2	2	3	2	2	1	2	1	1	....	1	1	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		487	117	66	31	15	11	240	25	18	16	15	22	16	18	11	15	17	10	18	23	10	8	2	1	1	1
Males		264	65	33	15	10	5	128	11	7	6	9	15	6	8	8	11	9	6	11	17	5	6	1		1	
Females		223	52	33	16	5	6	112	14	11	10	6	7	10	10	3	4	9	4	7	6	5	2	1	1		1
1. Dentition	M.	44	13	20	9	2		44																			
	F.	40	14	22	4			40																			
2. Angina	M.	9	4	2				6	1				1		1												
	F.	17	6	1	2	1	2	12	4								1										
3. Gastritis	M.	11	2	1				3	2	1			2			1		1						1			
	F.	9	4					4					1		1		1		1	2							
4. Other diseases of the stomach	M.	30	5	3	3	1	1	13	3	1	1	1		3	1	1	2	1			2	1	1				
	F.	31	5		2	2		9	1	1	4	2	3	2	2		1	1	1		2	2					
5. Obstruction of the bowels	M.	7				1	1	2		2	1		1									1					
	F.	9		1				1	3				1	2			1							1			
6. Hernia	M.	7	1	1				2					1	1		1					1		1				
	F.																										
7. Other diseases of the bowels	M.	29	9	1		4		14	1	1	2		1	1		2	2		1	2		1	1				
	F.	17	3	2	3	1	1	10	2	1										1	1	2					
8. Jaundice	M.	5	1	1	1		1	4					1	1				1			1		1				
	F.	5	2					2	2	1																	
9. Inflammation and abscess of the liver.	M.	16	3					3	2			1		1			1		1	3	2	1	1				
	F.	5	1					1			1				2			1									
10. Other diseases of the liver	M.	27	4		1	1		6	1	1		4	4		2	1	1	1	1	4							
	F.	23		1	1	1	2	5	2	1	2	2	1		1	2		1		3	2		1				
11. Peritonitis	M.	3	2	1				3			1	2					1				1						
	F.	12	1		1			2			1		1	5	1	1											1
12. Ascites	M.	9			1	1		2		1					1					1	2		1			1	
	F.	4										1		1				1				1					
13. Others of this group	M.	58	21	3			2	26	1		1	1	4		3	2	4	4	3	3	5		1				
	F.	51	16	6	3		1	26		7	2	1			4		1	4	2	1	1		1	1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		93	2		2		2	6	2	1	2	3	4	4	3	2	9	3	6	11	10	8	10	4	2	1	2
Males		73	2		1		2	5			2	2	2	2	1		7	3	6	8	8	8	10	4	2	1	2
Females		20			1			1	2	1		1	2	2	2	2	2			3	2						
1. Bright's disease	M.	17									1			2			3	1		3	1	2	3	1			
	F.	8												1	2	2	1			1	1						
2. Calculus, urinary	M.	10															2			1	3		2		1		1
	F.																										
3. Diseases of the kidney	M.	27	1				1	2			1	1	2		1		1		4	3	3	4	1	2		1	1
	F.	9			1			1	1			1	2	1						2	1						
4. Diseases of the bladder	M.	10	1					1				1						1		1	1	1	3		1		
	F.	1															1										
5. Others of this group	M.	9			1		1	2									1	1	2			1	1	1			
	F.	2							1	1																	
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		90					1	1	1	1	5	7	7	10	14	15	8	3	6	6		5			1		
1. Ovarian tumors	F.	6							1						1				1			3					
2. Ovarian diseases	F.	2													1					1							
3. Uterine tumors	F.	4													1		1		1			1					
4. Uterine diseases	F.	16									1	1	1		3	5	1		2	1					1		
5. Others of this group	F.	62					1	1		1	4	6	6	10	8	10	6	3	2	4		1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		185								2	27	31	37	37	28	16	5	1									1
1. Abortion	F.	22									5	4	4	6	2	1											
2. Child-birth	F.	146								1	19	25	29	28	23	14	5	1									1
3. Others of this group	F.	17								1	3	2	4	3	3	1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		23	1					1	3	3	1	1	1	2	1	1	4	2				1		1			1
Males		10	1					1	1	1	1			1			2	1				1		1			
Females		13							2	2		1	1	1	1	1	2	1									1
1. Diseases of the spine	M.	3															2	1									
	F.	5							1						1	1	1										1
2. Diseases of the bones	M.	4							1					1								1		1			
	F.	3							1			1		1													
3. Diseases of the hip-joint	M.	1								1																	
	F.	1																1									
4. Others of this group	M.	2	1					1			1																
	F.	4								2			1				1										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		23	9	2	1	2	....	14	....	1	....	....	....	1	....	2	....	1	....	2	2	....	....	....	....	....	....	....
Males		11	3	1	1	....	....	5	....	1	....	....	....	1	....	2	....	....	....	1	1	....	....	....	....	....	....	....
Females		12	6	1	....	2	....	9	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....
1. Abscess	M.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Carbuncle	M.	3	1	....	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	5	2	1	....	....	....	3	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	8	5	1	....	1	....	7	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		10	1	1	1	....	....	3	1	1	....	1	1	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....
Males		5	1	....	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females		5	....	1	1	....	....	2	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	4	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	4	....	....	1	....	....	1	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		619	125	39	30	28	22	244	41	36	40	57	42	36	25	26	10	9	10	17	11	6	8	4	....	1	1	....
Males		406	66	23	16	17	12	134	20	21	31	47	32	30	20	21	7	11	7	15	4	4	4	1	....	....	....	....
Females		213	59	16	14	11	10	110	21	15	9	10	10	6	5	5	3	1	3	2	2	2	4	3	....	1	1	....
1. Burns and scalds	M.	49	4	8	11	11	6	40	3	1	1	....	....	1	....	....	....	1	....	1	....	1	....	....	....	....	....	....
	F.	75	4	9	7	6	8	34	15	8	5	3	....	....	2	3	....	....	....	1	....	2	....	1	....	....	1	....
2. Drowned	M.	36	....	....	2	1	....	3	5	8	7	3	6	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	....	2	1	....	....	3	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	22	14	3	2	1	....	20	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	F.	19	12	1	....	....	....	13	1	....	....	....	2	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	54	....	....	....	....	....	....	....	2	8	16	6	10	6	3	2	....	....	....	....	1	....	....	....	....	....	....
	F.	5	....	....	1	1	....	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
5. Homicide	M.	26	....	....	....	....	....	....	....	....	1	5	5	4	3	2	1	1	1	2	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	14	....	1	....	....	....	1	....	1	3	2	1	....	3	3	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	41	36	1	....	....	....	39	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	36	29	1	3	....	....	33	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	7	....	....	....	....	....	....	....	....	2	1	1	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	12	....	....	....	....	....	....	....	....	....	....	2	3	4	1	1	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	15	....	....	....	....	....	....	1	1	1	2	3	2	1	3	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	7	1	1	1	....	1	4	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
17. Other accidents and injuries	M.	126	11	8	1	4	6	30	10	8	7	17	7	9	2	6	8	6	4	0	3	2	3	....	....	....	....	....
	F.	54	12	2	1	4	1	20	3	4	3	2	3	3	2	1	2	1	2	1	2	....	3	1	....	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3705	835	201	170	140	87	1433	246	152	172	255	204	160	155	153	110	135	79	121	70	79	45	44	18	16	14	44
Total: Males		1980	465	121	94	79	45	804	117	85	90	115	98	86	73	83	61	66	53	72	47	39	28	24	6	6	5	26
Females		1725	370	80	76	61	42	629	129	67	86	140	106	74	82	70	49	69	26	49	23	40	17	20	12	10	9	18
Unknown causes.																												
Total		408	168	18	23	17	5	231	28	10	10	19	8	15	9	15	6	10	9	10	6	11	2	2	2	....	....	5
Males		217	94	14	8	8	4	128	17	5	2	4	4	10	3	7	5	6	4	5	4	5	2	1	1	....	....	4
Females		191	74	4	15	9	1	103	11	5	8	15	4	5	6	8	1	4	5	5	2	6	....	1	1	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		908	157	71	65	47	40	380	103	57	47	59	44	35	36	23	24	24	14	9	15	12	4	9	....	1	2	10
Males		506	87	37	40	24	20	208	54	31	25	29	23	21	18	17	13	13	12	9	11	5	3	5	....	....	1	8
Females		402	70	34	25	23	20	172	49	26	22	30	21	14	18	6	11	11	2	....	4	7	1	4	....	1	1	2
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	14	2	3	1	2	....	8	1	....	....	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	2
	F.	8	2	....	....	1	1	4	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1
3. Scarlet fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	24	6	2	5	2	....	15	7	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	28	1	2	....	1	5	9	12	3	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	34	18	6	4	2	....	30	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	13	6	3	3	1	26	2	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
6. Fever	M.	9	1	....	3	....	1	5	....	1	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	31	12	3	2	3	2	22	....	....	2	....	2	1	1	1	....	2	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	4	1	....	....	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	25	3	1	4	....	3	11	1	2	2	2	2	2	1	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	21	....	....	....	2	....	2	2	3	4	1	4	1	1	1	....	....	1	....	....	1	....	....	....	....	....	....
9. Diarrhœa	M.	24	5	2	2	1	1	11	2	....	1	....	1	1	....	....	....	....	3	2	....	....	....	2	....	....	....	1
	F.	15	3	1	1	....	1	6	....	....	....	2	....	....	1	....	1	1	....	....	1	1	....	2	....	....	....	....
10. Dysentery	M.	46	5	2	3	1	1	12	3	3	2	2	2	5	3	3	1	4	1	3	....	1	1	....	....	....	....	....
	F.	23	2	6	1	3	....	12	1	2	....	....	1	1	....	....	3	....	....	....	....	1	....	1	....	....	1	....
11. Enteritis	M.	41	10	5	2	3	....	20	2	4	1	1	....	1	2	2	1	1	....	1	3	....	....	....	....	....	....	2
	F.	25	6	1	3	....	1	10	3	1	2	2	2	1	....	....	1	3	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	9	4	....	....	....	....	4	2	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	24	16	5	2	1	....	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	12	4	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	210	12	10	14	12	14	62	27	18	14	18	13	7	6	10	7	4	6	1	7	2	2	2	....	....	1	3
	F.	158	15	10	15	9	8	57	23	15	9	17	7	3	9	2	5	2	....	....	3	3	....	1	....	1	....	1
15. Erysipelas	M.	5	1	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
	F.	6	3	....	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
16. Septicæmia	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	20	....	....	....	....	....	....	....	2	3	6	2	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	32	1	....	....	....	....	1	4	2	1	3	3	4	5	2	2	3	1	....	....	....	1	....	....	....	....	....
	F.	14	....	1	....	1	1	3	2	....	....	1	1	....	4	....	....	2	1	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		62	14	6	5	12	4	41	5	1	1	2	2	2	....	2	....	1	1	3	....	1	....	....	....	....	....	....
Males		42	9	2	3	6	3	23	4	1	1	2	2	1	....	2	....	1	1	3	....	1	....	....	....	....	....	....
Females		20	5	4	2	6	1	18	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	17	4	1	3	5	3	16	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	....	4	1	5	1	11	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	1	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	16	1	1	....	1	....	3	3	1	1	2	1	1	....	1	....	....	1	2	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	5	....	....	1	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		221	147	7	2	1	....	157	....	....	....	1	....	....	1	2	2	2	2	4	2	8	6	13	5	7	8	1
Males		114	82	7	1	1	....	91	....	....	....	1	....	....	....	1	1	....	2	2	1	3	2	6	1	2	1	....
Females		107	65	....	1	....	....	66	....	....	....	....	....	....	1	1	1	2	....	2	1	5	4	7	4	5	7	1
1. Premature birth	M.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	66	66	....	....	....	....	66	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	56	56	....	....	....	....	56	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	2	2	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	20	5	5	1	1	....	12	....	....	....	1	....	....	....	1	1	....	1	1	....	2	....	....	....	....	1	....
	F.	13	3	....	1	....	....	4	....	....	....	....	....	....	1	1	1	1	....	....	1	1	1	2	....	....	1	....
5. Old age	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	2	6	1	2	....	....
	F.	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	4	3	7	4	4	6	1
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		483	9	12	9	12	7	49	28	18	25	61	61	29	30	39	26	32	16	28	12	9	7	4	3	2	4
Males		210	4	9	3	8	1	25	8	8	9	22	27	15	13	18	12	10	10	14	8	3	4	1	1		2
Females		273	5	3	6	4	6	24	20	10	16	39	34	14	17	21	14	22	6	14	4	6	3	3	2	2	2
1. Rheumatism	M.	8										2			1			1		2		1	1				
	F.	4							1									1		1		1					
2. Scrofula and tabes	M.	7	2	2				4	1	2																	
	F.	11	2				2	4	3	1			2							1							
3. Leprosy	M.	1																			1						
	F.																										
4. Consumption	M.	130	1	2	1		1	5	2	3	7	19	23	14	10	13	9	7	7	4	2	1	2				2
	F.	170	1	1	2	1	1	6	6	7	12	33	25	12	14	17	10	13	3	3	2	2	2	1			2
5. Hydrocephalus	M.	4	1		1	2		4																			
	F.	1					1	1																			
6. Cancer	M.	7		1				1								3				3							
	F.	20							1			1	1	1	1	3	3	3	1	3				1		1	
7. Tumor	M.																										
	F.	2												1				1									
8. Anæmia	M.	1																					1				
	F.	1													1												
9. Dropsy	M.	50		4	1	6		11	5	3	2	1	4	1	2	2	3	2	2	4	5	1		1	1		
	F.	64	2	2	4	3	2	13	9	2	4	5	6		1	1	1	4	2	6	2	3	1	1	2	1	
10. Glycosuria	M.	2																	1	1							
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		361	134	15	17	13	5	184	27	14	12	9	6	12	9	15	4	12	9	9	7	6	8	6	3	2	1	6
Males		190	79	8	7	7	5	106	12	5	7	5	3	6	5	9	2	5	5	4	3	1	4	3		1	1	3
Females		171	55	7	10	6		78	15	9	5	4	3	6	4	6	2	7	4	5	4	5	4	3	3	1		3
1. Inflammation of the brain	M.	26	5	4		2	1	12	5	1	2			2	1	1			1									1
	F.	18	4	1	1			6	5	1			2	1	1	1							1					
2. Meningitis	M.	7	3	1				4	1	2																		
	F.	17	3	1	1	2		7	3	2	1			1		1		1										1
3. Apoplexy	M.	9												1			1	1	2		1		1	1		1		
	F.	9												1		2		1	2	1		1		1				
4. Paralysis	M.	17				1		1				1			4		1	1		3		1	2			1		
	F.	24			2			2			2			1			1		2	3	4	3	3	1	1	1		
5. Tetanus and trismus nascentium.	M.	17	14					14	1	1						1												
	F.	12	10		1			11		1																		
6. Epilepsy	M.	2								1			1															
	F.	4	1					1						1			1			1								
7. Convulsions	M.	61	47	2	4	2	2	57	2			1							1									
	F.	51	31	2	3	4		40	2	4	1	1			1													2
8. Mental diseases	M.	1									1																	
	F.	1																							1			
9. Diseases of the brain	M.	47	10	1	3	2	2	18	3		3	2	2	3		6		3	1	1	2		1					2
	F.	31	6	3	2			11	4	1	1	3		1	1	1		5				1		1	1			
10. Diseases of the spinal cord	M.	2									1	1																
	F.	2							1						1													
11. Others of this group	M.	1														1												
	F.	2											1			1												
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		85		1	2	1		4	3	5	2	6	8	2	5	7	3	8	4	12	1	4	3	2		1	1	1
Males		43			2			2	1	5	2	2	2		3	2	1	5	2	6	2	2	3	1		1		1
Females		42		1		1		2	2			4	6	2	2	5	2	3	2	6	2	2		1			1	
1. Angina pectoris	M.																											
	F.																											
2. Aneurism	M.	1																	1									
	F.	3										1						1				1						
3. Diseases of the heart	M.	41			2			2	1	5	2	2	2		3	2	1	4	2	5	2	2	3	1		1		1
	F.	39		1		1		2	2			3	6	2	2	5	2	2	2	6	2	1		1			1	
4. Others of this group	M.	1																		1								
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		570	101	33	16	13	10	173	23	27	32	43	27	27	31	30	21	34	15	25	17	14	10	5	2	2	1	11
Males		321	56	20	10	8	6	100	7	14	18	25	12	17	15	14	11	21	10	16	12	9	5	5	2	1	1	6
Females		249	45	13	6	5	4	73	16	13	14	18	15	10	16	16	10	13	5	9	5	5	5			1		5
1. Croup	M.	30	19	2	5	1	2	29	1																			
	F.	32	17	4	1	2	2	26	2	1																		3
2. Laryngitis	M.	1															1											
	F.	2					1	1				1																
3 Bronchitis	M.	9	3	1				4								1				1	1	2						
	F.	13	8					8							2			1	2									
4. Pneumonia	M.	267	31	17	5	7	4	64	5	13	17	25	12	17	14	13	9	21	9	14	9	6	4	5	2	1	1	6
	F.	183	18	9	5	3	1	36	12	10	12	15	15	10	12	14	9	11	3	9	3	5	4			1		2
5. Pleurisy	M.	8	1					1	1	1	1				1						1	1						
	F.	7	2					2		1	1	1				1					1							
6. Asthma	M.	2																			1		1					
	F.	6										1			1	1	1				1		1					
7 Others of this group	M.	4	2					2									1		1									
	F.	6							2	1	1				1			1										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		194	58	32	19	9	4	122	2	3	2	5	6	7	8	2	8	2	3	8	1	8	3	1	2		1
Males		113	29	19	11	5	3	70	1	2	1	2	1	4	5	1	4	2	2	7		6	3	1			1
Females		81	29	13	8	1	1	52	1	1	1	3	5	3	3	1	4		1	1	1	2			2		
1. Dentition	M.	34	12	13	6	1	1	33																			1
	F.	23	9	9	4	1		23																			
2. Angina	M.	6	3			2	1	6						1			1										
	F.	6	2		2			4			1						1										
3. Gastritis	M.	2																				1	1				
	F.	1	1					1																			
4. Other diseases of the stomach	M.	8			1	1		2		1					1		1	1	1	1							
	F.	9	1	1				2				1	2		1		2				1						
5. Obstruction of the bowels	M.	4																1	1			1	1				
	F.	1												1													
6. Hernia	M.	5	2					2						1	1								1				
	F.	1											1														
7. Other diseases of the bowels	M.																										
	F.																										
8. Jaundice	M.																										
	F.	3	1					1	1						1												
9. Inflammation and abscess of the liver.	M.	10				2		2						1	2		1			3		1					
	F.	1											1	2		1				1		1		2			
10. Other diseases of the liver	M.	11		1			1	2		1		2	1	1		1						3					
	F.	1		1				1																			
11. Peritonitis	M.	2	2					2												1							
	F.	1													1												
12. Ascites	M.	1			1			1																			
	F.	3			1			1				1	1														
13. Others of this group	M.	27	10	5	3	2		20	1		1				1		1			2				1			
	F.	24	15	2	1		1	19		1		1					1		1			1					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		33		1		1		2	2			4	2		1	1	1	1	3	3	6	2	1	1	1	1	1
Males		25		1				1				3	1			1	1	1	2	2	6	2	1	1	1	1	1
Females		8				1		1	2			1	1		1				1	1							
1. Bright's disease	M.	7										2					1				4						
	F.	5							2			1			1					1							
2. Calculus, urinary	M.	3																1		1					1		
	F.																										
3. Diseases of the kidney	M.	5		1				1								1			1		1				1		
	F.	3				1		1					1						1								
4. Diseases of the bladder	M.	4																		1	1	1		1			
	F.																										
5. Others of this group	M.	6										1	1						1			1	1			1	
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		15							1		1	3		2			1	5		1		1					
1. Ovarian tumors	F.	1												1													
2. Ovarian diseases	F.																										
3. Uterine tumors	F.	1																1									
4. Uterine diseases	F.	3										1						1									
5. Others of this group	F.	10							1		1	2		1			1	3		1		1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		77									16	17	11	12	10	5	3										3
1. Abortion	F.	8									2	1	1		2	2											
2. Child-birth	F.	60									10	14	9	10	8	3	3										3
3. Others of this group	F.	9									4	2	1	2													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		3										1						1	1								
Males		1																									
Females		2										1						1				1					
1. Diseases of the spine	M.	1																	1								
	F.																										
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.																										
	F.	2										1						1									
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSISSIPPI—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		1								1																	
Males		1								1																	
Females																											
1. Abscess	M.																										
	F.																										
2. Carbuncle	M.	1								1																	
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		284	47	5	12	14	12	90	24	16	24	25	29	17	15	12	11	3	2	9		3	1	1			2
Males		197	25	4	9	9	3	50	13	13	21	20	23	12	11	11	11	2	2	4		2	1				1
Females		87	22	1	3	5	9	40	11	3	3	5	6	5	4	1		1		5		1		1			1
1. Burns and scalds	M.	14	3		3	3	2	11	2				1														
	F.	31	2		3	2	6	14	7	2		1	3	2				1		1							
2. Drowned	M.	27							6	3	5	4	4	2	1		1			1							
	F.	4							2						1												1
3. Exposure and neglect	M.	15	5	1	2	3		11	1		1		1							1			1				
	F.	12	6				2	8				1		1	1					1							
4. Gunshot wounds	M.	47				2		2		5	5	7	9	5	6	3	3	1									1
	F.	7				1		1		1		2	1	1	1												
5. Homicide	M.	23									2	4	7	1	1	1	5		1	1							
	F.	4									1			1						2							
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	3									2											1					
	F.	1										1															
9. Suffocation	M.	7	7					7																			
	F.	11	10	1				11																			
10. Suicide by shooting	M.	1														1											
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	2									1					1											
	F.																										
14. Sunstroke	M.	2							1									1									
	F.	3							1		1		1														
15. Surgical operations	M.	1														1											
	F.																										
16. Wounds	M.	3								1		1		1													
	F.	1																		1							
17. Other accidents and injuries	M.	52	10	3	4	1	1	19	3	4	5	4	2	3	3	4	2		1	1		1					
	F.	13	4			1	1	6	1		1		1		1	1						1		1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 1.

[Exclusive of SAINT LOUIS.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		5400	1235	426	218	123	77	2079	269	184	276	395	295	240	239	203	190	184	138	187	161	149	102	44	29	9	5	22
Total: Males		2881	660	232	103	59	40	1094	152	92	137	182	129	115	128	114	105	128	89	109	112	84	57	24	16	4		10
Females		2519	575	194	115	64	37	985	117	92	139	213	166	125	111	89	85	56	49	78	49	65	45	20	13	5	5	12
Unknown causes.																												
Total		329	195	20	8	3	2	228	13	5	6	12	9	6	5	7	3	8	5	6	5	4	5		2			
Males		158	97	7	4	1	1	110	7	2	2	6	1	2	2	4	3	3	3	5	3	3	1		1			
Females		171	98	13	4	2	1	118	6	3	4	6	8	4	3	3		5	2	1	2	1	4		1			
1.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1603	333	239	112	62	37	783	110	72	94	102	71	65	61	42	33	26	30	35	25	24	15	3	4	1		7
Males		847	173	141	53	26	18	411	66	36	46	48	34	30	30	25	17	17	20	23	19	13	5	1	2	1		3
Females		756	160	98	59	36	19	372	44	36	48	54	37	35	31	17	16	9	10	12	6	11	10	2	2			4
1. Small-pox	M.																											
	F.	1	1					1																				
2. Measles	M.	47	11	12	4	2	3	31	3	4	2	6										1						
	F.	43	9	8	2	3	3	25	4	1	2	1	5	3		2												
3. Scarlet fever	M.	8	2	2	1		2	7		1																		
	F.	10	1	2		2	2	7	1	1		1																
4. Diphtheria	M.	47	5	11	6	5	5	32	10	2	1	1	1															
	F.	36	6	3	9	8	5	31	3	1		1																
5. Hooping-cough	M.	29	15	3	4	4	1	27	2																			
	F.	24	9	7	4	2		22	1											1								
6. Fever	M.	4	3					3				1																
	F.	0			1	1		2	1					1	1							1						
7. Cerebro-spinal fever	M.	17	3	4	1			8	2	2	1		2					1					1					
	F.	10	1	2	1	3		7	1	1	1	1	1		2		2											
8. Enteric fever	M.	105	3	4	2	3	2	14	13	5	9	14	12	8	6	6	2		4	8	1	1	1					1
	F.	97	1	1	4	1		7	5	15	20	8	5	7	8	5	4	1	4	5	1	3						
9. Diarrhœa	M.	69	19	23	4	2		48	1		2	1	2				1	2	1	4	5	2						
	F.	52	22	11	4	2	1	40				1	1		2		1	1	2			1	2		1			
10. Dysentery	M.	67	14	23	5			42	2		1	1		2	3	3	1	2	2	1		4	1		1			1
	F.	60	19	9	8	3		39	2		1			1		1	1		1	2	1	4	4	1	1			1
11. Enteritis	M.	86	27	12	4	1		44	5	2	6	4	4	2	4	4	3	1	2	3			1	1				
	F.	49	12	13	2	2	1	30	4	2	2	3	2		1		1	1		2			1					
12. Cholera morbus	M.	18	2		1	1		4	3		1	2	1	2	1		1		1	1					1			
	F.	8	1	1				2	2	1	1					1								1				
13. Cholera infantum	M.	87	46	30	9	2		87																				
	F.	92	48	26	14	3	1	92																				
14. Malarial fever	M.	198	8	13	9	5	5	40	25	20	15	16	11	11	12	10	7	6	9	4	7	4						1
	F.	161	20	14	8	6	6	54	19	13	14	13	7	12	7	3	6	4		1	1	3	3					1
15. Erysipelas	M.	50	13	3	1	1	1	19			3	2	1	3	2	2	1	5	1	2	6	1	1		1			
	F.	27	9	1	1			11				3	2	1	4	1		1	1	1	2							
16. Septicæmia	M.	5	1		1			2			2				1													
	F.	4										1	2		1													
17. Puerperal septicæmia	F.	58									7	20	11	9	5	3		1										2
18. Venereal diseases	M.	1	1					1																				
	F.	2	1					1				1																
19. Others of this group	M.	9		1	1			2			3			2	1		1											
	F.	10			1			1	1	1			1	1		1	1		2		1							
General diseases—B.																												
Total		54	24	4	2	3	1	34	2			3		1	2		3	3	2	2		1	1					
Males		39	15	2	1	3	1	22	2			1		1	1		3	3	2	2		1	1					
Females		15	9	2	1			12				2			1													
1. Worms	M.	5	1	1		1	1	4	1																			
	F.	3	1	2				3																				
2. Other parasitic diseases	M.																											
	F.																											
3. Alcoholism	M.	8										1		1	1			3	1			1						
	F.	1										1																
4. Lead poison	M.																											
	F.																											
5. Other poisons	M.	9	1	1	1	2		5	1								2						1					
	F.	4	1		1			2				1			1													
6. Inanition	M.	17	13					13									1		1	2								
	F.	7	7					7																				
General diseases—C.																												
Total		308	210	1	2			213	1		1		2	2		1	2	1	1	5	6	15	14	21	14	5	2	2
Males		154	107					107			1		1	1		1	2	1		2	4	12	4	10	7	1		
Females		154	103	1	2			106	1				1	1					1	3	2	3	10	11	7	4	2	2
1. Premature birth	M.	19	19					19																				
	F.	18	18					18																				
2. Stillborn	M.	79	79					79																				
	F.	62	62					62																				
3. Malformation	M.	1	1					1																				
	F.	6	6					6																				
4. Debility	M.	30	8					8			1		1	1		1	2	1		1	4	5	2	1	2			
	F.	30	17	1	2			20	1				1	1					1	1	2			2		1		
5. Old age	M.	25																										
	F.	38																		1		7	2	9	5	1		
6. Atrophy	M.																			2		3	10	9	7	3	2	2
	F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		739	31	18	14	4	5	72	32	23	52	91	77	49	68	46	47	31	26	35	37	28	15	4	3	....	3
Males		336	17	7	8	2	1	35	14	6	18	39	28	21	31	19	23	16	15	12	24	17	10	4	2	....	2
Females		403	14	11	6	2	4	37	18	17	34	52	49	28	37	27	24	15	11	23	13	11	5	....	1	....	1
1. Rheumatism	M.	10	....	1	....	....	....	1	....	....	....	....	....	....	....	1	1	2	....	....	2	3	....	....	....	....	....	....
	F.	13	....	....	....	....	1	1	....	1	1	1	1	....	2	2	....	....	....	2	1	1	....	....	....	....	....	....
2. Scrofula and tabes	M.	20	4	4	4	1	....	13	4	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	14	2	5	....	....	1	8	1	3	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	226	5	1	2	....	....	8	7	4	13	33	25	20	26	14	17	13	9	5	17	5	6	2	....	....	2
	F.	289	6	3	3	1	1	14	6	13	31	44	43	24	29	21	13	11	9	10	9	6	4	....	1	....	1
5. Hydrocephalus	M.	5	3	1	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	4	1	2	....	....	7	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	16	....	....	1	....	....	1	....	....	1	....	....	....	1	2	1	....	2	....	2	4	....	1	1	....	....	....
	F.	26	....	....	....	....	....	....	....	....	....	1	1	1	2	3	5	4	2	5	1	1	....	....	....	....	....	....
7. Tumor	M.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	5	1	1	....	....	....	2	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	50	3	....	....	1	1	5	3	2	2	3	3	1	4	2	4	1	4	5	3	3	4	1	....	....	....	....
	F.	43	1	1	1	1	1	5	7	....	1	5	4	1	3	1	4	....	....	6	2	3	1	....	....	....	....	....
10. Glycosuria	M.	4	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		529	172	58	22	17	12	281	40	21	21	13	18	13	16	10	19	14	7	14	13	17	5	3	2	1	1	....
Males		286	96	33	8	7	9	153	23	11	7	4	7	6	10	8	10	9	3	9	11	8	2	2	2	1	....	....
Females		243	76	25	14	10	3	128	17	10	14	9	11	7	6	2	9	5	4	5	2	9	3	1	....	....	1	....
1. Inflammation of the brain	M.	68	26	13	3	3	3	48	7	2	1	....	1	2	....	3	1	1	1	1	....	....	....	....	....	....	....	....
	F.	64	22	16	5	3	....	46	8	3	....	2	1	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	22	6	5	1	1	1	14	1	....	1	1	2	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	23	6	2	1	1	....	10	1	1	3	1	3	1	....	....	....	2	....	....	....	....	....	....	....	....	1	....
3. Apoplexy	M.	17	....	....	....	....	....	....	....	1	1	....	....	....	2	1	3	1	2	1	2	2	....	1	....	....	....	....
	F.	13	2	1	....	....	....	3	....	....	....	....	....	1	1	....	3	....	2	2	....	....	1	....	....	....	....	....	....
4. Paralysis	M.	27	....	....	....	1	....	1	....	....	....	....	1	....	2	....	2	6	....	2	5	4	1	1	1	....	....	....
	F.	15	....	....	1	....	....	1	....	....	1	1	....	....	1	....	....	....	1	1	1	6	1	1	....	....	....	....
5. Tetanus and trismus nascentium	M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	4	....	....	....	....	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	12	2	1	....	....	....	3	....	1	1	1	1	1	....	1	1	....	....	2	....	....	....	....	....	....	....	....
	F.	14	1	1	....	1	....	3	....	2	....	2	....	2	1	1	....	....	1	....	....	2	....	....	....	....	....	....
7. Convulsions	M.	61	44	6	3	1	....	54	4	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	50	31	3	4	....	2	40	3	1	2	....	2	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
8. Mental diseases	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	1	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	38	8	6	1	....	3	18	6	3	1	....	1	....	....	1	1	1	....	2	1	2	1	....	....	....	....	....
	F.	40	6	2	2	4	1	15	5	2	6	2	1	....	1	....	3	2	....	2	....	....	1	....	....	....	....	....
10. Diseases of the spinal cord	M.	26	4	2	....	1	2	9	4	3	2	2	1	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	4	....	1	1	....	6	....	1	3	1	2	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
11. Others of this group	M.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		125	7	1	....	1	1	10	3	6	5	6	5	2	7	7	11	9	5	12	9	11	13	1	1	....	1	1
Males		79	3	1	....	....	1	5	3	3	4	2	3	....	5	6	6	5	3	9	8	5	11	....	....	....	....	1
Females		46	4	....	....	1	....	5	....	3	1	4	2	2	2	1	5	4	2	3	1	6	2	1	1	....	1	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	76	1	1	....	....	1	3	3	3	4	2	3	....	5	6	5	5	3	9	8	5	11	....	....	....	....	1
	F.	42	4	....	....	....	....	4	....	3	1	4	2	2	2	1	5	4	1	2	1	5	2	1	1	....	1	....
4. Others of this group	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		1160	200	67	45	26	16	354	44	31	58	106	63	62	49	51	56	71	43	54	50	31	22	3	1	1	....	5
Males		688	116	36	22	16	7	197	24	14	39	63	35	36	31	29	30	59	31	32	33	12	15	3	1	....	....	4
Females		472	84	31	23	10	9	157	20	17	19	43	28	26	18	22	26	12	12	22	17	19	7	5	....	1	....	1
1. Croup	M.	88	60	9	9	3	2	83	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	83	45	7	12	5	5	74	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	40	8	7	1	2	....	18	1	1	2	....	1	4	1	1	....	....	2	2	3	2	2	....	....	....	....	....	....
	F.	46	8	1	4	1	....	14	2	1	1	5	1	2	....	3	2	2	2	3	4	3	....	1	....	....	....	....	....
4. Pneumonia	M.	522	45	20	12	10	5	92	19	11	37	59	30	29	28	25	28	55	27	25	28	10	12	2	1	....	....	4
	F.	323	28	22	7	4	4	65	8	15	16	37	25	22	16	19	23	10	8	19	12	16	6	4	....	1	....	1
5. Pleurisy	M.	8	....	....	....	....	....	....	....	....	....	....	3	1	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	1	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	5	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	22	3	....	....	1	....	4	....	1	....	1	2	2	1	1	2	3	1	3	....	....	1	....	....	....	....	....	....
	F.	13	3	1	....	....	....	4	1	....	1	....	1	2	1	....	....	....	1	....	1	....	1	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	198	45	14	6	5	....	70	9	5	6	9	11	10	10	18	7	7	7	7	7	7	5	1	....	1	....	1
Males	109	26	4	4	3	....	37	5	3	4	4	5	4	5	12	6	5	3	3	4	4	3	1	....	1	....	....
Females	89	19	10	2	2	....	33	4	2	2	5	6	6	5	6	1	2	4	4	3	3	2	....	....	....	....	1
1. Dentition M.	7	2	3	1	1	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition F.	13	6	7	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina M.	6	1	....	1	1	....	3	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina F.	4	1	1	....	1	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis M.	10	3	....	....	....	....	3	....	....	....	....	....	....	1	2	1	1	....	....	....	1	....	1	....	....	....	....
3. Gastritis F.	5	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	1	....	1	....	....	....	....	....	....	....	....
4. Other diseases of the stomach. M.	9	....	1	....	....	....	1	2	....	....	1	....	....	....	1	1	....	....	....	....	2	1	....	....	....	....	....
4. Other diseases of the stomach. F.	0	....	....	....	....	....	....	2	....	1	1	2	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....
5. Obstruction of the bowels M.	10	1	....	1	....	....	2	1	1	....	....	1	....	2	1	....	....	....	....	....	....	1	....	....	1	....	....
5. Obstruction of the bowels F.	5	2	....	....	....	....	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Hernia M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
7. Other diseases of the bowels M.	2	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels F.	4	1	....	....	....	....	1	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice M.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Jaundice F.	4	2	....	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. M.	18	1	....	....	1	....	2	....	2	....	....	4	....	....	4	1	1	1	1	2	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. F.	7	....	1	....	....	....	1	....	....	....	....	1	....	1	....	....	1	1	1	1	....	....	....	....	....	....	....
10. Other diseases of the liver M.	14	3	....	....	....	....	3	....	....	....	1	....	3	1	1	1	1	1	2	....	....	....	....	....	....	....	....
10. Other diseases of the liver F.	6	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	1	2	....	....	....	....	....	....
11. Peritonitis M.	0	1	....	....	....	....	1	1	....	1	....	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....
11. Peritonitis F.	13	1	....	....	....	....	1	....	....	1	2	....	3	2	....	1	....	2	1	....	....	....	....	....	....	....	....
12. Ascites M.	4	....	....	....	....	....	....	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group M.	16	9	....	....	....	....	9	....	....	....	1	....	....	1	1	....	1	1	....	....	1	1	....	....	....	....	....
13. Others of this group F.	15	5	1	2	....	....	8	....	1	....	....	2	....	....	2	....	....	....	....	....	....	1	....	....	....	....	1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	43	4	....	1	....	....	5	1	....	1	4	2	1	1	2	1	1	3	5	4	4	4	3	1	....	....	....
Males	27	....	....	....	....	....	....	1	....	1	....	1	1	1	1	....	1	1	4	4	3	4	3	1	....	....	....
Females	16	4	....	1	....	....	5	....	....	....	3	1	....	....	1	1	....	2	1	....	1	....	....	....	....	....	....
1. Bright's disease M.	3	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Bright's disease F.	5	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....
2. Calculus, urinary M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney M.	10	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	....	1	1	2	1	....	1	....	....	....	....
3. Diseases of the kidney F.	7	2	....	1	....	....	3	....	....	....	1	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	1	2	2	2	1	....	....	....
4. Diseases of the bladder F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....
5. Others of this group F.	2	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females	16	....	....	....	....	....	....	....	....	1	5	2	1	1	1	....	1	....	2	1	....	1	....	....	....	....	....
1. Ovarian tumors F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Ovarian diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases F.	3	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	12	....	....	....	....	....	....	....	....	1	3	2	....	1	1	....	1	....	1	1	....	1	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	80	....	....	....	....	....	....	....	....	13	23	15	12	5	8	1	1	....	....	....	....	....	....	....	....	....	2
1. Abortion F.	9	....	....	....	....	....	....	....	....	1	1	3	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....
2. Child-birth F.	53	....	....	....	....	....	....	....	....	9	16	9	9	2	6	1	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group F.	18	....	....	....	....	....	....	....	....	3	6	3	3	1	1	....	....	....	....	....	....	....	....	....	....	....	1
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	11	....	....	....	....	....	....	1	1	3	....	2	1	1	....	....	....	....	....	....	2	....	....	....	....	....	....
Males	8	....	....	....	....	....	....	1	....	3	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
Females	3	....	....	....	....	....	....	....	1	....	....	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine M.	4	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....
1. Diseases of the spine F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint M.	3	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	16	1					1	1	1	1		1	5	2	2	1					1						
Males	10	1					1		1			1	3	1	2						1						
Females	6							1		1			2	1		1											
1. Abscess (M.)	7	1					1		1				3	1	2												
1. Abscess (F.)	5							1		1			1	1		1											
2. Carbuncle (M.)	2												1								1						
2. Carbuncle (F.)																											
3. Others of this group (M.)	1											1															
3. Others of this group (F.)	1												1														
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	4										2	1									1						
Males	2										2																
Females	2											1									1						
1. Addison's disease (M.)																											
1. Addison's disease (F.)	1																				1						
2. Diseases of the spleen (M.)	2										1																
2. Diseases of the spleen (F.)	1											1															
3. Others of this group (M.)																											
3. Others of this group (F.)																											
XII.—ACCIDENTS AND INJURIES.																											
Total	184	13	4	6	2	3	28	12	19	14	19	16	9	11	8	6	11	9	10	4	3	2		1		1	1
Males	137	9	1	3	1	2	16	6	16	12	13	13	8	10	7	5	9	8	8	2	3	1					
Females	47	4	3	3	1	1	12	6	3	2	6	3	1	1	1	1	2	1	2	2		1		1		1	1
1. Burns and scalds (M.)	6			1	1	2	4	1				1															
1. Burns and scalds (F.)	23	1	1	3	1	1	7	3	3	2	2		1				1		1	2							1
2. Drowned (M.)	19			1			1	1	9	1	3	1	2		1												
2. Drowned (F.)	2		2				2																				
3. Exposure and neglect (M.)	3	1					1								1				1								
3. Exposure and neglect (F.)	4	2					2				1	1															
4. Gunshot wounds (M.)	22							2		4	6	6	1	1			1	1									
4. Gunshot wounds (F)	1							1																			
5. Homicide (M.)	2										1			1													
5. Homicide (F.)	2											1				1											
6. Infanticide (M.)																											
6. Infanticide (F.)																											
7. Injuries by machinery (M.)	1											1															
7. Injuries by machinery (F.)																											
8. Railroad accidents (M.)	8								2		1	1		2		1	1										
8. Railroad accidents (F.)																											
9. Suffocation (M.)	5	4	1				5																				
9. Suffocation (F.)	1	1					1																				
10. Suicide by shooting (M.)																											
10. Suicide by shooting (F.)																											
11. Suicide by drowning (M.)	1																		1								
11. Suicide by drowning (F.)																											
12. Suicide by poison (M.)	3									1						1					1						
12. Suicide by poison (F.)	1													1													
13. Other suicides (M.)	4																1	2	1								
13. Other suicides (F.)	1																		1								
14. Sunstroke (M.)	3									1					1		1										
14. Sunstroke (F.)																											
15. Surgical operations (M.)	3												1				1				1						
15. Surgical operations (F.)	1										1																
16. Wounds (M.)	7							1					2	2	1		1										
16. Wounds (F.)																											
17. Other accidents and injuries (M.)	50	4		1			5	1	5	5	2	3	2	4	3	3	3	5	1	2	1	1					
17. Other accidents and injuries (F.)	11							2			2	1			1		1	1				1		1		1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		9058	2161	922	448	247	169	3947	488	302	493	573	433	387	350	318	266	267	235	268	187	185	129	97	45	12	11	65
Total: Males		4561	1189	476	244	131	81	2121	232	154	220	255	172	159	147	159	118	142	138	152	112	90	67	51	26	5	6	35
Females		4497	972	446	204	116	88	1826	256	148	273	318	261	228	203	159	148	125	97	116	75	95	62	46	19	7	5	30
Unknown causes.																												
Total		661	410	47	17	10	8	492	21	8	14	13	11	8	13	14	5	9	6	9	3	10	6	10	1	1	....	7
Males		374	249	27	8	6	1	291	9	5	9	7	2	3	5	6	1	4	4	7	2	5	2	7	....	1	....	4
Females		287	161	20	9	4	7	201	12	3	5	6	9	5	8	8	4	5	2	2	1	5	4	3	1	....	....	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		3064	638	508	251	129	74	1600	223	134	199	178	128	96	86	65	61	61	48	48	33	37	25	9	7	....	5	21
Males		1479	326	248	139	65	36	814	111	61	89	83	46	37	32	32	28	31	23	25	19	13	12	3	4	....	4	12
Females		1585	312	260	112	64	38	786	112	73	110	95	82	59	54	33	33	30	25	23	14	24	13	6	3	....	1	9
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	97	22	14	11	5	4	56	8	7	6	9	3	1	1	1	1	1	1	1	....	....	....	....	....	....	....	1
	F.	102	21	11	8	7	4	51	7	4	4	4	11	4	8	1	5	....	2	....	....	....	....	....	....	....	....	1
3. Scarlet fever	M.	37	5	7	9	8	2	31	6	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	37	3	9	5	6	4	27	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	74	12	12	13	13	7	57	10	1	1	1	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	72	16	12	9	10	5	52	11	5	....	....	1	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	61	37	13	6	....	1	57	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	55	29	14	6	4	....	53	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	18	6	1	1	....	1	9	1	....	1	1	2	1	1	....	....	....	....	....	2	....	....	....	....	....	....	....
	F.	22	7	2	4	....	1	14	1	....	1	1	1	....	....	....	....	....	....	....	1	....	1	1	....	....	....	1
7. Cerebro-spinal fever	M.	43	11	8	1	2	1	23	5	1	5	1	....	3	....	1	3	....	....	....	....	....	1	....	....	....	....	....
	F.	34	8	7	5	2	....	22	4	5	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	271	10	10	9	6	5	40	26	32	43	37	21	15	5	9	7	8	7	11	5	2	1	....	....	1	....	1
	F.	264	10	10	11	8	4	43	21	27	52	27	19	13	10	8	10	8	5	7	2	6	3	....	1	....	....	2
9. Diarrhœa	M.	110	46	30	11	2	1	90	3	2	2	2	1	1	1	1	....	....	....	....	1	2	2	1	....	....	....	1
	F.	107	32	47	10	2	....	91	1	1	1	2	1	....	1	1	....	4	....	....	1	1	2	....	....	....	....	....
10. Dysentery	M.	135	31	38	26	10	3	108	5	....	2	1	....	3	....	2	1	2	4	2	....	....	3	....	1	....	1	....
	F.	135	34	42	14	7	2	99	5	1	....	1	2	3	3	2	1	1	4	2	2	5	1	2	1	....	....	....
11. Enteritis	M.	99	21	20	10	5	2	58	5	6	4	2	3	....	4	2	3	3	1	2	5	....	....	....	....	....	....	1
	F.	113	23	10	8	3	3	47	13	4	7	5	5	4	3	7	4	3	2	4	2	1	....	....	....	....	....	2
12. Cholera morbus	M.	7	1	....	1	....	....	2	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	2
	F.	15	1	5	1	....	1	8	....	1	....	1	....	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....	1
13. Cholera infantum	M.	162	73	74	12	1	1	161	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	176	87	64	17	5	2	175	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	278	28	18	25	11	4	86	34	10	20	27	15	11	13	12	5	16	7	5	2	2	4	2	2	....	....	5
	F.	285	22	23	13	9	12	79	36	22	30	13	17	18	12	3	8	9	7	9	4	9	4	2	1	....	1	1
15. Erysipelas	M.	65	19	3	4	....	3	29	4	1	3	1	....	....	....	3	3	6	....	2	4	2	4	1	....	1	....	1
	F.	42	14	2	1	1	....	18	1	1	....	2	4	1	1	1	2	2	3	....	2	1	2	1	....	....	....	....
16. Septicæmia	M.	9	1	....	....	....	....	1	....	....	1	....	....	1	1	....	....	1	....	....	2	2	....	....	....	....	....	....
	F.	14	1	1	....	....	....	2	....	....	....	3	5	1	....	1	....	1	....	....	....	1	....	....	....	....	....	....
17. Puerperal septicæmia	F.	94	....	....	....	....	....	....	....	....	12	32	16	11	14	8	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	4	2	....	....	....	....	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	9	1	....	....	2	1	4	....	....	1	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....
	F.	13	2	1	....	....	....	3	3	1	....	2	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		72	24	8	8	2	4	46	3	2	1	4	3	1	3	2	1	3	1	2	1	....	....	....	....	....	....	....
Males		36	13	4	....	....	3	20	1	1	1	1	2	1	2	2	1	....	1	2	1	....	....	....	....	....	....	....
Females		36	11	4	8	2	1	26	2	1	....	3	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	5	1	3	....	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	2	3	6	2	1	14	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	4	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	17	4	1	....	....	2	7	1	....	1	1	1	1	1	1	1	....	....	1	1	....	....	....	....	....	....	....
	F.	10	....	....	2	....	....	2	1	....	....	3	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	9	8	....	....	....	....	8	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	9	1	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		413	337	2	....	....	1	340	....	....	1	2	....	1	....	1	....	1	1	2	6	4	9	22	14	5	4	....
Males		222	187	1	....	....	....	188	....	....	....	1	....	....	....	1	....	....	....	....	4	2	4	11	8	1	2	....
Females		191	150	1	....	....	1	152	....	....	1	1	....	1	....	....	....	1	1	2	2	2	5	11	6	4	2	....
1. Premature birth	M.	36	36	....	....	....	....	36	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	29	29	....	....	....	....	29	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	118	118	....	....	....	....	118	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	107	107	....	....	....	....	107	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	12	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	32	21	1	....	....	....	22	....	....	....	1	....	....	....	1	....	....	....	....	4	....	2	2	....	....	....	....
	F.	28	13	1	....	....	1	15	....	....	1	1	....	1	....	....	....	1	1	1	....	....	1	2	2	2	....	....
5. Old age	M.	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	9	8	1	2	....
	F.	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	2	4	9	4	2	2	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1063	43	29	22	10	8	112	27	23	85	129	103	89	64	76	60	59	59	55	39	37	17	5	5	1	1	8
Males		439	20	13	12	5	5	55	10	8	27	38	20	34	27	33	27	24	37	26	20	18	8	5	4	....	....	2
Females		624	23	16	10	5	3	57	17	15	58	91	67	55	37	43	42	35	22	29	19	19	9	....	1	1	1	6
1. Rheumatism	M.	17	....	1	....	....	....	1	1	2	....	....	....	3	1	1	....	1	1	....	2	2	1	....	....	....	....	1
	F.	19	....	....	....	....	....	....	3	2	....	1	2	2	1	1	....	4	....	....	1	....	....	....	....	1	....	1
2. Scrofula and tabes	M.	31	7	6	3	3	....	19	1	1	4	2	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	29	6	7	3	....	....	16	1	2	2	3	1	....	....	1	2	....	....	1	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	286	6	3	3	....	2	14	3	3	19	33	31	26	24	25	22	17	29	16	8	9	2	4	....	....	....	1
	F.	410	5	6	4	1	....	16	4	8	47	79	54	39	25	26	28	25	16	15	11	10	3	....	....	....	....	4
5. Hydrocephalus	M.	10	5	1	3	1	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	8	2	....	2	....	12	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	28	....	1	....	....	....	1	....	....	....	1	1	....	1	1	2	1	3	6	4	1	3	....	3	....	....	....
	F.	50	1	1	2	....	....	4	2	....	....	1	5	2	1	7	7	1	3	5	5	3	2	....	1	....	1	....
7. Tumor	M.	5	1	....	....	....	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	11	....	....	....	....	1	1	....	....	....	....	1	3	2	....	1	2	....	....	....	1	....	....	....	....	....	....
8. Anæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	3	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	52	1	....	2	1	2	6	4	2	3	2	2	2	1	5	2	4	4	3	4	5	2	1	....	....	....	....
	F.	76	3	....	1	1	1	7	5	1	4	6	4	8	6	7	3	3	3	7	3	5	4	....	....	....	....	1
10. Glycosuria	M.	7	....	....	1	....	1	2	....	....	1	....	....	1	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....
	F.	5	....	....	....	1	....	1	....	1	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		858	260	145	45	33	28	511	77	31	18	34	15	15	16	10	12	11	17	25	14	17	14	9	5	1	1	5
Males		461	139	81	23	22	14	279	39	22	8	18	7	9	8	7	2	6	8	15	6	7	6	7	4	1	....	2
Females		397	121	64	22	11	14	232	38	9	10	16	8	6	8	3	10	5	9	10	8	10	8	2	1	....	1	3
1. Inflammation of the brain	M.	143	59	30	5	7	4	105	9	7	3	5	3	1	3	2	1	....	2	1	1	....	....	....	....	....	....	....
	F.	127	49	28	7	4	4	92	16	4	4	3	1	....	1	2	2	....	....	1	....	....	....	....	....	....	....	1
2. Meningitis	M.	41	8	10	4	1	3	26	7	4	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	4	6	4	3	3	20	3	....	2	2	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
3. Apoplexy	M.	15	1	1	....	....	....	2	1	....	1	....	....	....	1	....	....	1	1	2	....	1	1	2	1	1	....	....
	F.	15	....	2	....	1	....	3	....	....	....	....	1	....	2	....	1	....	2	2	2	1	1	....	....	....	....	....	....
4. Paralysis	M.	35	....	2	....	1	1	4	....	....	....	....	....	4	1	....	....	2	3	6	2	4	2	5	2	....	....	....
	F.	46	2	....	....	....	1	3	5	....	....	2	1	2	....	....	3	1	3	5	3	8	7	1	1	....	1	....
5. Tetanus and trismus nascentium.	M.	9	4	....	....	....	....	4	....	1	....	1	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	12	2	1	....	1	1	5	....	....	....	1	....	1	....	2	....	....	....	....	1	1	....	....	....	....	....	....	1
	F.	12	1	1	2	....	....	4	1	....	....	....	....	2	....	....	1	1	....	2	1	....	....	....	....	....	....	....	....
7. Convulsions	M.	38	21	6	2	3	1	33	3	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	40	23	3	4	2	....	32	....	....	2	1	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	106	27	18	6	4	2	57	10	7	3	8	4	1	2	2	1	1	1	3	2	....	2	....	1	....	....	1
	F.	74	24	19	3	....	2	48	7	4	1	3	2	....	3	....	....	1	2	....	1	1	....	....	....	....	....	....	1
10. Diseases of the spinal cord	M.	55	15	13	5	5	2	40	6	3	....	....	....	....	....	1	....	1	1	2	....	....	1	....	....	....	....	....	....
	F.	36	12	5	2	1	4	24	6	1	....	3	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	7	2	....	1	....	....	3	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	10	2	....	....	....	....	2	....	....	1	1	1	....	1	....	2	1	....	....	....	....	....	....	1	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		203	18	....	....	....	1	19	13	7	14	12	6	18	7	14	5	13	9	21	9	14	10	6	....	2	....	4
Males		82	7	....	....	....	1	8	6	4	5	1	3	2	3	5	2	4	3	15	7	4	5	3	....	....	....	2
Females		121	11	....	....	....	....	11	7	3	9	11	3	16	4	9	3	9	6	6	2	10	5	3	....	2	....	2
1. Angina pectoris	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	75	3	....	....	....	1	4	6	4	5	1	2	2	3	5	2	4	3	15	5	4	5	3	....	....	....	2
	F.	107	2	....	....	....	....	2	7	3	9	11	3	15	4	6	3	9	6	6	2	10	5	3	....	1	....	2
4. Others of this group	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	10	9	....	....	....	....	9	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1651	304	121	71	40	31	567	63	41	89	112	84	87	77	77	67	78	61	73	54	49	32	22	7	....	....	11
Males		917	174	71	40	22	17	324	22	18	44	67	40	46	46	43	34	52	41	41	35	28	20	7	2	....	....	7
Females		734	130	50	31	18	14	243	41	23	45	45	44	41	31	34	33	26	20	32	19	21	12	15	5	....	....	4
1. Croup	M.	161	104	22	13	11	8	158	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	150	77	23	17	7	6	130	17	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	5	1	1	....	....	1	3	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	43	9	7	1	....	1	18	1	1	1	3	1	1	2	....	1	3	3	1	3	3	....	1	....	....	....	....
	F.	51	14	2	2	1	1	20	....	1	3	2	4	1	1	....	3	3	2	1	3	2	2	....	....	....	....	....
4. Pneumonia	M.	642	50	36	26	10	7	129	13	14	39	59	36	42	40	42	30	47	37	36	24	24	17	5	2	....	....	6
	F.	490	34	23	11	9	7	84	20	21	33	41	36	39	30	33	29	23	15	27	15	15	9	12	4	....	....	4
5. Pleurisy	M.	10	1	1	....	....	....	2	2	....	....	....	....	....	....	....	1	1	1	....	2	1	....	....	....	....	....	....	....
	F.	9	1	....	1	....	....	2	....	....	2	....	1	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....
6. Asthma	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	....	1	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	50	9	4	....	1	....	14	3	2	4	5	3	3	4	....	2	1	....	3	4	....	2	....	....	....	....	....	1
	F.	28	3	1	....	1	....	5	3	....	5	2	2	1	....	....	1	....	....	3	3	2	....	1	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		384	68	36	13	7	5	129	18	16	19	18	22	20	16	20	15	18	17	16	17	5	6	7	2	....	3
Males		197	38	19	9	2	1	69	13	9	8	10	8	8	2	11	7	9	8	12	9	5	3	2	2	....	2
Females		187	30	17	4	5	4	60	5	7	11	8	14	12	14	9	8	9	9	4	8	....	3	5	....	....	1
1. Dentition	M.	8	2	6	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	4	4	1	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	9	2	2	2	....	....	6	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	2	3	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Gastritis	M.	13	1	....	1	1	....	3	2	....	1	1	....	....	....	....	....	....	1	2	2	1	....	....	....	....	....
	F.	13	1	....	....	1	....	2	1	....	....	1	1	1	2	1	1	....	....	1	1	....	1	....	....	....	....
4. Other diseases of the stomach	M.	34	7	3	2	....	1	13	3	....	1	1	1	1	....	1	2	2	1	2	4	....	....	2	....	....	....
	F.	45	7	5	1	2	2	17	2	4	3	3	3	....	2	3	1	2	2	....	1	....	1	1	....	....	....
5. Obstruction of the bowels	M.	10	1	....	1	....	....	2	1	1	....	....	....	....	....	1	....	....	....	2	1	1	1	....	....	....	....
	F.	8	1	....	....	....	....	1	1	2	....	....	1	1	....	....	....	....	1	....	1	....	....	....	....	....	....
6. Hernia	M.	6	1	....	....	....	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1
	F.	4	....	....	....	1	....	1	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....
7. Other diseases of the bowels	M.	22	8	3	....	....	....	11	3	3	1	....	1	....	....	....	1	....	1	....	....	....	....	1	....	....	....
	F.	6	2	1	1	....	1	5	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	7	3	....	....	....	1	4	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....
9. Inflammation and abscess of the liver.	M.	21	1	....	....	1	....	2	....	1	1	2	2	2	1	5	1	2	2	....	....	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	....	2	1	1	....	....	1	2	1	2	....	....	1	....	....	....
10. Other diseases of the liver	M.	31	5	1	1	....	....	7	1	1	....	1	1	5	1	2	1	2	1	4	1	2	....	....	....	....	1
	F.	13	1	....	....	....	....	1	....	....	1	3	....	....	....	....	2	1	2	....	2	....	1	....	....	....	....
11. Peritonitis	M.	6	....	....	1	....	....	1	....	....	....	1	1	....	....	....	1	1	....	....	....	1	....	....	....	....	....
	F.	27	....	....	....	....	....	....	1	....	5	1	5	5	4	3	3	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	7	....	....	1	....	....	1	1	1	....	....	1	....	....	1	....	1	....	1	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	2	....	1	1	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	25	6	4	....	....	....	10	2	....	3	2	....	....	....	1	1	1	2	1	....	....	2	....	....	....	....
	F.	32	9	4	....	1	....	14	....	1	2	....	1	2	2	1	1	3	1	2	....	....	....	2	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		68	2	2	....	2	1	7	1	3	....	2	3	3	2	4	5	2	3	7	5	7	6	4	2	1	1
Males		46	1	1	....	1	....	3	....	1	....	1	3	1	1	4	2	1	1	4	5	6	6	3	2	1	1
Females		22	1	1	....	1	1	4	1	....	....	1	....	2	1	....	3	1	2	3	....	1	....	1	....	....	....
1. Bright's disease	M.	8	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	2	1	1	....	1	....	....
	F.	0	....	....	....	1	....	1	....	....	....	....	....	1	....	....	1	1	1	3	....	1	....	....	....	....	....
2. Calculus, urinary	M.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	1	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	23	1	1	....	1	....	3	....	1	....	1	1	....	1	3	2	1	....	1	1	3	2	1	1	....	....
	F.	8	1	1	....	....	1	3	....	....	....	1	....	1	1	....	2	....	....	....	....	....	....	....	....	....	1
4. Diseases of the bladder	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	1	....	....	....
	F.	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	6	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	2	....	1	....	....	1	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		45	....	....	....	....	....	....	....	....	1	5	2	4	13	8	7	....	....	....	1	1	1	....	1	....	1
1. Ovarian tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	10	....	....	....	....	....	....	....	....	....	1	1	2	4	....	1	....	....	....	....	....	....	....	....	....	1
5. Others of this group	F.	32	....	....	....	....	....	....	....	....	1	4	1	2	9	6	5	....	....	....	1	1	1	....	1	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		96	....	....	....	....	....	....	....	....	12	22	20	15	18	8	....	....	....	....	....	....	....	....	....	....	1
1. Abortion	F.	13	....	....	....	....	....	....	....	....	4	2	1	2	3	1	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	69	....	....	....	....	....	....	....	....	5	15	16	12	14	7	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	14	....	....	....	....	....	....	....	....	3	5	3	1	1	....	....	....	....	....	....	....	....	....	....	....	1
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		10	2	....	....	1	....	3	1	1	1	2	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
Males		5	1	....	....	....	....	1	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		5	1	....	....	1	....	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
1. Diseases of the spine	M.	5	1	....	....	....	....	1	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		12	4	1	3	....	....	8	.....	....	....	1	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
Males		4	1	1	2	....	....	4	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		8	3	....	1	....	....	4	.....	....	....	1	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
1. Abscess	M.	1	....	1	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	3	....	1	....	....	4	.....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Carbuncle	M.	2	....	....	2	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Others of this group	M.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		8	2	1	1	1	....	5	.....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
Males		5	1	....	1	1	....	3	.....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
Females		3	1	1	....	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Addison's disease	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Diseases of the spleen	M.	2	....	....	....	1	....	1	.....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Others of this group	M.	3	1	....	1	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	1	....	1	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		446	49	21	17	12	7	106	41	36	38	39	34	28	34	19	19	13	13	10	4	3	2	3	1	1	....	2
Males		293	32	10	10	7	2	61	20	24	28	27	24	18	21	15	14	11	12	5	4	2	1	3	....	1	....	2
Females		153	17	11	7	5	5	45	21	12	10	12	10	10	13	4	5	2	1	5	....	1	1	....	1	....	....	....
1. Burns and scalds	M.	17	2	7	3	2	....	14	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	27	....	7	3	2	3	15	5	2	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Drowned	M.	20	....	1	1	....	....	2	5	1	2	2	1	1	2	2	1	....	1	....	....	....	....	....	....	....	....	....
	F.	14	1	1	1	....	....	3	8	1	3	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	4	3	....	....	....	....	3	.....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	2	....	....	....	....	2	1	1	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Gunshot wounds	M.	26	....	....	1	....	....	1	1	4	2	6	2	2	5	1	....	1	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	.....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	20	....	....	....	....	....	.....	.....	....	1	6	1	4	4	2	1	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	1	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7. Injuries by machinery	M.	3	....	....	....	....	....	.....	.....	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	18	....	....	....	....	....	.....	1	1	1	2	4	1	2	2	1	....	1	....	....	....	....	....	....	....	....	....	....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9. Suffocation	M.	16	10	....	1	....	....	11	.....	1	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1
	F.	13	10	....	....	....	....	10	.....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	4	....	....	....	....	....	.....	.....	....	....	....	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	.....	.....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	1	....	....	....	....	....	.....	.....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	1	....	....	....	....	....	.....	.....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	.....	.....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	8	....	....	....	....	....	.....	.....	....	....	....	1	1	....	1	1	2	1	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	.....	.....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	3	....	....	....	....	....	.....	.....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15. Surgical operations	M.	3	....	....	....	....	....	.....	.....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16. Wounds	M.	5	....	1	....	1	....	2	.....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1
	F.	2	....	....	....	....	....	.....	.....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	145	17	1	4	4	2	28	11	16	17	9	11	9	3	6	8	9	6	3	3	2	1	2	....	1	....	....
	F.	80	4	3	3	3	1	14	10	6	3	7	5	8	9	4	5	2	1	3	....	1	1	....	1	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	6021	1438	638	301	160	102	2639	305	142	293	365	283	217	227	181	166	174	145	184	177	195	131	83	45	17	10	42
Total: Males	3138	800	341	159	81	57	1438	173	71	127	173	105	94	92	87	87	88	78	114	108	111	85	45	21	7	6	28
Females	2883	638	297	142	79	45	1201	132	71	166	192	178	123	135	94	79	86	67	70	69	84	46	38	24	10	4	14
Unknown causes.																											
Total	248	158	9	4	4	....	175	5	3	3	6	7	6	1	2	4	4	4	2	1	9	7	1	....	1	1	6
Males	119	81	4	2	2	....	89	2	1	....	4	2	2	1	1	....	....	1	....	....	3	6	....	....	....	1	6
Females	129	77	5	2	2	....	86	3	2	3	2	5	4	....	1	4	4	3	2	1	6	1	1	....	1	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	1860	422	343	147	73	47	1032	144	57	98	92	80	46	65	36	25	24	25	27	27	34	22	10	5	....	1	10
Males	921	229	172	74	28	27	530	69	28	42	45	33	22	28	13	6	11	14	18	15	17	12	6	3	....	1	6
Females	939	193	171	73	45	20	502	75	29	56	47	47	24	37	23	17	13	11	9	12	17	10	4	2	....	....	4
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	74	19	11	4	4	4	42	6	5	2	4	6	2	3	1	1	1	....	1	....	....	....	....	....	....	....	....
F.	74	11	7	4	5	5	32	9	2	5	7	....	2	9	2	....	4	1	1	....	....	....	....	....	....	....	....
3. Scarlet fever M.	22	3	2	4	2	1	12	7	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
F.	34	1	7	5	3	3	19	10	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	73	12	8	12	8	11	51	17	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
F.	67	9	11	16	7	2	45	18	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	57	25	19	5	3	2	54	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	85	39	23	8	6	3	79	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	7	3	1	....	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
F.	8	2	....	....	1	....	3	1	....	....	....	....	....	....	1	....	....	....	....	....	2	1	....	....	....	....	....
7. Cerebro-spinal fever M.	34	10	10	4	....	2	26	1	1	2	....	1	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....
F.	33	8	7	4	....	3	22	3	2	2	1	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....
8. Enteric fever M.	137	....	6	4	3	....	13	10	11	16	26	15	9	10	2	1	2	7	8	3	6	2	1	....	....	....	....
F.	118	1	3	6	4	....	14	9	17	18	4	13	4	7	4	6	4	6	1	4	2	3	2	....	....	....	....
9. Diarrhœa M.	58	20	20	3	....	....	43	....	....	2	....	....	2	1	1	....	1	2	1	3	1	1	....	....	....	....	....
F.	47	10	21	3	1	....	35	1	....	....	2	3	....	....	....	....	....	1	1	....	2	1	....	....	....	....	1
10. Dysentery M.	68	17	32	8	1	1	59	2	....	....	....	....	....	1	....	....	1	1	....	....	1	....	....	1	....	1	1
F.	63	19	18	8	1	....	46	....	....	....	1	8	....	....	2	1	1	1	1	2	1	3	1	....	....	....	....
11. Enteritis M.	61	27	5	8	....	....	40	5	1	4	....	2	2	....	2	1	1	1	2	1	1	....	....	....	....	....	....
F.	52	15	8	2	2	....	27	2	2	3	1	2	....	4	2	3	1	....	1	1	1	....	....	2	....	....	....
12. Cholera morbus M.	8	1	....	....	....	....	1	2	....	....	....	2	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....
F.	6	....	....	....	....	....	....	1	....	2	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....
13. Cholera infantum M.	128	70	47	11	....	....	128	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	129	57	60	6	6	....	129	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	140	11	11	6	5	4	37	13	6	11	13	5	2	10	7	4	8	3	4	6	4	6	1	1	....	....	4
F.	108	9	5	8	8	4	34	9	3	12	9	5	4	8	5	4	2	9	4	2	6	2	1	....	....	....	1
15. Erysipelas M.	39	9	....	4	1	1	15	1	....	2	1	1	2	2	1	....	1	....	4	2	2	1	3	1	....	....	....
F.	28	11	1	1	....	....	13	2	....	2	1	1	2	1	2	1	....	....	....	2	1	....	....	....	....	....	....
16. Septicæmia M.	6	1	....	....	....	....	1	1	1	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....
F.	12	1	....	....	1	....	2	2	....	1	....	2	....	2	1	1	....	....	....	....	1	....	....	....	....	....	....
17. Puerperal septicæmia F.	99	....	....	....	....	....	....	....	....	6	20	18	10	9	4	....	....	....	....	....	....	....	....	....	....	....	2
18. Venereal diseases M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	8	....	....	1	1	1	3	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
F.	5	....	....	2	....	....	2	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	47	22	0	2	....	1	31	1	....	1	2	1	1	....	2	3	....	2	....	....	....	....	....	....	....	....	....	....
Males	26	8	5	....	....	1	14	3	....	1	2	....	1	....	1	3	....	1	....	....	....	....	....	....	....	....	....
Females	21	14	1	2	....	....	17	1	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
1. Worms M.	2	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	14	1	4	....	....	1	6	1	....	1	2	....	....	....	1	2	....	1	....	....	....	....	....	....	....	....	....
F.	6	2	....	1	....	....	3	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	8	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	13	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	369	278	....	....	....	....	278	....	....	....	....	....	....	....	2	....	....	....	1	3	13	17	22	17	10	6	....
Males	207	165	....	....	....	....	165	....	....	....	....	....	....	....	1	....	....	....	1	....	9	9	10	5	5	2	....
Females	162	113	....	....	....	....	113	....	....	....	....	....	....	....	1	....	....	....	....	3	4	8	12	12	5	4	....
1. Premature birth M.	37	37	....	....	....	....	37	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	22	22	....	....	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	113	113	....	....	....	....	113	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	76	76	....	....	....	....	76	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	17	11	....	....	....	....	11	....	....	....	....	....	....	....	1	....	....	....	1	....	3	....	....	1	....	....	....
F.	19	14	....	....	....	....	14	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	1	....	1	....	....
5. Old age M.	36	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	6	9	10	4	5	2	....
F.	44	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	4	6	11	12	4	4	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		888	39	33	15	7	2	96	18	19	77	120	85	71	68	68	54	42	30	44	34	25	18	9	4	2	4
Males		377	17	17	10	5	1	50	14	9	26	46	18	26	20	33	25	18	13	21	20	14	13	4	3	1	3
Females		511	22	16	5	2	1	46	4	10	51	74	67	45	48	35	29	24	17	23	14	11	5	5	1	1	1
1. Rheumatism	M.	23	1					1	4	3	3	3	1				2		1	2	1		1	1			
	F.	7								2					2	2						1					
2. Scrofula and tabes	M.	26	5	5	4	2		16	4		1	2			1					1	1						
	F.	25	3	6	1	1		11	1	2	1	2	2	2	1			1	1	1							
3. Leprosy	M.	1														1											
	F.																										
4. Consumption	M.	240	6	4	4	1		15	2	2	21	39	16	24	18	23	20	10	9	11	14	4	7	2			3
	F.	389	8	5	2		1	16		6	50	69	60	41	33	29	23	13	11	15	8	5	3	2	1		1
5. Hydrocephalus	M.	13	4	5	2	2		13																			
	F.	14	9	2	1	1		13	1																		
6. Cancer	M.	25								1		1		1		1	3	5	2	5	2	2	2				
	F.	37												1	9	1	4	7	2	5	4	1	1	2			
7. Tumor	M.	4							1							1		1	1								
	F.	5		1				1						1			2					1					
8. Anæmia	M.	2	1	1				2																			
	F.	2											1						1								
9. Dropsy	M.	34		2			1	3	2	1		1	1		1	6		1		1	2	7	4	1	2	1	
	F.	31	2	2	1			5	2			3	1		3	3		3	2	2	1	8	1	1		1	
10. Glycosuria	M.	7							1		1			1		1		1		1		1					
	F.																										
11. Others of this group	M.	2								2																	
	F.	1																									
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		602	214	92	41	16	12	375	34	19	15	23	13	12	8	4	10	14	15	21	24	26	21	14	5	3	1	5
Males		376	122	53	24	6	8	213	23	10	8	10	5	8	5	2	4	4	9	11	16	15	16	9	3	1	1	3
Females		286	92	39	17	10	4	162	11	9	7	13	8	4	3	2	6	10	6	10	8	11	5	5	2	2		2
1. Inflammation of the brain	M.	75	33	13	10		3	59	7	2	1	2			1		1	1		1								
	F.	69	27	14	10	4	2	57	5	1		1	2		1			2										
2. Meningitis	M.	36	9	4	4		4	21	8	2	2	1		1							1							
	F.	19	8	3	1	2		14	2			2											1					
3. Apoplexy	M.	25	1	1				2				1	1	2					1	2	4	3	6	1			1	1
	F.	15	1	1				2			1	2					4		1	3		1				1		
4. Paralysis	M.	55	3			1		4	1			1	2	2		1	1	2	5	4	7	7	9	6	2	1		
	F.	43		2				2	2				2				1	4	4	4	6	8	3	4	2	1		
5. Tetanus and trismus nascentium	M.	6	5	1				6																				
	F.	6	4	1				5		1																		
6. Epilepsy	M.	7								1		1			2			1						1				1
	F.	9	1					1		2		3	2			1												
7. Convulsions	M.	55	38	10	3	1		52	1							1	1											
	F.	36	26	2		1		29			1	1		2	1													2
8. Mental diseases	M.	8										1											1		1			
	F.	3											2		1													
9. Diseases of the brain	M.	71	21	11	5	2	1	40	4	5	3	2	1	3			1		2	3	1	3	1	1				1
	F.	60	18	15	4	3		40	2	2	3	2		1		1		2		1	2	2	2					
10. Diseases of the spinal cord	M.	38	11	13	2	2		28	2		2		1		2						3							
	F.	21	7		2		2	11		2	2	2		1			1	2										
11. Others of this group	M.	5	1					1				1							1	1		1						
	F.	5		1				1		1									1	2								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		183	40	6		1	2	49	8	6	11	5	6	11	7	1	6	15	11	12	16	8	5	2	1			8
Males		105	21	5		1	2	29	6	4	7	1	3	4	2	1	3	7	6	7	13	4	4	1	1			3
Females		78	19	1				20	2	2	4	4	3	7	5		3	8	5	5	3	4	1	1				1
1. Angina pectoris	M.	2																	1			1						
	F.	1																		1								
2. Aneurism	M.	2																1		1								
	F.	2																		1		1						
3. Diseases of the heart	M.	88	8	5		1	2	16	6	4	7	1	3	4	2	1	3	6	5	6	13	3	4	1	1			2
	F.	63	9	1				10	2	2	4	4	3	7	3		3	8	5	3	3	3	1	1				1
4. Others of this group	M.	13	13					13																				
	F.	12	10					10							2													
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1047	183	107	71	48	32	441	48	20	43	50	38	27	33	33	35	46	36	45	43	56	22	17	7		1	6
Males		602	110	57	34	33	13	247	28	7	23	37	22	15	15	19	25	32	19	30	23	31	13	9	1		1	5
Females		445	73	50	37	15	19	194	20	13	20	13	16	12	18	14	10	14	17	15	20	25	9	8	6			1
1. Croup	M.	106	36	15	17	17	8	93	13																			
	F.	95	25	17	20	11	12	85	10																			
2. Laryngitis	M.	8	1	1	1	1	1	5	1							1	1											
	F.	3			1			1				1										1						
3. Bronchitis	M.	45	11	4	3	3	2	23	1		1	2			1	1		2		1	4	5	3	1				
	F.	41	9	6	3		1	19	1		5		3		1		1		2	1	1	1	1	5				
4. Pneumonia	M.	401	53	34	11	12	1	111	13	7	20	31	20	13	12	17	23	29	16	27	17	22	10	7	1		1	4
	F.	261	31	22	13	3	5	74	9	12	13	9	12	10	15	11	8	13	13	12	17	16	8	3	5			1
5. Pleurisy	M.	5	1					1				2		1								1						
	F.	3										1					1			1								
6. Asthma	M.	7															1		1	2		2		1				
	F.	6																	1		1	3			1			
7. Others of this group	M.	30	8	3	2		1	14			2	2	2	1	2			1	2		2	1						1
	F.	36	8	5		1	1	15		1	2	2	1	2	2	3	1		1	1	1	4						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		288	53	28	12	4	...	97	23	10	8	17	15	8	8	11	13	14	12	12	13	14	5	5	1	...	...	2
Males		163	32	20	8	3	...	63	14	6	5	7	7	3	4	5	6	8	8	9	6	8	1	3	...	...	...	...
Females		125	21	8	4	1	...	34	9	4	3	10	8	5	4	6	7	6	4	3	7	6	4	2	1	...	...	2
1. Dentition	M.	9	2	7	...	...	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	9	2	7	...	...	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina	M.	13	4	4	1	1	...	10	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	12	3	...	2	...	...	5	2	2	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...
3. Gastritis	M.	8	2	...	2	...	...	4	...	...	...	1	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...
	F.	7	1	...	...	...	...	1	...	...	1	...	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	1
4. Other diseases of the stomach	M.	24	5	5	1	...	...	11	...	2	...	...	...	1	1	1	2	2	1	1	1	...	...	...	...	...	...	...
	F.	19	3	...	...	...	...	3	1	...	...	3	1	2	...	1	2	1	...	...	1	2	1	1	...	...	...	...
5. Obstruction of the bowels	M.	21	3	...	1	...	...	4	6	...	2	1	1	2	...	1	...	1	1	1	...	1	...	...	...	...	...	...
	F.	7	1	...	...	1	...	2	...	...	...	...	...	1	...	...	2	...	1	1	...	...	...	...	...	...	...	...
6. Hernia	M.	7	2	1	...	...	...	3	...	...	...	...	...	...	2	...	...	...	...	1	...	1	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...
7. Other diseases of the bowels	M.	17	2	1	...	1	...	4	4	...	...	1	2	...	...	1	...	2	1	...	...	2	...	...	...	...	...	...
	F.	7	1	...	...	...	...	1	...	...	1	1	...	...	2	...	1	...	...	...	1	...	...	...	...	...	...	...
8. Jaundice	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver.	M.	19	2	...	1	...	...	3	1	2	1	1	1	...	...	1	3	1	1	...	2	1	...	1	...	...	...	...
	F.	19	2	...	2	...	...	4	2	...	...	2	1	...	1	2	...	2	2	...	...	3	...	...	...	...	...	...
10. Other diseases of the liver	M.	9	...	...	...	...	...	...	1	...	...	2	...	...	...	...	1	...	1	1	1	2	...	...	...	...	...	...
	F.	6	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	1	...	...	...	1	...	...	...	...	1
11. Peritonitis	M.	10	2	...	2	...	...	4	...	1	2	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
	F.	16	...	...	...	...	...	...	2	1	...	4	4	1	1	...	...	...	...	...	3	...	...	...	...	...	...	...
12. Ascites	M.	3	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...
13. Others of this group	M.	20	8	2	...	...	...	10	...	...	...	...	2	...	1	...	...	2	1	3	...	...	1	...	...	...	...	...
	F.	15	8	1	...	...	...	9	1	...	1	...	...	...	...	1	...	1	...	...	...	1	1	...	...	...	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		60	...	...	1	1	1	3	1	...	3	3	4	...	3	3	3	5	4	11	7	5	8	1	5	...	...	...
Males		57	...	...	1	...	...	1	1	...	1	3	2	...	3	3	2	4	3	9	7	5	7	1	5	...	...	...
Females		12	...	...	...	1	1	2	...	...	2	...	2	...	...	...	1	1	1	2	...	...	1	...	...	...	...	...
1. Bright's disease	M.	18	...	...	1	...	...	1	...	...	...	1	2	...	1	1	...	2	1	2	2	1	4	...	...	...	...	...
	F.	5	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...
2. Calculus, urinary	M.	12	...	...	...	...	...	...	...	1	...	1	...	...	1	...	1	1	...	2	3	...	...	1	1	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the kidney	M.	14	...	...	...	...	...	...	...	...	1	1	...	...	...	1	1	1	1	1	1	3	1	...	2	...	...	...
	F.	6	...	...	...	1	1	2	...	...	1	...	1	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...
4. Diseases of the bladder	M.	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	2	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
5. Others of this group	M.	6	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	3	...	...	1	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		25	...	...	...	...	...	...	...	...	3	1	6	1	3	3	2	4	1	...	1	...	...	...	...	...	...	...
1. Ovarian tumors	F.	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Ovarian diseases	F.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...
3. Uterine tumors	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Uterine diseases	F.	6	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...
5. Others of this group	F.	14	...	...	...	...	...	...	...	...	1	...	3	1	3	3	2	1	...	...	...	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		77	...	...	...	...	...	...	...	...	6	25	3	15	16	6	...	...	...	...	...	...	...	...	...	...	...	1
1. Abortion	F.	12	...	...	...	...	...	...	...	...	...	5	...	4	3	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth	F.	55	...	...	...	...	...	...	...	...	4	18	7	9	12	5	...	...	...	...	...	...	...	...	...	...	...	...
3. Others of this group	F.	10	...	...	...	...	...	...	...	...	2	2	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	1
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		15	3	...	...	...	1	4	...	...	1	...	3	...	1	...	1	1	...	2	1	1	...	...	...	...	...	...
Males		11	2	...	...	...	1	3	...	...	...	...	1	...	1	...	1	1	...	2	1	1	...	...	...	...	...	...
Females		4	1	...	...	...	...	1	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Diseases of the spine	M.	5	2	...	...	...	...	2	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	2	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones	M.	3	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint	M.	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		11	3	1	1	1	....	6	1	....	....	....	....	....	....	....	1	2	....	....	....	1	....	....	....	....	....
Males		8	1	1	1	1	....	4	1	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....
Females		3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Abscess	M.	6	1	1	....	....	....	2	1	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
2. Carbuncle	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	2	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		4	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	1	....	....	....	....	....
Males		2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
Females		2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		228	23	13	7	5	4	52	19	8	24	21	17	18	14	8	10	4	3	7	7	3	5	2	....	1	....	5
Males		164	12	7	5	2	4	30	12	6	14	18	12	12	13	8	10	2	3	6	7	3	3	2	....	....	....	3
Females		64	11	6	2	3	....	22	7	2	10	3	5	6	1	....	....	2	....	1	....	....	2	....	....	1	....	2
1. Burns and scalds	M.	7	....	3	2	1	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	1	3	1	3	....	8	3	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Drowned	M.	11	....	1	1	....	1	3	3	1	2	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	1	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	6	5	....	....	....	....	5	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	13	....	....	....	1	....	1	....	....	2	4	1	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	12	....	....	....	....	....	....	....	....	1	2	1	....	1	....	3	1	1	1	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	21	....	....	....	....	....	....	1	....	....	4	1	1	5	4	1	....	....	....	1	....	....	....	....	....	....	3
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	10	4	2	2	....	1	9	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	3	....	....	....	....	....	....	....	....	2	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
12. Suicide by poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	6	....	....	....	....	....	....	....	....	1	1	1	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	3	1	1	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	65	1	....	....	....	2	3	7	5	6	6	5	7	4	2	3	1	1	4	4	3	2	2	....	....	....	....
	F.	20	2	1	....	....	....	3	4	1	3	1	5	2	1	....	....	1	....	1	....	....	1	....	....	1	....	2

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 4.

[Exclusive of KANSAS CITY.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		8474	1782	735	446	221	173	3357	446	306	445	560	422	329	347	275	275	280	230	287	271	229	173	110	48	12	11	61
Total: Males		4386	991	422	229	107	84	1833	218	131	206	268	191	129	153	129	153	167	142	154	155	131	95	63	27	5	5	31
Females		4088	791	313	217	114	89	1524	228	175	239	292	231	200	194	146	122	113	88	133	116	98	78	47	21	7	6	30
Unknown causes.																												
Total		486	279	44	12	7	5	347	8	2	14	13	9	8	7	6	7	13	4	5	7	12	9	4	4	....	....	7
Males		269	162	32	6	4	3	207	4	1	6	3	5	3	2	1	3	6	3	4	3	8	4	2	2	....	....	2
Females		217	117	12	6	3	2	140	4	1	8	10	4	5	5	5	4	7	1	1	4	4	5	2	2	....	....	5
I.—GENERAL DISEASES																												
General diseases—A.																												
Total		2523	545	372	202	106	87	1312	233	134	114	127	88	83	74	44	38	45	36	53	34	36	24	17	9	2	....	20
Males		1192	276	201	101	46	42	666	109	52	45	60	33	24	21	16	21	29	22	20	15	19	12	11	8	....	....	9
Females		1331	269	171	101	60	45	646	124	82	69	67	55	59	53	28	17	16	14	33	19	17	12	6	1	2	....	11
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	115	31	13	18	11	4	77	13	7	3	7	3	1	....	1	2	....	1	....	....	....	....	....	....	....	....	....
	F.	114	26	15	13	6	4	64	11	8	6	6	2	6	4	5	1	....	1	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	40	8	2	3	3	6	22	10	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	35	6	4	2	3	5	20	9	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria	M.	156	15	22	23	16	18	94	46	9	....	....	....	....	....	1	....	....	....	1	....	....	....	2	1	....	....	2
	F.	184	19	17	21	25	20	102	55	22	2	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	50	26	13	2	1	2	44	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	54	26	14	5	3	....	48	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	19	6	4	....	....	....	10	2	2	1	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	27	6	1	1	2	2	12	4	6	2	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....
8. Enteric fever	M.	159	3	4	6	2	2	18	9	11	21	30	15	9	7	5	4	9	7	4	3	5	....	....	....	....	....	2
	F.	163	6	4	10	1	3	24	11	14	22	16	14	13	11	6	5	4	5	7	1	3	3	1	....	....	....	3
9. Diarrhœa	M.	89	31	23	13	3	1	71	1	....	1	2	....	1	....	....	1	2	1	1	1	2	2	2	1	....	....	....
	F.	67	26	15	10	2	1	54	1	....	....	....	....	1	....	....	....	2	....	4	2	2	....	....	....	....	....	1
10. Dysentery	M.	92	25	25	13	1	1	65	3	1	1	1	....	1	2	1	3	....	2	3	1	2	3	1	2	....	....	....
	F.	111	30	32	13	2	2	79	....	4	2	1	3	....	1	2	....	1	....	5	3	2	5	2	1	....	....	....
11. Enteritis	M.	79	24	22	4	....	1	51	4	3	....	2	....	3	....	1	2	2	3	....	2	2	....	4	....	....	....	....
	F.	72	24	14	2	3	1	44	2	4	2	3	2	6	2	2	1	1	....	1	1	....	....	....	....	1	....	....
12. Cholera morbus	M.	6	1	....	....	....	1	2	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	1
	F.	10	3	1	....	....	....	4	1	1	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	1
13. Cholera infantum	M.	137	72	55	8	1	....	136	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	126	61	43	16	3	1	124	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
14. Malarial fever	M.	192	21	14	10	8	6	59	15	9	16	15	13	7	8	7	4	9	3	8	3	7	3	2	3	....	....	1
	F.	201	17	11	8	10	4	50	20	20	22	10	7	6	7	5	8	5	8	11	8	5	4	2	....	1	....	2
15. Erysipelas	M.	40	10	1	1	....	....	12	2	....	2	....	1	....	3	1	3	3	3	1	4	1	3	....	1	....	....	....
	F.	32	12	....	....	....	2	14	2	....	....	....	....	3	3	2	....	2	....	1	2	4	....	....	....	....	....	....
16. Septicæmia	M.	11	1	2	....	....	....	3	....	2	....	1	....	1	....	....	1	1	1	....	....	....	1	....	....	....	....	....
	F.	11	....	....	....	....	....	....	1	....	1	1	4	1	2	....	....	....	....	....	1	....	....	1	....	....	....	....
17. Puerperal septicæmia	F.	108	....	....	....	....	....	....	....	....	8	29	20	22	22	6	....	....	....	....	....	....	....	....	....	....	....	1
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	3	....	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
19. Others of this group	M.	7	1	1	....	....	....	2	....	....	....	1	....	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....
	F.	11	4	....	....	....	....	4	....	1	1	....	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....
General diseases—B.																												
Total		73	22	8	6	3	2	41	5	1	2	1	1	2	2	3	2	....	5	2	3	1	1	1	....	....	....	....
Males		43	11	6	2	2	....	21	2	....	1	1	....	2	1	2	2	....	5	2	3	....	....	1	....	....	....	....
Females		30	11	2	4	1	2	20	3	1	1	....	1	....	1	1	....	....	....	....	....	1	1	....	....	....	....	....
1. Worms	M.	3	1	1	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	3	1	....	....	1	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	2	2	2	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	21	3	5	1	....	....	9	2	....	1	1	....	2	....	1	....	....	3	....	1	....	....	1	....	....	....	....
	F.	11	3	1	3	1	....	8	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	9	7	....	1	1	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	5	....	1	....	1	7	....	....	1	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
General diseases—C.																												
Total		417	306	2	1	....	....	309	1	1	....	1	2	....	1	....	2	1	5	4	4	12	18	31	11	5	3	....
Males		249	190	....	....	....	....	190	....	1	....	....	2	....	1	....	....	1	1	1	2	9	13	14	7	2	5	....
Females		168	116	2	1	....	....	119	1	....	....	1	....	....	....	....	2	....	4	3	2	3	5	17	4	3	4	....
1. Premature birth	M.	41	41	....	....	....	....	41	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	23	....	....	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	128	128	....	....	....	....	128	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F	78	78	....	....	....	....	78	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	39	16	....	....	....	....	16	....	1	....	....	2	....	1	....	....	1	1	1	1	2	6	4	....	1	2	....
	F.	38	13	2	1	....	....	16	1	....	....	1	....	....	....	....	2	....	4	2	....	2	2	7	1	....	....	....
5. Old age	M.	36	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	7	7	10	7	1	3	....
	F.	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	3	10	3	3	4
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1270	48	33	26	10	15	132	29	39	127	169	125	99	99	72	64	69	51	52	52	38	25	12	3	1	12
Males		545	25	18	16	6	8	73	16	12	35	62	46	32	42	33	30	35	26	26	27	18	16	10	1		5
Females		725	23	15	10	4	7	59	13	27	92	107	79	67	57	39	34	34	25	26	25	20	9	2	2	1	7
1. Rheumatism	M.	19				1	1	2	1	2	1	2	1	1	1	2		1	2		1	2	1				
	F.	20	1					1	2	1		2	1	1	1		1	3	2		1	2					
2. Scrofula and tabes	M.	31	3	1	5	2	3	14	4	2	3	2			1	1		2		1							
	F.	41	9	3	6		3	20	2	5	2	4		4	1	1				1	1						
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	365	10	7	4	2	1	24	4	6	24	56	44	29	35	26	23	19	15	19	16	11	5	3	1		5
	F.	522	4	7	2	2	2	17	3	19	86	95	71	49	50	27	24	20	13	13	13	9	4	2			5
5. Hydrocephalus	M.	14	6	6	1			13	1																		
	F.	11	6	3	1	1		11																			
6. Cancer	M.	33			1	1		2			2	1			3	1	4	7	5		1	2	4	1			
	F.	53					2	2					2	1	3	8	5	9	4	3	6	5	3				2
7. Tumor	M.	5									1			1		1		1		1							
	F.	14	2	1				3			1	1	1	1			3			2	1	1					
8. Anæmia	M.	5	2					2	1								1						1				
	F.	7							1				3	1	1			1									
9. Dropsy	M.	61	4	4	5		3	16	4	1	4	1	1		2	2	2	4	3	3	6	2	5	5			
	F.	50				1	1	2	3	2	3	4		6	1	3	1	1	6	7	3	3	2		2	1	
10. Glycosuria	M.	11							1	1			1	1					1	2	2	1		1			
	F.	2		1	1			2																			
11. Others of this group	M.	1																1									
	F.	2	1					1				1	1	2													
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		792	209	93	53	31	16	402	50	35	26	32	26	14	17	20	25	18	22	30	18	21	23	7	1	1	1
Males		427	112	58	27	16	10	223	24	20	13	19	18	6	7	7	15	8	19	14	9	13	10	2			
Females		365	97	35	26	15	6	179	26	15	13	13	8	8	10	13	10	10	3	16	9	8	13	5	4	1	1
1. Inflammation of the brain	M.	80	29	17	7	3	4	60	2	4	3		2	2			2		2		1	2					
	F.	79	27	9	11	4	2	53	11	3	3	3	1	1	1	1					1			1			
2. Meningitis	M.	65	12	9	4	4	2	31	11	5	2	5	4	1		1		1	2	1	1						
	F.	46	19	6	2	4		31	3	1	2			2	2		2	1			1						1
3. Apoplexy	M.	31	1	1	1		1	4				2	2	1	2		3	2	7	1	1	4	2				
	F.	31	2	1		1		4		1		1	3	2		4	3	3	1	4	1	1	2	1			
4. Paralysis	M.	53	3	1	1		1	6	4	1		1	1		3	4	7	1	3	5	4	4	7	2			
	F.	43	1	1				2	1	1			1			3	1	1	1	7	5	4	9	3	3	1	
5. Tetanus and trismus nascentium.	M.	16	6			1		7	1	2	2	1	1	1				1									
	F.	6		1				1			1			1	1		1					1					
6. Epilepsy	M.	13	1		1	2		4			1	1	2		1	2				2			1				
	F.	10	1			1		2	1		2	1		1	1												
7. Convulsions	M.	70	34	20	4	1	2	61	2	1	1	1	2				1		1								
	F.	63	34	8	4	3	3	52	1	2	1	3	1			1	1			1							
8. Mental diseases	M.	6										3	1							2							
	F.	5									1	1	1										1		1		
9. Diseases of the brain	M.	79	23	8	9	5		45	4	6	4	4	2	1	1			2	3	2	1	3	1				
	F.	70	12	9	8	1	1	31	9	6	1	4			5	3	1	5	1	1	1	2					
10. Diseases of the spinal cord	M.	9	3					3		1		1	1				2		1								
	F.	6			1	1		2		1	2			1													
11. Others of this group	M.	5		2				2										1		1	1						
	F.	6	1					1					1				1			3								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		235	19	4	3	2	2	30	7	10	8	15	12	9	8	10	16	14	13	14	31	22	9	3	1	1	2
Males		127	12	1	3	1	2	19	5	6	5	7	6	4	4	4	6	8	9	6	18	12	6	1	1		
Females		108	7	3		1		11	2	4	3	8	6	5	4	6	10	6	4	8	13	10	3	2		1	2
1. Angina pectoris	M.	2															1	1									
	F.	1																			1						
2. Aneurism	M.	2															1		1								
	F.	2										1	1														
3. Diseases of the heart	M.	116	6	1	3	1	2	13	5	5	5	7	6	4	4	4	4	7	8	6	18	12	6	1	1		
	F.	101	4	3		1		8	2	4	3	6	5	5	4	6	10	6	4	8	13	9	3	2		1	2
4. Others of this group	M.	7	6					6		1																	
	F.	4	3					3				1															
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		1777	224	140	114	47	33	558	78	43	104	110	88	60	77	91	85	79	68	92	82	64	44	27	11	2	14
Males		1054	131	86	59	25	15	316	45	21	72	69	51	32	45	50	53	53	42	64	53	34	23	15	4	1	11
Females		723	93	54	55	22	18	242	33	22	32	41	37	28	32	41	32	26	26	28	29	30	21	12	7	1	3
1. Croup	M.	122	28	31	24	11	8	102	15	1						1	1										2
	F.	112	35	17	24	13	10	99	13																		
2. Laryngitis	M.	10	2	1	1	2		6					1					1		1	1						
	F.	5	2		1	1		4	1																		
3. Bronchitis	M.	79	20	11	12	1		44	2		2	1	1		2	2	3	3	2	2	2	3	5	2		1	2
	F.	62	14	9	4		1	28	3	2	2	3	3	2	3	4		1	2	1	2	1	2		2		1
4. Pneumonia	M.	782	69	39	20	11	7	146	24	20	62	64	45	31	43	46	48	41	37	57	48	30	14	12	4		7
	F.	489	34	28	22	7	7	98	12	18	27	30	32	26	27	34	28	23	23	26	26	26	16	10	1	1	2
5. Pleurisy	M.	10		1				1	1		3		2	1							2						
	F.	11			1			1	1	1	1	2	1		1	2	1						2				
6. Asthma	M.	10	2					2								1			2	2		2	1				
	F.	8										1						1		1	1	2		1	1		
7. Others of this group	M.	41	10	3	2			15	3		5	4	2				1	3	1	2		1	2				
	F.	36	8		3	1		12	3	1	2	5	1		1	1	3	1	1			1	3	1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		333	81	22	17	7	2	129	12	15	8	20	14	14	20	6	14	18	10	15	16	9	7	3	2	1	....
Males		158	44	9	9	5	....	67	6	4	5	8	2	6	8	4	7	11	3	5	6	7	4	2	2	1	....
Females		175	37	13	8	2	2	62	6	11	3	12	12	8	12	2	7	7	7	10	10	2	3	1	....	....	....
1. Dentition	M.	7	1	3	3	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	5	4	3	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	13	3	4	1	2	....	10	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....
	F.	9	....	....	1	....	....	1	2	2	....	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Gastritis	M.	9	4	1	2	....	....	7	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	20	1	....	....	1	....	2	1	1	1	2	1	1	2	1	1	2	1	....	4	....	....	....	....	....	....
4. Other diseases of the stomach	M.	19	2	....	....	....	....	2	3	1	....	....	....	1	3	....	2	1	2	1	....	2	1	....	....	....	....
	F.	20	4	2	....	....	....	6	2	3	....	1	2	1	3	1	1	2	2	....	2	2	....	1	....	....	....
5. Obstruction of the bowels	M.	12	....	1	....	....	....	1	....	....	....	1	1	2	1	2	....	2	1	....	1	....	....	....	....	....	....
	F.	4	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Hernia	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	20	7	....	1	2	....	10	1	1	2	1	....	1	....	....	1	2	....	....	....	....	....	....	1	....	....
	F.	27	3	2	2	1	1	9	1	2	....	2	2	2	2	....	1	....	1	2	2	....	1	....	....	....	....
8. Jaundice	M.	5	3	....	1	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	13	1	....	1	....	....	2	....	....	....	1	1	....	2	1	2	....	....	2	1	....	....	1	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	1	1	....	2	....	....	1	1	1	1	....	....	....	....	....	....
10. Other diseases of the liver	M.	17	2	....	....	....	....	2	....	1	1	....	....	1	1	....	....	4	....	1	1	3	2	....	....	....	....
	F.	20	....	2	....	....	....	2	....	2	1	1	2	....	1	....	3	1	1	4	1	....	1	....	....	....	....
11. Peritonitis	M.	7	1	....	....	....	....	1	....	....	1	2	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....
	F.	13	....	....	2	....	....	2	....	1	1	3	1	3	1	....	....	1	....	....	....	....	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	32	20	....	....	....	....	20	1	1	....	2	....	1	....	....	....	....	....	1	3	2	1	....	....	....	....
	F.	29	21	2	....	....	....	23	....	....	....	1	2	....	1	....	1	....	....	....	....	....	1	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		87	4	....	1	....	....	5	3	2	1	5	3	7	3	2	2	5	5	8	10	9	9	5	2	1	....
Males		63	1	....	....	....	....	1	1	1	1	3	1	5	3	1	....	4	5	7	9	8	5	5	2	1	....
Females		24	3	....	1	....	....	4	2	1	....	2	2	2	....	1	2	1	....	1	1	1	4	....	....	....	....
1. Bright's disease	M.	17	....	....	....	....	....	....	....	1	1	....	....	4	1	....	....	1	....	1	1	3	2	2	....	....	....
	F.	9	1	....	....	....	....	1	1	1	....	....	1	....	....	1	1	....	....	1	1	1	1	....	....	....	....
2. Calculus, urinary	M.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	1	....	1	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	28	1	....	....	....	....	1	....	....	....	2	....	1	2	....	....	2	3	5	3	3	3	2	1	....	....
	F.	12	1	....	1	....	....	2	....	....	....	2	1	2	....	....	1	....	....	....	1	....	3	....	....	....	....
4. Diseases of the bladder	M.	7	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	1	....	4	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	2	....	....	1	1	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		23	....	....	....	....	....	....	....	....	2	5	1	4	3	2	1	1	1	2	1	....	....	....	....	....	....
1. Ovarian tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Uterine diseases	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	16	....	....	....	....	....	....	....	....	1	4	1	4	2	1	1	1	....	1	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		78	....	....	....	....	....	....	....	1	8	18	22	10	12	5	2	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	14	....	....	....	....	....	....	....	....	2	2	5	2	2	1	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	53	....	....	....	....	....	....	....	1	5	11	15	8	8	4	1	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F	11	....	....	....	....	....	....	....	....	1	5	2	....	2	....	1	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		22	....	2	1	2	1	6	1	2	2	4	2	1	1	....	....	....	....	....	1	1	1	....	....	....	....
Males		18	....	2	1	1	1	5	....	2	2	4	2	1	....	....	....	....	....	....	1	1	....	....	....	....	....
Females		4	....	....	....	1	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
1. Diseases of the spine	M.	12	....	2	1	1	1	5	....	2	....	3	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	5	....	....	....	....	....	....	....	....	2	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MISSOURI—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		34	7	2				9	3	1	2	5	2	1		2		3	1	1	4						
Males		17	3	1				4	2	1	2	1				1		2	1		3						
Females		17	4	1				5	1			4	2	1		1		1		1	1						
1. Abscess	M.	17	3	1				4	2	1	2	1				1		2	1		3						
	F.	12	2	1				3	1			2	2	1		1		1		1							
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.	5	2					2				2									1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		324	38	13	10	6	10	77	16	20	27	26	27	17	23	12	17	14	9	9	8	4	3		1		5
Males		224	24	8	5	1	3	41	4	10	19	31	25	14	19	10	16	10	6	5	6	2	2				4
Females		100	14	5	5	5	7	36	12	10	8	4	2	3	4	2	1	4	3	4	2	2	1		1		1
1. Burns and scalds	M.	12	4	2	1		3	10		1							1										
	F.	25		3	3	3	3	12	5	2	1			1		1		1			1	1					
2. Drowned	M.	11		2	1			3		2	1	2	2	1													
	F.	4							1	1				1						1							
3. Exposure and neglect	M.	7	5	1				6													1						
	F.	10	6		1			7			1				1					1							
4. Gunshot wounds	M.	35				1		1			3	5	9	2	5	3	4	1	1								1
	F.	5					1	1		1	3																
5. Homicide	M.	14								1	1	4	1	2			1	1		2	1						
	F.	1														1											
6 Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	21									2	6	2	2	2	1	3	1	1								1
	F.	1																	1								
9. Suffocation	M.	9	8		1			9																			
	F.	6	3		1	1	1	6																			
10. Suicide by shooting	M.	4												1		1		1					1				
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	10										1		3	1			3	1	1							
	F.	2													1												1
14. Sunstroke	M.	6		1				1				2			1	1	1										
	F.	2													1					1							
15. Surgical operations	M.																										
	F.	1																1									
16. Wounds	M.	1									1																
	F.	1																1									
17. Other accidents and injuries	M.	94	7	2	2			11	4	6	11	11	11	3	10	4	6	3	3	2	4	2	1				2
	F.	42	5	2		1	2	10	6	6	3	4	2	1	1		1	1	2	1	1	1	1		1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	18	1					1	1			2	2	2	6	2	2											
Total: Males	18	1					1	1			2	2	2	6	2	2											
Females																											
Unknown causes.																											
Total																											
Males																											
Females																											
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	3											1		2													
Males	3											1		2													
Females																											
1. Small-pox M.																											
1. Small-pox F.																											
2. Measles M.																											
2. Measles F.																											
3. Scarlet fever M.																											
3. Scarlet fever F.																											
4. Diphtheria M.																											
4. Diphtheria F.																											
5. Hooping-cough M.																											
5. Hooping-cough F.																											
6. Fever M.																											
6. Fever F.																											
7. Cerebro-spinal fever M.																											
7. Cerebro-spinal fever F.																											
8. Enteric fever M.	1											1		1													
8. Enteric fever F.																											
9. Diarrhœa M.																											
9. Diarrhœa F.																											
10. Dysentery M.																											
10. Dysentery F.																											
11. Enteritis M.																											
11. Enteritis F.																											
12. Cholera morbus M.																											
12. Cholera morbus F.																											
13. Cholera infantum M.																											
13. Cholera infantum F.																											
14. Malarial fever M.	1													1													
14. Malarial fever F.																											
15. Erysipelas M.																											
15. Erysipelas F.																											
16. Septicæmia M.																											
16. Septicæmia F.																											
17. Puerperal septicæmia F.																											
18. Venereal diseases M.																											
18. Venereal diseases F.																											
19. Others of this group M.																											
19. Others of this group F.																											
General diseases—B.																											
Total																											
Males																											
Females																											
1. Worms M.																											
1. Worms F.																											
2. Other parasitic diseases M.																											
2. Other parasitic diseases F.																											
3. Alcoholism M.																											
3. Alcoholism F.																											
4. Lead poison M.																											
4. Lead poison F.																											
5. Other poisons M.																											
5. Other poisons F.																											
6. Inanition M.																											
6. Inanition F.																											
General diseases—C.																											
Total																											
Males																											
Females																											
1. Premature birth M.																											
1. Premature birth F.																											
2. Stillborn M.																											
2. Stillborn F.																											
3. Malformation M.																											
3. Malformation F.																											
4. Debility M.																											
4. Debility F.																											
5. Old age M.																											
5. Old age F.																											
6. Atrophy M.																											
6. Atrophy F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																										
Total	1														1											
Males	1														1											
Females																										
1. Rheumatism M.																										
1. Rheumatism F.																										
2. Scrofula and tabes M.																										
2. Scrofula and tabes F.																										
3. Leprosy M.																										
3. Leprosy F.																										
4. Consumption M.	1														1											
4. Consumption F.																										
5. Hydrocephalus M.																										
5. Hydrocephalus F.																										
6. Cancer M.																										
6. Cancer F.																										
7. Tumor M.																										
7. Tumor F.																										
8. Anæmia M.																										
8. Anæmia F.																										
9. Dropsy M.																										
9. Dropsy F.																										
10. Glycosuria M.																										
10. Glycosuria F.																										
11. Others of this group M.																										
11. Others of this group F.																										
12. Others of this class M.																										
12. Others of this class F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																										
Total	2													1	1											
Males	2													1	1											
Females																										
1. Inflammation of the brain M.																										
1. Inflammation of the brain F.																										
2. Meningitis M.																										
2. Meningitis F.																										
3. Apoplexy M.	2													1	1											
3. Apoplexy F.																										
4. Paralysis M.																										
4. Paralysis F.																										
5. Tetanus and trismus nascentium. M.																										
5. Tetanus and trismus nascentium. F.																										
6. Epilepsy M.																										
6. Epilepsy F.																										
7. Convulsions M.																										
7. Convulsions F.																										
8. Mental diseases M.																										
8. Mental diseases F.																										
9. Diseases of the brain M.																										
9. Diseases of the brain F.																										
10. Diseases of the spinal cord M.																										
10. Diseases of the spinal cord F.																										
11. Others of this group M.																										
11. Others of this group F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																										
Total	1															1										
Males	1															1										
Females																										
1. Angina pectoris M.																										
1. Angina pectoris F.																										
2. Aneurism M.	1															1										
2. Aneurism F.																										
3. Diseases of the heart M.																										
3. Diseases of the heart F.																										
4. Others of this group M.																										
4. Others of this group F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																										
Total	2												1	1												
Males	2												1	1												
Females																										
1. Croup M.																										
1. Croup F.																										
2. Laryngitis M.																										
2. Laryngitis F.																										
3. Bronchitis M.																										
3. Bronchitis F.																										
4. Pneumonia M.	1													1												
4. Pneumonia F.																										
5. Pleurisy M.																										
5. Pleurisy F.																										
6. Asthma M.																										
6. Asthma F.																										
7. Others of this group M.	1												1													
7. Others of this group F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	1										1															
Males	1										1															
Females																										
1. Dentition M.																										
1. Dentition F.																										
2. Angina M.																										
2. Angina F.																										
3. Gastritis M.																										
3. Gastritis F.																										
4. Other diseases of the stomach M.																										
4. Other diseases of the stomach F.																										
5. Obstruction of the bowels M.																										
5. Obstruction of the bowels F.																										
6. Hernia M.																										
6. Hernia F.																										
7. Other diseases of the bowels M.																										
7. Other diseases of the bowels F.																										
8. Jaundice M.																										
8. Jaundice F.																										
9. Inflammation and abscess of the liver. M.																										
9. Inflammation and abscess of the liver. F.																										
10. Other diseases of the liver M.																										
10. Other diseases of the liver F.																										
11. Peritonitis M.	1										1															
11. Peritonitis F.																										
12. Ascites M.																										
12. Ascites F.																										
13. Others of this group. M.																										
13. Others of this group. F.																										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total																										
Males																										
Females																										
1. Bright's disease M.																										
1. Bright's disease F.																										
2. Calculus, urinary M.																										
2. Calculus, urinary F.																										
3. Diseases of the kidney M.																										
3. Diseases of the kidney F.																										
4. Diseases of the bladder M.																										
4. Diseases of the bladder F.																										
5. Others of this group M.																										
5. Others of this group F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females																										
1. Ovarian tumors F.																										
2. Ovarian diseases F.																										
3. Uterine tumors F.																										
4. Uterine diseases F.																										
5. Others of this group F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females																										
1. Abortion F.																										
2. Child-birth F.																										
3. Others of this group F.																										
IX.—DISEASES OF THE BONES AND JOINTS																										
Total																										
Males																										
Females																										
1. Diseases of the spine M.																										
1. Diseases of the spine F.																										
2. Diseases of the bones M.																										
2. Diseases of the bones F.																										
3. Diseases of the hip-joint M.																										
3. Diseases of the hip-joint F.																										
4. Others of this group M.																										
4. Others of this group F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Males																											
Females																											
1. Abscess M.																											
1. Abscess F.																											
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	8	1					1	1			1	1	1	2		1											
Males	8	1					1	1			1	1	1	2		1											
Females																											
1. Burns and scalds M.	1							1																			
1. Burns and scalds F.																											
2. Drowned M.																											
2. Drowned F.																											
3. Exposure and neglect M.	1	1					1																				
3. Exposure and neglect F.																											
4. Gunshot wounds M.	3										1			1		1											
4. Gunshot wounds F.																											
5. Homicide M.																											
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.																											
8. Railroad accidents F.																											
9. Suffocation M.																											
9. Suffocation F.																											
10. Suicide by shooting M.	2												1	1													
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.																											
12. Suicide by poison F.																											
13. Other suicides M.																											
13. Other suicides F.																											
14. Sunstroke M.																											
14. Sunstroke F.																											
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.																											
16. Wounds F.																											
17. Other accidents and injuries M.	1											1															
17. Other accidents and injuries F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	318	51	18	19	6	5	99	23	13	11	19	16	22	20	26	15	22	3	10	4	5	1	1	1	2	2	3
Total: Males	207	30	12	11	4	1	58	11	7	8	12	10	16	17	17	11	17	3	7	3	3	1	1	1	1	....	3
Females	111	21	6	8	2	4	41	12	6	3	7	6	6	3	9	4	5	....	3	1	2	....	....	....	1	2	....
Unknown causes.																											
Total	29	11	....	3	....	....	14	3	2	....	....	....	1	1	1	....	....	....	1	....	2	....	....	....	2	1	1
Males	17	5	....	2	....	....	7	2	1	....	....	....	....	1	1	....	....	....	1	....	2	....	....	....	1	....	1
Females	12	6	....	1	....	....	7	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	1	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	95	12	10	14	5	5	46	18	8	6	6	2	1	3	3	....	1	....	1	....	....	....	....	....	....	....	....
Males	52	7	6	9	3	1	26	9	4	5	3	2	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....
Females	43	5	4	5	2	4	20	9	4	1	3	....	1	2	3	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	12	2	4	2	1	....	9	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	12	....	1	....	2	3	6	4	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	13	....	1	1	....	1	3	5	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	12	1	1	4	....	1	7	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	4	....	....	2	1	....	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	6	....	....	....	....	....	....	....	1	2	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	2	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	3	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	4	....	1	1	....	....	2	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	4	1	....	3	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	4	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
14. Malarial fever F.	3	1	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	4	....	....	....	....	....	....	....	....	....	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	8	....	....	....	....	....	....	....	....	....	....	....	1	1	4	....	....	1	1	....	....	....	....	....	....	....	....
Males	7	....	....	....	....	....	....	....	....	....	....	....	1	1	3	....	....	1	1	....	....	....	....	....	....	....	....
Females	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	7	....	....	....	....	....	....	....	....	....	....	....	1	1	3	....	....	1	1	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	13	9	1	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....
Males	8	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....
Females	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....
5. Old age F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		30	4					4				5	4	4	1	4	4	3		1								
Males		15	2					2				3	3	1	1	1	2	2										
Females		15	2					2				2	1	3		3	2	1		1								
1. Rheumatism	M.																										
	F.																										
2. Scrofula and tabes	M.	1										1															
	F.	2	2					2																			
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	11	1					1				2	3	1		1	1	2									
	F.	6										2	1	2		1											
5. Hydrocephalus	M.	1	1					1																			
	F.																										
6. Cancer	M.																										
	F.	2															1	1									
7. Tumor	M.																										
	F.	1														1											
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.	2													1		1										
	F.	3												1			1			1							
10. Glycosuria	M.																										
	F.	1														1											
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		20	5	3				8						1		3	4	2		1	3	1	1				3
Males		19	3	1				4						1		3	3	2		1	2		1				2
Females		7	2	2				4									1				1	1					
1. Inflammation of the brain	M.	1		1				1																			
	F.	3	1	2				3																			
2. Meningitis	M.	2														1	1										
	F.	1																			1						
3. Apoplexy	M.	2														1				1							
	F.																										
4. Paralysis	M.	3	1					1										1					1				
	F.	1														1											
5. Tetanus and trismus nascentium.	M.	1	1					1																			
	F.																										
6. Epilepsy	M.																										
	F.																										
7. Convulsions	M.	3	1					1						1													1
	F.	1	1					1																			
8. Mental diseases	M.	1																1									
	F.																										
9. Diseases of the brain	M.	5														1	3				1						1
	F.																										
10. Diseases of the spinal cord	M.	1																			1						
	F.	1																				1					
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		9	1					1	1	1	1				1	1		2		1							
Males		7	1					1			1				1	1		2		1							
Females		2							1	1																	
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.																										
	F.																										
3. Diseases of the heart	M.	6										1			1	1		2		1							
	F.	2							1	1																	
4. Others of this group	M.	1	1					1																			
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		38	8	3	1			12		1		1	3	2	4	5	1	5		2	1	1					
Males		25	7	3				10		1		1	1	1	4	3	1	2			1						
Females		13	1		1			2					2	1		2		3		2		1					
1. Croup	M.	1	1					1																			
	F.	1			1			1																			
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.	3	1	1				2		1								1									
	F.	1																									
4. Pneumonia	M.	20	5	2				7				1	1		4	3	1	2			1						
	F.	11	1					1					2	1		2		2		2		1					
5. Pleurisy	M.																										
	F.																										
6. Asthma	M.																										
	F.																										
7. Others of this group	M.	1												1													
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	14		1	1			2		1	2		1	2	2			2	2								
Males	11		1				1		1	1			2	2			2	2								
Females	3			1			1			1		1														
1. Dentition M.	1		1				1																			
1. Dentition F.																										
2. Angina M.																										
2. Angina F.																										
3. Gastritis M.	2									1			1													
3. Gastritis F.																										
4. Other diseases of the stomach M.	1																1									
4. Other diseases of the stomach F.																										
5. Obstruction of the bowels M.	1													1												
5. Obstruction of the bowels F.																										
6. Hernia M.	1																	1								
6. Hernia F.																										
7. Other diseases of the bowels M.																										
7. Other diseases of the bowels F.																										
8. Jaundice M.																										
8. Jaundice F.																										
9. Inflammation and abscess of the liver. M.	1								1				1	1				1								
9. Inflammation and abscess of the liver. F.																										
10. Other diseases of the liver M.																										
10. Other diseases of the liver F.																										
11. Peritonitis M.																										
11. Peritonitis F.	2									1		1														
12. Ascites M.	1																1									
12. Ascites F.																										
13. Others of this group M.																										
13. Others of this group F.	1			1			1																			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	3												1				1						1			
Males	3												1				1						1			
Females																										
1. Bright's disease M.	2												1				1						1			
1. Bright's disease F.																										
2. Calculus, urinary M.																										
2. Calculus, urinary F.																										
3. Diseases of the kidney M.																										
3. Diseases of the kidney F.																										
4. Diseases of the bladder M.																										
4. Diseases of the bladder F.																										
5. Others of this group M.																										
5. Others of this group F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females	2										1	1														
1. Ovarian tumors F.																										
2. Ovarian diseases F.	2										1	1														
3. Uterine tumors F.																										
4. Uterine diseases F.																										
5. Others of this group F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	2									1				1												
1. Abortion F.																										
2. Child-birth F.	2									1				1												
3. Others of this group F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total																										
Males																										
Females																										
1. Diseases of the spine M.																										
1. Diseases of the spine F.																										
2. Diseases of the bones M.																										
2. Diseases of the bones F.																										
3. Diseases of the hip-joint M.																										
3. Diseases of the hip-joint F.																										
4. Others of this group M.																										
4. Others of this group F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

MONTANA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	2														1	1											
Males	2														1	1											
Females																											
1. Abscess M.																											
1. Abscess F.																											
2. Carbuncle M.	2														1	1											
2. Carbuncle F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	47	1			1		2	1		1	6	5	9	6	4	5	6				1					1	
Males	41	1			1		2			1	5	4	9	6	4	4	5				1						
Females	6							1			1	1				1	1									1	
1. Burns and scalds M.																											
1. Burns and scalds F.	1							1																			
2. Drowned M.	5				1		1				2	1	1														
2. Drowned F.	1															1											
3. Exposure and neglect M.	1	1					1																				
3. Exposure and neglect F.																											
4. Gunshot wounds M.	9									1			3	2		1	2										
4. Gunshot wounds F.	1																1										
5. Homicide M.	4													1		2	1										
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.	1												1														
8. Railroad accidents F.																											
9. Suffocation M.	1										1																
9. Suffocation F.																											
10. Suicide by shooting M.	3												2								1						
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.	1														1												
12. Suicide by poison F.	1											1															
13. Other suicides M.	6										1	2	1	1	1												
13. Other suicides F.																											
14. Sunstroke M.																											
14. Sunstroke F.																											
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.	1													1													
16. Wounds F.																											
17. Other accidents and injuries M.	9										1	1	1	1	2	1	2										
17. Other accidents and injuries F.	2										1															1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	4062	996	394	269	219	170	2048	517	230	128	167	133	111	109	79	72	66	72	89	84	57	45	24	10	3	2	16
Total: Males	2116	554	227	144	111	83	1119	251	110	59	81	63	47	44	36	46	38	40	52	42	32	25	11	6	2	1	11
Females	1946	442	167	125	108	87	929	266	120	69	86	70	64	65	43	26	28	32	37	42	25	20	13	4	1	1	5
Unknown causes.																											
Total	258	168	17	0	8	2	201	7	8	3	6	2	3	1	6	2	2	2	3	5	3	3	1	....	....	....	....
Males	134	85	13	3	5	1	107	5	3	1	2	....	....	....	3	2	1	2	2	3	1	2	....	....	....	....	....
Females	124	83	4	3	3	1	94	2	5	2	4	2	3	1	3	....	1	....	1	2	2	1	1	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	1861	321	219	170	152	131	993	407	173	54	46	39	29	26	10	15	9	14	8	9	10	10	4	....	2	....	3
Males	941	172	122	91	79	61	525	196	80	22	23	18	16	11	3	8	7	9	2	6	4	6	2	....	1	....	2
Females	920	149	97	79	73	70	468	211	93	32	23	21	13	15	7	7	2	5	6	3	6	4	2	....	1	....	1
1. Small-pox M.	6	....	....	....	....	....	....	....	....	2	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	31	9	8	2	2	....	21	5	1	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	40	7	10	3	4	1	25	6	6	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Scarlet fever M.	156	14	19	24	21	14	92	49	13	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	153	15	19	22	16	17	89	47	12	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	407	25	43	51	48	41	208	128	51	8	6	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria F.	389	27	32	40	44	43	186	139	56	2	2	2	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
5. Hooping-cough M.	9	7	2	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	11	4	1	2	2	....	9	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	4	2	1	....	1	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	9	7	1	....	....	1	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	13	3	1	....	3	2	8	2	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	80	2	3	....	1	3	9	5	7	8	11	10	7	6	2	5	4	1	1	1	1	1	....	....	....	....	1
8. Enteric fever F.	79	1	1	5	3	4	14	8	11	16	7	7	5	1	1	5	....	1	1	....	1	....	1	....	....	....	....
9. Diarrhœa M.	23	7	9	3	....	....	19	1	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	26	14	5	2	....	....	21	1	1	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....
10. Dysentery M.	14	8	2	1	1	1	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
10. Dysentery F.	13	7	2	1	....	....	10	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....
11. Enteritis M.	52	19	4	3	2	1	29	3	4	3	1	....	1	2	1	....	1	1	....	1	2	2	1	....	....	....	....
11. Enteritis F.	37	13	4	1	....	2	20	2	2	1	1	....	2	1	2	....	1	....	1	....	2	1	1	....	....	....	....
12. Cholera morbus M.	8	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	2	1	1	1	....	....	....	....
12. Cholera morbus F.	7	3	....	....	....	....	3	1	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
13. Cholera infantum M.	95	62	28	4	1	....	95	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	73	51	20	1	....	1	73	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	32	3	2	3	2	....	10	4	1	1	2	1	4	....	....	2	1	2	....	2	....	2	....	....	....	....	....
14. Malarial fever F.	29	....	2	2	1	....	5	3	1	4	2	2	1	2	1	2	....	3	2	1	....	....	....	....	....	....	....
15. Erysipelas M.	12	5	....	....	....	....	5	....	2	....	....	....	....	....	....	1	....	3	1	....	....	....	....	....	....	....	....
15. Erysipelas F.	11	3	....	....	1	....	4	....	....	1	....	2	1	....	....	....	....	....	2	....	....	....	....	....	1	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	32	....	....	....	....	....	....	....	....	2	9	7	3	10	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	3	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
General diseases—B.																											
Total	38	11	7	4	2	....	24	4	....	....	3	....	1	1	....	....	....	1	2	1	1	....	....	....	....	....	....
Males	24	6	3	4	1	....	14	2	....	....	3	....	1	....	....	....	....	1	2	....	1	....	....	....	....	....	....
Females	14	5	4	....	1	....	10	2	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Worms M.	3	....	1	2	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	5	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	10	....	2	2	1	....	5	2	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
5. Other poisons F.	8	1	4	....	1	....	6	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
General diseases—C.																											
Total	186	137	....	....	....	....	137	1	....	....	1	....	1	1	1	....	....	....	1	4	11	7	13	6	1	1	....
Males	109	80	....	....	....	....	80	1	....	....	1	....	....	....	....	....	....	....	....	2	3	4	8	3	1	....	....
Females	77	51	....	....	....	....	51	....	....	....	....	....	1	1	1	....	....	....	1	2	8	3	5	3	....	1	....
1. Premature birth M.	14	14	....	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	66	66	....	....	....	....	66	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	40	40	....	....	....	....	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	12	6	....	....	....	....	6	1	....	....	1	....	....	....	....	....	....	....	....	1	2	....	....	1	....	....	....
4. Debility F.	10	2	....	....	....	....	2	....	....	....	....	....	1	1	1	....	....	....	1	....	3	1	....	....	....	....	....
5. Old age M.	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	4	8	2	1	....	....
5. Old age F.	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	5	2	5	3	....	1	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		429	36	16	6	2	2	62	13	10	24	45	42	41	31	18	23	23	22	28	20	10	8	3	2	....	..	4
Males		197	22	10	3	1	2	38	7	4	10	14	19	15	11	7	15	10	9	13	11	5	3	....	2	....	—	4
Females		232	14	6	3	1	....	24	6	6	14	31	23	26	20	11	8	13	13	15	9	5	5	3	....	....	....	....
1. Rheumatism	M.	6	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	1	....	2	1	....	....	....	....	....	....
	F.	14	....	....	....	1	....	1	1	....	1	2	....	2	....	....	....	2	....	....	2	2	....	1	....	....	....	....
2. Scrofula and tabes	M.	12	3	4	....	....	1	8	....	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	..	....
	F.	8	3	1	....	....	....	4	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	127	9	4	1	..	1	15	3	3	6	13	17	12	8	6	12	7	6	7	5	2	2	....	....	....	....	3
	F.	133	6	3	1	....	....	10	1	4	8	28	22	15	16	5	2	6	7	5	2	....	2	....	....	....	....	....
5. Hydrocephalus	M.	5	5	1	1	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	3	3	2	1	....	....	6	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	10	1	....	....	....	....	1	....	....	....	....	2	1	1	....	....	1	....	3	1	....	....	....	....	....	....	....
	F.	22	....	....	....	....	....	....	....	....	2	1	....	1	2	2	4	2	3	3	....	....	2	....	....	....	....	....
7. Tumor	M.	4	....	....	....	1	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	1	....	....	....	....	....	....	....
8. Anæmia	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	24	3	....	1	....	....	4	3	....	2	....	....	1	....	1	1	1	2	3	3	1	1	....	1	....	....	....
	F.	39	2	....	1	....	....	3	2	2	1	....	....	6	1	2	1	3	3	6	4	3	1	1	....	....	....	....
10. Glycosuria	M.	5	....	....	....	....	....	....	1	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		250	99	35	10	9	4	157	11	5	6	4	5	1	6	9	3	5	7	11	8	3	7	1	1	....	....	....
Males		135	53	23	4	2	3	85	5	2	4	1	2	..	4	8	2	3	4	7	3	1	3	....	1	....	....	....
Females		115	46	12	6	7	1	72	6	3	2	3	3	1	2	1	1	2	3	4	5	2	4	1	....	....	....	....
1. Inflammation of the brain	M.	29	13	8	1	....	....	22	2	1	..	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	12	4	2	3	1	22	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	2	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	2	1	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	8	1	....	....	....	....	1	....	....	....	....	....	....	1	1	1	....	1	2	....	1	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	2	....	1	....	....	....	....	....
4. Paralysis	M.	19	....	1	....	....	....	1	....	....	....	....	1	....	1	1	1	2	3	3	2	....	3	....	1	....	....	....
	F.	23	..	1	....	1	....	2	2	....	1	....	2	1	1	1	1	1	1	2	2	2	3	1	....	..	....	....
5. Tetanus and trismus nascentium	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	1	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	40	29	6	2	1	1	39	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	31	23	3	3	1	....	30	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
9. Diseases of the brain	M.	27	8	6	1	1	2	18	2	1	....	....	....	....	....	4	....	....	....	2	....	....	....	....	....	....	....	....
	F.	15	6	3	1	1	....	11	....	1	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	4	2	1	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	..	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	..	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		90	2	1	2	1	....	6	4	7	11	7	5	6	5	2	8	6	3	6	6	3	3	1	1	....	....	....
Males		41	1	....	....	1	....	2	3	3	3	4	3	1	1	2	5	2	2	4	2	2	2	....	....	....	....	....
Females		49	1	1	2	....	....	4	1	4	8	3	2	5	4	....	3	4	1	2	4	1	1	1	1	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	40	1	....	....	1	..	2	3	3	3	3	3	1	1	2	5	2	2	4	2	2	2	....	....	....	....	....
	F.	49	1	1	2	....	....	4	1	4	8	3	2	5	4	....	3	4	1	2	4	1	1	1	1	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		532	124	68	50	33	27	302	48	11	12	25	9	12	13	13	11	9	11	12	22	9	6	....	....	....	....	7
Males		289	67	37	29	16	15	164	20	6	6	17	5	6	8	7	7	6	6	6	9	8	4	....	....	....	....	4
Females		243	57	31	21	17	12	138	28	5	6	8	4	6	5	6	4	3	5	6	13	1	2	....	....	....	....	3
1. Croup	M.	94	20	17	19	14	8	78	14	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	84	16	14	16	14	8	68	14	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	3	....	....	....	2	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	12	5	4	1	....	....	10	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	21	10	1	..	1	1	13	1	....	....	1	....	2	....	1	....	....	....	....	2	....	....	....	....	....	....	1
4. Pneumonia	M.	140	31	16	5	....	3	55	1	5	6	14	4	3	5	7	7	6	4	5	7	4	4	....	....	....	....	3
	F.	100	19	14	4	....	3	40	10	1	5	5	2	3	5	4	4	3	4	3	7	....	2	....	....	....	....	2
5. Pleurisy	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
6. Asthma	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	34	11	....	4	2	2	19	3	1	....	2	....	2	2	....	....	....	1	1	1	2	..	....	....	....	....	....	....
	F.	20	12	2	1	1	....	16	1	2	1	1	1	1	....	1	....	....	1	2	2	1	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		161	65	19	7	5	3	99	2	6	1	5	4	5	4	5	4	5	6	7	5	2					1
Males		94	43	11	3	2	1	60		4	1	4	1	4		1	2	2	3	6	3	2					1
Females		67	22	8	4	3	2	39	2	2		1	3	1	4	4	2	3	3	1	2						
1. Dentition	M.	11	7	4				11																			
	F.	6	2	4				6																			
2. Angina	M.	12	2	4		2		8		3				1													
	F.	7	2		2	2		6		1																	
3. Gastritis	M.	4	1				1	2				1		1													
	F.	2		1			1	2																			
4. Other diseases of the stomach.	M.	10	6	1	1			8				1								1							
	F.	9	1			1		2	1	1					1	2		1	1								
5. Obstruction of the bowels	M.																										
	F.	1										1															
6. Hernia	M.	4	1					1												1	2						
	F.	1														1											
7. Other diseases of the bowels	M.	8	5		1			6			1						1										
	F.	3	1	1	1			3																			
8. Jaundice	M.	3	2	1				3																			
	F.	2	1					1										1									
9. Inflammation and abscess of the liver.	M.	7	1					1				1	1			1		1			1	1					
	F.	4											1		2					1							
10. Other diseases of the liver	M.	9	2					2		1				1				1		3		1					
	F.	3												1							2						
11. Peritonitis	M.	2	1					1																			1
	F.	6		1				1					1		1	1		2									
12. Ascites	M.	1										1															
	F.	2											1				1										
13. Others of this group	M.	23	15	1	1			17						1			1		3	1							
	F.	21	15	1	1		1	18	1								1	1									
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		23	3	1	2			6		1	1			2	1	3		1	1	2		4		1			
Males		20	3	1	2			6			1			2		2		1	1	2		4		1			
Females		3								1					1	1											
1. Bright's disease	M.	6									1			1				1		1		1		1			
	F.	1														1											
2. Calculus, urinary	M.	1																			1						
	F.	1								1																	
3. Diseases of the kidney	M.	12	3	1	1			5						1		2			1	1		2					
	F.																										
4. Diseases of the bladder	M.	1			1			1																			
	F.																										
5. Others of this group	M.																										
	F.	1													1												
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		7									1		1		2	2			1								
1. Ovarian tumors	F.	2													1				1								
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.	2														2											
5. Others of this group	F.	3									1		1		1												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		42									3	9	9	6	8	6	1										
1. Abortion	F.	2											1			1											
2. Child-birth	F.	36									2	8	8	5	7	5	1										
3. Others of this group	F.	4									1	1		1	1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		19	5	1	2	1		9	2	1			2	1	1						2					1	
Males		10	1	1		1		3	2	1			1								2					1	
Females		9	4		2			6					1	1	1												
1. Diseases of the spine	M.	7	1	1				2	2	1											1					1	
	F.	7	4		1			5					1		1												
2. Diseases of the bones	M.	2											1								1						
	F.	2			1			1						1													
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.	1				1		1																			
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	4	1	1				2			1								1									
Males	2	1					1			1																	
Females	2		1				1											1									
1. Abscess M.	2	1					1			1																	
1. Abscess F.	2		1				1											1									
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1																1										
Males	1																1										
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.	1																1										
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	161	24	9	10	6	1	50	18	8	11	16	15	3	9	4	5	5	3	9	2	1	1					1
Males	119	14	6	5	3		28	10	7	10	12	14	2	9	3	5	5	3	8	1	1	1					
Females	42	10	3	5	3	1	22	8	1	1	4	1	1		1				1	1							1
1. Burns and scalds M.	10	1	5	2			8	1	1																		
1. Burns and scalds F.	13	1	2	3	2		8	4			1																
2. Drowned M.	15	1		3	1		5	3	2	2	1					1	1										
2. Drowned F.	1			1			1																				
3. Exposure and neglect M.																											
3. Exposure and neglect F.	3	3					3																				
4. Gunshot wounds M.	18							1	2	5	3	2		3	1		1										
4. Gunshot wounds F.	2									1	1																
5. Homicide M.	1											1															
5. Homicide F.	1														1												
6. Infanticide M.																											
6. Infanticide F.																											
7. Injured by machinery M.	1										1																
7. Injured by machinery F.																											
8. Railroad accidents M.																											
8. Railroad accidents F.																											
9. Suffocation M.	3	2	1				3																				
9. Suffocation F.	5	4		1			5																				
10. Suicide by shooting M.	3										1			1				1									
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.	1											1															
12. Suicide by poison M.																											
12. Suicide by poison F.																											
13. Other suicides M.	3											1						1	1								
13. Other suicides F.	1										1																
14. Sunstroke M.	2										1							1									
14. Sunstroke F.																											
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.	4	1					1							1				2									
16. Wounds F.	1																			1							
17. Other accidents and injuries M.	59	9			2		11	5	2	3	5	10	2	4	2	4	3		5	1	1	1					
17. Other accidents and injuries F.	14	2	1		1	1	5	4	1		1		1						1								1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1646	390	160	91	75	43	759	161	76	52	82	60	37	64	42	53	38	36	45	41	30	27	18	5	2	18
Total: Males		864	226	68	49	35	19	397	89	46	22	36	32	17	33	25	28	16	18	26	27	12	15	9	4	....	12
Total: Females		782	164	92	42	40	24	362	72	30	30	46	28	20	31	17	25	22	18	19	14	18	12	9	1	2	6
Unknown causes.																											
Total		84	40	8	1	4	....	53	2	1	5	8	....	3	3	....	....	....	....	3	2	....	....	1	....	....	..	3
Males		37	20	3	..	2	..	25	1	....	....	4	....	....	1	....	....	....	....	3	2	....	....	....	....	....	....	1
Females		47	20	5	1	2	..	28	1	1	5	4	....	3	2	....	....	....	....	....	....	....	....	1	....	....	....	2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total		619	120	80	46	49	31	326	121	43	22	19	18	6	10	5	8	5	6	7	8	3	2	4	..	....	...	6
Males		307	65	33	25	23	13	159	66	22	10	8	9	1	5	1	2	2	4	4	6	2	....	2	....	....	....	4
Females		312	55	47	21	26	18	167	55	21	12	11	9	5	5	4	6	3	2	3	2	1	2	2	....	....	....	2
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	12	2	5	....	....	....	7	2	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	3	8	1	2	1	15	4	1	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	32	4	3	6	4	1	18	11	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	40	5	6	3	7	5	26	9	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	110	2	6	14	17	9	48	45	12	1	1	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1
	F.	109	6	9	11	15	9	50	34	14	4	....	....	3	1	....	....	....	....	....	....	....	1	1	....	....	....	1
5. Hooping-cough	M.	10	5	1	2	1	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	8	5	2	1	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	6	4	....	....	....	1	5	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	28	1	....	..	....	1	2	2	3	5	3	6	1	2	....	....	....	1	1	1	....	....	....	....	....	....	1
	F.	20	2	....	..	....	....	2	3	1	4	2	1	....	....	2	2	1	....	1	....	....	....	....	....	....	....	1
9. Diarrhœa	M.	13	7	3	....	....	....	10	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
	F.	12	7	2	....	....	1	10	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
10. Dysentery	M.	10	5	3	1	....	....	9	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	4	1	2	1	....	8	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
11. Enteritis	M.	14	8	1	1	....	....	10	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	14	2	4	1	1	....	8	1	....	....	1	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	4	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	31	21	8	1	1	....	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	31	18	12	1	....	....	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	22	2	1	..	....	....	3	2	2	1	2	2	....	3	1	1	1	2	....	1	1	....	....	....	....	....	....
	F.	10	2	3	....	....	1	6	1	1	1	3	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	9	2	2	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	7	....	..	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	2	1	1	....	....	....	....	....	....
16. Septicæmia	M.	2	....	....	....	....	....	....	1	....	1	....	....	....	....	1	1	....	....	1	1	....	1	1	....	....	....	....
	F.	3	....	....	1	....	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	9	....	....	....	....	....	....	....	....	1	1	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total		14	3	....	....	....	....	3	1	1	1	1	....	2	1	....	1	....	2	1	....	....	....	....	....	....	....	....
Males		9	2	....	....	....	....	2	1	....	....	1	....	1	....	....	1	....	2	1	....	....	....	....	....	....	....	....
Females		5	1	....	....	....	....	1	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total		82	66	1	....	....	....	67	....	....	....	....	....	....	....	....	....	....	....	....	1	2	3	5	2	2	....	....
Males		48	41	1	....	....	....	42	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	3	1	....	....	....
Females		34	25	....	....	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	2	1	2	....	....
1. Premature birth	M.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	25	25	....	....	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	15	....	....	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	3	1	....	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	2	1	1	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		202	12	9	1	3	....	25	4	5	8	27	17	12	18	20	12	9	11	5	10	9	5	3	....	....	....	2
Males		101	6	4	1	....	....	11	2	5	3	13	10	8	8	10	6	2	5	3	4	6	3	1	....	....	....	1
Females		101	6	5	....	3	....	14	2	....	5	14	7	4	10	10	6	7	6	2	6	3	2	2	....	....	....	1
1. Rheumatism	M.	3	....	....	1	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	3	2	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	68	2	2	....	....	....	4	1	2	2	13	10	6	4	9	5	1	....	3	2	2	2	....	....	....	....	1
	F.	62	3	1	....	....	....	4	....	....	5	12	6	4	10	5	4	3	2	1	3	1	....	2	....	....	....	....
5. Hydrocephalus	M.	4	2	1	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	3	2	....	2	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Cancer	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	2	....	....	1	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	3	1	2	2	....	1	....	....	....	....	....	....	....	....
7. Tumor	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	13	....	1	....	....	....	1	1	1	....	....	....	....	1	1	....	....	1	....	2	3	1	1	....	....	....	....	....
	F.	13	....	1	....	....	....	1	1	....	....	....	....	....	....	2	....	1	2	....	2	2	2	....	....	....	....	....	....
10. Glycosuria	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		163	56	20	5	2	1	84	9	5	6	7	2	1	4	3	5	3	7	8	4	3	6	4	1	....	....	1
Males		90	35	7	5	1	....	48	6	2	3	2	1	....	4	3	3	1	2	4	3	1	3	2	1	....	....	1
Females		73	21	13	....	1	1	36	3	3	3	5	1	1	....	....	2	2	5	4	1	2	3	2	....	....	....	....
1. Inflammation of the brain	M.	17	4	2	3	1	....	10	2	....	2	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	21	9	6	....	....	....	15	3	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	5	3	1	....	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	2	1	1	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	1	2	....	1	....	....	....	....	....	....	....
4. Paralysis	M.	8	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	3	1	1	....	....	....	....
	F.	14	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	4	2	1	1	3	2	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	7	2	....	....	....	....	2	....	....	1	....	....	....	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	18	14	1	....	....	....	15	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	10	7	1	....	....	....	8	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	31	9	3	1	....	....	13	1	1	....	1	1	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	1
	F.	10	2	4	....	....	....	6	....	....	1	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	4	1	....	1	....	....	2	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	....	....	1	2	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total		47	3	1	....	....	....	4	1	3	....	4	2	2	4	1	6	4	3	5	4	1	3	....	....	....	....	....
Males		19	1	1	....	....	....	2	1	1	....	1	....	1	2	1	2	2	....	1	2	....	3	....	....	....	....	....
Females		28	2	....	....	....	....	2	....	2	....	3	2	1	2	....	4	2	3	4	2	1	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	18	....	1	....	....	....	1	1	1	....	1	....	1	2	1	2	2	....	1	2	....	3	....	....	....	....	....	....
	F.	26	....	....	....	....	....	....	....	2	....	3	2	1	2	....	4	2	3	4	2	1	....	....	....	....	....	....	....
4. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total		265	63	33	30	14	9	149	15	4	3	6	8	4	10	7	12	7	6	8	11	5	7	....	....	....	....	3
Males		151	37	16	13	8	5	79	9	3	....	3	5	3	6	5	10	5	4	3	8	1	4	....	....	....	....	3
Females		114	26	17	17	6	4	70	6	1	3	3	3	1	4	2	2	2	2	5	3	4	3	....	....	....	....	....
1. Croup	M.	25	3	4	8	4	3	22	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	9	4	10	4	4	31	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	10	4	2	1	....	....	7	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	1
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
4. Pneumonia	M.	88	22	9	4	3	2	40	3	2	....	3	4	3	4	4	7	5	3	3	3	1	3	....	....	....	....	....	1
	F.	66	13	13	7	1	....	34	2	1	3	3	2	1	4	1	1	2	2	3	2	3	2	....	....	....	....	....	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
6. Asthma	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
7. Others of this group	M.	24	8	....	....	1	....	9	3	1	....	....	1	....	2	1	2	....	....	....	4	....	1	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		60	13	3	5	2	....	23	3	3	1	3	2	1	4	....	2	6	1	3	1	5	1	....	1	....	....	....
Males		32	8	....	4	1	....	13	....	3	1	1	1	1	3	....	1	1	1	2	1	1	1	....	1	....	....	....
Females		28	5	3	1	1	....	10	3	....	....	2	1	....	1	....	1	5	....	1	....	4	....	....	....	....	....	....
1. Dentition	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	6	1	....	2	1	....	4	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	5	1	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....
	F.	5	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Hernia	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
7. Other diseases of the bowels	M.	3	2	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	3	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
11. Peritonitis	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
13. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	4	2	....	....	....	....	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		11	2	....	....	....	1	3	....	1	....	2	....	....	....	....	....	1	....	1	....	1	....	1	1	....	....	....
Males		8	2	....	....	....	1	3	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....
Females		3	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Bright's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	3	2	....	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	5	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		5	....	....	....	....	....	....	....	....	....	....	1	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		15	....	....	....	....	....	....	....	....	1	2	4	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	2	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	11	....	....	....	....	....	....	....	....	....	1	2	4	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
Males		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.		Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		1	1					1																				
Males		1	1					1																				
Females																												
1. Abscess	M.																											
	F.																											
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.	1	1					1																				
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1														1												
Males																												
Females		1														1												
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.	1														1												
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		75	11	5	3	1	1	21	5	10	5	3	6	2	5	5	4	3		4								2
Males		61	8	3	1			12	3	9	5	3	6	2	4	5	3	3		4								2
Females		14	3	2	2	1	1	9	2	1					1		1											
1. Burns and scalds	M.	5	1	2	1			4								1												
	F.	3			1			1	1																			
2. Drowned	M.	8							2	4			1		1													
	F.	2		1			1	2																				
3. Exposure and neglect	M.	5	3					3		1	1																	
	F.	1	1					1																				
4. Gunshot wounds	M.	6								1	1	3				1												
	F.																											
5. Homicide	M.	2													1			1										
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	3								1	1						1											
	F.																											
9. Suffocation	M.	3	3					3																				
	F.																											
10. Suicide by shooting	M.	1												1														
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	1									1																	
	F.																											
13. Other suicides	M.	3											1		1	1												
	F.																											
14. Sunstroke	M.																											
	F.																											
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.	1		1				1																				
	F.	1				1		1																				
17. Other accidents and injuries	M.	23	1					1	1	2	1		4	1	1	2	2	2		4								2
	F.	7	2	1	1			4		1					1		1											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	222	54	21	15	13	3	106	16	4	9	17	18	10	13	5	2	2	8	2	3	....	3	2	....	....	....	2
Total: Males	132	30	11	7	8	3	59	8	2	5	14	12	7	5	3	2	....	5	1	3	....	2	2	....	....	....	....
Females	90	24	10	8	5	....	47	8	2	4	3	6	3	8	2	....	2	3	1	....	....	1	....	....	....	....	2
Unknown causes.																											
Total	19	13	1	....	....	....	14	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	2
Males	12	7	1	....	....	....	8	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	2
Females	7	6	....	....	....	..	6	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	62	13	13	10	9	1	46	7	....	1	3	....	....	5	....	....	....	....	....	..	..	....	..	....	....	....	....
Males	34	6	8	4	6	1	25	4	....	1	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	28	7	5	6	3	..	21	3	....	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	4	....	2	....	2	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	5	....	1	3	1	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	11	1	1	1	4	1	8	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	10	1	2	3	2	....	8	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	2	..	2	....	....	....	2	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	3	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	3	1	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	3	1	1	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	6	3	1	2	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	2	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	1	....	..	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	3	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	3	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	2	..	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	10	8	....	..	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
Males	6	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Females	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
1. Premature birth M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																												
Total		27	1	1	....	....	....	2	3	1	4	1	4	3	3	....	....	2	2	....	....	....	2	....	....	....	....	....
Males		12	1	....	....	....	....	1	2	....	2	....	1	2	1	....	....	....	1	....	....	....	2	....	....	....	....	....
Females		15	....	1	....	....	....	1	1	1	2	1	3	1	2	....	....	2	1	....	....	....	....	....	....	....	....	....
1. Rheumatism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	2	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	8	....	....	....	....	....	....	....	....	2	....	1	2	1	....	....	1	....	....	....	....	1	....	....	....	....	....
	F.	13	....	....	....	....	....	....	....	1	2	1	3	1	2	....	....	2	1	....	....	....	....	....	....	....	....	....
5. Hydrocephalus	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Tumor	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Glycosuria	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		15	7	..	2	....	....	9	....	....	....	2	1	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Males		8	3	....	1	....	....	4	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Females		7	4	....	1	....	....	5	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Inflammation of the brain	M.	3	1	....	1	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	3	....	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		3	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		2	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	2	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		35	8	1	3	4	1	17	1	2	....	1	1	2	1	2	1	....	3	2	2	....	....	....	....	....	....	....
Males		24	5	1	2	2	1	11	....	1	....	1	1	1	1	1	1	....	3	1	2	....	....	....	....	....	....	....
Females		11	3	....	1	2	....	6	1	1	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....
1. Croup	M.	4	....	1	1	1	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	16	5	....	1	1	....	7	....	1	....	1	1	....	....	....	1	....	2	1	2	....	....	....	....	....	....	....
	F.	7	2	....	....	1	....	3	....	1	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		10	3	3				6	2										2								
Males		4	2	1				3											1								
Females		6	1	2				3	2										1								
1. Dentition	M.	1		1				1																			
	F.	1	1					1																			
2. Angina	M.																										
	F.	2							2																		
3. Gastritis	M.																										
	F.																										
4. Other diseases of the stomach	M.	1	1					1																			
	F.																										
5. Obstruction of the bowels	M.																										
	F.																										
6. Hernia	M.																										
	F.																										
7. Other diseases of the bowels	M.																										
	F.																										
8. Jaundice	M.																										
	F.																										
9. Inflammation and abscess of the liver	M.																										
	F.																										
10. Other diseases of the liver	M.	1																	1								
	F.	2		1				1											1								
11. Peritonitis	M.																										
	F.																										
12. Ascites	M.																										
	F.																										
13. Others of this group	M.	1	1					1																			
	F.	1		1				1																			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		3							1										1		1						
Males		1																			1						
Females		2							1										1								
1. Bright's disease	M.																										
	F.	1																	1								
2. Calculus, urinary	M.																										
	F.																										
3. Diseases of the kidney	M.	1																									
	F.	1							1												1						
4. Diseases of the bladder	M.																										
	F.																										
5. Others of this group	M.																										
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		1													1												
1. Ovarian tumors	F.																										
2. Ovarian diseases	F.																										
3. Uterine tumors	F.	1													1												
4. Uterine diseases	F.																										
5. Others of this group	F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		4									1	2	1														
1. Abortion	F.	1										1															
2. Child-birth	F.	3									1	1	1														
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine	M.																										
	F.																										
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEBRASKA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Males																											
Females																											
1. Abscess	M.																										
	F.																										
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		30	1	2			1	4		1	1	8	10	1	2	2	1											
Males		26	1				1	2		1	1	8	9	1	2	1	1											
Females		4		2				2					1			1												
1. Burns and scalds	M.	2	1					1								1											
	F.	2		2				2																			
2. Drowned	M.	2					1	1							1												
	F.																										
3. Exposure and neglect	M.																										
	F.																										
4. Gunshot wounds	M.	8									1	3	4														
	F.																										
5. Homicide	M.	10										4	4	1			1										
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	2										1			1												
	F.																										
9. Suffocation	M.																										
	F.																										
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.		—																								
	F.																										
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	2								1			1														
	F.	2											1			1											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEVADA.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		728	111	35	16	6	11	179	30	18	15	40	48	51	74	73	71	49	20	19	13	5	3	4	1		15
Total: Males		535	59	23	8	1	6	97	11	13	8	28	36	40	56	64	64	47	20	19	12	3	3	2	1		11
Females		193	52	12	8	5	5	82	19	5	7	12	12	11	18	9	7	2			1	2		2			4
Unknown causes.																											
Total		51	7	2	2		2	13	2	2	1	3	4		4	5	5	2	1	3		1					5
Males		36	3	2	1			6		1		2	3		4	4	5	2	1	3		1					4
Females		15	4		1		2	7	2	1	1	1	1			1											1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total		126	35	15	6	3	2	61	17	4	4	8	3	6	3	4	1	4	1		1				1		3
Males		69	18	10	2		2	32	7	2	2	6		3	4	4	1	3	1		1				1		2
Females		57	17	5	4	3		29	10	2	2	2	3	3	4			1									1
1. Small-pox	M.																										
	F.																										
2. Measles	M.																										
	F.																										
3. Scarlet fever	M.	8	3	2			1	6	2																		
	F.	10			1	2		3	5		1				1												
4. Diphtheria	M.	7			1			1	5									1									
	F.	10	1	1	1			3	5	2																	
5. Hooping-cough	M.	6	3	1			1	5																			1
	F.	5	2	1	1	1		5																			
6. Fever	M.																										
	F.	1										1															
7. Cerebro-spinal fever	M.	1	1					1																			
	F.																										
8. Enteric fever	M.	12		1				1		2	1	2		1	3			1									1
	F.	5										1	2		1			1									
9. Diarrhœa	M.	3	2	1				3																			
	F.	1	1					1																			
10. Dysentery	M.	3		1				1			1					1											
	F.	2	2					2																			
11. Enteritis	M.	0	2	1				3				2													1		
	F.	6	3					3			1			1	1												
12. Cholera morbus	M.	1																			1						
	F.	2		1	1			2																			
13. Cholera infantum	M.	10	6	3	1			10																			
	F.	10	8	1				9																			1
14. Malarial fever	M.	3	1					1				1		1													
	F.	1		1				1																			
15. Erysipelas	M.	3														2			1								
	F.	1												1													
16. Septicæmia	M.	3										1				1		1									
	F.	2											1		1												
17. Puerperal septicæmia	F.	1												1													
18. Venereal diseases	M.	1												1													
	F.																										
19. Others of this group	M.	2													1		1										
	F.																										
General diseases—B.																											
Total		21	1					1							4	4	3	3	2	2	1						1
Males		18													4	3	3	3	2	2	1						
Females		3	1					1								1											1
1. Worms	M.																										
	F.																										
2. Other parasitic diseases	M.																										
	F.																										
3. Alcoholism	M.	16													2	3	3	3	2	2	1						
	F.	1														1											
4. Lead poison	M.	1													1												
	F.																										
5. Other poisons	M.	1													1												
	F.																										
6. Inanition	M.																										
	F.	2	1					1																			1
General diseases—C.																											
Total		29	17			1	1	19								1		1	1	1		2	1	3			
Males		17	9				1	10								1		1	1	1		1	1	1			
Females		12	8			1		9														1		2			
1. Premature birth	M.	1	1					1																			
	F.																										
2. Stillborn	M.	5	5					5																			
	F.	6	6					6																			
3. Malformation	M.	1	1					1																			
	F.																										
4. Debility	M.	7	2				1	3								1		1	1	1							
	F.	3	2			1		3																			
5. Old age	M.	3																				1	1	1			
	F.	3																				1		2			
6. Atrophy	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEVADA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																												
Total		78	3	2	1			6	3	3	5	3	7	5	8	10	9	8	5	3	2			1				
Males		62	3	1	1			5		1	3	2	5	4	7	8	8	8	5	3	2			1				
Females		16		1				1	3	2	2	1	2	1	1	2	1											
1. Rheumatism	M.	3													2									1				
	F.	1												1														
2. Scrofula and tabes	M.	1														1												
	F.																											
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	47	3	1				4		1	3	2	4	3	5	6	5	8	3	2	1							
	F.	12							2	2	2	1	2		1	1	1											
5. Hydrocephalus	M.	1			1			1																				
	F.	1		1				1																				
6. Cancer	M.	3															1		1		1							
	F.	1														1												
7. Tumor	M.																											
	F.																											
8. Anæmia	M.																											
	F.																											
9. Dropsy	M.	7												1	1		1	2		1	1							
	F.	1							1																			
10. Glycosuria	M.																											
	F.																											
11. Others of this group	M.																											
	F.																											
12 Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		55	9	6	1		3	19	3	1		1	1	6	7	4	3	2	4	1			1					2
Males		41	5	4	1		2	12	2	1		1	1	4	5	4	2	2	4	1			1					1
Females		14	4	2			1	7	1					2	2		1											1
1. Inflammation of the brain	M.	6	1	1				2	1	1		1		1														
	F.	2							1						1													
2. Meningitis	M.	2	1		1			2																				
	F.																											
3. Apoplexy	M.	4												1				1	1									1
	F.	1													1													
4. Paralysis	M.	6												1		1	1		1	1			1					
	F.	4					1	1						2			1											
5. Tetanus and trismus nascentium.	M.	2													1	1												
	F.																											
6. Epilepsy	M.	1															1											
	F.																											
7. Convulsions	M.	4	3	1				4																				
	F.	3	3					3																				
8. Mental diseases	M.	5												1	1	2			1									
	F.																											
9. Diseases of the brain	M.	8		1			1	2	1				1		3				1									
	F.	4	1	2				3																				1
10. Diseases of the spinal cord	M.	2		1			1	2																				
	F.																											
11. Others of this group	M.	1																1										
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		33	1					1	1	1	1		2	3	5	4	6	2	2	1	3	1						
Males		27	1					1		1	1			2	4	4	6	2	2	1	3							
Females		6							1				2	1	1							1						
1. Angina pectoris	M.	1															1											
	F.																											
2. Aneurism	M.	2												1							1							
	F.																											
3. Diseases of the heart	M.	24	1					1		1	1			1	4	4	5	2	2	1	2							
	F.	6							1				2	1	1							1						
4. Others of this group	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		174	29	5	3	2	1	40	3	2	2	9	11	10	17	18	30	17	4	4	5	1						1
Males		138	15	2	2	1		20	1	2		8	11	9	14	15	27	17	4	4	4	1						1
Females		36	14	3	1	1	1	20	2		2	1		1	3	3	3				1							
1. Croup	M.	4	4					4																				
	F.	3	2	1				3																				
2. Laryngitis	M.																											
	F.																											
3. Bronchitis	M.	9	3	1	2			6									1	2										
	F.																											
4. Pneumonia	M.	116	7	1		1		9	1	2		8	11	9	13	14	23	15	4	3	2	1						1
	F.	31	11	2	1	1	1	16	2		2	1		1	2	3	3				1							
5. Pleurisy	M.	2													1						1							
	F.																											
6. Asthma	M.	1															1											
	F.																											
7. Others of this group	M.	6	1					1								1	2			1	1							
	F.	2	1					1							1													

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEVADA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		27	4	3	1			8				3	2	2	2	1	5	1		3							
Males		16	2	2				4				1	2	1			4	1		3							
Females		11	2	1	1			4				2		1	2	1	1										
1. Dentition	M.	2	1	1				2																			
	F.	1		1				1																			
2. Angina	M.	2		1				1									1										
	F.																										
3. Gastritis	M.	2										1								1							
	F.	1														1											
4. Other diseases of the stomach	M.	2											1				1										
	F.	1			1			1																			
5. Obstruction of the bowels	M.																										
	F.																										
6. Hernia	M.																										
	F.																										
7. Other diseases of the bowels	M.	1	1					1																			
	F.																										
8. Jaundice	M.																										
	F.																										
9. Inflammation and abscess of the liver	M.	2											1							1							
	F.	2										1					1										
10. Other diseases of the liver	M.																										
	F.	2	1					1						1													
11. Peritonitis	M.	1															1										
	F.	3										1			2												
12. Ascites	M.	1																1									
	F.																										
13. Others of this group	M.	3												1			1			1							
	F.	1	1					1																			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		3																1		1			1				
Males		3																1		1			1				
Females																											
1. Bright's disease	M.	2																1		1							
	F.																										
2. Calculus, urinary	M.																										
	F.																										
3. Diseases of the kidney	M.	1																					1				
	F.																										
4. Diseases of the bladder	M.																										
	F.																										
5. Others of this group	M.																										
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		1													1												
1. Ovarian tumors	F.																										
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.																										
5. Others of this group	F.	1													1												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		13										4	2	1	4	1	1										
1. Abortion	F.	2													1	1											
2. Child-birth	F.	11										4	2	1	3		1										
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		4	1	1				2				1						1									
Males		3	1	1				2										1									
Females		1										1															
1. Diseases of the spine	M.																										
	F.																										
2. Diseases of the bones	M.	1																1									
	F.	1										1															
3. Diseases of the hip-joint	M.	2	1	1				2																			
	F.																										
4. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEVADA—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		2															1	1									
Males		2															1	1									
Females																											
1. Abscess	M.	1																1									
	F.																										
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.	1															1										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		111	4	1	2		2	9	1	5	2	8	16	18	14	21	7	6			1						3
Males		103	2	1	1		1	5	1	5	2	8	14	17	14	21	7	5			1						3
Females		8	2		1		1	4					2	1				1									
1. Burns and scalds	M.	3										1	1	1	2	1											
	F.	2	1					1						1													
2. Drowned	M.	6		1	1		1	3			1	1					1										
	F.																										
3. Exposure and neglect	M.	2	1					1								1											
	F.	1	1					1																			
4. Gunshot wounds	M.	29										2	5	4	4	12					1						1
	F.																										
5. Homicide	M.	4										1			1		1										1
	F.																										
6. Infanticide	M																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	4								2				1		1											
	F.																										
9. Suffocation	M.	3											1		1		1										
	F.																										
10. Suicide by shooting	M.	4											1		1		1	1									
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.	1													1												
	F.	2											2					1									
13. Other suicides	M.	5								1			1	2				1									
	F.																										
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	2										1					1										
	F.																										
17. Other accidents and injuries	M.	37	1					1	1	2	1	2	5	9	4	6	2	3									1
	F.	2			1		1	2																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW HAMPSHIRE—GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3709	470	134	89	70	67	830	170	93	141	169	134	154	143	117	117	117	159	171	229	247	263	230	128	73	18	6
Total: Males		1825	267	79	50	45	33	474	78	40	50	71	68	67	60	41	53	57	80	91	132	126	141	101	55	31	7	2
Females		1884	203	55	39	25	34	356	92	53	91	98	66	87	83	76	64	60	79	80	97	121	122	129	73	42	11	4
Unknown causes.																												
Total		86	26	5	....	....	2	33	2	2	1	2	3	2	2	1	6	3	3	3	2	12	4	2	1	1	1	....
Males		34	10	1	....	....	....	11	1	1	....	1	1	....	1	....	....	....	2	2	2	7	3	....	1	1	....	....
Females		52	16	4	....	....	2	22	1	1	1	1	2	2	1	1	6	3	1	1	....	5	1	2	....	....	1	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		760	183	61	47	40	47	378	115	48	34	30	14	16	12	10	8	7	6	3	15	14	15	13	7	8	....	2
Males		397	101	38	26	27	21	213	50	21	16	14	13	5	11	5	7	3	3	6	9	8	7	6	3	4	....	1
Females		363	82	23	21	13	26	165	65	27	18	16	1	11	9	5	1	4	3	2	6	6	8	7	4	4	....	1
1. Small-pox	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	17	3	7	3	1	....	14	1	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	12	4	1	....	....	....	5	....	2	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	55	4	4	....	6	12	26	17	4	1	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	58	5	4	5	5	7	26	21	5	4	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Diphtheria	M.	114	9	3	20	14	9	55	25	14	8	4	5	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	106	6	7	9	7	15	44	38	12	5	....	....	3	....	1	....	....	....	....	....	3	....	....	....	....	....	....	....
5. Hooping-cough	M.	7	4	1	....	1	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	4	1	....	....	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	2	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	37	....	....	....	....	....	....	2	1	5	5	5	4	1	1	5	....	1	4	1	2	....	....	....	....	....	....	....
	F.	36	....	....	1	1	....	2	2	4	5	7	1	....	4	....	1	4	....	....	1	1	2	1	....	....	....	....	1
9. Diarrhœa	M.	13	5	....	....	....	....	5	....	1	....	....	....	....	1	....	....	1	....	....	....	1	1	....	1	2	....	....	....
	F.	13	5	2	....	....	....	7	....	....	....	....	....	....	....	2	....	....	....	1	1	....	....	1	1	....	....	....	....
10. Dysentery	M.	11	2	3	1	1	....	7	....	....	....	....	1	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....
	F.	16	2	....	....	....	1	3	....	2	2	1	....	....	1	....	....	....	....	....	....	....	1	4	1	1	....	....	....
11. Enteritis	M.	11	1	2	....	....	....	3	....	....	....	1	....	....	....	2	1	....	....	1	2	....	1	....	....	....	....	....	....
	F.	11	1	1	....	....	2	4	....	1	....	....	....	....	2	1	....	....	1	....	....	....	1	....	1	....	....	....	....
12. Cholera morbus	M.	6	1	....	....	1	....	2	1	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....
	F.	6	....	....	1	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....
13. Cholera infantum	M.	74	54	16	2	2	....	74	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	62	50	7	4	....	1	62	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	7	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	1	1	1	1	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	7	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....
	F.	10	4	....	....	....	....	4	....	....	....	1	....	....	1	....	....	....	1	....	1	....	1	....	....	1	....	....	....
16. Septicæmia	M.	5	2	....	....	1	....	3	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	1	....	....	1	....	1	1	....	....	....	....	....	2	1	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	6	....	....	....	....	....	....	....	....	....	2	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
19. Others of this group	M.	22	5	1	....	....	....	6	....	1	....	....	....	....	1	....	....	....	1	....	1	3	2	3	2	2	....	....	....
	F.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1	1	....	....	2	....	1	1	....	....	....
General diseases—B.																												
Total		28	14	....	....	....	....	14	....	....	1	....	....	2	1	1	3	1	....	1	2	1	1	....	....	....	....	....	....
Males		16	8	....	....	....	....	8	....	....	....	....	....	2	1	....	2	....	....	....	2	....	1	....	....	....	....	....	....
Females		12	6	....	....	....	....	6	....	....	1	....	....	....	....	1	1	1	....	1	....	1	....	....	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	6	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	....	....	....	2	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	9	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	10	6	....	....	....	....	6	....	....	....	....	....	....	....	1	....	1	....	1	....	1	....	....	....	....	....	....	....
General diseases—C.																												
Total		306	100	1	....	1	....	102	....	3	1	....	....	....	....	....	1	1	1	3	5	14	28	50	52	34	11	....
Males		128	53	....	....	1	....	54	....	1	....	....	....	....	....	....	....	....	....	1	2	6	16	17	17	10	4	....
Females		178	47	1	....	....	....	48	....	2	1	....	....	....	....	....	1	1	1	2	3	8	12	33	35	24	7	....
1. Premature birth	M.	14	14	....	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	29	29	....	....	....	....	29	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	20	....	....	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	21	6	....	....	1	....	7	....	1	....	....	....	....	....	....	....	....	....	1	1	3	6	2	....	....	....	....	....
	F.	35	14	1	....	....	....	15	....	2	1	....	....	....	....	....	1	1	....	2	3	2	4	2	2	....	....	....	....
5. Old age	M.	60	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	10	15	17	10	4	....	....
	F.	110	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	6	8	31	33	24	7	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW HAMPSHIRE—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		914	29	13	12	5	3	62	8	20	71	89	72	71	66	47	40	38	69	53	67	51	51	25	7	4	3
Males		360	18	10	7	1	2	38	2	11	14	32	29	30	26	13	10	13	28	25	30	24	20	8	4	3	
Females		554	11	3	5	4	1	24	6	9	57	57	43	41	40	34	30	25	41	28	37	27	31	17	3	1	3
1. Rheumatism	M.	3					1	1								1								1			
	F.	7	1					1	1			1			1				1				1	1			
2. Scrofula and tabes	M.	5							1	1	1	1			1												
	F.	11	3		1	1		5					2				1		2		1						
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	230	9	3	4			16		7	11	28	29	28	23	9	7	6	18	16	15	11	6	4	2	3	
	F.	381	5	1	2	3	1	12	2	9	55	55	40	36	33	23	19	14	18	14	21	10	10	7	2		1
5. Hydrocephalus	M.	18	7	6	3	1	1	18																			
	F.	6	1		1			2	3																		1
6. Cancer	M.	27														1	2	2	4	4	6	3	3	1	1		
	F.	83									1	1		3	1	5	7	9	11	6	11	12	11	3	1		1
7. Tumor	M.	6									1	1					1		1		1	1					
	F.	9														1		1	3	1		2	1				
8. Anæmia	M.	8									1							2			1	3	1				
	F.	4														1			1			1	1				
9. Dropsy	M.	41	2	1				3		1		1			2	2		2	4	5	5	4	9	2	1		
	F.	42		2	1			3						2	2	4	2	1	3	5	4	2	7	6		1	
10. Glycosuria	M.	13							1	2		1		2				1	1		2	2	1				
	F.	9									1		1		3		1		1	2							
11. Others of this group	M.																										
	F.	2	1					1											1								
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		509	40	29	9	6	2	86	11	3	10	9	9	18	19	17	11	23	28	26	57	41	51	55	24	7	4
Males		282	26	21	4	5	2	58	5		5	4	5	10	11	4	7	15	16	16	36	15	29	30	13	2	1
Females		227	14	8	5	1		28	6	3	5	5	4	8	8	13	4	8	12	10	21	26	22	25	11	5	3
1. Inflammation of the brain	M.	13	2	2		1		5				1	1	1				1			1	1	2				
	F.	13	1	1	1			3	1	1	1			1		2	1			1			1		1		
2. Meningitis	M.	20	4	5	3	2	1	15	1		1		1			1		1									
	F.	12	2	2		1		5	4		1			1							1						
3. Apoplexy	M.	64									1		1			2	4	5	6	8	13	3	10	8	3		
	F.	51										2	1	2		4	1	1	7	4	10	4	8	6	1		
4. Paralysis	M.	86	1	1				2	1						3	5		2	4	4	5	18	7	10	15	8	1	1
	F.	76								1	3				2	1	2		4	2	3	5	16	8	13	9	5	3
5. Tetanus and trismus nascentium.	M.	6									2				2						1			1			
	F.																										
6. Epilepsy	M.	11	1					1	1			1		2	3			1	1		1						
	F.	8								1		1	2					1	1		1		1				
7. Convulsions	M.	29	14	9			1	24					2	1	1										1		
	F.	26	10	5	2			17				1	1	2	4	1											
8. Mental diseases	M.	4												1					1			1		1			
	F.	4																1	1				1	1			
9. Diseases of the brain	M.	44	4	4	1	2		11	2		1	2			2	1	1	3	3	2	3	2	6	4	1		
	F.	31			2			2	1		1				3	3	1	1	1	2	3	5	3	5			
10. Diseases of the spinal cord	M.																										
	F.																										
11. Others of this group	M.	5																	1			1		2		1	
	F.	6	1					1				1				1	1				1	1					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		243	6					6	3	6	2	5	5	4	11	10	17	11	15	21	23	37	35	23	7	2	
Males		132	6					6	2	2	2	2	3	2	4	2	10	8	7	13	17	17	19	10	5	1	
Females		111							1	4		3	2	2	7	8	7	3	8	8	6	20	16	13	2	1	
1. Angina pectoris	M.	5										1	1								2				1		
	F.																										
2. Aneurism	M.	4													1		3										
	F.	1																		1							
3. Diseases of the heart	M.	115	2					2	2	2	2	1	2	2	3	2	7	7	7	12	15	15	19	10	4	1	
	F.	107							1	4		3	2	2	7	8	6	3	7	7	6	20	15	13	2	1	
4. Others of this group	M.	8	4					4										1		1		2					
	F.	3															1		1				1				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		417	50	17	18	10	4	99	16	3	7	8	13	8	11	12	12	10	12	24	31	46	39	42	11	12	1
Males		216	31	5	12	7	3	58	8		4	4	6	3	5	8	6	4	8	12	16	25	21	17	3	7	1
Females		201	19	12	6	3	1	41	8	3	3	4	7	5	6	4	6	6	4	12	15	21	18	25	8	5	
1. Croup	M.	32	11	3	7	6	2	29	3																		
	F.	16	5	6	1	1		13	3																		
2. Laryngitis	M.	1	1					1																			
	F.	1														1											
3. Bronchitis	M.	16	2					2						1		2			1			3	2	2		3	
	F.	18	1	3				4			1	2	1	1	1				1		1	1	2	1	1	1	
4. Pneumonia	M.	141	15		5	1	1	22	3		4	4	6	1	4	5	6	3	4	10	13	19	18	12	3	3	1
	F.	140	8	2	3	2		15	4	3	2	2	6	3	4	2	4	5	1	11	14	17	15	22	7	3	
5. Pleurisy	M.	3																	1			1				1	
	F.	3														1						1		1			
6. Asthma	M.	1															1										
	F.	3												1	1			1									
7. Others of this group	M.	22	2	2				4	2					1	1	1		2	2	3	2	1	3				
	F.	20	5	1	2		1	9	1								2	1	1	1		2	1	1		1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW HAMPSHIRE—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		150	12	6	2	2	3	25	5	1	3	5	2	8	7	8	10	5	10	12	10	10	16	6	6	1	
Males		73	7	2	..	1	2	12	2	....	2	3	1	4	2	3	5	3	4	7	5	7	8	3	2	....	....
Females		77	5	4	2	1	1	13	3	1	1	2	1	4	5	5	5	2	6	5	5	3	8	3	4	1	....
1. Dentition	M.	5	3	1	....	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	2	4	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	4	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....
4. Other diseases of the stomach	M.	9	1	....	....	....	....	1	1	....	....	....	....	1	1	....	1	....	1	....	1	1	....	1	....	....	....	....
	F.	12	....	....	1	1	....	2	....	....	....	2	....	1	....	1	....	....	2	....	1	....	1	....	1	1	....	....
5. Obstruction of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	4	1	....	....	....	1	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	2	....	....	....	....	....
7. Other diseases of the bowels	M.	19	1	1	....	....	....	2	1	....	1	3	....	1	....	1	2	....	1	1	1	3	2	....	....	....	....	....
	F.	11	2	....	1	....	....	3	1	....	....	....	....	1	2	2	2	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
9. Inflammation and abscess of the liver.	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
10. Other diseases of the liver	M.	14	1	....	....	....	....	1	....	....	....	....	1	1	1	1	....	1	1	....	2	3	1	....	1	....	....	....
	F.	14	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	2	3	1	....	3	....	....	....	....	....
11. Peritonitis	M.	7	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	2	....	....	2	1	....	....	....	....
	F.	13	....	....	....	....	1	1	1	1	....	....	....	1	2	1	....	....	2	1	....	1	....	1	1	....	....	....
12. Ascites	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....
13. Others of this group	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	2	1	....	1	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		90	1	....	....	1	1	3	1	....	1	1	3	3	4	....	5	4	7	9	7	7	16	10	7	1	1
Males		68	1	....	....	....	....	1	1	....	1	....	2	2	2	....	4	2	5	4	7	7	14	9	5	1	1
Females		22	....	....	....	1	1	2	....	....	....	1	1	1	2	....	1	2	2	5	....	....	2	1	2	....	....	....
1. Bright's disease	M.	29	....	....	....	....	....	....	1	....	....	....	1	2	2	....	4	1	3	4	2	3	1	3	2	....	....	....
	F.	16	....	....	....	1	1	2	....	....	....	....	1	1	1	....	1	2	2	5	....	....	....	....	1	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	20	1	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	1	....	2	....	9	3	1	1	....	....
	F.	5	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	2	1	....	....	....	....
4. Diseases of the bladder	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	3	2	4	3	1	....	....	1
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
5. Others of this group	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		12	....	....	....	....	....	....	....	....	....	1	....	....	1	2	2	....	1	1	3	....	1	....	....	....	....	....	....
1. Ovarian tumors	F.	11	....	....	....	....	....	....	....	....	....	....	....	....	1	2	2	....	1	1	3	....	1	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		19	....	....	....	....	....	....	....	....	1	4	5	7	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	2	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	14	....	....	....	....	....	....	....	....	1	3	5	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	3	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		18	1	....	....	....	....	1	....	....	3	1	....	1	1	....	....	4	1	1	2	2	....	....	1	....	....	....	....
Males		12	1	....	....	....	....	1	....	....	2	1	....	1	1	....	....	1	1	....	2	1	....	....	1	....	....	....	....
Females		6	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	3	....	1	....	1	....	....	....	....	....	....	....
1. Diseases of the spine	M.	11	1	....	....	....	....	1	....	....	1	1	....	1	1	....	....	1	1	....	2	1	....	....	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	1	....	1	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW HAMPSHIRE—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		13		1				1				1	1	1	1			1		2	1	1	2		1			
Males		7		1				1					1		1			1				1	2					
Females		6										1		1						2	1				1			
1. Abscess	M.	7		1				1					1		1			1				1	2					
	F.	4										1		1						1					1			
2. Carbuncle	M.																											
	F.	1																		1								
3. Others of this group	M.																											
	F.	1																			1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total		144	8	1	1	5	5	20	9	7	6	13	7	13	5	9	2	9	6	7	4	11	4	4	4	3	1	
Males		100	5	1	1	3	3	13	7	4	4	10	7	8	3	6	2	7	6	5	4	8	1	1	1	2	1	
Females		44	3			2	2	7	2	3	2	3		5	2	3		2		2		3	3	3	3	1		
1. Burns and scalds	M.	3				1		1						1									1					
	F.	11				2	1	3	1	1		1						1		1			2		1			
2. Drowned	M.	22		1	1	1	3	6	4	1	1	5			1	3		1										
	F.	3					1	1		1	1																	
3. Exposure and neglect	M.	1	1					1																				
	F.																											
4. Gunshot wounds	M.	4									2	1				1												
	F.																											
5. Homicide	M.	2											2															
	F.	1												1														
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.																											
	F.																											
9. Suffocation	M.	3	3					3																				
	F.	3	2					2							1													
10. Suicide by shooting	M.	2											1			1												
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	10										1	2	1		1		2	2	1								
	F.	8										1		2	1	1				1		2						
14. Sunstroke	M.	1									1																	
	F.																											
15. Surgical operations	M.	1								1																		
	F.																											
16. Wounds	M.	2																1			1							
	F.																											
17. Other accidents and injuries	M.	49	1			1		2	3	2		3	2	6	2		2	3	4	4	3	8		1	1	2	1	
	F.	18	1					1	1	1	1	1		2		2		1				1	1	2	2	1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW HAMPSHIRE—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1875	200	46	42	29	19	336	91	63	72	80	61	62	68	42	61	50	88	99	134	147	157	135	79	34	12	4
Total: Males		914	110	28	18	11	9	176	45	34	34	40	25	18	35	20	27	27	44	52	74	70	85	75	42	9	9	3
Females		931	90	18	24	18	10	160	46	29	38	40	36	44	33	22	34	23	44	47	60	77	72	60	37	25	3	1
Unknown causes.																												
Total		47	18	1	....	1	1	21	1	1	....	1	1	....	3	1	....	....	2	3	3	4	4	2	....	....	....	....
Males		30	12	1	....	....	1	14	1	....	....	1	1	....	1	....	....	....	2	2	2	2	2	2	....	....	....	....
Females		17	6	....	....	1	....	7	....	1	....	....	....	....	2	1	....	....	....	1	1	2	2	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		349	51	23	24	16	13	127	63	34	18	13	11	10	9	7	7	4	5	4	8	2	7	7	5	5	2	1
Males		168	28	15	8	5	5	61	28	17	6	8	2	3	3	3	2	3	4	2	7	1	6	6	3	1	1	1
Females		181	23	8	16	11	8	66	35	17	12	5	9	7	6	4	5	1	1	2	1	1	1	1	2	4	1	....
1. Small-pox	M.	1	1	..	..	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	5	3	....	....	....	....	2	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	3	2	....	1	....	....	3	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	1	1	5	3	2	12	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	54	2	5	4	3	5	19	22	6	1	3	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	1
	F.	70	2	2	7	5	3	19	20	14	3	3	....	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	5	1	....	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	5	....	....	1	1	....	2	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	21	....	1	....	....	....	1	1	2	4	4	2	1	2	1	....	....	....	....	3	....	....	....	....	....	....	....
	F.	23	....	2	....	....	1	3	3	2	3	1	5	....	2	....	2	1	....	....	1	....	....	....	....	....	....	....
9. Diarrhœa	M.	0	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	1	....	....	....
	F.	7	3	....	1	....	....	4	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....
10. Dysentery	M.	13	2	4	....	1	....	7	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	3	....	....	....	....
	F.	3	....	1	....	1	1	3	1	....	....	....	....	....	....	1	1	....	....	....	....	1	1	....	....	....	....	....
11. Enteritis	M.	18	3	....	....	....	....	3	....	3	1	....	....	2	....	....	....	....	3	1	....	....	2	1	2	....	....	....
	F.	6	1	....	....	....	....	1	1	....	1	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholèra infantum	M.	15	8	5	1	1	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
	F.	14	10	2	2	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	7	1	....	....	....	....	1	....	....	....	1	....	....	....	1	1	....	1	....	....	....	2	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....
15. Erysipelas	M.	5	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	1	1	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	6	....	....	....	....	....	....	....	....	2	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	3	1	....	1	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	1	1	....
	F.	5	1	....	..	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....
General diseases—B.																												
Total		8	3	..	....	....	....	3	1	....	....	....	1	....	1	....	....	....	....	2	....	....	....	....	....	....	....	....
Males		5	2	....	....	....	....	2	1	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
Females		3	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		187	51	....	....	....	....	51	....	1	....	....	....	....	....	....	4	1	1	....	2	10	17	31	36	22	10	1
Males		88	21	....	....	....	....	21	....	....	....	....	....	....	....	....	3	....	....	....	2	4	8	17	19	5	8	1
Females		99	30	....	....	....	....	30	....	1	....	....	....	....	....	....	1	1	1	....	....	6	9	14	17	17	2	....
1. Premature birth	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	14	14	....	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	0	0	....	....	....	....	0	....	....	....	....	....	....	....	....	3	....	....	....	1	1	2	....	....	....	....	....
	F.	14	7	....	....	....	....	7	....	1	....	....	....	....	....	....	1	1	1	....	....	....	2	1	....	....	....	....
5. Old age	M.	00	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	6	17	10	5	8	1
	F.	62	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	6	7	13	17	17	2	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW HAMPSHIRE—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		419	14	2	....	1	1	18	6	10	10	31	23	31	25	13	18	20	18	34	31	32	44	23	10	1	....	1
Males		180	9	2	....	1	....	12	4	5	11	13	10	5	15	9	4	10	4	16	13	14	20	8	5	1	..	1
Females		239	5	....	....	....	1	6	2	5	19	18	13	26	10	4	14	10	14	18	18	18	24	15	5	....	..	....
1. Rheumatism	M.	6	....	....	....	....	....	....	1	2	....	....	1	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
2. Scrofula and tabes	M.	8	2	....	....	1	....	3	....	....	2	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....
	F.	2	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	97	1	1	....	....	....	2	1	1	8	12	9	4	9	8	2	7	3	6	6	7	10	....	1	....	....	1
	F.	148	1	....	....	....	....	1	2	5	17	17	11	21	7	2	9	3	7	12	7	9	13	3	2	....	....	....
5. Hydrocephalus	M.	5	5	....	....	....	....	5	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	26	....	....	....	....	....	....	....	....	....	1	....	1	3	1	1	1	1	5	2	4	1	1	3	1	....	....	....
	F.	50	1	....	....	....	....	1	....	....	....	....	1	2	....	1	3	4	6	4	7	6	8	6	1	....	....	....	....
7. Tumor	M.	4	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	....	....	....	....	....	1	....	....	....	....	....
8. Anæmia	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	25	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	1	....	2	4	2	7	1	1	....	....	....	....
	F.	23	....	....	....	....	....	....	....	....	....	1	....	1	3	....	1	1	1	2	4	2	3	4	1	....	....	....	....
10. Glycosuria	M.	5	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		240	24	7	5	2	2	40	4	3	6	1	4	2	6	4	4	5	13	20	31	34	26	25	10	1	..	1
Males		119	16	1	3	....	1	21	1	2	3	....	1	2	4	1	3	3	4	11	15	15	12	13	7	1	....	....
Females		121	8	6	2	2	1	19	3	1	3	1	3	....	2	3	1	2	9	9	16	19	14	12	3	....	....	1
1. Inflammation of the brain	M.	7	2	....	2	....	1	5	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	1	1	....	1	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	3	1	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	2	3	....	....	1	6	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	33	1	....	....	....	....	1	....	....	....	....	....	....	....	1	2	....	1	8	3	7	4	3	3	....	....	....	....
	F.	28	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	2	4	3	10	6	1	1	....	....	....	....
4. Paralysis	M.	38	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	2	1	7	7	6	8	4	1	....	....	....
	F.	55	....	....	1	....	....	1	....	....	2	....	....	....	1	2	1	1	6	5	11	6	6	10	2	....	....	1	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Epilepsy	M.	7	....	....	....	....	....	....	....	1	2	....	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
7. Convulsions	M.	13	9	....	1	....	....	10	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	....	2	....	....	....	....	....	....
9. Diseases of the brain	M.	12	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	2	1	1	1	2	....	....	....	....	....
	F.	7	1	....	1	....	....	2	....	1	....	1	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....
10. Diseases of the spinal cord	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total		135	7	1	1	....	....	9	1	2	1	4	....	4	2	4	6	4	15	9	23	16	18	11	5	1	....	....
Males		64	4	1	....	....	....	5	1	....	....	1	....	1	1	2	3	..	9	4	15	5	11	5	1	....	..	....
Females		71	3	....	1	..	....	4	....	2	1	3	....	3	1	2	3	4	6	5	8	11	7	6	4	1	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	57	2	1	....	....	....	3	1	....	....	1	....	1	1	2	3	....	3	3	13	4	11	4	1	....	....	....	....
	F.	65	....	....	1	....	....	1	....	1	1	3	....	2	1	2	3	4	6	5	8	11	7	5	4	1	....	....	....
4. Others of this group	M.	6	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	1	....	....	....	....	....
	F.	5	3	....	....	....	....	3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total		210	22	11	9	5	1	48	5	....	2	3	7	4	10	4	6	8	15	13	13	28	22	17	8	2	....	....
Males		123	13	7	5	3	1	29	2	....	2	3	3	3	6	3	2	6	9	7	5	16	11	11	2	....	....	....
Females		87	9	4	4	2	....	19	3	....	....	....	4	1	4	1	4	2	6	6	8	12	8	6	1	2	....	....
1. Croup	M.	15	5	2	3	2	1	13	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	2	2	3	2	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	17	3	2	....	....	....	5	....	....	....	....	....	....	2	....	....	....	....	2	....	4	1	2	1	....	....	....	....
	F.	12	3	....	....	....	....	3	....	....	....	....	....	....	....	1	1	1	....	1	1	2	..	1	1	....	....	....	....
4. Pneumonia	M.	74	4	3	2	1	....	10	1	....	2	3	2	2	3	2	1	4	7	4	3	11	10	6	1	....	....	....	....
	F.	58	3	2	....	....	....	5	3	....	....	....	4	1	4	....	3	....	5	4	7	8	7	5	..	2	....	....	....
5. Pleurisy	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Asthma	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	10	1	....	....	....	....	1	....	....	....	....	1	....	....	1	....	1	1	....	1	....	3	1	....	....	....	....	....
	F.	6	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	1	1	1	....	1	1	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW HAMPSHIRE—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	91	4					4	2	1	3	9	5	2	4	5	9	2	12	3	9	7	5	7	2			
Males	45	1					1	2	1	3	4	2			1	6		7	1	5	2	2	6	2			
Females	46	3					3				5	3	2	4	4	3	2	5	2	4	5	3	1				
1. Dentition M.																											
1. Dentition F.																											
2. Angina M.																											
2. Angina F.																											
3. Gastritis M.	6										1					2		1					1	1			
3. Gastritis F.	12	2					2				1	2		1				1	1	2	1	1					
4. Other diseases of the stomach M.	3								1		1					2		1		1		1	1				
4. Other diseases of the stomach F.	2										1							1									
5. Obstruction of the bowels M.	1																	1									
5. Obstruction of the bowels F.																											
6. Hernia M.	4							1		2										1							
6. Hernia F.	1																	1									
7. Other diseases of the bowels M.	1										1												1				
7. Other diseases of the bowels F.	5											1	1	1				1				1					
8. Jaundice M.	3	1					1														1	1					
8. Jaundice F.	3	1					1							1						1							
9. Inflammation and abscess of the liver. M.	5											1				1		1		1			1				
9. Inflammation and abscess of the liver. F.	2														2												
10. Other diseases of the liver M.	7										1							3		1			2				
10. Other diseases of the liver F.	9										1				1	1	2			1	2		1				
11. Peritonitis M.	8							1		1		1				1			1	1	1			1			
11. Peritonitis F	9										2			1	1	1		1			2	1					
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.	1														1												
13. Others of this group F.	3												1			1			1								
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	56								1	1	2	2	3	2		2	2	4	3	6	8	11	6	3			
Males	46								1			2	3	2		1	2	4	3	4	7	9	6	2			
Females	10									1	2					1				2	1	2		1			
1. Bright's disease M.	20								1			2	2	2		1	1	2	1	2	1	1	1				
1. Bright's disease F.	6									1	1					1				1		1		1			
2. Calculus, urinary M.																											
2. Calculus, urinary F.																											
3. Diseases of the kidney M.	14																	2	1	1	3	3	2	2			
3. Diseases of the kidney F.	4										1									1	1	1					
4. Diseases of the bladder M.	5																			1	1	1	2				
4. Diseases of the bladder F.																											
5. Others of this group M.	7												1				1		1		2	1	1				
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	9											1	1	1	1	1		1	1	1			1				
1. Ovarian tumors F.	3													1						1			1				
2. Ovarian diseases F.																											
3. Uterine tumors F.	2												1					1									
4. Uterine diseases F.	1																		1								
5. Others of this group F.	3											1			1	1					2	1	1				
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	16									2	4	2	4	1	2	1											
1. Abortion F.	4									1	2	1															
2. Child-birth F.	10									1	2	1	3		2	1											
3. Others of this group F.	2												1	1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	8			1			1		2		2	1								1			1				
Males	6			1			1		1		1	1								1			1				
Females	2								1		1																
1. Diseases of the spine M.	6			1			1		1		1	1								1			1				
1. Diseases of the spine F.	1								1																		
2. Diseases of the bones M.																											
2. Diseases of the bones F.	1										1																
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW HAMPSHIRE—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		8	3					3		1	1				1			1	1								
Males		4	2					2			1							1										
Females		4	1					1		1					1				1									
1. Abscess	M.	2	1					1			1																
	F.	3	1					1		1									1								
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.	2	1					1										1									
	F.	1													1												
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2																		1		1					
Males		1																		1							
Females		1																				1					
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1																		1							
	F.																										
3. Others of this group	M.																										
	F.	1																				1					
XII.—ACCIDENTS AND INJURIES.																											
Total		90	3	1	2	4	1	11	8	7	8	10	3	1	3	1	3	3	1	6	6	5	3	5	4	2	
Males		65	2	1	1	2	1	7	5	7	8	9	3	1	2	1	3	2	1	4	5	4	1	1		1	
Females		25	1		1	2		4	3			1			1			1		2	1	1	2	4	4	1	
1. Burns and scalds	M.	3		1		2		3																			
	F.	7				2		2	2															3			
2. Drowned	M.	11			1			1	3	2	1	3				1											
	F.	1							1																		
3. Exposure and neglect	M.																										
	F.																										
4. Gunshot wounds	M.	4									3						1										
	F.																										
5. Homicide	M.																										
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	5								1	1	2	1														
	F.																										
8. Railroad accidents	M.	6								1	2		2								1						
	F.	1																		1							
9. Suffocation	M.																										
	F.	1	1					1																			
10. Suicide by shooting	M.	3										3															
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	7																	1	1	1	3	1				
	F.	1																				1					
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	26	2				1	3	2	3	1	1		1	2		2	2		3	3	1		1		1	
	F.	14			1			1				1			1			1		1	1		2	1	4	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—GROUP 1.

[Exclusive of CAMDEN, JERSEY CITY, and NEWARK.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		8011	1945	410	287	189	135	2966	331	169	213	348	308	307	291	270	260	287	294	362	356	370	353	273	130	51	17	46
Total: Males		4031	1052	202	142	100	76	1572	157	85	91	156	129	145	148	141	136	158	172	203	176	188	160	113	56	19	3	29
Females		3980	893	208	145	89	59	1394	174	84	122	192	179	162	143	129	124	129	122	159	180	182	193	160	83	32	14	23
Unknown causes.																												
Total		67	25	4	2	1	....	32	2	....	....	1	....	2	....	3	1	1	4	6	6	3	2	....	....	1	....	3
Males		31	15	1	1	....	....	17	2	....	....	....	....	2	....	2	....	....	1	4	2	1	....	....	....	....	....	....
Females		36	10	3	1	1	....	15	....	....	....	1	....	....	....	1	1	1	3	2	4	2	2	....	....	1	....	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1548	568	146	110	55	48	927	130	59	36	39	39	39	17	29	18	19	29	32	32	31	31	20	11	5	....	5
Males		775	298	73	54	35	26	486	47	33	13	19	16	16	6	14	11	10	17	22	16	21	12	9	4	....	....	3
Females		773	270	73	56	20	22	441	83	26	23	20	23	23	11	15	7	9	12	10	16	10	19	11	7	5	..	2
1. Small-pox	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	7	....	....	4	3	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	2	4	....	....	1	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	72	5	9	11	12	12	49	16	6	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	87	9	6	19	8	9	51	25	5	....	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria	M.	89	5	12	16	11	9	53	20	14	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	86	8	8	10	7	7	40	38	4	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	22	16	5	....	....	....	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	29	17	6	4	....	....	27	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	21	11	1	....	1	....	13	1	....	3	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	5	2	....	....	1	8	1	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	69	1	1	....	....	....	2	3	6	5	13	9	7	3	6	3	....	4	5	....	2	1	....	....	....	....	....
	F.	55	....	....	1	....	1	2	2	8	10	6	4	3	3	2	1	2	3	2	3	1	2	1	....	....	....	....
9. Diarrhœa	M.	42	21	2	2	....	....	25	1	....	1	....	....	....	....	....	2	....	1	2	3	3	1	2	1	....	....	....
	F.	32	13	3	2	1	....	19	1	1	....	1	....	1	....	1	....	....	....	2	3	....	1	....	1	1	....	....
10. Dysentery	M.	53	20	5	5	4	2	36	2	....	1	....	....	2	....	2	....	1	1	1	....	4	1	1	1	....	....	....
	F.	31	13	1	1	....	....	15	2	....	....	....	1	2	....	....	....	2	....	....	1	1	4	1	2	....	....	....
11. Enteritis	M.	55	24	1	5	3	1	34	1	3	2	....	2	....	1	1	....	1	2	3	1	2	....	1	1	....	....	....
	F.	51	18	6	2	....	....	26	1	1	....	1	1	1	1	1	1	2	2	2	1	4	2	2	2	....	....	....
12. Cholera morbus	M.	16	4	....	1	....	....	5	1	1	....	....	....	....	2	....	....	2	1	1	3	....	....	....	....	....	....	....
	F.	10	1	....	....	....	....	1	1	1	....	1	....	....	....	1	....	....	2	....	....	....	1	....	1	1	....	....
13. Cholera infantum	M.	217	171	36	9	1	....	217	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	209	164	29	12	2	2	209	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	55	7	....	1	....	2	10	....	3	....	1	2	3	....	4	2	2	6	5	5	3	5	1	....	....	....	3
	F.	75	8	7	3	....	....	18	8	4	5	1	5	....	4	6	3	3	2	1	5	2	3	4	....	....	....	1
15. Erysipelas	M.	23	9	1	....	....	....	10	1	....	....	1	1	....	....	....	2	2	1	3	....	....	1	....	1	....	....	....
	F.	22	9	1	1	1	....	12	1	....	1	....	....	....	....	1	....	....	....	2	2	....	....	1	....	1	1	....
16. Septicæmia	M.	14	1	....	....	....	....	1	1	....	....	3	....	....	....	....	1	1	1	2	1	1	1	....	1	....	....	....
	F.	17	1	....	1	....	1	3	....	....	....	1	....	4	1	3	....	....	....	1	1	2	1	....	....	....	....	....
17. Puerperal septicæmia	F.	30	....	....	....	....	....	....	....	....	4	6	8	11	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
19. Others of this group	M.	17	1	....	....	....	....	1	....	....	....	....	....	1	....	....	1	1	....	3	5	3	2	....	....	....	....	....
	F.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	3	3	....	2	....	....	....
General diseases—B.																												
Total		91	62	4	2	1	1	70	1	....	....	2	....	1	5	2	5	1	....	....	1	2	1	....	....	....	....	....
Males		50	30	2	2	....	....	34	1	....	....	2	..	1	4	1	4	1	....	....	....	1	1	..	....	....	....	....
Females		41	32	2	....	1	1	36	....	....	....	....	....	....	1	1	1	....	....	....	1	1	....	....	....	....	....	....
1. Worms	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	9	....	....	....	....	....	....	....	....	....	1	....	1	3	....	3	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	10	1	2	2	....	....	5	....	....	....	1	....	....	....	1	1	1	....	....	....	....	....	1	....	....	....	....
	F.	4	1	....	....	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Inanition	M.	30	29	....	....	....	....	29	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	31	2	....	....	....	33	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
General diseases—C.																												
Total		781	360	24	10	6	2	402	2	2	1	3	1	3	4	4	5	5	8	11	20	46	60	101	61	28	12	2
Males		377	204	12	5	4	1	226	1	2	1	....	....	....	2	3	3	2	4	6	11	18	28	34	21	11	2	2
Females		404	156	12	5	2	1	176	1	....	....	3	1	3	2	1	2	3	4	5	9	28	32	67	40	17	10	....
1. Premature birth	M.	52	52	....	....	....	....	52	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	53	53	....	....	....	....	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	14	14	....	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	13	12	1	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	220	124	11	5	4	1	145	1	2	1	....	....	....	2	3	3	2	4	5	9	11	15	8	4	3	....	2
	F.	189	87	12	5	2	1	107	1	....	....	3	1	3	2	1	2	3	4	5	7	14	8	16	8	1	3	....
5. Old age	M.	76	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	7	13	26	17	8	2	....
	F.	146	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	14	24	51	32	10	7	....
6. Atrophy	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1626	98	31	14	15	7	165	28	20	94	171	156	133	122	105	99	99	82	108	70	60	55	30	15	3	1	10
Males		738	54	15	3	8	4	84	14	7	32	67	64	65	51	53	43	51	43	53	28	29	32	13	2	2	1	4
Females		888	44	16	11	7	3	81	14	13	62	104	92	68	71	52	56	48	39	55	42	31	23	17	13	1	....	6
1. Rheumatism	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....
	F.	9	....	....	....	....	....	....	1	....	1	....	1	1	1	....	1	1	....	....	....	....	....	1	....	1	....	....
2. Scrofula and tabes	M.	18	11	....	....	....	....	11	1	....	1	2	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
	F.	15	5	....	1	2	....	8	3	....	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	534	12	1	1	1	2	17	3	4	29	64	63	65	49	44	33	42	31	32	16	17	16	6	....	....	....	3
	F.	650	15	2	6	1	1	25	6	9	57	100	86	65	59	42	30	25	18	34	20	13	8	13	5	....	....	6
5. Hydrocephalus	M.	57	27	14	2	4	1	48	7	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	43	17	10	4	3	2	36	3	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	70	....	....	....	1	....	1	....	....	....	....	....	....	2	5	7	5	10	13	8	8	7	2	....	2	....	....
	F.	110	2	1	....	....	....	3	1	....	....	....	3	....	8	8	12	19	12	16	13	8	4	1	2	....	....	....
7. Tumor	M.	6	....	....	....	1	....	1	....	....	....	....	....	....	....	1	....	....	....	1	1	....	2	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	2	1	1	1	3	....	....	....	6	....	....
8. Anæmia	M.	6	3	....	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	11	3	1	....	....	....	4	....	1	1	1	....	1	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....
9. Dropsy	M.	37	1	....	....	1	1	3	1	2	....	1	....	....	....	3	1	3	1	6	1	2	5	4	2	....	1	1
	F.	49	1	1	....	1	....	3	....	3	1	2	....	....	....	....	3	2	5	3	6	9	6	2	4	....	....	....
10. Glycosuria	M.	5	....	....	....	....	....	....	....	....	2	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	1	....	1	....	....	....	....
11. Others of this group	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	5	1	1	....	....	....	2	....	....	....	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1264	378	78	60	38	22	566	40	21	23	15	19	22	27	18	35	49	43	57	78	82	79	49	28	9	4	3
Males		647	203	38	31	13	13	298	22	12	9	4	10	11	16	8	18	30	27	26	39	42	31	21	17	4	....	2
Females		617	175	40	29	15	9	268	18	9	14	11	9	11	11	10	17	19	16	31	39	40	48	28	11	2	4	1
1. Inflammation of the brain	M.	24	4	2	3	1	1	11	2	1	2	1	....	....	1	1	....	1	....	3	....	....	....	....	....	....	....	1
	F.	28	9	6	....	1	1	17	....	1	....	1	....	2	1	1	....	1	....	2	....	1	....	....	....	....	1	....
2. Meningitis	M.	75	30	13	10	3	1	57	8	3	....	1	1	....	....	2	....	....	....	....	2	1	....	....	....	....	....	....
	F.	63	20	6	10	2	3	41	7	3	2	1	1	1	1	1	....	1	1	1	....	....	1	....	....	....	....	1
3. Apoplexy	M.	10	4	....	1	....	....	5	....	2	....	....	1	....	4	2	8	14	11	11	15	9	8	4	2	....	....	....
	F.	103	4	....	....	1	....	5	....	....	1	1	1	1	4	3	5	11	8	6	16	14	15	8	2	....	2	....
4. Paralysis	M.	106	2	1	....	1	....	4	....	....	....	....	3	1	2	1	4	9	9	6	14	15	12	14	8	4	....	....
	F.	112	3	1	1	....	....	5	1	....	1	1	3	1	1	1	6	1	3	12	16	17	18	14	8	2	1	....
5. Tetanus and trismus nascentium.	M.	16	5	....	....	....	....	8	....	2	2	....	....	....	2	....	1	....	....	....	....	....	1	....	....	....	....	....	....
	F.	9	4	....	....	....	....	4	2	....	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
6. Epilepsy	M.	12	1	....	....	....	....	1	1	1	2	....	....	2	1	....	1	....	....	....	2	....	1	....	....	....	....	....	....
	F.	10	....	....	....	....	....	....	....	1	2	3	....	1	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....
7. Convulsions	M.	169	119	12	11	6	7	155	7	....	....	....	2	2	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....
	F.	159	106	20	10	7	2	145	6	1	3	2	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
8. Mental diseases	M.	6	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	2	....	1	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	2	....	....	....	....	....	....
9. Diseases of the brain	M.	117	31	10	4	1	4	50	3	1	2	1	2	5	6	2	3	5	7	3	4	10	6	2	4	....	....	1
	F.	98	23	7	7	4	3	44	2	2	4	2	....	3	1	....	4	1	4	5	6	6	10	4	....	....	....	....
10. Diseases of the spinal cord	M.	10	3	....	1	1	....	5	....	2	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	18	2	....	1	....	....	3	....	1	1	....	2	1	1	1	1	3	....	2	....	....	2	....	....	....	....	....	....
11. Others of this group	M.	16	1	....	1	....	....	2	1	....	....	1	1	....	....	....	....	....	....	2	1	4	3	....	1	....	....	....	....
	F.	12	4	....	....	....	....	4	....	....	....	....	1	....	1	1	....	1	....	1	....	1	....	1	1	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		453	70	2	1	3	3	79	6	13	9	12	12	12	18	23	28	28	38	41	32	41	31	21	7	1	....	1
Males		236	39	1	1	2	3	46	2	3	4	6	6	4	14	12	17	12	22	24	15	21	12	10	5	1	....	....
Females		217	31	1	....	1	....	33	4	10	5	6	6	8	4	11	11	16	16	17	17	20	19	11	2	....	....	1
1. Angina pectoris	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	2	....	....	1	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	3	1	1	2	....	1	....	....	....	....	....
2. Aneurism	M.	6	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	1	....	....	....	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	189	11	....	1	1	3	16	2	8	4	6	6	3	10	11	17	11	19	22	14	19	11	10	4	1	....	....
	F.	199	17	1	....	1	....	19	3	10	5	6	6	8	3	9	10	13	14	16	15	20	18	11	2	....	....	1
4. Others of this group	M.	35	28	1	....	1	....	30	....	....	....	....	....	....	2	....	....	1	1	....	1	....	....	....	....	....	....	....	....
	F.	16	14	....	....	....	....	14	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1106	276	102	73	58	42	551	62	9	11	26	18	29	30	28	24	31	39	51	54	48	50	27	11	5	....	2
Males		567	146	50	36	28	22	282	33	3	6	10	9	13	17	12	14	21	23	29	30	26	22	10	5	1	....	1
Females		539	130	52	37	30	20	269	29	6	5	16	9	16	13	16	10	10	16	22	24	22	28	17	6	4	....	1
1. Croup	M.	88	8	18	12	16	16	70	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	73	8	16	12	14	8	58	12	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Laryngitis	M.	14	2	1	3	1	....	7	4	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	1	2	1	3	1	8	2	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Bronchitis	M.	90	47	10	6	1	1	65	3	....	....	....	....	....	....	1	2	....	3	2	5	3	5	1	....	....	....	....	....
	F.	119	45	12	6	3	2	63	4	....	1	....	....	2	....	3	....	3	1	3	6	7	12	4	3	2	....	....	....
4. Pneumonia	M.	305	70	16	12	8	3	109	7	2	5	7	6	11	13	10	11	18	16	23	21	21	13	7	3	1	....	1
	F	252	58	19	14	8	7	106	9	3	4	10	6	10	11	10	5	6	9	14	14	12	9	10	2	2	....	....
5. Pleurisy	M.	6	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	1	....	1	....	....	....
	F.	15	1	....	....	....	....	1	....	....	....	1	....	....	2	....	1	....	3	1	2	1	2	....	1	....	....	....	....
6. Asthma	M.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	1	....	....	1	....	....	....	....	....
	F.	4	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
7. Others of this group	M.	59	19	5	3	2	1	30	1	....	1	2	2	2	3	1	1	2	3	3	1	2	3	1	1	....	....	....	....
	F.	64	16	3	4	2	1	26	2	1	....	4	3	4	....	3	4	1	3	2	1	2	4	3	....	....	....	....	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		391	64	14	6	7	1	92	14	14	8	18	17	17	13	19	17	25	22	24	31	28	18	7	5	....	....	2
Males		191	39	8	4	3	....	54	9	7	5	10	1	8	5	8	9	12	13	12	10	12	10	3	1	....	....	2
Females		200	25	6	2	4	1	38	5	7	3	8	16	9	8	11	8	13	9	12	21	16	8	4	4	....	....	....
1. Dentition	M.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	12	1	3	1	1	....	6	2	....	....	....	....	1	....	....	1	....	1	....	....	1	....	....	....	....	....	....
	F.	7	1	....	2	....	....	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
3. Gastritis	M.	27	4	1	1	....	....	6	1	1	....	1	....	1	....	1	....	2	3	5	1	3	2	....	....	....	....	....
	F.	16	1	1	....	....	....	2	....	1	....	....	1	2	....	....	1	2	....	....	4	1	....	2	....	....	....	....
4. Other diseases of the stomach	M.	9	2	....	....	....	....	2	1	....	....	....	....	1	....	....	....	....	2	....	1	....	2	....	....	....	....	....
	F.	16	1	....	....	1	....	2	1	....	....	....	....	....	....	2	1	3	2	1	2	....	1	1	....	....	....	....
5. Obstruction of the bowels	M.	14	2	....	....	1	....	3	1	1	1	2	....	....	1	....	1	....	....	2	1	1	....	....	....	....	....	....
	F.	14	2	....	....	....	....	2	1	....	....	1	....	....	....	1	....	2	....	2	2	2	1	....	....	....	....	....
6. Hernia	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....
7. Other diseases of the bowels	M.	5	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	11	3	....	....	1	....	4	....	....	....	1	1	....	1	....	....	1	1	1	....	....	1	....	1	....	....	....
8. Jaundice	M.	10	6	....	....	....	....	6	....	1	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....
	F.	6	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
9. Inflammation and abscess of the liver.	M.	20	3	....	....	....	....	3	....	1	2	....	....	1	1	3	....	....	2	....	2	1	3	1	....	....	....	....
	F.	20	1	....	....	....	....	1	....	....	....	....	2	....	....	....	2	4	2	1	2	5	1	....	....	....	....	....
10. Other diseases of the liver	M.	30	4	....	1	....	....	5	1	....	....	1	....	2	....	4	4	4	3	2	2	1	....	....	....	....	....	1
	F.	22	2	....	....	1	1	4	....	1	....	....	....	1	....	1	....	1	1	2	8	2	1	....	....	....	....	....
11. Peritonitis	M.	37	3	1	....	1	....	5	3	3	2	6	1	....	2	....	2	3	1	1	1	2	3	1	....	....	....	1
	F.	63	3	....	....	....	....	3	1	3	3	6	12	6	6	6	4	1	....	4	2	5	....	1	....	....	....	....
12. Ascites	M.	5	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	2	....	....	....	....	....	....
	F.	6	....	1	....	....	....	1	....	1	....	....	....	....	....	....	1	....	1	1	....	....	1	....	....	....	....	....
13. Others of this group	M.	17	9	1	1	....	....	11	....	....	....	....	....	1	1	....	....	....	....	1	....	1	....	1	1	....	....	....
	F.	9	3	1	....	1	....	5	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	1	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		300	2	1	1	3	2	9	13	7	7	8	8	12	11	12	13	9	14	16	17	17	15	11	1	....	....	....
Males		119	....	....	1	1	1	3	6	3	3	4	4	6	5	8	9	3	12	13	13	9	8	10	1	....	....	....
Females		81	2	1	....	2	1	6	7	5	4	4	4	6	6	4	4	6	2	3	4	8	7	1	....	....	....	....
1. Bright's disease	M.	69	....	....	1	1	1	3	3	2	3	3	1	3	3	6	3	3	12	8	8	3	2	3	....	....	....	....
	F.	41	1	....	....	1	1	3	5	2	3	2	4	2	5	1	....	4	1	2	1	4	2	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	20	....	....	....	....	....	....	2	....	....	1	2	2	1	1	4	....	....	2	1	1	1	2	....	....	....	....
	F.	27	1	1	....	1	....	3	....	2	1	1	....	4	1	2	3	1	1	....	3	3	2	....	....	....	....	....
4. Diseases of the bladder	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	2	3	2	4	1	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	1	....	....	....	....
5. Others of this group	M.	15	....	....	....	....	....	....	1	....	....	....	1	1	1	....	2	....	....	1	2	2	3	1	....	....	....	....
	F.	9	....	....	....	....	....	....	2	1	....	1	....	....	....	....	....	1	....	1	....	....	3	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		25	....	....	....	....	....	....	....	1	2	1	4	4	5	3	....	1	....	1	....	1	....	....	....	....	....	2
1. Ovarian tumors	F.	7	....	....	....	....	....	....	....	....	....	....	....	....	2	2	....	....	....	1	....	....	....	....	....	....	....	2
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	7	....	....	....	....	....	....	....	....	....	1	3	2	....	....	....	1	....	....	....	....	1	1	....	....	....	....
5. Others of this group	F.	10	....	....	....	....	....	....	....	1	1	....	1	2	3	1	....	....	....	....	....	1	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		43	....	....	....	....	....	....	....	....	2	11	10	9	8	1	1	....	....	....	....	....	....	....	....	....	....	1
1. Abortion	F.	6	....	....	....	....	....	....	....	....	....	1	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	22	....	....	....	....	....	....	....	....	1	5	3	6	5	1	....	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group	F.	15	....	....	....	....	....	....	....	....	1	5	4	2	2	....	1	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		18	....	....	1	3	....	4	3	3	1	1	3	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....
Males		12	....	....	1	2	....	3	2	3	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females		6	....	....	....	1	....	1	1	....	....	....	2	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
1. Diseases of the spine	M.	9	....	....	1	2	....	3	2	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	1	....	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	25	3	1	1			5	2	1	1	1		2	1	1	1		2	1	3	3	1					
Males	9	1	1				2	1		1					1				1	2	1						
Females	16	2		1			3	1	1		1		2	1		1		2		1	2	1					
1. Abscess M.	7	1	1				2	1							1				1	1	1						
1. Abscess F.	13	2		1			3	1	1		1		2	1		1				1	2						
2. Carbuncle M.	2									1										1							
2. Carbuncle F.	2																2										
3. Others of this group M.																											
3. Others of this group F.	1																					1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	2																1					1					
Males																											
Females	2																1					1					
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.	2																1					1					
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	371	39	3	6	9	7	64	28	19	18	39	21	22	30	21	13	18	12	14	12	8	8	7		2		15
Males	279	23	1	3	4	6	37	17	13	16	33	18	19	28	19	8	16	9	13	10	7	4	3				9
Females	92	16	2	3	5	1	27	11	6	2	6	3	3	2	2	5	2	3	1	2	1	4	4		2		6
1. Burns and scalds M.	16	1		2	2	2	7	2			1			2			1			3							
1. Burns and scalds F.	28			1			1	7	5	1	2		2	2	1	1	1				1	2	1				1
2. Drowned M.	69	1		1		3	5	8	4	7	14	5	5	8	4		2		4								3
2. Drowned F.	17	2	2	2	1		7	3			2	2				1											2
3. Exposure and neglect M.	2																2										
3. Exposure and neglect F.																											
4. Gunshot wounds M.	19							3	3		3	1	3	1			1	1		1	1						1
4. Gunshot wounds F.	2							1	1																		
5. Homicide M.	2													1							1						
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.	45	1			1		2		2	3	6	3	2	5	4	1	5	4	3	2		3					
8. Railroad accidents F.	6										1					1	1	1		1			1				
9. Suffocation M.	19	8			1		9		1	1	1			2					1								4
9. Suffocation F.	17	11			1		12					1	1		1												2
10. Suicide by shooting M.	6									1		1	1							1	1		1				
10. Suicide by shooting F.																											
11. Suicide by drowning M.	3												1	1		1											
11. Suicide by drowning F.	2																	1	1								
12. Suicide by poison M.	2												1				1										
12. Suicide by poison F.	1									1																	
13. Other suicides M.	12													1	5	1		1	1	2	1						
13. Other suicides F.	1										1																
14. Sunstroke M.	8	1					1		1	1		1	1	1		1						1					
14. Sunstroke F.	1																	1									
15. Surgical operations M.	1												1														
15. Surgical operations F.																											
16. Wounds M.	9		1				1		1		1	1	1				1		1								
16. Wounds F.	1				1		1																				
17. Other accidents and injuries M.	66	11				1	12	4	1	3	7	4	3	6	6	4	3	3	3	1	3		2				1
17. Other accidents and injuries F.	16	3			2	1	6									2				1		2	2		2		1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—GROUP 2.

[Exclusive of PATERSON.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3578	717	178	120	80	55	1150	170	81	99	164	114	126	129	121	134	125	137	160	177	182	171	177	63	27	7	64
Total: Males		1853	399	93	71	42	24	629	92	35	49	78	58	59	64	55	69	62	80	92	89	101	83	73	25	15	3	42
Females		1725	318	85	49	38	31	521	78	46	50	86	56	67	65	66	65	63	57	68	88	81	88	104	38	12	4	22
Unknown causes.																												
Total		41	8	....	2	....	....	10	1	1	1	2	....	1	1	1	1	6	....	2	2	3	....	1	....	1	....	7
Males		26	6	....	2	....	....	8	1	....	1	1	....	1	....	1	....	1	....	2	1	2	....	1	....	1	....	5
Females		15	2	....	....	....	....	2	....	1	....	1	....	....	1	....	1	5	....	....	1	1	....	....	....	....	....	2
B—GENERAL DISEASES.																												
General diseases—A.																												
Total		717	213	66	54	33	31	397	93	30	15	22	15	15	14	11	11	8	12	12	14	14	16	9	3	2	....	4
Males		360	120	36	27	16	15	214	45	8	7	10	5	6	4	4	6	2	8	7	6	10	9	3	..	2	....	4
Females		357	93	30	27	17	16	183	48	22	8	12	10	9	10	7	5	6	4	5	8	4	7	6	3	....	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	3	2	1	....	....	6	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	73	4	9	11	8	7	39	27	1	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	2
	F.	79	4	4	16	10	7	41	24	9	1	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	38	....	2	6	7	5	20	13	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	38	2	5	3	5	4	19	13	5	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	8	4	3	1	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	7	3	....	....	2	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	5	1	1	....	....	....	2	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	29	....	....	....	....	2	2	....	1	2	4	5	2	2	1	3	1	1	2	2	1	....	....	....	....	....	....
	F.	24	....	....	....	....	....	....	5	4	1	3	1	1	2	3	1	1	....	....	....	2	....	....	....	....	....	....
9. Diarrhœa	M.	15	4	2	1	....	....	7	....	....	....	1	....	....	1	....	....	....	1	....	1	2	1	....	....	1	....	....
	F.	13	4	1	....	....	....	5	1	....	1	....	....	....	1	....	....	....	....	....	....	2	2	1	....	....	....	....
10. Dysentery	M.	16	6	3	2	....	....	11	1	....	....	....	....	....	....	....	1	....	1	....	1	....	1	....	....	....	....	....
	F.	18	5	4	1	....	....	10	1	....	....	....	....	....	....	....	2	1	....	1	1	....	1	....	1	....	....	....
11. Enteritis	M.	29	12	2	1	....	....	15	4	2	....	....	....	....	....	....	....	....	1	1	1	2	2	....	....	....	....	1
	F.	21	7	1	....	....	....	8	....	1	1	1	....	....	1	1	2	....	....	1	4	....	1	....	....	....	....	....
12. Cholera morbus	M.	7	1	1	....	....	....	2	....	....	....	....	....	....	....	1	....	....	1	2	....	....	1	....	....	....	....	....
	F.	6	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....
13. Cholera infantum	M.	99	84	11	4	....	....	99	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	68	54	9	4	1	....	68	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	20	2	1	1	1	....	6	....	....	1	1	....	3	1	....	....	....	1	....	1	1	3	1	....	....	....	1
	F.	32	2	1	1	1	2	7	1	3	3	2	3	....	2	1	....	....	3	1	1	....	3	2	....	....	....	....
15. Erysipelas	M.	9	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	2	2	....	1	....	1	....	....	....	....
	F.	5	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....
16. Septicæmia	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	1	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	14	....	....	....	....	....	....	....	....	1	4	3	3	3	....	1	....	....	....	1	....	....	....	....	....	....	....
18. Venereal diseases	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	5	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	1	....	....
	F.	9	....	....	1	....	....	1	....	....	....	....	1	1	....	....	....	....	1	1	1	....	....	2	1	....	....	....
General diseases—B.																												
Total		37	18	1	2	2	....	23	1	....	....	....	....	3	1	....	3	....	2	....	1	....	2	....	....	....	....	1
Males		16	8	....	....	1	....	9	....	....	....	....	....	2	1	....	1	....	1	....	....	....	1	....	....	....	....	1
Females		21	10	1	2	1	....	14	1	....	....	....	....	1	....	....	2	....	1	....	1	....	1	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	4	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	2	1	....	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	9	6	....	....	1	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1
	F.	13	10	1	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
General diseases—C.																												
Total		316	132	4	....	1	....	137	....	1	1	....	....	1	1	....	1	5	5	7	2	23	27	51	28	15	5	6
Males		165	72	2	....	....	....	74	....	....	....	....	....	1	....	....	....	5	3	3	1	11	14	23	15	8	2	6
Females		151	60	2	....	1	....	63	....	1	1	....	....	....	1	....	1	....	2	5	1	12	13	28	13	7	3	....
1. Premature birth	M.	25	25	....	....	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	87	37	2	....	....	....	39	....	....	....	....	....	1	....	....	....	5	3	2	1	6	9	11	4	2	....	4
	F.	71	31	2	....	1	....	34	....	1	1	....	....	....	1	....	1	....	2	4	....	6	5	9	2	3	1	....
5. Old age	M.	43	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	5	5	12	11	6	2	2
	F.	51	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	6	8	19	10	4	2	....
6. Atrophy	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		696	42	13	6	5	3	69	16	13	42	80	62	57	54	51	36	39	34	37	29	29	16	12	6	1	2	15
Males		332	26	8	6	3	3	46	13	4	17	33	25	22	29	22	13	19	19	16	16	13	7	7	2	1	1	7
Females		364	16	5	....	2	....	23	3	9	25	47	37	31	25	29	23	20	15	21	13	16	9	5	4	....	1	8
1. Rheumatism	M.	5	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	2	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	2	....	....	....	....	....	....
2. Scrofula and tabes	M.	11	2	1	2	....	....	5	....	1	1	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	1
	F.	9	3	1	....	....	....	4	....	1	....	....	....	....	1	....	....	....	1	....	1	....	1	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	223	9	2	2	3	2	18	4	1	15	28	22	22	26	19	8	14	13	10	7	4	4	2	1	....	....	5
	F.	259	4	2	....	1	....	7	3	5	23	46	36	27	19	22	18	7	8	12	7	6	4	1	3	....	....	5
5. Hydrocephalus	M.	23	11	5	2	....	....	18	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	6	2	....	....	....	8	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	32	....	....	....	....	....	....	....	....	....	2	1	....	1	2	3	2	6	3	4	3	2	....	....	1	1	1
	F.	43	....	....	....	....	....	....	....	....	....	....	....	2	3	4	2	9	4	7	3	4	2	1	....	....	....	2
7. Tumor	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....
8. Anæmia	M.	6	4	....	....	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	20	....	....	....	....	....	....	4	....	....	....	....	....	1	....	2	2	....	1	2	3	....	4	1	....	....	....
	F.	28	....	....	....	1	....	1	....	1	....	1	....	1	2	2	3	3	2	1	1	3	1	3	1	....	1	1
10. Glycosuria	M.	7	....	....	....	....	....	....	1	1	....	2	1	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		583	121	36	27	13	4	201	21	11	7	6	8	11	10	14	22	26	26	28	42	40	43	42	13	4	....	8
Males		310	67	17	16	10	....	110	13	7	4	5	6	6	7	7	13	15	14	18	21	24	19	10	4	1	....	6
Females		273	54	19	11	3	4	91	8	4	3	1	2	5	3	7	9	11	12	10	21	16	24	32	9	3	....	2
1. Inflammation of the brain	M.	14	1	1	5	....	....	7	3	1	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	5	1	....	1	....	....	2	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	24	7	6	2	2	....	17	4	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....
	F.	19	8	5	1	....	2	16	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	55	....	....	....	....	....	....	....	....	....	....	....	....	1	1	4	5	4	7	10	10	6	4	....	1	....	2
	F.	55	1	....	....	....	....	1	1	....	....	....	1	....	1	1	1	1	6	1	7	6	11	13	1	1	....	2
4. Paralysis	M.	59	....	....	1	2	....	3	....	1	....	....	1	....	3	4	3	3	4	5	4	11	8	6	3	....	....	....
	F.	56	....	....	....	....	....	....	....	1	....	....	....	....	....	....	3	3	2	4	8	8	8	13	5	1	....	....
5. Tetanus and trismus nascentium.	M.	9	3	....	....	....	....	3	....	4	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	5	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	6	....	....	1	....	....	1	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....	1	....	....	....
7. Convulsions	M.	69	46	5	5	5	....	61	5	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1
	F.	59	36	10	5	3	1	55	1	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	1
8. Mental diseases	M.	13	....	....	....	....	....	....	....	....	....	....	....	2	1	....	1	3	1	2	....	1	1	....	....	....	....	....	1
	F.	19	....	....	....	....	....	....	....	....	....	....	....	1	....	4	1	3	2	3	1	....	1	2	1	....	....	....	....
9. Diseases of the brain	M.	47	10	5	3	1	....	19	1	1	1	1	2	2	....	1	3	2	1	1	4	2	4	....	1	....	....	1
	F.	40	7	4	3	....	1	15	3	1	1	....	....	2	1	....	1	1	1	1	2	2	4	3	1	1	....	....
10. Diseases of the spinal cord	M.	7	....	....	....	....	....	....	....	....	2	1	1	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	1	....	1	2	....	....	1	....	....	....	....
11. Others of this group	M.	8	....	....	....	....	....	....	....	....	1	1	....	....	2	1	....	2	....	1	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	2	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		217	20	1	....	....	....	21	3	5	3	6	6	6	8	12	17	4	16	17	20	21	23	20	8	....	....	6
Males		106	7	....	....	....	....	7	2	2	1	4	5	3	5	7	8	1	10	9	9	12	10	6	....	....	....	5
Females		111	13	1	....	....	....	14	1	3	2	2	1	3	3	5	9	3	6	8	11	9	13	14	3	....	....	1
1. Angina pectoris	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	93	3	....	....	....	....	3	1	2	1	3	5	3	5	7	7	1	8	8	9	11	10	6	....	....	....	3
	F.	103	8	1	....	....	....	9	1	3	1	2	....	3	3	5	9	3	6	8	10	9	13	14	3	....	....	1
4. Others of this group	M.	7	4	....	....	....	....	4	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	7	5	....	....	....	....	5	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		470	124	48	20	14	16	222	16	6	5	18	7	9	15	8	16	10	19	22	25	24	22	14	5	2	....	5
Males		250	73	26	13	6	5	123	8	3	2	7	6	2	7	4	13	3	12	15	14	11	10	6	3	....	....	1
Females		220	51	22	7	8	11	99	8	3	3	11	1	7	8	4	3	7	7	7	11	13	12	8	2	2	....	4
1. Croup	M.	13	1	3	4	1	2	11	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	19	3	2	2	1	6	14	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	4	....	1	....	1	....	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	52	24	3	3	2	1	33	1	1	....	....	....	....	1	....	1	1	2	1	3	2	2	3	1	....	....	....
	F.	44	19	8	....	2	....	29	1	....	....	....	....	1	....	....	1	....	....	....	2	3	3	2	1	1	....	....
4. Pneumonia	M.	145	37	16	6	....	2	61	3	2	1	4	4	1	5	3	10	1	9	12	9	9	6	2	2	....	....	1
	F.	123	21	8	5	4	5	43	3	2	1	7	....	5	7	4	2	4	6	7	6	8	8	4	1	1	....	4
5. Pleurisy	M.	4	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
	F.	8	....	1	....	....	....	1	....	1	....	1	....	1	....	....	....	....	1	....	2	1	....	....	....	....	....	....
6. Asthma	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
7. Others of this group	M.	31	11	3	....	1	....	15	2	....	1	2	1	1	1	1	2	1	....	....	1	....	2	1	....	....	....	....
	F.	24	8	3	....	1	....	12	....	....	2	2	1	....	1	....	....	3	....	....	1	1	....	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		185	22	7	4	4	....	37	5	1	5	5	7	5	9	8	12	13	10	11	22	10	9	13	2	....	....	1
Males		90	9	3	2	2	....	16	3	....	2	3	4	3	5	3	6	8	6	7	9	5	5	5	....	....	....	....
Females		95	13	4	2	2	....	21	2	1	3	2	3	2	4	5	6	5	4	4	13	5	4	8	2	....	....	1
1. Dentition	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	7	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	1	....	....	....	....
	F.	13	....	....	....	1	....	1	....	1	....	....	....	1	1	....	1	....	....	....	1	1	2	3	1	....	....	....
4. Other diseases of the stomach	M.	14	....	1	1	....	....	2	1	....	....	....	....	....	....	1	2	1	2	....	2	1	1	1	....	....	....	....
	F.	8	....	....	....	1	....	1	....	....	....	....	....	....	....	1	1	....	1	1	2	1	....	....	....	....	....	....
5. Obstruction of the bowels	M.	7	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	1	1	....	....	....	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	2	....	....	....	....
6. Hernia	M.	7	....	....	....	....	....	....	....	....	....	....	....	1	3	....	1	....	....	....	1	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	....	1	....	....	....	....	....	....
7. Other diseases of the bowels	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	1	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	1	....	....	....
9. Inflammation and abscess of the liver	M.	8	....	....	1	....	....	1	1	....	1	....	1	....	....	....	....	....	1	....	....	1	1	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	9	2	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	2	4	....	....	....	....	....	....	....
	F.	14	1	1	....	....	....	2	....	....	....	1	....	....	....	....	3	2	....	2	3	1	....	....	....	....	....	....
11. Peritonitis	M.	13	....	....	....	1	....	1	1	....	....	3	1	1	....	....	2	2	1	1	....	....	....	....	....	....	....	....
	F.	20	2	1	....	....	....	3	1	....	2	1	3	....	2	1	....	....	....	1	2	....	1	2	....	....	....	1
12. Ascites	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	3	1	....	....	....	....	....	....
13. Others of this group	M.	12	3	....	....	....	....	3	....	....	1	....	1	....	....	1	....	2	1	1	....	1	....	1	....	....	....	....
	F.	13	7	....	1	....	....	8	1	....	....	....	....	....	....	....	1	....	....	....	1	....	1	1	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		87	....	1	....	2	....	3	3	....	2	4	1	1	4	2	3	6	4	12	11	13	7	9	1	1	....	....
Males		52	....	1	....	1	....	2	....	....	1	2	1	....	1	1	1	2	2	7	6	11	5	8	1	1	....	....
Females		35	....	....	....	1	....	1	3	....	1	2	....	1	3	1	2	4	2	5	5	2	2	1	....	....	....	....
1. Bright's disease	M.	22	....	....	....	1	....	1	....	....	1	2	....	....	1	....	....	2	1	5	3	5	1	....	....	....	....	....
	F.	16	....	....	....	1	....	1	2	....	....	1	....	1	2	1	1	1	2	1	2	....	....	1	....	....	....	....
2. Calculus, urinary	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	....	1	1	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	....	3	1	4	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	1	1	....	....	....	....	....	....
5. Others of this group	M.	14	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	3	2	3	2	1	1	....	....
	F.	9	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	3	1	....	2	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		13	....	....	....	....	....	....	....	....	1	2	1	2	1	....	....	1	1	1	2	....	....	....	....	....	....	1
1. Ovarian tumors	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
2. Ovarian diseases	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Uterine diseases	F.	5	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
5. Others of this group	F.	3	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		20	....	....	....	....	....	....	....	....	2	4	1	3	4	6	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	3	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	10	....	....	....	....	....	....	....	....	....	2	1	2	2	3	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	7	....	....	....	....	....	....	....	....	1	2	....	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		7	....	....	1	....	....	1	....	2	....	1	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....
Males		4	....	....	1	....	....	1	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....
1. Diseases of the spine	M.	2	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	2	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW JERSEY—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		9	1					4		1					1			1	2								
Males		7	3					3		1					1				2								
Females		2	1					1										1									
1. Abscess	M.	3								1					1				1								
	F.	1																1									
2. Carbuncle	M.	1																	1								
	F.																										
3. Others of this group	M.	3	3					3																			
	F.	1	1					1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3										1							1					1			
Males		2										1												1			
Females		1																	1								
1. Addison's disease	M.	1										1															
	F.	1																	1								
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.	1																						1			
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		176	13	1	4	6	1	25	11	10	15	13	6	16	6	7	12	5	4	11	6	5	6	5	2	1	10
Males		132	8		4	3	1	16	7	8	14	11	6	13	4	6	8	5	3	9	6	2	3	3		1	7
Females		44	5	1		3		9	4	2	1	2		3	2	1	4		1	2		3	3	2	2		3
1. Burns and scalds	M.	8			3		1	4	1	1		2															
	F.	13				2		2	3	2	1	1		1			1					1	1				
2. Drowned	M.	19				2		2	3	2	2	3		1			2	1		1						1	1
	F.	5		1				1						1					1	1							1
3. Exposure and neglect	M.	1																									1
	F.																										
4. Gunshot wounds	M.	3							1		2																
	F.	2							1			1															
5. Homicide	M.																										
	F.																										
6. Infanticide	M.																										
	F.	1	1					1																			
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	24								2	5	2	2	4	3				4								2
	F.	3													1				1				1				
9. Suffocation	M.	9	6					6													1						2
	F.	7	4			1		5									1										1
10. Suicide by shooting	M.	1											1														
	F.																										
11. Suicide by drowning	M.	2															1	1									
	F.																										
12. Suicide by poison	M	3												1		1	1										
	F.	1													1												
13. Other suicides	M.	2										1					1										
	F.	1															1										
14. Sunstroke	M.	2														1		1									
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	9											1	2	1	1	1			1	1		1				
	F.	2												1								1					
17. Other accidents and injuries	M.	49	2		1	1		4	2	3	5	3	2	5		3	2	2	3	3	4	2	2	3			1
	F.	9														1	1					1	1	2	2		1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW MEXICO—GROUP 1.

Cause of death.		Total	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		736	191	74	53	36	20	374	44	20	32	43	42	30	39	26	24	8	10	20	4	6	3	3	2	3	3
Total: Males		427	101	41	30	21	13	206	29	10	12	30	27	18	23	14	18	4	9	10	2	5	3	3	....	1	3
Females		309	90	33	23	15	7	168	15	10	20	13	15	12	16	12	6	4	1	10	2	1	....	....	2	2	....
Unknown causes.																											
Total		90	46	5	5	2	3	61	2	....	3	2	3	2	3	3	1	4	1	3	....	1	....	....	1	....	....
Males		47	24	3	2	....	3	32	2	..	2	2	1	2	1	1	....	1	....	2	....	1	....	....	....	....	....
Females		43	22	2	3	2	....	29	....	....	1	....	2	....	2	2	1	3	1	1	....	....	....	....	1	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total		324	103	49	35	27	10	224	24	10	10	12	4	5	7	5	7	....	3	6	1	2	2	1	1	....	....
Males		182	59	28	19	18	6	130	16	6	1	5	2	2	5	3	2	....	3	1	1	2	2	1	....	....	....
Females		142	44	21	16	9	4	94	8	4	9	7	2	3	2	2	5	....	....	5	....	....	....	....	1	....	....
1. Small-pox	M.	3	..	....	....	2	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	27	8	3	6	6	1	24	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	8	3	3	....	1	15	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	14	3	....	1	4	1	9	3	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	5	3	1	....	....	9	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	27	13	6	2	2	2	25	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	27	16	6	4	....	....	26	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	87	30	14	8	4	1	57	7	4	....	2	2	1	5	1	2	....	1	....	1	1	2	1	....	..	....
	F.	66	13	6	6	6	3	34	5	1	6	4	1	2	1	1	5	....	....	5	....	....	....	....	1	....	....
7. Cerebro-spinal fever	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	4	....	2	....	....	....	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	1	....	1	1	....	3	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	3	....	1	....	....	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	2	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	2	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	5	....	....	....	....	....	....	....	....	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	4	1	1	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	4	1	1	....	2	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total		7	1	....	....	1	....	2	1	1	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....
Males		7	1	....	....	1	....	2	1	1	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	4	....	....	....	....	....	....	1	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total		10	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
Males		4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
1. Premature birth	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW MEXICO—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		26	1					1		1	4		4	3	1	1	2		2	2	1	1					
Males		16								1	2		4	2	2		2		2			1					
Females		10	1					1			2			1	2	1				2	1						
1. Rheumatism	M.	5									1		3	1													
	F.	2									1					1											
2. Scrofula and tabes	M.																										
	F.	1	1					1																			
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	5									1		1	1	1		1										
	F.	1									1																
5. Hydrocephalus	M.																										
	F.																										
6. Cancer	M.																										
	F.	1												1													
7. Tumor	M.	1								1																	
	F.	1													1												
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.	5													1		1		2			1					
	F.	4													1					2	1						
10. Glycosuria	M.																										
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		15		1	1	1	1	4	1	1				2	1	3	1	1								1	
Males		6					1	1	1	1						1	1	1									
Females		9		1	1	1		3						2	1	2										1	
1. Inflammation of the brain	M.	1														1											
	F.	1												1													
2. Meningitis	M.																										
	F.																										
3. Apoplexy	M.																										
	F.																										
4. Paralysis	M.	3								1							1	1									
	F.	4		1				1						1	1											1	
5. Tetanus and trismus nascentium.	M.																										
	F.																										
6. Epilepsy	M.																										
	F.																										
7. Convulsions	M.																										
	F.	1			1			1																			
8. Mental diseases	M.																										
	F.	2														2											
9. Diseases of the brain	M.																										
	F.	1				1		1																			
10. Diseases of the spinal cord	M.	2					1	1	1																		
	F.																										
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		8	1					1		1	1			1	2	1			1								
Males		3												1		1			1								
Females		5	1					1		1	1				2												
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.	1														1											
	F.																										
3. Diseases of the heart	M.	2												1					1								
	F.	4								1	1				2												
4. Others of this group	M.																										
	F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		81	21	12	7	1	1	42			2	3	5	3	7	6	2	1	1	3	1	1				2	2
Males		44	9	5	5			19				2	2	2	6	4	2		1	2		1				1	2
Females		37	12	7	2	1	1	23			2	1	3	1	1	2		1		1	1					1	
1. Croup	M.	2	1		1			2																			
	F.	1			1			1																			
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.																										
	F.																										
4. Pneumonia	M.	29	4	5	2			11				2	2	2	6	1	1			1						1	2
	F.	20	5	4		1	1	11			2	1	2		1	1		1								1	
5. Pleurisy	M.	4	1					1								1			1	1							
	F.	6	1	1				2					1	1		1				1							
6. Asthma	M.																										
	F.	1																			1						
7. Others of this group	M.	9	3		2			5								2	1					1					
	F.	9	6	2	1			9																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW MEXICO—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	59	7	5	5	3	3	23	15	4	1	1	...	3	1	3	5	....	1	1	....	....	1	....	....	....	....	....
Males	38	3	4	4	1	2	14	8	1	1	1	....	2	1	2	5	....	1	1	....	....	1	....	....	....	....	....
Females	21	4	1	1	2	1	9	7	3	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina M.	21	1	3	4	1	2	11	7	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Angina F.	15	2	1	....	2	1	6	6	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach. M.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	1	2	....	....	1	....	....	....	....	....	....	....	....
4. Other diseases of the stomach. F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels.... M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels.... F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
6. Hernia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels . M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels . F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group M.	4	2	....	....	....	....	2	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group F.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	6	1	....	....	....	....	1	....	1	1	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....
Males	4	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
Females	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney F.	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
5. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	4	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	4	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	22	....	....	....	....	....	....	....	....	4	5	6	2	4	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion F.	8	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth F.	18	....	....	....	....	....	....	....	....	3	4	4	2	4	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW MEXICO—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total	3									1				1					1							
Males	1													1												
Females	2									1									1							
1. Abscess M.																										
1. Abscess F.																										
2. Carbuncle M.																										
2. Carbuncle F.																										
3. Others of this group M.	1													1												
3. Others of this group F.	2									1									1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total																										
Males																										
Females																										
1. Addison's disease M.																										
1. Addison's disease F.																										
2. Diseases of the spleen M.																										
2. Diseases of the spleen F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XII.—ACCIDENTS AND INJURIES.																										
Total	81	1	2		1	2	6	1	1	5	20	19	8	6	2	4	2		3	1	1		1			1	
Males	75	1	1		1	1	4	1		5	20	18	7	6	2	4	2		3	1			1			1	
Females	6		1			1	2		1			1	1								1						
1. Burns and scalds M.	1					1	1																			
1. Burns and scalds F.	1								1																	
2. Drowned M.	3				1		1						1												1	
2. Drowned F.	1					1	1																			
3. Exposure and neglect M.	1		1				1																			
3. Exposure and neglect F.																										
4. Gunshot wounds M.	29									1	11	11	1	4					1							
4. Gunshot wounds F.	1											1														
5. Homicide M.	24										6	6	4	2	1	2	2		1							
5. Homicide F.																										
6. Infanticide M.																										
6. Infanticide F.																										
7. Injuries by machinery M.																										
7. Injuries by machinery F.																										
8. Railroad accidents M.	1										1															
8. Railroad accidents F.																										
9. Suffocation M.	1	1					1																			
9. Suffocation F.	1												1													
10. Suicide by shooting M.	1											1														
10. Suicide by shooting F.																										
11. Suicide by drowning M.																										
11. Suicide by drowning F.																										
12. Suicide by poison M.																										
12. Suicide by poison F.																										
13. Other suicides M.																										
13. Other suicides F.																										
14. Sunstroke M.	1									1																
14. Sunstroke F.																										
15. Surgical operations M.																										
15. Surgical operations F.																										
16. Wounds M.	1									1																
16. Wounds F.	1		1				1																			
17. Other accidents and injuries M.	12							1		2	2		1		1	2			1	1			1			
17. Other accidents and injuries F.	1																				1					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW MEXICO—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1700	373	153	123	76	46	771	122	48	74	81	101	82	58	58	61	44	33	55	29	29	11	13	7	2	5	16
Total: Males		920	203	69	69	36	23	400	51	27	28	49	61	52	36	34	44	28	17	30	18	11	8	8	5	1	2	10
Females		780	170	84	54	40	23	371	71	21	46	32	40	30	22	24	17	16	16	25	11	18	3	5	2	1	3	6
Unknown causes.																												
Total		181	89	21	10	6	7	133	4	4	5	3	5	3	4	3	3	1	2	2	1	1	1	3	2	....	....	1
Males		91	50	6	5	2	5	68	1	3	1	1	2	2	1	2	1	1	....	1	1	1	1	2	1	....	....	1
Females		90	39	15	5	4	2	65	3	1	4	2	3	1	3	1	2	....	2	1	....	....	....	1	1	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		747	208	95	86	52	28	469	72	21	20	26	24	19	12	13	12	16	8	19	6	4	2	2	....	....	....	2
Males		391	115	52	45	29	15	254	35	10	4	16	13	8	5	4	8	11	4	9	4	1	2	2	....	....	....	1
Females		356	93	43	41	23	15	215	37	11	16	10	11	11	7	9	4	5	4	10	2	3	....	....	....	....	....	1
1. Small-pox	M.	18	3	2	4	4	2	15	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	2	1	8	2	1	14	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	45	14	6	6	7	2	35	6	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	53	19	7	3	9	6	44	8	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	50	20	6	9	2	....	37	4	3	1	1	1	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....
	F.	43	4	5	8	3	1	21	3	7	3	1	2	3	1	1	1	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	62	25	16	8	3	2	56	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	55	19	13	7	3	3	45	9	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	79	30	10	5	6	2	53	6	3	1	2	2	1	1	....	2	1	2	1	2	....	1	....	....	....	....	1
	F.	82	27	9	8	3	1	48	5	....	4	5	4	2	2	2	1	2	1	3	1	1	....	....	....	....	....	1
7. Cerebro-spinal fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	19	....	....	3	2	....	5	1	....	....	3	3	....	....	1	....	1	....	2	1	1	....	1	....	....	....	....
	F.	18	2	....	3	....	....	5	....	....	2	....	1	3	....	2	1	....	1	3	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	3	....	....	1	....	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	6	....	1	....	....	....	1	....	....	....	....	....	1	2	....	....	2	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	9	3	3	2	....	1	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	5	1	1	....	1	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	87	18	8	6	2	3	37	0	1	2	7	0	4	....	2	6	5	2	4	1	....	....	1	....	....	....	....
	F.	55	8	6	2	3	2	21	4	1	5	2	1	2	3	4	1	3	1	4	1	2	....	....	....	....	....	....
15. Erysipelas	M.	5	2	....	....	....	....	2	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	5	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	5	....	....	....	....	....	....	....	....	1	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	3	....	....	....	1	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		5	....	....	1	....	....	1	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Males		5	....	....	1	....	....	1	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	4	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		42	18	....	....	....	....	18	....	....	....	....	....	....	....	....	1	....	....	2	5	3	2	3	2	1	5	....
Males		21	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	1	3	1	1	2	2	....	2	....
Females		21	9	....	....	....	....	9	....	....	....	....	....	....	....	....	1	....	....	1	2	2	1	1	....	1	3	....
1. Premature birth	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	5	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....
	F.	6	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	1	....
5. Old age	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	1	1	....	2	....	2	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	1	....	1	2	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW MEXICO—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		113	5	2	2	4	1	14	7	1	4	5	4	8	9	7	6	8	10	11	6	9	2	1	...	1	...	...
Males		55	4	1	2	1	1	9	2	...	1	...	2	6	6	3	4	2	5	6	3	4	1	...	...	1	...	...
Females		58	1	1	...	3	...	5	5	1	3	5	2	2	3	4	2	6	5	5	3	5	1	1	...	...	...	...
1. Rheumatism	M.	5	...	...	...	...	—	...	...	...	...	...	...	...	...	2	...	...	1	2	...	...	...	...	...	...	...	...
	F.	6	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	2	...	...	1	...	...	...	...	...	...
2. Scrofula and tabes	M.	2	...	1	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Leprosy	M.	2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption	M.	22	...	...	1	...	...	1	1	...	1	...	1	5	4	1	3	...	...	1	2	2	...	...	...	...	...	...
	F.	21	...	...	...	...	...	...	2	1	1	3	1	1	1	4	1	3	1	1	1	...	...	...	...	...	...	...
5. Hydrocephalus	M.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	—	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Cancer	M.	6	...	...	1	...	...	1	1	...	...	...	...	...	1	1	...	...	...	...	1	1	...	...	...	...	...	...
	F.	6	...	...	...	1	...	1	1	...	...	...	...	...	1	...	...	...	1	1	1	...	...	...	...	...	...	...
7. Tumor	M.	3	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Anæmia	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Dropsy	M.	14	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	2	4	3	1	...	...	...	1	...	...	...
	F.	20	1	...	...	1	...	2	1	...	1	1	1	...	1	...	...	2	1	3	2	3	1	1	...	...	...	...
10. Glycosuria	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Others of this class	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		50	6	3	4	...	...	13	5	4	2	4	2	2	2	2	2	2	2	1	1	2	2	..	2	...	...	...
Males		22	3	1	2	...	...	6	1	2	...	1	...	1	...	2	2	2	1	...	1	...	1	...	2	...	...	...
Females		28	3	2	2	...	...	7	4	2	2	3	2	1	2	...	...	...	1	1	...	2	1	...	...	...	...	...
1. Inflammation of the brain	M.	5	1	1	...	...	...	2	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...
	F.	3	...	...	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Meningitis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Apoplexy	M.	4	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...	...	...
	F.	3	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
4. Paralysis	M.	5	1	...	1	...	...	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...
	F.	8	..	1	...	...	...	1	1	...	...	1	1	1	1	...	...	...	...	...	...	1	1	...	...	...	...	...
5. Tetanus and trismus nascentium.	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	3	...	...	1	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Epilepsy	M.	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Convulsions	M.	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Mental diseases	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
9. Diseases of the brain	M.	4	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...
	F.	7	1	1	...	...	...	2	1	1	...	1	...	..	1	...	...	...	1	...	...	...	...	...	...	...	...	...
10. Diseases of the spinal cord	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group	M.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		17	...	...	...	...	...	...	...	1	1	...	1	1	3	1	2	...	1	2	...	3	1	...	...	...	...	...
Males		9	...	...	...	...	...	...	...	1	1	...	1	...	1	...	1	...	...	2	...	1	1	...	...	...	...	...
Females		8	...	...	...	...	...	...	...	...	...	...	...	1	2	1	1	...	1	...	...	2	...	...	...	...	...	...
1. Angina pectoris	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Aneurism	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the heart	M.	9	...	...	...	...	...	...	...	1	1	...	1	...	1	...	1	...	...	2	...	1	1	...	...	...	...	...
	F.	8	...	...	...	...	...	...	...	...	...	...	...	1	2	1	1	...	1	...	...	2	...	...	...	...	...	...
4. Others of this group	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		187	36	23	16	10	1	86	16	1	8	10	13	9	5	9	7	1	2	11	6	1	....	1	1	....	....	....
Males		93	17	7	12	3	...	39	3	...	2	8	9	5	2	8	3	...	2	8	4	...	...	...	...	...	...	...
Females		94	19	16	4	7	1	47	13	1	6	2	4	4	3	1	4	1	...	3	2	1	...	1	1	...	...	...
1. Croup	M.	5	3	1	1	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	5	2	1	1	...	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Laryngitis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Bronchitis	M.	3	1	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Pneumonia	M.	61	8	3	3	2	...	16	2	...	1	7	8	5	2	8	3	...	...	6	3	...	...	...	...	...	...	...
	F.	50	9	7	...	3	...	19	2	...	6	1	4	3	3	1	3	1	...	3	2	1	...	1	...	...	...	...
5. Pleurisy	M.	4	...	...	1	1	...	2	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	6	2	...	2	...	...	4	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Asthma	M.	4	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
7. Others of this group	M.	16	5	2	6	...	...	13	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	27	5	8	1	4	...	18	7	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX; AND SPECIFIED DISEASE.

NEW MEXICO.—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	70	6	5	1	1	1	14	5	5	7	1	4	4	1	5	4	3	1	3	2	5	1	1	....	....	....	4
Males	30	4	1	1	1	....	7	3	2	2	....	2	1	1	1	2	2	....	1	1	2	1	....	....	....	....	2
Females	40	2	4	....	....	1	7	2	3	5	1	2	3	....	4	2	1	1	2	1	3	....	1	....	....	....	2
1. Dentition M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina M.	5	1	....	....	1	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Angina F.	6	1	....	....	....	....	1	2	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Other diseases of the stomach M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach F.	3	1	....	....	....	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
6. Hernia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels M.	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels F.	9	....	1	....	....	....	1	....	....	1	....	....	1	....	2	....	....	....	1	1	2	....	....	....	....	....	....
8. Jaundice M.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice F.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. F.	2	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver M.	4	1	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
10. Other diseases of the liver F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
11. Peritonitis M.	2	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis F.	2	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites M.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
12. Ascites F.	6	....	....	....	....	....	....	....	....	2	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....
13. Others of this group M.	7	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	....	....	....	....	2
13. Others of this group F.	8	....	1	....	....	....	1	....	1	....	1	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	2
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	8	....	....	....	....	....	....	....	1	....	....	1	....	....	....	2	1	1	....	1	....	....	1	....	....	....	....
Males	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	1	....	....	....	....
Females	4	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
1. Bright's disease M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....
2. Calculus, urinary F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney F.	4	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	4	....	....	....	....	....	....	....	....	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	3	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	30	....	....	....	....	....	....	....	....	8	6	9	4	1	2	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion F.	2	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth F.	28	....	....	....	....	....	....	....	....	7	6	9	4	....	2	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW MEXICO—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total	4					1	1				1	2														
Males	1					1	1																			
Females	3										1	2														
1. Abscess M.																										
1. Abscess F.																										
2. Carbuncle M.																										
2. Carbuncle F.																										
3. Others of this group M.	1					1	1																			
3. Others of this group F.	3										1	2														
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total	1	1					1																			
Males																										
Females	1	1					1																			
1. Addison's disease M.																										
1. Addison's disease F.																										
2. Diseases of the spleen M.																										
2. Diseases of the spleen F.																										
3. Others of this group M.																										
3. Others of this group F.	1	1					1																			
XII.—ACCIDENTS AND INJURIES.																										
Total	240	4	4	3	3	7	21	13	10	18	25	35	30	19	13	22	12	6	4	1	1		1			9
Males	197	1	1	1		3	6	6	9	17	23	31	28	18	13	22	9	4	2	1	1		1			6
Females	43	3	3	2	3	4	15	7	1	1	2	4	2	1			3	2	2							3
1. Burns and scalds M.	1					1	1																			
1. Burns and scalds F.	4		1	1			2	1									1									
2. Drowned M.	4			1		1	2		1		1															
2. Drowned F.	3	1		1		1	3																			
3. Exposure and neglect M.	2	1					1					1														
3. Exposure and neglect F.																										
4. Gunshot wounds M.	33							3			8	5	4	5	4	2										2
4. Gunshot wounds F.	3											1						2								
5. Homicide M.	130		1				1	2	5	14	12	22	22	11	8	15	6	3	2		1		1			4
5. Homicide F.	27	2	2		2	2	8	6	1	1	2	2	2	1			2									2
6. Infanticide M.																										
6. Infanticide F.																										
7. Injuries by machinery M.																										
7. Injuries by machinery F.																										
8. Railroad accidents M.	1										1															
8. Railroad accidents F.																										
9. Suffocation M.																										
9. Suffocation F.	1																	1								
10. Suicide by shooting M.	2										1			1												
10. Suicide by shooting F.																										
11. Suicide by drowning M.																										
11. Suicide by drowning F.																										
12. Suicide by poison M.																										
12. Suicide by poison F.																										
13. Other suicides M.																										
13. Other suicides F.																										
14. Sunstroke M.	1																1									
14. Sunstroke F.																										
15. Surgical operations M.																										
15. Surgical operations F.																										
16. Wounds M.	1								1																	
16. Wounds F.	1					1	1																			
17. Other accidents and injuries M.	22					1	1	1	2	3		3	2	1	1	4	2	1		1						
17. Other accidents and injuries F.	4				1		1					1							1							1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 1.

[Exclusive of BROOKLYN and NEW YORK.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		4881	995	192	188	119	73	1567	223	104	157	176	182	163	199	191	187	220	202	258	261	246	201	172	99	38	14	21
Total: Males		2622	563	90	102	69	39	863	119	57	73	97	94	73	109	87	99	123	119	144	156	130	111	87	54	11	3	13
Females		2259	432	102	86	50	34	704	104	47	84	79	88	90	90	104	88	97	83	114	105	116	90	85	45	27	11	8
Unknown causes.																												
Total		118	54	4	....	1	1	60	4	....	....	3	....	3	3	1	7	5	3	6	5	8	5	2	1	..	....	2
Males		64	30	3	....	1	1	35	2	....	....	1	....	1	2	....	3	2	3	4	3	3	1	1	1	....	....	2
Females		54	24	1	....	....	....	25	2	....	....	2	....	2	1	1	4	3	....	2	2	5	4	1	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1027	328	76	97	49	33	583	123	34	33	29	29	13	11	20	7	13	18	20	23	24	11	18	5	2	1	6
Males		535	174	34	50	32	16	306	65	19	15	16	16	3	6	10	4	6	12	13	11	9	8	8	3	1	1	3
Females		492	154	42	47	17	17	277	58	15	23	13	13	10	5	10	3	6	6	7	12	15	3	10	2	1	....	3
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	13	2	3	4	1	....	10	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	4	1	....	1	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	69	2	2	15	14	4	37	23	5	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1
	F.	57	7	3	11	2	5	28	18	6	1	1	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
4. Diphtheria	M.	86	15	4	15	8	6	48	33	3	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	78	10	8	12	9	7	46	22	4	3	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	30	22	2	2	1	....	27	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	32	18	7	6	....	....	31	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	5	2	....	....	....	....	2	1	....	1	....	2	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....
	F.	9	....	....	....	1	1	2	2	....	....	2	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....
8. Enteric fever	M.	29	....	....	....	1	....	1	1	2	2	7	6	1	1	....	1	....	....	3	2	1	....	1	....	....	....	....
	F.	23	1	....	....	....	....	1	2	2	7	1	1	3	2	....	....	1	....	2	1	1	....	....	....	....	....	....
9. Diarrhœa	M.	20	11	2	....	....	....	13	....	....	....	1	1	....	....	1	....	....	1	....	....	1	....	....	1	1	....	....
	F.	21	9	....	3	1	....	13	....	....	....	....	....	....	....	1	....	....	....	1	1	3	....	2	....	....	....	....
10. Dysentery	M.	59	28	1	7	2	1	39	2	4	1	1	1	....	1	2	....	....	4	....	2	....	1	....	....	....	....	1
	F.	49	19	3	8	1	....	31	3	....	1	2	....	....	1	1	....	1	....	2	2	....	....	3	1	1	....	....
11. Enteritis	M.	24	3	....	1	2	....	6	1	4	1	....	....	....	....	2	....	1	1	....	1	1	2	4	....	....	....	....
	F.	23	4	3	....	....	....	7	....	....	2	1	1	1	1	2	3	....	....	....	2	2	1	....	....	....	....	....
12. Cholera morbus	M.	6	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	1	1	1	....	....	....	1	....	....	....
	F.	8	2	....	....	....	....	2	1	....	....	....	....	....	....	1	....	....	1	....	....	1	....	3	....	....	....	....
13. Cholera infantum	M.	102	78	20	2	1	1	102	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	85	67	12	3	1	2	85	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	68	9	....	4	2	4	19	2	....	8	3	4	1	3	2	2	3	3	5	4	3	4	1	1	....	....	....
	F.	56	8	....	3	2	1	14	8	3	3	1	3	1	1	2	....	2	3	2	2	6	1	2	1	....	....	1
15. Erysipelas	M.	5	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....
	F.	11	6	1	....	....	....	7	1	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....
16. Septicæmia	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1
17. Puerperal septicæmia	F.	19	....	....	....	....	....	....	....	....	4	4	3	5	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1
18. Venereal diseases	M.	5	1	....	....	....	....	1	....	....	....	1	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	1	1	1	2	1	....	....	....	....
General diseases—B.																												
Total		33	11	3	....	....	1	15	1	....	1	....	2	....	1	1	1	2	1	1	4	2	....	1	....	....	....	....
Males		21	9	1	....	....	....	10	....	....	1	....	2	....	1	1	....	2	....	....	3	1	....	....	....	....	....	....
Females		12	2	2	....	....	1	5	1	....	....	....	....	....	....	....	1	....	1	1	1	1	....	1	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	6	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	1	....	....	1	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	4	....	1	....	....	....	1	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Inanition	M.	11	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
	F.	6	2	2	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
General diseases—C.																												
Total		339	148	9	3	1	....	155	....	2	....	1	....	1	3	3	2	2	5	4	8	13	33	45	31	20	11	....
Males		191	98	1	2	....	....	101	....	1	....	1	....	....	2	1	1	2	4	3	4	4	21	25	13	7	1	....
Females		148	50	2	1	1	....	54	....	1	....	....	....	1	1	2	1	....	1	1	4	9	12	20	18	13	10	....
1. Premature birth	M.	19	19	....	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	48	48	....	....	....	....	48	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	17	....	....	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	6	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	72	26	....	2	....	....	28	....	1	....	1	....	....	2	1	1	2	4	3	4	3	7	6	5	3	1	....
	F.	61	25	2	1	1	....	29	....	1	....	....	....	1	1	2	1	....	....	1	1	5	4	7	2	6	....	....
5. Old age	M.	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	14	19	8	4	....	....
	F.	62	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	3	4	8	13	16	7	10	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1097	66	10	10	12	5	103	3	19	67	84	86	81	78	79	74	67	65	79	74	63	34	18	10	5	3
Males		541	41	5	7	5	2	60	5	11	30	42	41	36	37	31	31	26	38	39	46	35	15	9	6	1	2
Females		556	25	5	3	7	3	43	3	8	37	42	45	45	41	48	43	41	27	40	28	28	19	9	4	4	1
1. Rheumatism	M.	8											1	1			1			1	1	2		1			
	F.	5																2		1	1			1			
2. Scrofula and tabes	M.																										
	F.																										
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	397	21	2	6	4	1	34	2	8	29	37	38	31	34	28	24	20	23	26	29	22	8	5	2		
	F.	387	16	4	3	3	2	28	2	6	35	40	41	42	34	36	28	20	15	17	11	12	11	3	2	3	1
5. Hydrocephalus	M.	21	12	2	1		1	16	2	2																	1
	F.	10	7	1		1		9		1																	
6. Cancer	M.	53	1			1		2			1	2		2	2	1	3	3	10	8	9	5	4	1			
	F.	87	1			1		2	1		1	1	2	2	5	6	10	11	5	14	9	10	3	4		1	
7. Tumor	M.	5										1							1	1	1	1					
	F.	15	1			1		2						1	1	2	2		2	2	2		1				
8. Anæmia	M.	4	2					2											1			1					
	F.	2									1							1									
9. Dropsy	M.	43	5	1				6	1	1		2	1	2	1	1	2	1	3	6	3	4	2	1	4	1	1
	F.	48				1	1	2		1		1	2			3	3	7	5	6	5	6	4	1	2		
10. Glycosuria	M.	9											1				1	2			3		1	1			
	F.	2													1	1											
11. Others of this group	M.	1														1											
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		709	158	47	28	19	12	264	21	15	6	12	14	21	27	17	24	35	28	39	34	41	40	40	15	6	2	2
Males		393	82	26	16	12	7	143	15	6	6	7	7	8	16	7	15	26	18	24	17	19	25	25	7	1	1	
Females		316	76	21	12	7	5	121	6	9		5	7	13	11	10	9	9	10	15	17	22	15	21	8	5	1	2
1. Inflammation of the brain	M.	33	8	2		1		11	4	3		1	3				1	2	1	1		2	1	3				
	F.	19	5	1		2	2	10	1							1		2			2		1			1	1
2. Meningitis	M.	44	11	1	3	0	3	24	4	1	2	1		3	1	1	2	3		1	1							
	F.	20	9	2	2	1		14		3			1				1		1								
3. Apoplexy	M.	55	1			1	1	3			1	1	1		3	1	1	5	6	7	6	6	6	8			
	F.	42	2					2						3	2	3	3	2	4	4	4	5	4	6			
4. Paralysis	M.	91	3		2			5	1		1		2	3	6	2	6	6	3	8	7	9	12	13	6	1	
	F.	83	4					4		2			2	2	2	4	1	1	3	9	9	12	8	13	7	4	
5. Tetanus and trismus nascentium.	M.	16	6				1	7	1		1	1			1	1	1		3								
	F.	6	3					3					1	1													1
6. Epilepsy	M.																										
	F.																										
7. Convulsions	M.	86	39	22	7	8	1	72	3	1	1	1			1			1	1	2			1	1			1
	F.	78	37	15	7	1		60	3	2		2	2	4	2		1	1							1		
8. Mental diseases	M.	2															1			1							
	F.	12										2	1		2	2	1	3	1								
9. Diseases of the brain	M.	66	14	1	4	1	1	21	2	1		2	1	2	4	2	3	9	4	4	3	2	5		1		
	F.	56	16	3	3	3	3	28	2	2		1		3	3		2		1	2	2	5	2	2		1	
10. Diseases of the spinal cord	M.																										
	F.																										
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		259	16	1	2	2		21	6	9	6	5	8	6	11	13	16	16	25	27	28	28	16	8	9	1	
Males		135	10	1	2	2		15	1	2	1	3	6	5	5	6	7	12	10	12	13	20	5	4	8		
Females		124	6					6	5	7	5	2	2	1	6	7	9	4	15	15	15	8	11	4	1	1	
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.	2																				2					
	F.																										
3. Diseases of the heart	M.	127	8	1	2	2		13	1	2	1	3	5	5	5	6	7	12	9	11	13	17	5	4	8		
	F.	120	6					6	5	7	5	2	1	1	6	6	9	4	14	14	15	8	11	4	1	1	
4. Others of this group	M.	6	2					2					1						1	1		1					
	F.	4											1			1			1	1							
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		670	149	30	39	29	15	271	38	11	15	10	15	9	14	27	22	35	20	30	46	35	31	21	15	4		1
Males		358	84	18	22	15	9	148	19	6	7	5	8	3	8	14	14	19	12	17	28	17	16	6	9	1		1
Females		312	65	21	17	14	6	123	19	5	8	5	7	6	6	13	8	16	8	13	18	18	15	15	6	3		
1. Croup	M.	43	14	1	9	5	4	33	9	1																		
	F.	41	6	3	10	9	4	32	9																			
2. Laryngitis	M.	4	1					1		1						1					1							
	F.																											
3. Bronchitis	M.	43	13	6	1			20	1				1			1			1	1	3	6	4	2	4			
	F.	41	9	5	2			16	2					1	1		1	2	1	1	5	3	2	3	2	1		
4. Pneumonia	M.	210	39	10	11	10	3	73	5	3	6	4	6	1	6	11	10	16	8	13	19	9	11	3	3	1		1
	F.	187	40	10	4	5	2	61	3	3	7	5	7	3	4	10	7	12	4	11	7	15	10	11	4	2		
5. Pleurisy	M.	4										1		1	1							1						
	F.	1																			1							
6. Asthma	M.	13			1			1	1								2	1			1	3	1	1		2		
	F.	9	2					2								1					1	4		1				
7. Others of this group	M.	41	17	1			2	20	3	1	1		1	1		2	2	2	3	2	2			2	1			
	F.	33	8	3	1			12	5	2	1			1	1	2		2	3		1		2	1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		214	54	0	6	1	2	69	5	4	5	9	3	3	12	7	8	15	9	17	17	12	11	5	2	....	1
Males		112	28	1	2	1	1	33	3	3	3	5	1	2	6	5	4	8	3	7	12	6	7	3	2	....	....
Females		102	26	5	4	....	1	36	2	1	2	4	2	1	6	2	4	7	6	10	5	6	4	3	....	....	1
1. Dentition	M.	8	7	....	1	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	19	13	3	3	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....
3. Gastritis	M.	12	2	....	....	1	....	3	....	1	....	....	....	....	....	1	....	2	....	1	1	....	2	....	1	....	....
	F.	15	4	1	....	....	1	6	1	....	....	1	....	1	1	....	....	....	1	1	1	1	....	1	....	....	....
4. Other diseases of the stomach	M.	4	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
5. Obstruction of the bowels	M.	5	1	....	....	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	14	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	2	....	....	6	1	1	1	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	15	8	1	....	....	....	9	....	....	1	1	....	....	....	1	....	1	1	....	....	1	....	....	....	....	....
	F.	7	3	....	....	....	....	3	....	....	1	....	....	....	....	....	....	1	....	1	....	....	—	1	....	....	....
8. Jaundice	M.	4	2	....	....	....	1	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	5	2	1	....	....	....	3	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	30	3	....	1	....	....	4	....	....	....	....	1	1	2	2	2	3	....	5	4	3	2	....	1	....	....
	F.	21	....	....	1	....	....	1	....	....	....	1	....	....	1	....	1	3	....	6	3	2	2	1	....	....	....
11. Peritonitis	M.	12	2	....	....	....	....	2	1	1	2	1	....	....	1	1	1	....	....	....	....	1	1	....	....	....	....
	F.	17	....	....	....	....	....	....	1	1	1	2	1	....	1	1	3	1	3	....	....	1	1	....	....	....	....
12. Ascites	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	4	2	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	4	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		164	1	1	2	1	....	5	1	1	5	7	5	6	10	5	8	17	16	25	13	13	14	7	6	....	....
Males		105	1	....	1	....	....	2	....	1	1	7	3	3	6	1	6	6	11	17	12	9	9	7	4	....	....
Females		59	....	1	1	1	....	3	1	....	4	....	2	3	4	4	2	11	5	8	1	4	5	....	2	....	....
1. Bright's disease	M.	60	....	....	1	....	....	1	....	1	....	6	1	2	4	1	6	3	7	10	10	5	3	....	....	....	....
	F.	42	....	....	1	....	....	1	....	....	4	....	1	1	3	4	1	9	4	8	1	2	3	....	....	....	....
2. Calculus, urinary	M.	5	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	1	....	....	....	....	1	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	20	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	3	2	5	1	1	4	2	....	....	....
	F.	13	....	1	....	1	....	2	1	....	....	....	1	1	....	....	....	2	....	....	....	2	2	....	2	....	....
4. Diseases of the bladder	M.	19	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	2	....	1	3	2	5	3	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		30	....	....	....	....	....	....	....	....	2	3	7	6	7	4	1	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	29	....	....	....	....	....	....	....	....	2	3	7	5	7	4	1	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		12	3	....	....	....	....	3	....	1	1	1	....	....	2	1	....	....	1	....	....	1	1	....	....	....	....
Males		8	1	....	....	....	....	1	....	1	....	....	....	....	2	1	....	....	1	....	....	1	1	....	....	....	....
Females		4	2	....	....	....	....	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	5	1	....	....	....	....	1	....	1	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....
	F.	4	2	....	....	....	....	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		22	3	1				4	2		1	2	1	1		2			1	2	2	3	1					
Males		14	2					2			1	1	1	1		1				2	2	3						
Females		8	1	1				2	2			1				1			1				1					
1. Abscess	M.	12	1					1			1	1	1	1		1				1	2	3						
	F.	6	1	1				2	2							1							1					
2. Carbuncle	M.																											
	F.	1																	1									
3. Others of this group	M.	2	1					1												1								
	F.	1										1																
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1															1											
Males		1															1											
Females																												
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.	1															1											
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		185	4	1	1	4	4	14	14	8	10	10	12	13	19	11	16	14	10	8	7	3	4	1	5			6
Males		144	3			1	3	7	9	7	8	9	9	11	18	9	13	14	7	6	5	3	3		1			5
Females		41	1	1	1	3	1	7	5	1	2	1	3	2	1	2	3		3	2	2		1	1	1			1
1. Burns and scalds	M.	5	1				1	2			2								1				1					
	F.	14		1	1	2	1	5	3				1		1		1		1				1	1				
2. Drowned	M.	40	1			1	1	3	6	3	4	2	3	1	7	2	3	2	1	1	1							1
	F.	1							1																			
3. Exposure and neglect	M.																											
	F.																											
4. Gunshot wounds	M.																											
	F.																											
5. Homicide	M.	4											1		1		1						1					
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	21								1		1	1	3	4	1		2	1	1	2							4
	F.	3	1					1																	1			1
9. Suffocation	M.																											
	F.																											
10. Suicide by shooting	M.	9									1	1			1	1	2	1	1	1								
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	1												1														
	F.	1									1																	
13. Other suicides	M.	15												2		2	2	3	1	2		3						
	F.	1																			1							
14. Sunstroke	M.	2													1			1										
	F.																											
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.																											
	F.																											
17. Other accidents and injuries	M.	47	1				1	2	3	3	1	5	4	4	4	3	5	5	3	1	2		1		1			
	F.	21				1		1	1	1	1	1	2	2		2	2		2	2	1				2			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total unde. 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3835	597	223	147	105	81	1153	256	150	143	152	160	138	144	117	121	91	127	143	162	220	222	168	114	25	28	1
Total: Males		1916	323	126	81	53	32	615	136	75	66	65	55	59	60	51	50	45	56	87	88	126	124	88	47	11	12	
Females		1919	274	97	66	52	49	538	120	75	77	87	105	79	84	66	71	46	71	56	74	94	98	80	67	14	16	1
Unknown causes.																												
Total		110	58	7	...	2	1	68	1	4	2	1	4	...	3	3	2	2	1	3	4	3	3	3	3	...	...	...
Males		56	32	4	...	...	...	36	1	4	...	...	2	...	...	3	...	2	1	2	2	...	1	...	1	...	...	...
Females		54	26	3	...	2	1	32	...	...	2	1	2	...	3	...	2	...	...	1	2	3	2	3	2	...	...	...
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		941	149	88	81	69	55	442	188	92	33	32	22	15	12	9	16	10	10	9	7	12	19	7	4	1	1	...
Males		466	75	48	48	35	21	227	96	45	24	12	8	6	3	6	4	8	2	3	3	6	7	4	2	...	...	...
Females		475	74	40	33	34	34	215	92	47	9	20	14	9	9	3	12	2	8	6	4	6	12	3	2	1	1	...
1. Small-pox	M.	7	...	1	2	...	1	4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	5	2	...	1	...	...	3	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles	M.	17	5	...	1	3	1	10	2	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	24	10	4	1	...	...	15	3	1	...	1	1	1	2	...	...	1	...	...	...	...	...	...	...	...	...	...
3. Scarlet fever	M.	26	4	8	3	...	1	16	7	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	18	1	7	1	1	4	14	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Diphtheria	M.	214	11	16	32	26	16	101	67	32	10	2	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
	F.	243	13	21	22	29	28	113	82	36	2	2	4	...	1	...	...	...	1	1	...	...	...	1	...	...	...	...
5. Hooping-cough	M.	12	10	2	...	...	...	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	12	10	1	1	...	...	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Fever	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Cerebro-spinal fever	M.	5	1	1	2	...	...	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	1	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Enteric fever	M.	45	...	...	...	...	1	1	5	7	5	4	5	3	1	1	...	3	...	...	1	3	2	1	...	...	...	...
	F.	32	...	...	1	1	...	2	1	3	6	4	3	1	1	1	3	...	2	...	1	2	2	...	...	...	...	...
9. Diarrhœa	M.	16	3	1	...	...	...	4	2	1	1	1	...	...	...	...	2	...	1	1	...	1	2	...	...	...	...	...
	F.	19	4	3	1	...	...	8	...	1	...	...	...	...	...	...	3	...	2	1	...	2	2	...	...	...	...	...
10. Dysentery	M.	14	3	1	2	...	...	6	...	2	...	2	1	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...
	F.	16	5	...	3	...	1	9	...	...	...	...	...	...	...	1	2	...	...	1	...	...	2	...	1	...	...	...
11. Enteritis	M.	43	5	5	2	5	1	18	7	1	3	1	1	1	1	1	...	2	...	1	...	...	2	2	2	...	...	...
	F.	43	6	1	1	1	1	10	4	4	1	3	4	2	3	...	3	1	2	...	1	1	3	1	...	...	...	...
12. Cholera morbus	M.	6	1	2	1	...	...	4	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Cholera infantum	M.	33	25	7	1	...	...	33	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...
	F.	22	18	2	1	1	...	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14. Malarial fever	M.	5	...	1	...	1	...	2	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...
	F.	8	1	...	...	...	...	1	...	...	...	1	...	1	...	1	...	1	...	1	1	...	1	...	...	...	...	...
15. Erysipelas	M.	11	4	1	1	...	...	6	...	1	...	...	...	1	...	1	...	...	1	...	...	...	1	...	...	...	...	...
	F.	6	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	1	1	...
16. Septicæmia	M.	4	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
	F.	2	1	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
17. Puerperal septicæmia	F.	13	...	...	...	...	...	...	...	...	...	6	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...
18. Venereal diseases	M.	2	1	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	4	1	...	...	...	...	1	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
19. Others of this group	M.	6	1	2	1	...	...	4	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...
	F.	3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...
General diseases—B.																												
Total		36	18	2	...	...	...	20	1	...	...	...	1	2	1	2	1	3	2	...	1	1	...	1	...	...	...	...
Males		24	10	2	...	...	...	12	1	...	...	...	1	1	1	2	1	1	2	...	1	...	...	1	...	...	...	...
Females		12	8	...	...	...	...	8	...	...	...	...	...	1	...	...	...	2	...	...	...	1	...	1	...	...	...	...
1. Worms	M.	4	1	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Other parasitic diseases	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Alcoholism	M.	5	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	1	...	1	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Lead poison	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Other poisons	M.	6	1	...	...	...	...	1	...	...	...	...	1	...	...	2	...	...	1	...	...	...	...	1	...	...	...	...
	F.	5	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Inanition	M.	9	8	1	...	...	...	9	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...
	F.	6	6	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
General diseases—C.																												
Total		294	110	2	...	...	...	112	1	1	...	1	...	3	...	1	...	...	1	1	4	11	31	52	42	14	19	...
Males		151	63	...	...	...	...	63	1	1	...	1	...	3	...	1	...	...	...	1	2	8	12	24	19	8	7	...
Females		143	47	2	...	...	...	49	...	...	...	...	...	...	...	...	...	...	1	...	2	3	19	28	23	6	12	...
1. Premature birth	M.	6	6	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	6	6	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Stillborn	M.	40	40	...	...	...	...	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	33	33	...	...	...	...	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Malformation	M.	2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Debility	M.	31	15	...	...	...	...	15	1	1	...	1	...	3	...	1	...	...	...	1	...	4	2	1	...	1	...	...
	F.	21	6	2	...	...	...	8	...	...	...	...	...	...	...	...	...	...	1	2	2	3	3	2	...	...	...	...
5. Old age	M.	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	8	8	22	18	8	6	...
	F.	81	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	16	25	21	6	12	...
6. Atrophy	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		834	23	9	5	3	2	42	5	21	62	60	70	58	69	45	40	36	52	51	55	69	45	25	17	1	1	1
Males		368	15	8	3	2	1	29	7	6	25	25	17	21	27	13	16	15	19	28	35	35	28	14	7	....	1	....
Females		466	8	1	2	1	1	13	1	15	37	41	53	37	42	32	24	21	33	23	20	34	17	11	10	1	....	1
1. Rheumatism	M.	15	....	....	....	....	....	....	2	1	....	....	....	1	1	1	....	....	1	....	3	3	2	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	1	....	2	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	6	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	1	....	....	1	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	235	8	6	2	....	1	17	3	3	24	23	16	20	21	8	10	11	13	11	19	17	7	8	3	....	1	....
	F.	321	5	....	....	1	....	6	1	13	35	39	49	35	31	18	16	10	17	14	10	10	8	4	4	1	....	....
5. Hydrocephalus	M.	6	4	1	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	48	....	....	....	....	....	....	....	....	....	....	1	....	1	3	4	2	3	9	5	6	11	2	1	....	....	....	....
	F.	78	....	....	....	....	....	....	....	....	....	1	1	1	6	10	7	6	10	4	5	10	5	4	5	....	....	1	....
7. Tumor	M.	6	1	....	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....
	F.	11	....	....	1	....	....	1	....	....	1	1	2	....	....	....	....	2	1	1	1	....	1	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	39	1	1	....	2	....	4	1	....	....	....	....	....	1	....	1	1	....	7	6	6	6	4	2	....	....	....	....
	F.	45	3	....	1	....	1	5	....	1	....	....	1	1	3	3	1	2	5	2	3	11	3	3	1	....	....	....	....
10. Glycosuria	M.	13	1	....	....	....	....	1	....	1	1	1	....	....	2	1	....	1	1	....	1	1	1	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		460	82	37	14	6	4	143	19	11	12	9	13	17	18	11	17	8	10	18	21	36	45	32	19	8	3	....
Males		237	45	28	6	3	....	82	12	3	2	2	6	7	8	5	4	5	5	11	7	20	30	17	6	2	0	....
Females		223	37	9	8	3	4	61	7	8	10	7	7	10	5	6	13	3	5	7	14	16	15	15	13	1	....	....
1. Inflammation of the brain	M.	33	9	8	1	1	....	19	6	1	1	1	....	1	....	2	....	....	1	....	....	....	....	1	....	....	....	....	....
	F.	26	5	2	2	1	1	11	4	3	1	1	1	....	....	1	3	....	....	....	....	....	....	....	1	....	....	....	....
2. Meningitis	M.	13	4	5	2	....	....	11	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	1	2	2	....	1	6	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	41	....	....	....	....	....	....	....	....	1	....	3	1	1	1	....	1	1	2	2	8	11	8	1	....	....	....	....
	F.	33	....	....	....	....	....	....	....	....	1	1	....	4	....	2	1	1	2	....	5	2	3	7	4	....	....	....	....
4. Paralysis	M.	61	1	1	....	....	....	2	....	....	....	....	1	....	2	1	3	1	3	6	4	10	16	4	4	2	2	....	....
	F.	63	1	....	....	....	....	1	....	....	1	....	1	2	3	3	6	1	3	4	6	10	8	7	7	....	....	....	....
5. Tetanus and trismus nascentium	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	5	1	....	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	7	1	....	....	....	....	1	....	1	....	1	....	....	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....
7. Convulsions	M.	32	24	4	....	....	....	28	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	21	2	2	1	....	26	1	2	2	1	2	2	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	1	1	1	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....
9. Diseases of the brain	M.	35	5	8	2	....	....	15	3	1	....	....	1	2	....	1	....	1	....	3	....	1	2	3	1	....	1	....
	F.	25	5	3	1	1	1	14	1	1	1	1	....	....	....	....	....	....	....	1	1	1	2	....	1	1	....	....
10. Diseases of the spinal cord	M.	9	....	2	1	1	....	4	1	1	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	5	....	....	1	....	....	1	....	....	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	....	....	....	....	1	1	....	1	1	....	....	1	....	....	....	....	....	....	....	1	2	1	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total		227	9	2	..	....	....	11	1	5	7	5	2	7	9	14	12	8	17	23	19	35	30	11	9	2	....	....
Males		116	4	....	....	....	....	4	1	4	2	3	....	6	4	7	5	2	7	14	10	23	16	5	2	1	....	....
Females		111	5	2	....	....	....	7	....	1	5	2	2	1	5	7	7	6	10	9	9	12	14	6	7	1	....	....
1. Angina pectoris	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	3	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	109	2	....	....	....	....	2	1	4	2	3	....	6	4	6	5	2	7	14	10	20	15	5	2	1	....	....
	F.	107	5	1	....	....	....	6	....	1	5	2	2	1	4	7	7	6	10	9	9	11	13	6	7	1	....	....
4. Others of this group	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total		465	117	56	33	20	10	236	21	5	5	9	9	10	12	12	8	5	11	17	22	25	18	21	13	4	2	....
Males		222	62	24	15	11	6	118	6	2	3	6	4	6	7	4	5	2	3	11	8	11	6	10	5	....	....	....
Females		243	55	32	18	9	4	118	15	3	2	3	5	4	5	8	3	3	3	6	14	14	12	11	8	4	2	....
1. Croup	M.	40	14	9	5	6	1	35	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	45	9	12	9	4	2	36	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	2	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	27	12	3	....	1	....	16	....	....	....	1	....	....	....	....	....	....	1	1	2	3	1	2	....	....	....	....	....
	F.	28	9	5	2	1	....	17	....	....	....	....	....	....	....	....	....	1	....	....	2	2	1	3	1	1	....	....	....
4. Pneumonia	M.	116	25	8	7	3	3	46	1	2	3	5	3	4	6	2	3	2	6	8	5	5	4	7	4	....	....	....	....
	F.	115	25	10	5	3	....	43	2	3	2	1	2	2	3	6	1	2	3	4	7	12	9	5	5	2	1	....	....
5. Pleurisy	M.	4	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....
6. Asthma	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
7. Others of this group	M.	31	10	4	3	1	1	19	....	....	....	....	....	1	1	2	2	....	1	1	1	1	1	....	1	....	....	....	....
	F.	48	12	5	2	1	2	22	3	....	....	2	2	2	2	2	2	....	....	1	5	....	....	1	2	1	1	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		149	14	10	3	1	3	31	2	1	6	5	7	5	7	6	8	11	8	10	16	11	8	6	1		
Males		81	7	5	2	1	2	17	1	1		4	2	2	4	2	4	4	3	7	10	10	6	4			
Females		68	7	5	1		1	14	1		6	1	5	3	3	4	4	7	5	3	6	1	2	2	1		
1. Dentition	M.	9	1	5	2	1		9																			
	F.	9	5	3	1			9																			
2. Angina	M.	1															1										
	F.																										
3. Gastritis	M.	6					1	1										1		1		2	1				
	F.	3							1										1				1				
4. Other diseases of the stomach	M.	12	1					1	1					2	1		1	1		1	3	1					
	F.	12					1	1			3					1	2		1	1	3						
5. Obstruction of the bowels	M.	3	1					1												1			1				
	F.	2												1			1										
6. Hernia	M.	9	1					1													4	1	1	2			
	F.																										
7. Other diseases of the bowels	M.	4											1			1	1	1									
	F.	3		1				1					1											1			
8. Jaundice	M.	4	2					2				2															
	F.																										
9. Inflammation and abscess of the liver	M.	5															1			3	1						
	F.	3	1					1								1						1					
10. Other diseases of the liver	M.	11											1			1			2		2	4	1				
	F.	18									2		1	1	1	2		4	2	2	3						
11. Peritonitis	M.	7								1		2			2								1	1			
	F.	9										1	3	1	2		1	1									
12. Ascites	M.	1																						1			
	F.																										
13. Others of this group	M.	9	1				1	2							1			1	1	1		2	1				
	F.	9	1	1				2			1							2	1				1	1	1		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		79		1		1		2	1		2	3	1	4	4	2	2	6	6	3	7	11	15	6	4		
Males		59							1		1	1		2	2	1	2	4	3	2	6	11	13	6	4		
Females		20		1		1		2			1	2	1	2	2	1		2	3	1	1		2				
1. Bright's disease	M.	19									1	1		1	2		1	3	3	2	1	1	3				
	F.	8									1	2				1		2	2								
2. Calculus, urinary	M.	9																1			2	1	2	3			
	F.	1													1												
3. Diseases of the kidneys	M.	20												1			1				2	5	5	3	3		
	F.	10		1		1		2					1	1	1				1	1	1		2				
4. Diseases of the bladder	M.	6							1							1					1	2	1				
	F.	1												1													
5. Others of this group	M.	5																				2	2		1		
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		7												1	1	1	1		1		1	1					
1. Ovarian tumors	F.	6												1		1	1		1		1	1					
2. Ovarian diseases	F.																										
3. Uterine tumors	F.																										
4. Uterine diseases	F.																										
5. Others of this group	F.	1													1												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		41									3	7	10	7	7	3	4										
1. Abortion	F.	2												1	1												
2. Child-birth	F.	39									3	7	10	6	6	3	4										
3. Others of this group	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		18		1	1	1	1	4	3	1	1		2	2	2		1		1				1				
Males		8			1			1	2	1	1		2						1								
Females		10		1		1	1	3	1					2	2		1						1				
1. Diseases of the spine	M.	7			1			1	2	1			2						1								
	F.	10		1		1	1	3	1					2	2		1						1				
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.	1									1																
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		11		1				1				1	1	2	1	1	1				1		2					
Males		10		1				1				1	1	1	1	1	1				1		2					
Females		1												1														
1. Abscess	M.	7		1				1				1	1	1	1	1	1											
	F.	1												1														
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.	3																			1		2					
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		4										2				1							1					
Males																												
Females		4										2				1							1					
1. Addison's disease	M.																											
	F.	1																					1					
2. Diseases of the spleen	M.																											
	F.	2										1				1												
3. Others of this group	M.																											
	F.	1										1																
XII.—ACCIDENTS AND INJURIES.																											
Total		150	17	7	10	2	5	41	10	9	10	11	18	5	3	6	8	2	7	8	4	5	4	4	2		2	
Males		118	10	6	6	1	2	25	7	6	8	9	12	4	3	6	8	2	5	8	3	2	3	3	1		1	
Females		41	7	1	4	1	3	16	3	1	2	2	6	1					2		1	3	1	1	1		1	
1. Burns and scalds	M.	13		4	5	1		10	1			2																
	F.	9	1		2	1	2	6		1	1										1							
2. Drowned	M.	25							4	3	2	3	3	3		1	2	1		3								
	F.																											
3. Exposure and neglect	M.	3	1					1		1									1									
	F.	1	1					1																				
4. Gunshot wounds	M.	3								1	1		1															
	F.	1					1	1																				
5. Homicide	M.																											
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.																											
	F.																											
9. Suffocation	M.	7	6					6												1								
	F.	5	5					5																				
10. Suicide by shooting	M.	4									1		1	1								1						
	F.																											
11. Suicide by drowning	M.	1																					1					
	F.	1																			1							
12. Suicide by poison	M.	1																	1									
	F.	1										1																
13. Other suicides	M.	6										1								2	2			1				
	F.	1												1														
14. Sunstroke	M.	1																		1								
	F.																											
15. Surgical operations	M.	1	1					1																				
	F.	1										1																
16. Wounds	M.																											
	F.																											
17. Other accidents and injuries	M.	53	2	2	1		2	7	2	3	4	3	7		3	5	6	1	3	1	1	1	3	1	1		1	
	F.	21		1	2			3	3		1		6						2			2	1	1	1		1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 3.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3942	587	203	145	116	82	1133	265	134	136	169	134	124	125	130	131	145	149	191	200	234	208	194	77	31	13	19
Total: Males	2026	316	109	84	65	40	614	138	67	66	69	63	54	64	62	72	78	71	100	109	135	112	86	32	18	7	9
Females	1916	271	94	61	51	42	519	127	67	70	100	71	70	61	68	59	67	78	91	91	99	96	108	45	13	6	10
Unknown causes.																											
Total	101	35	4	....	2	....	41	2	4	2	1	2	....	....	4	4	2	2	4	4	7	10	3	2	1	....	6
Males	54	18	2	....	....	....	20	2	1	1	....	....	....	....	4	4	1	1	2	1	6	6	2	....	....	....	3
Females	47	17	2	....	2	....	21	....	3	1	1	2	....	....	....	....	1	1	2	3	1	4	1	2	1	....	3
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	974	193	95	87	73	55	503	173	72	22	32	16	22	10	13	11	9	13	15	12	15	13	11	8	2	1	1
Males	501	99	55	47	42	29	272	84	33	12	12	7	11	5	5	4	0	7	8	10	7	7	3	3	2	1	1
Females	473	94	40	40	31	26	231	89	39	10	20	9	11	5	7	7	3	6	7	2	8	6	8	5	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	10	1	3	2	1	2	9	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	11	1	3	3	....	....	7	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	95	6	12	10	16	12	56	29	6	2	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	93	5	9	12	10	17	53	28	10	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	142	10	21	19	18	9	77	45	16	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria F.	139	9	7	19	12	7	54	52	24	5	1	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	26	15	4	3	1	1	24	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	28	20	5	....	1	....	26	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	3	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	45	....	....	1	....	1	2	3	2	6	8	3	3	2	1	3	3	2	3	3	....	....	....	....	1	....	....
8. Enteric fever F.	39	....	....	....	4	1	5	2	1	1	7	3	5	....	1	2	1	2	1	1	3	2	1	1	....	....	....
9. Diarrhœa M.	13	3	2	....	1	1	7	....	....	1	....	1	....	....	....	1	....	....	....	2	1	....	....	....	....	....	....
9. Diarrhœa F.	13	3	3	....	1	....	7	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	1	....	1	....	....	....
10. Dysentery M.	21	5	4	1	....	1	11	2	....	....	....	1	2	1	....	....	....	....	....	1	2	....	....	....	1	....	....
10. Dysentery F.	14	6	1	....	....	....	7	1	....	....	1	....	....	....	....	2	....	....	....	....	....	3	....	....	....	....	....
11. Enteritis M.	27	7	2	1	2	1	13	1	4	....	....	....	3	....	....	....	....	3	1	1	....	1	....	....	....	....	....
11. Enteritis F.	23	6	....	2	2	....	10	1	1	1	1	1	....	....	....	1	....	1	2	....	1	....	2	1	....	....	....
12. Cholera morbus M.	0	1	....	....	....	....	1	1	....	....	....	....	....	1	2	....	....	....	....	1	....	....	....	....	....	....	....
12. Cholera morbus F.	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	58	45	7	4	2	....	58	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	54	41	10	2	1	....	54	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	29	2	....	4	....	1	7	2	1	....	2	1	....	1	3	....	1	1	2	1	3	1	2	1	....	....	....
14. Malarial fever F.	29	....	1	1	....	1	3	2	2	1	4	2	2	2	2	....	1	1	2	....	1	....	3	1	....	....	....
15. Erysipelas M.	15	4	....	1	1	....	6	....	1	....	....	1	1	....	....	....	1	1	....	....	....	2	1	....	....	1	....
15. Erysipelas F.	4	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
16. Septicæmia M.	4	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	14	....	....	....	....	....	....	....	....	1	2	2	4	1	3	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	2	....	....	....
19. Others of this group F.	7	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	1	1	....	2	1	....	....	....
General diseases—B.																											
Total	26	12	2	1	....	....	15	2	1	....	1	1	....	1	....	....	1	1	....	....	....	3	....	....	....	....	....
Males	16	6	....	1	....	....	7	1	1	....	1	1	....	1	....	....	1	1	....	....	....	2	....	....	....	....	....
Females	10	6	2	....	....	....	8	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	6	....	....	1	....	....	1	1	1	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
5. Other poisons F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	7	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
6. Inanition F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
General diseases—C.																											
Total	267	82	1	1	....	1	85	1	....	....	1	....	....	....	1	1	1	....	2	6	22	33	52	33	21	8	....
Males	138	46	....	....	....	1	47	....	....	....	1	....	....	....	1	....	1	....	1	3	15	16	25	13	11	4	....
Females	129	36	1	1	....	....	38	1	..	....	....	....	....	....	....	1	....	....	1	3	7	17	27	20	10	4	....
1. Premature birth M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	32	32	....	....	....	....	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	20	20	....	....	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	35	4	....	....	....	1	5	....	....	....	1	....	....	....	1	....	1	....	1	3	6	7	6	2	2	....	....
4. Debility F.	27	7	1	1	....	....	9	1	....	....	....	....	....	....	....	1	....	....	1	1	2	7	3	1	1	....	....
5. Old age M.	61	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	9	9	19	11	9	4	....
5. Old age F.	73	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	5	10	24	10	9	4	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		872	35	16	9	4	1	65	11	11	59	77	66	56	49	56	50	58	58	61	62	50	36	34	6	3	4
Males		385	18	9	4	3	....	34	8	3	18	22	30	21	21	19	25	27	22	33	31	27	23	14	4	2	1
Females		487	17	7	5	1	1	31	3	8	41	55	36	35	28	37	25	31	36	28	31	23	13	20	2	1	3
1. Rheumatism	M.	7	....	....	....	....	....	....	1	....	....	....	2	....	....	....	2	....	....	1	....	1	....	....	....	....	....	....
	F.	15	....	....	....	....	....	....	....	....	....	....	....	....	1	4	2	2	2	2	1	....	1	....	....	....	....	....
2. Scrofula and tabes	M.	8	3	1	1	....	....	5	....	....	1	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
	F.	5	3	....	....	....	....	3	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	258	6	2	2	....	....	10	4	1	15	20	27	20	17	17	17	19	17	20	18	15	12	7	....	1	....	1
	F.	315	7	4	3	....	....	14	1	7	38	54	34	34	17	18	13	13	14	14	18	10	4	8	1	....	....	3
5. Hydrocephalus	M.	21	9	5	1	1	....	16	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	4	2	2	1	1	10	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	43	....	....	....	....	....	....	....	....	....	1	1	1	1	1	2	6	4	6	9	3	5	....	2	1	....	....
	F.	84	1	....	....	....	....	1	....	....	....	1	....	1	4	13	6	9	14	7	9	9	4	4	1	1	....	....
7. Tumor	M.	5	....	....	....	1	....	1	1	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	1	1	2	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	33	....	1	....	1	....	2	1	....	1	....	....	....	1	1	1	2	1	4	3	5	4	5	2	....	....	....
	F.	42	1	....	....	....	....	1	1	....	2	....	2	....	2	2	2	5	5	3	2	4	4	7	....	....	....	....
10. Glycosuria	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	2	....	2	1	2	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		472	34	30	11	12	7	144	17	6	6	7	10	5	16	7	15	18	19	22	37	48	45	32	14	1	1	2
Males		240	17	16	8	2	1	74	10	4	3	2	5	4	8	3	8	11	9	13	17	30	23	14	7	....	....	1
Females		226	37	14	3	10	6	70	7	2	3	5	5	1	8	4	7	7	10	9	20	18	22	18	7	1	1	1
1. Inflammation of the brain	M.	25	8	3	4	....	....	15	1	2	....	....	1	....	3	....	1	....	1	....	....	1	....	....	....	....	....	....
	F.	12	2	3	....	1	1	7	2	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	13	3	5	....	....	....	8	2	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
	F.	16	6	2	....	....	3	11	1	1	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Apoplexy	M.	41	....	....	....	....	....	....	1	....	....	....	....	1	1	2	1	5	2	5	4	6	4	6	2	....	....	1
	F.	37	....	....	....	....	....	....	....	....	....	1	1	....	1	....	4	3	4	2	8	8	3	1	....	1	....	....
4. Paralysis	M.	68	....	....	....	....	....	....	1	....	1	1	....	....	3	....	2	4	4	4	6	16	15	6	5	....	....	....
	F.	69	....	....	1	1	....	2	2	1	....	....	....	....	....	2	1	2	1	5	9	6	18	14	5	....	1	....
5. Tetanus and trismus nascentium.	M.	4	1	....	....	....	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
6. Epilepsy	M.	5	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
7. Convulsions	M.	41	29	6	1	2	....	38	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	47	27	8	2	4	1	42	....	....	1	2	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	2	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	1	....	1	1	....	....	1
9. Diseases of the brain	M.	34	4	2	....	....	1	7	3	1	1	....	3	1	1	....	2	....	1	2	4	3	4	1	....	....	....	....
	F.	22	2	1	....	4	....	7	1	....	....	....	3	....	4	....	....	....	1	....	2	2	1	1	....	....	....	....
10. Diseases of the spinal cord	M.	6	....	....	2	....	....	2	....	....	....	....	....	2	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	1	....	1	....	1	1	....	1	1	1	1	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	1	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		233	14	2	3	....	1	20	3	5	6	3	5	6	10	11	5	17	19	26	24	31	21	17	3	....	....	1
Males		127	8	1	3	....	....	12	....	1	4	3	1	5	6	7	3	8	12	12	15	17	11	9	....	....	....	1
Females		106	6	1	....	....	1	8	3	4	2	....	4	1	4	4	2	9	7	14	9	14	10	8	3	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	119	6	1	3	....	....	10	....	1	4	3	1	5	5	7	3	7	12	12	14	16	10	8	....	....	....	1
	F.	102	5	1	....	....	1	7	3	4	2	....	4	1	4	3	2	9	7	14	9	13	9	3	3	....	....	....
4. Others of this group	M.	4	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		538	103	40	26	23	15	207	38	11	10	10	6	7	13	14	19	21	21	36	20	33	26	36	6	....	3	1
Males		281	57	20	19	16	8	120	17	5	5	7	6	1	9	10	10	13	3	18	11	15	6	15	3	....	2	....
Females		257	46	20	7	7	7	87	21	6	5	3	....	6	4	4	9	8	13	18	9	18	20	21	3	....	1	1
1. Croup	M.	44	9	8	7	7	4	35	8	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	5	6	....	2	3	16	13	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	3	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	22	7	2	2	1	1	13	....	....	....	....	1	....	....	....	1	....	....	....	....	3	1	2	1	....	....	....
	F.	18	5	....	1	....	1	7	....	....	....	....	....	....	....	....	2	....	....	1	1	1	2	4	....	....	....	....
4. Pneumonia	M.	173	32	7	7	8	2	56	7	4	5	5	4	1	9	9	6	10	5	15	10	11	4	10	1	....	1	....
	F.	166	24	11	4	4	3	46	7	4	5	3	....	5	4	3	7	7	11	12	6	13	15	14	2	....	1	1
5. Pleurisy	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	1	2	....	1	....	....	....	....
6. Asthma	M.	5	....	....	1	....	....	1	....	....	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	31	8	3	2	....	1	14	1	1	....	2	....	....	....	....	....	2	2	3	1	....	1	3	1	....	....	....
	F.	36	12	3	2	1	....	18	1	....	....	....	....	1	....	....	1	1	5	1	2	3	2	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		126	19	7	1	....	....	27	1	5	8	4	4	5	6	2	9	6	4	13	10	6	8	5	2	....	....	1
Males		71	12	3	....	....	....	15	1	4	7	2	3	4	3	....	7	1	2	6	4	1	6	3	1	....	....	1
Females		55	7	4	1	....	....	12	....	1	1	2	1	1	3	2	2	5	2	7	6	5	2	2	1	....	....	....
1. Dentition	M.	6	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	4	4	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Gastritis	M.	6	1	....	....	....	....	1	1	....	....	....	2	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	2	....	....	....	....	....	....
4. Other diseases of the stomach	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....
	F.	4	....	....	1	....	....	1	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	3	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....
6. Hernia	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	7	3	....	....	....	....	3	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	1	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
9. Inflammation and abscess of the liver	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	12	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	1	1	4	....	....	1	....	1	....	....	1
	F.	12	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	3	....	2	2	1	....	....	1	....	....	....
11. Peritonitis	M.	19	1	....	....	....	....	1	....	3	7	2	1	1	1	....	1	....	....	....	1	....	1	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	....	....	....	....	1	1	....	1	....	1	....	....	....	1	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
13. Others of this group	M.	7	....	2	....	....	....	2	....	....	....	....	....	2	....	....	1	....	....	....	1	....	1	....	....	....	....	....
	F.	7	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	1	....	1	1	1	1	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		93	....	1	1	....	....	2	1	....	1	5	4	2	3	8	7	7	4	5	15	16	9	2	1	1	....	....
Males		69	....	1	....	....	....	1	....	....	1	3	2	1	2	5	6	4	4	3	11	15	8	1	1	1	....	....
Females		24	....	....	1	....	....	1	1	....	....	2	2	1	1	3	1	3	....	2	4	1	1	1	....	....	....	....
1. Bright's disease	M.	35	....	....	....	....	....	....	....	....	1	2	1	....	2	3	4	3	3	3	6	5	2	....	....	....	....	....
	F.	17	....	....	....	....	....	....	....	....	....	2	2	1	....	3	....	2	....	1	4	1	....	1	....	....	....	....
2. Calculus, urinary	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	22	....	1	....	....	....	1	....	....	....	1	1	1	....	1	2	1	....	....	4	7	3	....	....	....	....	....
	F.	5	....	....	1	....	....	1	1	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	2	1	1	1	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
5. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		14	....	....	....	....	....	....	....	....	2	....	2	1	1	1	2	....	....	1	2	2	....	....	....	....	....	....
1. Ovarian tumors	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....
3. Uterine tumors	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
4. Uterine diseases	F.	3	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	5	....	....	....	....	....	....	....	....	1	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		40	....	....	....	....	....	....	....	....	4	10	7	8	6	5	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	34	....	....	....	....	....	....	....	....	4	8	6	6	6	4	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	4	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		9	1	....	....	....	....	1	3	2	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
Males		7	1	....	....	....	....	1	3	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
Females		2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	3	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		12								2		1	1	1	1				1	3		1	1					
Males		5										1								3			1					
Females		7								2			1	1	1				1			1						
1. Abscess	M.	4										1								2			1					
	F.	7								2			1	1	1				1	1		1						
2. Carbuncle	M.	1																		1								
	F.																											
3. Others of this group	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3	1					1		1				1														
Males		2								1				1														
Females		1	1					1																				
1. Addison's disease	M.	1												1														
	F.																											
2. Diseases of the spleen	M.	1								1																		
	F.																											
3. Others of this group	M.																											
	F.	1	1					1																				
XII.—ACCIDENTS AND INJURIES.																											
Total		162	8	5	5	2	2	22	13	14	15	17	10	10	9	6	8	5	7	3	8	3	3	2	2	2		3
Males		124	4	2	2	2	1	11	12	13	15	15	8	6	9	5	5	5	5	1	6	2	3			2		1
Females		38	4	3	3		1	11	1	1		2	2	4		1	3		2	2	2	1		2	2			2
1. Burns and scalds	M.	5		2	1	2		5																				
	F.	7			2		1	3	1	1		1		1														
2. Drowned	M.	24					1	1	7	5	4	1		2	1			1	1		1							
	F.	8		1				1											1	1								
3. Exposure and neglect	M.	3	3					3																				
	F.	3	2					2									1											
4. Gunshot wounds	M.	6							1	1	2	1	1															
	F.																											
5. Homicide	M.	1								1																		
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.	1									1																	
	F.																											
8. Railroad accidents	M.	27							1	2	2	5	4	3	4	1	2	1					1					1
	F.	4										1					1				2							
9. Suffocation	M.	1	1					1																				
	F.	2	1	1				2																				
10. Suicide by shooting	M.	2											1								1							
	F.	1											1															
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	7												1	1			1	1		2	1						
	F.	2																		1								1
14. Sunstroke	M.	4										2							1				1					
	F.	1												1														
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.																											
	F.																											
17. Other accidents and injuries	M.	43			1			1	3	4	6	6	2		3	4	3	2	2	1	2	1	1			2		
	F.	15	1	1	1			3					1	2		1	1		1			1		2	2			1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 4.

[Exclusive of BUFFALO and ROCHESTER.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		6363	874	238	185	125	75	1497	259	154	246	301	290	213	211	211	229	255	294	329	380	420	446	302	198	70	31	27
Total: Males		3305	494	131	101	68	45	839	142	76	96	106	134	90	92	100	116	130	180	171	206	247	244	163	102	38	15	18
Females		3058	380	107	84	57	30	658	117	78	150	195	156	123	119	111	113	125	114	158	174	173	202	139	96	32	16	9
Unknown causes.																												
Total		185	67	8	9	1	....	85	2	2	6	6	4	4	3	5	4	6	5	6	11	5	11	10	5	4	1	....
Males		88	32	4	5	1	....	42	1	2	3	2	1	3	....	1	2	2	3	4	6	1	6	5	2	2	....	....
Females		97	35	4	4	...	...	43	1	....	3	4	3	1	3	4	2	4	2	2	5	4	5	5	3	2	1	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1230	236	101	87	68	48	540	142	79	60	51	43	29	27	32	23	26	30	29	34	30	26	14	10	3	4	4
Males		660	121	54	40	40	29	284	80	33	34	22	23	14	15	17	13	11	25	17	16	18	18	7	6	1	3	3
Females		576	115	47	47	28	19	256	62	46	26	29	20	15	12	15	10	15	5	12	18	12	8	7	4	2	1	1
1. Small-pox	M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	25	10	2	3	1	3	19	3	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	7	3	3	1	....	14	3	2	2	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	106	9	15	12	16	12	64	29	10	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	82	7	8	15	12	9	51	17	10	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	115	7	6	6	15	11	45	37	12	12	4	2	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....
	F.	116	6	11	11	12	7	47	36	23	5	2	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....
5. Hooping-cough	M.	28	20	4	1	....	1	26	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	15	5	2	2	....	24	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	1	....	....	....	....	....	....
	F.	4	1	....	1	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
7. Cerebro-spinal fever	M.	12	....	2	1	....	....	3	3	1	....	1	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	1
	F.	17	3	1	3	....	....	7	....	3	2	....	2	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	92	....	....	....	1	1	2	3	5	8	10	10	9	8	4	6	5	11	4	1	3	3	....	....	....	....	....	....
	F.	58	1	....	1	....	....	2	2	5	5	11	6	4	5	1	2	3	1	2	4	3	1	....	1	....	....	....	....
9. Diarrhœa	M.	32	6	4	....	1	....	11	....	....	....	....	....	1	....	3	1	....	1	1	3	3	4	1	2	....	1	....	....
	F.	17	5	2	....	....	....	7	....	2	....	....	....	....	....	....	....	....	....	1	2	3	2	....	....	....	....	....	....
10. Dysentery	M.	32	4	5	6	1	....	16	....	....	....	....	....	....	....	1	....	....	2	3	1	4	1	1	2	....	1	....	....
	F.	31	10	1	3	....	1	15	....	....	....	....	....	....	....	....	1	1	1	1	2	5	1	2	1	1	....	....	....
11. Enteritis	M.	53	4	1	3	2	....	10	1	2	4	4	4	1	2	3	2	3	3	2	3	5	3	1	1	....	....	....	1
	F.	39	3	4	2	1	....	10	2	1	2	1	2	2	....	2	2	1	2	3	3	1	2	1	1	....	1	....	....
12. Cholera morbus	M.	12	4	....	....	....	....	4	....	....	1	....	....	....	....	2	1	1	....	....	3	....	....	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	70	49	13	4	3	1	70	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	67	49	11	6	....	....	66	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	31	1	1	2	....	....	4	2	1	2	2	....	1	1	2	2	....	3	3	2	....	4	1	....	1	....	....	....
	F.	19	1	....	....	....	1	2	1	....	4	2	2	....	....	3	1	2	....	....	1	....	1	....	....	....	....	....	....
15. Erysipelas	M.	20	3	1	1	....	....	5	1	....	....	1	....	....	....	....	....	1	3	3	1	1	2	2	....	....	....	....	....
	F.	22	3	....	....	....	1	4	1	....	1	1	....	1	....	2	2	2	....	....	3	....	....	3	1	1	....	....	....
16. Septicæmia	M.	8	....	....	....	....	....	....	....	1	4	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	1	3	1	....	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	21	....	....	....	....	....	....	....	....	2	4	7	2	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	6	2	....	....	....	....	2	....	....	1	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	12	2	....	....	....	....	2	....	....	....	....	3	....	....	....	....	....	1	1	1	....	1	1	1	....	1	....	....
	F.	14	2	1	....	....	....	3	....	....	....	1	1	....	1	1	....	2	....	3	2	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		64	13	4	8	1	....	24	1	....	2	....	2	2	3	6	....	4	2	5	6	3	1	....	....	....	1	2
Males		45	9	1	5	....	....	15	....	....	....	....	2	2	3	5	....	2	2	3	5	3	1	....	....	....	1	1
Females		19	4	3	1	1	....	9	1	....	2	....	....	....	....	1	....	2	....	2	1	....	....	....	....	....	....	1
1. Worms	M.	1	..	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	2	1	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	18	....	....	....	....	....	....	....	....	....	....	1	2	2	4	....	1	1	2	3	1	....	....	....	....	....	....	1
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	8	....	....	4	....	....	4	....	....	....	....	....	....	1	1	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	8	....	....	....	1	....	1	....	....	2	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....	1
6. Inanition	M.	17	9	1	....	....	....	10	....	....	....	....	....	....	....	....	....	....	1	1	1	2	1	....	....	....	....	1	....
	F.	6	3	1	....	....	....	4	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		567	174	3	2	....	....	179	3	....	1	5	....	1	4	2	1	3	6	7	9	32	56	95	98	42	22	1
Males		302	108	2	2	....	....	112	2	....	....	....	....	....	1	....	1	1	5	3	3	18	28	48	47	23	10	....	....
Females		265	66	1	....	....	....	67	1	....	1	5	....	1	3	2	....	2	1	4	6	14	28	47	51	19	12	1	....
1. Premature birth	M.	16	16	....	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	15	....	....	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	76	76	....	....	....	....	76	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	45	45	....	....	....	....	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	54	12	2	2	....	....	16	2	....	....	....	....	....	1	....	1	1	4	3	1	6	6	6	4	3	....	....	....
	F.	47	3	1	....	....	....	4	1	....	1	5	....	1	3	2	....	2	1	3	4	4	4	4	6	1	....	1	....
5. Old age	M.	152	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	12	22	42	43	20	10	....	....
	F.	155	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	10	24	43	45	18	12	....	....
6. Atrophy	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1508	50	20	5	7	6	88	22	19	104	147	144	87	91	74	83	90	86	105	96	119	86	40	16	3	8
Males		614	29	10	4	4	2	49	7	7	24	36	58	34	36	26	33	38	43	50	42	62	34	17	13		5
Females		894	21	10	1	3	4	39	15	12	80	111	86	53	55	48	50	52	43	55	54	57	52	23	3	3	3
1. Rheumatism	M.	22							1		1	1				1	1	1	1	2		9	2	1			1
	F.	19								1	1	1		1		1			2	2	3	1	4	2			
2. Scrofula and tabes	M.	13	2				1	3	1					2			1	2	1		3						
	F.	18	3	1			1	5	1		3	2	1	1			1	1		1		2					
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	374	12	3	2	1		18	2	2	21	34	54	30	33	18	20	25	20	34	21	23	10	6	3			
	F.	558	7	3	1	2	2	15	0	7	74	104	80	42	43	26	20	23	13	20	21	23	20	9		1		2
5. Hydrocephalus	M.	23	11	5	1	1		18	1		1	1					1											1
	F.	17	6	5		1	1	13	2	1																		1
6. Cancer	M.	82	1		1			2					1		1		5	5	14	9	5	16	10	5	7			2
	F.	139	2					2	1				2	2	9	14	18	20	16	17	13	14	7	3	1			
7. Tumor	M.	5	1					1	1	2								1										
	F.	13											1				1	1	2	4	4							
8. Anæmia	M.	1																	1									
	F.	5											1	1	1		1				1							
9. Dropsy	M.	69	2	1		1		4		3				1	1	4	4	4	4	4	9	12	11	4	3			1
	F.	114	2	1				3	1	1	2	4	1	3	2	7	3	6	10	11	12	16	20	8	2	2		
10. Glycosuria	M.	18		1				1			1		2	1	1	2	1		1	1	4	1	1	1				
	F.	10	1					1	1	2				2				1				1	1	1				
11. Others of this group	M.	7				1	1	2	1				1			1			1			1						
	F.	1												1														
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		823	141	36	25	14	7	223	29	13	15	15	18	11	17	20	35	31	42	51	51	57	94	60	26	10	2	3
Males		451	77	33	16	7	5	128	11	8	7	8	11	7	10	11	18	17	24	20	28	35	54	32	14	5	1	2
Females		372	64	13	9	7	2	95	18	5	8	7	7	4	7	9	17	14	18	31	23	22	40	28	12	5	1	1
1. Inflammation of the brain	M.	44	8	4	6	4	2	24	3	3		2		1	1	1	2		2	2	1	1	1					
	F.	38	9	2	5	1		17	7	2	4	1					2	1	1			1				1	1	
2. Meningitis	M.	22	10	5	2			17	2		1						1											1
	F.	15	5	1		1	1	8	3		1	1	1					1										
3. Apoplexy	M.	72											2		1	4	8	5	6	4	10	7	15	7	5			
	F.	65										1	1		1	3	4	5	6	11	8	7	9	7	1	1		
4. Paralysis	M.	136	1	2				3			1	1	2	2	2	3	9	9	9	10	10	16	26	22	5	4	1	1
	F.	129				1		1			1	1	2	1	1	3	8	5	9	10	11	14	24	19	11	2		
5. Tetanus and trismus nascentium.	M.	3									2															1		
	F.	1	1					1																				
6. Epilepsy	M.	14	1					1	1		2	1	2	1					3		1	1		1				
	F.	7	1					1		1			1		1					1			1	1				
7. Convulsions	M.	67	40	8	4	1	2	61	1	2		1			2													
	F.	61	41	6	4	2		53	3			1	1	1							1		1					
8. Mental diseases	M.	12											1		1	1		1		2	3		2	1				
	F.	2														1		1										
9. Diseases of the brain	M.	67	8	2	4	2		16	3	2	1	1	4	3	2	2		1	4	2	2	10	9	2	3			
	F.	43	6	2		2	1	11	5	2	1	2	1	2	2	2	2	1	2	1	2		5			1		1
10. Diseases of the spinal cord	M.	9	1	2			1	4	1	1		2						1										
	F.	5		2				2							1					1	1							
11. Others of this group	M.	5	2					2							1						1		1					
	F.	6	1					1			1				1		1			1				1				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		419	15	2			2	19	7	7	8	13	11	8	11	8	20	21	34	37	57	60	57	24	14	1		2
Males		230	9	1			2	12	3	3	4	6	7	2	3	3	11	9	20	19	32	40	33	14	6	1		2
Females		189	6	1				7	4	4	4	7	4	6	8	5	9	12	14	18	25	20	24	10	8			
1. Angina pectoris	M.	2																				1	1					
	F.	3													1			1			1							
2. Aneurism	M.	2															1						1					
	F.	3																1	1					1				
3. Diseases of the heart	M.	220	5	1			2	8	3	3	4	6	7	2	3	3	9	9	20	19	31	30	31	14	6	1		2
	F.	177	4	1				5	4	4	4	7	3	6	7	5	8	10	13	18	24	19	23	10	7			
4. Others of this group	M.	6	4					4									1				1							
	F.	6	2					2					1				1					1	1					
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		693	117	47	40	23	9	236	21	13	19	14	15	15	13	19	18	24	41	27	47	55	61	32	12	5	1	5
Males		371	71	27	22	10	5	135	14	7	11	6	6	6	3	7	11	17	24	8	26	30	30	19	2	5		4
Females		322	46	20	18	13	4	101	7	6	8	8	9	9	10	12	7	7	17	19	21	25	31	13	10		1	1
1. Croup	M.	48	17	6	10	4	2	39	9																			
	F.	37	11	5	8	4	2	30	4	1									1			1						
2. Laryngitis	M.	2	1					1						1														
	F.	2					1	1								1												
3. Bronchitis	M.	25	4		2	2		8			1	1					2	1		1	3	2	3	1				2
	F.	26	5	2	1	1		9					2	1				1	1		3	2	3	3	1			
4. Pneumonia	M.	221	35	15	7	4	3	64	4	4	0	5	5	5	3	5	8	12	10	7	16	22	21	10		4		1
	F.	171	21	11	5	6	1	44	2	3	4	7	4	3	10	7	6	4	9	12	9	14	19	7	5		1	1
5. Pleurisy	M.	7	1					1										1	2		1	1		1				
	F.	9										1	1			1				2	2	1			1			
6. Asthma	M.	10	1					1													3	3	1	2				
	F.	18												1					4	3	3	2	2	1	2			
7. Others of this group	M.	58	12	6	3			21	1	3	1		1			2	1	3	6		3	2	5	5	2	1		1
	F.	59	9	2	4	2		17	1	2	4		2	4		3	1	2	2	2	4	5	7	2	1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		264	30	10	3	6	3	52	5	5	9	6	9	7	5	13	12	18	18	21	25	22	21	9	5	1	1
Males		139	17	6	2	3	2	30	4	3	5	2	4	3	2	5	6	11	9	13	12	9	12	7	1	1	
Females		125	13	4	1	3	1	22	1	2	4	4	5	4	3	8	6	7	9	8	13	13	9	2	4		1
1. Dentition	M.	12	6	5	1			12																			
	F.	5	2	3				5																			
2. Angina	M.	3	1				1	2	1																		
	F.	6	1	1		1		3	1																		
3. Gastritis	M.	8										1		1		1					2	1	2				
	F.	17				1		1				1	2	1		1	1	1	1	1	3	2		2			
4. Other diseases of the stomach	M.	11				1		1								1	1	2	2	1		2	1				
	F.	10	1					1					1			1			1	2	1	1	1		1		
5. Obstruction of the bowels	M.	7					1	1			1					1				1	3						
	F.																										
6. Hernia	M.	11		1				1		1			2	1		1				1	2		1		1		
	F.	8														1	1	1			2	1	2				
7. Other diseases of the bowels	M.	7	1		1			2						1	1					1		1	1				
	F.	6	1					1			1										1	1	1		1		
8. Jaundice	M.	4																3					1				
	F.	6	1					1					1					1	1	1	1						
9. Inflammation and abscess of the liver.	M.	11									1					1			2	2	2	1	1	1			
	F.	5																1	1			2		1			
10. Other diseases of the liver	M.	26	1					1	1							1	2	3	2	5	2	3	3	3			
	F.	20									2			1	1	2		1	3	2	4	2	2				
11. Peritonitis	M.	18				1		1		1	2	1	2		1		1	1	3	2			1	2			
	F.	23	3		1			4		2	1	3	1	2	1	2	2	2	1	2							
12. Ascites	M.	2							1																1		
	F.	4															1				1	1					1
13. Others of this group	M.	19	8			1		9	1	1	1						1	2			1	1	2				
	F.	15	4			1	1	6								1	1	1			2	2					
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		176	5					5	1	3	2	2	3	11	11	7	6	10	9	20	25	24	17	12	7		1
Males		137	3					3	1	2		1	1	6	7	5	4	4	7	17	20	22	17	12	7		1
Females		39	2					2		1	2	1	2	5	4	2	2	6	2	3	5	2					
1. Bright's disease	M.	51	1					1				1	1	3	2	4	3	2	5	2	10	7	5	3	1		1
	F.	19								1	2	1	1	3	1	2		3	1	2	1	1					
2. Calculus, urinary	M.	4															1			1		1	1				
	F.																										
3. Diseases of the kidney	M.	10							1	1				2	5			1	2	9	5	6	3	7	4		
	F.	12	2					2						1	3			2			3	1					
4. Diseases of the bladder	M.	23												1				1		5	4	4	5	1	2		
	F.	5											1				2	1		1							
5. Others of this group	M.	13	2					2		1						1					1	1	3	1			
	F.	3												1							1		1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		24										1	5	2	2	1	6	2	1	1	2		1				
1. Ovarian tumors	F.	6											1				1	1	1	1	1						
2. Ovarian diseases	F.	1													1												
3. Uterine tumors	F.	4												1		1	2										
4. Uterine diseases	F.	3											3														
5. Others of this group	F.	10										1	1	1	1		3	1			1		1				
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		50									6	13	8	15	9	3	2										
1. Abortion	F.	4									1		1	1	1												
2. Child-birth	F.	45									5	8	7	13	8	2	2										
3. Others of this group	F.	7										5		1		1											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		15	1	1				2	1		1		4		1	1		2			1		2				
Males		9	1					1	1				1		1			2			1		2				
Females		6		1				1			1		3			1											
1. Diseases of the spine	M.	5	1					1							1			2					1				
	F.	2									1					1											
2. Diseases of the bones	M.	2																			1		1				
	F.																										
3. Diseases of the hip-joint	M.	2							1				1														
	F.	3											3														
4. Others of this group	M.																										
	F.	1		1				1																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		17	4					4	1		1		1	1	2			3			2	1	1					
Males		11	4					4						1				3			2		1					
Females		6							1		1		1		2							1						
1. Abscess	M.	9	3					3						1				3			2							
	F.	5							1		1		1		2													
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.	2	1					1															1					
	F.	1																				1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2										1									1							
Males		2										1									1							
Females																												
1. Addison's disease	M.	1										1																
	F.																											
2. Diseases of the spleen	M.	1																			1							
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		314	21	6	8	5		40	24	13	12	27	23	20	12	20	19	15	20	20	13	12	12	6	5	1		
Males		246	13	3	5	3		24	18	11	8	22	20	12	11	20	17	13	18	17	12	8	8	2	4			
Females		68	8	3	3	2		16	6	2	4	5	3	8	1		2	2	2	3	1	3	4	4	1	1		
1. Burns and scalds	M.	12	1	1	1	2		5	3				2				1		1									
	F.	19	1	3		1		5	4	1	3	1					1	1		2				1				
2. Drowned	M.	36			2	1		3	7	5	3	3	4	2	3	2			1	2	1							
	F.	3			2			2				1																
3. Exposure and neglect	M.	3														2					1							
	F.	1																							1			
4. Gunshot wounds	M.	3										1	1								1							
	F.																											
5. Homicide	M.	5									1	2							1	1								
	F.	2												1					1									
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	36			1			1	2	3	1	5	6	2	4	1	2	4	1	1	2	1						
	F.	3											1								1						1	
9. Suffocation	M.	18	11	1				12	2								1		1		1	1						
	F.	10	3		1			4				1	1	4														
10. Suicide by shooting	M.	3										1						2										
	F.	1											1															
11. Suicide by drowning	M.	3															1		1		1							
	F.																											
12. Suicide by poison	M.	5										1	1			1			1				1					
	F.	1									1																	
13. Other suicides	M.	25											1	2	1	4	5	1	3	6			1					
	F.	1																				1						
14. Sunstroke	M.	3													1	1		1										
	F.	2												1			1											
15. Surgical operations	M.	2											1						1									
	F.																											
16. Wounds	M.	4												1		1					1		1					
	F.	1																	1									
17. Other accidents and injuries	M.	88	1	1	1			3	4	3	3	9	4	4	2	8	7	5	7	6	5	6	6	2	4			
	F.	24	4			1		5	2	1		2		2	1			1		1		2	4	3				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 5.

[Exclusive of ALBANY, SYRACUSE, and TROY.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		19666	2510	751	502	381	328	4472	999	557	713	933	838	700	700	664	717	752	876	1055	1185	1340	1329	1006	480	204	78	68
Total: Males		10120	1418	398	276	178	165	2435	519	304	327	430	372	312	328	327	337	378	487	560	642	726	692	542	241	97	30	34
Females		9546	1092	353	226	203	163	2037	480	253	386	503	466	388	372	337	380	374	389	495	543	614	637	464	239	107	48	34
Unknown causes.																												
Total		247	61	7	5	4	6	83	7	1	3	9	5	5	2	8	5	9	10	15	19	19	19	12	9	2	....	8
Males		126	39	5	3	1	2	50	5	1	1	3	4	1	....	1	2	4	6	9	10	6	8	5	5	2	....	3
Females		121	22	2	2	3	4	33	2	....	2	6	1	4	2	7	3	5	4	6	9	13	11	7	4	....	....	2
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		4231	678	305	276	206	195	1660	641	329	109	175	135	107	108	79	67	73	82	116	112	104	119	84	33	17	8	13
Males		2117	360	162	138	99	98	857	314	166	80	83	56	47	37	38	29	37	47	66	59	58	70	40	17	8	4	4
Females		2114	318	143	138	107	97	803	327	163	89	92	79	60	71	41	38	36	35	50	53	46	49	44	16	9	4	9
1. Small-pox	M.	8	1	....	....	....	....	1	1	2	....	....	....	....	....	....	1	....	3	....	....	....	....	....	....	....	....	....
	F.	7	....	1	....	....	....	1	....	....	....	....	2	....	1	....	....	1	....	1	....	1	....	....	....	....	....	....	....
2. Measles	M.	46	10	8	4	1	....	23	5	6	3	3	2	1	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	60	9	7	4	3	....	23	6	2	6	5	2	5	6	1	3	....	....	1	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	220	29	33	34	22	23	141	49	17	7	2	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	253	19	31	40	28	32	150	68	17	5	5	4	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	621	54	53	59	52	60	278	199	94	22	11	6	6	1	....	....	....	1	....	1	....	2	....	....	....	....	....	1
	F.	570	33	31	57	56	46	223	186	90	26	14	12	3	5	1	2	1	2	2	1	....	1	....	....	....	....	....	....
5. Hooping-cough	M.	51	31	5	7	3	3	49	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	62	34	15	2	5	2	58	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	25	4	1	1	....	....	6	1	....	1	1	1	2	1	....	....	....	4	2	1	2	1	....	....	1	1	....	....
	F.	32	2	2	....	2	....	6	3	1	....	1	2	2	2	1	1	2	2	....	1	1	2	3	1	1	....	....	....
7. Cerebro-spinal fever	M.	35	5	1	4	1	1	12	4	2	6	1	....	2	1	....	....	1	1	3	1	1	....	....	....	....	....	....	....
	F.	53	10	3	2	3	1	19	2	4	3	2	5	8	1	1	2	....	....	1	4	....	1	....	....	....	....	....	....
8. Enteric fever	M.	245	9	3	3	3	3	21	3	18	24	33	22	21	11	8	9	9	10	16	14	4	12	2	....	....	1	2	....
	F.	236	2	2	3	1	5	13	19	22	30	31	16	14	13	8	12	8	6	7	8	14	7	4	2	1	....	1	....
9. Diarrhœa	M.	116	21	5	2	1	....	29	3	4	3	2	6	2	2	7	5	4	6	8	7	9	7	6	3	2	1	....	....
	F.	98	19	2	2	2	....	25	2	1	2	1	3	4	2	3	2	7	1	7	13	6	8	4	3	1	1	2	....
10. Dysentery	M.	95	15	9	7	2	2	35	2	4	1	2	2	....	2	1	3	1	4	5	5	6	15	4	2	....	1	....	....
	F.	95	12	7	3	....	2	24	6	1	2	....	....	2	2	....	5	3	6	7	7	5	10	8	3	2	1	....	....
11. Enteritis	M.	200	38	6	5	4	2	55	19	13	9	14	4	5	7	9	5	8	1	9	12	9	10	8	2	....	....	1	....
	F.	169	24	10	9	3	4	50	15	11	6	8	5	3	7	7	6	6	6	7	8	7	8	7	....	1	....	1	....
12. Cholera morbus	M.	29	1	1	1	....	....	3	5	1	....	1	2	....	....	....	....	1	3	4	1	3	2	2	1	....	....	....	....
	F.	18	3	....	1	....	....	4	2	1	....	1	2	....	1	....	....	1	....	1	....	2	....	2	....	1	....	....	....
13. Cholera infantum	M.	167	121	34	8	2	2	167	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	169	129	29	0	1	1	169	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	104	8	1	1	5	2	17	9	....	3	8	6	2	7	3	2	5	3	8	4	12	6	6	1	2	....	....	....
	F.	86	3	....	3	2	2	9	9	7	3	8	3	3	2	2	....	2	3	8	5	4	9	6	3	....	....	....	....
15. Erysipelas	M.	85	8	2	2	1	....	13	4	5	1	2	2	2	2	6	3	5	8	7	7	5	6	2	3	1	....	1	....
	F.	76	12	....	1	....	....	13	1	3	2	2	3	....	5	7	2	4	6	5	6	5	1	5	2	2	1	1	....
16. Septicæmia	M.	16	1	....	....	1	....	2	3	....	....	1	....	1	....	....	....	2	1	1	....	1	1	1	2	....	....	....	....
	F.	32	....	3	1	....	2	6	3	2	....	1	3	3	2	2	2	....	1	2	....	1	1	1	1	....	1	....	....
17. Puerperal septicæmia	F.	71	....	....	....	....	....	....	....	....	3	12	16	12	21	5	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	5	1	....	....	....	....	1	....	....	....	....	1	....	....	1	1	1	....	....	....	....	1	....	....	....	....	....	1
	F.	7	2	1	....	....	....	3	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	49	3	....	....	1	....	4	1	....	....	2	....	....	3	1	....	....	1	3	6	6	8	9	3	2	....	....	....
	F.	20	5	....	1	1	....	7	1	1	1	1	....	....	1	....	....	1	2	....	....	....	....	4	1	....	....	....	....
General diseases—B.																												
Total		161	38	4	4	3	1	50	5	1	1	5	11	9	7	10	7	8	9	9	3	5	9	4	....	1	....	1
Males		100	24	1	3	2	1	31	5	....	....	2	9	7	3	10	6	6	5	2	2	4	5	2	....	1	....	....
Females		61	14	3	1	1	....	19	....	1	1	3	2	2	4	6	1	2	4	7	1	1	4	2	....	....	....	1
1. Worms	M.	4	....	....	1	1	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	1	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	40	....	....	....	....	....	....	....	....	....	1	4	4	1	9	4	4	5	1	2	1	2	1	....	1	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	....	1	1	....	2	....	....	....	3	....	1	1	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	20	....	1	1	1	....	3	3	....	....	1	2	3	2	....	2	....	....	1	....	2	1	....	....	....	....	....	....
	F.	21	2	1	....	1	....	4	....	1	1	1	1	....	2	3	1	1	1	2	....	....	1	....	....	....	....	....	1
6. Inanition	M.	36	24	....	1	....	....	25	1	....	....	....	3	....	....	1	....	2	....	....	1	....	1	1	....	....	....	....	....
	F.	28	11	1	....	....	....	12	....	....	....	2	....	1	2	1	....	1	3	2	1	....	2	1	....	....	....	....	....
General diseases—C.																												
Total		1219	484	4	2	1	2	493	4	4	1	7	7	2	8	8	8	7	6	18	36	65	115	190	122	78	37	3
Males		616	279	1	1	1	2	284	....	3	1	1	3	1	3	3	3	4	4	7	20	31	50	100	54	30	12	2
Females		603	205	3	1	....	....	209	4	1	....	6	4	1	5	5	5	3	2	11	16	34	65	90	68	48	25	1
1. Premature birth	M.	43	43	....	....	....	....	43	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	34	34	....	....	....	....	34	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	182	182	....	....	....	....	182	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	130	130	....	....	....	....	130	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	9	8	....	....	....	....	8	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	6	1	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	143	46	1	1	1	2	51	....	3	....	1	3	1	3	3	3	4	4	3	9	11	12	17	10	3	....	2
	F.	128	35	2	1	....	....	38	4	1	....	6	4	1	5	5	5	3	2	5	8	10	15	6	7	2	....	1
5. Old age	M.	239	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	11	20	38	83	44	27	12	....
	F.	304	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	6	8	24	50	84	61	46	25	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		4557	198	70	32	30	21	351	64	54	260	371	373	269	269	230	223	233	269	311	319	346	307	189	73	29	4	13
Males		2089	111	35	18	17	12	193	33	29	87	159	131	106	117	99	95	109	128	154	158	181	147	100	38	17	2	6
Females		2468	87	35	14	13	9	158	31	25	173	212	242	163	152	131	128	124	141	157	161	165	160	89	35	12	2	7
1. Rheumatism	M.	72	....	1	1	....	....	2	2	2	5	1	4	....	3	2	2	4	5	2	6	15	11	3	2	1	....	....
	F.	59	1	....	....	....	1	2	2	....	1	3	1	2	....	3	....	3	4	6	6	9	5	9	3	....	....	....
2. Scrofula and tabes	M.	43	11	4	1	1	....	17	....	3	1	....	....	2	....	1	6	1	....	....	2	3	3	1	....	1	....	2
	F.	63	12	4	1	2	....	19	3	....	1	3	1	2	2	3	6	3	1	1	5	4	2	5	2	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	1330	57	12	11	10	5	95	13	14	60	148	120	94	98	74	61	64	79	94	90	84	73	41	16	4	....	2
	F.	1624	45	21	7	5	6	84	18	24	161	192	219	138	129	89	77	66	71	83	75	60	75	20	14	6	1	1
5. Hydrocephalus	M.	38	16	8	2	4	....	30	3	1	1	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....
	F.	29	11	6	4	1	1	23	1	....	....	1	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1
6. Cancer	M.	255	10	3	....	....	2	15	3	3	2	1	2	2	6	9	17	23	27	34	26	33	24	20	4	4	....	....
	F.	333	4	1	....	1	....	6	2	....	2	3	11	9	13	19	27	32	38	40	41	37	29	15	7	2	....	....
7. Tumor	M.	37	5	1	1	....	1	8	....	1	1	1	1	2	1	1	2	5	1	3	3	4	2	1	....	....	....	....
	F.	34	1	2	....	....	....	3	....	....	....	....	1	....	1	4	2	3	3	2	4	3	5	1	1	....	....	....
8. Anæmia	M.	17	....	....	....	....	1	1	1	....	....	....	....	2	1	....	1	....	1	1	1	2	1	1	2	2	....	....
	F.	9	....	....	....	....	....	....	....	....	....	1	1	1	2	1	....	....	....	....	....	1	1	1	....	....	....	....
9. Dropsy	M.	232	9	6	2	....	....	17	7	2	9	5	2	4	4	2	10	12	13	14	23	30	26	32	12	5	1	2
	F.	287	12	1	2	3	1	19	2	1	7	6	4	10	5	10	12	17	20	23	29	41	39	28	8	4	1	1
10. Glycosuria	M.	63	3	....	....	2	2	7	4	3	2	3	....	2	2	5	1	1	2	3	6	10	8	1	2	....	1	....
	F.	26	1	....	....	1	....	2	3	....	1	3	3	....	....	2	4	....	2	....	....	1	3	1	....	....	....	1
11. Others of this group	M.	2	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		2564	360	98	52	42	21	573	68	34	51	65	51	51	61	76	98	90	128	160	213	261	247	193	94	22	11	6
Males		1362	197	54	34	17	12	314	36	19	26	35	24	26	39	35	45	48	72	77	114	145	140	99	51	10	4	3
Females		1202	163	44	18	25	9	259	32	15	25	30	27	25	22	41	53	51	56	83	99	116	107	96	43	12	7	3
1. Inflammation of the brain	M.	125	22	16	3	2	2	45	7	2	4	3	2	1	4	2	5	2	7	5	8	7	10	6	4	1	....	....
	F.	116	27	7	7	6	1	48	4	3	7	4	6	3	2	2	1	6	2	8	5	4	5	4	1	....	1	....
2. Meningitis	M.	89	25	5	6	2	1	39	7	3	2	4	1	4	3	2	5	2	5	4	4	3	....	1	....	....	....	....
	F.	73	19	8	3	6	....	36	8	1	....	5	3	1	2	2	1	4	3	1	2	3	....	....	1	....	....	....
3. Apoplexy	M.	330	12	....	3	....	....	15	....	....	8	9	8	3	7	14	16	18	26	29	37	50	46	29	11	2	2	....
	F.	293	11	1	1	1	1	15	4	4	5	7	4	9	5	10	19	11	24	32	30	36	30	31	14	3	....	....
4. Paralysis	M.	426	4	1	2	1	1	9	2	4	4	7	5	10	17	10	9	13	20	33	50	67	73	57	25	7	2	2
	F.	421	5	4	....	2	1	12	3	4	6	8	7	4	10	14	24	24	17	35	50	59	60	51	20	7	6	....
5. Tetanus and trismus nascentium.	M.	12	2	....	....	....	....	2	....	1	2	1	....	....	3	....	1	1	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	173	103	16	13	8	5	145	11	1	1	3	1	2	....	2	1	1	1	....	1	....	....	1	1	....	....	1
	F.	121	76	16	6	5	1	104	....	....	1	1	2	2	1	2	1	....	....	....	1	2	1	2	....	....	....	1
8. Mental diseases	M.	15	....	....	....	....	....	....	....	1	....	....	1	1	2	....	3	2	....	2	1	....	....	....	2	....	....	....
	F.	25	....	....	....	....	....	....	1	....	....	....	3	2	....	6	1	2	2	1	1	3	2	....	1	....	....	....
9. Diseases of the brain	M.	136	24	14	7	4	2	51	6	5	4	5	4	4	3	2	4	2	7	2	9	12	9	4	3	....	....	....
	F.	98	23	7	....	4	4	38	9	3	4	4	2	2	2	2	5	1	4	3	3	6	5	2	2	1	....	....
10. Diseases of the spinal cord	M.	30	5	2	....	....	1	8	3	1	1	1	2	1	....	3	....	4	1	1	2	1	1	....	....	....	....	....
	F.	14	2	....	1	....	1	4	2	....	1	1	....	1	....	....	....	....	1	....	1	....	1	2	....	....	....	....	....
11. Others of this group	M.	26	....	....	....	....	....	....	....	1	....	2	....	....	....	....	1	3	4	1	2	5	1	1	5	....	....	....
	F.	40	....	1	....	1	....	2	1	....	....	....	....	1	....	3	1	3	3	3	6	3	3	4	5	....	....	2
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		1175	69	13	6	3	4	95	19	24	26	36	31	35	38	58	56	69	77	97	124	134	124	84	33	9	....	6
Males		641	39	8	4	1	2	54	7	13	10	14	17	19	23	29	21	36	42	62	66	72	73	57	16	5	....	5
Females		534	30	5	2	2	2	41	12	11	16	22	14	16	15	29	35	33	35	35	58	62	51	27	17	4	....	1
1. Angina pectoris	M.	17	....	....	....	....	....	....	....	....	....	2	....	2	2	....	....	2	1	....	5	....	1	2	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	....	....	2	1	....	....	2	....	....	....	....
2. Aneurism	M.	19	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	3	1	2	4	4	....	2	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....
3. Diseases of the heart	M.	581	27	8	4	1	2	42	6	13	10	12	16	17	20	28	19	31	38	60	57	66	70	52	15	5	....	4
	F.	507	22	5	2	2	2	33	12	11	15	22	14	14	14	28	33	33	34	35	56	60	49	24	16	3	....	1
4. Others of this group	M.	24	12	....	....	....	....	12	1	....	....	....	1	....	....	....	1	....	2	....	....	2	2	1	1	....	....	1
	F.	14	7	....	....	....	....	7	....	....	1	....	....	1	....	....	....	....	1	....	....	1	2	....	1	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		2514	393	175	89	55	51	763	88	32	74	75	59	67	81	66	86	100	123	134	160	199	194	117	52	26	9	9
Males		1324	231	92	54	21	23	421	53	16	40	42	37	32	41	40	41	47	72	69	87	93	86	63	25	13	2	4
Females		1190	162	83	35	34	28	342	35	16	34	33	22	35	40	26	45	53	51	65	73	106	108	54	27	13	7	5
1. Croup	M.	130	34	26	24	10	13	107	16	4	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	111	24	26	13	11	17	91	16	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	113	22	10	2	2	2	38	6	....	4	2	....	1	5	3	1	7	5	3	5	5	15	6	2	5	....	....
	F.	94	17	7	1	....	....	25	2	....	3	3	....	2	2	2	4	3	5	5	6	5	9	8	6	1	1	2
4. Pneumonia	M.	822	123	56	19	7	5	190	24	10	31	28	26	25	28	28	34	31	57	60	58	60	62	44	18	7	1	....
	F.	770	91	41	19	10	9	176	14	9	18	27	15	25	29	22	38	38	37	45	49	78	82	37	16	8	4	1
5. Pleurisy	M.	26	1	1	1	....	1	4	....	....	....	1	4	1	1	2	1	....	1	1	3	7	....	....	....	....	....	....
	F.	20	....	....	1	....	....	1	....	....	1	....	1	2	....	1	1	3	....	2	1	3	3	1	....	....	....	....
6. Asthma	M.	37	4	2	....	....	1	7	1	1	....	....	1	1	1	3	....	1	4	2	5	6	2	2	....	....	....	....
	F.	38	3	....	....	1	....	4	....	....	2	....	....	....	1	....	....	4	1	4	5	9	3	2	....	2	1	....
7. Others of this group	M.	190	47	17	8	2	1	75	6	1	3	11	6	4	6	4	5	8	5	3	16	14	7	11	5	1	1	4
	F.	157	27	9	1	6	2	45	3	5	9	3	6	6	8	1	2	5	8	9	12	11	11	6	3	2	1	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 5—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	896	126	42	10	5	10	193	22	14	21	23	32	25	21	25	44	59	55	73	70	69	68	58	15	6	4	4
Males	469	77	18	5	2	4	106	9	8	9	10	17	9	9	16	21	30	30	36	38	40	34	31	8	3	2	3
Females	427	49	24	5	3	6	87	13	6	12	13	15	16	12	9	23	29	25	37	32	29	29	27	7	3	2	1
1. Dentition	23	13	9	1			23																			
	13	4	9				13																			
2. Angina	25	5			1		6	2				3			1		2	2	1		3	1	4			
	15	2	1				3	2		2				2	1		2						2	1			
3. Gastritis	32	4	1				5	1		1	1		1	1	1	2	3	1	3	4	3	1	4				
	53	5	4	1			10	1	1	1	2	2	2	1		6	2	5	2	3	2	4	6	1	1		1
4. Other diseases of the stomach	44	6	1				7	2	1	2	2	1	1		1	2	1	4	3	6	4	5	2				
	45	9		1		1	11	3	1	1	2	1	1	1		2		1	7	5	3	3	3				
5. Obstruction of the bowels	31	5	2	1		1	9		3			3	1	1	2	2		1	2	1	2	2	1	1			
	20	2			2		4			2	1	1		2		1		2	1	2	2		2				
6. Hernia	33	3					3					1	1	1	1	2	4	2	5	4	4	2	2		1		
	18	1				1	2	1								1	2	2	3	2	3		2				
7. Other diseases of the bowels	29	6	2			1	9		1	1	2				2	1	1		1	1	2	6	1	1			
	17	1					1		1							1	3	1	2	2	2	3				1	
8. Jaundice	24	4					4	1			1					1	2	1	2	4	2	2	1	2			1
	27	4				2	6	1	1	1	1		2	1	1	1	1	1	1	3	3	1	2				
9. Inflammation and abscess of the liver.	18	1					1		1	1		2				2	1	1	2	3	3		1				
	17	2					2					1	3	1	2	1	2	1		1	2		1				
10. Other diseases of the liver	77	9			1		10	1		1				3	4	5	10	8	7	4	5	8	6	2	2	1	
	78	3	3	1		1	8	3		1	2	1	2	1	2	3	11	7	10	4	7	5	6	2	2	1	
11. Peritonitis	61	3	2	1			6	1	1	3	2	3	4	1	3	2	2	3	4	5	7	5	6	1		1	1
	62	3	1	2		1	7		1	4	4	5	6	1	3	5	4	3	6	4	1	5	2	1			
12. Ascites	1																			1							
	7																			1	1	1	2	2			
13. Others of this group	71	18	1	2		2	23	1	1		2	4	1	2	1	2	4	7	6	5	5	2	3	1			1
	55	13	6		1		20	2	1		1	4		2		2	2	1	4	5	2	4	4	1			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	624	22	8	5	3	1	34	14	11	22	27	21	20	20	18	20	21	41	52	59	82	73	45	25	8	1	1
Males	405	15	2	3	3	1	24	9	7	13	13	11	9	11	9	20	12	29	35	42	60	46	33	16	4	1	1
Females	219	7	1	2			10	5	4	9	14	10	11	9	9	9	9	12	17	17	22	27	12	9	4		
1. Bright's disease	152					1	1	2	1	6	8	4	7	7	5	10	5	14	22	16	20	12	6	5	1		
	103			1			1	3	2	5	10	5	4	5	6	6	4	5	9	7	10	12	4	3	2		
2. Calculus, urinary	16									1		2		1		1			2	3	3	3					
	7							1		1				2						1	1	1					
3. Diseases of the kidney	157	11	2	2	3		18	3	3	4	5	2	2	2	3	3	5	9	11	17	24	21	11	7	1	1	
	70	5	1				6		1	2	3	3	6	1	2	1	3	6	7	5	8	7	5	3	1		
4. Diseases of the bladder	42	8		1			4		2	1		3		1			1	4		4	8	7	4	1	2		
	16	2		1			3				1	2			1	1	1		1	2	1	1	1	1			
5. Others of this group	33	1					1	4	1	1					1	1	1	2		2	5	3	12	3			1
	23							1	1	1			1	1		1	1	1		2	2	6	2	2	1		
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females	47									3	4	4	2	4	8	9	5	5	1		1			1			
1. Ovarian tumors F.	12									1			1	1	3	1	2	1	1					1			
2. Ovarian diseases F.																											
3. Uterine tumors F.	12											1	2		1	3	2	3									
4. Uterine diseases F.	4											1		1	1	1											
5. Others of this group F.	19									2	2	2		3	3	4	1	1			1						
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	156									9	44	27	37	21	13	4											1
1. Abortion F.	14									1	4	4	1	2	2												
2. Child-birth F.	120									4	34	20	30	16	11	4											1
3. Others of this group F.	22									4	6	3	6	3													
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	96	7	3	1	1	2	14	7	5	3	5	3	2	2	5	7	7	3	5	11	7	6	2		2		
Males	53	3	1	1	1	1	7	7	3	2	2	3	1	2	5	3	2	1	1	4	4	4	1		1		
Females	43	4	2			1	7		2	1	3		1			4	5	2	4	7	3	2	1		1		
1. Diseases of the spine	41	3	1	1	1	1	7	7		1	2		1	1	5	2	1	1	1	4	3	3	1		1		
	35	4	2			1	7		1		2		1			4	3	2	4	6	2	2			1		
2. Diseases of the bones	5								1	1		1					1				1						
	1																				1						
3. Diseases of the hip-joint	7								2			2		1		1						1					
	7								1	1	1						2			1			1				
4. Others of this group																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NEW YORK—GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		80	11					11	3	1	2	6	5	2	8	4	4	2	7	5	6	5	5	4				
Males		45	7					7	1	1	2	2	5	2	3	3	2	1	4	1	5	2	2	2				
Females		35	4					4	2			4			5	1	2	1	3	4	1	3	3	2				
1. Abscess	M.	39	5					5	1	1	2	2	5	2	2	3	1	1	4	1	5	1	1	2				
	F.	30	2					2	2			4			4	1	2	1	2	3	1	3	3	2				
2. Carbuncle	M.	2																				1	1					
	F.	2													1				1									
3. Others of this group	M.	4	2					2							1		1											
	F.	3	2					2												1								
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1												1														
Males																												
Females		1												1														
1. Addison's disease	M.																											
	F.	1												1														
2. Diseases of the spleen	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		1098	63	27	20	28	14	152	57	47	68	81	74	66	50	50	70	60	61	59	53	43	48	22	23	4	4	6
Males		773	30	19	12	13	7	87	40	33	56	64	55	52	40	39	49	42	47	41	37	30	27	9	11	3	3	3
Females		325	27	8	8	15	7	65	17	9	12	17	19	14	10	11	21	18	14	18	16	13	21	13	12	1	1	3
1. Burns and scalds	M.	34	3	6	5	3	2	19	5	1				1	1	1	1		2		2		1					
	F.	44		3	3	6	4	16	4	3		2	3			1	2	3	2	3	1	1	1	2				
2. Drowned	M.	108	1	3	3	8	1	16	19	14	8	10	5	5	4	6	7	3	3	3	3	1	1					
	F.	24				5		5		3	3	3		1	1		2	2	1		2		1					
3. Exposure and neglect	M.	11	4					4	1		1		2	1	1		1											
	F.	5										1	1		1								2					
4. Gunshot wounds	M.	20	1			1		2		2	4	4	2	2	2	1	1											
	F.	12							2				2		1	3					1	2	1					
5. Homicide	M.	13		2				2				4		1	3			2				1						
	F.	4							1								1	1	1									
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	112		1	1			2	1	4	11	15	9	10	9	8	9	8	5	9	5	3	1	2	1			
	F.	19			1			1	1		2				1	1	4		2	3	1	1		1				1
9. Suffocation	M.	30	11	2				13	1	1		1	1	1	1			1		2	1	1	1	2				3
	F.	19	8					8	2				1	2			1	1		1				2				1
10. Suicide by shooting	M.	13									2	2	1	4		1		2					1					
	F.																											
11. Suicide by drowning	M.	1																			1							
	F.	5									1			2		1	1											
12. Suicide by poison	M.	2										1	1															
	F.	3										2	1															
13. Other suicides	M.	55								1	5	2	4	2	1	2	6	8	10	4	4	2	1	2	1			
	F.	13									1	4			1		1	3		1	1				1			
14. Sunstroke	M.	17					1	1					2	2	1	2	2	2		1	1		2		1			
	F.	3					1	1													1		1					
15. Surgical operations	M.	2									2																	
	F.	3														1		1					1					
16. Wounds	M.	22	1		1			2		1	4	3	1	1		1	3	1			2	1	1				1	
	F.	7	1					1					3		1			1			1							
17. Other accidents and injuries	M.	333	15	5	2	1	3	26	13	14	19	22	27	22	17	17	19	15	27	22	18	21	18	3	8	3	2	
	F.	184	18	5	4	4	2	33	7	3	5	5	8	9	4	4	9	6	8	10	8	9	14	8	11	1	1	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		7163	1693	687	498	289	178	3345	477	231	239	325	246	219	217	174	192	214	169	240	197	212	163	132	61	29	39	42
Total: Males		3570	958	373	238	136	88	1793	253	118	106	131	90	79	78	77	88	93	96	124	108	108	92	65	32	11	9	19
Females		3593	735	314	260	153	90	1552	224	113	133	194	156	140	139	97	104	121	73	116	89	104	71	67	29	18	30	23
Unknown causes.																												
Total		1035	512	90	56	33	18	709	49	18	18	18	12	25	19	12	20	15	11	21	15	23	10	17	13	3	2	5
Males		521	285	43	25	13	7	373	24	12	8	9	4	7	9	6	8	2	5	9	7	11	6	8	8	2	1	2
Females		514	227	47	31	20	11	336	25	6	10	9	8	18	10	6	12	13	6	12	8	12	4	9	5	1	1	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2184	494	349	255	146	95	1339	229	97	70	79	49	42	35	31	29	32	18	26	29	22	17	15	12	1	1	11
Males		1102	269	191	123	71	49	703	119	45	26	33	17	20	11	16	16	11	12	15	20	13	7	8	6			4
Females		1082	225	156	132	75	46	636	110	52	44	46	32	22	24	15	13	21	6	11	9	9	10	7	6	1	1	7
1. Small-pox	M.																											
	F.																											
2. Measles	M.	88	29	21	10	4	1	65	11	1		4		3		1	1				1							
	F.	76	11	17	12	9	2	51	5	2	5	4	4	2		2					1							1
3. Scarlet fever	M.	5	1		1		1	3	1	1																		
	F.	9	1	3	1			5	1	1			1					1										
4. Diphtheria	M.	140	25	17	20	15	13	90	36	8		3		2			1											
	F.	140	19	11	20	20	11	81	32	19	3	1	1		1	1					1							
5. Hooping-cough	M.	133	60	33	14	6	2	121	11	1																		
	F.	120	51	27	19	6	6	109	8	2		1																
6. Fever	M.	26	6	2	3	1	3	15	3	2	1					2						1	1	1				
	F.	31	10	4	5	2		21	2	2	1	1	1						1	1						1		
7. Cerebro-spinal fever	M.	9	2		1	1	1	5	1		2								1									
	F.	10	3	1	1		1	6		1			1		1				1									
8. Enteric fever	M.	129	11	8	6	7	3	35	12	11	13	14	9	8	3	1	4	1	3	3	4	6	1	1				
	F.	123	12	6	5	4	7	34	15	13	16	16	3	1	6	3	2	5	2	1	2	1		2	1			
9. Diarrhœa	M.	116	32	26	21	11	1	91	3	3	1	3					1	1	1	3	5	1	1	1	1			
	F.	86	22	16	13	6	2	59	3		1	2	1	3			3	2		4	1	2	4	1				
10. Dysentery	M.	40	9	8	6	2	2	27	3			1	1	1			1	2			1	1	1	1				
	F.	56	12	11	11	5	1	40	1		1		1		3	3		3			1		1		2			
11. Enteritis	M.	26	6	7	2		3	18		1	1		3					1			2							
	F.	29	9	5	3	1	1	19	2		1	1		1			1		1			1		1	1			1
12. Cholera morbus	M.	7	2	1		1		4	1																			
	F.	7	2		1	1		4	2								1											
13. Cholera infantum	M.	110	40	44	15	3	1	109																				1
	F.	82	39	25	16	1		81																				1
14. Malarial fever	M.	250	31	23	24	19	18	115	37	17	8	6	3	6	5	9	7	5	6	8	6	3	2	2	3			2
	F.	251	30	29	22	18	15	114	36	11	13	11	10	6	4	3	6	3	2	5	2	5	5	2	3		1	4
15. Erysipelas	M.	9	1					1																				
	F.	10	2	2		2		6				1			2	2			1					1	1			
16. Septicæmia	M.											1	1					1						1				
	F.	5		1				1	1					1	1													
17. Puerperal septicæmia	F.	34									3	6	7	6	9	2												1
18. Venereal diseases	M.	2												1				1			1							
	F.	2																1										
19. Others of this group	M.	12	2	1		1		4				1	1		1	1	1			1		1	1					
	F.	11	2		3			5	2	1		2		1														
General diseases—B.																												
Total		140	18	23	26	19	9	95	20	5	2	2	1	1		1	2	4	3		2	1	1				
Males		78	10	13	13	7	4	47	14	1	2	2	1			1	2	3	1		2	1	1				
Females		62	8	10	13	12	5	48	6	4				1				1	2									
1. Worms	M.	43	2	10	12	7	3	34	9																			
	F.	46	1	9	12	10	5	37	5	3																		
2. Other parasitic diseases	M.																											
	F.																											
3. Alcoholism	M.	11							2	1							2	3	1		1	1						
	F.																											
4. Lead poison	M.																											
	F.																											
5. Other poisons	M.	12		2	1		1	4	3		2	2												1				
	F.	11	1	1	1	2		5	1	1				1				1	2									
6. Inanition	M.	12	8	1				9					1			1					1							
	F.	6	6					6																				
General diseases—C.																												
Total		345	239	4	7			250	1	1	1	1	3		1		1			4	4	12	12	15	7	12	20	
Males		180	140	1	5			146		1			1				1			3		6	5	5	2	5	5	
Females		165	99	3	2			104	1		1	1	2		1					1	4	6	7	10	5	7	15	
1. Premature birth	M.	26	26					26																				
	F.	25	25					25																				
2. Stillborn	M.	101	101					101																				
	F.	60	60					60																				
3. Malformation	M.	7	5		2			7																				
	F.	4	3		1			4																				
4. Debility	M.	25	8	1	3			12		1			1				1			2		3	2	1	1		1	
	F.	31	11	3	1			15	1		1	1	2		1					1	2	1	1	1	2	1	1	
5. Old age	M.	21																		1		3	3	4	1	5	4	
	F.	45																		1		8	3	4	1	5	4	
6. Atrophy	M.																				2	5	6	9	3	6	14	
	F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1065	27	38	28	11	3	110	36	33	52	101	94	65	75	61	74	67	56	60	46	48	36	26	12	2	5	6
Males		455	13	21	11	6	1	52	20	17	22	35	35	23	28	19	25	28	34	30	19	20	20	16	8	....	1	3
Females		610	14	17	17	8	2	58	16	16	30	66	59	42	47	42	49	39	22	30	27	28	16	10	4	2	4	3
1. Rheumatism	M.	16	....	....	....	....	....	....	....	....	....	3	....	1	1	....	....	1	3	2	2	2	1	....	....	....	....	....
	F.	15	....	....	....	....	....	....	....	....	....	2	1	1	....	1	3	1	....	1	3	1	....	....	....	1	....	....
2. Scrofula and tabes	M.	33	3	6	2	2	....	13	5	1	1	5	....	....	3	....	....	1	1	....	....	1	1	1	....	....	....	....
	F.	40	2	6	6	3	....	17	3	2	1	2	3	1	2	....	1	1	....	1	2	3	....	....	....	....	....	1
3. Leprosy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	215	6	5	3	1	....	15	1	1	11	21	28	17	19	10	15	15	17	17	11	7	6	1	2	....	....	1
	F.	330	3	4	3	2	....	12	5	5	22	52	48	35	27	22	27	24	8	14	10	10	6	3	1	....	2	2
5. Hydrocephalus	M.	13	3	3	3	2	1	12	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	4	1	....	....	....	5	1	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Cancer	M.	18	....	....	....	....	....	....	....	....	....	....	....	1	....	3	1	....	1	2	4	3	1	1	1	....	....	....	....
	F.	64	....	....	1	....	....	1	....	....	2	....	2	2	4	7	10	7	9	7	5	2	2	3	1	....	1	....
7. Tumor	M.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	10	1	....	....	....	....	1	....	....	....	....	1	....	....	2	1	1	1	1	....	2	....	....	....	....	....	....	....
8. Anæmia	M.	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	148	....	6	3	1	....	10	14	14	9	6	5	4	4	6	9	10	11	9	1	7	10	13	4	....	1	1
	F.	138	4	6	6	2	2	20	7	9	5	10	9	1	14	9	7	5	4	5	7	9	8	5	2	1	1	....
10. Glycosuria	M.	5	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		607	139	35	30	22	17	243	54	24	20	9	9	9	16	12	11	26	23	34	26	27	28	16	5	3	4	8
Males		308	85	17	12	12	9	135	31	17	7	3	3	4	4	9	6	10	11	14	13	10	17	7	....	1	....	6
Females		299	54	18	18	10	8	108	23	7	13	6	6	5	12	3	5	16	12	20	13	17	11	9	5	2	4	2
1. Inflammation of the brain	M.	61	12	5	6	3	5	31	10	7	1	3	2	1	1	....	1	1	1	....	1	1	....	....	....	....	....	....	....
	F.	42	2	5	7	2	4	20	10	2	5	....	1	....	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	18	3	2	1	2	....	8	6	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1
	F.	18	2	2	2	1	2	9	4	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Apoplexy	M.	35	1	....	....	....	....	1	1	....	1	....	1	2	1	1	2	3	5	3	6	....	5	1	....	....	....	2
	F.	17	1	....	....	....	....	1	....	....	....	1	....	....	1	....	2	....	1	2	3	3	1	....	....	....	1	1
4. Paralysis	M.	55	2	....	....	1	....	3	2	4	....	....	....	....	1	4	1	5	3	5	5	6	12	3	....	1	....	....
	F.	77	....	....	....	....	....	....	....	1	....	1	....	1	4	1	2	6	8	10	8	12	9	5	5	2	2	....
5. Tetanus and trismus nascentium.	M.	27	21	....	....	....	....	21	....	1	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	2
	F.	16	15	....	....	....	....	15	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	4	1	....	....	....	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	8	3	....	1	....	....	4	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	....	....
7. Convulsions	M.	56	32	6	3	4	1	46	5	2	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	64	26	6	3	5	1	41	3	....	1	3	2	3	1	....	....	4	....	3	1	1	....	1	....	....	....	....	....
8. Mental diseases	M.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	43	13	3	2	....	2	20	7	2	1	....	....	....	1	2	2	1	....	3	1	1	....	1	....	....	....	....	1
	F.	47	4	5	5	2	1	17	5	4	1	1	....	1	3	1	....	5	2	3	1	1	1	1	....	....	....	....	....
10. Diseases of the spinal cord	M.	2	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
11. Others of this group	M.	4	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		258	5	1	1	2	1	10	7	7	5	17	6	7	6	15	11	19	17	31	26	29	17	18	6	2	....	2
Males		116	3	....	1	1	1	6	3	5	3	3	3	2	4	2	4	8	10	11	19	12	7	9	4	....	....	1
Females		142	2	1	....	1	....	4	4	2	2	14	3	5	2	13	7	11	7	20	7	17	10	9	2	2	....	1
1. Angina pectoris	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	108	2	....	1	1	....	4	3	5	3	3	3	2	4	2	4	8	10	11	15	12	7	3	3	....	....	1
	F.	137	2	1	....	1	....	4	4	2	2	13	2	5	2	12	7	11	6	20	7	17	10	8	2	2	....	1
4. Others of this group	M.	2	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		600	118	56	44	15	15	248	30	19	22	26	30	19	21	16	15	20	24	28	21	24	16	15	1	2	1	2
Males		339	72	28	31	9	9	149	18	4	14	17	15	7	10	11	9	12	14	16	14	15	8	5	....	1	....	....
Females		261	46	28	13	6	6	99	12	15	8	9	15	12	11	5	6	8	10	12	7	9	8	10	1	1	1	2
1. Croup	M.	42	13	9	11	2	6	41	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	31	14	4	4	2	2	26	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	20	3	5	2	3	....	13	3	....	1	....	1	....	1	....	1	....	1	1	1	2	....	....	....	1	....	....	....
	F.	25	4	6	2	....	1	13	1	....	....	....	1	1	2	....	....	2	1	2	1	....	....	....	....	1	....	....	....
4. Pneumonia	M.	241	49	13	16	1	3	82	11	3	12	16	14	7	9	10	8	10	11	13	12	12	6	5	....	....	....	....	....
	F.	176	25	17	6	3	3	54	7	14	8	6	12	8	9	4	6	5	9	8	6	6	6	7	....	....	1	....	....
5. Pleurisy	M.	10	1	....	....	1	....	2	....	....	1	....	....	....	....	....	....	2	1	2	....	....	2	....	....	....	....	....	....
	F.	15	....	....	....	....	....	....	....	1	....	3	1	2	....	1	....	1	....	1	....	2	1	2	....	....	....	....	....
6. Asthma	M.	2	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....
7. Others of this group	M.	18	6	1	2	....	....	9	3	1	....	1	....	....	....	1	....	....	1	....	1	1	....	....	....	....	....	....	....
	F.	9	3	1	1	1	....	6	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.		3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	316	68	60	20	8	6	162	14	3	4	13	6	13	8	7	8	15	7	17	11	8	12	5				3
Males	169	40	37	6	3	3	89	7	2	3	5	1	6	2	4	6	9	3	11	5	4	9	3				
Females	147	28	23	14	5	3	73	7	1	1	8	5	7	6	3	2	6	4	6	6	4	3	2				3
1. Dentition M.	35	6	25	2	2		35																				
1. Dentition F.	24	5	15	4			24																				
2. Angina M.	4	2	1			1	4																				
2. Angina F.	9	1	2	2			7	1										1									
3. Gastritis M.	6	1		2			3						1			1							1				
3. Gastritis F.	10	1		1	1	1	4				1		1	1			1	1			1						
4. Other diseases of the stomach. M.	2	1					1	1																			
4. Other diseases of the stomach. F.	5							1				1			1		1			1							
5. Obstruction of the bowels M.	5			1			1	1		1	1				1												
5. Obstruction of the bowels F.	4														1	1	1										1
6. Hernia M.	10	1		1			2		1								2	1	1	2	1						
6. Hernia F.	1													1													
7. Other diseases of the bowels. M.	20	7	5				12	1	1	2			1	1								2					
7. Other diseases of the bowels. F.	13	5	1	3			9			1										1		2					
8. Jaundice M.	7	1				1	2	1			1				1		1						1				
8. Jaundice F.	8	2	1	1		1	5	1				1							1								
9. Inflammation and abscess of the liver. M.	5							1			1	1						1	1								
9. Inflammation and abscess of the liver. F.	5					1	1	1									1			2							
10. Other diseases of the liver M.	23	2	2			1	5	1			2					2	4		4	2	1	2					
10. Other diseases of the liver F.	26		3	1			4	2			3	2	3	2		1	1	2	3		1		2				
11. Peritonitis M.	8													1					1			1					
11. Peritonitis F.	12			1			1				2	1	1	2	1				1			1					1
12. Ascites M.	5							1							1				1		1	1					
12. Ascites F.	4				1		1				2									1							
13. Others of this group M.	44	19	4		1		24						4		1	3	2	1	3	1	1	3	1				
13. Others of this group F.	26	14	1	1	1		17	1	1				2				1		1	1	2						
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	72		1	1	1		3	2		2	3	2	2	2	2	4	5	2	9	9	6	7	4	4	2	1	1
Males	53		1	1	1		3	1		2	1		1	1		3	4	1	6	7	5	6	4	4	2	1	1
Females	19							1			2	2	1	1	2	1	1	1	3	2	1	1					
1. Bright's disease M.	5																1			2		1	1				
1. Bright's disease F.	11							1			2		1			1		1	3	1	1						
2. Calculus, urinary M.	13				1		1			1								1	2	1	2	1	3	3	1	1	1
2. Calculus, urinary F.																											
3. Diseases of the kidney M.	15		1	1			2				1		1	1		2	2		3	2		1					
3. Diseases of the kidney F.	7											1		1	2		1			1	1	1					
4. Diseases of the bladder M.	3							1											1	1	2	1					
4. Diseases of the bladder F.	1											1															
5. Others of this group M.	9									1						1	1			1	1	2		1	1		
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	29									3	1	1	5	5	3	2	4	1		2				1	1		
1. Ovarian tumors F.	2															1	1										
2. Ovarian diseases F.	1														1												
3. Uterine tumors F.	1									1																	
4. Uterine diseases F.	7									2			2				1			2							
5. Others of this group F.	18										1	1	3	5	2	1	2	1						1	1		
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	90									11	26	17	16	16		4											
1. Abortion F.	7											2	1	3		1											
2. Child-birth F.	75									9	22	13	15	13		3											
3. Others of this group F.	8									2	1	2															
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	14	1	1		1		3	3		1	2						1	1		1		2					
Males	9	1			1		2	1		1	1						1			1		2					
Females	5		1				1	2			1							1									
1. Diseases of the spine M.	4	1			1		2																				
1. Diseases of the spine F.	3		1				1	1			1									1		1					
2. Diseases of the bones M.																											
2. Diseases of the bones F.	2							1										1									
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.	5							1		1	1						1					1					
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		19	1	1				2	2	1	2	1	1	1	3	2			1	1		1	1				
Males		10	1	1				2	2	1	1		1		1	1				1							
Females		9									1	1		1	2	1			1			1	1				
1. Abscess	M.	4								1					1	1				1							
	F.	5									1	1		1	1								1				
2. Carbuncle	M.																										
	F.	1																				1					
3. Others of this group	M.	6	1	1				2	2		1		1														
	F.	3													1	1			1								
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2																1		1							
Males		1																1									
Females		1																		1							
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1																1									
	F.	1																		1							
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		384	70	28	30	28	14	170	30	23	26	26	15	14	10	11	11	5	5	5	5	10	4	1		1	5	4
Males		226	38	20	10	12	5	85	13	13	17	22	9	9	8	7	8	4	5	8	1	10	4				1	2
Females		158	32	8	20	16	9	85	17	10	9	4	6	5	2	4	3	1			4			1		1	4	2
1. Burns and scalds	M.	43	4	12	5	8	2	31	3	1	3									2	1	2					
	F.	86	5	4	15	15	7	46	10	7	6	3	2	3	1	3	1									3	1
2. Drowned	M.	41		1	1	1		3	4	5	9	5		3	4	2	2		1	2							1
	F.	7					1	1	3		1	1			1												
3. Exposure and neglect	M.	17	7	5	2			14				1								1						1	
	F.	12	10	1				11																			1
4. Gunshot wounds	M.	16							2	2	1	8	1	1													1
	F.	2							2																		
5. Homicide	M.	4											3							1							
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	1															1										
	F.																										
8. Railroad accidents	M.	2										2															
	F.																										
9. Suffocation	M.	21	12	2	2	3	1	20	1																		
	F.	16	13	1	1			15	1																		
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.	1																			1						
13. Other suicides	M.	2									1				1												
	F.	2								1											1						
14. Sunstroke	M.	2																	1				1				
	F.	2				1		1					1														
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	4										1	1			1				1							
	F.																										
17. Other accidents and injuries	M.	73	15				2	17	3	5	3	5	4	5	3	4	5	4	3	1		8	3				
	F.	30	4	2	4		1	11	1	2	2		3	2		1	2	1			2			1		1	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	1 to 15	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	11788	2863	1191	675	351	272	5352	604	364	545	593	452	378	351	265	311	310	240	353	354	384	308	267	131	56	57	113
Total: Males	5706	1593	635	350	188	137	2903	260	162	220	237	188	134	116	82	121	160	114	194	187	196	158	114	73	21	17	49
Females	6082	1270	556	325	163	135	2449	344	202	325	356	264	244	235	183	190	150	126	159	167	188	150	153	58	35	40	64
Unknown causes.																											
Total	1517	810	143	86	32	24	1095	40	24	25	30	29	16	20	18	15	14	10	29	21	35	24	30	11	7	5	19
Males	786	455	73	49	18	15	610	14	11	13	15	8	6	7	6	5	6	5	17	9	16	11	13	5	...	1	8
Females	731	355	70	37	14	9	485	26	13	12	15	21	10	13	12	10	8	5	12	12	19	13	17	6	7	4	11
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	3525	708	612	312	179	147	1958	316	175	165	165	106	80	57	49	56	64	53	58	36	61	41	28	22	2	5	28
Males	1705	390	331	146	91	71	1029	128	68	73	79	54	38	18	13	23	29	24	30	19	30	15	7	12	1	2	13
Females	1820	318	281	166	88	76	929	188	107	92	86	52	42	39	36	33	35	29	28	17	31	26	21	10	1	3	15
1. Small-pox M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Small-pox F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles M.	77	27	12	9	2	2	52	3	2	4	1	5	4	...	...	...	...	1	1	1	...	...	...	1	1	...	1
2. Measles F.	85	22	11	12	5	1	51	3	5	5	4	2	4	1	...	1	4	1	2	...	...	...	1	...	...	...	1
3. Scarlet fever M.	36	3	6	6	4	5	24	8	...	1	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Scarlet fever F.	40	7	8	9	4	3	31	7	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Diphtheria M.	294	54	45	38	34	36	207	50	22	2	...	3	1	...	...	1	...	...	1	1	...	...	...	...	...	...	...
4. Diphtheria F.	286	15	30	37	36	37	155	88	31	2	3	1	2	...	1	1	2	...	...	...	...	...	...	...	...	...	...
5. Hooping-cough M.	173	80	47	9	13	4	159	11	...	1	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
5. Hooping-cough F.	186	87	47	22	6	6	168	15	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Fever M.	29	3	4	4	2	1	14	2	1	2	1	2	...	1	1	...	1	2	2	...	...	...	...	...	...	...	...
6. Fever F.	38	6	1	1	1	1	10	4	5	5	1	4	1	...	1	...	...	1	3	...	1	1	...	...	...	1	...
7. Cerebro-spinal fever M.	15	1	3	...	1	2	7	1	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
7. Cerebro-spinal fever F.	16	2	1	...	...	3	6	3	2	2	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	1
8. Enteric fever M.	280	8	15	6	6	8	43	16	27	39	52	28	15	9	2	8	12	7	6	6	4	2	1	2	...	...	1
8. Enteric fever F.	332	11	11	14	5	9	50	35	33	42	44	28	16	12	14	11	12	8	5	7	4	4	2	3	...	...	2
9. Diarrhœa M.	127	43	34	14	2	2	95	2	...	...	1	1	...	1	1	...	1	1	5	3	5	3	2	3	...	2	1
9. Diarrhœa F.	114	28	31	14	4	2	79	2	...	2	2	1	...	...	4	1	1	2	2	1	0	3	7	...	...	...	1
10. Dysentery M.	170	40	57	24	7	3	131	5	1	2	3	...	...	...	1	3	1	4	3	2	5	1	2	3	...	...	3
10. Dysentery F.	209	42	54	28	9	5	138	7	3	4	4	...	3	3	...	4	3	7	7	1	7	6	7	2	...	...	3
11. Enteritis M.	30	13	4	1	1	...	19	...	...	3	...	1	...	...	1	...	...	...	...	1	3	1	...	1	...	...	...
11. Enteritis F.	37	7	5	4	...	...	16	...	...	2	1	3	2	2	1	1	2	...	2	...	2	1	1	1	...	...	...
12. Cholera morbus M.	33	4	8	3	1	...	16	...	1	2	2	...	1	...	...	...	3	...	3	...	1	2	...	...	...	...	2
12. Cholera morbus F.	16	1	4	2	...	...	7	1	...	...	...	...	...	...	1	...	1	1	...	2	2	...	...	1	...	...	...
13. Cholera infantum M.	169	77	75	11	5	1	169	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Cholera infantum F.	149	64	63	18	3	1	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14. Malarial fever M.	218	15	17	20	11	5	68	22	10	13	17	11	13	5	5	10	8	9	6	5	8	5	1	...	...	...	2
14. Malarial fever F.	235	15	12	5	14	8	54	21	22	23	17	5	10	13	10	9	8	7	5	4	6	9	3	3	1	1	4
15. Erysipelas M.	19	10	1	...	...	...	11	1	...	1	...	...	1	1	...	...	...	...	2	...	...	1	1	...	...	...	...
15. Erysipelas F.	21	7	...	...	...	...	7	...	2	...	...	1	...	...	1	1	2	1	...	2	1	2	...	...	...	...	1
16. Septicæmia M.	3	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
16. Septicæmia F.	5	...	...	...	...	...	...	1	...	...	...	1	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...
17. Puerperal septicæmia F.	27	...	...	...	...	...	...	...	...	2	8	5	3	6	2	1	...	...	...	...	...	...	...	...	...	...	...
18. Venereal diseases M.	11	2	2	...	...	...	4	...	...	...	1	...	2	1	1	1	...	...	...	...	1	...	...	...	...	...	...
18. Venereal diseases F.	9	...	...	...	...	...	...	...	...	1	2	...	...	1	...	1	...	1	1	...	...	...	...	...	...	...	2
19. Others of this group M.	21	3	...	1	2	2	8	1	1	1	1	...	...	...	1	...	2	...	1	...	2	...	...	2	...	...	1
19. Others of this group F.	15	4	3	...	1	...	8	1	...	1	...	1	...	...	1	1	...	...	...	...	1	...	...	...	...	1	...
General diseases—B.																											
Total	145	30	23	19	14	11	97	14	2	2	2	1	4	4	...	5	3	5	1	1	...	1	...	...	...	1	2
Males	89	21	11	11	9	4	56	6	2	2	1	1	1	4	...	3	1	4	1	...	...	1	...	...	...	1	2
Females	56	9	12	8	5	7	41	8	...	...	1	...	...	...	...	2	2	1	...	1	...	...	...	...	...	...	...
1. Worms M.	40	6	11	7	8	2	34	1	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
1. Worms F.	34	2	9	8	5	7	31	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Other parasitic diseases M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Other parasitic diseases F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Alcoholism M.	16	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
3. Alcoholism F.	...	...	...	...	...	...	...	...	...	...	...	1	3	3	...	2	1	2	1	...	...	...	...	...	...	...	2
4. Lead poison M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Lead poison F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Other poisons M.	17	1	...	4	...	2	7	3	1	...	1	...	1	1	...	...	...	1	...	...	...	1	...	...	...	1	...
5. Other poisons F.	12	1	3	...	...	...	4	5	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...
6. Inanition M.	16	14	...	...	1	...	15	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Inanition F.	8	6	...	...	...	...	6	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
General diseases—C.																											
Total	723	499	11	8	4	2	524	...	2	...	...	...	...	...	...	...	1	...	2	3	20	20	58	32	26	31	4
Males	391	291	8	5	3	1	308	...	2	...	...	...	...	...	...	...	1	...	1	1	6	7	25	19	9	10	2
Females	332	208	3	3	1	1	216	...	...	...	...	...	...	...	...	...	...	...	1	2	14	13	33	13	17	21	2
1. Premature birth M.	39	39	...	...	...	...	39	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Premature birth F.	27	27	...	...	...	...	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Stillborn M.	213	213	...	...	...	...	213	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Stillborn F.	154	154	...	...	...	...	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Malformation M.	14	10	2	1	...	...	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
3. Malformation F.	16	12	1	1	1	1	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Debility M.	61	28	6	4	3	1	42	...	2	...	...	...	...	...	...	...	1	...	1	1	1	3	5	5	...	...	...
4. Debility F.	32	15	2	2	...	...	19	...	...	...	...	...	...	...	...	...	...	...	...	...	1	4	2	...	1	...	1
5. Old age M.	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	4	20	14	9	10	1
5. Old age F.	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	4	20	14	9	10	1
6. Atrophy M.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	2	9	9	31	13	16	21	1
6. Atrophy F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2142	72	49	48	33	24	226	84	81	200	226	183	160	143	101	121	92	66	88	113	86	69	43	27	11	4	24
Males		828	42	34	25	17	14	132	36	30	61	68	67	47	35	29	38	44	23	43	50	43	31	18	13	7	....	13
Females		1314	30	15	23	16	10	94	48	51	139	158	116	113	108	72	83	48	43	45	63	43	32	25	14	4	4	11
1. Rheumatism	M.	16	1	1	....	....	....	2	....	....	1	....	....	....	1	....	1	2	1	....	4	1	3	....	....	....	....	....
	F.	19	....	....	....	....	1	1	1	1	1	....	....	1	....	1	1	....	1	....	3	3	3	....	....	1	....	1
2. Scrofula and tabes	M.	80	7	11	6	5	4	33	7	3	11	5	....	8	2	2	1	3	....	1	1	....	....	....	1	....	....	2
	F.	80	7	2	8	4	2	23	12	9	4	6	7	2	3	1	3	3	1	1	1	1	1	....	....	....	....	2
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	473	15	12	13	5	4	49	12	20	39	57	63	34	29	20	25	29	10	24	25	14	7	2	4	2	....	8
	F.	841	13	8	8	8	3	40	15	33	122	131	101	90	80	44	44	27	23	23	28	15	5	11	3	1	1	4
5. Hydrocephalus	M.	14	9	3	....	1	....	13	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	6	1	....	....	1	8	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Cancer	M.	41	....	....	....	1	1	2	....	1	1	....	....	1	....	2	2	3	7	2	4	8	1	5	1	....	....	1
	F.	106	....	....	....	....	1	1	....	....	....	3	....	7	5	12	19	10	7	8	9	5	9	3	4	1	2	1
7. Tumor	M.	15	2	....	1	1	....	4	1	....	1	....	1	1	....	....	2	....	1	1	2	1	....	....	....	....	....	....
	F.	17	1	....	....	....	1	2	1	....	....	1	....	1	2	1	....	1	2	2	1	....	....	2	1	....	....	....
8. Anæmia	M.	3	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	1	....	....	1	....	....	1	....	....	1	1	....	....	....	....	....	....	....
9. Dropsy	M.	172	7	4	4	3	5	23	15	5	7	5	3	2	3	5	7	7	4	12	11	19	19	11	7	5	....	2
	F.	224	2	4	5	4	....	15	10	7	10	16	8	10	17	13	15	6	9	10	10	19	14	9	6	1	1	3
10. Glycosuria	M.	8	....	....	....	1	....	1	1	....	1	....	....	1	....	....	....	....	....	2	1	....	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	6	1	2	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
	F.	7	....	....	2	....	1	3	1	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		843	188	48	44	19	16	315	44	18	19	14	21	18	18	21	33	37	26	40	59	49	43	41	16	1	4	6
Males		424	89	31	19	11	9	159	24	11	14	9	10	8	9	8	18	19	10	20	30	25	25	14	9	1	....	2
Females		419	99	17	25	8	7	156	20	7	5	6	11	10	9	13	15	18	16	20	29	24	18	27	7	....	4	4
1. Inflammation of the brain	M.	77	18	9	8	4	3	42	9	2	5	....	2	4	2	1	2	3	1	2	....	....	....	....	....	1	....	1
	F.	69	24	6	7	4	5	46	4	2	2	2	1	1	....	1	2	2	2	....	2	1	....	....	....	....	....	1
2. Meningitis	M.	30	13	0	1	1	....	21	5	1	2	2	....	1	....	....	1	....	1	....	1	....	1	1	....	....	....	....
	F.	31	10	1	8	2	....	21	3	1	....	1	....	....	....	....	1	....	2	....	1	....	....	....	....	....	....	1
3. Apoplexy	M.	41	....	1	....	....	....	1	....	....	2	....	2	....	1	1	4	5	3	2	7	4	5	1	3	....	....	....
	F.	44	1	....	....	....	....	1	....	....	....	....	3	1	2	2	1	6	6	5	6	4	3	3	1	....	....	....
4. Paralysis	M.	111	....	....	1	1	2	4	1	2	2	1	1	2	2	1	4	7	3	11	20	19	15	11	5	....	....	....
	F.	116	3	1	1	....	....	5	3	....	....	....	2	1	1	5	6	8	4	12	16	12	13	20	4	....	2	2
5. Tetanus and trismus nascentium.	M.	6	1	....	1	....	....	2	....	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	1	....	....	....	3	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	23	....	2	....	....	....	2	3	3	1	2	2	....	1	2	1	1	1	1	....	1	1	....	1	....	....	....
	F.	22	5	2	1	1	....	9	....	....	....	1	2	1	3	1	....	....	....	1	1	2	....	1	....	....	....	....
7. Convulsions	M.	78	47	9	8	2	2	68	3	....	....	2	1	....	1	....	....	1	....	....	....	....	1	....	....	....	....	1
	F.	68	47	1	5	1	....	54	2	1	2	....	2	2	....	2	1	....	....	....	....	1	....	....	1	....	1	....
8. Mental diseases	M.	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
9. Diseases of the brain	M.	35	9	3	....	3	2	17	3	1	....	1	1	1	....	1	3	....	1	2	....	1	2	1	....	....	....	....
	F.	45	6	5	3	....	2	16	7	2	1	....	1	3	3	....	2	2	2	1	2	....	1	1	....	....	1	....
10. Diseases of the spinal cord	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	9	....	1	....	....	....	1	....	....	1	....	1	....	2	1	1	1	....	....	....	....	1	....	....	....	....	....	....
	F.	14	....	....	....	....	....	....	....	....	....	1	....	1	....	....	2	....	....	1	2	4	....	1	2	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total		344	16	2	4	1	2	25	3	6	15	14	13	8	15	14	14	23	24	35	33	43	29	20	4	....	1	5
Males		183	8	2	2	1	....	13	2	3	8	7	5	4	7	7	6	14	14	21	17	26	14	10	2	....	....	3
Females		161	8	....	2	....	2	12	1	3	7	7	8	4	8	7	8	9	10	14	16	17	15	10	2	....	1	2
1. Angina pectoris	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Aneurism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	175	5	1	2	1	....	9	2	3	8	7	4	4	7	7	6	14	12	21	17	26	13	10	2	....	....	3
	F.	154	4	....	1	....	2	7	1	2	7	7	8	4	8	7	7	9	10	14	15	17	15	10	2	....	1	2
4. Others of this group	M.	4	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	4	....	1	....	....	5	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total		1290	331	185	95	40	24	675	51	23	53	61	32	31	30	30	30	31	25	43	40	49	39	22	11	6	1	7
Males		661	182	87	58	19	14	360	25	15	22	25	15	12	12	9	14	18	11	25	23	22	24	16	8	2	....	3
Females		629	149	98	37	21	10	315	26	8	31	36	17	19	18	21	16	13	14	18	17	27	15	6	3	4	1	4
1. Croup	M.	158	76	35	23	7	7	148	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	158	84	33	17	11	6	151	6	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	90	39	14	8	3	2	66	3	2	1	....	1	1	1	1	2	1	....	1	1	3	1	3	2	....	....	....
	F.	84	24	16	1	7	1	49	4	....	3	3	2	3	2	1	....	1	2	3	3	2	2	1	....	....	....	3
4. Pneumonia	M.	358	59	36	24	5	3	130	13	12	20	22	12	8	19	7	10	16	7	19	18	15	21	10	5	1	....	2
	F.	341	38	44	18	3	2	105	15	6	24	29	14	16	13	14	15	11	11	15	11	18	12	5	2	3	1	1
5. Pleurisy	M.	25	....	1	1	....	....	2	2	....	....	....	1	1	2	1	....	1	1	2	2	2	4	2	2	....	....	....	....
	F.	16	....	1	....	....	....	1	....	1	3	3	....	....	....	2	1	....	....	....	2	2	....	....	1	....	....	....	....
6. Asthma	M.	12	3	....	1	....	1	5	....	....	....	....	....	....	....	....	1	....	1	3	1	....	....	1	....	....	....	....	....
	F.	14	....	2	1	....	....	3	....	....	....	....	....	....	....	3	....	1	....	....	1	5	....	....	....	1	....	....	....
7. Others of this group	M.	17	5	1	1	....	1	8	....	....	....	2	1	1	....	1	....	....	1	....	1	....	....	....	1	1	....	....	....
	F.	14	3	2	....	....	....	5	1	1	....	1	....	....	3	1	....	....	1	....	....	....	1	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		494	104	80	25	6	4	219	11	9	18	15	15	14	17	9	18	24	14	30	21	18	24	8	3	1	2	4
Males		261	61	42	14	4	1	122	7	4	7	9	9	1	10	4	7	16	9	13	16	10	11	3	1	....	2	....
Females		233	43	38	11	2	3	97	4	5	11	6	6	13	7	5	11	8	5	17	5	8	13	5	2	1	....	4
1. Dentition	M.	48	17	27	4	....	....	48	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	40	14	19	7	....	....	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	11	3	2	1	1	....	7	1	1	....	....	....	....	....	....	2	....	....	....	....	1	....	1	....	....	....	....
	F.	10	3	3	1	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
3. Gastritis	M.	8	....	1	....	1	....	2	....	....	....	1	....	....	....	....	....	2	1	1	....	....	1	....	....	....	....	....
	F.	10	....	1	....	....	....	1	....	....	2	....	....	2	....	1	....	1	....	1	....	....	....	1	....	1	....	....
4. Other diseases of the stomach	M.	16	2	1	2	....	....	5	2	....	....	1	....	....	1	....	....	1	....	1	1	3	1	....	....	....	....	....
	F.	7	....	....	1	....	....	1	....	2	....	1	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....
5. Obstruction of the bowels	M.	12	3	....	1	....	....	4	....	1	....	1	1	....	....	....	....	2	2	....	1	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	1	....	....	....	....	....	1
6. Hernia	M.	13	1	....	....	....	....	1	....	1	1	2	....	....	1	1	....	1	....	1	2	1	1	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	27	8	7	3	....	....	18	3	1	3	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	26	8	5	1	....	1	15	....	....	1	2	1	....	1	....	....	....	1	1	1	1	2	....	....	....	....	....
8. Jaundice	M.	7	2	....	1	1	....	4	....	....	....	....	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	9	1	1	....	....	1	3	1	1	....	....	....	1	....	....	....	....	....	1	....	....	1	1	....	....	....	....
9. Inflammation and abscess of the liver.	M.	10	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	1	1	....	1	1	2	....	....	....	....	....
	F.	14	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	4	1	1	....	1	1	....	1	....	....	2
10. Other diseases of the liver	M.	35	5	1	1	1	1	9	1	....	....	1	2	....	1	1	6	3	3	....	5	1	2	....	....	....	....	....
	F.	29	2	1	....	1	1	5	2	....	1	....	1	4	....	1	2	....	2	5	1	1	2	1	1	....	....	....
11. Peritonitis	M.	7	1	1	....	....	....	2	....	....	1	....	1	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....
	F.	13	....	....	....	....	....	....	....	2	5	1	2	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....
12. Ascites	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	2	2	....	1	....	....	....	....	....
	F.	12	....	....	....	1	....	1	....	....	....	....	....	2	4	1	1	....	1	1	....	1	....	....	....	....	....	....
13. Others of this group	M.	59	19	2	1	....	....	22	....	....	2	2	2	1	3	1	....	6	1	7	3	2	2	3	....	....	2	....
	F.	57	14	8	1	....	....	23	1	....	2	2	1	1	1	2	5	2	....	6	1	1	6	2	....	....	....	1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		126	5	3	6	1	1	16	2	4	1	4	4	3	6	2	4	6	6	16	13	12	12	9	4	....	....	2
Males		101	5	1	4	....	....	10	1	3	1	3	2	3	5	1	2	5	6	14	12	11	10	6	4	....	....	2
Females		25	....	2	2	1	1	6	1	1	....	1	2	....	1	1	2	1	....	2	1	1	2	3	....	....	....	....
1. Bright's disease	M.	15	....	1	....	....	....	1	....	1	1	1	1	....	2	1	1	....	2	3	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
2. Calculus, urinary	M.	28	1	....	....	....	....	1	....	1	....	....	....	1	....	....	1	2	2	7	3	3	2	3	2	....	....	....
	F.	5	....	1	....	1	....	2	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....
3. Diseases of the kidney	M.	30	1	....	2	....	....	3	1	1	....	1	....	2	2	....	....	2	1	2	4	3	6	1	....	....	....	1
	F.	13	....	1	1	....	....	2	1	....	....	1	1	....	1	1	1	1	....	1	....	1	....	2	....	....	....	....
4. Diseases of the bladder	M.	11	3	....	1	....	....	4	....	....	....	....	....	....	....	....	....	1	....	1	1	2	2	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
5. Others of this group	M.	17	....	....	1	....	....	1	....	....	....	1	1	....	1	....	....	....	1	1	4	2	....	2	2	....	....	1
	F.	3	....	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		45	....	....	....	....	....	....	....	....	2	4	5	5	7	2	6	7	2	1	1	....	1	1	....	....	....	1
1. Ovarian tumors	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	1	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	7	....	....	....	....	....	....	....	....	....	....	1	....	1	....	2	2	....	....	....	....	....	....	....	....	....	1
5. Others of this group	F.	33	....	....	....	....	....	....	....	....	2	4	4	5	5	1	4	3	2	....	1	....	1	1	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		136	....	....	....	....	....	....	....	....	20	34	20	24	23	10	2	....	....	....	....	....	....	....	....	....	....	3
1. Abortion	F.	8	....	....	....	....	....	....	....	....	....	1	....	2	5	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	116	....	....	....	....	....	....	....	....	16	29	20	21	16	8	2	....	....	....	....	....	....	....	....	....	....	3
3. Others of this group	F.	12	....	....	....	....	....	....	....	....	4	4	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		33	4	4	2	2	1	13	3	1	1	....	3	1	....	....	1	....	3	....	3	1	1	....	....	....	....	2
Males		16	3	1	1	2	....	7	1	....	....	....	1	....	....	....	....	....	2	....	3	....	1	....	....	....	....	1
Females		17	1	3	1	....	1	6	2	1	1	....	2	1	....	....	1	....	1	....	....	1	....	....	....	....	....	1
1. Diseases of the spine	M.	15	3	1	1	2	....	7	1	....	....	....	1	....	....	....	....	....	2	....	3	....	....	....	....	....	....	1
	F.	13	....	3	1	....	1	5	1	1	1	....	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		20	6	1	....	....	....	7	1	....	....	....	1	....	....	....	1	2	....	3	....	1	1	1	....	1	....	1
Males		9	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	1	....	2	....	1	1	1	....	1	....	....
Females		11	5	1	....	....	....	6	1	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	1
1. Abscess	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	3	1	....	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Carbuncle	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....
	F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	4	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....
	F.	6	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	1
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3	1	....	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		3	1	....	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		402	89	30	26	19	16	180	35	19	24	23	19	14	11	9	5	6	6	7	10	9	9	1	1	3	5
Males		249	44	14	16	12	8	94	16	13	19	21	15	11	9	5	5	6	6	7	7	6	7	1	....	1	....
Females		153	45	16	10	7	8	86	19	6	5	2	4	3	2	4	....	....	....	....	3	3	2	5	1	2	5
1. Burns and scalds	M.	53	8	7	11	7	6	39	8	1	1	....	1	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....
	F.	63	4	7	7	6	6	30	15	4	2	1	1	....	1	1	....	....	....	....	....	2	1	3	....	1	....	1
2. Drowned	M.	19	....	1	2	....	1	4	....	4	4	5	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	14	7	2	1	3	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	15	5	3	1	1	1	11	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1
4. Gunshot wounds	M.	21	....	....	....	....	....	....	4	....	3	5	2	2	2	1	1	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	9	....	....	....	....	....	....	....	1	....	2	1	1	....	....	....	1	1	1	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Infanticide	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	12	....	....	....	....	....	....	....	....	1	2	2	2	2	....	1	....	1	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	27	21	2	....	1	....	24	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	24	19	3	....	....	....	22	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
10. Suicide by shooting	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	5	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	1	....	....	....	....	....	1	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	77	6	2	2	1	1	12	3	7	9	6	7	5	4	2	1	2	3	....	5	4	6	1	....	....	....
	F.	40	13	3	1	....	1	18	2	1	2	1	2	2	1	2	....	....	....	....	3	1	....	2	1	....	....	2

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		2596	663	219	144	88	37	1151	115	80	105	126	85	81	89	59	77	73	50	75	83	119	68	79	44	28	9	....
Total: Males		1317	397	117	73	50	14	651	55	41	42	61	40	32	30	20	27	29	25	43	47	61	39	36	25	11	2	....
Females		1279	266	102	71	38	23	500	60	39	63	65	45	49	59	39	50	44	25	32	36	58	29	43	19	17	7	....
Unknown causes.																												
Total		210	129	13	6	4	....	152	9	1	2	3	2	5	3	....	2	1	3	....	1	12	4	5	1	2	1	....
Males		128	88	10	4	3	....	105	2	....	....	1	1	3	1	....	1	1	2	....	1	5	2	3	....	....	....	....
Females		82	41	3	2	1	....	47	7	1	2	2	1	2	2	....	1	....	1	....	....	7	2	2	1	2	1	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		680	110	131	80	48	22	391	65	40	28	31	13	18	9	7	12	4	2	13	7	13	6	10	9	2	....	....
Males		324	59	73	37	26	5	200	30	19	12	12	5	8	2	2	4	....	2	8	2	6	2	3	6	1	....	....
Females		356	51	58	43	22	17	191	35	21	16	19	8	10	7	5	8	4	....	5	5	7	4	7	3	1	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	11	4	....	....	....	....	4	1	1	1	1	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	13	5	2	....	....	....	7	2	1	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	12	3	2	2	....	....	7	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	2	1	1	1	3	8	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	53	8	11	2	8	4	33	13	5	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	81	9	7	9	9	10	44	21	11	2	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping cough	M.	20	12	1	2	2	1	18	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	5	7	2	2	1	17	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	50	1	4	1	1	....	7	3	11	6	7	3	5	1	1	2	....	1	1	....	....	....	....	2	....	....	....
	F.	49	1	2	1	2	....	6	3	6	10	5	2	3	2	2	1	....	....	1	2	2	....	1	....	....	....	....
9. Diarrhœa	M.	28	5	11	1	2	....	19	....	....	....	....	....	1	....	....	1	....	....	1	1	....	....	2	3	....	....	....
	F.	34	4	11	5	2	....	22	....	1	....	1	....	....	2	....	....	1	....	....	....	....	2	3	1	1	....	....
10. Dysentery	M.	64	6	22	17	5	....	50	2	1	....	1	....	1	....	1	1	....	....	2	1	1	2	....	1	....	....	....
	F.	63	9	12	13	....	3	37	4	....	1	2	1	....	1	....	3	1	....	3	3	3	2	2	....	....	....	....
11. Enteritis	M.	15	2	....	1	4	....	7	....	1	1	2	....	....	1	....	....	....	....	2	....	....	....	....	....	1	....	....
	F.	12	3	2	1	1	....	7	....	....	....	....	1	....	....	1	....	2	....	....	....	....	....	....	1	....	....	....
12. Cholera morbus	M.	4	....	....	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	47	13	21	9	4	....	47	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	38	11	13	9	5	....	38	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	5	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
15. Erysipelas	M.	5	3	....	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	4	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
17. Puerperal septicæmia	F.	21	....	....	....	....	....	....	....	1	2	8	1	6	2	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	5	1	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		41	14	5	7	1	2	29	2	1	2	2	1	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....
Males		27	8	3	4	1	2	18	2	....	2	1	1	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....
Females		14	6	2	3	....	....	11	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Worms	M.	12	2	3	2	1	2	10	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	2	2	3	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	6	....	....	1	....	....	1	....	....	2	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Inanition	M.	7	6	....	1	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		216	153	1	1	1	....	156	1	....	....	....	....	....	....	1	1	....	....	1	5	3	8	12	10	13	5	....
Males		123	92	....	....	1	....	93	1	....	....	....	....	....	....	....	1	....	....	1	4	1	5	5	5	6	1	....
Females		93	61	1	1	....	....	63	....	....	....	....	....	....	....	1	....	....	....	....	1	2	3	7	5	7	4	....
1. Premature birth	M.	16	16	....	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	64	64	....	....	....	....	64	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	40	40	....	....	....	....	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	9	7	....	....	1	....	8	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	17	5	....	....	....	....	5	....	....	....	....	....	....	....	....	1	....	....	....	4	1	2	1	1	2	....	....
	F.	14	9	1	....	....	....	10	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	1	....	....	....
5. Old age	M.	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	3	4	4	4	1	....
	F.	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	7	4	7	4	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		495	13	10	11	3	3	40	7	16	32	47	38	31	43	26	32	30	22	21	22	39	18	20	7	3	1	...
Males		198	9	3	5	1	2	20	3	7	7	21	18	10	11	8	12	6	10	11	12	16	9	12	3	2	....	....
Females		297	4	7	6	2	1	20	4	9	25	26	20	21	32	18	20	24	12	10	10	23	9	8	4	1	1	....
1. Rheumatism	M.	6	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	1	1	....	....	1	....	....	....
	F.	6	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....
2. Scrofula and tabes	M.	22	6	1	2	1	1	11	1	2	2	4	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	....	3	2	....	....	5	2	1	....	....	2	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	88	1	1	2	....	....	4	1	1	1	14	14	9	7	7	6	4	1	5	5	4	2	2	1	....	....	....
	F.	163	2	1	3	1	1	8	1	2	22	22	14	14	18	10	11	12	5	1	6	9	4	3	1	....	....	....
5. Hydrocephalus	M.	2	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	1	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	12	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	3	....	1	1	1	3	....	....	....	....
	F.	33	....	1	....	....	....	1	....	1	1	....	....	3	3	3	2	4	2	1	2	4	1	3	1	1	....	....
7. Tumor	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
	F.	7	1	....	....	....	....	1	....	....	....	1	....	....	2	3	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	58	1	1	1	....	....	3	....	4	3	3	3	....	2	1	1	1	4	6	5	9	5	5	1	2	....	....
	F.	66	....	....	....	....	....	....	1	3	2	1	3	4	3	2	4	6	5	8	2	8	4	2	2	....	1	....
10. Glycosuria	M.	7	....	....	....	....	....	....	1	....	1	....	....	....	....	....	2	....	2	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		165	23	12	10	5	....	50	4	4	9	7	4	7	2	2	4	7	4	7	15	9	12	7	6	4	1	....
Males		86	13	8	7	3	..	31	2	4	6	4	2	4	1	1	2	2	3	3	6	4	5	2	4	....	....	....
Females		79	10	4	3	2	....	19	2	....	3	3	2	3	1	1	2	5	1	4	9	5	7	5	2	4	1	....
1. Inflammation of the brain	M.	10	1	3	3	1	....	8	1	....	1	1	....	1	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....
	F.	14	6	4	2	1	....	13	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	8	1	....	2	1	....	4	1	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	7	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	1	1	2	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....
4. Paralysis	M.	21	....	....	....	1	....	1	....	....	....	1	....	1	....	1	1	....	1	2	3	3	4	1	2	....	....	....	....
	F.	33	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	2	7	4	6	5	1	4	1	....	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	8	1	1	1	....	....	3	....	....	1	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	1	....	1	2	....	1	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	16	10	3	....	....	....	13	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	8	3	....	1	....	....	4	....	....	....	1	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
8. Mental diseases	M.	3	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
9. Diseases of the brain	M.	5	....	1	1	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	1	....	2	....	....	2	1	1	1	1	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total		66	3	....	....	....	....	3	1	1	1	1	3	2	2	3	4	3	5	8	5	11	4	4	4	1	....	....
Males		31	2	....	....	....	....	2	1	....	1	1	2	....	1	....	....	1	4	3	4	5	3	1	1	1	....	....
Females		35	1	....	....	....	....	1	....	1	....	....	1	2	1	3	4	2	1	5	1	6	1	3	3	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	31	2	....	....	....	....	2	1	....	1	1	2	....	1	....	....	1	4	3	4	5	3	1	1	1	....	....
	F.	35	1	....	....	....	....	1	....	1	....	....	1	2	1	3	4	2	1	5	1	6	1	3	3	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total		432	179	39	23	20	9	270	16	9	17	16	7	5	9	11	6	12	8	11	9	11	3	9	1	1	1	....
Males		230	105	17	13	11	4	150	6	4	10	7	4	1	4	5	1	9	3	7	5	5	3	3	1	1	1	....
Females		202	74	22	10	9	5	120	10	5	7	9	3	4	5	6	5	3	5	4	4	6	....	6	....	....	....	....
1. Croup	M.	120	83	14	9	9	3	118	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	102	68	13	9	5	4	99	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	18	4	2	1	1	1	9	....	1	1	1	....	....	....	....	....	1	....	1	1	1	1	....	....	1	....	....	....
	F.	13	2	4	....	1	....	7	2	....	....	....	....	....	....	....	1	1	....	1	....	....	....	1	....	....	....	....	....
4. Pneumonia	M.	89	17	1	3	1	....	22	4	3	9	6	4	1	4	5	1	8	3	6	3	4	2	2	1	....	1	....	....
	F.	75	4	4	....	2	1	11	2	5	7	8	3	4	4	6	3	2	1	3	2	6	....	5	....	....	....	....	....
5. Pleurisy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	1	....	1	....	..	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	3	..	1	....	....	....	1	....	..	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	88	14	5	1	1	....	21	3	1	....	4	2	2	4	4	5	5	2	7	6	12	5	3	2	....	....	....
Males	51	8	2	....	....	....	10	2	....	....	3	1	2	2	2	....	3	1	5	4	10	3	1	2	....	....	....
Females	37	6	3	1	1	....	11	1	1	....	1	1	....	2	2	5	2	1	2	2	2	2	2	....	....	....	....
1. Dentition M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition F.	3	....	2	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina F.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis M.	4	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
3. Gastritis F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
4. Other diseases of the stomach. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels M.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia M.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....
6. Hernia F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
8. Jaundice F.	5	2	....	....	1	....	3	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver M.	16	5	....	....	....	....	5	1	....	....	1	....	....	1	2	....	....	....	3	2	1	....	....	....	....	....	....
10. Other diseases of the liver F.	18	3	1	....	....	....	4	....	....	....	1	1	....	2	....	1	1	....	....	2	1	2	2	....	....	....	....
11. Peritonitis M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
11. Peritonitis F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....
12. Ascites F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
13. Others of this group M.	17	2	....	....	....	....	2	....	....	....	....	....	2	....	1	1	1	....	1	....	4	3	....	1	....	....	....
13. Others of this group F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	2	1	2	....	1	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	34	....	....	....	....	....	....	....	....	....	2	....	1	2	....	2	2	....	2	6	7	4	3	3	....	....	....
Males	32	....	....	....	....	....	....	....	....	....	2	....	....	2	....	2	1	....	2	6	7	4	3	3	....	....	....
Females	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Bright's disease M.	6	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	1	1	....	....	1	....	....	....
1. Bright's disease F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary M.	19	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	3	5	4	3	1	....	....	....
2. Calculus, urinary F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	1	....	....	....	....	....	....
3. Diseases of the kidney F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
4. Diseases of the bladder F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	17	....	....	1	....	....	1	....	....	....	....	1	2	1	2	2	1	3	1	2	....	1	....	....	....	....	....
1. Ovarian tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	17	....	....	1	....	....	1	....	....	....	....	1	2	1	2	2	1	3	1	2	....	1	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	25	....	....	....	....	....	....	....	....	6	4	6	1	5	1	2	....	....	....	....	....	....	....	....	....	....	....
1. Abortion F.	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth F.	23	....	....	....	....	....	....	....	....	6	3	6	1	4	1	2	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	14	2	2	2	1	....	7	....	....	....	....	1	....	2	....	1	....	1	1	....	....	....	1	....	....	....	....
Males	7	1	1	1	1	....	4	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....
Females	7	1	1	1	....	....	3	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....
1. Diseases of the spine M.	7	1	1	1	1	....	4	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....
1. Diseases of the spine F.	6	1	1	1	....	....	3	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....
2. Diseases of the bones M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

NORTH CAROLINA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	5 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		3	2					2							1													
Males		1	1					1																				
Females		2	1					1							1													
1. Abscess	M.	1	1					1																				
	F.	1	1					1																				
2. Carbuncle	M.																											
	F.	1													1													
3. Others of this group	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		2									1											1						
Males		1																				1						
Females		1									1																	
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.																											
3. Others of this group	M.	1																				1						
	F.	1									1																	
XII.—ACCIDENTS AND INJURIES.																												
Total		108	21	1	2	4	1	29	7	7	7	9	7	6	6	2	4	8		2	3		3	5	1	2		
Males		78	11		2	3	1	17	6	7	4	9	6	4	5	2	3	6		1	2		3	3				
Females		30	10	1		1		12	1		3		1	2	1		1	2		1	1			2	1	2		
1. Burns and scalds	M.	4			1	2		3	1						1													
	F.	5									2									1	1							
2. Drowned	M.	4			1			1	2															1				
	F.																											
3. Exposure and neglect	M.	8	3				1	4	1						1						1		1					
	F.	5	2	1				3														1		1		1		
4. Gunshot wounds	M.																											
	F.																											
5. Homicide	M.	3								1			1		1													
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	4									1	1	1			1												
	F.																											
9. Suffocation	M.	4	3					3						1														
	F.	6	6					0																				
10. Suicide by shooting	M.																											
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	4										1			1					1			1					
	F.	2															1	1										
14. Sunstroke	M.	1											1															
	F.																											
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.																											
	F.																											
17. Other accidents and injuries	M.	40	5			1		6	2	6	3	7	3	3	2	1	3	6			1		1	2				
	F.	12	2			1		3	1		1		1	2				1						1	1	1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 1.

[Exclusive of CLEVELAND and TOLEDO.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3389	586	143	142	86	65	1022	210	117	118	156	141	113	129	95	96	108	142	151	186	170	185	134	73	24	10	9
Total: Males	1752	325	75	67	45	38	550	100	57	49	61	51	52	57	45	47	58	73	104	96	94	108	86	37	15	5	7
Females	1637	261	68	75	41	27	472	110	60	69	95	90	61	72	50	49	50	69	47	90	76	77	48	36	9	5	2
Unknown causes.																											
Total	129	67	5	2	1	....	75	2	2	1	2	5	1	4	..	3	...	5	6	4	5	5	5	3	1	....	....
Males	72	43	4	1	...	....	48	.....	...	1	1	3	....	.....	.....	2	...	1	4	....	1	5	4	1	1	....	....
Females	57	24	1	1	1	....	27	2	2	....	1	2	1	4	....	1	....	4	2	4	4	....	1	2	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	869	188	65	62	57	42	414	137	76	33	33	15	13	19	9	13	7	15	16	13	15	19	15	4	1	1	1
Males	441	103	34	27	32	25	221	62	32	18	9	3	5	7	6	9	5	8	10	10	6	14	11	2	1	1	1
Females	428	85	31	35	25	17	193	75	44	15	24	12	8	12	3	4	2	7	6	3	9	5	4	2	....	....	....
1. Small-pox M.	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	6	1	1	....	....	....	2	2	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
F.	11	1	3	1	....	2	7	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	47	9	5	6	7	5	32	14	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	30	3	4	4	10	2	23	6	4	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	120	3	12	11	15	13	54	41	20	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	132	3	6	19	9	11	48	54	17	6	2	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	17	12	1	3	1	....	17	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	16	9	4	....	1	1	15	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	13	1	....	2	2	2	7	.....	2	1	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....
F.	22	8	....	3	....	....	11	4	3	....	1	....	1	1	1	....	....	....	....	1	....	....	2	....	....	....	....
8. Enteric fever M.	58	2	2	1	1	1	7	3	3	4	7	2	4	4	3	3	2	1	4	3	1	4	1	....	1	....	1
F.	81	....	3	2	3	1	9	6	9	6	11	1	5	1	1	3	1	2	3	....	2	....	1	....	....	....	....
9. Diarrhœa M.	14	2	....	....	2	....	4	.....	....	....	....	....	....	....	....	3	1	....	....	2	1	1	1	1	....	....	....
F.	6	2	....	....	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	1	....	....	....	....
10. Dysentery M.	18	3	1	1	2	....	13	.....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	2	....	....	....	....	....
F.	15	4	....	1	1	....	6	.....	1	....	1	....	....	....	....	....	....	....	1	....	2	1	2	1	....	....	....	....
11. Enteritis M.	33	10	....	1	....	1	12	1	4	3	....	1	....	1	1	1	1	2	1	2	1	2	....	....	....	....	....
F.	19	4	....	....	....	....	4	1	5	....	....	3	1	1	....	1	....	....	....	....	2	1	....	....	....	....	....
12. Cholera morbus M.	2	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
F.	2	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
13. Cholera infantum M.	56	43	10	2	1	....	56	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	58	43	11	4	....	....	58	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	30	6	2	....	1	3	9	1	1	3	1	....	....	2	1	1	1	3	....	....	....	4	3	....	....	....	....
F.	16	2	....	....	1	....	3	.....	2	....	2	2	....	....	....	....	1	2	....	1	2	....	1	....	....	....	....
15. Erysipelas M.	17	6	....	....	....	....	6	.....	....	1	....	....	....	....	....	....	....	....	2	2	....	2	2	1	....	1	....
F.	12	5	....	1	....	....	6	.....	1	....	....	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....
16. Septicæmia M.	1	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....
F.	7	....	....	....	....	....	....	1	1	1	2	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	10	....	....	....	....	....	....	.....	....	1	3	2	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	5	1	....	....	....	....	1	.....	....	2	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
F.	2	1	....	....	....	....	1	.....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	4	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	1	....	....	....	....
F.	3	....	....	....	....	....	....	.....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....
General diseases—B.																											
Total	33	14	....	1	1	....	16	.....	....	1	1	....	....	5	1	1	1	....	....	1	1	2	3	....	....	....	....
Males	16	4	....	....	....	....	4	.....	....	....	....	....	....	5	1	1	1	....	....	1	1	1	1	....	....	....	....
Females	17	10	....	1	1	....	12	.....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....
1. Worms M.	.....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	.....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	.....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	.....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	6	....	....	....	....	....	....	.....	....	....	....	....	....	2	1	1	....	....	....	1	....	....	1	....	....	....	....
F.	.....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	.....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	.....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	7	2	....	....	....	....	2	.....	....	....	....	....	....	3	....	....	1	....	....	....	....	1	....	....	....	....	....	....
F.	8	2	....	1	1	....	4	.....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
6. Inanition M.	3	2	....	....	....	....	2	.....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
F.	9	8	....	....	....	....	8	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
General diseases—C.																											
Total	228	102	....	....	....	....	102	1	1	2	2	1	....	1	1	1	1	1	...	6	14	24	28	26	11	5	....
Males	127	57	....	....	....	....	57	.....	1	2	1	1	.....	.....	.....	1	1	.....	...	3	6	16	16	16	5	1	....
Females	101	45	....	....	....	....	45	1	....	..	1	....	....	1	1	....	....	1	....	3	8	8	12	10	6	4	....
1. Premature birth M.	3	3	....	....	....	....	3	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	7	7	....	....	....	....	7	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	48	48	....	....	....	....	48	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	32	32	....	....	....	....	32	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	4	4	....	....	....	....	4	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	3	3	....	....	....	....	3	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	20	2	....	....	....	....	2	.....	1	2	1	1	....	....	....	1	1	....	....	1	2	4	1	3	....	....	....
F.	16	3	....	....	....	....	3	1	....	....	1	....	....	1	1	....	....	1	....	2	....	5	....	....	1	....	....
5. Old age M.	52	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	2	4	12	15	13	5	1	....
F.	43	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	1	8	3	12	10	5	4	....
6. Atrophy M.	.....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	.....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		736	29	10	5	1	2	47	12	7	35	68	67	54	48	34	42	45	50	51	52	48	34	23	13	3	3
Males		318	12	5	1	1	2	21	3	3	6	26	17	26	19	11	17	25	23	36	22	25	19	11	5	2	1
Females		418	17	5	4	....	....	26	9	4	29	42	50	28	29	23	25	20	27	15	30	23	15	12	8	1	2
1. Rheumatism	M.	13	....	....	....	....	....	....	1	1	....	....	....	1	3	....	....	1	....	2	....	....	1	1	1	1	....
	F.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1
2. Scrofula and tabes	M.	6	3	2	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	6	2	1	....	....	....	3	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	1
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	197	4	1	....	....	....	5	2	2	5	24	16	23	9	8	13	16	15	21	11	10	12	3	1	1	....	....
	F.	280	8	1	1	....	....	10	3	4	28	39	46	25	23	17	16	8	14	6	17	11	8	3	2	....	....	....
5. Hydrocephalus	M.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	3	2	1	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	43	2	....	....	....	1	3	....	....	....	....	1	....	2	2	2	5	6	6	4	7	1	2	1	....	....	1
	F.	56	2	1	....	....	....	3	....	....	....	2	1	....	4	4	4	5	9	4	7	7	1	4	....	1	....	....
7. Tumor	M.	7	....	....	1	....	....	1	....	....	....	....	....	....	3	1	1	....	....	....	....	....	....	1	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	1	1	....	1	....	1	3	....	1	1	....	2	....	....	....	....	....
8. Anæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Dropsy	M.	33	1	1	....	1	1	4	....	....	1	1	....	1	2	....	....	3	2	7	5	6	3	3	....	....	....	....
	F.	48	2	....	1	....	....	3	2	....	....	....	2	3	1	1	4	4	4	2	4	4	3	5	6	....	....	....
10. Glycosuria	M.	10	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	2	2	2	1	1	....	....	....
	F.	3	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		363	77	20	16	5	6	124	10	8	2	10	6	6	7	6	11	13	17	23	33	26	32	17	7	3	1	1
Males		198	50	8	8	1	1	68	5	3	2	7	4	4	4	4	7	4	7	11	17	16	18	11	2	2	1	1
Females		165	27	12	8	4	5	56	5	5	....	3	2	2	3	2	4	9	10	12	16	10	14	6	5	1	....	....
1. Inflammation of the brain	M.	27	6	4	5	....	....	15	4	1	....	2	....	2	....	....	....	1	1	....	....	1	....	....	....	....	....	....
	F.	18	1	3	3	....	3	10	2	1	....	....	1	....	....	....	1	....	1	....	1	....	1	....	....	....	....	....
2. Meningitis	M.	4	1	....	....	1	....	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	....	1	....	1	2	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	27	1	....	1	....	....	2	....	....	....	1	....	....	1	1	1	....	....	3	6	5	4	2	....	....	1	....
	F.	21	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	1	4	6	3	3	....	1	....	....	....
4. Paralysis	M.	50	1	....	....	....	....	1	....	....	1	1	1	....	1	....	2	1	3	6	8	6	10	6	1	2	....	....
	F.	50	....	....	....	....	....	....	....	1	....	2	....	1	1	1	1	7	2	6	7	4	8	5	3	1	....	....
5. Tetanus and trismus nascentium.	M.	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	25	11	2	....	....	....	13	1	....	....	1	2	1	1	1	2	....	....	....	....	1	2	....	....	....	....	....
	F.	11	5	1	1	....	....	7	....	1	....	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....
7. Convulsions	M.	19	18	....	....	....	....	18	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	14	3	2	2	....	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	1	1	1	....	....	....	....	....	....
9. Diseases of the brain	M.	37	11	2	2	....	....	15	....	....	1	1	1	....	1	2	1	1	3	1	2	3	2	1	1	....	....	1
	F.	28	6	5	1	2	1	15	1	....	....	....	....	....	1	....	....	1	3	1	1	2	1	1	1	....	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	6	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	2	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		173	4	3	5	....	....	12	3	2	8	4	3	9	8	8	7	11	12	9	19	23	13	12	8	....	2	....
Males		93	1	2	2	....	....	5	2	2	2	1	1	5	2	4	4	4	6	7	10	17	7	9	4	....	1	....
Females		80	3	1	3	....	....	7	1	....	6	3	2	4	6	4	3	7	6	2	9	6	6	3	4	....	1	....
1. Angina pectoris	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	2	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	89	1	2	2	....	....	5	2	2	2	1	1	5	2	3	4	4	6	6	10	15	7	9	4	....	1	....
	F.	77	2	1	3	....	....	6	1	....	5	3	2	4	6	4	3	7	5	2	9	6	6	3	4	....	1	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		417	68	30	35	15	12	160	28	8	15	11	12	7	11	14	8	11	14	19	25	20	29	17	4	2	....	2
Males		233	38	18	16	9	9	90	15	5	9	4	8	4	6	5	4	7	9	15	12	8	12	12	4	2	....	2
Females		184	30	12	19	6	3	70	13	3	6	7	4	3	5	9	4	4	5	4	13	12	17	5	....	....	....	....
1. Croup	M.	54	11	4	8	8	7	38	13	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	5	7	9	4	1	26	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	10	2	1	2	....	....	5	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	2	....	....	....	....
	F.	10	2	1	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	2	....	....	....	....
4. Pneumonia	M.	107	13	6	4	....	1	24	2	3	9	3	5	3	3	5	2	6	5	9	7	3	6	6	4	....	....	2
	F.	93	10	3	7	2	1	23	4	2	4	6	4	2	2	6	3	3	4	1	6	10	12	1	....	....	....	....
5. Pleurisy	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Asthma	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	2	....	1	....	....	....	....	....
7. Others of this group	M.	56	12	6	2	1	1	22	....	....	....	1	3	1	1	....	1	1	4	4	4	3	5	4	....	2	....	....
	F.	39	12	1	2	....	1	16	....	1	2	1	....	....	2	3	1	1	1	2	3	1	3	2	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		130	20	5	4	....	....	29	3	2	2	6	2	3	6	5	6	5	10	8	16	7	15	4	1	....	....
Males		68	11	3	2	....	....	16	2	1	....	2	1	....	2	3	1	1	7	6	7	6	9	4	....	....	....
Females		62	9	2	2	....	....	13	1	1	2	4	1	3	4	2	5	4	3	2	9	1	6	....	1	....	....
1. Dentition	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	4	2	....	1	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	4	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....
	F.	1	1	....	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	6	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	2	1	....	....	....
	F.	8	1	....	....	....	....	1	....	....	....	1	....	1	1	....	1	....	....	1	....	....	1	....	1	....	....
5. Obstruction of the bowels	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	1	....	....	1	....	....	1	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
6. Hernia	M.	11	2	1	....	....	....	3	....	....	....	....	....	....	1	....	....	....	3	....	1	....	1	2	....	....	....
	F.	6	1	....	1	....	....	2	....	....	....	....	....	1	....	....	....	1	1	....	1	....	....	....	....	....	....
7. Other diseases of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	....	....	....	1	....	1	1	....	....	....	1	....	....	....	....	....	....
8. Jaundice	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	18	....	....	....	....	....	....	1	....	....	....	....	....	1	3	....	1	2	2	5	2	1	....	....	....	....
	F.	13	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	2	....	....	4	....	4	....	....	....	....
11. Peritonitis	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	16	5	2	....	....	....	7	....	....	....	2	....	....	....	....	....	....	1	2	....	1	2	1	....	....	....
	F.	8	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	1	3	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		58	1	....	....	....	....	1	....	1	1	4	3	4	1	2	1	4	5	7	6	5	3	8	2	....	....	....
Males		44	....	....	....	....	....	....	....	1	1	2	2	3	1	2	....	4	2	6	6	5	2	6	1	....	....	....
Females		14	1	....	....	....	....	1	....	....	....	2	1	1	....	....	1	....	3	1	....	....	1	2	1	....	....	....
1. Bright's disease	M.	18	....	....	....	....	....	....	....	1	1	....	1	3	1	....	....	2	1	2	3	2	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	21	....	....	....	....	....	....	....	....	....	2	1	....	....	1	....	1	1	3	2	2	2	5	1	....	....	....
	F.	12	1	....	....	....	....	1	....	....	....	2	1	....	....	....	1	....	3	1	....	....	....	2	1	....	....	....
4. Diseases of the bladder	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		8	....	....	....	....	....	....	....	....	1	2	....	1	1	....	1	....	....	....	1	1	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
4. Uterine diseases	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	1	....	....	....	....	....	....	....
5. Others of this group	F.	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		35	....	....	....	....	....	....	....	....	6	3	13	4	5	4	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	7	....	....	....	....	....	....	....	....	1	1	3	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	28	....	....	....	....	....	....	....	....	5	2	10	4	5	2	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		17	6	....	1	1	1	9	2	....	....	....	....	....	....	1	....	1	....	....	....	1	1	....	1	....	....	....
Males		3	1	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females		14	5	....	1	1	1	8	2	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	1	....	....	....
1. Diseases of the spine	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	5	....	1	1	....	7	1	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	15										1	1	3	3			1	4				2					
Males	5										1			1				2				1					
Females	10											1	3	2			1	2				1					
1. Abscess M.	4										1			1				1				1					
1. Abscess F.	10											1	3	2			1	2				1					
2. Carbuncle M.	1																	1									
2. Carbuncle F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	178	10	5	11	5	2	33	11	10	11	9	13	8	10	10	2	8	9	12	10	4	6	2	4	3	1	2
Males	134	5	1	10	2	1	19	10	9	8	7	11	5	10	8	1	6	8	9	8	3	4	1	2	2	1	2
Females	44	5	4	1	3	1	14	1	1	3	2	2	3		2	1	2	1	3	2	1	2	1	2	1		
1. Burns and scalds M.	9	1		4		1	6	1	1	1																	
1. Burns and scalds F.	10	2	3		1		6			1		1					1							1			
2. Drowned M.	17		1	1	1		3	1	1	2	2	2		3	2						1						
2. Drowned F.	3			1	2		3																				
3. Exposure and neglect M.																											
3. Exposure and neglect F.																											
4. Gunshot wounds M.																											
4. Gunshot wounds F.																											
5. Homicide M.	2											1						1									
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F																											
8. Railroad accidents M.	18			1			1		2	1	1	1			3	1	2	4									2
8. Railroad accidents F.	1								1																		
9. Suffocation M.	6	2		2			4	2																			
9. Suffocation F.	4																1		1	1					1		
10. Suicide by shooting M.	1													1													
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.	1																		1								
12. Suicide by poison F.	1									1																	
13. Other suicides M.	8									1		2		1					3	1							
13. Other suicides F.	3														2	1											
14. Sunstroke M.	1																							1			
14. Sunstroke F.	2		1				1															1					
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.	1																1										
16. Wounds F.																											
17. Other accidents and injuries M.	70	2		2	1		5	6	5	3	4	5	5	5	3		3	3	5	7	2	4	1	1	2	1	
17. Other accidents and injuries F.	20	3				1	4	1		1	2	1	3					1	2	1	1	1	1	1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 2.

[Exclusive of CINCINNATI and DAYTON.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	12008	2417	711	460	236	189	4013	572	344	521	702	586	445	431	363	361	389	378	468	534	611	497	431	223	88	34	17
Total: Males	6152	1322	374	241	118	99	2154	269	159	232	309	219	183	197	186	201	221	194	264	311	365	258	245	123	38	14	6
Females	5856	1095	337	219	118	90	1859	303	185	289	393	367	262	234	177	160	168	184	200	223	246	239	186	100	50	20	11
Unknown causes.																											
Total	628	302	26	16	8	4	416	12	9	12	12	7	16	7	11	7	11	8	12	21	19	20	17	9	2	...	....
Males	329	203	12	5	6	4	230	9	6	6	3	3	3	3	8	4	5	2	8	9	10	6	8	6	....	....	....
Females	299	159	14	11	2	....	186	3	3	6	9	4	13	4	3	3	6	6	4	12	9	14	9	3	2	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	2778	648	333	211	116	118	1426	343	123	128	134	98	59	63	52	26	26	40	40	41	48	54	34	25	8	6	4
Males	1365	328	179	118	54	62	741	154	53	53	68	39	21	29	27	9	13	20	21	29	28	19	18	15	5	2	2
Females	1413	320	154	93	62	56	685	189	70	75	66	59	38	34	25	17	13	20	19	12	20	35	16	10	4	4	2
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	44	9	16	7	2	2	36	5	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	40	14	5	6	1	4	30	3	2	1	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	156	19	24	22	21	24	110	33	11	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	182	14	22	20	20	26	102	64	11	1	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	179	9	11	29	22	17	88	64	17	4	2	1	..	1	1	....	1	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	182	7	10	21	17	13	68	71	30	5	2	3	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....
5. Hooping-cough M.	65	23	19	11	3	2	58	6	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	58	28	12	2	8	3	53	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
7. Cerebro-spinal fever M.	26	2	4	5	....	2	13	6	2	....	1	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	21	5	3	....	2	3	13	3	2	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	219	3	3	4	3	3	16	13	8	35	47	22	11	14	13	3	3	8	6	7	7	4	....	1	....	....	1
8. Enteric fever F.	225	6	2	5	3	2	18	20	16	48	33	24	13	7	12	8	2	4	3	3	5	7	2	....	....	....	....
9. Diarrhœa M.	75	24	4	1	1	1	31	1	1	1	1	1	2	2	5	1	3	1	2	4	1	5	5	4	1	2	1
9. Diarrhœa F.	57	23	9	2	....	....	34	1	....	....	1	3	....	1	2	....	....	....	....	2	2	2	4	1	1	1	2
10. Dysentery M.	57	10	10	6	....	1	27	4	....	....	....	1	2	2	....	1	....	2	4	2	5	....	3	3	1	....	....
10. Dysentery F.	78	11	6	10	3	1	31	6	1	1	....	2	1	2	2	1	2	4	1	3	3	9	4	2	2	1	....
11. Enteritis M.	114	27	12	3	1	2	45	9	8	5	7	3	2	5	4	2	....	4	3	4	4	2	2	4	1	....	....
11. Enteritis F.	86	23	13	7	1	....	44	3	1	2	3	2	1	3	2	1	5	3	3	1	3	6	1	2	....	....	....
12. Cholera morbus M.	28	2	2	1	....	1	6	1	....	1	1	1	1	....	....	....	1	1	2	4	5	2	1	1	....	....	....
12. Cholera morbus F.	23	2	1	....	....	....	3	5	1	1	1	....	....	2	1	....	....	2	2	....	2	1	2	....	....	....	....
13. Cholera infantum M.	275	181	65	24	1	4	275	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	245	158	64	18	3	2	245	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	54	4	3	3	....	3	13	11	3	2	7	4	1	....	1	1	....	....	1	1	1	4	3	1	....	....	....
14. Malarial fever F.	73	7	4	1	3	2	17	7	1	5	4	4	2	4	....	3	3	4	2	1	4	6	2	2	1	1	....
15. Erysipelas M.	33	10	5	....	....	....	15	....	1	1	1	1	....	2	....	1	2	1	2	1	1	1	2	....	1	....	....
15. Erysipelas F.	41	12	2	....	....	....	14	1	2	....	2	1	4	2	....	3	....	1	3	1	....	3	1	2	....	1	....
16. Septicæmia M.	14	1	....	2	....	....	3	....	1	1	....	....	....	....	....	....	....	2	....	4	2	1	....	....	....	....	....
16. Septicæmia F.	8	....	....	....	....	....	....	1	2	....	1	....	....	1	....	....	....	2	1	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	64	....	....	....	....	....	....	....	....	6	16	16	13	8	5	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	13	4	1	....	....	....	5	....	....	....	....	1	....	2	1	....	2	1	....	1	....	....	....	....	....	....	....
18. Venereal diseases F.	16	9	....	1	1	....	11	....	....	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	13	....	....	....	....	....	....	1	1	....	1	2	....	....	1	....	....	....	1	1	2	....	2	1	....	....	....
19. Others of this group F.	13	1	1	....	....	....	2	1	....	....	....	....	....	2	1	1	1	....	3	1	1	....	....	....	....	....	....
General diseases—B.																											
Total	137	60	3	6	5	1	80	2	1	....	....	1	3	5	1	7	7	8	4	6	4	7	....	1	....	....	....
Males	90	32	4	2	4	1	43	1	1	....	....	1	3	4	....	6	7	7	4	5	4	4	....	....	....	....	....
Females	47	28	4	4	1	....	37	1	....	....	....	....	....	1	1	1	....	1	....	1	....	3	....	1	....	....	....
1. Worms M.	8	2	1	1	2	....	6	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	7	....	3	4	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	28	..	....	....	....	....	....	....	....	....	....	1	1	1	....	6	6	4	3	4	2	....	....	....	....	....	....
3. Alcoholism F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	19	2	1	1	2	1	7	....	....	....	....	....	2	3	....	....	1	1	1	1	1	2	....	....	....	....	....
5. Other poisons F.	10	3	1	....	1	....	5	1	....	....	....	....	....	1	....	....	....	1	....	1	....	1	....	....	....	....	....
6. Inanition M.	35	28	2	....	....	....	30	....	....	....	....	....	....	....	....	....	....	2	....	....	1	2	....	....	....	....	....
6. Inanition F.	29	25	....	....	....	....	25	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	1	....	....	....
General diseases—C.																											
Total	936	562	3	1	2	....	568	1	1	1	1	2	1	2	2	1	2	3	10	14	40	60	102	61	44	19	1
Males	517	335	3	....	....	....	338	....	1	....	1	1	....	1	2	....	1	1	5	4	21	31	61	30	13	5	1
Females	419	227	....	1	2	....	230	1	....	1	....	1	1	1	....	1	1	2	5	10	19	29	41	31	31	14	....
1. Premature birth M.	52	52	....	....	....	....	52	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	37	37	....	....	....	....	37	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	253	253	....	....	....	....	253	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	163	163	....	....	....	....	163	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	16	16	....	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	13	12	....	1	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	83	14	3	....	....	....	17	....	1	....	1	1	....	1	2	....	1	1	4	3	15	10	15	6	2	2	1
4. Debility F.	66	15	....	....	2	....	17	1	....	1	....	1	1	1	....	1	1	2	5	5	8	9	4	4	2	3	....
5. Old age M.	113	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	6	21	46	24	11	3	....
5. Old age F.	140	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	5	11	20	37	27	29	11	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2906	98	49	35	12	9	203	39	86	230	369	298	224	189	150	146	163	135	155	142	157	105	76	28	6	2	3
Males		1268	53	26	15	6	2	102	18	29	88	128	95	84	85	65	71	80	59	84	72	90	54	45	14	4	1	....
Females		1638	45	23	20	6	7	101	21	57	142	241	203	140	104	85	75	83	76	71	70	67	51	31	14	2	1	3
1. Rheumatism	M.	41	1	....	....	....	....	1	1	2	3	5	2	1	3	1	....	2	2	3	3	6	2	4	....	....	....	....
	F.	31	1	....	....	....	....	1	1	3	....	1	1	1	1	1	....	1	3	1	4	7	..	3	1	1	....	....
2. Scrofula and tabes	M.	51	11	11	4	2	1	29	6	4	1	2	1	1	....	....	1	....	....	1	....	2	2	....	1	....	....	....
	F.	59	15	7	4	1	2	29	1	5	6	4	4	2	....	1	1	....	....	1	....	2	....	1	1	....	....	1
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	889	25	11	6	2	....	44	4	17	75	117	87	77	75	58	57	59	43	52	35	41	27	15	4	1	1	....
	F.	1177	15	8	10	1	3	37	12	39	131	226	192	129	90	59	51	58	37	28	35	24	16	9	2	1	....	1
5. Hydrocephalus	M.	24	12	3	4	1	1	21	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	9	5	3	2	1	20	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	93	....	....	....	....	....	....	1	....	1	....	2	1	2	4	6	11	8	14	11	12	4	9	5	2	....	....
	F.	147	....	....	....	1	....	1	1	....	2	....	2	1	4	14	13	14	20	21	12	12	16	11	3	....	....	....
7. Tumor	M.	14	....	....	1	....	....	1	1	....	....	1	....	....	....	....	1	1	....	4	3	1	1	....	....	....	....	....
	F.	39	1	....	....	....	1	2	....	1	1	3	1	2	2	3	3	1	3	5	6	3	3	....	....	....	....	....
8. Anæmia	M.	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
9. Dropsy	M.	120	2	1	....	....	....	3	3	5	5	3	3	2	2	1	4	7	4	8	15	20	18	13	3	1	....	....
	F.	143	3	3	3	....	....	9	4	5	1	4	2	3	7	5	7	8	12	13	11	20	15	7	5	....	1	1
10. Glycosuria	M.	29	....	....	....	....	....	....	1	1	1	....	....	....	2	1	1	....	1	1	3	3	8	2	3	2	....	....	....
	F.	14	1	....	....	1	....	2	1	2	....	2	1	....	....	2	....	1	....	3	....	....	....	....	....	....	....	....
11. Others of this group	M.	5	1	....	....	1	....	2	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	..	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1525	336	141	75	38	19	609	62	33	33	35	32	26	40	39	43	42	49	70	90	106	85	80	29	9	5	2
Males		819	191	68	37	20	12	328	33	14	21	22	8	12	23	24	26	24	28	35	50	60	43	44	13	6	4	1
Females		706	145	73	38	18	7	281	29	19	12	13	24	14	17	15	17	18	21	35	46	46	42	36	16	3	1	1
1. Inflammation of the brain	M.	145	54	39	13	3	3	112	12	4	1	2	2	1	3	....	1	1	2	2	1	....	1	....	....	....	....	....
	F.	137	47	33	13	5	3	101	11	7	4	....	3	1	3	....	....	2	....	2	2	....	....	....	1	....	....	....
2. Meningitis	M.	48	18	5	6	9	2	40	3	....	....	....	....	2	....	1	2	....	....	....	....	....	....	....	....	....	....	....
	F.	44	14	9	7	4	....	34	3	1	1	1	1	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....
3. Apoplexy	M.	98	....	1	....	....	....	1	....	....	2	....	2	1	3	5	7	9	10	10	7	16	9	....	2	....	....	....
	F.	62	....	2	....	....	....	2	....	....	....	1	2	2	1	4	3	4	6	7	8	7	8	5	1	1	....	....
4. Paralysis	M.	192	....	3	2	....	....	5	5	1	3	....	....	1	4	4	6	3	10	15	31	37	22	28	9	3	4	1
	F.	207	1	1	....	1	1	4	2	1	2	3	7	2	1	7	9	4	10	21	27	31	28	31	13	2	1	1
5. Tetanus and trismus nascentium.	M.	15	4	....	....	1	1	6	1	1	2	1	2	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	7	1	1	....	....	....	2	1	1	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
6. Epilepsy	M.	35	1	1	1	....	....	3	1	....	5	10	1	3	1	6	1	1	1	....	1	1	....	....	....	....	....	....
	F.	16	1	....	1	....	....	2	....	2	2	2	2	1	2	1	....	....	....	1	....	1	....	....	....	....	....	....
7. Convulsions	M.	102	77	6	5	2	1	91	3	3	2	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	98	57	14	10	3	3	87	3	3	....	1	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	11	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	1	2	2	1	1	1	....	....	....
	F.	9	....	....	....	....	....	....	1	....	....	1	2	1	3	....	....	....	1	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	109	22	7	7	1	3	40	4	4	4	5	1	4	3	4	4	6	2	4	6	3	8	5	1	1	....	....
	F.	78	15	9	6	3	....	33	4	3	2	2	3	3	2	1	3	3	3	3	4	4	4	....	1	....	....	....
10. Diseases of the spinal cord	M.	47	12	6	3	4	2	27	4	1	1	2	....	....	....	2	1	2	3	1	1	....	....	1	1	....	....	....
	F.	37	9	4	1	2	....	16	3	1	1	2	2	2	3	....	2	1	....	....	1	2	1	....	....	....	....	....
11. Others of this group	M.	17	3	....	....	....	....	3	....	....	1	....	....	....	....	2	2	....	2	1	2	1	1	....	2	....	....	....
	F.	11	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	3	....	....	4	....	1	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		502	26	4	2	2	....	34	9	11	8	16	21	17	17	20	25	33	30	49	51	72	39	35	12	2	....	1
Males		285	17	2	....	....	....	19	2	6	3	7	7	9	8	10	14	22	17	31	36	49	21	15	8	....	....	1
Females		217	9	2	2	2	....	15	7	5	5	9	14	8	9	10	11	11	13	18	15	23	18	20	4	2	....	....
1. Angina pectoris	M.	7	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	2	....	....	1	2	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	1	....	....	1	....	1	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	266	9	1	....	....	....	10	2	6	3	7	5	9	7	10	14	20	17	31	35	46	21	15	7	....	....	1
	F.	204	5	2	2	2	....	11	7	5	5	8	13	7	8	10	11	10	11	18	15	22	18	10	4	2	....	....
4. Others of this group	M.	12	3	1	....	....	....	9	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....
	F.	7	4	....	....	....	....	4	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1146	197	105	80	37	20	439	58	20	43	39	32	21	38	23	35	42	36	50	55	75	57	45	31	5	1	1
Males		602	101	59	42	19	9	230	21	9	19	21	10	8	19	14	24	29	19	30	28	42	33	26	17	2	1	....
Females		544	96	46	38	18	11	209	37	11	24	18	22	13	19	9	11	13	17	20	27	33	24	19	14	3	....	1
1. Croup	M.	85	25	12	20	10	6	73	10	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	86	18	13	22	12	3	68	17	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	3	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	5	....	1	1	....	....	2	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	60	17	6	1	2	....	26	....	....	....	2	....	1	5	1	2	2	4	5	3	3	4	6	2	1	....	....
	F.	57	15	4	2	1	1	23	1	2	....	3	1	4	1	1	1	1	1	4	4	3	1	1	1	....	....	....
4. Pneumonia	M.	335	44	36	20	7	2	109	8	6	14	14	9	4	10	10	16	21	10	14	17	27	23	14	8	1	....	....
	F.	286	44	20	11	5	4	84	16	8	19	13	12	7	11	5	7	5	9	12	15	23	16	11	11	2	....	....
5. Pleurisy	M.	8	....	....	....	....	....	....	....	....	....	....	....	....	1	....	3	1	....	1	2	....	....	....	....	....	....	....
	F.	14	....	1	....	....	....	1	....	....	....	....	....	....	1	1	....	3	2	3	2	1	....	....	....	....	....	....
6. Asthma	M.	27	....	....	....	....	1	1	1	....	....	....	....	....	1	....	....	3	3	3	3	4	2	2	4	....	....	....
	F.	24	3	1	....	....	....	4	....	....	1	....	1	....	....	....	....	1	....	2	4	2	2	5	2	....	....	....
7. Others of this group	M.	75	15	5	1	....	....	21	2	1	4	4	1	3	2	3	3	2	2	7	3	5	4	4	1	1	....	....
	F.	72	16	6	2	....	3	27	3	1	3	2	7	2	5	1	3	3	2	2	2	3	3	2	....	....	....	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		532	77	24	18	7	5	131	20	15	12	17	20	18	20	18	27	25	26	30	51	42	25	15	9	3	2
Males		281	35	12	11	3	2	63	13	10	4	6	8	8	6	11	21	14	15	19	30	24	13	8	6	2	
Females		251	42	12	7	4	3	68	7	5	8	11	12	10	14	7	6	11	11	17	21	18	12	7	3	1	2
1. Dentition	M.	9	3	3	3			9																			
	F.	12	5	6		1		12																			
2. Angina	M.	12	1		5	1		7	1		1			1			1		1								
	F.	11	2			2	1	5	1	2	1										1						1
3. Gastritis	M.	18	1	1	1			3	2				1			1	2	1		2		4		1		1	
	F.	24	2	1	2	1		6			1		1	2	2			1	3		3	3	1				
4. Other diseases of the stomach	M.	40	4	2	1			7	1	1				1	1	1	4	1	2	2	9	6	1		2	1	
	F.	56	12					12	1	1	2	5	4	2	2	5		1	1	3	3	5	5	2	1		1
5. Obstruction of the bowels	M.	10	2					2	1					2			1	2			1	1					
	F.	4		1				1	1						1					1							
6. Hernia	M.	13	2					2			1				2					2	1	3	1		1		
	F.	11			1			1							1					1	2	5		1				
7. Other diseases of the bowels	M.	20	5		1	1	1	8			2	1					2	2	1	3	1						
	F.	15	4	1	2			7	1	1				1			1			1	2		1				
8. Jaundice	M.	17	6				1	7	1							1		1	1	3		1		2			
	F.	11	2		1		1	4									1	2	1			1	1	1			
9. Inflammation and abscess of the liver.	M.	29											2	1	1	4	1	3	4	5	2	2	2	1			
	F.	20		1			1	2	1			1	1		2		2	2	3	2	2	2					
10. Other diseases of the liver	M.	41	2	3				5					3	1	2	7	4	5	1	2	5	4	1		1		
	F.	32	1		1			2	1	1		1	1	1	3	1	2	3	2	4	2	3	2	3			
11. Peritonitis	M.	33				1		1	6	7		1	1							1	3	1	2				
	F.	18		1				1			2	4	3	3	3	1		1									
12. Ascites	M.	4																1	1			1	1				
	F.	9	1					1			1		1	1						1		3		1			
13. Others of this group	M.	45	9	3				12	1		1	5	1	2			3		3	1	3	3	6	3	1		
	F.	29	13	1				14	1		1		1				2	1		3	3	1		1	1		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		194	6	2		1	1	10	2		4	6	6	4	7	6	10	10	9	18	28	23	27	10	10	3	1
Males		154	4			1		5	2		3	3	6	2	4	3	4	6	7	15	25	22	24	10	9	3	1
Females		40	2	2			1	5			1	3		2	3	3	6	4	2	3	3	1	3		1		
1. Bright's disease	M.	43							1		2	1	3	1		1	1	3	2	6	10	5	5	2			
	F.	17	1				1	2				2			1	2	3	1	2	2			1		1		
2. Calculus, urinary	M.	23	1					1				1				1			1		3	4	6	3	2	1	
	F.																										
3. Diseases of the kidney	M.	47	3					3	1		1	1	3	1	3	1	2	2	3	4	4	4	7	3	1	2	1
	F.	15		2				2				1		1	1	1	2	3			2	1	1				
4. Diseases of the bladder	M.	29													1		1	1	1	2	6	7	5	1	4		
	F.	1									1						1				1		1				
5. Others of this group	M.	12				1		1													3	2	2	1	1	2	
	F.	4	1					1						1	1						1						
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		51									2	5	6	3	8	5	4	2	6	3	1	2	4				
1. Ovarian tumors	F.	14											2		1	1	1	4	1	1			2				
2. Ovarian diseases	F.	3														1		2									
3. Uterine tumors	F.	2													1	1											
4. Uterine diseases	F.	8										2	2		1		1			1			1				
5. Others of this group	F.	24									2	3	2	3	5	2	2	1		1		2	1				
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		74									7	12	15	12	17	9		1									1
1. Abortion	F.	9									2	2	2		1	2											
2. Child birth	F.	52									2	6	11	9	15	7		1									1
3. Others of this group	F.	13									3	4	2	3	1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		23	2	1		1	2	6	1	2	2	2	2	2	1	1		1				1	1	1			
Males		16		1			2	3	1	1	1	2	2	1	1			1				1	1	1			
Females		7	2			1		3		1	1			1		1											
1. Diseases of the spine	M.	7		1			1	2				1	1		1			1					1				
	F.	4	2					2						1		1											
2. Diseases of the bones	M.	6							1	1	1		1	1								1					
	F.	1								1																	
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.	3					1	1				1												1			
	F.	2				1		1			1																

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		27	3	1	...	...	1	5	2	...	1	2	1	1	...	3	...	4	2	2	1	1	2	...	...	...	...	...
Males		11	2	1	...	...	...	3	1	...	1	1	...	...	...	2	...	2	...	...	...	...	1	...	...	...	...	...
Females		16	1	...	...	...	1	2	1	...	...	1	1	1	...	1	...	2	2	2	1	1	1	...	...	...	...	...
1. Abscess	M.	8	1	...	...	...	...	1	1	...	1	1	...	...	...	2	...	1	...	...	...	...	1	...	...	...	...	...
	F.	10	...	...	...	...	...	...	1	...	...	1	1	1	...	1	...	1	1	...	1	1	1	...	...	...	...	...
2. Carbuncle	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...
3. Others of this group	M.	3	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	F.	3	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		9	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	1	1	...	1	1	1	...	...	...	...
Males		6	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	1	...	...	...	1	...	...	...	...	...
Females		3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...
1. Addison's disease	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the spleen	M.	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...
3. Others of this group	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
XII.—ACCIDENTS AND INJURIES.																												
Total		539	40	14	16	7	9	86	21	43	38	52	44	38	17	23	29	17	25	18	27	20	10	15	8	6	...	2
Males		408	21	7	11	5	5	49	14	29	33	47	38	32	14	20	21	14	18	16	23	14	7	9	5	4	...	1
Females		131	19	7	5	2	4	37	7	14	5	5	6	6	3	3	8	3	7	2	4	6	3	6	3	2	...	1
1. Burns and scalds	M.	20	1	1	3	4	4	13	1	1	...	...	3	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...
	F.	41	...	5	3	2	2	12	5	7	2	4	...	4	...	...	1	1	1	...	...	1	...	2	...	1	...	...
2. Drowned	M.	57	...	2	3	...	...	5	4	12	6	12	3	2	4	2	1	1	2	1	1	1	...	...	...	...	...	...
	F.	8	...	1	1	...	...	2	1	3	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
3. Exposure and neglect	M.	6	3	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...
	F.	4	2	...	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
4. Gunshot wounds	M.	21	1	...	...	...	...	1	...	2	5	1	1	2	...	...	1	2	3	1	1	...	...	...	...	...	...	1
	F.	4	...	...	...	...	...	...	1	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
5. Homicide	M.	18	...	...	...	...	...	...	1	...	1	1	1	2	...	2	1	2	1	2	...	...	1	...	...	...	...	...
	F.	4	...	...	...	...	...	...	...	1	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...
6. Infanticide	M.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Injuries by machinery	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Railroad accidents	M.	55	...	2	...	...	...	2	1	1	5	13	6	4	2	2	4	1	1	2	4	3	1	3	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
9. Suffocation	M.	13	10	1	...	...	...	11	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	11	9	...	...	...	...	9	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1
10. Suicide by shooting	M.	9	...	...	...	...	...	...	...	...	1	1	1	2	1	2	...	1	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
11. Suicide by drowning	M.	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...
12. Suicide by poison	M.	4	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Other suicides	M.	20	...	...	...	...	...	...	...	...	2	...	...	3	...	3	5	1	2	...	3	...	...	...	...	1	...	...
	F.	6	...	...	...	...	...	...	...	...	...	...	2	...	1	1	...	1	...	1	...	...	...	...	...	...	...	...
14. Sunstroke	M.	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...
15. Surgical operations	M.	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
16. Wounds	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
17. Other accidents and injuries	M.	177	5	1	5	1	1	13	7	13	13	17	17	15	7	7	9	6	8	8	12	10	3	5	5	2	...	...
	F.	42	8	1	1	...	2	12	...	2	1	...	1	2	1	...	1	...	4	1	3	4	3	3	3	1	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 3.

[Exclusive of COLUMBUS.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		16888	3538	928	609	401	294	5770	964	523	668	850	733	593	572	498	461	500	538	703	807	823	817	558	286	95	33	96
Total: Males		8580	1965	487	316	191	158	3117	457	234	296	352	305	242	258	247	223	271	287	384	441	441	461	307	155	45	14	43
Females		8308	1573	441	293	210	136	2653	507	289	372	498	428	351	314	251	238	229	251	319	366	382	356	251	131	50	19	53
Unknown causes.																												
Total		715	387	15	14	12	8	436	13	11	11	9	10	11	7	18	17	17	20	18	27	12	28	17	21	1		11
Males		364	207	9	11	6	6	239	5	7	7	3	3	4	3	9	5	8	10	9	13	5	15	6	9	1		3
Females		351	180	6	3	6	2	197	8	4	4	6	7	7	4	9	12	9	10	9	14	7	13	11	12			8
1.—GENERAL DISEASES.																												
General diseases—A.																												
Total		4264	1004	413	306	195	161	2079	577	241	186	186	142	105	84	67	54	54	55	76	93	74	78	55	30	7	3	18
Males		2035	535	223	148	86	84	1076	259	94	73	74	54	34	33	26	24	28	28	43	46	41	47	32	13	2	1	7
Females		2229	469	190	158	109	77	1003	318	147	113	112	88	71	51	41	30	26	27	33	47	33	31	23	17	5	2	11
1. Small-pox	M.																											
	F.	2								1							1											
2. Measles	M.	25	5	6	5	1	2	19	1	1	1	1	—			1					1							
	F.	38	7	5	2	4	1	19	12	1		1		2	1		1	1										
3. Scarlet fever	M.	125	11	14	18	18	11	72	35	12	2	3						1										
	F.	155	7	12	21	23	15	78	47	17	5	4	1	1		1						1						
4. Diphtheria	M.	491	39	47	59	44	60	249	180	33	13	2	2	2	1	2	1	2		1								3
	F.	584	25	43	76	56	50	250	200	86	24	7	5	2	3	3		1									1	2
5. Hooping-cough	M.	85	52	20	5	4	1	82	3																			
	F.	109	59	25	15	4	1	104	4			1																
6. Fever	M.	23	8	1	3			12		1	1		2	1	2		1					1	1	1				
	F.	27	7		1			8	5		3		4				2		1		2			2				
7. Cerebro-spinal fever	M.	42	9	3	6	4	3	25	2	6	3	1	1		1		1				1	1						
	F.	44	9	6	5	3	1	24	6	3		3	3		4		1											
8. Enteric fever	M.	275	6	7	7	2	3	25	17	22	29	43	30	23	13	7	3	6	10	18	10	7	6	1	2	1		2
	F.	298	4	3	4	4	3	18	15	23	53	50	33	23	9	10	10	11	9	9	14	4	5	2	1			
9. Diarrhœa	M.	94	33	14	3	1		51					3		2		3	3	2	3	3	5	13	4	1			1
	F.	67	19	13	5	1		38				1	2	2	1		2		2	2	2	6	5	1	1	1	1		
10. Dysentery	M.	73	23	13	9			45	1	1	1	1	1		1	1	1	2	1	4	4	2	4	1		1		
	F.	64	12	5	3	1		21	1			1	1		3	4		2	1	5	9	4	1	3	5	1		2
11. Enteritis	M.	149	38	15	6	4	1	64	7	6	8	5	2	4	1	6	1	4	1	7	6	9	8	4	5	1		
	F.	143	39	5	4	1	2	51	6	8	4	9	7	6	11	6	4	2	3	3	3	4	3	3	2			3
12. Cholera morbus	M.	24	4					4	1			1	3			1			2	3	1	1	5	2				
	F.	24		1				1	5				1		1	3		1		1	2		5	3	1			
13. Cholera infantum	M.	355	265	68	18	3	1	355																				
	F.	312	234	57	14	4	2	311																				1
14. Malarial fever	M.	145	15	10	7	4	1	37	9	10	9	9	5	2	6	6	4	5	5	7	9	4	7	9	1			1
	F.	156	18	7	5	8		38	15	5	12	7	6	9	6	3	7	5	4	7	7	7	6	5	5	1		1
15. Erysipelas	M.	61	20	2	1	1	1	25	2	2	3	6	2		1	1	5	1	4		3	3	1	1				
	F.	64	23	4			1	28	2		1	2		1	1	3		3	1	5	6	5	4	2				
16. Septicæmia	M.	25	3	1				4			1	1	2		3	1	2	2	1	2	3		1	2				
	F.	17		1	1		1	3		1		3	1	5	1	1				1	1							
17. Puerperal septicæmia	F.	93									9	23	24	20	7	7	1											2
18. Venereal diseases	M.	12	3	1				4				1	1	1	1		2	1			1							
	F.	6	2	1				3							2		1											
19. Others of this group	M.	31	1	1	1			3	1		2			1	1			2	1	1	4	6	3	4	2			
	F.	26	4	2	2			8		2	2				1				1	1	1	2	2	2	2	2		
General diseases—B.																												
Total		137	34	8	8	4	2	56	4	1		6	6	7	7	8	5	10	4	6	9	2	1	3	2			
Males		86	17	3	5	3		28		1		2	5	6	6	6	3	8	4	4	7	1	1	2	2			
Females		51	17	5	3	1	2	28	4			4	1	1	1	2	2	2		2	2	1		1				
1. Worms	M.	3	1		2			3																				
	F.	2	1					1	1																			
2. Other parasitic diseases	M.	1			1			1																				
	F.	1		1				1																				
3. Alcoholism	M.	33										1	3	2	3	3	2	6	2	3	5	1		1	1			
	F.	1																		1								
4. Lead poison	M.																											
	F.																											
5. Other poisons	M.	31	6	2	1	3		12		1		1	2	3	3	3	1		1	1	1			1	1			
	F.	29	5	2	3	1	2	13	3			4	1	1	1		2	1			1							
6. Inanition	M.	18	10	1	1			12						1				2	1		1		1					
	F.	18	11	2				13								2		1			1	1						
General diseases—C.																												
Total		1212	782	4	1	1		788	2			1		3	1	1	3	1	4	6	11	37	70	137	91	38	16	2
Males		658	455	1				456	2			1		1	1	1		3	1	6	16	33	59	49	21	6	2	
Females		554	327	3	1	1		332						2			3	1	1	5	5	21	37	78	42	17	10	
1. Premature birth	M.	71	71					71																				
	F.	69	69					69																				
2. Stillborn	M.	326	326					326																				
	F.	221	221					221																				
3. Malformation	M.	23	22					22	1																			
	F.	11	10	1				11																				
4. Debility	M.	86	65	1				36	1			1		1	1	1			3		6	6	9	12	7			2
	F.	74	27	2	1	1		31						2			3	1	1	5	3	7	11	6	4			
5. Old age	M.	151																		1		10	24	47	42	21	6	
	F.	179																			2	14	26	72	38	17	10	
6. Atrophy	M.	1	1					1																				
	F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	..	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases - D.																											
Total		3304	141	58	28	20	7	254	48	72	226	355	311	239	222	189	165	146	157	216	200	195	172	73	37	11	1	15
Males		1467	81	30	15	9	5	140	24	21	71	132	117	95	92	88	72	67	79	107	96	104	91	40	21	3	....	7
Females		1837	60	28	13	11	2	114	24	51	155	223	194	144	130	101	93	79	78	109	104	91	81	33	16	8	1	8
1. Rheumatism	M.	44	1	2	1	....	....	4	3	4	3	1	1	....	....	2	1	1	4	4	6	3	3	3	1	....	....	....
	F.	39	....	....	1	2	....	3	3	6	4	....	1	1	1	....	3	1	2	5	2	3	2	2	....	....	....	....
2. Scrofula and tabes	M.	65	17	9	4	2	1	33	5	3	1	7	1	2	....	4	1	1	2	1	1	....	1	2	....	....	....	....
	F.	54	20	5	4	2	....	31	2	2	4	4	3	2	....	1	....	1	....	1	2	....	1	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	912	31	8	5	3	....	47	8	7	57	115	108	79	83	62	55	40	47	55	43	39	41	10	4	....	....	3
	F.	1228	18	12	3	5	1	39	13	34	141	209	174	126	102	74	47	38	29	55	47	37	37	12	6	1	1	6
5. Hydrocephalus	M.	44	20	6	5	2	1	34	2	2	1	....	....	....	....	....	....	....	....	1	....	4	....	....	....	....	....	....
	F.	34	14	7	5	2	1	29	2	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	159	2	3	....	....	2	7	....	....	2	2	5	8	4	7	5	7	13	26	18	19	14	15	3	3	....	1
	F.	224	2	....	....	....	....	2	....	....	....	....	2	7	12	13	27	23	31	28	26	20	19	5	4	4	....	1
7. Tumor	M.	33	3	2	....	1	....	6	1	....	1	1	....	1	1	4	....	2	2	5	2	3	1	1	2	....	....	....
	F.	40	....	....	....	....	....	....	....	1	....	1	2	1	4	1	7	4	5	3	5	2	3	1	....	....	....	....
8. Anæmia	M.	8	3	....	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	1
	F.	9	1	....	....	....	....	1	....	1	....	....	3	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	142	2	....	....	....	....	2	4	2	3	1	1	4	4	5	7	5	7	11	20	27	22	7	8	....	....	1
	F.	183	4	3	....	....	....	7	3	6	3	7	6	5	6	10	9	9	9	14	19	28	19	13	6	3	....	1
10. Glycosuria	M.	55	1	....	....	....	1	2	1	2	3	4	1	1	....	3	3	2	4	4	4	8	8	1	2	....	....	1
	F.	19	....	....	....	....	....	....	....	....	1	2	2	1	2	1	....	2	1	3	3	1	....	....	1	....	....	....
11. Others of this group	M.	5	....	....	....	1	....	1	....	....	....	....	1	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....
	F.	7	1	1	....	....	....	2	1	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		2194	533	172	84	45	39	873	80	49	44	41	43	39	48	59	50	65	74	108	137	156	166	102	35	7	7	11
Males		1141	305	86	38	20	21	470	46	23	23	18	17	14	27	29	24	36	36	55	79	75	86	58	16	3	3	3
Females		1053	228	86	46	25	18	403	34	26	21	23	26	25	21	30	26	29	38	53	58	81	80	44	19	4	4	8
1. Inflammation of the brain	M.	198	72	38	14	7	6	137	19	6	6	7	3	....	2	4	2	3	2	....	2	2	2	1	....	....	....	....
	F.	156	50	28	21	4	7	110	17	2	4	3	3	4	3	1	2	2	1	....	1	1	2	....	....	....	....	....
2. Meningitis	M.	33	13	6	2	1	2	24	1	1	....	....	1	....	2	1	....	....	1	....	....	....	1	....	....	....	....	1
	F.	56	27	5	2	1	1	36	4	2	2	3	1	2	1	1	....	1	....	....	1	....	....	1	....	....	....	1
3. Apoplexy	M.	145	5	....	....	....	....	5	....	....	1	2	3	....	5	4	9	5	14	21	29	22	13	8	2	2	....	....
	F.	126	1	....	1	1	....	3	....	1	1	1	1	3	1	8	7	9	11	14	16	17	17	5	8	....	1	2
4. Paralysis	M.	250	3	1	2	....	....	6	....	....	1	....	1	1	5	8	5	11	13	22	33	39	52	36	13	1	3	....
	F.	265	3	3	....	....	....	6	....	2	....	2	4	7	4	4	6	9	15	31	33	43	51	30	9	3	3	3
5. Tetanus and trismus nascentium.	M.	10	....	....	....	....	1	1	1	....	4	....	1	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	7	3	1	....	....	....	4	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	27	6	1	....	....	1	8	....	1	3	1	1	1	3	1	....	1	1	....	3	1	2	....	....	....	....	....
	F.	23	....	1	1	2	1	5	....	2	....	2	4	2	2	2	1	....	....	....	....	1	2	....	....	....	....	....
7. Convulsions	M.	184	142	14	6	5	4	171	4	2	1	3	....	....	....	....	2	1	....	....	1	....	....	....	....	....	....	2
	F.	144	96	14	9	7	1	127	1	1	2	6	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	2
8. Mental diseases	M.	12	....	....	....	....	....	....	....	....	....	1	....	....	1	2	2	1	....	1	2	....	....	1	....	....	....	1
	F.	17	....	....	....	....	....	....	....	....	....	1	1	1	3	....	2	2	2	1	3	....	1	....	....	....	....	....
9. Diseases of the brain	M.	187	46	19	8	4	4	81	9	8	6	1	4	7	7	4	2	10	3	7	9	7	11	9	1	....	....	1
	F.	141	34	19	6	3	....	62	6	3	1	3	8	2	4	8	8	4	3	1	4	10	7	4	2	1	....	....
10. Diseases of the spinal cord	M.	75	17	7	6	3	3	36	12	4	1	3	2	3	1	3	1	1	1	2	1	2	1	1	....	....	....	....
	F.	82	13	13	6	7	6	45	4	12	8	1	2	1	1	1	1	....	3	2	....	1	....	....	....	....	....	....
11. Others of this group	M.	20	1	....	....	....	....	1	....	1	....	....	1	2	....	2	1	2	1	2	....	1	4	2	....	....	....	....
	F.	36	1	2	....	....	2	5	1	....	3	1	1	1	4	1	1	2	3	3	1	5	1	3	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		781	67	4	3	....	3	77	19	14	13	18	28	18	31	24	21	53	59	72	94	101	83	33	12	5	1	5
Males		411	35	2	2	....	2	41	4	9	7	6	15	10	12	13	10	24	23	39	55	57	50	23	8	2	1	2
Females		370	32	2	1	....	1	36	15	5	6	12	13	8	19	11	11	29	36	33	39	44	33	10	4	3	....	3
1. Angina pectoris	M.	7	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	1	1	2	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	2	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	7	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	1	2	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	366	13	2	2	....	2	19	4	9	7	4	14	9	12	10	10	23	23	36	50	54	46	23	8	2	1	2
	F.	341	14	2	1	....	1	18	14	5	6	12	13	7	19	10	11	26	33	32	39	44	33	10	3	3	....	3
4. Others of this group	M.	31	22	....	....	....	....	22	....	....	....	....	1	....	....	2	....	....	....	1	2	1	2	....	....	....	....	....
	F.	22	18	....	....	....	....	18	1	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		2163	374	193	127	83	48	825	130	54	82	62	51	68	55	53	59	62	82	100	113	138	109	61	24	15	3	15
Males		1176	200	103	73	45	27	448	60	19	51	35	28	38	32	35	32	26	46	57	56	76	63	30	15	8	2	9
Females		987	174	90	54	38	21	377	70	35	31	27	23	30	23	20	27	26	36	43	57	62	46	31	9	7	1	6
1. Croup	M.	202	43	34	33	29	20	159	36	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3
	F.	171	34	33	24	20	15	126	39	2	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
2. Laryngitis	M.	5	....	....	3	....	....	3	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	....	1	....	....	1	2	1	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	1	....	....
3. Bronchitis	M.	84	17	10	4	3	1	35	1	1	3	1	1	1	2	2	2	3	5	6	5	7	2	5	....	1	....	1
	F.	75	22	7	4	1	1	35	1	3	....	3	2	2	....	2	1	1	1	3	5	3	4	2	3	3	....	1
4. Pneumonia	M.	693	108	53	29	9	4	203	16	14	42	24	19	31	22	27	23	27	35	40	41	50	43	14	11	5	1	5
	F.	569	97	38	24	12	2	173	22	28	24	16	13	21	18	14	24	18	26	31	39	41	29	23	3	2	....	4
5. Pleurisy	M.	27	1	....	....	1	....	2	2	....	2	2	1	2	1	3	....	2	....	3	2	2	2	....	1	....	....	....
	F.	24	1	....	....	....	....	1	1	....	3	1	1	....	....	1	....	1	1	1	2	7	4	....	....	....	....	....
6. Asthma	M.	30	2	1	1	....	....	4	....	....	....	....	1	....	....	....	4	3	....	2	2	6	6	1	....	1	....	....
	F.	18	2	1	....	....	....	3	....	....	....	....	....	1	....	....	....	1	2	2	3	2	3	1	....	....	....	....
7. Others of this group	M.	135	29	5	3	3	2	42	4	....	4	8	6	4	6	3	3	1	6	6	6	11	10	10	3	1	1	....
	F.	120	18	10	2	5	2	37	5	1	2	7	6	5	4	2	2	5	6	6	8	8	6	5	3	1	1	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 3—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	763	126	25	12	14	9	186	39	24	17	31	37	22	27	19	25	47	48	45	63	46	43	28	10	3	1	11
Males	399	75	14	5	8	4	106	16	19	7	14	17	4	11	10	7	29	31	23	35	20	21	16	5	2		6
Females	364	51	11	7	6	5	80	14	5	10	17	20	18	16	9	18	18	17	22	28	26	22	12	5	1	1	5
1. Dentition M.	10	3	7				10																				
1. Dentition F.	8	5	3				8																				
2. Angina M.	10	3	3	1	3	1	11	3	2											1	1			1			
2. Angina F.	16	3	1	2	1	2	9	4		1	1									1							
3. Gastritis M.	32	5		1			6	2	1		1	3	1	1				2	1	5	3	2	2		1		
3. Gastritis F.	27	1	1	1	1		4				2	1	1	3		2	1		1	2	2	5	2	1			1
4. Other diseases of the stomach. M.	73	12		1	4		17	2		1	1	2	1	1	1		12	8	5	8	4	4	4	1			
4. Other diseases of the stomach. F.	64	8	1			1	10	1		1	5	5	2	6		5	4	3	3	6	4	3	3	2	1		1
5. Obstruction of the bowels M.	27	7					7	6	2			1		2				4	1	1		2		1			
5. Obstruction of the bowels F.	21	2		1			3	2	1		1	1	1		2		1	1	1	1	1	4	1				
6. Hernia M.	21	1			1		2		2		1	1		1		1	1	2	3		1	1	3	1	1		
6. Hernia F.	20	1					1	1		1			1	2	2	1		3	3	3	2						
7. Other diseases of the bowels. M.	34	13	1	1		1	16		2	1	4	3			1		1	1		3		1					1
7. Other diseases of the bowels. F.	24	5		1			6	1	1	5	3		1	2			1	3		1							
8. Jaundice M.	20	5				1	6					1		1		2		1	3	2		1	3				
8. Jaundice F.	16	4		1	2	1	8									1			1	1	1	2	1			1	
9. Inflammation and abscess of the liver. M.	22	1					1	1	1		2			1	4	1	5	1	2	1	1	1					
9. Inflammation and abscess of the liver. F.	16	2		1			3	1					1	1		4	3		3	3	3	1	2				1
10. Other diseases of the liver M.	52	3	1	1		1	6		2	1	1	1	1	2	3	1	5	7	4	5	5	7	1				
10. Other diseases of the liver F.	58	4	1		2	1	8	1	1			1	3	1	3	3	8	5	5	7	9	2	1				
11. Peritonitis M.	26	1	1				2	1	4	3	4	1				1	3	1		1	1	1	1				2
11. Peritonitis F.	36	1	1				2	2	2	2	5	11	5	1	1	1		1	1	1							1
12. Ascites M.	8														1		1	1	1	1	1	1					
12. Ascites F.	10											1			1				2		3	1	1	1			
13. Others of this group M.	55	21	1				22	1	3	1		4	1	2		1	1	3	3	7	3		1	1			1
13. Others of this group F.	38	15	3				18	1				1	2			1		1	2	2	1	4	1	1			3
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	296	9	3	4	3	5	24	6	1	7	9	8	8	8	9	10	11	14	24	29	36	40	31	15	2	1	3
Males	221	5		1	1	3	10	3		5	3	3	3	4	5	8	9	12	20	25	32	34	29	13	1	1	1
Females	75	4	3	3	2	2	14	3	1	2	6	5	5	4	4	2	2	2	4	4	4	6	2	2	1		2
1. Bright's disease M.	60	2					2	1		2	2	3	2	2	1	2	3	3	8	6	9	7	3	3	1		
1. Bright's disease F.	26	1	1			1	3	1			2	3	1	2	1	2	2	1	1	2	2	5					
2. Calculus, urinary M.	22																1	1	1	2	4	2	9	2			
2. Calculus, urinary F.																											
3. Diseases of the kidney M.	72	2		1		1	4	2		2	1		1		3	5	3	5	10	7	12	10	5	1		1	
3. Diseases of the kidney F.	35	3		2		1	6	1		1	3	2	4	2	3				2	2	2	3	1	1	1		1
4. Diseases of the bladder M.	32				1		1			1						1		2		4	4	10	7	2			
4. Diseases of the bladder F.	4			1	1		2												1				1				
5. Others of this group M.	35	1				2	3							2	1		2	1	1	6	3	5	5	5			1
5. Others of this group F.	10		2		1		3	1	1	1	1							1						1			1
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	71								2	8	9	10	6	11	5	7	4	4	3			2					
1. Ovarian tumors F.	17									1	2	1		1	2	3	1	3	1			2					
2. Ovarian diseases F.	4									1	1				1	1											
3. Uterine tumors F.	1												1														
4. Uterine diseases F.	11								1		3	2	1	1		1	1	1									
5. Others of this group F.	38								1	6	3	7	4	9	2	2	2		2								
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	156									11	47	37	24	23	9	3											2
1. Abortion F.	12									1	6	1	1	2	1												
2. Child-birth F.	108									6	31	29	18	17	5	2											
3. Others of this group F.	36									4	10	7	5	4	3	1											2
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	46	2		1	3	1	7	3	6	4	4	3	2	2	2	1	3	2	2	3	1	1					
Males	32			1	1	1	3	2	4	4	3	2		1	1		3	2	2	3	1	1					
Females	14	2			2		4	1	2		1	1	2	1	1	1											
1. Diseases of the spine M.	13			1	1	1	3		2	1	2						1	1	1	1		1					
1. Diseases of the spine F.	8	2			1		3		1				1	1	1	1											
2. Diseases of the bones M.	8							1	1	1				1	1		1	1	1								
2. Diseases of the bones F.	2				1		1				1																
3. Diseases of the hip-joint M.	7							1		2	1	2									1						
3. Diseases of the hip-joint F.	2							1	1																		
4. Others of this group M.	4								1								1			2							
4. Others of this group F.	2											1	1														

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OHIO—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		34	2		2			4	3	2	1	1	2	1	4	3	4	3	2			1	1	1		1	
Males		21	1		1			2		2		1		2	1		2	3	3	2			1		1		1	
Females		13	1		1			2		1	2		1		4	1	1							1				
1. Abscess	M.	15	1		1			2		1		1		2	1		2		3	2			1					
	F.	9			1			1		1	1		1			2	1	1						1				
2. Carbuncle	M.	5								1								3							1			
	F.	3	1					1			1				1													
3. Others of this group	M.	1																								1		
	F.	1													1													
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		13	1	1				2	1	1		1	1	4		1				1		1						
Males		8	1	1				2	1	1			1	1		1				1								
Females		5										1		3								1						
1. Addison's disease	M.	1												1														
	F.	1												1														
2. Diseases of the spleen	M.	4		1				1		1			1		1													
	F.	3										1		2														
3. Others of this group	M.	3	1					1	1											1								
	F.	1																				1						
XII.—ACCIDENTS AND INJURIES.																												
Total		739	76	32	19	21	11	159	48	45	58	70	44	36	42	29	37	24	13	26	28	23	23	17	9	5		3
Males		561	48	15	16	12	5	96	33	36	47	61	41	31	36	21	35	20	11	23	20	12	19	11	4	1		3
Females		178	28	17	3	9	6	63	15	9	11	9	3	5	6	8	2	4	2	3	8	11	4	6	5	4		
1. Burns and scalds	M.	29		3	9	8	3	23	1			3											1					1
	F.	52	4	9	1	5	5	24	10	4	3	1	2		3	1					1	1	1	1				
2. Drowned	M.	42	1	5	2	1		9	9	6	6	5	4			1	1			1								
	F.	9	1	3				4	3	1				1														
3. Exposure and neglect	M.	10	6					6	1	1						1						1						
	F.	0	3			1		4				1		1	1					1				1				
4. Gunshot wounds	M.	30				1		1	1	4	4	6	4	2	3	1	2	1		1								
	F.	2				1		1			1																	
5. Homicide	M.	9									2	2			3		1				1							
	F.	2									2																	
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.	4			1			1	1	1		1																
	F.	1								1																		
8. Railroad accidents	M.	77							1	5	11	13	12	8	5	5	6	3		2	1	1	3	1				
	F.	7		1		1		2				1				2			1		1							
9. Suffocation	M.	41	27	2				29		2					2		3		1		2		1					1
	F.	17	10	2	1		1	14				1									2							
10. Suicide by shooting	M.	11										2	2	1	3	1	1		1									
	F.																											
11. Suicide by drowning	M.																											
	F.	2												1		1												
12. Suicide by poison	M.	3											1	1	1													
	F.	3									1	2																
13. Other suicides	M.	43									3	7	3	1	5	2	6	3	2	3	5	1	2					
	F.	5									2		1					1				1						
14. Sunstroke	M.	5										1				1	1	1	1									
	F.																											
15. Surgical operations	M.	6															1	1	2		2							
	F.	2												1				1										
16. Wounds	M.	15		1				1	1	1	2		1		1	1	2	1	1		1		1					1
	F.	4	2					2													1	1						
17. Other accidents and injuries	M.	236	14	4	4	2	2	26	18	16	19	21	14	18	13	8	11	10	3	10	8	9	11	10	4	1		
	F.	63	8	2	1	1		12	2	3	2	3		1	2	4	2	2	1	2	3	8	3	4	5	4		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OREGON—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	444	83	34	23	15	17	172	31	26	25	33	24	16	22	15	21	19	8	8	6	5	4	3	....	1	....	5
Total: Males	248	50	15	14	4	9	92	14	9	8	21	16	10	13	8	17	13	6	7	2	2	4	1	....	1	....	4
Females	196	33	19	9	11	8	80	17	17	17	12	8	6	9	7	4	6	2	1	4	3	....	2	....	....	....	1
Unknown causes.																											
Total	32	16	2	....	....	....	18	2	1	3	1	....	1	1	....	1	....	....	2	....	1	....	....	....	....	....	1
Males	14	6	1	....	....	....	7	....	....	....	1	....	1	....	....	1	....	....	2	....	1	....	....	....	....	....	1
Females	18	10	1	....	....	....	11	2	1	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	158	22	24	16	13	13	88	25	16	10	5	4	1	1	....	2	3	1	....	....	1	....	....	....	....	....	1
Males	78	16	11	11	4	6	48	12	5	3	3	2	....	....	....	1	2	1	....	....	1	....	....	....	....	....	....
Females	80	6	13	5	9	7	40	13	11	7	2	2	1	1	....	1	1	....	....	....	....	....	....	....	....	....	1
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	4	1	2	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	2	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	41	3	5	8	2	5	23	10	5	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	48	2	4	3	8	7	24	11	7	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	11	....	1	1	1	....	3	2	....	....	3	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
8. Enteric fever F.	9	....	....	1	....	....	1	1	2	1	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	4	2	1	....	....	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	4	1	1	....	1	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	6	4	2	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	5	....	5	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	4	....	1	1	....	....	2	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
19. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	8	....	1	....	....	1	2	1	....	....	1	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....
Males	6	....	....	....	....	1	1	1	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....
Females	2	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	2	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	25	20	....	....	....	....	20	....	....	....	....	....	....	1	....	1	....	....	....	....	2	....	1	....	....	....	....
Males	14	13	....	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Females	11	7	....	....	....	....	7	....	....	....	....	....	....	1	....	1	....	....	....	....	2	....	....	....	....	....	....
1. Premature birth M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....
5. Old age F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OREGON—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		63	2		1			3		4	5	7	6	2	3	3	4	8	1	1	2		3			1	
Males		35			1			1		2	2	0	4		3	3	3	6		1			3			1	
Females		28	2					2		2	3	1	2	2	5	5	1	2	1		2						
1. Rheumatism	M.	3																					2			1	
	F.																										
2. Scrofula and tabes	M.	1														1											
	F.																										
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	19			1			1				4	4		3	2	1	3		1							
	F.	24	1					1		2	2	1	2	2	5	4	1	1	1		2						
5. Hydrocephalus	M.	2									1	1															
	F.	1	1					1																			
6. Cancer	M.	4										1					2						1				
	F.																										
7. Tumor	M.	1																1									
	F.																										
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.	4								1	1							2									
	F.	3									1					1		1									
10. Glycosuria	M.	1								1																	
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		32	7	3		1		11	2	1		4	2	3	1		2		1	2	1			1			1
Males		17	5	1				6				2	1	2	1		2		1	1							1
Females		15	2	2		1		5	2	1		2	1	1						1	1			1			
1. Inflammation of the brain	M.	6	4	1				5						1													
	F.	5	2	1				3	1	1																	
2. Meningitis	M.																										
	F.	1				1		1																			
3. Apoplexy	M.	1													1												
	F.																										
4. Paralysis	M.	4										2					1			1							
	F.	5											1	1						1	1		1				
5. Tetanus and trismus nascentium.	M.	1											1														
	F.																										
6. Epilepsy	M.	1												1													
	F.																										
7. Convulsions	M.	1																1									
	F.	1										1															
8. Mental diseases	M.																										
	F.																										
9. Diseases of the brain	M.	2	1					1									1										
	F.	3		1				1	1			1															
10. Diseases of the spinal cord	M.	1																									1
	F.																										
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		16								2				2	1	1	3	2	4			1					
Males		9								1				2			3		3								
Females		7								1					1	1		2	1			1					
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.																										
	F.																										
3. Diseases of the heart	M.	9								1				2			3		3								
	F.	6								1					1			2	1			1					
4. Others of this group	M.																										
	F.	1														1											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		44	14	4	3		3	24		1		4	5	1			1	5	1		1			1			
Males		27	9	2			2	13				2	4	1			1	4	1		1						
Females		17	5	2	3		1	11		1		2	1					1						1			
1. Croup	M.	4	2	1			1	4																			
	F.	4	2	1	1			4																			
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.	4		1				1					1					2									
	F.	2		1				1				1															
4. Pneumonia	M.	17	6					6				2	3	1			1	2	1		1						
	F.	9	2		2		1	5		1			1					1						1			
5. Pleurisy	M.																										
	F.																										
6. Asthma	M.																										
	F.																										
7. Others of this group	M.	2	1				1	2																			
	F.	2	1					1				1															

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OREGON—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	7	1		1			2				1		1	1		1				1							
Males	4			1			1						1	1		1											
Females	3	1					1				1									1							
1. Dentition M.																											
1. Dentition F.	1	1					1																				
2. Angina M.																											
2. Angina F.																											
3. Gastritis M.	2												1	1													
3. Gastritis F.																											
4. Other diseases of the stomach M.	1			1			1																				
4. Other diseases of the stomach F.																											
5. Obstruction of the bowels M.																											
5. Obstruction of the bowels F.																											
6. Hernia M.	1															1											
6. Hernia F.																											
7. Other diseases of the bowels M.																											
7. Other diseases of the bowels F.																											
8. Jaundice M.																											
8. Jaundice F.																											
9. Inflammation and abscess of the liver. M.																											
9. Inflammation and abscess of the liver. F.																											
10. Other diseases of the liver M.																											
10. Other diseases of the liver F.	1										1																
11. Peritonitis M.																											
11. Peritonitis F.																											
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.																											
13. Others of this group F.	1																			1							
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	4												1	1	1					1							
Males	3													1	1					1							
Females	1												1														
1. Bright's disease M.	1																			1							
1. Bright's disease F.																											
2. Calculus, urinary M.	1														1												
2. Calculus, urinary F.																											
3. Diseases of the kidney M.	1													1													
3. Diseases of the kidney F.	1												1														
4. Diseases of the bladder M.																											
4. Diseases of the bladder F.																											
5. Others of this group M.																											
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	2												1		1												
1. Ovarian tumors F.																											
2. Ovarian diseases F.	1														1												
3. Uterine tumors F.																											
4. Uterine diseases F.	1												1														
5. Others of this group F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	4									2	2																
1. Abortion F.																											
2. Child birth F.	4									2	2																
3. Others of this group F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine M.																											
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OREGON—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		1																					1				
Males		1																					1				
Females																											
1. Abscess	M.	1																					1				
	F.																										
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		48	1		2	1		4	1	1	5	8	7	3	6	3	5			3							2
Males		40	1		1			2	1	1	3	7	5	3	6	3	4			3							2
Females		8			1	1		2			2	1	2				1										
1. Burns and scalds	M.	2			1			1					1														
	F.	1			1			1																			
2. Drowned	M.	6									1	2					1			2							
	F.	3									1		2														
3. Exposure and neglect	M.	1															1										
	F.																										
4. Gunshot wounds	M.	8							1	1	2	1	1	1			1										
	F.																										
5. Homicide	M.	4										1	1			2											
	F.	1															1										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.																										
	F.																										
9. Suffocation	M.	2	1					1																			1
	F.																										
10. Suicide by shooting	M.	1													1												
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.	2													2												
	F.																										
13. Other suicides	M.	3												2													1
	F.	1										1															
14. Sunstroke	M.																										
	F.	1									1																
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	11										3	2		3	1	1			1							
	F.	1				1		1																			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OREGON—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	1420	265	84	61	40	30	480	91	65	87	92	90	64	66	46	46	63	41	36	45	31	30	18	9	4	1	15
Total: Males	786	147	34	38	21	16	256	41	23	41	49	42	34	38	27	33	50	27	28	28	24	14	13	5	4	....	9
Females	634	118	50	23	19	14	224	50	42	46	43	48	30	28	19	13	13	14	8	17	7	16	5	4	....	1	6
Unknown causes.																											
Total	43	30	2	....	....	....	32	....	2	....	2	....	....	....	....	1	1	1	1	....	1	....	....	1	....	....	1
Males	18	11	1	....	....	....	12	....	....	....	....	....	....	....	....	1	1	....	1	....	1	....	....	1	....	....	1
Females	25	19	1	....	....	....	20	....	2	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	459	92	46	35	30	20	223	69	36	30	25	14	10	5	7	6	7	5	2	10	3	2	2	1	....	....	2
Males	227	56	14	23	17	11	121	26	15	14	11	5	7	2	3	3	5	2	1	5	3	....	2	1	....	....	1
Females	232	36	32	12	13	9	102	43	21	16	14	9	3	3	4	3	2	3	1	5	....	2	....	....	....	....	1
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	6	3	....	....	1	....	4	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	4	....	1	1	....	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	18	....	1	3	5	1	10	5	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	26	1	1	2	2	3	9	12	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	47	3	....	8	5	6	22	16	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	51	1	5	4	6	4	20	20	8	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	14	8	1	2	....	1	12	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	12	9	....	2	....	....	11	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	3	1	....	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	3	....	1	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	39	1	....	1	1	1	4	3	2	6	6	4	4	2	2	1	2	1	1	....	....	....	....	....	....	....	1
8. Enteric fever F.	44	1	2	....	....	....	3	6	9	11	4	3	....	1	....	1	2	....	....	2	....	2	....	....	....	....	....
9. Diarrhœa M.	6	3	1	....	....	....	4	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	3	2	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	11	4	3	2	1	1	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	10	3	3	1	2	....	9	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Enteritis M.	18	4	2	4	....	....	10	....	1	1	1	....	1	....	....	1	1	....	....	1	....	....	....	1	....	....	....
11. Enteritis F.	14	5	2	....	1	....	8	....	....	....	....	1	1	....	1	....	....	1	1	1	....	....	....	....	....	....	....
12. Cholera morbus M.	3	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
12. Cholera morbus F.	6	....	....	....	1	....	1	2	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	39	27	6	3	2	1	39	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	26	9	15	2	....	....	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	10	2	....	....	1	....	3	....	....	2	....	1	....	....	....	....	....	....	....	3	....	....	1	....	....	....	....
14. Malarial fever F.	14	2	1	....	1	1	5	....	1	2	....	1	....	1	1	1	....	1	....	....	....	....	....	....	....	....	1
15. Erysipelas M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
15. Erysipelas F.	5	2	....	....	....	....	2	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
16. Septicæmia M.	5	....	....	....	....	....	....	....	2	1	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
16. Septicæmia F.	5	1	1	....	....	....	2	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	6	....	....	....	....	....	....	....	....	....	3	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	5	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	1	....	1	....	....	....	....	....	....	....
18. Venereal diseases F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
19. Others of this group F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
General diseases—B.																											
Total	7	2	....	....	....	....	2	....	....	....	1	....	1	....	1	....	....	....	....	....	2	....	....	....	....	....	....
Males	5	1	....	....	....	....	1	....	....	....	1	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....
Females	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Inanition F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
General diseases—C.																											
Total	95	62	1	....	1	....	64	....	....	....	....	2	....	....	....	....	....	2	1	....	7	7	5	4	1	1	1
Males	57	37	1	....	....	....	38	....	....	....	....	2	....	....	....	....	....	1	1	....	5	4	3	1	1	....	1
Females	38	25	....	....	1	....	26	....	....	....	....	....	....	....	....	....	....	1	....	....	2	3	2	3	....	1	....
1. Premature birth M.	13	13	....	....	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	20	20	....	....	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	18	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	14	3	1	....	....	....	4	....	....	....	....	2	....	....	....	....	....	1	1	....	1	2	1	1	....	....	1
4. Debility F.	7	2	....	....	1	....	3	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	1	....	....	....
5. Old age M.	0	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	2	2	....	1	....	....
5. Old age F.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	8	1	2	....	1	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OREGON—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		244	8	6	2	....	1	17	8	8	26	33	36	20	21	17	14	18	7	9	7	3	1	....	....	....	....	4
Males		127	5	2	1	....	....	8	2	1	12	15	15	8	9	8	11	14	6	8	4	3	....	....	....	....	3
Females		117	3	4	1	....	1	9	1	7	14	18	21	12	12	9	3	4	1	1	3	....	1	....	....	....	1
1. Rheumatism	M.	4	....	....	....	....	....	....	....	....	2	....	1	....	....	....	1	....	....	....	....	....	....	....	..	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	5	....	....	1	....	....	1	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1
	F.	6	2	....	....	....	....	2	....	....	....	..	....	1	....	....	1	....	....	1	....	....	1	..	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	89	1	....	....	....	....	1	....	....	9	14	1	8	8	5	8	11	2	6	2	1	....	....	....	....	2
	F.	94	....	2	....	....	1	3	....	6	13	18	20	10	10	8	1	1	1	....	2	....	....	....	....	....	1
5. Hydrocephalus	M.	5	3	2	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	1	....	....	..	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	9	....	....	....	....	....	....	1	....	1	....	....	....	....	2	1	....	1	1	1	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....
7. Tumor	M.	5	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	2	2	....	1	1	....	....	....	....	....	....
	F.	3	....	....	1	....	..	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
10. Glycosuria	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		148	21	14	6	5	4	53	8	8	7	5	3	4	8	4	5	8	5	7	8	3	5	4	....	2	....	1
Males		77	13	7	3	2	2	27	5	4	3	3	2	1	4	3	1	6	2	3	4	2	1	3	...	2	....	1
Females		71	11	7	3	3	2	26	3	4	4	2	1	3	4	1	4	2	3	4	4	1	4	1	....	....	....	....
1. Inflammation of the brain	M.	13	4	1	2	2	2	11	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	1	3	1	1	....	8	2	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	8	5	....	1	..	....	6	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	....	1	....	....	3	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	6	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	2	....	....	....	....	....	1	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	1	....	....	1	....	....	....	....	....	....
4. Paralysis	M.	14	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	1	....	1	3	2	....	3	1	....	....	....
	F.	16	....	....	....	....	....	....	1	....	....	....	....	1	....	1	3	1	2	1	3	....	3	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	4	....	....	....	....	....	....	....	....	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	8	2	3	....	....	....	5	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	7	4	....	1	2	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	13	1	2	....	....	....	3	3	1	....	....	1	....	1	1	1	2	....	1	....	....	....	....	....	....	....	....
	F.	13	3	1	....	....	1	5	....	1	2	1	....	....	1	....	....	....	....	1	....	....	1	1	....	....	....	....
10. Diseases of the spinal cord	M.	5	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....	1	..	....	....	....	1	....	....	....	....	....
	F.	2	....	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	1	....	....	....	....	1	....	1	....	....	....	1	....	....	1	....	....	2	1	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		67	2	....	1	1	....	4	....	2	1	....	2	5	7	4	8	7	11	10	3	4	6	....	....	....	....	....
Males		52	1	....	....	....	....	1	....	1	....	....	2	4	4	4	7	7	3	9	4	2	4	....	....	....	....	....
Females		15	1	....	1	1	....	3	....	1	1	....	....	1	3	....	1	....	....	1	....	2	2	....	....	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	49	1	....	....	....	....	1	....	1	....	....	2	4	4	4	4	7	3	9	4	2	4	....	..	....	....	....
	F.	13	1	....	1	....	....	2	....	1	1	..	....	1	2	....	1	....	....	1	....	2	2	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		119	25	9	8	1	3	46	4	3	6	5	9	6	6	3	1	3	7	2	8	1	3	3	....	....	....	2
Males		72	14	5	4	....	2	25	3	....	2	5	4	4	6	3	....	1	4	2	6	1	3	2	....	....	....	1
Females		47	11	4	4	1	1	21	1	3	4	1	5	2	....	....	1	2	3	....	2	....	....	1	....	....	....	1
1. Croup	M.	7	2	2	....	....	1	5	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	11	2	1	....	....	....	3	....	....	....	....	2	1	1	....	....	....	....	....	2	....	1	....	....	....	....	1
	F.	3	1	....	1	....	..	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Pneumonia	M.	40	7	2	3	....	1	13	....	....	....	2	2	3	2	5	3	....	....	3	1	3	1	1	1	....	....	....
	F.	23	5	1	2	..	1	9	1	2	2	1	3	....	....	....	....	2	1	....	2	....	....	....	....	....	....	....
5. Pleurisy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
6. Asthma	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	11	3	....	1	....	....	4	1	....	....	....	....	1	1	....	....	1	....	1	1	....	....	1	....	....	....	....
	F.	16	2	2	1	1	....	6	....	1	2	....	2	2	....	....	1	..	2	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OREGON—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		66	9	1	5	....	1	16	2	1	3	2	3	3	5	3	3	7	4	1	6	1	3	1	1	....	....	1
Males		35	5	1	3	....	1	10	1	....	3	....	1	1	1	1	3	5	3	....	3	1	....	....	1	....	....	1
Females		31	4	....	2	....	....	6	1	1	....	2	2	2	4	2	....	2	1	1	3	....	3	1	....	....	....	....
1. Dentition	M.	3	1	1	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
4. Other diseases of the stomach	M.	11	....	....	2	....	....	2	....	....	....	....	....	1	....	....	1	1	2	....	....	1	....	....	....	....	....	1
	F.	10	....	....	2	....	....	2	....	....	....	....	....	....	1	1	....	2	....	....	1	....	2	1	....	....	....	....
5. Obstruction of the bowels	M.	4	....	....	....	....	....	....	1	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Hernia	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	3	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	1	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
13. Others of this group	M.	2	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		21	....	....	1	....	....	1	....	1	2	2	1	2	1	1	1	2	2	....	1	2	....	....	1	1	....	....
Males		18	....	....	1	....	....	1	....	1	1	1	....	2	1	1	1	2	1	....	1	2	....	....	1	1	....	....
Females		3	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Bright's disease	M.	5	....	....	....	....	....	....	....	1	....	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	8	....	....	1	....	....	1	....	....	1	....	....	1	1	....	....	1	....	....	1	1	....	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		9	....	....	....	....	....	....	....	....	3	1	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	1
1. Ovarian tumors	F.	2	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	7	....	....	....	....	....	....	....	....	2	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		18	....	....	....	....	....	....	....	2	....	2	8	3	....	1	....	....	....	....	....	....	....	....	....	....	....	2
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	14	....	....	....	....	....	....	....	2	....	2	6	2	....	1	....	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group	F.	3	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		4	1	1	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....
Males		2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females		2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

OREGON—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		10	2					2	2	1			2	2					1								
Males		5							1				2	1					1								
Females		5	2					2	1	1				1													
1. Abscess	M.	4							1				2	1													
	F.	3	1					1	1	1																	
2. Carbuncle	M.																										
	F.	1												1													
3. Others of this group	M.	1																	1								
	F.	1	1					1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2												1			1										
Males		1															1										
Females		1												1													
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1															1										
	F.	1												1													
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		108	5	4	3	2	1	18	3	1	9	13	10	7	11	5	1	9	4	3	1	4	2	3	1		
Males		90	4	2	3	2		11	3	1	6	12	9	6	10	4	3	9	4	3	1	3	2	3			
Females		18	4	2			1	7			3	1	1	1	1	1	1					1			1		
1. Burns and scalds	M.	4	1	1				2											1		1						
	F.	3		2				2									1										
2. Drowned	M.	20			1	1		2	3		5	1	1	2	2	1	1	2									
	F.	4	1				1	2			1					1											
3. Exposure and neglect	M.	8	3		1			4							1								2	1			
	F.																										
4. Gunshot wounds	M.	11										5	1	2	2	1											
	F.																										
5. Homicide	M.	1											1														
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	1											1														
	F.																										
8. Railroad accidents	M.																										
	F.																										
9. Suffocation	M.	1								1																	
	F.	1	1					1																			
10. Suicide by shooting	M.	3									1	1			1												
	F.																										
11. Suicide by drowning	M.	2														1		1									
	F.	1												1													
12. Suicide by poison	M.	1												1													
	F.																										
13. Other suicides	M.	10										1	3	1	1		1	2	1								
	F.	2									2																
14. Sunstroke	M.	1																	1								
	F.																										
15. Surgical operations	M.																										
	F.	1										1															
16. Wounds	M.	2										1						1									
	F.																										
17. Other accidents and injuries	M.	25		1	1	1		3				3	2		3	1	1	3	1	3		2		2			
	F.	6	2					2					1		1							1			1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 1.

[Exclusive of SCRANTON.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		21675	4162	1515	1098	833	678	8286	1869	815	787	833	755	626	697	518	589	675	714	816	864	891	826	611	292	112	57	42
Total: Males		11571	2369	849	624	459	345	4646	935	406	365	401	340	290	348	262	321	383	399	460	490	509	447	321	146	52	35	15
Females		10104	1793	666	474	374	333	3640	934	409	422	432	415	336	349	256	268	292	315	356	374	382	379	290	146	60	22	27
Unknown causes.																												
Total		676	367	29	15	6	7	424	21	5	12	4	4	9	16	9	12	12	21	18	21	32	30	9	14	....	1	2
Males		362	188	17	10	2	3	220	11	4	5	4	2	4	9	6	7	7	10	9	11	23	15	5	8	..	1	1
Females		314	179	12	5	4	4	204	10	1	7	....	2	5	7	3	5	5	11	9	10	9	15	4	6	....	....	1
1.—GENERAL DISEASES.																												
General diseases—A.																												
Total		6721	1139	783	651	584	491	3648	1365	489	284	162	120	89	74	41	56	56	68	82	46	64	59	35	15	9	1	
Males		3387	618	433	374	309	241	1975	647	204	99	66	51	38	24	15	29	30	38	46	28	31	30	19	11	3	....	8
Females		3334	521	350	277	275	250	1673	718	285	135	96	69	51	50	26	27	26	30	36	18	33	29	16	4	6	1	5
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	65	22	11	7	10	5	55	3	2	....	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	80	14	15	13	7	6	55	12	2	4	2	1	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	638	59	102	119	87	70	437	163	26	6	3	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	570	36	68	69	92	78	343	162	39	11	5	5	1	2	....	....	....	....	1	....	1	....	....	....	....	....	....
4. Diphtheria	M.	1327	74	139	182	174	148	717	425	139	26	8	4	2	1	....	2	1	1	....	1	....	....	....	....	....	....	....
	F.	1388	67	112	138	143	150	610	491	204	47	12	5	4	2	3	1	1	4	1	1	....	....	....	....	1	....	1
5. Hooping-cough	M.	58	40	9	2	2	....	53	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	63	31	13	8	7	2	61	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	43	10	3	6	2	1	22	8	1	3	3	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	1
	F.	34	5	1	3	3	1	13	6	3	5	....	....	1	....	2	1	1	....	1	....	....	....	1	....	....	....	....
8. Enteric fever	M.	247	4	3	8	4	3	22	16	19	41	29	34	16	9	5	5	7	11	14	7	8	4	....	....	....	....	....
	F.	216	4	5	1	2	5	17	15	20	36	25	22	14	13	8	12	7	4	7	3	4	6	2	1	....	....	....
9. Diarrhœa	M.	106	38	19	6	3	....	66	4	....	2	1	....	2	1	1	1	5	5	3	2	3	5	2	1	1	....	1
	F.	74	25	14	1	1	1	42	1	1	3	2	2	1	....	....	....	2	2	1	2	3	3	5	1	2	1	....
10. Dysentery	M.	75	20	23	7	4	4	58	1	....	....	....	....	....	....	1	....	1	2	4	3	....	1	2	1	....	....	1
	F.	89	23	24	8	3	1	64	4	1	....	....	....	1	....	....	....	1	2	2	3	3	5	1	1	1	....	....
11. Enteritis	M.	166	43	19	9	5	7	83	6	6	12	11	4	4	....	4	....	5	7	4	5	4	5	1	....	1	....	....
	F.	136	41	12	11	4	3	71	10	6	5	3	3	....	4	1	2	7	3	6	3	6	5	1	....	....	....	....
12. Cholera morbus	M.	36	7	1	1	....	....	9	5	1	....	1	....	1	2	2	4	2	1	1	....	2	1	3	1	....	....	....
	F.	23	4	....	1	....	....	5	2	1	....	1	1	1	....	....	1	....	2	3	2	2	1	1	....	....	....	....
13. Cholera infantum	M.	392	265	94	26	6	1	392	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	337	234	77	19	6	1	337	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	106	17	7	....	9	2	35	10	4	5	5	2	2	2	3	4	2	4	11	5	3	7	1	1	....	....	....
	F.	100	8	5	3	7	2	25	9	5	7	10	5	6	1	2	4	2	3	8	3	5	3	2	....	....	....	....
15. Erysipelas	M.	47	13	3	1	1	....	18	....	....	1	1	2	1	2	....	2	1	5	2	1	3	4	2	2	....	....	....
	F.	55	17	2	1	....	....	20	2	1	2	5	1	4	1	....	2	1	4	1	1	4	5	1	....	....	....	....
16. Septicæmia	M.	20	1	....	....	....	....	1	1	1	1	....	2	2	2	....	3	2	....	1	1	1	....	2	....	....	....	....
	F.	25	1	1	....	....	....	2	....	....	1	6	6	2	3	1	2	....	....	....	....	....	....	1	....	....	....	1
17. Puerperal septicæmia	F	97	....	....	....	....	....	....	....	1	11	23	18	13	21	7	....	....	1	....	....	....	....	....	....	....	....	2
18. Venereal diseases	M.	10	2	....	....	....	....	2	....	....	....	....	....	1	....	2	....	3	....	....	....	2	....	....	....	....	....	....	....
	F.	14	4	1	....	....	....	5	1	....	....	....	....	1	1	....	....	2	2	1	....	....	....	....	....	....	....	1
19. Others of this group	M.	51	3	....	....	2	....	5	2	2	1	1	....	5	1	1	4	..	1	6	2	5	3	6	5	1	....	....
	F.	33	2	....	1	....	....	3	1	1	3	2	....	1	1	1	2	2	2	4	....	5	1	1	1	2	....	....
General diseases—B.																												
Total		175	81	6	7	....	3	97	5	2	6	4	3	6	7	7	4	4	4	12	4	5	2	....	1	....	1	1
Males		101	39	2	4	....	1	46	2	....	4	2	3	5	7	4	3	3	3	9	4	3	1	....	....	....	1	1
Females		74	42	4	3	....	2	51	3	2	2	2	....	1	....	3	1	1	1	3	....	2	1	....	1	....	....	....
1. Worms	M.	4	1	2	....	....	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	2	....	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	29	....	....	....	....	....	....	....	....	1	1	3	....	6	2	3	3	2	5	1	1	....	....	....	....	....	1
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
4. Lead poison	M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	20	2	....	4	....	....	6	1	....	3	1	....	3	1	2	....	....	....	1	1	1	....	....	....	....	....	....	....
	F.	17	2	2	....	....	1	5	2	2	1	1	....	1	....	3	1	1	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	46	36	....	....	....	....	36	1	....	....	....	....	1	....	....	....	....	1	2	2	1	1	....	....	....	1	....
	F.	51	40	2	1	....	....	43	....	....	....	1	....	....	....	....	....	....	1	3	....	2	....	....	1	....	....	....
General diseases—C.																												
Total		1564	815	27	4	3	4	853	2	1	5	3	4	8	8	2	6	7	5	22	37	63	125	202	113	56	40	2
Males		858	483	11	3	1	2	500	1	....	1	1	2	3	3	2	1	4	2	14	20	29	69	101	57	25	21	2
Females		706	332	16	1	2	2	353	1	1	4	2	2	5	5	....	5	3	3	8	17	34	56	101	56	31	19	....
1. Premature birth	M.	65	65	....	....	....	....	65	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	40	40	....	....	....	....	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	296	296	....	....	....	....	296	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	190	190	....	....	....	....	190	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	17	17	....	....	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	19	2	1	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	232	103	11	3	1	2	120	1	....	1	1	2	3	3	2	1	4	2	10	15	15	17	21	7	4	1	2
	F.	201	82	14	....	2	2	100	1	1	4	2	2	5	5	....	5	3	3	7	11	11	16	16	7	2	....	....
5. Old age	M.	246	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	5	14	52	80	50	21	20	....
	F.	252	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	6	23	40	85	49	29	19	....
6. Atrophy	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		3568	144	59	31	19	16	269	53	68	202	308	314	240	258	192	198	218	220	247	237	215	161	93	46	12	3	14
Males		1618	83	34	20	12	13	162	32	30	58	100	99	94	114	78	97	94	118	124	126	117	82	54	25	6	3	5
Females		1950	61	25	11	7	3	107	21	38	144	208	215	146	144	114	101	124	102	123	111	98	79	39	21	6	....	9
1. Rheumatism	M.	51	1	....	....	....	....	1	3	4	2	2	2	1	2	2	2	2	2	4	5	8	4	3	....	1	1	....
	F.	64	....	....	....	....	....	....	5	6	2	3	3	3	2	5	3	3	3	7	5	8	1	3	2	....	....	....
2. Scrofula and tabes	M.	50	17	4	3	....	1	25	9	4	....	2	1	1	....	....	1	2	2	2	1	....	....	....	....	....	....	....
	F.	49	21	8	1	....	....	30	....	5	2	5	2	1	....	....	1	....	1	1	1	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	1002	24	14	4	6	3	51	9	9	50	88	91	81	95	67	61	61	80	64	63	59	41	17	9	....	1	5
	F.	1239	18	6	5	2	2	33	6	19	128	187	200	122	108	71	65	53	50	58	45	35	29	13	7	....	....	5
5. Hydrocephalus	M.	53	23	13	6	4	3	49	....	....	1	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	31	11	7	5	3	....	26	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	165	5	....	....	....	1	6	....	....	3	1	1	4	9	5	18	15	15	28	19	19	11	9	3	2	....	....
	F.	262	1	1	....	1	1	4	3	2	2	1	3	8	23	26	21	35	29	37	27	19	13	11	5	2	....	2
7. Tumor	M.	20	3	1	....	....	1	4	1	1	....	1	1	1	....	....	5	1	2	1	2	....	....	....	....	....	....	....
	F.	29	2	....	....	....	....	2	1	....	....	2	....	2	2	....	....	1	1	1	1	4	1	....	1	....	....	....
8. Anæmia	M.	9	3	....	....	....	....	3	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	2	1	....	....	....
	F.	18	1	....	....	....	....	1	....	....	2	2	....	3	3	1	....	2	1	....	1	....	....	1	....	....	....	....
9. Dropsy	M.	224	7	2	5	1	4	19	9	9	1	3	2	3	4	2	8	11	13	22	29	29	25	19	12	3	1	....
	F.	252	6	3	....	1	....	10	3	4	7	7	7	6	6	8	11	24	16	22	28	32	33	16	6	4	....	2
10. Glycosuria	M.	39	1	....	....	....	....	1	....	3	1	2	1	3	3	1	2	2	3	2	6	1	4	1	....	....	....	....
	F.	11	....	....	....	....	....	....	....	1	1	....	....	1	....	3	....	1	1	....	1	....	2	....	....	....	....	....
11. Others of this group	M.	5	....	....	2	1	....	3	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		2453	602	192	99	51	33	1067	93	55	45	43	41	39	38	40	60	76	101	114	152	174	164	93	39	11	8	....
Males		1392	410	110	58	36	18	632	51	37	20	27	22	22	26	30	20	35	45	70	85	103	86	51	17	6	7	....
Females		1061	282	82	41	15	15	435	42	18	25	16	19	17	12	10	40	41	56	44	67	71	78	42	22	5	1	....
1. Inflammation of the brain	M.	132	39	22	15	9	2	87	13	7	6	1	4	3	1	1	2	1	2	....	1	....	2	....	....	....	1	....
	F.	91	31	11	8	4	2	56	12	4	3	5	3	2	....	2	1	1	1	....	....	1	....	....	....	....	....	....
2. Meningitis	M.	84	28	20	8	3	5	64	4	5	1	4	....	....	....	2	....	1	1	....	....	1	1	....	....	....	....	....
	F.	75	20	12	8	2	5	47	10	6	2	....	2	....	....	....	2	2	1	....	1	....	2	....	....	....	....	....
3. Apoplexy	M.	195	....	1	....	1	....	2	1	1	3	4	1	4	4	4	4	13	13	27	26	34	30	20	4	....	....	....
	F.	176	1	1	....	....	....	2	....	....	2	1	4	1	1	4	12	10	19	19	26	28	27	13	5	1	1	....
4. Paralysis	M.	261	1	1	4	....	1	7	1	3	1	1	3	1	7	7	5	8	14	22	44	53	40	23	10	6	5	....
	F.	225	3	1	1	2	....	7	2	....	1	....	1	....	2	2	15	14	19	16	26	35	42	26	14	3	....	....
5. Tetanus and trismus nascentium.	M.	25	4	1	....	....	1	6	2	6	....	1	....	3	3	1	....	....	1	1	....	....	....	1	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....
6. Epilepsy	M.	53	13	....	....	2	1	16	3	4	3	6	3	2	....	2	....	3	4	1	2	1	1	1	1	....	....	....
	F.	21	6	3	....	....	....	9	....	....	2	....	3	4	....	....	1	....	1	1	....	....	....	....	....	....	....	....
7. Convulsions	M.	387	271	40	25	13	6	355	14	4	3	2	2	....	....	....	1	1	1	2	....	1	1	....	....	....	....	....
	F.	291	198	35	14	6	5	258	11	3	5	3	....	3	2	....	2	1	....	....	1	1	1	....	....	....	....	....
8. Mental diseases	M.	20	....	....	....	....	....	....	....	....	....	2	1	3	....	4	....	2	2	1	2	....	....	2	....	....	1	....
	F.	17	....	....	....	....	....	....	....	....	....	1	1	2	1	....	5	2	....	2	1	2	....	....	....	....	....	....	....
9. Diseases of the brain	M.	189	46	22	6	7	2	83	11	6	3	5	7	5	8	5	3	6	3	12	8	8	11	3	2	....	....	....
	F.	126	21	18	9	1	2	51	5	3	7	5	5	2	5	1	1	6	9	3	10	4	6	1	1	1	....	....
10. Diseases of the spinal cord	M.	22	6	3	....	1	....	10	2	1	....	....	1	1	....	3	....	....	1	2	....	1	....	....	....	....	....	....
	F.	17	1	1	1	....	1	4	1	1	1	1	....	2	1	....	....	2	1	....	2	....	1	....	....	....	....	....
11. Others of this group	M.	24	2	....	....	....	....	2	....	....	....	1	....	....	3	1	5	....	3	2	2	4	....	1	....	....	....	....	....
	F.	18	....	....	....	....	....	....	1	1	2	....	....	1	....	1	1	2	4	3	....	....	....	....	2	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		901	74	6	5	5	2	92	17	23	36	28	26	34	48	39	40	53	72	82	103	78	81	33	8	7	....	1
Males		469	40	3	3	4	1	51	9	11	21	16	8	10	23	24	23	28	42	39	58	40	43	15	4	4	....	....
Females		432	34	3	2	1	1	41	8	12	15	12	18	24	25	15	17	25	30	43	45	38	38	18	4	3	....	1
1. Angina pectoris	M.	18	....	....	....	....	....	....	....	....	....	....	1	....	2	....	1	2	3	1	3	2	2	1	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	2	....	2	1	1	1	1	....	....	....
2. Aneurism	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	2	3	1	....	2	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	413	20	3	3	4	1	31	9	11	21	15	7	10	19	22	22	25	37	35	52	37	38	14	4	4	....	....
	F.	395	20	3	1	1	1	26	8	12	15	12	17	21	23	15	17	24	25	43	42	34	37	17	3	3	....	1
4. Others of this group	M.	28	20	....	....	....	....	20	....	....	....	1	....	....	1	1	....	1	....	....	2	1	1	....	....	....	....	....
	F.	23	14	....	1	....	....	15	....	....	....	....	....	2	1	....	....	....	2	....	1	2	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		2882	620	321	229	118	93	1381	191	58	56	76	49	55	77	60	79	104	90	119	130	117	118	80	30	7	....	5
Males		1599	364	174	119	64	50	771	100	36	30	47	29	22	40	35	47	72	48	66	74	67	64	35	13	3	....	....
Females		1283	256	147	110	54	43	610	91	22	26	29	20	33	37	25	32	32	42	53	56	50	54	45	17	4	....	5
1. Croup	M.	320	76	69	55	32	36	268	47	4	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	255	45	51	55	28	29	208	42	3	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	9	2	....	2	....	....	4	....	....	....	1	....	....	....	....	....	....	....	....	1	1	2	....	....	....	....	....
	F.	3	....	....	1	....	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	155	69	17	7	10	1	104	7	2	....	....	1	....	3	....	3	4	1	1	4	10	10	3	2	....	....	....
	F.	140	47	21	11	4	1	84	2	1	3	1	2	5	5	1	2	1	2	5	9	2	4	6	4	1	....	....
4. Pneumonia	M.	933	178	82	48	19	11	338	39	26	25	38	24	16	29	28	36	59	40	52	57	46	43	26	9	2	....	....
	F.	728	132	63	37	19	9	260	42	16	20	21	14	27	26	17	26	27	32	43	33	35	41	31	11	3	....	3
5. Pleurisy	M.	25	2	....	....	1	....	3	1	....	....	2	1	3	4	2	....	....	1	1	2	3	2	....	....	....	....	....
	F.	26	2	1	1	....	1	5	....	....	1	....	....	1	1	1	1	2	2	2	3	3	1	2	1	....	....	....
6. Asthma	M.	35	....	....	....	....	....	....	....	....	....	1	1	1	....	2	1	3	2	6	4	1	6	4	1	....	....	....
	F.	24	1	1	....	....	....	2	....	....	....	2	....	....	1	2	....	1	2	1	5	4	2	2	....	....	....	....	....
7. Others of this group	M.	122	37	6	7	2	2	54	6	1	5	5	2	2	4	2	7	4	4	3	6	5	3	2	1	1	....	....
	F.	107	29	10	5	3	2	49	5	2	2	4	3	....	4	4	3	....	4	2	6	6	6	4	1	....	....	2

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		795	133	44	17	17	6	217	26	20	31	24	31	23	30	26	32	47	54	51	59	57	31	21	9	2	1	3
Males		451	92	29	10	8	3	142	17	9	14	15	15	9	18	11	17	23	37	29	26	35	17	13	1	2	1	
Females		344	41	15	7	9	3	75	9	11	17	9	16	14	12	15	15	24	17	22	33	22	14	8	8			3
1. Dentition	M.	28	13	11	2		2	28																				
	F.	19	10	8	1			19																				
2. Angina	M.	19	5	2	4	3		14	2	1			1									1						
	F.	4	2			1		3	1																			
3. Gastritis	M.	31	5			1		6			2				1	2		2	2	1	2	7	2	3		1		
	F.	51	2	1		1	1	5	2	2	5	1	1		4		1	4	7	3	4	5	4		2			1
4. Other diseases of the stomach	M.	36	2	2	2	2		8	2		1	2		2	1			3	8	3	1	2	1	2				
	F.	29	3	1	3	1		8	1	1	2			1		2	1	3	1	1	1	2	1	3	1			
5. Obstruction of the bowels	M.	14	4					4		1			1				1	1	2		2		1	1				
	F.	18	3					3	1	3			2	1		3	1	3			1							
6. Hernia	M.	30	3					3		1		1			3	2	1	2	3	2	3	4	4	1				
	F.	21		1				1										2	3	5	4	2	3		1			
7. Other diseases of the bowels	M.	13	4	2				6		1	1				1		1			1	1			1				
	F.	15	1	1	1			3			1		2	2			1		1	1	2	1		1				
8. Jaundice	M.	28	13	1				14	1			1	1					2		2	1	4	1		1			
	F.	20	6			4		10		1	2										2		3	1	1			
9. Inflammation and abscess of the liver	M.	36	3	1		1	1	6			2	2	1	1	2	2	1		7	3	4	1	2	1			1	
	F.	22	1					1	1	1	2			2	1	2			2		4	3	1	1	1			
10. Other diseases of the liver	M.	83	9	5	1			15	4	1	1	1	5		4	4	8	6	7	10	6	8	1	2				
	F.	53	2			1	1	4		1		1		3	2	3	6	6	1	5	10	8	1	1	1			
11. Peritonitis	M.	45	4		1	1		6	5	2	6	5	5	2	4	1	1	3	2	2	1							
	F.	40	2	1	1	1		5	2	1	4	4	8	4	1	3	3	3		1								1
12. Ascites	M.	4										1					1					1	1				
	F.	12										1	1	1	1		2			2	2	1		1			
13. Others of this group	M.	84	27	5				32	3	2	1	2	1	4	2		3	4	6	5	5	7	4	2		1		
	F.	40	9	2	1		1	13	1	1	1	2	2		3	2		3	2	4	3		1		1			1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		328	5	5	4	3	5	22	9	5	11	13	8	12	13	10	10	22	21	27	36	42	34	22	8	3		
Males		245	3	2	3	2	1	11	7	4	6	4	5	9	7	4	5	19	15	22	30	37	31	20	7	2		
Females		83	2	3	1	1	4	11	2	1	5	9	3	3	6	6	5	3	6	5	6	5	3	2	1	1		
1. Bright's disease	M.	78		1	3	1		5		1	2	2	3	7	3	2	2	10	7	8	10	6	3	5	1	1		
	F.	49		1				1		1	4	3	2	3	5	3	2	4	5	3	3			1	1			
2. Calculus, urinary	M.	26								1	2	1			1			1	1	1	4	5	7	2				
	F.	2													1							1						
3. Diseases of the kidney	M.	66	2	1		1	1	5	3	2	2	1		2	1		2	3	5	7	3	14	8	4	4			
	F.	21	2				3	5	1		1	1			1	1	1	1	1		3		3	1		1		
4. Diseases of the bladder	M.	43							1						1	2	1	2	2	5	8	8	8	4	1			
	F.	4													1		1		1			1						
5. Others of this group	M.	32	1					1	3				2		1			3		1	5	4	5	5	1	1		
	F.	7		2	1	1	1	5	1					1														
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		61									5	4	5	4	5	11	8	2	4	6	1	5	1					
1. Ovarian tumors	F.	24										2	1	1		4	3	1	3	3	1	4	1					
2. Ovarian diseases	F.	1																		1								
3. Uterine tumors	F.	8												2	1	2	3											
4. Uterine diseases	F.	10									3	1	1		1	1	2			1								
5. Others of this group	F.	18									2	1	3	1	3	4		1	1	1		1						
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		173									20	35	32	27	36	18	2		1	1								1
1. Abortion	F.	13									2		3	3	2	3												
2. Child-birth	F.	129									13	27	22	21	30	12	2		1									1
3. Others of this group	F.	31									5	8	7	3	4	3				1								
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		58	7	3	2	2	1	15	5	3	6	5	3	2	3	1	2	1	3	2	1	4		2				
Males		28	1	3	1	1	1	7	3	1	2	4	2	1	2		1	1		1	1	1		1				
Females		30	6		1	1		8	2	2	4	1	1	1	1	1	1		3	1		3		1				
1. Diseases of the spine	M.	20	1	2	1	1	1	6	1	1	1	2	2	1	1		1	1		1	1	1						
	F.	24	6		1	1		8	1	2	4	1	1	1	1	1			2			2						
2. Diseases of the bones	M.	2										1												1				
	F.	3																										
3. Diseases of the hip-joint	M.	5		1				1	2			1			1		1			1		1						
	F.	3							1										1					1				
4. Others of this group	M.	1									1																	
	F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		40	7					7	4	1	2		1	3		4	2	1	4	1	3	1	1	1	1	1		
Males		24	4					4	4		1			2		2	1	1	2	3	2		1	1				
Females		16	3					3		1	1		1	1		2	1		2		1	1			1	1		
1. Abscess	M.	16	1					1	1		1			2		2	1	1	2	3								
	F.	1								1	1		1	1		2	1		1									
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.	8	3					3	1												2		1	1				
	F.	8	3					3											1		1	1			1	1		
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		9	2			1		3				1			1	1	2					1						
Males		5	2			1		3				1			1													
Females		4														1	2					1						
1. Addison's disease	M.	1										1																
	F.	2														1	1											
2. Diseases of the spleen	M.	2	1					1							1													
	F.	1																				1						
3. Others of this group	M.	2	1			1		2																				
	F.	1														1												
XII.—ACCIDENTS AND INJURIES.																												
Total		1270	76	40	34	24	17	191	77	85	116	123	114	75	83	57	76	72	46	30	34	33	19	20	8	4	2	5
Males		1031	42	31	19	19	11	122	50	70	104	114	102	71	74	51	70	66	39	28	25	23	8	6	3	1	1	3
Females		239	34	9	15	5	6	69	27	15	12	9	12	4	9	6	6	6	7	2	9	10	11	14	5	3	1	2
1. Burns and scalds	M.	63	1	14	7	6	5	36	3	1	6	1	2	2	3		4	2	1							1		1
	F.	67	4	4	9	3	4	24	14	6	4	1	2	2		1	1	2	1	2	1	1	1	2			1	1
2. Drowned	M.	82	2	6	3	4	2	17	20	14	5	1	8	2	2	3	2		2		1	1		1				
	F.	15		2	2		1	5	3	2	1	1		1				1				1						
3. Exposure and neglect	M.	19	7	2				9		1		1						1				4	1	1	1			
	F.	8	6			1		7		1																		
4. Gunshot wounds	M.	21					1	1		3	2	4	1	5	2				1	1		1						
	F.	4							1		1	1										1						
5. Homicide	M.	10									2	6	1		1													
	F.	3										2												1				
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.	3								1		1				1												
	F.	1																			1							
8. Railroad accidents	M.	188		2				2	9	16	15	38	24	13	7	10	9	15	6	7	5	6	1	2				2
	F.	8							1	2	1								1		1		1		1			
9. Suffocation	M.	36	19	1	3		1	24	1	1		1	2	1	2		1	1	1	1								
	F.	20	14	1		1		16	2		1																	1
10. Suicide by shooting	M.	5									2		1		2													
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	1														1												
	F.	2																1			1							
13. Other suicides	M.	40								1	3		5	3	2	4	4	2	2	6	5	1	2					
	F.	10										1			2	2	1	1	1			2						
14. Sunstroke	M.	7							1		1						1	2	1		1							
	F.	4			1			1	2				1															
15. Surgical operations	M.	8									3					1	3					1						
	F.	1											1															
16. Wounds	M.	8	1					1				1	3	1	1					1								
	F.	1											1															
17. Other accidents and injuries	M.	540	12	6	6	6	2	32	16	32	61	60	55	44	52	32	45	43	25	12	13	9	4	2	2		1	
	F.	95	10	2	3		1	16	4	4	4	3	7	1	7	3	4	1	4		5	5	2	11	5	2		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 2.

[Exclusive of ALLEGHENY, PHILADELPHIA, PITTSBURGH, and READING.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		19619	3726	1109	780	548	479	6642	1333	643	727	884	713	630	579	607	558	657	609	761	938	1030	960	736	339	124	62	81
Total:	Males	10360	2177	662	422	285	244	3730	697	308	352	417	308	283	250	308	315	347	338	420	509	584	528	382	154	63	20	47
	Females	9259	1549	507	358	263	235	2912	636	335	375	467	405	347	329	299	243	310	271	341	429	446	438	354	185	61	42	34
Unknown causes.																												
Total		433	220	15	6	3	6	250	11	6	5	7	4	3	9	2	8	14	11	11	19	22	18	15	6	2	2	8
	Males	261	138	12	2	1	3	156	8	3	4	2	3		4		6	7	9	6	10	13	12	9	6			3
	Females	172	82	3	4	2	3	94	3	3	1	5	1	3	5	2	2	7	2	5	9	9	6	6		2	2	5
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		5168	1033	490	435	335	305	2598	916	390	211	185	113	81	61	69	50	56	62	61	67	77	76	52	24	4	1	14
	Males	2648	564	255	232	176	153	1380	457	176	96	90	57	38	19	35	29	31	35	31	37	43	46	28	10	2		10
	Females	2520	469	235	203	159	152	1218	461	214	115	95	56	43	42	34	21	25	27	30	30	34	30	24	14	2	1	4
1. Small-pox	M.																											
	F.																											
2. Measles	M.	38	10	10	9	3	1	33	3	1																		1
	F.	37	8	10	4	6	2	30	4		1		1															1
3. Scarlet fever	M.	303	25	38	56	48	42	209	67	20	1	3	1															2
	F	278	17	34	46	30	37	164	81	17	9	2	3	1	1													
4. Diphtheria	M.	946	60	74	101	105	97	437	337	108	35	15	8	1							1	1						3
	F.	971	52	69	81	102	102	406	341	155	43	12	1	2	6	1	2		2									
5. Hooping-cough	M	60	34	13	4	2	4	57	2																			1
	F.	66	30	18	8	4	3	63	1	1																		1
6. Fever	M.	1										1																
	F.																											
7. Cerebro-spinal fever	M.	30	9	4	4	1	2	20	4	1	2											1	1	1				
	F.	25	8		2	3		13	5	1	1	3												1		1		
8. Enteric fever	M.	338	2	3	8	1	2	16	17	24	44	55	34	25	9	17	11	17	14	11	11	12	12	6	3			
	F.	293	2	5	7	2	3	19	15	27	49	44	25	20	15	14	8	11	13	10	7	8	5	1	1			1
9. Diarrhœa	M.	130	48	13	3	2		66	3	3		1	1		3	5	4	6	4	5	5	9	9	5		1		1
	F.	79	33	4	8	1		46				1			1				1	4	7	4	6	5	3	1		
10. Dysentery	M.	62	23	8	7	4		42	4	2		1	1			1			1		2	2	2	2	1			1
	F.	63	12	12	10		3	37	2				1			2	1		2	3		4	6	2	2		1	
11. Enteritis	M.	149	39	16	13	4	2	74	7	5	10	8	4	4	3	2	4	3	3	4	5	5	4	3	1			
	F.	130	33	10	11	1		55	5	9	1	4	10	1	3	3	3	7	5	2	3	7	4	7	1			
12. Cholera morbus	M.	25	4	3	1			8	2	3				1		2			2	1	2		3	1				
	F.	17	6	1		1		8	1						1				1	1	2	1	1	1				
13. Cholera infantum	M.	373	281	66	22	4		373																				
	F.	334	247	66	24	6	1	334																				
14. Malarial fever	M.	57	8	1	3	2	2	16	3	6	3	3	5	1	2	1	4		1	5	3	1	1	2				
	F.	62	5	3	1	2		11	4	3	4	7	3	4	3	1	3		3	3	3	4	3					
15. Erysipelas	M.	60	17	4				21	3		1	1	2	2		2	4	3	6	1	2	2	4	3	2			1
	F.	56	18	2	1	1		22		1	1	3	1	1	1	2		3	1	6	3	4	3	2	2			
16. Septicæmia	M.	23							2	3		2		2		2	1	2	2	1	1	3	2					
	F.	17		1			1	2			1	3	2	1	2	2	1		1					1				1
17. Puerperal septicæmia	F.	58									5	14	9	12	9	7	2											
18. Venereal diseases	M.	10	3					3						2	1	2					2							
	F.	14	7					7				2		1			2		1		1							
19. Others of this group	M.	43	1	2	1		1	5	1				1		1	1	1	1	2	2	2	7	9	6	3	1		
	F.	20	1					1	2								1	1		1	4	2	1	2	5			
General diseases—B.																												
Total		132	49	5	6	4	1	65	8	2	5	5	3	2	6	8	3	4	3	5	4	2	2	3		1		1
	Males	97	32	5	3	4		44	5	2	4	4	1	2	6	6	3	4	2	5	4	2		1		1		1
	Females	35	17		3		1	21	3		1	1	2			2			1				2	2				
1. Worms	M.	3	1			1		2			1																	
	F.	3			1			1	2																			
2. Other parasitic diseases	M.																											
	F.																											
3. Alcoholism	M.	26							1		1	2	1	2	5	2	2	3	2	2	2	1						
	F.																											
4. Lead poison	M.																											
	F.																											
5. Other poisons	M.	28	1	4	1	2		8	3	2	2	1			1	1	1		2	1	1							1
	F.	14	5		2		1	8	1		1	1				1							1	1				
6. Inanition	M.	40	30	1	2	1		34	1			1								1	1		1		1			
	F.	18	12					12					2			1			1			1	1					
General diseases—C.																												
Total		1573	809	20	4	4	2	839	4	1		1	2	1	4		4	4	6	17	24	72	130	213	140	70	39	2
	Males	876	514	8	1	3	1	527	2	1		1	1	1	1		2		3	10	13	39	64	103	62	35	11	
	Females	697	295	12	3	1	1	312	2				1		3		2	4	3	7	11	33	66	110	78	35	28	2
1. Premature birth	M.	81	81					81																				
	F.	57	57					57																				
2. Stillborn	M.	316	316					316																				
	F.	151	151					151																				
3. Malformation	M.	13	13					13																				
	F.	12	12					12																				
4. Debility	M.	235	104	8	1	3	1	117	2	1		1	1	1	1		2		3	10	13	27	24	23	9			
	F.	206	74	12	3	1	1	91	2				1		3		2	4	3	5	8	17	21	25	16	1	6	1
5. Old age	M.	231																										
	F.	270																				12	40	80	53	35	11	
6. Atrophy	M.																			2	3	16	45	85	62	31	22	1
	F.	1	1					1																				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		4099	158	61	22	18	19	278	63	72	244	418	356	289	237	261	217	246	220	236	269	258	218	130	45	11	9	23
Males		1833	93	32	14	10	10	159	35	31	87	162	130	111	83	120	106	110	110	111	128	134	106	69	19	5	4	13
Females		2266	65	29	8	8	9	119	28	41	157	256	226	178	154	141	111	136	110	125	141	124	112	61	26	6	5	9
1. Rheumatism	M.	50	1			1		2	1	2	4	2	2			2	5	7	4	3	5	3	2	3	2			1
	F.	58				1		1	9	6	5	3		2	1	3	3	3	2	6	3	2	6	2				1
2. Scrofula and tabes	M.	41	12	3	1		1	17	3	5	2	3	1	1	1			1	2	1	1	2						1
	F.	32	8	3	1	2		14	3	2		4	2	1	1	2			2			1						
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	1141	44	8	2	3	8	65	13	13	75	150	122	97	71	92	68	65	69	55	60	55	31	27	5	1	2	5
	F.	1462	32	12	2	1	2	49	9	26	146	239	210	158	123	107	59	53	46	54	57	48	48	15	7		1	7
5. Hydrocephalus	M.	53	27	16	5	2		50		1					1				1						1			
	F.	42	20	11	3	3	2	39	1					1														
6. Cancer	M.	200	1					1	1	3	3		1	7	3	15	16	22	13	29	18	25	26	9	2	2		4
	F.	327	1					1	1	1	2	2	8	7	20	17	32	51	37	31	46	29	23	11	5	1	1	1
7. Tumor	M.	27	2				1	3	1	1		1		1	3	1	1	2	2	3	3	1	2	2				
	F.	50	1	1	1		1	4			1	2	1	1	3	4	7	0	3	4	4	5	4	1				
8. Anæmia	M.	1																			1							
	F.	3											1								1		1					
9. Dropsy	M.	287	5	5	3	3		16	16	5	2	5	3	5	4	8	14	12	17	16	37	46	41	26	8	2	2	2
	F.	283	2	2	1		4	9	5	4	2	6	3	8	6	8	8	23	20	29	30	39	30	32	13	5	3	
10. Glycosuria	M.	27	1					1		1		1	1			2	2	1	2	4	3	2	4	2	1			
	F.	8				1		1		2	1		1				2			1								
11. Others of this group	M.	6			3	1		4			1														1			
	F.	1	1					1																				
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		2724	682	197	90	52	42	1063	90	51	42	38	41	48	42	51	66	91	76	154	188	244	208	145	55	15	6	10
Males		1505	387	118	51	26	20	602	45	27	25	25	23	26	25	33	35	47	36	86	110	133	112	77	24	10	1	3
Females		1219	295	79	39	26	22	461	45	24	17	13	18	22	17	18	31	44	40	68	78	111	96	68	31	5	5	7
1. Inflammation of the brain	M.	155	56	24	9	5	4	98	9	10	6	6	2	4	2	3	2	5			3	3	1	1				
	F.	116	38	15	8	6	9	76	11	3	7	1	4	2	1	1	3	1	2		3		1					
2. Meningitis	M.	78	31	11	6	6	5	59	6	1	1	1	1	3		1	2					2	1					
	F.	68	24	9	4	2	2	41	9	4	2	3			1	1			2		1	1	1					2
3. Apoplexy	M.	280		2	1		2	5	2		3	4		2	8	10	14	9	14	39	33	50	42	26	12	5	1	1
	F.	221	2					2	1	1			4	4	4	3	7	20	17	30	27	33	20	23	15		1	
4. Paralysis	M.	301	1	1		3	1	6	2	3	1	3	1		4	5	6	16	11	34	52	54	50	37	12	4		
	F.	277	3		1			4		2	1	1	3	2	3	5	10	11	5	30	31	53	54	37	14	4	4	3
5. Tetanus and trismus nascentium.	M.	27	7	1				8	1	4		2	1	4			2	2	2				1					
	F.	14	9	1				10	1	1	1											1						
6. Epilepsy	M.	26	3					3	1	2		4	4	2	2	2		1			1	2		1				1
	F.	18	2					2	1	2	1	2		2	2	2	1					1	1	1				
7. Convulsions	M.	331	229	47	22	8	3	309	9		2	1	3		1	1	1	1			1		1					1
	F.	269	170	36	20	12	5	243	9	2	3	2	2	3	2				1	1	1							
8. Mental diseases	M.	20												3	1	1	1	4	1	1	3	2		3				
	F.	10											1	1	1	1	2	1	1	1								
9. Diseases of the brain	M.	243	51	30	12	2	3	98	14	5	6	3	8	8	6	9	7	7	7	10	15	20	12	7		1		
	F.	155	40	14	5	4	4	67	12	3		3	3	5	3	2	5	4	9	4	10	11	6	5	1	1		1
10. Diseases of the spinal cord	M.	28	8	2	1	2	2	15	1	1	4		2		1			1		1	1		1					
	F.	37	6	3	1	2	2	14	1	5	1	1		1			1	3	1	2	2	4						1
11. Others of this group	M.	16	1					1		1	2	1	1			1		1	1	1	1	2	2	1				
	F.	34	1	1				2		1	1		1	2		3	2	4	2		2	7	4	2	1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		1007	93	6	6	1	7	113	18	24	30	27	28	30	34	48	41	52	67	80	120	109	103	50	16	6	1	4
Males		542	57	5	4	1	1	68	12	10	14	11	13	12	19	26	25	22	39	50	63	56	58	29	10	3		2
Females		465	36	1	2		6	45	6	14	16	16	15	18	15	22	16	30	28	30	57	53	45	21	6	3	1	2
1. Angina pectoris	M.	21													1	2	2	2		3	2	3	1	3	1			1
	F.	12									1	2	1					1	2		3	2						
2. Aneurism	M.	3																		1	1	1						
	F.	1																	1									
3. Diseases of the heart	M.	486	29	4	3	1	1	38	12	10	14	11	13	12	18	24	23	20	39	45	60	52	56	26	9	3		1
	F.	437	25	1	1		5	32	6	14	15	14	14	18	15	22	16	29	25	36	52	51	45	21	6	3	1	2
4. Others of this group	M.	32	28	1	1			30												1			1					
	F.	15	11		1		1	13													2							
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		2326	500	248	151	92	75	1066	126	36	60	52	40	49	57	55	60	90	67	83	130	124	117	52	29	10	2	8
Males		1249	275	134	76	49	45	579	72	17	29	30	16	26	28	27	33	59	44	45	60	69	63	24	8	3	2	6
Females		1077	225	114	75	43	30	487	54	19	31	22	24	23	29	28	33	31	23	38	61	55	54	35	21	7		2
1. Croup	M.	242	48	48	31	32	33	192	47	2																		1
	F.	188	41	30	33	24	23	151	36													1						
2. Laryngitis	M.	7	1	1	1			3	1				1								1	1						
	F.	7		1	1	1		3		1	1	1									1							
3. Bronchitis	M.	128	48	13	8	1	2	72	1	1	2	1		3	3	4	4	8	1	1	2	10	10	3		1		1
	F.	112	41	17	8	3		69		1		1	1	1	1		1	1		6	6	7	5	9	2	1		
4. Pneumonia	M.	728	137	69	29	13	8	256	19	13	26	28	13	23	24	20	27	39	36	38	52	47	44	14	7		1	4
	F.	632	112	61	32	15	4	224	16	14	25	15	19	21	25	17	29	23	19	27	38	40	42	20	15	3		
5. Pleurisy	M.	28	4					4		1		1		1			1	5	2	1	4	2	3	2		1		
	F.	25	2					2			2	2			1	4	1	1		1	1	5		1	2	2		
6. Asthma	M.	20	1			1		2								2		2	2	2	4	1	2					
	F.	19	1	1				2					1		1			2		2	5		2	2	1			1
7. Others of this group	M.	90	36	3	7	2	2	50	4		4		2		1	1	1	5	3	3	6	5	4	4	1	1	1	
	F.	94	28	4	1		3	36	2	3	3	3	3	1	1	7	2	4	4	2	10	2	5	3	1	1		1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		649	108	33	17	7	8	173	14	9	21	15	18	17	19	27	27	40	31	43	64	50	36	31	13	1	
Males		361	70	15	12	3	5	105	9	4	15	8	7	5	7	13	16	18	15	28	36	35	18	14	7	1	
Females		288	38	18	5	4	3	68	5	5	6	7	11	12	12	14	11	22	16	15	28	15	18	17	6		
1. Dentition	M.	21	9	8	4			21																			
	F.	12	4	7	1			12																			
2. Angina	M.	5		1	1		1	3									1	1									
	F.	5	2	1			1	4										1									
3. Gastritis	M.	31	6		2			8	1			1			1	1	3	3		6	2		2	3			
	F.	29	2	3		1		6	2		1				1	3	1	1	2		3	3	3	3			
4. Other diseases of the stomach	M.	34	1	2		1		4	1	1		2		1		2	2	2	2	6	6	3	1	1			
	F.	41	2	1	2	2	1	8		1	2	4	1	1	1	2		5	2	3	4		3	3	1		
5. Obstruction of the bowels	M.	21	7		1	1		9			2			1	1					1	4	1		2			
	F.	4								1	1									1			1				
6. Hernia	M.	29	4					4			1	1		1	1			1	2	3	5	6	2	1		1	
	F.	27	7					7						1			2	4	3	2	3	1	1	2	1		
7. Other diseases of the bowels	M.	32	9	2		1	1	13	3		3	1	1					1	2	1	3	2			2		
	F.	15	3	2				5			1		1		1		1	1		2	1	1		1			
8. Jaundice	M.	26	15				1	16									2		1	2		4			1		
	F.	21	7					7							1	1	1	1	3		1		2	4			
9. Inflammation and abscess of the liver	M.	10									1		2			1	1	2					2	1			
	F.	4									1									1	1						
10. Other diseases of the liver	M.	75	6	2	2		1	11	2	1	3		1		2	3	3	3	5	4	13	10	9	3	2		
	F.	58	4	1	1			6	1	2		1	1	1	1	4	3	5	3	5	11	5	4	2	3		
11. Peritonitis	M.	34	2		1			3	2	1	5	3	1	1	2	4	2	1	1	1	2	1	1	3			
	F.	50	2	3	1		1	7	1	1		1	8	7	6	4	3	2	2		2	2	3		1		
12. Ascites	M.	3														1				1					1		
	F.	4				1		1								1						1		1			
13. Others of this group	M.	40	11		1		1	13		1			2	1		1	2	4	2	3	1	6	2	1	1		
	F.	18	5					5	1			1		1	1			2	1	1	2	2	1				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		320	2		3	3		8	7	2	12	12	11	8	19	13	12	21	20	34	27	43	32	28	6	3	1	1
Males		228	2		2			4	3	1	10	5	5	4	10	6	5	14	13	22	22	39	31	23	6	3	1	1
Females		92			1	3		4	4	1	2	7	6	4	9	7	7	7	7	12	5	4	1	5				
1. Bright's disease	M.	88			2			2	2	1	7	3	1	3	7	4	2	4	8	10	9	13	7	4				1
	F.	46							2	1	2	6	5	1	7	3	1	3	3	5	1	3		1				
2. Calculus, urinary	M.	16											1			1		2		1		3	1	6	1			
	F.	1															1											
3. Diseases of the kidney	M.	91	2					2	1		3	2	2	1	2	1	2	7	5	7	10	16	15	10	2	3		
	F.	40			1	3		4	2				1	3	2	4	2	3	3	7	3	1	1	4				
4. Diseases of the bladder	M.	30											1		1		1	1		4	2	6	8	3	3			
	F.	4										1					1	1	1									
5. Others of this group	M.	3																			1	1				1		
	F.	1																			1							
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		14											2	2	3	2	2					1		1				1
1. Ovarian tumors	F.	3												1			1					1						
2. Ovarian diseases	F.	2													1		1											
3. Uterine tumors	F.	2													1													1
4. Uterine diseases	F.	3											1	1		1												
5. Others of this group	F.	4											1		1	1								1				
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		163									11	30	35	29	35	21	2											
1. Abortion	F.	4										1	2		1													
2. Child-birth	F.	141									6	24	30	28	32	19	2											
3. Others of this group	F.	18									5	5	3	1	2	2												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		40	4	2	4	1	2	13	2	3	2	2	2	2	2	3	1		3		2	2	1				
Males		25	2	2	3		1	8	2	1			1	2	2	2	1		3		1	1	1				
Females		15	2		1	1	1	5		2	2	2	1			1					1	1					
1. Diseases of the spine	M.	18	2	1	3		1	7	1				1	1	1	2	1		2		1	1						
	F.	10	2		1	1	1	5				2	1			1					1							
2. Diseases of the bones	M.	5		1				1	1						1				1				1					
	F.	1									1																	
3. Diseases of the hip-joint	M.	1												1														
	F.	1								1																		
4. Others of this group	M.	1								1																		
	F.	3								1	1												1					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

PENNSYLVANIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		34	5	1	...	...	...	6	1	1	2	2	2	5	2	...	...	2	8	1	2	...	...	...	...	...	...	...
Males		16	4	1	...	...	...	5	...	...	2	1	1	2	1	...	...	...	2	1	1	...	...	...	...	...	...	...
Females		18	1	...	...	...	...	1	1	1	...	1	1	3	1	...	...	2	6	...	1	...	...	...	...	...	...	...
1. Abscess	M.	15	3	1	...	...	...	4	...	...	2	1	1	2	1	...	...	...	2	1	1	...	...	...	...	...	...	...
	F.	16	1	...	...	...	...	1	1	...	...	1	1	3	...	...	...	2	6	...	1	...	...	...	...	...	...	...
2. Carbuncle	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Others of this group	M.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...
Males		2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...
Females		1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Addison's disease	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the spleen	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Others of this group	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
XII.—ACCIDENTS AND INJURIES.																												
Total		934	63	31	36	28	12	170	73	46	82	90	56	63	49	47	59	37	34	30	22	25	25	9	5	1	1	10
Males		717	39	15	22	12	5	93	49	35	66	78	50	54	45	40	54	35	26	25	15	19	17	5	2	...	1	8
Females		217	24	16	14	16	7	77	24	11	16	12	6	9	4	7	5	2	8	5	7	6	8	4	3	1	...	2
1. Burns and scalds	M.	51	5	9	9	9	2	34	5	1	1	...	1	3	1	...	1	2	...	1	...	...	...	...	...	...	...	1
	F.	80	3	7	11	11	7	39	14	5	8	3	1	...	1	3	1	...	4	...	...	...	...	...	1	...	...	...
2. Drowned	M.	96	...	4	7	1	1	13	27	9	13	9	5	2	1	4	3	3	1	2	1	1	...	...	1	...	...	1
	F.	17	...	7	2	2	...	11	1	1	...	1	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...
3. Exposure and neglect	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
4. Gunshot wounds	M.	30	...	...	...	...	...	...	4	2	5	6	1	2	4	...	3	...	1	...	...	1	1	...	...	...	...	...
	F.	2	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Homicide	M.	4	...	...	...	...	1	1	...	...	...	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...
	F.	3	1	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Infanticide	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Injuries by machinery	M.	5	...	...	...	...	...	...	...	2	1	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Railroad accidents	M.	128	...	...	1	...	...	1	6	3	10	22	15	9	14	11	11	7	3	5	2	4	2	2	...	...	...	...
	F.	14	...	...	...	...	...	...	1	1	4	...	...	1	2	...	1	1	...	...	2	...	...	1	...	...	...	...
9. Suffocation	M.	30	19	...	...	1	...	20	...	...	...	1	...	4	1	...	...	...	...	1	1	...	...	1	...	...	...	1
	F.	22	14	2	...	1	...	17	2	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...
10. Suicide by shooting	M.	8	...	...	...	...	...	...	...	1	...	1	2	1	...	...	1	...	1	...	...	1	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Suicide by drowning	M.	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	4	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...
12. Suicide by poison	M.	2	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Other suicides	M.	53	...	...	...	...	...	...	...	...	2	5	4	7	5	2	6	1	4	5	2	3	6	...	...	...	...	1
	F.	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1
14. Sunstroke	M.	5	...	...	...	...	...	...	...	...	1	...	...	...	...	1	2	...	1	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...
15. Surgical operations	M.	3	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16. Wounds	M.	9	1	1	...	...	...	2	...	...	2	...	...	1	1	...	1	...	...	1	...	...	1	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
17. Other accidents and injuries	M.	201	14	1	5	1	1	22	7	17	30	30	21	23	17	21	26	22	14	10	9	8	7	1	1	...	1	4
	F.	67	6	...	1	1	...	8	5	4	2	5	4	6	...	3	2	1	1	4	3	6	7	3	2	1	...	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

RHODE ISLAND.

[Exclusive of PROVIDENCE.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		2443	441	155	100	64	63	823	128	62	74	110	91	96	75	79	79	85	75	112	105	128	119	101	55	31	11	4
Total: Males		1220	224	80	58	30	36	428	66	34	18	48	48	38	37	33	38	52	41	67	52	60	63	53	26	12	3	3
Females		1223	217	75	42	34	27	395	62	28	56	62	43	58	38	46	41	33	34	45	53	68	56	48	29	19	8	1
Unknown causes.																												
Total		54	30	....	....	....	3	33	1	....	1	2	2	....	1	1	....	2	....	2	2	2	3	....	2	....	....	....
Males		31	17	....	....	....	3	20	....	....	....	1	2	....	1	....	....	2	....	....	....	1	2	....	2	....	....	....
Females		23	13	....	....	....	....	13	1	....	1	1	....	....	....	1	....	....	....	2	2	1	1	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		595	148	81	62	42	40	373	80	25	18	20	13	8	3	3	1	6	2	11	6	8	8	7	2	1	....	....
Males		291	74	47	39	18	23	201	40	9	3	9	5	2	....	....	1	2	2	6	4	2	3	2	....	....	....	....
Females		304	74	34	23	24	17	172	40	16	15	11	8	6	3	3	....	4	....	5	2	6	5	5	2	1	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	82	7	10	20	14	7	58	20	2	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	78	5	12	8	14	7	46	21	8	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	70	3	14	13	4	13	47	16	4	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	64	10	9	8	6	8	41	13	4	3	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	6	3	3	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	8	2	....	....	1	11	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	3	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	4	....	....	1	....	....	1	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	10	5	1	1	....	....	7	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	20	1	....	1	....	1	3	2	2	1	3	4	1	....	....	....	....	....	2	....	1	1	....	....	....	....	....
	F.	24	....	....	....	1	....	1	3	3	3	7	2	1	....	....	....	2	....	1	....	....	....	....	1	....	....	....
9. Diarrhœa	M.	12	3	2	....	....	....	5	....	....	....	....	....	....	....	....	....	1	....	3	1	....	....	2	....	....	....	....
	F.	12	1	1	....	....	....	2	....	....	....	....	....	....	1	....	....	1	....	2	....	2	1	2	1	....	....	....
10. Dysentery	M.	9	3	5	....	....	....	8	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	1	1	....	....	1	3	....	....	1	....	....	....	....	1	....	....	....	1	1	....	2	....	....	1	....	....
11. Enteritis	M.	8	3	....	....	....	....	3	....	....	1	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	17	2	2	2	2	....	8	....	....	....	....	3	....	....	1	....	1	....	1	....	1	....	2	....	....	....	....
12. Cholera morbus	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
13. Cholera infantum	M.	58	40	12	4	....	2	58	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	53	42	7	4	....	....	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	1	2	....	....	....	1	....	....	....	....	....	....	....	2	1	....	....	....	....
16. Septicæmia	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	9	....	....	....	....	....	....	....	....	1	3	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	6	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....
General diseases—B.																												
Total		23	10	2	....	2	....	14	....	....	....	....	1	....	2	....	1	....	2	....	1	1	....	....	....	....	....	1
Males		13	6	....	....	1	....	7	....	....	....	....	....	....	....	....	1	....	2	....	1	1	....	....	....	....	....	1
Females		10	4	2	....	1	....	7	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	3	1	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	7	6	....	....	....	....	6	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	6	3	2	....	1	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		285	113	3	2	2	....	120	1	3	2	7	6	1	3	5	8	4	7	6	7	11	14	34	19	16	10	1
Males		135	63	2	1	2	....	68	....	1	1	2	6	1	1	2	3	3	3	2	2	3	3	16	8	6	3	1
Females		150	50	1	1	....	....	52	1	2	1	5	....	....	2	3	5	1	4	4	5	8	11	18	11	10	7	....
1. Premature birth	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	44	44	....	....	....	....	44	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	34	34	....	....	....	....	34	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	53	15	2	1	2	....	18	....	1	1	2	6	1	1	2	3	3	3	2	....	1	1	4	2	1	....	1
	F.	61	10	1	1	....	....	12	1	2	1	5	....	....	2	3	5	1	4	3	5	5	6	3	2	1	....	....
5. Old age	M.	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	2	12	6	5	3	....
	F.	49	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	3	5	15	9	9	7	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

RHODE ISLAND—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		564	31	9	9	5	6	60	9	12	31	51	44	53	34	40	33	33	26	23	36	26	22	13	9	4	1	1
Males		248	14	2	4	4	2	26	2	5	7	26	21	25	15	17	11	17	11	13	17	10	12	6	5	2	..	....
Females		316	17	7	5	1	4	34	7	7	27	25	23	28	19	23	22	16	15	10	19	16	10	7	4	2	1	1
1. Rheumatism	M.	5	....	....	....	1	....	1	....	....	....	1	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	13	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	2	2	3	1	1	....	1	....	....
2. Scrofula and tabes	M.	6	1	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	161	5	1	1	....	2	9	1	3	7	23	19	21	12	10	10	14	5	10	4	5	6	1	1	....	....	....
	F.	220	9	4	3	1	2	19	4	5	27	24	19	23	15	16	15	12	12	4	10	5	2	2	2	1	....	1
5. Hydrocephalus	M.	14	7	1	2	2	....	12	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	7	1	2	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	22	....	....	....	....	....	....	....	....	....	....	1	1	3	2	....	1	1	....	4	2	2	3	1	1	....	....	....
	F.	30	1	....	....	....	....	1	1	1	....	....	2	....	1	1	3	....	2	3	6	4	3	2	....	....	....	....	....
7. Tumor	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	1	....	....	....	....	....	1	....	2	....	1	....	....	2	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	37	1	....	1	1	....	3	....	....	....	2	....	1	....	4	1	2	3	3	9	2	3	2	2	....	....	....	....
	F.	27	....	....	....	....	2	2	1	1	....	....	1	2	....	4	1	3	....	3	1	3	1	2	1	1	....	....	....
10. Glycosuria	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	1	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		330	55	24	13	5	3	100	7	12	6	5	5	10	9	8	10	13	9	18	15	27	32	22	15	7	....	....
Males		176	23	8	7	2	1	41	5	9	2	1	3	3	4	6	5	9	6	15	9	15	20	14	6	3	....	....
Females		154	32	16	6	3	2	59	2	3	4	4	2	7	5	2	5	4	3	3	6	12	12	8	9	4	....	....
1. Inflammation of the brain	M.	11	2	1	....	1	1	5	1	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	....	2	1	2	1	6	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	11	2	....	1	1	..	4	3	....	....	....	....	....	....	....	....	2	....	....	....	1	1	....	....	....	....	....	....
	F.	8	3	1	1	....	1	6	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Apoplexy	M.	32	....	....	1	....	....	1	....	....	....	....	1	....	1	....	2	2	2	4	5	4	6	3	1	....	....	....	....
	F.	26	....	1	....	....	....	1	....	....	....	1	....	1	3	....	2	2	2	....	1	2	2	5	3	1	....	....	....
4. Paralysis	M.	52	....	....	....	....	....	....	....	1	2	....	....	1	2	2	1	3	1	8	4	3	8	8	5	3	....	....	....
	F.	38	....	....	....	....	....	....	....	1	....	1	1	2	....	1	1	1	1	3	2	7	8	2	5	2	....	....	....
5. Tetanus and trismus nascentium.	M.	4	2	....	....	....	....	2	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	5	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	30	13	5	3	....	....	21	1	....	....	1	....	....	....	1	1	....	....	1	....	2	....	2	....	....	....	....	....
	F.	41	27	7	3	1	....	38	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
8. Mental diseases	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....
9. Diseases of the brain	M.	25	3	2	2	....	....	7	....	1	....	....	1	1	1	2	....	1	1	2	....	2	5	....	....	....	....	....	....
	F.	18	1	5	1	....	....	7	....	....	....	....	....	2	2	1	....	....	....	....	2	2	1	1	....	....	....	....	....
10. Diseases of the spinal cord	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total		110	4	....	....	1	1	6	2	....	2	4	3	3	4	2	7	8	7	18	15	14	10	4	1	....	....	....
Males		58	....	....	....	1	....	1	....	....	1	1	2	1	2	1	3	3	6	13	6	9	6	2	1	....	....	....
Females		52	4	....	....	....	1	5	2	....	1	3	1	2	2	1	4	5	1	5	9	5	4	2	....	....	....	....
1. Angina pectoris	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	54	....	....	....	1	....	1	....	....	1	1	1	1	2	1	3	3	5	12	6	9	5	2	1	....	....	....	....
	F.	50	3	....	....	....	1	4	2	....	1	3	1	1	2	1	4	5	1	5	9	5	4	2	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total		248	37	24	8	3	7	79	15	1	7	8	6	5	10	6	10	13	15	14	8	17	12	15	6	1	....	1
Males		134	19	14	5	1	5	44	10	1	1	4	2	2	8	4	7	10	8	8	3	5	6	7	2	1	....	1
Females		114	18	10	3	2	2	35	5	....	6	4	4	3	2	2	3	3	7	6	5	12	6	8	3	....	....	....
1. Croup	M.	29	5	5	5	1	5	21	6	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	3	2	1	....	2	8	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	12	5	....	....	....	....	5	....	....	....	....	....	....	....	....	1	3	....	1	....	....	1	....	1	....	....	....	....
	F.	21	4	4	1	1	....	10	....	....	....	....	1	....	....	1	1	1	....	1	....	1	2	2	1	....	....	....	....
4. Pneumonia	M.	80	9	7	....	....	....	16	4	..	1	3	1	2	8	3	4	5	7	7	3	3	5	6	2	....	....	....	....
	F.	66	10	3	1	....	....	14	2	..	4	4	1	3	1	1	1	2	5	5	4	8	4	5	2	....	....	....	....
5. Pleurisy	M.	6	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	1	....	....	....	1	....	....	....	....	....	....	1
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	3	....	....	....	....	....	....	....
7. Others of this group	M.	6	....	3	....	....	....	3	....	....	....	1	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....
	F.	9	1	1	....	1	....	3	1	....	1	....	1	....	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

RHODE ISLAND—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		85	6	11	3	1	....	21	1	2	....	1	1	3	5	4	3	1	7	8	5	13	8	2	....	....	....
Males		45	2	7	....	1	....	10	....	2	....	....	....	1	4	1	2	1	3	5	3	7	4	2	....	....	....
Females		40	4	4	3	....	....	11	1	....	....	1	1	2	1	3	1	....	4	3	2	6	4	....	....	....	....
1. Dentition	M.	8	1	6	....	1	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	2	4	2	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	3	....	1	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	1	1	....	....	1	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	1	2	....	....	....	....
6. Hernia	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	1	....	....	....	....
8. Jaundice	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	4	1	2	....	1	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	1	2	3	....	....	....	....	....
11. Peritonitis	M.	4	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	1	....	....	....
	F.	8	1	....	1	....	....	2	....	....	....	1	1	1	....	....	....	....	1	....	....	1	1	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		39	....	....	....	....	....	....	....	....	....	1	1	1	1	1	3	....	....	4	8	6	7	4	2	....	....
Males		29	....	....	....	....	....	....	....	....	....	....	1	1	1	....	3	....	....	2	5	4	6	4	2	....	....
Females		10	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	2	3	2	1	....	....	....	....
1. Bright's disease	M.	14	....	....	....	....	....	....	....	....	....	....	1	....	1	....	3	....	....	1	4	....	2	1	1	....	....
	F.	7	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	2	2	....	....	....	....	....
2. Calculus, urinary	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	1	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....
4. Diseases of the bladder	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	6	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	2	....	1	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		24	....	....	....	....	....	....	....	....	....	4	3	3	2	5	....	....	....	1	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	21	....	....	....	....	....	....	....	....	....	4	2	3	2	3	....	....	....	1	....	....	....	....	....	....	....
3. Others of this group	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		4	....	....	....	....	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Males		3	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	2	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

RHODE ISLAND—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4								1										2			1				
Males		2								1													1				
Females		2																		2							
1. Abscess	M.	1								1																	
	F.	1																		1							
2. Carbuncle	M.	1																					1				
	F.	1																		1							
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		76	7	1	3	3	2	16	12	6	4	5	6	3	1	3	2	5		5	2	2	2			2	
Males		55	6		2		1	9	9	6	3	3	6	2	1	2	2	5		3	2	2					
Females		21	1	1	1	3	1	7	3		1	2		1		1				2			2			2	
1. Burns and scalds	M.	4							2		1							1									
	F.	8	1		1	1	1	4	1		1	1								1							
2. Drowned	M.	14							5	3			4	2													
	F.	4		1		2		3	1																		
3. Exposure and neglect	M.	1			1			1																			
	F.																										
4. Gunshot wounds	M.																										
	F.																										
5. Homicide	M.																										
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	5										1				1		2				1					
	F.																										
9. Suffocation	M.	3	2					2		1																	
	F.	1							1																		
10. Suicide by shooting	M.																										
	F.	1										1															
11. Suicide by drowning	M.	1																1									
	F.																										
12. Suicide by poison	M.	4														1				2	1						
	F.																										
13. Other suicides	M.																										
	F.	1												1													
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	23	4		1		1	6	2	2	2	2	2		1		2	1		1	1	1					
	F.	6														1				1			2			2	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 1.

[Exclusive of CHARLESTON.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3489	750	313	229	159	110	1561	263	111	124	170	147	118	110	88	96	111	83	130	102	96	72	60	11	15	11	10
Total: Males		1712	392	174	113	78	54	811	130	61	45	64	48	43	42	35	47	57	54	62	66	60	38	28	3	5	5	8
Females		1777	358	139	116	81	56	750	133	50	79	106	99	75	68	53	49	54	29	68	36	36	34	32	8	10	6	2
Unknown causes.																												
Total		374	179	34	21	20	12	266	14	6	6	7	7	4	5	3	3	7	5	3	6	9	7	6	....	2	2	1
Males		200	95	22	13	12	8	150	6	4	2	3	4	2	1	1	....	2	3	2	5	5	4	4	....	....	1	1
Females		174	84	12	8	8	4	116	8	2	4	4	3	2	4	7	3	5	2	1	1	4	3	2	....	2	1	....
1.—GENERAL DISEASES.																												
General diseases—A.																												
Total		995	206	146	110	71	49	582	146	41	29	20	19	15	14	11	18	14	13	20	13	10	7	3	1	3	....	7
Males		485	99	80	51	38	23	291	69	24	9	12	5	5	6	6	8	8	9	8	6	8	3	1	....	2	....	5
Females		510	107	66	59	33	26	291	77	17	20	17	14	10	8	5	10	6	4	12	7	2	4	2	1	1	....	2
1. Small-pox	M.	1	....	..	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	27	2	4	8	3	3	20	6	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	29	4	6	3	4	3	20	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	3	....	1	1	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	91	9	12	12	15	4	52	25	8	1	1	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	1
	F.	91	15	11	19	8	9	62	19	5	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1
5. Hooping-cough	M.	85	27	28	11	7	4	77	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	92	36	20	13	3	1	73	16	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Fever	M.	60	19	7	5	3	....	34	13	2	1	2	1	....	....	....	....	....	1	2	....	2	....	1	....	1	....	....
	F.	52	12	6	3	2	2	25	6	2	....	4	1	3	2	....	3	3	....	2	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	37	3	2	2	1	....	8	2	2	3	4	1	1	3	1	2	3	1	1	1	1	2	....	....	....	....	1
	F.	45	3	3	1	1	3	11	1	4	6	5	3	3	1	4	2	....	....	3	2	....	....	....	....	....	....	....
9. Diarrhœa	M.	17	0	4	1	3	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	4	2	1	2	1	10	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
10. Dysentery	M.	29	7	10	4	..	3	24	....	....	....	1	....	....	....	1	....	1	1	....	1	....	....	....	....	....	....	....
	F.	26	7	2	6	1	2	18	3	....	....	....	....	1	....	....	....	....	....	2	1	....	1	....	....	....	....	....
11. Enteritis	M.	14	2	....	....	1	1	4	2	....	1	....	....	1	....	1	1	....	2	1	....	....	1	....	....	....	....	....
	F.	12	1	....	....	5	1	7	2	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....
12. Cholera morbus	M.	3	....	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	17	9	6	1	....	1	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	10	4	4	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	88	12	5	6	3	6	32	11	10	3	3	3	1	1	2	3	3	4	4	2	2	....	....	1	....	....	3
	F.	166	14	11	9	6	4	44	22	3	4	3	3	2	2	1	4	3	3	2	2	2	3	2	....	1	....	....
15. Erysipelas	M.	7	....	....	....	....	1	1	....	....	....	1	....	....	1	1	2	....	....	....	1	....	....	....	....	....	....	....	....
	F.	7	1	....	..	1	....	2	....	....	....	1	....	1	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	15	....	....	....	....	....	....	....	1	4	3	4	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	2	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		88	12	15	20	13	10	70	9	2	1	1	....	....	2	....	1	1	....	....	1	....	....	..	....	....	....	....
Males		49	10	9	12	5	3	39	4	....	1	1	....	....	2	....	....	1	....	....	1	....	....	....	....	....	....	....
Females		39	2	6	8	8	7	31	5	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	33	4	8	11	5	3	31	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	32	2	4	8	7	6	27	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	8	....	1	1	....	....	2	2	....	1	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	6	....	2	....	1	1	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		255	147	7	5	2	....	161	3	5	2	....	....	3	....	2	1	3	3	3	6	12	12	23	7	5	4	....
Males		129	78	5	3	2	....	88	2	2	....	....	....	....	....	1	1	..	2	2	2	6	8	11	2	1	1	....
Females		126	69	2	2	....	....	73	1	3	2	....	....	3	....	1	....	3	1	1	4	6	4	12	5	4	3	....
1. Premature birth	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	61	61	....	....	....	....	61	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	49	49	....	....	....	....	49	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	2	....	....	1	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	35	12	5	3	1	....	21	2	1	....	....	....	....	....	1	1	....	2	2	1	2	2	....	....	....	....	....
	F.	41	10	2	2	....	....	14	1	0	2	....	....	3	....	1	....	3	....	1	3	3	4	1	1	1	....	....
5. Old age	M.	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	4	6	11	2	1	1	....
	F.	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	3	....	11	4	3	3	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		567	13	23	10	9	9	64	23	19	28	53	44	41	39	29	30	41	21	48	31	25	13	13	3		2	
Males		244	7	9	3	5	6	30	10	9	9	17	9	17	17	12	16	17	13	20	21	12	7	5	1		2	
Females		323	6	14	7	4	3	34	13	10	19	36	35	24	22	17	14	24	8	28	10	13	6	8	2			
1. Rheumatism	M.	5											1			1			2		1						
	F.	15	1					1							1	1	1	3		3		2	2	1			
2. Scrofula and tabes	M.	5		1				1	1	1					1						1						
	F.	10		4	1			5	1	2			1					1									
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	108	2	3		2		7	1	4	5	12	6	12	10	6	10	10	5	7	8	4		1			
	F.	157	1	4	1	3		9	3	5	13	26	25	17	14	10	4	10	2	9	4	1	2	2	1		
5. Hydrocephalus	M.	4	3					3	1																		
	F.	5	2	1				3	1					1													
6. Cancer	M.	7					1	1										1	1	2		1	1				
	F.	20			1			1				2			4		3	2	2	4		2					
7. Tumor	M.	3														1	1					1					
	F.	1														1											
8. Anæmia	M.																										
	F.	2											1									1					
9. Dropsy	M.	109	2	4	3	3	5	17	7	4	4	5	1	5	6	4	5	6	5	11	11	6	6	3	1		2
	F.	113	2	5	4	1	3	15	8	3	6	8	8	0	3	5	6	8	4	12	6	7	2	5	1		
10. Glycosuria	M.	2											1											1			
	F.																										
11. Others of this group	M.	1		1				1																			
	F.																										
12. Others of this class	M.																										
	F.	1							1																		
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		237	62	18	11	8	5	104	17	12	5	8	8	5	5	3	8	7	9	13	12	6	9	4		1	1
Males		132	35	11	4	5	4	59	12	6	3	4	4	2	3	1	4	4	8	4	9	3	3	2			1
Females		105	27	7	7	3	1	45	5	6	2	4	4	3	2	2	4	3	1	9	3	3	6	2		1	
1. Inflammation of the brain	M.	10		1	1	1		3	3	1					1		2										
	F.	10		1	1		1	3	1	3		1		1						1							
2. Meningitis	M.	9	2	4		1		7	2																		
	F.	2		1				1	1																		
3. Apoplexy	M.	7									1				1			3			2						
	F.	8												1		2		1	1	2				1			
4. Paralysis	M.	23							1				1				1	1	6	4	6	1	1	1			
	F.	21										1			2		2	2		3	1	3	6	1			
5. Tetanus and trismus nascentium.	M.	11	11					11																			
	F.	8	7					7					1														
6. Epilepsy	M.	8	1					1	1	1	2		1									1	1				
	F.	5								1		1		1							1	1					
7. Convulsions	M.	37	15	3	2	1	3	24	3	2		3	1				1		1				1	1			
	F.	42	18	5	5	3		31	2	1	1		4				2			1							
8. Mental diseases	M.	1																				1					
	F.	1									1																
9. Diseases of the brain	M.	20	1	3	1	2	1	8	2	1		1	1	2	1	1			1		1						1
	F.	6	1		1			2	1	1										1	1						
10. Diseases of the spinal cord	M.	1								1																	
	F.	1																							1		
11. Others of this group	M.	5	5					5																			
	F.	1	1					1																			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		65	2		1	1	1	5		2	2	3	5	8	2	4	2	4	9	6	5	2	2	3		1	
Males		25	1					1		1			2	2			2	3	5	3	4	1		1			
Females		40	1		1	1	1	4		1	2	3	3	6	2	4		1	4	3	1	1	2	2		1	
1. Angina pectoris	M.	1																	1								
	F.	1														1											
2. Aneurism	M.	2																			2						
	F.																										
3. Diseases of the heart	M.	22	1					1		1			2	2			2	3	4	3	2	1		1			
	F.	39	1		1	1	1	4		1	2	3	3	6	2	3		1	4	5	1	1	2	2		1	
4. Others of this group	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		384	56	23	23	17	11	130	21	8	16	20	20	14	18	17	15	15	15	18	14	21	13	7		1	1
Males		211	34	16	13	8	4	75	13	5	7	7	10	6	8	7	7	6	10	12	9	17	8	3			1
Females		173	22	7	10	9	7	55	8	3	9	13	10	8	10	10	8	9	5	6	5	4	5	4		1	
1. Croup	M.	10	2	3	4			9	1																		
	F.	12	5	2	4	1		12																			
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.	12	5	1	1			7		1		1		1								1	1				
	F.	10	2			1	1	4	1			1		2				1		1							
4. Pneumonia	M.	165	24	12	8	7	4	55	11	3	7	5	10	5	7	6	7	6	8	10	6	12	5	2			
	F.	132	13	5	6	7	5	36	6	3	7	11	10	5	9	8	8	7	3	3	5	2	5	3		1	
5. Pleurisy	M.	12	1			1		2	1	1						1			1	1	1	2	1	1			
	F.	10	1					1	1					1		2		1	1	1		1		1			
6. Asthma	M.	5	1					1												1	1	1	1				
	F.	6	1				1	2			1								1	1		1					
7. Others of this group	M.	7	1					1					1		1				1		1	1					1
	F.	3										1	1		1												

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		177	45	34	2	4	5	97	3	3	5	5	6	3	6	2	4	7	5	10	6	7	5	1	...	1	1
Males		89	22	18	5	2	1	48	2	2	3	2	3	2	1	1	2	5	3	4	2	4	2	1	...	1	1
Females		88	23	16	4	2	4	49	1	1	2	3	3	1	5	1	2	2	2	6	4	3	3	...	...	...	...
1. Dentition	M.	21	8	11	2	...	...	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	22	7	10	4	1	...	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina	M.	8	1	4	1	...	...	6	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	3	1	...	...	...	1	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis	M.	4	2	...	...	1	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	6	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	2	1	1	...	...	...	...	...
4. Other diseases of the stomach	M.	4	2	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
	F.	6	...	2	...	...	1	3	1	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...
5. Obstruction of the bowels	M.	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Hernia	M.	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	2	...	1	...	1	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
7. Other diseases of the bowels	M.	4	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...
	F.	5	...	3	...	...	1	4	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Jaundice	M.	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...
	F.	3	2	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver.	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10. Other diseases of the liver	M.	9	...	...	1	1	...	2	...	...	...	1	...	1	...	1	...	1	1	1	...	1	...	...	...	...	...
	F.	12	...	...	...	...	...	...	...	...	...	2	...	...	3	1	...	1	1	...	2	...	2	...	...	...	...
11. Peritonitis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
12. Ascites	M.	8	...	1	...	...	...	1	2	...	...	1	...	...	...	...	...	...	...	1	1	...	1	...	...	...	1
	F.	2	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Others of this group	M.	16	8	1	1	...	1	11	...	1	1	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	F.	27	12	1	...	1	...	14	...	...	1	1	2	...	...	...	2	1	...	3	...	2	1	...	...	...	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		28	...	...	...	2	...	2	1	3	...	1	2	2	...	2	2	2	1	2	3	2	1	...	...	...	...
Males		19	...	...	...	...	...	...	...	2	...	1	1	1	...	2	2	2	...	2	3	2	1	...	...	...	...
Females		7	...	...	...	2	...	2	1	1	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...
1. Bright's disease	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Calculus, urinary	M.	8	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	1	...	1	2	1	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
3. Diseases of the kidney	M.	3	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	3	...	...	...	1	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Diseases of the bladder	M.	4	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		16	...	...	...	...	...	...	...	...	1	3	2	2	3	...	3	1	1	...	...	...	...	...	...	...	...
1. Ovarian tumors	F.	3	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Ovarian diseases	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...
4. Uterine diseases	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	F.	11	...	...	...	...	...	...	...	...	...	2	2	1	2	...	2	1	1	...	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		84	...	...	...	...	...	...	...	...	16	21	18	14	10	3	1	...	...	...	...	...	1	...	...	...	...
1. Abortion	F.	3	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...
2. Child-birth	F.	79	...	...	...	...	...	...	...	...	16	20	17	13	10	2	1	...	...	...	...	...	...	...	...	...	...
3. Others of this group	F.	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Males		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females		1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
1. Diseases of the spine	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		13	1	1	1			3				2	1				3	1		1		1	1					
Males		8	1					1				2					1	1		1		1	1					
Females		5		1	1			2					1				2											
1. Abscess	M.	5										1					1	1				1	1					
	F.	4		1	1			2					1				1											
2. Carbuncle	M.																											
	F.	1															1											
3. Others of this group	M.	3	1					1				1								1								
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1				1		1																			
Males																											
Females		1				1		1																			
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.	1				1		1																			
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		205	27	12	18	11	8	76	25	10	13	17	15	7	5	7	5	8	1	6	5	1	1			2	1
Males		121	10	4	9	1	5	29	12	6	11	15	10	6	4	4	4	8	1	4	4	1	1			1	
Females		84	17	8	9	10	3	47	13	4	2	2	5	1	1	3	1			2	1					1	1
1. Burns and scalds	M.	20	1	3	4	1	4	13	6													1					
	F.	47	2	3	6	9	3	26	10	2	1	2	1	1	1					1	1						1
2. Drowned	M.	28			1		1	2	2	3	5	3	3	1		1	2	2		2	2						
	F.	6	2		1			3		1			2														
3. Exposure and neglect	M.	13	5	1	1			7				1				1		3			1						
	F.	17	9	2		1		12					1			3	1										
4. Gunshot wounds	M.	16							2	2	1	3	2	2	1		1	1			1						
	F.	1								1																	
5. Homicide	M.	4										2	1			1											
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	6										2			2				1	1							
	F.																										
9. Suffocation	M.	3	1		2			3																			
	F.	1	1					1																			
10. Suicide by shooting	M.	1										1															
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	2									1		1														
	F.																										
14. Sunstroke	M.	1										1															
	F.	1																		1							
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	27	3		1			4	2	1	4	2	3	3	1	1	1	2		1			1			1	
	F.	11	3		2			5	3		1		1													1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		324	76	20	12	11	5	124	13	12	11	25	15	12	7	12	7	16	3	9	9	11	10	12	6	6	1	3
Total: Males		171	50	11	5	7	3	76	6	5	3	11	7	7	2	5	4	5	2	3	8	6	6	5	3	4	1	2
Females		153	26	9	7	4	2	48	7	7	8	14	8	5	5	7	3	11	1	6	1	5	4	7	3	2	....	1
Unknown causes.																												
Total		36	14	1	....	1	....	16	1	2	1	....	1	....	....	....	....	2	1	1	1	3	....	2	2	....	....	3
Males		23	12	....	....	1	....	13	....	1	....	....	1	....	....	....	....	2	1	....	1	1	....	....	1	....	....	2
Females		13	2	1	....	....	....	3	1	1	1	....	....	....	....	....	....	....	....	1	....	2	....	2	1	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		54	16	7	5	6	2	36	5	5	4	7	3	4	1	2	1	2	1	....	2	3	3	4	....	1	....	....
Males		43	9	4	2	3	2	20	2	1	1	5	1	3	....	1	....	....	1	....	2	2	2	3	....	....	....	....
Females		41	7	3	3	3	....	16	3	4	3	2	2	1	1	1	1	2	....	....	....	1	1	2	....	1	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	4	1	1	1	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	3	1	....	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
7. Cerebro-spinal fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	17	2	1	....	....	1	4	1	....	1	5	....	3	....	....	....	....	....	....	1	....	1	1	....	....	....	....
	F.	19	1	....	1	....	....	2	2	4	3	2	....	1	....	....	1	2	....	....	....	....	....	1	....	1	....	....
9. Diarrhœa	M.	7	3	....	1	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
	F.	3	1	1	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	4	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
11. Enteritis	M.	4	....	....	....	1	....	1	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	4	....	....	1	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
15. Erysipelas	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		23	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	1	1	....
Males		13	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....
Females		10	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....
1. Premature birth	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		48	1	1	..	..	1	3	3	3	3	9	4	..	4	1	2	6	1	4	1	1	1	2	..	..	..
Males		19	1	..	..	..	1	2	3	2	1	3	..	..	2	..	1	1	..	1	1	..	1	1	..	..	..
Females		29	..	1	..	..	..	1	..	1	2	6	4	..	2	1	1	5	1	3	..	1	..	1	..	..	..
1. Rheumatism	M.	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Scrofula and tabes	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Leprosy	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
4. Consumption	M.	7	..	..	..	..	..	..	1	1	..	2	..	..	1	..	..	1	..	..	1	..	..	..	..	..	..
	F.	18	..	..	..	..	..	1	..	..	2	4	3	..	2	1	..	3	..	2	..	1	..	..	..	..	..
5. Hydrocephalus	M.	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6. Cancer	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	3	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1	1	..	..	..	..	1	..	..	..
7. Tumor	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
8. Anæmia	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
9. Dropsy	M.	7	..	..	..	..	1	1	..	1	1	..	..	..	1	..	1	..	..	..	..	..	1	1	..	..	..
	F.	6	..	1	..	..	..	1	..	1	..	2	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..
10. Glycosuria	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
11. Others of this group	M.	2	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
12. Others of this class	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		21	4	2	2	1	1	10	..	..	..	3	..	1	..	..	1	1	..	..	3	..	1	1	..	..	..
Males		7	1	1	..	1	..	3	..	..	..	..	..	..	..	..	1	..	..	..	2	..	..	1	..	..	..
Females		14	3	1	2	..	1	7	..	..	..	3	..	1	..	..	..	1	..	..	1	..	1	..	..	..	..
1. Inflammation of the brain	M.	2	1	1	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	3	..	1	..	..	1	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Meningitis	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Apoplexy	M.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
4. Paralysis	M.	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..
	F.	4	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	1	..	1	..	..	..	..
5. Tetanus and trismus nascentium.	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6. Epilepsy	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
7. Convulsions	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	2	2	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
8. Mental diseases	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
9. Diseases of the brain	M.	2	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
	F.	3	..	..	2	..	..	2	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
10. Diseases of the spinal cord	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
11. Others of this group	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		9	..	..	..	..	..	..	..	..	..	..	1	..	1	2	1	1	..	1	..	1	1	..	..	..	..
Males		4	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	1	..	..	..	..
Females		5	..	..	..	..	..	..	..	..	..	..	1	..	1	1	..	1	..	1	..	..	..	..	..	..	..
1. Angina pectoris	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Aneurism	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Diseases of the heart	M.	4	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	1	..	..	..	..
	F.	5	..	..	..	..	..	..	..	..	..	..	1	..	1	1	..	1	..	1	..	..	..	..	..	..	..
4. Others of this group	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		51	13	8	3	2	1	27	3	..	1	1	2	5	..	4	..	1	..	1	..	2	2	..	1	1	..
Males		26	7	5	2	1	..	15	1	..	..	..	2	3	..	2	..	1	..	1	..	1	..	..	..	..	..
Females		25	6	3	1	1	1	12	2	..	1	1	..	2	..	2	..	..	..	..	..	1	2	..	1	1	..
1. Croup	M.	12	6	3	2	1	..	12	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	10	5	3	1	..	1	10	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Laryngitis	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Bronchitis	M.	2	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
4. Pneumonia	M.	10	1	1	..	..	..	2	1	..	..	..	2	3	..	1	..	..	..	..	..	1	..	..	..	..	..	..
	F.	11	..	..	..	1	..	1	2	..	..	1	..	1	..	1	..	..	..	..	..	1	2	..	1	1	..	..
5. Pleurisy	M.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6. Asthma	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
7. Others of this group	M.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	F.	3	1	..	..	..	..	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	15	5		1			6					1			1	1			2	1		1			2		
Males	11	5		1			6												1	1		1			2		
Females	4											1			1	1			1								
1. Dentition M.	3	2		1			3																				
1. Dentition F.																											
2. Angina M.																											
2. Angina F.																											
3. Gastritis M.																											
3. Gastritis F.	1															1											
4. Other diseases of the stomach. M.																											
4. Other diseases of the stomach. F.																											
5. Obstruction of the bowels M.																											
5. Obstruction of the bowels F.																											
6. Hernia M.	1																								1		
6. Hernia F.																											
7. Other diseases of the bowels M.																											
7. Other diseases of the bowels F.																											
8. Jaundice M.																											
8. Jaundice F.																											
9. Inflammation and abscess of the liver. M.																											
9. Inflammation and abscess of the liver. F.	1																		1								
10. Other diseases of the liver M.	1																		1								
10. Other diseases of the liver F.																											
11. Peritonitis M.																											
11. Peritonitis F.																											
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.	6	3					3													1		1			1		
13. Others of this group F.	2											1			1												
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	9				1		1						1							1	1	1	1	2	1		
Males	9				1		1						1							1	1	1	1	2	1		
Females																											
1. Bright's disease M.																											
1. Bright's disease F.																											
2. Calculus, urinary M.	3																				1			1	1		
2. Calculus, urinary F.																											
3. Diseases of the kidney M.	4				1		1						1							1			1				
3. Diseases of the kidney F.																											
4. Diseases of the bladder M.																											
4. Diseases of the bladder F.																											
5. Others of this group M.	2																					1		1			
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	1																1										
1. Ovarian tumors F.																											
2. Ovarian diseases F.																											
3. Uterine tumors F.																											
4. Uterine diseases F.	1																1										
5. Others of this group F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	4										1			1	1	1											
1. Abortion F.	1													1													
2. Child-birth F.	2														1	1											
3. Others of this group F.	1										1																
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine M.																											
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Males																											
Females																											
1. Abscess { M.																											
1. Abscess { F.																											
2. Carbuncle { M.																											
2. Carbuncle { F.																											
3. Others of this group { M.																											
3. Others of this group { F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1											1															
Males	1											1															
Females																											
1. Addison's disease { M.																											
1. Addison's disease { F.																											
2. Diseases of the spleen { M.	1											1															
2. Diseases of the spleen { F.																											
3. Others of this group { M.																											
3. Others of this group { F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	21	5		1			0	1	2	1	5	2			1	1	2										
Males	14	4					4		1	1	3	2			1	1	1										
Females	7	1		1			2	1	1		2						1										
1. Burns and scalds { M.	1	1					1																				
1. Burns and scalds { F.	3							1	1		1																
2. Drowned { M.																											
2. Drowned { F.																											
3. Exposure and neglect { M.	1														1												
3. Exposure and neglect { F.	1			1			1																				
4. Gunshot wounds { M.	1											1															
4. Gunshot wounds { F.	1																1										
5. Homicide { M.	3									1	2																
5. Homicide { F.																											
6. Infanticide { M.																											
6. Infanticide { F.																											
7. Injuries by machinery { M.																											
7. Injuries by machinery { F.																											
8. Railroad accidents { M.																											
8. Railroad accidents { F.																											
9. Suffocation { M.																											
9. Suffocation { F.	1	1					1																				
10. Suicide by shooting { M.																											
10. Suicide by shooting { F.																											
11. Suicide by drowning { M.																											
11. Suicide by drowning { F.																											
12. Suicide by poison { M.																											
12. Suicide by poison { F.																											
13. Other suicides { M.																											
13. Other suicides { F.																											
14. Sunstroke { M.	1	1					1																				
14. Sunstroke { F.																											
15. Surgical operations { M.																											
15. Surgical operations { F.																											
16. Wounds { M.	2											1					1										
16. Wounds { F.																											
17. Other accidents and injuries { M.	5	2					2		1		1					1											
17. Other accidents and injuries { F.	1										1																

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		10147	2349	1060	573	314	217	4513	584	377	407	535	421	374	330	302	249	294	213	328	269	311	207	202	87	39	47	58
Total: Males		4866	1272	568	284	160	109	2393	257	173	168	218	156	134	128	111	108	139	108	170	142	158	115	80	40	16	21	31
Females		5281	1077	492	289	154	108	2120	327	204	239	317	265	240	202	191	141	155	105	158	127	153	92	122	47	23	26	27
Unknown causes.																												
Total		1096	570	103	52	24	14	763	43	19	18	37	19	21	14	16	12	20	10	22	17	18	13	23	6	1	1	3
Males		567	317	60	25	14	9	425	18	6	6	17	7	9	5	6	4	11	4	10	12	6	8	9	2	1	....	1
Females		529	253	43	27	10	5	338	25	13	12	20	12	12	9	10	8	9	6	12	5	12	5	14	4	....	1	2
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2795	544	461	254	134	91	1484	259	165	123	132	89	78	56	51	32	49	41	45	54	48	19	31	8	4	4	23
Males		1356	278	241	129	70	45	763	120	74	60	61	37	29	24	18	18	22	22	19	23	25	6	16	3	....	2	14
Females		1439	266	220	125	64	46	721	139	91	63	71	52	49	32	33	14	27	19	26	31	23	13	15	5	4	2	9
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	89	16	24	14	4	2	60	10	7	....	6	3	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	82	24	18	7	....	6	55	2	1	3	5	3	2	4	1	....	1	1	2	....	....	1	....	....	....	....	1
3. Scarlet fever	M.	5	1	2	2	....	....	5	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	1	1	1	....	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	161	28	33	25	18	14	118	34	6	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	166	18	27	18	23	20	106	43	7	5	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	2
5. Hooping-cough	M.	133	65	39	14	5	6	129	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	120	57	29	18	6	3	113	6	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Fever	M.	62	13	6	6	5	2	32	3	10	3	....	4	1	....	1	1	1	1	....	....	3	1	....	....	....	....	1
	F.	78	12	8	11	5	1	37	9	4	4	3	4	2	1	1	1	1	....	1	5	2	1	2	....	....	....	....
7. Cerebro-spinal fever	M.	9	1	1	....	2	....	4	2	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	....	....	1	....	2	3	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....
8. Enteric fever	M.	199	10	4	5	5	2	26	13	20	31	30	12	11	9	5	6	9	5	5	5	5	....	2	1	....	....	4
	F.	214	9	8	8	4	3	32	18	37	24	23	17	18	8	11	....	7	3	6	4	3	1	1	....	....	....	1
9. Diarrhœa	M.	95	20	34	13	2	4	73	2	2	....	....	6	....	1	1	1	....	1	....	1	2	1	2	....	1	....	1
	F.	118	35	29	18	4	1	87	1	1	....	....	2	1	....	2	1	....	4	3	4	6	1	2	3	....	....	....
10. Dysentery	M.	127	25	31	20	7	2	85	5	3	1	2	....	3	2	2	2	2	1	4	1	3	2	3	1	....	1	3
	F.	129	28	37	15	4	4	88	6	3	1	1	1	5	....	3	2	1	3	1	3	4	1	5	1	....	1	....
11. Enteritis	M.	71	16	5	4	3	3	34	2	5	4	4	2	3	1	1	2	1	2	2	2	4	....	....	1	....	....	1
	F.	61	11	12	4	1	....	28	3	4	1	5	3	2	2	1	1	....	3	1	4	....	1	2	....	....	....	....
12. Cholera morbus	M.	12	1	4	1	....	....	6	1	....	....	....	....	....	1	....	....	....	....	1	1	....	....	1	....	....	....	1
	F.	13	1	....	....	....	1	2	2	....	1	1	....	1	1	1	....	1	....	1	....	1	1	....	....	....	....	....
13. Cholera infantum	M.	103	57	31	10	4	1	103	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	99	51	33	11	4	....	99	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	238	14	19	15	13	9	70	39	17	15	17	9	6	6	7	2	7	10	7	9	7	1	8	....	....	....	1
	F.	272	16	16	12	11	6	61	41	31	17	16	15	13	9	4	7	15	5	8	10	5	5	3	1	3	1	2
15. Erysipelas	M.	20	6	2	....	1	....	9	2	1	1	....	....	1	1	....	1	2	....	....	1	1	....	....	....	....	....	....
	F.	11	1	1	2	....	1	5	2	1	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....
16. Septicæmia	M.	4	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	1	....	....	1	....	1	1	1	1	....	....	....	....	1	....	....	....	....	....	....
17. Puerperal septicæmia	F.	40	....	....	....	....	....	....	....	....	6	11	7	4	4	6	....	....	....	....	....	....	....	....	....	....	....	2
18. Venereal diseases	M.	11	3	1	....	1	....	5	....	....	....	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	2
	F.	8	1	1	....	....	....	2	....	....	....	1	....	....	2	1	1	....	....	1	....	....	....	....	....	....	....	....
19. Others of this group	M.	14	2	2	....	....	....	4	1	1	2	....	....	....	....	....	1	....	1	....	3	....	1	....	....	....	....	....
	F.	7	1	....	....	....	....	1	....	....	1	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1
General diseases—B.																												
Total		135	28	19	18	16	7	88	22	1	4	3	2	3	1	5	1	1	2	....	1	....	....	....	....	....	....	1
Males		87	16	14	11	7	3	51	15	1	3	1	1	3	1	5	1	1	2	....	1	....	....	....	....	....	....	....
Females		48	12	5	7	9	4	37	7	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
1. Worms	M.	40	3	10	7	6	3	29	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	3	4	6	3	3	24	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	12	....	....	....	....	....	....	1	....	2	....	....	2	1	3	1	....	1	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	22	4	4	4	1	....	13	3	1	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	7	....	1	1	1	1	4	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	12	9	....	....	....	....	9	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....
	F.	11	9	....	....	....	....	9	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
General diseases—C.																												
Total		556	369	8	4	1	....	382	2	1	....	1	1	2	2	....	1	2	1	2	4	23	20	37	30	10	29	....
Males		284	207	5	3	....	....	215	....	....	....	....	....	1	2	....	....	1	1	....	2	11	10	6	14	9	12	....
Females		272	162	3	1	1	....	167	2	1	....	1	1	1	....	....	1	1	....	2	2	12	10	31	16	7	17	....
1. Premature birth	M.	33	33	....	....	....	....	33	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	39	39	....	....	....	....	39	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	156	156	....	....	....	....	156	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	107	107	....	....	....	....	107	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	36	13	5	3	....	....	21	....	....	....	....	....	1	2	....	....	1	1	....	1	3	3	1	....	1	1	....
	F.	40	11	2	1	1	....	15	2	1	....	1	1	1	....	....	1	1	....	1	1	3	3	4	3	....	2	....
5. Old age	M.	54	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	8	7	5	14	8	11	....
	F.	80	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	9	7	27	13	7	15	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1775	68	69	44	34	23	238	56	68	122	172	164	135	127	106	88	96	54	74	57	76	51	33	15	5	4	14
Males		655	25	27	17	19	16	104	19	29	42	59	45	38	44	34	29	37	23	45	23	32	28	8	6		2	8
Females		1120	43	42	27	15	7	134	37	39	80	113	119	97	83	72	59	59	31	49	34	44	23	25	9	5	2	6
1. Rheumatism	M.	23				1	1	2	1	2	1	1		1		3	1	1	1	3		2	3	1				
	F.	17							1	2				1	1			6	1			2	1	1			1	
2. Scrofula and tabes	M.	38	6	6	3	1	2	18	4	5	3	3	3							1			1					
	F.	57	9	11	4	2	2	28	2	2	4	1	2		3	4	2	3	1	2	1	1	1					
3. Leprosy	M.																											
	F.	1	1					1																				
4. Consumption	M.	340	6	6	1	9	5	27	5	10	32	42	36	32	34	24	18	24	11	13	7	10	4	1				4
	F.	664	19	11	7	6	1	44	18	27	63	100	97	76	63	40	32	24	15	16	9	17	5	8	2	2	1	5
5. Hydrocephalus	M.	14	8	5			1	14																				
	F.	14	6	5	1	1		13						1														
6. Cancer	M.	30					1	1					1	1	3	1	2	2	2	4	7	4	1	1				
	F.	85	1			1	1	3			1	1	2	4	5	10	9	13	6	12	7	4	5	1	2			
7. Tumor	M.	7	1					1					1						2	1	1	1						
	F.	16	1	1				2	1			1	1		2	2	4				1		1		1			
8. Anæmia	M.	4	4					4																				
	F.	5	1	2	1			4					1															
9. Dropsy	M.	189		9	12	8	6	35	9	11	5	6	4	4	7	5	8	10	7	22	8	15	18	3	6		2	4
	F.	258	5	11	12	5	3	36	15	8	12	10	16	15	9	16	12	13	8	19	16	20	10	15	5	2		1
10. Glycosuria	M.	6									1					1				1			1	2				
	F.																											
11. Others of this group	M.	4		1	1			2		1		1																
	F.	3		1	2			3																				
12. Others of this class	M.	1																						1				
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		798	167	74	44	23	21	329	52	38	21	25	18	19	19	21	27	30	21	35	36	31	31	24	6	6	2	7
Males		416	90	48	27	15	11	191	21	22	9	9	11	9	7	3	18	15	9	19	17	17	17	10	4	2	2	4
Females		382	77	26	17	8	10	138	31	16	12	16	7	10	12	18	9	15	12	16	19	14	14	14	2	4		3
1. Inflammation of the brain	M.	69	15	13	8	4	2	42	4	7	2	2		2	2		1	2	1	1				1		1		1
	F.	57	10	6	4	3	2	25	12	5	1	3		3	1	2	2			1		1	1					
2. Meningitis	M.	33	8	8	4	2	4	26	1	2	2	1					1											
	F.	31	9	2	2	1	4	18	6	3		1	1			1												1
3. Apoplexy	M.	37	1		1	1		3		1			2			1	3	5	5	4	3	3	4	1	1			1
	F.	41	2			1		3				1		2	5	3	1	4	3	6	6	4	1	2				
4. Paralysis	M.	71	1			1		2	3	2	1	2	1	2	1	1	7	4	1	5	5	8	11	5	1	1	1	1
	F.	63				1		1	1		2		1			5	1	7	4	7	8	2	9	9	2	4		
5. Tetanus and trismus nascentium.	M.	9	5	1				6	1	2																		
	F.	3	3					3																				
6. Epilepsy	M.	24	6	1	1	1	3	12	1			1	1	1	1	1	1					1		1	2		1	
	F.	8		1				1			2	2	1	1								1						
7. Convulsions	M.	84	43	14	8	3	2	70	3	2	2		2		1		1					1		1				1
	F.	82	43	9	6	2	1	61	5		4	3		3	2	2		1										1
8. Mental diseases	M.	4												1			1	1			1							
	F.	3											1					1			1							
9. Diseases of the brain	M.	68	10	8	5	2		25	7	5	2	3	5	1	2		2		2	5	5	3	1					
	F.	60	7	7	4		2	20	5	6	2	4	3	1	2	2	1	1	3	1	2	2	2	2				1
10. Diseases of the spinal cord	M.	8		2		1		3	1	1								1				1	1					
	F.	15	3	1	1		1	6	2	1	1	1			1	1	1					1						
11. Others of this group	M.	9	1	1				2						2			1	2		1				1				
	F.	19								1		1			1	2	3	1	2	1	2	8	1	1				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		287	12	2	1	1		16	4	4	8	13	15	11	12	13	15	22	20	38	26	24	26	11	5	1	2	1
Males		139	5	1		1		7	2	3	3	3	6	1	4	4	7	12	11	22	14	12	16	8	1	1	1	1
Females		148	7	1	1			9	2	1	5	10	9	10	8	9	8	10	9	16	12	12	10	3	4		1	
1. Angina pectoris	M.																											
	F.	4											1		1		1							1				
2. Aneurism	M.	6											1				1	3	1									
	F.																											
3. Diseases of the heart	M.	120	3	1		1		5	1	3	3	3	5	1	4	4	6	9	10	22	14	12	16	7	1	1	1	1
	F.	137	3	1	1			5	2	1	5	9	7	10	7	9	7	10	9	16	12	12	9	3	3		1	
4. Others of this group	M.	4	2					2	1															1				
	F.	7	4					4				1	1												1			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1208	311	141	82	27	26	587	44	37	46	59	45	37	38	32	27	34	30	35	38	45	30	26	5	1	2	7
Males		632	183	78	38	12	13	324	17	14	17	29	22	13	13	15	14	21	17	22	26	27	18	13	6	1	1	2
Females		576	128	63	44	15	13	263	27	23	29	30	23	24	25	17	13	13	13	13	12	18	12	13	2		1	5
1. Croup	M.	128	71	25	20	1	5	122	5																			1
	F.	89	47	14	16	4	4	85	4																			
2. Laryngitis	M.																											
	F.	3	1					1				1			1													
3. Bronchitis	M.	63	20	13	4		1	38	1				1		1	2	2	1	1	3	4	3	4	2				
	F.	48	11	8	3	2		24	1	1	1	3	4	2		1	3		2	1		2	2					1
4. Pneumonia	M.	375	90	37	14	10	7	158	10	11	15	28	18	11	12	12	8	17	12	14	15	13	8	6	5	1	1	
	F.	356	64	36	22	9	8	139	18	22	23	21	17	16	20	10	9	10	7	5	8	9	6	10	1		1	4
5. Pleurisy	M.	30		1				1		1		1		1			3	2	3	2	6	5	3	1				1
	F.	40			2			2			4	3	1	4	2	5		1	3	5	3	2	3	2				
6. Asthma	M.	14				1		1										1	1	1	1	4	2	2	1			
	F.	13	1	1				2				1		1			1	1	1	1	1	3	1					
7. Others of this group	M.	22	2	2				4	1	2	1	1	2	2		1	1			2		2	1	2				
	F.	27	4	4	1		1	10	4		1	1	1	1	2	1		1		1		2		1	1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		563	142	144	33	15	3	337	26	4	6	21	10	15	9	12	15	17	13	11	14	18	7	7	2	3	2	1
Males		292	79	73	18	6	2	178	15	1	3	12	5	8	3	4	9	8	9	11	7	8	5	3	1	1		1
Females		271	63	71	15	9	1	159	11	3	3	9	5	7	6	8	6	9	4	13	7	10	2	4	1	2	2	
1. Dentition	M.	81	24	48	9			81																				
	F.	80	28	47	5			80																				
2. Angina	M.	13	6	2	1	1	1	11	1										1									
	F.	15	2	2	4	1		9	3							2					1							
3. Gastritis	M.	6												1	1		1		1		1	1						
	F.	7				1		1	1	1				1								2	1					
4. Other diseases of the stomach	M.	18	5	2	1			8	4			2					2		1		1							
	F.	29	3	2	1	3		9	2		1			2	1	2	1	1	1	1	1	4	1	2				
5. Obstruction of the bowels	M.	9	2		1		1	4				1				1		1	1			1						
	F.	3							1								1			1								
6. Hernia	M.	6	1	1	1			3				1									1		1					
	F.	2	1					1													1							
7. Other diseases of the bowels	M.	26	7	3	1	2		13	4			1		3				1		1		1	1	1				
	F.	8	1	2	1			4		1										1				1	1			
8. Jaundice	M.	21	7	4	1	1		13	1			1	1	3		1		1										
	F.	10	5	1		1		7								1			1	1								
9. Inflammation and abscess of the liver.	M.	14	3	1				4			1				1	2	1	1	1	1				1				
	F.	14			1			1		1			3	1	1			2		3	1				1			
10. Other diseases of the liver	M.	22	2	1	2			5			1	2	2				1	1	3	3	1	2			1			
	F.	28	2	2	1	1	1	7	2			1	1	1	1	2	1	3	1	4	1	3						
11. Peritonitis	M.	3							1	1	1																	
	F.	11		1				1			1	4		1	2	1			1									
12. Ascites	M.	11		2				2	1			2	1								1	2	1	1				
	F.	11				2		2	1		1		1	1			1	2		1				1				
13. Others of this group	M.	62	22	9	1	2		34	3			2	1	1	1		4	3	1	6	1	1	2	1				1
	F.	53	21	14	2			37	1			4			1		2	1		1	2	1			1	2		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		94	1	3	2	1	1	8	2	4	1	1	3	1	8	2	4	6	5	11	15	13	4	4		1	1	
Males		73	1	2	1	1		5	1		1	1	1	1	3	2	2	6	5	10	13	13	4	3		1	1	
Females		21		1	1		1	3	1	4			2		5		2			1	2			1				
1. Bright's disease	M.	17	1	1				2			1	1	1					3	1	2	3	3						
	F.	7							1	1					3		1				1							
2. Calculus, urinary	M.	20		1		1		3									1		1	4	4	3	1	3			1	
	F.																											
3. Diseases of the kidney	M.	18			1			1	1					1	2	1		1	2	2	4	2	1					
	F.	10		1	1			2		2			1		2		1			1				1				
4. Diseases of the bladder	M.	11													1			1		1	1	5	1			1		
	F.																											
5. Others of this group	M.	7														1	1	1	1	1	1		1					
	F.	4					1	1		1			1								1							
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		60									2	6	3	6	4	9	13	6	5	3	1	1	1					
1. Ovarian tumors	F.	4															1	2	1									
2. Ovarian diseases	F.	2															1					1						
3. Uterine tumors	F.	3														1	1			1								
4. Uterine diseases	F.	7												1		2	2			1	1							
5. Others of this group	F.	44									2	6	3	5	4	6	8	4	4	1			1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		138								2	23	31	28	20	14	11	6	2										1
1. Abortion	F.	8									2	1	2		1	2												
2. Child-birth	F.	118								1	18	26	20	20	11	9	6	1										1
3. Others of this group	F.	17								1	3	4	6		2			1										
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		13	4		1			5	2	1			1	1		1	2											
Males		7	3		1			3	1	1				1		1												
Females		6	2					2	1				1				2											
1. Diseases of the spine	M.	4	1		1			2		1						1												
	F.	2	1					1									1											
2. Diseases of the bones	M.																											
	F.																											
3. Diseases of the hip-joint	M.																											
	F.	1							1																			
4. Others of this group	M.	3	1					1	1					1														
	F.	3	1					1					1				1											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

SOUTH CAROLINA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		27	6	2	1	1	....	10	1	....	1	2	....	1	2	2	1	1	2	2	....	1	....	....	1	....	....	....
Males		13	2	1	1	....	....	4	1	....	....	1	....	1	1	1	1	1	1	....	....	1	....	....	....	....	....	....
Females		14	4	1	....	1	....	6	....	....	1	1	....	....	1	1	....	....	1	2	....	....	....	....	1	....	....	....
1. Abscess	M.	5	1	....	....	....	....	1	....	....	....	1	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....
	F.	8	2	1	....	....	....	3	....	....	1	1	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....
2. Carbuncle	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	5	1	1	1	....	....	3	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	....	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		5	1	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....
Males		2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females		3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		596	126	34	37	37	31	265	71	33	32	31	23	24	24	21	4	8	9	17	6	11	5	5	9	1	....	....
Males		342	67	18	13	15	10	123	27	22	23	24	21	20	21	18	4	4	4	12	4	6	3	3	3	....	....	....
Females		254	59	16	24	22	21	142	44	11	9	7	2	4	3	3	....	4	5	5	2	5	2	2	3	1	....	....
1. Burns and scalds	M.	68	6	8	8	12	5	39	13	5	1	....	....	2	1	2	....	....	....	....	2	1	....	1	1	....	....	....
	F.	136	6	7	19	18	19	69	39	8	6	3	....	1	1	....	....	1	....	1	1	2	1	2	1	....	....	....
2. Drowned	M.	22	....	....	1	....	2	3	1	2	5	3	4	....	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	7	....	....	1	....	....	1	2	....	....	....	1	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	31	19	2	2	1	1	25	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	16	3	....	3	....	22	....	....	....	1	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	31	....	....	....	1	....	1	....	5	6	3	2	4	3	3	1	1	....	1	....	....	1	....	....	....	....	....	....
	F.	4	....	1	....	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	33	....	1	....	....	....	1	3	1	1	9	5	4	3	3	1	....	1	1	....	....	....	....	1	....	....	....	....
	F.	8	....	1	....	....	2	3	1	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	4	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	8	....	....	....	....	....	....	....	1	....	2	1	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	34	31	1	....	....	....	32	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	31	28	1	2	....	....	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	3	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	7	....	....	....	....	....	....	....	....	....	1	2	1	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	3	....	1	1	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....
15. Surgical operations	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....
16. Wounds	M.	9	....	....	....	....	....	....	....	2	1	3	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	84	11	5	1	1	2	20	6	4	8	3	5	6	5	7	1	1	3	7	1	3	2	1	1	....	....	....
	F.	32	8	3	2	1	....	13	2	2	2	2	....	....	....	1	....	1	2	1	1	1	1	....	2	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		7626	2025	658	331	206	128	3348	310	185	362	488	332	287	278	222	212	213	155	237	225	216	234	145	75	32	21	49
Total: Males		3660	1141	349	179	108	59	1836	158	86	128	187	119	97	94	84	83	95	75	125	114	107	109	74	46	15	8	20
Females		3966	884	309	152	98	69	1512	152	99	234	301	213	190	184	138	129	118	80	112	111	109	125	71	29	17	13	29
Unknown causes.																												
Total		503	329	33	20	8	3	393	6	4	6	5	5	3	2	4	4	8	4	10	12	7	9	9	3	....	1	8
Males		267	179	18	11	5	2	215	3	2	2	2	3	1	1	1	1	3	1	5	7	3	5	5	....	....	....	7
Females		236	150	15	9	3	1	178	3	2	4	3	2	2	1	3	3	5	3	5	5	4	4	4	3	....	1	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1839	422	293	148	82	59	1004	136	73	82	99	66	49	44	28	28	36	16	44	39	28	29	15	13	4	2	4
Males		913	223	170	79	44	23	539	71	27	34	49	27	16	12	11	10	17	6	25	22	13	16	6	7	3	1	1
Females		926	199	123	69	38	36	465	65	46	48	50	39	33	32	17	18	19	10	19	17	15	13	9	6	1	1	3
1. Small-pox	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	20	9	4	....	....	....	13	....	2	....	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	7	6	2	1	3	19	....	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Scarlet fever	M.	15	3	3	5	....	2	13	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	....	3	2	2	....	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	87	7	18	18	16	6	65	21	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	83	5	13	9	8	16	51	18	11	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	119	67	25	13	4	1	110	7	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	127	59	26	16	7	8	116	8	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	35	7	8	1	2	1	19	2	2	4	2	2	....	1	1	....	....	....	1	....	....	1	....	....	....	....	....
	F.	36	10	5	6	2	....	23	3	1	3	2	1	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	17	8	5	2	....	....	15	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	8	1	2	....	2	....	5	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	127	7	6	4	2	3	22	14	10	17	22	17	6	1	....	4	6	1	1	1	2	3	....	....	....	....	....
	F.	162	6	3	4	4	4	21	14	18	25	22	11	9	5	3	8	5	6	5	5	1	3	....	....	....	....	1
9. Diarrhœa	M.	92	21	20	5	4	....	50	1	1	....	2	1	1	1	4	1	2	2	7	6	2	3	3	4	1	....	....
	F.	68	19	11	5	1	1	37	2	2	....	1	2	1	4	2	2	2	....	1	4	2	2	1	1	1	....	....
10. Dysentery	M.	106	20	27	10	8	2	67	10	4	3	3	....	1	1	3	....	1	1	3	1	3	2	1	....	1	1	....
	F.	80	14	9	7	5	2	37	8	....	4	....	3	....	3	1	....	4	2	3	5	4	3	2	1	....	....	....
11. Enteritis	M.	60	19	8	4	2	2	35	4	....	1	2	2	2	3	....	1	2	....	3	2	1	1	1	....	....	....	....
	F.	55	14	10	4	2	1	31	....	....	....	4	3	3	3	3	2	1	....	2	1	2	....	....	....	....	....	....
12. Cholera morbus	M.	10	2	3	1	....	....	6	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....
	F.	17	7	2	2	....	....	11	2	....	....	....	....	1	....	....	....	....	....	....	1	....	1	1	....	....	....	....
13. Cholera infantum	M.	87	37	34	11	2	3	87	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	73	41	24	7	1	....	73	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	91	7	7	5	1	3	23	8	4	9	11	3	2	3	2	3	3	1	4	7	3	3	1	....	....	....	1
	F.	89	5	5	4	3	1	18	5	9	4	5	6	6	5	4	3	6	2	5	....	4	2	3	2	....	....	....
15 Erysipelas	M.	18	2	1	....	1	....	5	1	....	....	....	2	1	....	....	1	1	....	2	1	....	2	....	1	1	....	....
	F.	21	5	1	1	....	....	7	2	....	....	2	1	....	....	....	1	....	....	1	....	2	2	1	1	....	....	1
16. Septicæmia	M.	5	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	47	....	....	....	....	....	....	....	....	7	11	9	9	7	4	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	12	3	....	....	1	....	4	....	....	....	1	....	1	1	1	....	2	....	....	1	1	....	....	....	....	....	....
	F.	20	5	2	....	....	....	7	....	....	2	....	1	4	3	....	....	1	....	2	....	....	....	....	....	....	....	....
19. Others of this group	M.	11	3	1	....	....	....	4	....	1	....	2	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....
	F.	6	1	1	....	....	....	2	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....
General diseases—B.																												
Total		100	37	18	8	5	2	70	4	1	1	7	....	....	2	1	3	....	4	2	2	....	....	....	....	....	....	3
Males		54	18	10	3	3	....	34	2	1	1	5	....	....	1	1	3	....	3	2	1	....	....	....	....	....	....	....
Females		46	19	8	5	2	2	36	2	....	....	2	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	3
1. Worms	M.	18	3	8	2	3	....	16	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	1	6	2	2	2	12	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	....	1	2	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	9	1	1	....	....	....	2	1	....	....	3	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	10	4	....	2	....	....	6	....	....	....	1	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....
6. Inanition	M.	20	14	1	1	....	....	16	....	....	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	21	14	3	1	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3
General diseases—C.																												
Total		582	460	6	....	1	....	467	....	....	....	1	1	2	....	2	1	....	....	4	4	9	21	31	15	14	10	....
Males		316	272	1	....	....	....	273	....	....	....	....	....	1	....	2	....	....	....	2	1	2	3	15	8	6	3	....
Females		266	188	5	....	1	....	194	....	....	....	1	1	1	....	....	1	....	....	2	3	7	18	16	7	8	7	....
1. Premature birth	M.	53	53	....	....	....	....	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	38	38	....	....	....	....	38	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	186	186	....	....	....	....	186	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	122	122	....	....	....	....	122	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	16	15	1	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	25	18	....	....	....	....	18	....	....	....	....	....	1	....	2	....	....	....	1	1	....	1	....	1	....	....	....
	F.	38	24	4	....	1	....	29	....	....	....	1	1	1	....	....	1	....	....	2	1	....	2	....	....	....	....	....
5. Old age	M.	36	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	2	15	7	6	3	....
	F.	63	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	7	16	16	7	8	7	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1788	72	61	31	23	8	195	56	44	163	226	157	146	126	107	93	87	61	77	59	54	63	38	12	6	2	16
Males		694	44	33	21	13	5	116	31	21	50	60	48	42	43	34	33	33	29	37	28	26	31	14	8	2	1	7
Females		1094	28	28	10	10	3	79	25	23	113	166	109	104	83	73	60	54	32	40	31	28	32	24	4	4	1	9
1. Rheumatism	M.	24					1	1	1	1	1	2	1					3		3	3	3	3	1	1			
	F.	26				1		1		1	2			4	3			3	1	2		3	3	3				
2. Scrofula and tabes	M.	97	18	13	9	4	3	47	10	4	11	5	3	5	1	1	3	3		1	1		1					1
	F.	80	11	10	6	3	2	32	8	7	9	6	3	2		4	1	3		1			3	1				
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	393	13	8	6	1	1	29	9	10	33	50	41	32	36	30	26	18	21	19	16	7	7	1	3			5
	F.	783	12	10	1	4	1	28	13	13	97	152	101	92	64	50	46	38	14	18	16	13	10	4	1	2		6
5. Hydrocephalus	M.	23	9	5	3	3		20		1	1			1														
	F.	12	5	4	1	1		11	1																			
6. Cancer	M.	40		1				1		2	1		2	2	2	1	1	3	2	4	4	2	6	5	1			1
	F.	72										3	2	2	4	8	6	6	11	8	7	2	7	4		1		1
7. Tumor	M.	7	1	1				2	1			1						2						1				
	F.	9			1			1				1				2			1	1		1	1	1				
8. Anæmia	M.	1		1				1																				
	F.	3									2						1											
9. Dropsy	M.	98	3	4	2	3		12	10	3	3	2	1	2	4	2	3	4	5	6	4	12	14	6	2	2	1	
	F.	105		4	1	1		6	2	2	3	4	2	4	12	3	7	4	5	10	7	9	7	11	3	1	1	2
10. Glycosuria	M.	11			1	2		3											1	4		2			1			
	F.	2							1												1							
11. Others of this group	M.																											
	F.	2											1										1					
12. Others of this class	M.	1							1																			
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		640	183	74	29	18	16	320	27	15	21	18	17	11	12	13	19	21	11	18	27	27	31	13	8	5		6
Males		304	93	36	18	9	7	163	12	9	9	11	7	5	5	4	8	11	4	9	11	13	13	7	5	2		2
Females		336	90	38	11	9	9	157	15	6	18	7	10	6	7	9	11	10	7	9	16	14	18	6	3	3		4
1. Inflammation of the brain	M.	68	27	11	6	5	2	51	3	4		2	2		2		1		1		1		1					
	F.	73	24	15	4	3	6	52	4	2	6	1	1	2		3	1											1
2. Meningitis	M.	47	20	9	5	2		36	4	1	1	2	1	1									1					
	F.	44	21	7	3	2		33	4	1	3						1	1										1
3. Apoplexy	M.	21			1			1					1	2	1	2	1	1		2	2	2	2	2	1			1
	F.	20								1	2	1	2	2	1	1	2	1		2	2		2					1
4. Paralysis	M.	49	3	2			1	6						1		1	2	5	1	2	6	8	6	5	3	2		
	F.	70	1	3				4	1	1	2		1	1	2	1	2	4	3	4	10	9	13	6	3	3		
5. Tetanus and trismus nascentium	M.	4	3					2		1			1															
	F.	6	2				1	3	3																			
6. Epilepsy	M.	11	4					4		1	1	1							1	1	1	1						
	F.	12	2					2			3	1	1		1		1		1		1	1						
7. Convulsions	M.	51	29	8	2	1	2	42	1			1	1	1				2				1	1					1
	F.	48	28	4	1	4	1	38	1		2	3	2	1			1											
8. Mental diseases	M.	1																		1								
	F.	1																	1									
9. Diseases of the brain	M.	34	5	4	3	1	1	14	1	1	1	4	1		1	1	3	2	1	1		2		1				
	F.	27	8	3	2		1	14				1	1		3		2	2	1		1	2						1
10. Diseases of the spinal cord	M.	10	3	1	1		1	5	3	1										1								
	F.	18	4	6	1			11	1	1			1		1	1	1			1								
11. Others of this group	M.	8	1	1				2				1			1		1			1	1	1						
	F.	17							1				1			3		2	1	2	2	2	3					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		200	9	1	3	1	1	15	4	8	6	11	9	5	8	12	7	8	13	13	23	20	21	7	6		1	3
Males		102	7	1	2	1		11	2	3	2	5	4	3	3	8	5	1	7	5	9	9	14	5	6			
Females		98	2		1		1	4	2	5	4	6	5	2	5	4	2	7	6	8	14	11	7	2			1	3
1. Angina pectoris	M.	2										1									1							
	F.	1																					1					
2. Aneurism	M.	5															1	1				2			1			
	F.	2											1		1													
3. Diseases of the heart	M.	89	1	1	2	1		5	2	3	2	4	4	3	3	8	4		7	5	8	7	14	5	5			
	F.	91	1		1		1	3	2	5	4	5	4	2	4	4	2	7	6	8	14	11	6	2				2
4. Others of this group	M.	6	6					6																			1	1
	F.	4	1					1				1																
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1050	326	102	63	41	22	614	37	18	32	51	25	16	22	21	23	29	18	24	39	37	28	12	10	1	1	2
Males		532	228	40	30	19	11	337	13	10	12	29	11	4	9	8	10	18	6	9	14	19	13	5	7		1	
Females		518	158	53	33	22	11	277	24	8	20	22	14	12	16	13	13	11	12	15	15	18	15	7	3	1		2
1. Croup	M.	235	171	24	20	8	8	231	4																			
	F.	197	119	31	15	15	7	187	8	2																		
2. Laryngitis	M.	3	1			1		2	1																			
	F.	4	2		1			3	1																			
3. Bronchitis	M.	48	19	5	1	3	1	29	1	2		2	1					4	1	1	1	1	1	2	2			
	F.	46	7	5	3	1		16	3	1	1	4	3	1	2			1	2	2	2	3	1	2				
4. Pneumonia	M.	196	32	18	8	5	2	65	7	8	10	25	9	4	4	7	6	10	4	5	7	13	7	3	2			
	F.	209	26	17	12	6	3	64	12	3	12	13	9	7	13	9	10	8	8	9	8	7	10	3	2			2
5. Pleurisy	M.	16		1				1					1				1	2		2	3	1	3		2			
	F.	18								1	1	1			1	3	1			2	3	2	2		1			
6. Asthma	M.	8				1		1							1						2	1	1		1		1	
	F.	7									1			1		1		1		1		1	1	1				
7. Others of this group	M.	26	5	1	1	1		8			2	2			1	1	3	2	1	1	1	3	1					
	F.	37	4		2		1	7		1	5	4	2	3		1	1	2	1	2	2	3	1	1		1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		382	74	53	17	11	8	163	11	4	5	10	10	11	22	13	13	10	16	23	16	18	20	8	4	....	1	4
Males		201	44	23	9	7	5	88	8	3	1	4	6	5	9	5	5	5	8	15	10	9	8	7	3	....	....	2
Females		181	30	30	8	4	3	75	3	1	4	6	4	6	13	8	8	5	8	8	6	9	12	1	1	....	1	2
1. Dentition	M.	23	6	14	2	1	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	31	7	22	....	2	....	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	14	1	3	1	1	2	10	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	9	1	3	1	....	2	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
3. Gastritis	M.	9	2	1	1	....	1	5	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	1	....	....	....	....
	F.	9	2	....	....	....	1	3	....	....	....	3	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....
4. Other diseases of the stomach	M.	13	1	2	....	1	....	4	....	2	....	....	2	....	....	....	....	1	1	1	....	....	....	1	1	....	....	....
	F.	20	2	....	2	1	....	5	....	....	....	1	1	1	....	....	1	2	2	....	1	3	2	....	1	....	....	....
5. Obstruction of the bowels	M.	11	1	....	....	....	....	1	1	....	....	....	1	1	1	1	1	....	....	2	....	1	....	1	....	....	....	....
	F.	9	1	....	....	....	....	1	....	....	....	....	....	....	4	1	....	....	....	1	2	....	....	....	....	....	....	....
6. Hernia	M.	5	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	1	....	....	....	1	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	19	5	2	1	....	1	9	....	....	....	....	....	....	1	2	....	....	1	....	1	4	1	....	....	....	....	....
	F.	9	3	....	1	....	....	4	....	1	1	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
8. Jaundice	M.	10	6	....	....	....	....	6	....	....	....	....	....	....	1	....	....	....	1	1	....	....	1	....	....	....	....	....
	F.	6	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	2	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	11	....	....	....	1	....	1	....	1	....	1	1	....	....	....	1	1	....	....	....	....	1	2	2	....	....	....
	F.	13	....	....	....	....	....	....	....	....	1	1	1	....	1	2	....	....	1	1	1	2	2	....	....	....	....	....
10. Other diseases of the liver	M.	37	9	1	....	....	....	10	3	....	....	2	1	2	3	2	2	1	1	5	2	....	1	1	....	....	....	1
	F.	25	4	3	3	....	....	10	....	....	....	....	....	3	2	....	2	....	1	2	2	1	2	....	....	....	....	....
11. Peritonitis	M.	6	1	....	1	1	....	3	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
	F.	13	....	....	....	....	....	....	....	....	1	1	....	....	3	1	2	....	1	1	....	1	....	1	....	....	1	....
12. Ascites	M.	9	....	....	1	1	....	2	....	....	....	....	....	....	1	....	....	....	....	3	2	1	....	....	....	....	....	....	1
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	34	12	....	....	1	1	14	1	....	....	1	....	1	1	....	1	....	4	2	2	2	2	1	....	....	....	....
	F.	30	8	2	1	1	....	12	2	....	1	....	1	1	....	....	2	3	2	2	....	1	1	....	....	....	....	2
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		74	3	1	....	1	....	5	2	....	1	4	....	5	2	2	4	2	3	9	9	9	6	9	....	....	2	....
Males		61	3	1	....	....	....	4	2	....	1	1	....	4	2	1	3	1	3	8	8	9	4	9	....	....	1	....
Females		13	....	....	....	1	....	1	....	....	....	3	....	1	....	1	1	1	....	1	1	....	2	....	....	....	1	....
1. Bright's disease	M.	10	....	....	....	....	....	....	....	....	....	....	....	2	....	....	2	1	1	2	....	2	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	2	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....
2. Calculus, urinary	M.	18	1	....	....	....	....	1	1	....	....	1	....	1	1	....	....	....	....	2	1	2	2	5	....	....	1	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	15	1	1	....	....	....	2	1	....	1	....	....	1	1	....	1	....	....	3	2	2	....	1	....	....	....	....
	F.	3	....	....	....	1	....	1	....	....	....	1	....	....	....	1	....	1	....	1	1	....	1	....	....	....	1	....
4. Diseases of the bladder	M.	11	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	1	1	1	3	1	2	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	4	....	1	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		62	....	....	....	....	....	....	....	2	4	7	11	6	8	4	9	5	1	2	1	2	....	....	....	....	....	....
1. Ovarian tumors	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	1	1	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	10	....	....	....	....	....	....	....	....	....	....	1	1	3	1	1	2	....	1	....	....	....	....	....	....	....	....
5. Others of this group	F.	45	....	....	....	....	....	....	....	2	4	7	9	4	5	2	6	2	....	1	1	2	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		75	....	....	....	....	....	....	....	....	12	20	14	13	12	3	1	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	12	....	....	....	....	....	....	....	....	3	4	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	54	....	....	....	....	....	....	....	....	6	13	10	9	12	3	1	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	9	....	....	....	....	....	....	....	....	3	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		19	3	....	1	....	....	4	....	....	....	3	1	2	1	1	....	....	1	2	2	....	1	1	....	....	....	....
Males		11	2	....	....	....	....	2	....	....	....	1	1	2	....	....	....	....	1	1	1	....	1	1	....	....	....	....
Females		8	1	....	1	....	....	2	....	....	....	2	....	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....
1. Diseases of the spine	M.	3	2	....	....	....	....	2	....	....	....	1	1	2	....	....	....	....	1	....	1	....	1	....	....	....	....	....
	F.	4	1	....	1	....	....	2	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		12	2					2		1		2		1					2	2	1						1	
Males		7	1					1		1				1					2		1						1	
Females		5	1					1				2								2								
1. Abscess	M.	6								1				1					2		1						1	
	F.	4										2								2								
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.	1	1					1																				
	F.	1	1					1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2												1					1									
Males		1																	1									
Females		1												1														
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.	1																	1									
	F.	1												1														
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total		297	45	16	11	15	9	96	26	15	29	24	16	16	17	11	7	7	4	7	1	5	5	2	4	2		3
Males		196	27	7	6	7	6	53	13	9	22	20	12	13	12	9	5	6	4	7	1	4	1		2	2		1
Females		101	18	9	5	8	3	43	13	6	7	4	4	3	5	2	2	1				1	4	2	2			2
1. Burns and scalds	M.	22	5	1	5	5	1	17	3			1				1												
	F.	32	2	2	3	6		13	6	3	2	1	2		2							1	1					1
2. Drowned	M.	13	1	2				3	2	1	2	1		1		1		1					1					
	F.	8	1	3		1		5	1		1						1											
3. Exposure and neglect	M.	11	5	2			1	8				1										1				1		
	F.	12	5	1		1		7			1			1		1							1		1			
4. Gunshot wounds	M.	27							2	1	4	6	5	4	3				1						1			
	F.	4									2	1		1														
5. Homicide	M.	12									3	4	1		1	1		1	1									
	F.	1										1																
6. Infanticide	M.																											
	F.	2	2					2																				
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	12					1	1	1	1	3	1	2		1	2												
	F.	1					1	1																				
9. Suffocation	M.	15	10	1		1		12	1	1			1															
	F.	12	6	3				9	1									1					1					
10. Suicide by shooting	M.	1										1																
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	1													1													
	F.	1									1																	
13. Other suicides	M.	1											1															
	F.	4											1		2								1					
14. Sunstroke	M.	1																1										
	F.																											
15. Surgical operations	M.	1														1												
	F.																											
16. Wounds	M.																											
	F.																											
17. Other accidents and injuries	M.	79	6	1	1	1	3	12	4	5	10	1	2	8	6	3	5	3	2	7	1	3			1	1		1
	F.	24	2		2		2	6	5	3		1	1	1	1	1	1							2	1			1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		4955	1247	424	232	105	89	2097	262	182	250	335	255	229	208	156	122	141	124	133	121	129	81	67	15	10	11	27
Total: Males		2422	684	225	139	48	48	1144	127	77	127	142	103	86	74	53	50	72	65	70	67	69	45	30	8	1	2	10
Females		2533	563	199	93	57	41	953	135	105	123	193	152	143	134	103	72	69	59	63	54	60	36	37	7	9	9	17
Unknown causes.																												
Total		403	248	27	15	4	7	301	16	11	7	10	6	4	6	5	4	3	4	7	6	4	2	4	1	....	....	2
Males		212	141	19	8	3	5	176	7	3	3	2	2	....	1	3	1	1	2	4	2	2	1	....	....	....	....	2
Females		191	107	8	7	1	2	125	9	8	4	8	4	4	5	2	3	2	2	3	4	2	1	4	1	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1107	213	174	89	38	34	548	76	56	53	73	56	42	35	18	20	16	23	25	19	16	11	7	2	1	3	7
Males		537	115	95	54	16	18	298	34	22	25	34	26	13	13	5	10	9	10	11	10	9	6	....	1	....	....	1
Females		570	98	79	35	22	16	250	42	34	28	39	30	29	22	13	10	7	13	14	9	7	5	7	1	1	3	6
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	10	1	2	1	....	....	4	....	....	1	1	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	3	....	....	1	1	5	....	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	6	2	2	....	1	1	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	....	2	1	1	2	6	5	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	35	7	4	8	2	2	23	8	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	40	6	3	2	5	4	20	12	4	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
5. Hooping-cough	M.	27	14	5	3	1	1	24	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	24	14	6	3	....	....	23	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	12	6	2	1	....	....	9	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	13	2	....	3	....	....	5	1	2	1	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	7	1	2	....	....	1	4	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	83	3	4	2	2	3	14	6	10	10	18	9	2	2	1	4	1	2	1	....	1	....	....	1	....	....	1
	F.	91	3	3	3	2	1	12	4	12	12	12	4	10	4	1	3	2	5	2	....	3	1	1	....	....	....	3
9. Diarrhœa	M.	33	9	9	2	2	....	22	....	....	....	1	....	....	2	....	....	2	....	1	1	3	1	....	....	....	....	....
	F.	29	11	7	2	2	....	22	....	....	....	....	....	....	1	....	1	....	....	1	1	....	1	....	....	....	2	....
10. Dysentery	M.	39	8	5	11	....	2	26	3	....	1	1	2	3	....	....	1	....	....	1	....	1	....	....	....	....	....	....
	F.	47	5	16	6	2	....	29	....	....	....	1	1	....	....	3	....	2	1	6	2	1	....	....	....	....	....	1
11. Enteritis	M.	47	14	13	7	....	1	35	1	....	1	1	1	1	1	....	1	1	2	1	1	....	....	....	....	....	....	....
	F.	46	12	5	4	1	....	22	2	3	1	3	1	....	2	1	1	....	3	2	4	....	1	....	....	....	....	....
12. Cholera morbus	M.	6	....	1	....	....	....	1	1	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	1	....	....	1	1	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....
13. Cholera infantum	M.	75	31	32	8	4	....	75	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	48	24	21	3	....	....	48	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	130	15	12	9	4	6	46	10	9	9	7	12	1	7	3	2	2	3	7	6	2	4	....	....	....	....	....
	F.	129	9	13	8	4	8	42	16	10	8	8	9	7	2	4	5	3	3	2	1	2	2	4	1	....	....	....
15. Erysipelas	M.	18	3	2	2	....	1	8	2	1	1	1	1	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....
	F.	19	4	2	....	2	....	8	....	1	....	2	1	....	....	1	....	....	1	....	....	1	....	2	....	1	1	....
16. Septicæmia	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	46	....	....	....	....	....	....	....	....	4	9	10	9	11	2	....	....	....	....	....	....	....	....	....	....	....	1
18. Venereal diseases	M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	1	1	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	5	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....
	F.	4	....	....	....	1	....	1	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		46	11	7	3	3	1	30	4	1	....	1	1	4	2	2	....	....	....	1	....	....	....	....	....	....	....	....
Males		30	4	4	6	2	1	17	3	1	....	1	1	2	2	2	....	....	....	1	....	....	....	....	....	....	....	....
Females		16	7	3	2	1	....	13	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	14	1	3	6	1	1	12	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	3	2	1	....	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	5	....	....	....	....	....	....	....	....	....	....	1	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	7	....	....	....	1	....	1	1	1	....	1	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	4	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		327	252	4	2	....	2	260	1	1	1	1	....	....	....	....	....	....	....	2	4	7	11	22	4	6	7	....
Males		156	127	1	1	....	1	130	1	1	....	....	....	....	....	....	....	....	....	2	3	3	5	8	1	....	2	....
Females		171	125	3	1	....	1	130	....	....	1	1	....	....	....	....	....	....	....	....	1	4	6	14	3	6	5	....
1. Premature birth	M.	28	28	....	....	....	....	28	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	27	27	....	....	....	....	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	77	77	....	....	....	....	77	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	78	78	....	....	....	....	78	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	8	6	....	....	....	....	6	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	4	1	....	....	1	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	32	16	1	1	....	1	19	....	....	....	....	....	....	....	....	....	....	....	2	2	3	4	2	....	....	....	....
	F.	29	16	2	1	....	....	19	....	....	1	1	....	....	....	....	....	....	....	....	1	2	2	2	....	1	....	....
5. Old age	M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	6	1	....	2	....
	F.	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	4	12	3	5	5	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		387	28	32	16	6	6	88	36	41	68	127	92	75	69	53	39	45	30	22	23	32	9	7	2	1	8
Males		328	13	21	10	3	1	48	21	17	29	42	24	15	21	17	12	22	12	11	11	14	4	5	1		2
Females		539	15	11	6	3	5	40	15	24	39	85	68	60	48	36	27	23	18	11	12	18	5	2	1	1	6
1. Rheumatism	M.	13	1	1				2	1	1	1	1		1				2	2		1	1					
	F.	13								1	1		2					2	1		1	4	1				
2. Scrofula and tabes	M.	40	3	6	3	2	1	15	9	5	3	2		2			2	1						1			
	F.	36	7	6	2	2	3	20	1	3	3	2	1	3	1	1			1								
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	204	5	7	4			16	6	8	23	34	23	10	17	13	7	12	7	8	6	7	3	2			2
	F.	390	6	2	2		2	12	6	18	33	81	57	46	38	25	22	10	13	6	5	9	3		1	1	4
5. Hydrocephalus	M.	8	4	2	1			7	1																		
	F.	4		1		1		2	1	1																	
6. Cancer	M.	9							1						2	1	1	1		1	1			1			
	F.	27									1		1	1	2	2	2	5		4	5	2		1			1
7. Tumor	M.	1																		1							
	F.	4												2					1								1
8. Anæmia	M.	1		1				1																			
	F.	1												1													
9. Dropsy	M.	47		3	2	1		6	3	3	2	5	1	2	2	2	2	6	1	1	3	5	1	1	1		
	F.	62	2	2	2			6	7	1	1	2	7	7	7	8	3	4	2	1	1	3	1	1			
10. Glycosuria	M.	4														1			2			1					
	F.																										
11. Others of this group	M.	1		1				1																			
	F.	2																2									
12. Others of this class	M.	1													1												
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		445	130	52	33	23	9	247	35	15	12	13	13	5	6	10	8	8	12	12	18	12	11	5		1	1
Males		212	70	23	16	9	4	122	15	5	5	7	4	2	2	2	5	4	8	5	2	7	6	3		1	
Females		233	60	29	17	14	5	125	20	10	7	6	9	3	4	8	3	4	4	7	9	5	5	2			2
1. Inflammation of the brain	M.	50	21	6	4	3	2	36	5	3	1		1		1			1	2								
	F.	48	12	13	6	1	1	33	8	2	2		1			1		1									
2. Meningitis	M.	36	14	5	4	4	1	28			2	1		1		1	1		2								
	F.	36	10	8	2	3		23	3	2	1	3	2		1					1							
3. Apoplexy	M.	17															2		2	2	3	4	1				
	F.	11	1					1					1	1		1	1	2	1		1	1	1				
4. Paralysis	M.	17			1			1	1								2	2	1	2	5	1	2				
	F.	32	1		1	1		3		2	1	1	1	1		2			3	4	7	4	2	1			
5. Tetanus and trismus nascentium	M.	6	3					3	2			1															
	F.	3	2			1		3																			
6. Epilepsy	M.	6	1					1				2	1					1						1			
	F.	9				1		1	2	1			2	1				1		1							
7. Convulsions	M.	27	16	4	3	1	1	25	1																1		
	F.	45	25	4	4		2	35	2			2	2		1		1			1							1
8. Mental diseases	M.																										
	F.	1																						1			
9. Diseases of the brain	M.	38	14	7	3			24	5	1		1		1	1	1				1	1	1		1			
	F.	38	8	4	4	5	2	23	3	3	2				1	4					1		1				
10. Diseases of the spinal cord	M.	10	1	1	1	1		4	1	1	1	1	2														
	F.	7	1			2		3	2		1				1												
11. Others of this group	M.	5									1	1						1			2						
	F.	3															1					1					1
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		112	9	2	1	1		13		3	1	9	1	8	6	10	5	12	3	10	9	13	7	2			
Males		51	7		1	1		9		1	1	2	1	3	1	3	2	3	2	5	5	7	4	2			
Females		61	2	2				4		2		7		5	5	7	3	9	1	5	4	6	3				
1. Angina pectoris	M.	1												1													
	F.																										
2. Aneurism	M.	1	1					1																			
	F.																										
3. Diseases of the heart	M.	44	2		1	1		4		1	1	2	1	2	1	3	1	3	2	5	5	7	4	2			
	F.	60	1	2				3		2		7		5	5	7	3	9	1	5	4	6	3				
4. Others of this group	M.	5	4					4									1										
	F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		1070	249	80	45	21	20	415	55	30	74	64	53	56	43	38	33	35	36	38	34	27	17	13	5	1	3
Males		603	147	39	29	11	15	241	28	14	41	30	27	38	19	17	16	20	23	19	21	17	10	7	3		1
Females		467	102	41	16	10	5	174	27	16	33	25	26	18	24	21	17	15	13	19	13	10	7	6		1	2
1. Croup	M.	127	85	15	12	6	4	122	5																		
	F.	80	53	11	4	4	3	75	5																		
2. Laryngitis	M.	4			2			2	1												1						
	F.																										
3. Bronchitis	M.	32	11	3	1		3	18			1	2				1	1		1	2	1	4		1			
	F.	37	9	12	5	1		27	1	1		1						1			1	3	2				
4. Pneumonia	M.	407	49	19	12	5	8	93	21	14	39	33	24	34	17	15	14	18	20	16	16	13	9	6	4		1
	F.	325	37	17	7	4	2	67	19	15	32	23	23	18	23	20	15	13	12	18	10	6	5	3		1	2
5. Pleurisy	M.	4												1					1		2						
	F.	4							1								1	1					1				
6. Asthma	M.	3		1				1															1		1		
	F.	5											1								2	1		1			
7. Others of this group	M.	26	2	1	2			5	1		1	4	3	3	2	1	1	2	1	1	1						
	F.	16	3	1		1		5	1		1	1	2		1	1	1		1	1				1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		217	55	31	13	3	3	105	16	5	8	5	10	10	7	3	7	8	8	9	2	7	4	1	....	....	2
Males		112	35	14	8	....	1	58	6	2	6	3	4	4	2	2	1	6	2	7	1	3	2	1	....	....	2
Females		105	20	17	5	3	2	47	10	3	2	2	6	6	5	1	6	2	6	2	1	4	2	....	....	....	....
1. Dentition	M.	15	4	7	4	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	2	12	2	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	5	2	....	....	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	12	1	....	....	2	....	3	5	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	7	2	....	....	....	1	3	....	1	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	1	....	....	....	....	....
4. Other diseases of the stomach	M.	17	3	2	2	....	....	7	....	....	1	1	1	1	....	1	....	....	....	2	1	1	....	....	....	....	1
	F.	7	2	1	2	1	1	7	3	1	1	2	1	....	....	....	4	1	2	1	1	1	2	....	....	....	....
5. Obstruction of the bowels	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Hernia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	15	5	3	1	....	....	9	2	....	1	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
	F.	10	3	2	....	....	1	6	1	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....
8. Jaundice	M.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	7	1	....	1	....	....	2	1	....	....	1	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	....	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	14	2	....	....	....	....	2	....	....	2	....	2	1	1	....	1	....	2	1	....	....	1	1	....	....	....
	F.	6	2	....	1	....	....	3	....	....	....	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....
11. Peritonitis	M.	4	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	1	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	21	13	1	....	....	....	14	1	....	....	....	....	1	1	....	....	2	....	1	....	....	1	....	....	....	....
	F.	14	8	2	....	....	....	10	....	1	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		35	....	....	....	....	....	....	2	....	1	1	2	2	2	....	1	2	3	3	1	7	4	4	....	....	....
Males		26	....	....	....	....	....	....	1	....	1	1	....	....	2	....	1	1	3	3	1	5	4	3	....	....	....
Females		9	....	....	....	....	....	....	1	....	....	....	2	2	....	....	....	1	....	....	....	2	....	1	....	....	....
1. Bright's disease	M.	5	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....
2. Calculus, urinary	M.	8	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	2	....	2	2	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	1	1	1	1	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....
4. Diseases of the bladder	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	1	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		19	....	....	1	....	....	1	....	2	1	....	....	....	2	4	1	4	1	1	1	....	....	....	....	....	....	1
1. Ovarian tumors	F.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	5	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	1	....	1	1	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	11	....	....	....	....	....	....	....	1	1	....	....	....	1	1	....	2	1	....	....	....	....	....	....	....	....	1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		63	....	....	....	....	....	....	....	....	6	16	5	11	14	10	1	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	14	....	....	....	....	....	....	....	....	....	3	1	3	4	3	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	41	....	....	....	....	....	....	....	....	5	9	3	7	10	6	1	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	8	....	....	....	....	....	....	....	....	1	4	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		7	2	1	1	....	....	4	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
Males		3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		4	....	1	....	....	....	1	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		13	2				1	2			2	2			3	1		1					2					
Males		11	1					1			2	2			3	1		1					1					
Females		2	1					1															1					
1. Abscess	M.	10	1					1			2	2			3	1							1					
	F.	1																					1					
2. Carbuncle	M.																											
	F.	1	1					1																				
3. Others of this group	M.	1																1										
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		4				1		1							1		1						1					
Males		2				1		1							1													
Females		2															1						1					
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.	1				1		1																				
	F.																											
3. Others of this group	M.	1													1													
	F.	2															1						1					
XII.—ACCIDENTS AND INJURIES.																												
Total		219	48	14	8	5	7	82	20	17	16	12	16	12	11	2	2	6	4	3	4	4	3	1	1		1	2
Males		138	22	9	5	2	2	40	11	11	14	9	14	9	6	1	2	5	3	2	4	2	2	1				2
Females		81	26	5	3	3	5	42	9	6	2	3	2	3	5	1		1	1	1		2	1		1		1	
1. Burns and scalds	M.	12	3	3	2	1		9	1		1										1							
	F.	23		2	2	3	4	11	7	3										1							1	
2. Drowned	M.	13			1			1	4	2	2	1		1				1					1					
	F.	1		1				1																				
3. Exposure and neglect	M.	7	3	1				4								1		1					1					
	F.	10	5	1				6			1					1					1	1							
4. Gunshot wounds	M.	16			1		1	2	1	1	3	2	4					1	1		1							
	F.	2					1	1		1				1														
5. Homicide	M.	9							1		1		2	2				2		1								
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	4								1	1		1	1														
	F.	1								1																		
9. Suffocation	M.	12	9					9						1				1										1
	F.	19	18					18							1													
10. Suicide by shooting	M.																											
	F.	1											1															
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.																											
	F.	1												1														
13. Other suicides	M.	4											1	1	1				1									
	F.	1										1																
14. Sunstroke	M.	2										1		1														
	F.	2										1						1										
15. Surgical operations	M.	2								1				1														
	F.																											
16. Wounds	M.	3		1		1		2				1																
	F.	1										1																
17. Other accidents and injuries	M.	54	7	4	1		1	13	4	6	6	4	6	1	5		2			1	2	2	1					1
	F.	18	3	1	1			5	2	1		1	1	1	4			1				1			1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3776	760	216	164	69	69	1278	181	154	240	318	261	219	237	185	149	134	76	97	64	66	38	29	13	8	6	23
Total: Males		2090	414	124	83	43	31	695	87	78	105	159	155	127	138	116	91	87	51	61	39	34	28	18	6	3	3	9
Females		1686	346	92	81	26	38	583	94	76	135	159	106	92	99	69	58	47	25	36	25	32	10	11	7	5	3	14
Unknown causes.																												
Total		304	147	32	14	3	7	203	13	2	9	17	11	6	5	6	8	3	1	4	4	6	1	4	....	1	....	....
Males		152	80	14	5	2	....	101	5	....	4	3	8	4	2	3	7	3	1	2	3	3	1	2	....	....	....	....
Females		152	67	18	9	1	7	102	8	2	5	14	3	2	3	3	1	....	....	2	1	3	....	2	..	1	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1363	144	65	73	28	25	335	79	79	113	144	100	95	109	87	61	50	25	29	16	15	7	4	3	....	....	12
Males		812	78	37	40	16	13	184	38	48	46	89	67	60	73	55	43	38	17	23	10	9	6	3	1	....	....	2
Females		551	66	28	33	12	12	151	41	31	67	55	33	35	36	32	18	12	8	6	6	6	1	1	2	....	....	10
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	4	....	....	2	....	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	10	1	1	4	....	1	7	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	....	2	1	1	2	6	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	10	5	2	2	....	....	9	2	....	....	....	1	2	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	5	1	....	2	1	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	11	6	3	1	....	1	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	6	1	3	2	....	12	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Fever	M.	5	4	....	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	1	2	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	2	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	38	....	....	2	....	....	2	3	6	4	12	3	3	2	....	1	....	....	1	....	1	....	....	....	....	....	....
	F.	44	....	....	2	....	2	4	3	3	11	7	3	3	3	1	3	1	1	....	....	1	1	....	....	....	....	....
9. Diarrhœa	M.	38	7	3	3	....	....	13	1	....	1	3	2	3	1	1	2	2	....	3	....	3	1	1	....	....	....	1
	F.	25	6	3	1	2	....	12	....	1	1	1	....	1	2	2	....	2	....	....	1	....	....	....	....	....	....	2
10. Dysentery	M.	33	5	5	3	1	....	14	1	2	....	....	....	4	4	2	1	1	....	1	1	1	....	....	1	....	....	....
	F.	29	5	....	5	....	....	10	....	1	....	1	....	2	4	2	3	1	1	1	....	2	....	....	....	....	....	1
11. Enteritis	M.	46	12	6	4	4	2	28	3	....	1	2	3	....	1	2	3	1	....	2	....	....	....	....	....	....	....	....
	F.	30	11	2	3	2	....	18	2	....	1	....	1	2	3	....	....	1	....	....	1	1	....	....	....	....	....	....
12. Cholera morbus	M.	5	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....
	F.	3	....	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	35	19	9	5	1	1	35	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	24	12	8	3	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	105	8	4	4	6	4	26	7	6	11	12	11	2	5	5	2	6	2	4	3	2	....	1	....	....	....	....
	F.	88	6	8	10	3	2	29	14	5	8	9	3	4	2	5	2	2	....	1	2	....	....	....	1	....	....	1
15. Erysipelas	M.	19	3	....	2	....	....	5	1	1	....	....	....	1	1	....	3	2	....	2	1	....	1	....	....	....	....	1
	F.	9	3	....	....	....	....	3	2	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	1	....	....	1	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	23	....	....	....	....	....	....	....	....	2	6	4	4	4	3	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	5	1	....	....	....	....	1	....	....	....	2	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	438	6	4	7	4	3	24	15	31	29	57	46	44	58	45	31	25	14	10	3	3	3	....	....	....	....	....
	F.	225	9	1	3	1	5	19	11	18	44	28	22	17	15	17	10	5	6	3	1	2	....	1	1	....	....	5
General diseases—B.																												
Total		45	13	5	2	3	3	26	3	1	....	3	2	....	1	3	2	1	....	1	....	....	....	....	1	....	....	1
Males		28	7	3	1	3	2	16	3	....	....	1	1	....	1	2	1	1	....	1	....	....	....	....	1	....	....	....
Females		17	6	2	1	....	1	10	....	1	....	2	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1
1. Worms	M.	7	....	2	1	1	2	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	2	1	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	2	1	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	8	....	....	....	2	....	2	2	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1
6. Inanition	M.	8	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	4	....	....	....	....	4	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		256	100	5	5	....	....	206	3	....	2	....	2	2	4	....	....	2	1	2	2	6	7	5	4	3	5	....
Males		134	112	2	3	....	....	117	1	....	....	....	1	1	3	....	....	1	....	1	....	2	3	....	2	....	2	....
Females		122	84	3	2	....	....	89	2	....	2	....	1	1	1	....	....	1	1	1	2	4	4	5	2	3	3	....
1. Premature birth	M.	24	24	....	....	....	....	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	70	70	....	....	....	....	70	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	45	45	....	....	....	....	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	32	15	2	3	....	....	20	1	....	....	....	1	1	3	....	....	1	....	1	....	2	2	....	....	....	....	....
	F.	41	20	3	2	....	....	25	2	....	2	....	1	1	1	....	....	1	1	1	1	....	....	2	1	2	....	....
5. Old age	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	2	....
	F.	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	4	4	3	1	1	3	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		547	11	20	15	9	6	61	17	24	51	72	56	50	58	33	28	26	19	14	12	13	3	4	....	2	....	4
Males		244	5	11	5	6	3	30	5	8	17	28	24	19	28	19	11	14	12	9	8	5	2	2	....	1	....	2
Females		303	6	9	10	3	3	31	12	16	34	44	32	31	30	14	17	12	7	5	4	8	1	2	....	1	....	2
1. Rheumatism	M.	8	....	....	....	....	....	....	....	....	3	....	....	....	....	2	....	1	1	....	....	....	....	1	....	....	....	....
	F.	10	....	....	....	....	....	....	....	1	....	....	....	2	1	....	....	....	1	....	1	2	1	1	....	....	....	....
2. Scrofula and tabes	M.	18	3	5	2	3	....	13	....	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	27	3	4	5	1	....	13	4	5	2	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	165	1	5	1	2	2	11	3	3	10	26	22	17	25	13	6	9	5	7	3	2	....	....	....	1	....	2
	F.	206	1	3	2	....	2	8	4	8	29	38	29	25	26	9	14	7	2	1	2	2	....	....	....	....	....	2
5. Hydrocephalus	M.	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	1	....	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	1	....	....	....	....	....	....
	F.	12	....	....	....	1	1	2	....	....	....	....	....	1	1	3	....	2	1	....	....	2	....	....	....	....	....	....
7. Tumor	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	39	....	1	2	1	1	5	2	1	3	2	....	2	3	4	2	2	5	1	3	2	2	1	....	....	....	....
	F.	40	1	....	2	1	....	4	3	2	2	5	3	3	1	1	3	3	2	4	1	1	....	1	....	1	....	....
10. Glycosuria	M.	5	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		318	93	22	20	12	13	160	25	14	10	24	10	7	8	7	12	7	3	11	3	8	5	1	1	....	....	2
Males		178	50	13	8	9	6	86	17	7	3	14	8	3	3	4	8	3	3	5	1	5	5	1	....	....	....	2
Females		140	43	9	12	3	7	74	8	7	7	10	2	4	5	3	4	4	....	6	2	3	....	....	1	....	....	....
1. Inflammation of the brain	M.	31	8	4	2	3	1	18	2	2	....	1	4	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	23	5	2	1	1	2	11	3	....	3	3	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Meningitis	M.	23	5	3	1	1	1	11	4	1	1	3	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....
	F.	19	3	1	3	1	1	9	2	1	....	1	....	1	....	1	....	3	....	....	1	....	....	....	....	....	....	....
3. Apoplexy	M.	11	2	....	....	....	....	2	....	....	....	....	4	....	....	....	1	....	....	2	....	....	1	2	1	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	1	....	....	1	....	2	....	....	1	....	....	....	....	....	....	....	....
4. Paralysis	M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	1	....	2	1	1	2	....	....	....	....	....
	F.	11	....	1	2	....	....	3	....	....	....	....	....	1	1	....	....	1	....	3	....	1	....	....	1	....	....	....
5. Tetanus and trismus nascentium.	M.	11	6	....	....	....	....	6	1	1	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	31	22	....	2	3	2	29	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	32	26	3	....	....	....	29	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
9. Diseases of the brain	M.	19	6	5	3	2	1	17	8	3	....	9	....	2	1	2	2	2	1	1	....	....	....	....	....	....	....	1
	F.	37	5	1	6	1	4	17	2	6	3	2	1	2	....	1	1	....	....	1	1	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	6	1	1	....	....	1	3	....	....	1	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
	F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		72	3	....	....	....	....	3	2	2	4	8	1	7	2	2	6	7	3	6	6	2	6	4	1	....	....	....
Males		32	....	....	....	....	....	....	....	1	2	1	1	7	1	....	2	1	2	1	4	....	4	4	1	....	....	....
Females		40	3	....	....	....	....	3	2	1	2	7	....	....	1	2	4	6	1	5	2	2	2	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	31	....	....	....	....	....	....	....	1	2	1	1	7	1	....	2	1	2	....	4	....	4	4	1	....	....	....
	F.	38	1	....	....	....	....	1	2	1	2	7	....	....	1	2	4	6	1	5	2	2	2	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		456	87	27	17	10	6	147	18	16	30	19	39	23	27	20	18	27	14	19	11	10	6	6	2	2	....	3
Males		280	47	15	11	5	3	81	10	5	23	13	27	17	12	13	12	16	11	12	7	7	5	5	1	2	....	1
Females		176	40	12	6	5	3	66	8	11	7	6	12	6	15	7	6	11	3	7	4	3	1	1	1	....	....	1
1. Croup	M.	31	25	3	....	1	1	30	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	19	4	3	2	....	28	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	22	7	2	1	....	....	10	1	....	1	1	1	....	....	1	1	1	....	1	....	1	....	1	1	1	....	....
	F.	19	5	....	....	....	....	5	1	....	....	2	....	1	1	1	....	3	....	1	1	1	1	....	1	....	....	....
4. Pneumonia	M.	202	12	7	10	3	2	34	8	5	21	10	25	16	9	9	9	14	11	11	6	5	4	3	....	1	....	1
	F.	117	14	6	3	3	2	28	5	9	7	4	11	5	14	6	5	8	3	6	2	2	....	1	....	....	....	1
5. Pleurisy	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	5	1	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
7. Others of this group	M.	10	2	2	....	1	....	5	1	....	....	1	....	1	2	3	1	1	....	....	1	....	....	....	....	....	....	....	....
	F.	6	1	1	....	....	1	3	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		163	36	34	10	...	4	84	11	3	5	6	6	6	2	7	4	5	8	3	6	3	1	....	1	....	....	2
Males		96	21	24	6	...	3	54	5	1	2	1	4	4	1	5	3	4	3	2	3	1	1	....	....	....	....	2
Females		67	15	10	4	...	1	30	6	2	3	5	2	2	1	2	1	1	5	1	3	2	....	....	1	....	....	....
1. Dentition	M.	27	7	18	2	....	....	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	7	8	1	....	....	16	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	7	2	1	1	....	....	4	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	2	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
4. Other diseases of the stomach	M.	21	4	2	1	....	1	8	2	1	....	....	1	1	....	3	....	1	1	1	....	1	....	....	....	....	....	1
	F.	11	....	2	....	....	1	3	1	1	1	2	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
6. Hernia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	5	1	....	....	....	....	1	1	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	4	1	....	....	....	....	1	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver	M.	5	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	10	2	1	....	....	1	4	....	....	1	....	....	....	....	....	2	1	1	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
11. Peritonitis	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Ascites	M.	4	....	....	2	....	1	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....
13. Others of this group	M.	7	1	1	....	....	....	5	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	15	6	....	2	....	....	8	1	1	1	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		26	3	....	....	....	....	3	1	2	....	2	1	....	2	3	3	1	2	2	3	1	....	....	....	....	....	....
Males		18	2	....	....	....	....	2	1	1	....	1	....	....	2	3	1	1	2	1	2	1	....	....	....	....	....	....
Females		8	1	....	....	....	....	1	....	1	....	1	1	....	....	....	2	....	....	1	1	....	....	....	....	....	....	....
1. Bright's disease	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
2. Calculus, urinary	M.	3	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	7	2	....	....	....	....	2	....	....	....	....	....	....	....	1	....	1	1	1	....	1	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		12	....	....	....	....	....	....	....	....	2	....	3	1	1	2	2	....	....	1	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	4	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	7	....	....	....	....	....	....	....	....	1	....	1	....	1	1	2	....	....	1	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		42	....	....	....	....	....	....	....	....	4	12	11	8	4	3	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	5	....	....	....	....	....	....	....	....	....	1	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	34	....	....	....	....	....	....	....	....	4	10	9	5	3	3	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	3	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		5	....	....	....	....	....	....	....	3	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		3	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		2	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		11	6	1			2	9					1							1							
Males		6	4	1				5												1							
Females		5	2				2	4					1														
1. Abscess	M.																										
	F.	3	2					2					1														
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.	6	4	1				5												1							
	F.	2					2	2																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		4								1		1	1	1													
Males		3								1		1		1													
Females		1											1														
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	3								1		1		1													
	F.	1											1														
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		152	21	5	8	4	3	41	9	7	10	10	17	13	12	12	5	5		4	1	2	2	1			1
Males		104	8	4	4	2	1	19	2	4	8	7	14	11	11	12	3	5		3	1	1	1	1			1
Females		48	13	1	4	2	2	22	7	3	2	3	3	2	1		2			1		1	1				
1. Burns and scalds	M.	9	1	3	3		1	8					1														
	F.	18	2	1	3	2	1	9	5			1	1	1								1					
2. Drowned	M.	20		1				1	1	2	3	2	1	4	2	3	1										
	F.	3							1	1	1																
3. Exposure and neglect	M.	4	2		1	1		4																			
	F.	3	1				1	2						1													
4. Gunshot wounds	M.	12							1		2	1	3	2	2						1						
	F.	3			1			1					2														
5. Homicide	M.	3										1	1		1												
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	1											1														
	F.																										
8. Railroad accidents	M.	2											1					1									
	F.																										
9. Suffocation	M.	4	4					4																			
	F.	6	6					6																			
10. Suicide by shooting	M.	1														1											
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.	2											2														
13. Other suicides	M.	5											1		1		1	1					1				
	F.																										
14. Sunstroke	M.	13									1		5	2	1	2	1			1							
	F.	3							1	2																	
15. Surgical operations	M.	1																1									
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	29	1			1		2		2	2	2	1	2	5	5		3		2		1		1			1
	F.	10	4					4			1				1		2			1			1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 4.

[Exclusive of NASHVILLE.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		8772	2079	682	411	252	166	3590	510	382	496	577	443	363	319	236	228	239	185	243	209	222	206	127	67	31	29	70
Total: Males		4223	1133	345	206	134	84	1902	256	162	214	235	177	145	103	84	92	113	100	135	119	119	109	67	37	13	9	32
Females		4549	946	337	205	118	82	1688	254	220	282	342	266	218	216	152	136	126	85	108	90	103	97	60	30	18	20	38
Unknown causes.																												
Total		899	487	93	22	16	11	629	33	16	16	25	21	12	20	8	14	20	7	11	9	10	11	10	8	5	2	12
Males		439	247	43	11	12	5	318	16	6	8	10	8	2	6	2	5	9	3	8	7	7	5	5	2	4	1	7
Females		460	240	50	11	4	6	311	17	10	8	15	13	10	14	6	9	11	4	3	2	3	6	5	6	1	1	5
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2000	350	261	188	110	81	990	249	152	126	107	96	57	45	31	22	25	24	38	29	33	22	21	6	2	1	14
Males		1007	167	114	94	59	42	476	131	87	64	50	44	27	9	9	10	11	16	21	18	15	11	14	2	1	....	11
Females		1083	183	147	94	51	39	514	118	85	62	57	52	30	36	22	12	14	8	17	11	18	11	7	4	1	1	3
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	19	3	1	5	2	....	11	5	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	3	1	1	1	....	6	....	1	1	1	2	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	8	1	1	1	4	1	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	2	....	1	....	....	3	2	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Diphtheria	M.	224	20	22	39	33	31	145	61	16	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	286	16	43	44	40	29	172	63	40	7	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	53	24	11	9	2	....	46	4	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1
	F.	82	41	17	11	4	2	75	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	22	5	1	....	....	....	6	2	1	1	2	1	....	....	2	....	1	2	1	1	....	1	1	....	....	....	....	....
	F.	28	3	1	3	....	....	7	2	1	4	3	1	1	2	....	3	1	....	....	1	1	....	1	....	....	....	....	....
7. Cerebro-spinal fever	M.	13	4	2	2	....	....	8	....	....	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	13	3	1	2	....	2	8	....	....	2	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	192	1	....	2	3	4	10	20	23	44	33	18	11	3	3	2	3	5	4	7	2	1	2	....	....	....	....	1
	F.	166	3	2	6	3	1	15	17	21	29	20	21	8	8	6	3	4	1	3	2	4	1	1	1	....	....	....	1
9. Diarrhœa	M.	44	12	10	5	....	....	27	3	2	1	....	....	1	....	1	....	1	....	1	....	1	2	2	1	1	....	....	....
	F.	30	8	11	3	....	....	22	1	....	....	....	....	1	1	....	....	....	....	....	....	2	....	....	1	....	1	....	1
10. Dysentery	M.	94	12	20	9	4	2	47	10	4	1	3	4	2	1	....	1	2	....	5	....	6	3	4	....	....	....	....	1
	F.	87	15	17	5	1	1	39	8	4	1	3	4	1	1	4	2	1	3	5	2	3	8	1	2	....	....	....	....
11. Enteritis	M.	71	21	8	6	3	....	38	5	1	1	2	2	1	2	1	1	1	3	2	1	3	1	4	1	....	....	....	1
	F.	62	19	8	4	....	1	32	5	1	1	5	2	2	2	1	1	2	1	2	1	2	2	....	....	....	....	....	....
12. Cholera morbus	M.	7	2	1	....	....	....	3	1	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	11	1	3	....	....	....	4	....	....	1	2	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....
13. Cholera infantum	M.	83	43	32	8	....	....	83	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	84	44	32	8	....	....	84	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	141	11	4	4	7	4	30	19	15	11	8	16	5	2	2	4	3	5	5	5	1	2	2	....	1	....	5
	F.	133	13	8	4	2	3	30	11	12	11	12	11	10	9	4	2	2	2	5	2	4	3	2	1	....	....	....	....
15. Erysipelas	M.	19	1	....	3	1	....	5	....	1	1	1	1	3	....	....	1	....	1	1	3	1	....	....	....	....	....	....	....
	F.	22	8	1	1	....	....	10	2	1	....	....	1	....	3	....	....	....	1	....	1	1	1	1	....	....	....	....	....
16. Septicæmia	M.	2	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	36	....	....	....	....	....	....	....	....	4	7	7	5	6	5	1	....	....	....	....	....	....	....	....	....	....	....	1
18. Venereal diseases	M.	6	2	1	....	....	....	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
	F.	4	....	1	....	....	....	1	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	9	5	....	....	....	....	5	1	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	4	1	1	....	....	6	1	....	1	....	....	....	1	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....
General diseases—B.																												
Total		82	12	10	12	5	6	45	8	2	2	..	3	1	4	4	5	2	2	1	1	2	....	....	....	....	....	....	....
Males		42	8	4	5	2	4	23	1	1	1	....	2	....	3	4	1	2	1	1	....	2	....	....	....	....	....	....	....
Females		40	4	6	7	3	2	22	7	1	1	....	1	1	1	....	4	....	1	....	1	....	....	....	....	....	....	....	....
1. Worms	M.	16	3	2	5	2	3	15	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	19	....	5	6	1	1	13	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	10	....	....	....	....	....	....	....	....	....	....	1	....	2	3	1	1	1	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	11	1	1	....	....	1	3	1	1	1	....	....	....	1	1	....	1	....	1	....	1	....	....	....	....	....	....	....
	F.	13	....	1	....	1	1	3	....	1	1	....	1	1	1	....	4	....	....	....	1	....	....	....	....	....	....	....	....
6. Inanition	M.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		542	401	3	1	1	....	406	1	....	....	....	....	1	....	....	....	1	2	2	3	21	21	29	24	14	12	5
Males		310	262	2	....	1	....	265	....	....	....	....	....	....	....	....	....	1	1	....	....	7	6	12	12	3	3	....
Females		232	139	1	1	....	....	141	1	....	....	....	..	1	....	....	....	....	1	2	3	14	15	17	12	11	9	5
1. Premature birth	M.	49	49	....	....	....	....	49	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	27	27	....	....	....	....	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	202	202	....	....	....	....	202	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	110	110	....	....	....	....	110	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	20	9	2	....	1	....	12	....	....	....	....	....	....	....	....	....	1	1	....	....	3	1	....	1	....	1	....	....
	F.	21	1	....	1	....	....	2	1	....	....	....	....	1	....	....	....	....	1	1	2	2	4	3	3	1	....	....	....
5. Old age	M.	37	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	5	12	11	3	2	....	....
	F.	72	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	12	11	14	9	10	9	5	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2075	87	65	52	35	14	253	89	110	199	270	190	189	136	102	105	95	68	70	54	47	44	21	6	1	3	20
Males		760	49	41	28	18	7	143	36	30	53	82	55	59	43	35	31	32	33	35	23	22	25	10	4	2	1	6
Females		1315	38	24	24	17	7	110	53	80	146	188	135	130	93	67	74	63	35	35	31	25	19	11	2	2	2	14
1. Rheumatism	M.	28	....	....	1	....	....	1	2	2	....	2	1	3	....	1	2	1	....	3	4	3	2	1	....	....	....	....
	F.	25	1	....	....	....	....	1	1	4	1	....	2	....	....	....	3	2	4	1	....	3	2	1	....	....	....	....
2. Scrofula and tabes	M.	100	21	17	9	10	6	63	9	5	4	8	3	3	1	1	....	1	1	1	....	....	....	....	....	....	....	....
	F.	117	14	11	10	6	2	43	18	13	12	9	2	6	2	4	....	2	1	....	1	....	....	....	2	....	....	2
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	498	18	15	10	8	1	52	14	20	48	67	50	47	40	30	27	24	24	20	13	7	6	5	....	....	1	3
	F.	984	16	9	13	10	5	53	26	58	124	173	127	112	78	53	50	43	18	20	16	12	7	5	....	2	....	7
5. Hydrocephalus	M.	11	3	5	1	....	....	9	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	4	1	....	....	....	5	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	24	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	2	3	2	5	4	1	1	2	....	1
	F.	71	....	....	....	....	....	....	1	....	....	....	....	5	5	7	12	7	8	9	6	5	2	2	....	....	1	1
7. Tumor	M.	5	2	....	....	....	....	2	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	8	1	2	....	....	....	3	....	....	1	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	1
8. Anæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	75	2	4	6	....	....	12	9	1	1	3	....	3	2	2	2	4	5	6	3	5	10	2	3	....	....	2
	F.	95	2	1	1	1	....	5	6	5	7	5	4	6	8	1	8	7	3	5	8	4	6	3	....	....	1	3
10. Glycosuria	M.	14	2	....	....	....	....	2	....	1	....	2	....	1	....	....	....	1	1	2	....	....	3	1	....	....	....	....
	F.	6	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	1	....	....	....	....	2	....	....	....	....	....
11. Others of this group	M.	4	1	..	1	..	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		791	262	78	40	25	15	420	34	27	33	32	15	11	19	9	9	25	18	33	27	27	30	10	5	2	4	1
Males		426	148	41	18	10	8	225	21	14	19	15	7	9	7	5	4	14	10	20	14	18	14	3	3	2	1	1
Females		365	114	37	22	15	7	195	13	13	14	17	8	2	12	4	5	11	8	13	13	9	16	7	2	....	3	....
1. Inflammation of the brain	M.	86	39	11	3	1	2	56	5	3	6	6	1	2	1	....	....	2	1	....	2	....	....	....	....	1	....	....
	F.	84	27	18	8	5	4	62	3	2	6	3	2	....	....	....	1	1	1	1	....	....	....	1	....	....	....	....
2. Meningitis	M.	56	13	9	5	5	5	37	5	4	4	5	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	33	6	3	5	3	2	19	1	3	4	2	....	....	1	....	....	....	1	....	....	1	1	....	....	....	....	....
3. Apoplexy	M.	26	....	....	....	....	....	....	....	1	....	1	1	1	....	....	1	1	3	0	1	3	5	1	1	....	....	....
	F.	27	....	1	....	....	....	1	....	1	1	1	1	1	4	....	3	3	2	2	3	1	2	1	....	....	....	....
4. Paralysis	M.	55	1	....	1	....	....	2	1	1	1	....	1	1	3	2	1	5	3	7	7	9	5	2	2	1	....	1
	F.	47	....	....	....	....	....	....	1	1	1	2	....	....	1	2	1	3	4	5	4	6	8	3	2	....	3	....
5. Tetanus and trismus nascentium.	M.	37	20	2	....	....	....	22	3	2	4	1	....	....	....	1	....	2	1	1	....	....	....	....	....	....	....	....
	F.	14	14	....	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	17	5	....	1	1	....	7	1	2	2	1	2	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	17	....	....	....	1	....	1	2	3	....	2	3	....	2	1	....	....	....	....	1	....	1	1	....	....	....	....
7. Convulsions	M.	77	53	9	6	....	1	69	3	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....
	F.	77	53	5	5	3	....	66	2	1	1	3	....	....	2	....	....	....	....	1	....	....	....	1	....	....	....	....
8. Mental diseases	M.	7	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	2	1	1	....	....	1	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	1	....	....	1	....	....	....	....	....
9. Diseases of the brain	M.	54	15	9	2	2	....	28	3	1	2	1	....	2	2	1	....	2	1	2	4	4	1	....	....	....	....	....
	F.	49	12	10	3	3	1	29	3	1	....	3	1	1	1	1	....	2	....	2	2	....	3	....	....	....	....	....
10. Diseases of the spinal cord	M.	5	1	1	....	1	....	3	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	2	....	1	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	1	....	1	3	1	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		214	10	3	1	1	....	14	6	7	9	6	14	7	14	8	9	12	19	17	18	24	20	6	3	....	....	1
Males		125	7	2	1	1	....	11	6	3	7	3	5	4	4	3	2	7	12	11	12	17	11	5	2	....	....	....
Females		89	3	1	....	....	....	3	....	4	2	3	9	3	10	5	7	5	7	6	6	7	9	1	1	....	....	1
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	119	3	2	1	1	....	7	6	3	7	3	5	4	4	3	1	7	12	11	12	16	11	5	2	....	....	....
	F.	87	3	....	....	....	....	3	....	4	2	3	9	3	9	5	6	5	7	6	6	7	9	1	1	....	....	1
4. Others of this group	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1138	306	95	57	29	27	514	46	37	65	71	37	36	27	36	26	35	20	40	38	35	36	14	10	1	6	8
Males		621	160	58	29	15	13	275	24	20	35	38	21	25	11	12	15	22	13	24	20	17	21	10	8	....	2	2
Females		517	146	37	28	14	14	239	22	17	30	33	16	11	16	24	11	13	7	16	12	18	15	4	2	1	4	6
1. Croup	M.	162	93	32	13	7	5	152	9	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	148	92	14	16	8	9	139	7	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	3	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Bronchitis	M.	39	10	8	1	1	....	20	1	1	....	....	....	....	....	4	1	....	....	....	....	3	3	5	....	1	....	....	....
	F.	40	14	3	1	1	....	19	....	1	2	3	1	....	1	2	....	4	....	....	2	....	3	1	1	....	....	....	....
4. Pneumonia	M.	371	50	14	13	6	7	90	11	18	30	34	19	23	11	7	13	18	11	20	20	13	14	10	5	....	3	2
	F.	291	36	20	9	5	5	75	14	15	25	26	12	9	13	17	10	8	6	13	10	14	10	2	2	1	4	5
5. Pleurisy	M.	9	....	1	....	....	....	1	1	....	....	1	1	....	1	....	1	1	....	....	....	1	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....
6. Asthma	M.	7	1	1	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	1	1	....	1	....	1	....	....	....	....
	F.	4	....	....	1	....	....	1	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	30	3	2	2	1	1	9	2	....	3	3	1	1	....	....	1	2	2	3	2	....	....	....	1	....	....	....
	F.	28	3	....	1	....	....	4	1	....	3	2	2	2	2	4	1	....	....	1	1	1	3	....	....	....	....	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		341	80	53	13	9	4	159	9	12	9	13	12	10	6	9	13	7	17	22	16	10	9	4	1	1	2
Males		169	42	27	4	5	3	81	6	8	4	6	6	4	3	3	8	4	6	9	7	5	5	2	1	1	
Females		172	38	26	9	4	1	78	3	4	5	7	6	6	3	6	5	3	11	13	9	5	4	2			2
1. Dentition	M.	29	8	19	1		1	20																			
	F.	35	13	17	5			35																			
2. Angina	M.	5	1		1	1		3				1									1						
	F.	3	2					2				1															
3. Gastritis	M.	13	3					3	1	1			1						2		2		1	1	1		
	F.	7			1			1			1						1						2	2			
4. Other diseases of the stomach	M.	20	5	2		2		9	2	2			2				1	1		2		1					
	F.	28	3	1	2			6	1		2		6	2		2			3	3	3						
5. Obstruction of the bowels	M.	8								2	1	1			1		1		1	1							
	F.	7								3					1					2			1				
6. Hernia	M.	6	3					3	1			1		1						1							
	F.	3	1					1											1	1							
7. Other diseases of the bowels	M.	15	3	2	2	1		8		1			1	1			1			1			1	1			
	F.	18	6	3				9				1							3	2	2	1					
8. Jaundice	M.	6	3				1	4					1	1							1						
	F.	10	6			2		8													1						1
9. Inflammation and abscess of the liver.	M.	8	1					1					1				1	2	2		1						
	F.	8					1	1				1						1	1	3		1					
10. Other diseases of the liver	M.	23	2	3		1	1	7	1	1	1	1					2	1		1	3	1	3	1			
	F.	17	3	1				4		1				2	1	2	1	2	1	1		1	1				
11. Peritonitis	M.	7							1		1						2	1			1				1		
	F.	15	1					1	1		2	4		2	1	1	1		1			1					
12. Ascites	M.	4								1										1	1		1				
	F.	5			1	1		2	1								1			1							
13. Others of this group	M.	25	13	1				14			1	2		1	2	1	1			1		1	1				
	F.	10	3	4		1		8								1	1		1		3	1					1
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		55	3	1				4			2	1	1	1	4	3		3	3	4	8	4	3	5	2	1	1
Males		46	2	1				3			2	1	1	1	1	3		3	3	3	8	3	7	4	2		1
Females		9	1					1							3					1		1	1	1		1	
1. Bright's disease	M.	6											1			2			1				1		1		
	F.	2													2												
2. Calculus, urinary	M.	10												1				1	1	1	3		3				
	F.																										
3. Diseases of the kidney	M.	14		1				1			2	1				1		2	1	1	2	2		1			
	F.	4																		1		1		1	1		
4. Diseases of the bladder	M.	12	2					2							1					1	2	1	2	2		1	
	F.	3	1					1							1								1				
5. Others of this group	M.	4																			1		1	1	1		
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		32											6	4	4	5	5	4		1		2					1
1. Ovarian tumors	F.	2											1	1													
2. Ovarian diseases	F.																										
3. Uterine tumors	F.	2														1	1										
4. Uterine diseases	F.																										
5. Others of this group	F.	28											5	3	4	4	4	4		1		2					1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		77									6	13	12	15	17	11	1	1									1
1. Abortion	F.	12									1	1	3	2	3	2											
2. Child-birth	F.	59									3	11	8	12	13	9	1	1									1
3. Others of this group	F.	6									2	1	1	1	1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		42	10	7	2	3		22	1		4	4	3	3	1	1	1						1	1			
Males		29	8	5	1	2		16			1	3	2	3	1	1	1						1				
Females		13	2	2	1	1		6	1		3	1	1											1			
1. Diseases of the spine	M.	24	8	5	1	2		16			1	1	1	3	1		1										
	F.	9	2	2	1	1		6	1		2																
2. Diseases of the bones	M.	1																					1				
	F.																										
3. Diseases of the hip-joint	M.																										
	F.																										
4. Others of this group	M.	4										2	1			1											
	F.	4									1	1	1											1			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TENNESSEE—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		13	2					2	2		3						2	1	1			1			1		
Males		8							1		3						2	1							1		
Females		5	2					2	1										1			1					
1. Abscess	M.	3							1		1						1										
	F.	2							1										1								
2. Carbuncle	M.	4									1						1	1							1		
	F.																										
3. Others of this group	M.	1									1																
	F.	3	2					2														1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3											1		1									1			
Males		2											1		1												
Females		1																						1			
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	2											1		1												
	F.	1																						1			
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		378	69	14	23	18	8	132	32	19	22	35	32	16	21	9	16	8	4	4	6	6	4	5	1	1	5
Males		239	33	7	15	9	2	66	14	13	17	27	25	11	14	7	13	7	2	3	4	6	3	2			5
Females		139	36	7	8	9	6	66	18	6	5	8	7	5	7	2	3	1	2	1	2		1	3	1	1	
1. Burns and scalds	M.	24	4	4	7	3		18	4	2																	
	F.	48	4	2	6	7	5	24	9	3	2	1	1	3	2		1	1						1			
2. Drowned	M.	29	1	1	2	2	1	7	1	2	4	4	3	2		2	2	1		1							
	F.	11	1			2	1	4	3	1		1	1		1												
3. Exposure and neglect	M.	9	4	1		2		7	1							1											
	F.	10	5	3	1			9	1	1	1	2	1	1													
4. Gunshot wounds	M.	32									6	9	6	2	3		2				1	1	1		1		3
	F.	5							2		1	1		1													
5. Homicide	M.	9			1			1				3	1		2	1						1					
	F.	2							1		1																
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.																										
	F.																										
9. Suffocation	M.	34	20	1	1			22													1						1
	F.	23	22	1				23																			
10. Suicide by shooting	M.	4										2	1			1											
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poisoning	M.	2									1						1										
	F.																										
13. Other suicides	M.	5											1	1	2		1										
	F.	2													1				1								
14. Sunstroke	M.	1																				1					
	F.																										
15. Surgical operations	M.	1															1										
	F.	1											1														
16. Wounds	M.	3			1			1				1		1													
	F.	2	1					1	1																		
17. Other accidents and injuries	M.	96	4		3	2	1	10	8	9	6	8	13	5	7	2	6	6	2	2	3	3	3	2			1
	F.	20	3	1	1			5	1	1		3	3		3	2	3			1	1			2		1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		2033	514	143	83	60	30	830	122	62	72	111	111	99	119	95	66	67	36	69	41	45	29	22	10	8	9	10
Total: Males		1124	276	71	37	27	21	432	66	30	34	50	53	49	66	64	51	41	23	48	31	34	15	11	7	2	4	7
Females		909	238	72	46	33	9	398	56	32	38	55	58	50	53	31	15	26	13	21	10	11	14	11	3	6	5	3
Unknown causes.																												
Total		117	48	12	4	2	6	72	8	3	4	6	5	2	5	1	....	1	2	3	....	....	....	2	1	....	2	....
Males		65	20	7	3	2	6	38	5	1	4	4	3	2	1	1	....	....	1	2	....	....	....	1	1	....	1	....
Females		52	28	5	1	....	....	34	3	2	....	2	2	....	4	....	....	1	1	1	....	....	....	1	....	....	1	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		544	118	68	40	25	13	264	57	20	21	21	30	11	17	22	12	18	13	18	3	8	3	1	....	2	....	3
Males		278	62	34	17	11	7	131	25	10	7	7	14	7	9	13	11	9	10	13	3	5	1	1	....	....	....	2
Females		266	56	34	23	14	6	133	32	10	14	14	16	4	8	9	1	9	3	5	....	3	2	....	....	2	....	1
1. Small-pox	M.	15	....	3	3	....	1	7	6	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	....	1	1	1	....	3	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	1	1	1	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	9	2	1	2	1	1	7	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	....	1	1	2	....	4	5	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	36	18	7	3	3	....	31	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	30	13	8	3	1	1	26	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Fever	M.	24	9	2	2	....	1	14	....	....	....	....	2	....	....	4	2	....	....	1	....	1	....	....	....	....	....	....
	F.	23	4	....	2	....	....	6	3	2	1	1	2	1	1	3	....	1	....	1	....	....	1	....	....	....	....	....
7. Cerebro-spinal fever	M.	4	1	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	4	1	....	1	....	....	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	14	1	....	....	....	....	1	3	3	1	....	....	....	....	....	2	....	2	1	1	....	....	....	....	....	....	....
	F.	16	1	1	1	2	1	6	1	....	3	2	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	11	3	1	....	....	....	4	....	....	....	....	1	....	1	1	1	....	....	1	1	1	....	....	....	....	....	....
	F.	12	4	2	....	1	....	7	....	....	....	....	....	....	....	....	....	2	....	1	....	....	1	....	....	1	....	....	....
10. Dysentery	M.	27	2	6	....	....	1	9	2	....	....	1	1	2	4	2	....	2	1	3	....	....	....	....	....	....	....	....
	F.	23	3	7	3	....	1	14	1	1	....	1	....	1	2	....	....	2	1	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	44	8	6	2	3	1	20	4	2	....	1	2	1	1	1	1	....	4	4	1	1	1	....	....	....	....	....
	F.	29	10	4	3	1	....	18	2	1	2	1	1	....	....	1	....	2	....	....	....	1	....	....	....	....	....	....
12. Cholera morbus	M.	3	1	....	....	1	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	16	9	7	1	2	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	3	2	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	53	10	....	4	1	2	17	6	3	4	2	5	3	2	3	4	7	3	3	....	1	....	1	....	....	....	....
	F.	71	12	6	6	5	2	31	12	5	5	3	7	....	1	2	....	1	....	3	....	1	....	....	....	....	....	....
15. Erysipelas	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	7	1	1	....	....	....	2	....	....	....	....	1	....	1	1	....	1	1	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	16	....	....	....	....	....	....	....	....	3	4	4	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	4	....	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	3	....	....	....	....	3	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....
General diseases—B.																												
Total		50	15	3	6	5	2	31	4	2	....	1	1	1	1	1	3	2	....	1	1	....	1	....	....	....	....	....
Males		29	9	2	2	2	1	16	2	1	....	1	1	....	....	1	3	2	....	1	....	....	1	....	....	....	....	....
Females		21	6	1	4	3	1	15	2	1	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Worms	M.	5	....	....	1	1	1	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	4	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	13	2	2	1	1	....	6	....	1	....	1	1	....	....	1	1	1	....	....	....	....	1	....	....	....	....	....
	F.	3	....	1	....	2	1	4	1	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Inanition	M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		135	34	5	1	....	....	90	....	....	....	....	....	....	....	1	1	1	....	4	3	7	10	7	3	5	3	....
Males		72	44	3	....	....	....	47	....	....	....	....	....	....	....	1	1	1	....	2	2	6	3	4	2	2	1	....
Females		63	40	2	1	....	....	43	....	....	....	....	....	....	....	....	....	....	....	2	1	1	7	3	1	3	2	....
1. Premature birth	M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	29	29	....	....	....	....	29	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	26	....	....	....	....	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	16	6	3	....	....	....	9	....	....	....	....	....	....	....	1	1	1	....	1	1	1	....	1	....	....	....	....
	F.	15	6	2	1	....	....	9	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	1	....	1	....	....
5. Old age	M.	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	5	3	3	2	2	1	....
	F.	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	5	2	1	2	2	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		279	4	7	3	2	1	17	7	10	10	31	30	26	36	26	21	17	3	19	9	7	3	2	1	1	2	1
Males		149	1	3	1	1	1	7	4	7	3	14	13	12	19	13	16	10	3	12	8	4	1	....	1	....	2	....
Females		130	3	4	2	1	....	10	3	3	7	17	17	14	17	13	5	7	....	7	1	3	2	2	....	1	....	1
1. Rheumatism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....
2. Scrofula and tabes	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Leprosy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	114	1	2	....	1	....	4	2	2	3	14	12	12	18	11	14	8	2	6	4	....	....	....	1	....	1	....
	F.	93	2	2	1	....	....	5	1	1	6	16	15	12	13	10	3	7	....	2	....	....	1	....	....	....	....	1
5. Hydrocephalus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	2	1	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	....	1	1	....	1	1	....	....	3	1	....	1	....	....	....	....	....
7. Tumor	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	24	....	....	....	....	....	....	2	5	....	....	1	....	....	1	2	1	1	6	....	3	1	....	....	....	1	....
	F.	17	....	....	1	1	....	2	2	....	1	1	....	1	2	2	1	....	....	1	....	2	....	2	....	....	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		301	160	22	11	12	4	209	10	2	3	5	5	7	6	7	4	4	2	7	6	6	4	3	....	....	....	2
Males		177	89	12	5	6	3	115	12	1	2	3	4	5	4	6	1	3	1	5	5	5	3	1	....	....	....	1
Females		124	71	10	6	6	1	94	7	1	1	2	1	2	2	1	3	1	1	2	1	1	1	2	....	....	....	1
1. Inflammation of the brain	M.	9	3	1	....	2	....	6	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	4	1	....	....	....	5	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	7	4	1	....	....	....	5	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	5	1	....	....	....	6	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	10	....	....	....	1	....	1	....	....	....	....	....	....	2	....	1	1	....	2	2	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....
4. Paralysis	M.	20	....	....	....	....	....	....	1	....	....	....	....	2	....	3	....	1	....	3	3	4	2	1	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	2	....	....	1	1	....	....	....	....	....
5. Tetanus and trismus nascentium	M.	63	52	....	....	1	1	54	6	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	40	35	2	....	....	....	37	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Epilepsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	42	25	6	5	1	....	37	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	33	25	4	1	1	....	31	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....
9. Diseases of the brain	M.	23	5	3	....	1	1	10	....	....	2	2	1	2	1	3	....	....	1	....	....	....	1	....	....	....	....	....
	F.	17	2	2	4	3	....	11	3	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	3	....	1	....	....	1	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	1	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		53	....	....	....	....	....	....	3	....	2	1	4	7	5	5	4	6	5	2	1	5	....	....	....	....	....	....
Males		28	....	....	....	....	....	....	1	....	....	....	3	2	2	3	3	4	2	1	2	5	....	....	....	....	....	....
Females		25	....	....	....	....	....	....	2	....	2	1	1	5	3	2	1	2	3	1	2	....	....	....	....	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	26	....	....	....	....	....	....	1	....	....	....	3	2	1	3	3	4	2	1	2	4	....	....	....	....	....	....
	F.	24	....	....	....	....	....	....	2	....	2	1	1	5	3	2	1	2	2	1	2	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		239	44	7	10	9	3	73	11	11	11	16	11	18	14	15	9	10	6	8	10	3	3	5	4	....	....	1
Males		148	31	4	4	4	2	45	7	4	7	11	5	9	8	12	7	7	3	6	7	1	3	3	2	....	....	1
Females		91	13	3	6	5	1	28	4	7	4	5	6	9	6	3	2	3	3	2	3	2	....	2	2	....	....	....
1 Croup	M.	15	9	1	1	1	1	13	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	3	....	4	1	1	9	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
2. Laryngitis	M.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	8	1	....	....	1	....	2	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	1	....	....	1
	F.	10	2	....	....	2	....	4	1	1	....	....	....	1	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....
4. Pneumonia	M.	112	18	2	3	1	1	25	4	4	7	11	4	7	7	8	7	7	3	6	6	1	2	2	1	....	....	....
	F.	62	8	2	2	2	....	14	1	5	4	5	5	8	6	3	2	1	1	2	....	1	....	2	2	....	....	....
5. Pleurisy	M.	4	1	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
7 Others of this group	M.	7	2	1	....	....	....	3	....	....	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	112	21	17	5	3	1	47	2	1	6	4	3	7	10	5	4	5	1	3	4	4	2	1		1	2
Males	62	12	4	4		1	21	1	1	3	2	1	2	5	5	4	3	1	3	3	4		1			2
Females	50	9	13	1	3		26	1		3	2	2	5	5			2			1		2			1	
1. Dentition M.	7	3	2	2			7																			
1. Dentition F.	13	5	8				13																			
2. Angina M.	1							1																		
2. Angina F.	2				1		1					1														
3. Gastritis M.	1																1									
3. Gastritis F.	1												1													
4. Other diseases of the stomach M.	9								1	1	2				1	1	1		1	1						
4. Other diseases of the stomach F.	5				2		2			1			2													
5. Obstruction of the bowels M.	4	1					1								1	1		1								
5. Obstruction of the bowels F.	1																1									
6. Hernia M.	4											1	1		1					1						
6. Hernia F.	1													1												
7. Other diseases of the bowels M.	2	1					1							1												
7. Other diseases of the bowels F.	3	1	1	1			3																			
8. Jaundice M.	3	1					1						1													1
8. Jaundice F.	2		1				1	1																		
9. Inflammation and abscess of the liver. M.	9									1				3		2			1		2					
9. Inflammation and abscess of the liver. F.	4		1				1						1	1								1				
10. Other diseases of the liver M.	4									1					1		1				1					
10. Other diseases of the liver F.	1													1												
11. Peritonitis M.	3	1				1	2								1											
11. Peritonitis F.	8		1				1			2	2	1	1	1												
12. Ascites M.	1																									1
12. Ascites F.																										
13. Others of this group M.	14	5	2	2			9							1					1	1	1		1			
13. Others of this group F.	9	3	1				4							1			1			1		1			1	
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	13	2					2					1	2	2		1	1	1	1	1	1					
Males	10	1					1					1	1	2		1	1	1	1	1						
Females	3	1					1						1								1					
1. Bright's disease M.	4												1	1			1			1						
1. Bright's disease F.	1												1													
2. Calculus, urinary M.	3													1				1	1							
2. Calculus, urinary F.																										
3. Diseases of the kidney M.	2	1					1					1														
3. Diseases of the kidney F.	1	1					1																			
4. Diseases of the bladder M.	1														1											
4. Diseases of the bladder F.	1																				1					
5. Others of this group M.																										
5. Others of this group F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females	8										1	1		2		1			1				1		1	
1. Ovarian tumors F.																										
2. Ovarian diseases F.																										
3. Uterine tumors F.																										
4. Uterine diseases F.	4										1	1							1				1			
5. Others of this group F.	4													2		1									1	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	36									6	8	8	8	4	2											
1. Abortion F.	1												1	1												
2. Child-birth F.	31									6	8	7	6	2	2											
3. Others of this group F.	3											1	1	1												
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	3							1								1						1				
Males	2							1														1				
Females	1															1										
1. Diseases of the spine M.																1										
1. Diseases of the spine F.	1																									
2. Diseases of the bones M.	1																					1				
2. Diseases of the bones F.																										
3. Diseases of the hip-joint M.	1							1																		
3. Diseases of the hip-joint F.																										
4. Others of this group M.																										
4. Others of this group F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4								1					1	2											
Males		2								1						1											
Females		2													1	1											
1. Abscess	M.	2								1						1											
	F.																										
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.	2													1	1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2													1				1								
Males		1													1												
Females		1																	1								
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1													1												
	F.	1																	1								
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		136	18	2	3	2		25	10	12	9	17	11	10	15	8	5	2	2	2		4	2		1			1
Males		100	7	2	1	1		11	8	4	8	14	7	9	15	8	4	1	1	2		4	2		1			1
Females		36	11		2	1		14	2	8	1	3	4	1			1	1	1									
1. Burns and scalds	M.	5		2	1			3		1		1															
	F.	12			1	1		2	2	4		1	2				1										
2. Drowned	M.	15				1		1	4	1	1	2	1		2		1	1				1						
	F.	3								2	1																
3. Exposure and neglect	M.																										
	F.	7	6		1			7																			
4. Gunshot wounds	M.	21							3		3		1	4	7	2	1										
	F.	2												1				1									
5. Homicide	M.	11										2	1	2	3	2	1										
	F.	1																	1								
6. Infanticide	M.	1	1					1																			
	F.	1	1					1																			
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	9							1	1	1	3	1			1			1								
	F.																										
9. Suffocation	M.	2	1					1																	1		
	F.	3	3					3																			
10. Suicide by shooting	M.	4										2		1		1											
	F.	1										1															
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.	1									1																
	F.																										
13. Other suicides	M.	3										1			1								1				
	F.																										
14. Sunstroke	M.	1																				1					
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	1										1															
	F.																										
17. Other accidents and injuries	M.	26	5					5		1	2	2	3	2	2	2	1			2		2	1				1
	F.	6	1					1		2		1	2														

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		22121	5951	2221	1178	620	394	10364	1151	697	1039	1477	1217	1042	859	715	594	592	419	538	386	342	302	168	60	29	36	94
Total: Males		11658	3321	1245	628	334	186	5724	617	368	455	701	545	466	395	332	337	345	251	316	231	199	166	94	32	17	13	54
Females		10463	2620	976	550	286	208	4640	534	329	584	776	672	576	464	383	257	247	168	222	155	143	136	74	28	12	23	40
Unknown causes.																												
Total		1728	978	132	60	31	20	1221	78	37	36	55	41	35	38	34	18	29	7	29	20	13	16	10	5	....	1	5
Males		956	586	71	33	18	9	717	43	17	14	26	19	11	15	13	10	17	3	12	10	7	9	6	3	....	....	4
Females		772	392	61	27	13	11	504	35	20	22	29	22	24	23	21	8	12	4	17	10	6	7	4	2	....	1	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		7541	1655	1305	666	328	208	4162	606	327	363	446	334	270	186	158	110	114	86	96	80	65	64	35	4	2	4	29
Males		3777	838	717	342	188	106	2191	317	163	158	198	132	113	78	73	57	61	44	48	40	31	30	17	2	2	2	20
Females		3764	817	588	324	140	102	1971	289	164	205	248	202	157	108	85	53	53	42	48	40	34	34	18	2	....	2	9
1. Small-pox	M.	181	18	19	20	10	11	78	39	14	10	21	1	3	1	3	....	1	1	3	....	....	....	....	....	....	....	1
	F.	180	25	20	22	16	22	105	28	10	14	7	6	3	1	1	2	1	1	1	....	....	....	....	....	....	....	....
2. Measles	M.	130	43	19	11	7	7	87	12	6	8	4	5	3	....	1	1	3	....	....	....	....	....	....	....	....	....	....
	F.	127	35	16	12	6	....	69	7	7	12	8	5	4	5	5	1	1	1	....	....	1	1	....	....	....	....	....
3. Scarlet fever	M.	34	9	5	5	4	1	24	6	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	43	8	4	7	3	2	24	9	5	2	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
4. Diphtheria	M.	95	28	13	21	9	9	80	6	4	....	1	1	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....
	F.	108	20	18	16	10	9	73	21	4	3	1	1	2	....	1	1	....	....	....	1	....	....	....	....	....	....	....
5. Hooping-cough	M.	252	121	67	24	16	4	232	16	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	256	144	40	31	10	8	233	15	4	....	2	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Fever	M.	65	25	8	8	6	2	49	7	2	2	....	....	1	....	1	....	1	....	....	....	2	....	....	....	....	....	....
	F.	98	35	14	7	3	2	61	4	1	7	4	5	1	....	2	1	2	....	3	3	1	1	1	1	....	....	....
7. Cerebro-spinal fever	M.	40	10	5	1	2	....	18	10	2	4	....	2	....	....	1	1	....	....	2	....	....	....	....	....	....	....	....
	F.	30	9	3	3	3	....	18	3	....	2	....	....	2	3	....	....	1	....	....	....	1	....	....	....	....	....	....
8. Enteric fever	M.	519	37	27	14	17	10	105	41	43	56	84	41	40	16	18	11	18	7	10	9	8	5	2	....	....	....	5
	F.	508	30	27	27	11	11	106	49	59	58	72	43	26	17	19	7	10	12	5	9	7	7	2	....	....	....	....
9. Diarrhœa	M.	105	39	43	19	4	3	108	5	2	4	1	1	1	7	3	3	4	6	4	3	3	4	5	....	....	....	1
	F.	122	38	35	12	1	3	89	2	3	3	2	4	1	2	1	2	2	....	....	....	4	2	4	....	....	....	1
10. Dysentery	M.	306	167	248	92	52	22	581	58	27	14	14	12	12	8	9	13	10	7	13	12	6	5	3	....	1	....	2
	F.	605	125	189	95	28	16	453	52	17	19	21	14	16	10	15	12	6	9	16	9	12	4	6	1	....	....	3
11. Enteritis	M.	369	107	73	28	17	13	238	24	7	9	15	9	10	7	7	10	5	10	4	3	....	6	2	1	1	....	1
	F.	335	102	58	26	10	4	200	25	15	8	14	12	13	11	8	8	8	2	4	4	1	4	....	....	....	....	3
12. Cholera morbus	M.	28	2	4	1	....	....	7	3	1	1	....	2	3	5	....	1	1	1	1	1	....	....	1	....	....	....	....
	F.	18	1	2	1	1	1	6	2	1	....	1	2	....	....	....	1	1	1	....	2	1	....	....	....	....	....	....
13. Cholera infantum	M.	284	131	110	36	4	1	282	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	241	122	96	17	6	....	241	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	675	60	67	58	38	23	246	81	44	43	53	46	32	30	17	14	15	6	8	11	10	9	1	....	....	2	7
	F.	662	79	59	45	30	23	236	69	32	52	42	44	41	30	14	20	18	15	14	9	5	13	5	....	....	2	1
15. Erysipelas	M.	72	28	3	3	1	....	35	4	3	1	3	4	5	2	4	2	1	2	2	....	2	....	1	1	....	....	....
	F.	62	30	5	1	2	....	44	....	1	1	2	2	1	2	1	1	2	1	1	1	1	1	....	....	....	....	....
16. Septicæmia	M.	10	3	....	....	....	....	3	....	....	1	....	2	1	....	....	....	....	2	1	....	....	....	....	....	....	....	....
	F.	25	2	....	....	....	....	2	1	2	2	3	5	5	1	3	1	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	225	....	....	....	....	....	....	....	2	20	67	56	41	23	14	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	11	1	1	....	....	....	2	1	1	....	....	1	1	2	....	1	....	....	....	1	....	....	....	....	....	....	1
	F.	7	2	1	....	....	....	3	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1
19. Others of this group	M.	41	9	5	1	1	....	16	4	2	3	2	4	1	....	3	1	2	....	....	....	....	....	....	....	....	....	....
	F.	22	4	1	2	....	1	8	2	1	2	1	2	1	....	1	....	1	....	2	1	....	1	2	....	....	....	....
General diseases—B.																												
Total		338	127	32	29	20	7	215	11	8	10	12	13	7	9	8	12	12	6	9	2	....	1	1	....	....	....	2
Males		207	70	20	17	11	2	120	6	6	4	5	8	6	8	7	10	9	6	7	2	....	1	1	....	....	....	1
Females		131	57	12	12	9	5	95	5	2	6	7	5	1	1	1	2	3	....	2	....	....	....	....	....	....	....	1
1. Worms	M.	33	8	9	12	6	2	37	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	3	3	6	6	5	23	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	46	....	....	....	....	....	....	....	....	....	3	2	4	6	5	7	8	4	5	2	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	60	9	6	4	4	....	23	5	6	4	2	6	2	2	2	3	1	1	2	....	....	1	....	....	....	....	....
	F.	48	6	5	4	2	....	17	2	2	4	7	5	1	1	1	2	3	....	2	....	....	....	....	....	....	....	....
6. Inanition	M.	63	53	5	1	1	....	60	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1
	F.	58	48	4	2	1	....	55	1	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1
General diseases—C.																												
Total		1344	1105	11	3	....	....	1119	1	1	....	1	....	....	....	2	2	2	8	8	17	33	46	43	19	15	25	2
Males		761	649	5	2	....	....	656	1	1	....	1	....	....	....	....	1	1	3	3	5	20	23	21	10	7	7	1
Females		583	456	6	1	....	....	463	....	....	....	....	....	....	....	2	1	1	5	5	12	13	23	22	9	8	18	1
1. Premature birth	M.	128	128	....	....	....	....	128	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	118	118	....	....	....	....	118	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	469	469	....	....	....	....	469	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	306	306	....	....	....	....	306	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	17	16	....	....	....	....	16	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	10	1	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	71	34	5	2	....	....	41	....	1	....	1	....	....	....	....	1	1	3	1	5	8	4	1	2	1	....	1
	F.	50	21	5	1	....	....	27	....	....	....	....	....	....	....	2	1	....	5	....	6	3	1	3	1	1	....	....
5. Old age	M.	74	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	12	19	20	8	6	7	....
	F.	97	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	5	6	10	22	19	8	7	18	1
6. Atrophy	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2205	102	83	51	18	22	276	46	50	121	236	242	213	188	179	126	138	89	106	71	52	38	15	7	2	2	8
Males		1028	61	44	27	11	8	151	29	24	45	86	103	85	83	83	69	67	42	54	40	29	24	9	1	1	1	2
Females		1177	41	39	24	7	14	125	17	26	76	150	139	128	105	96	57	71	47	52	31	23	14	6	6	1	1	6
1. Rheumatism	M.	61	2			2	1	5	3	2	4	4	2	1	5	4	3	6	5	6	5	1	4			1		
	F.	41					1	1		1	2	2	5	1		2	3	8	5	2	1	4	3		1			
2. Scrofula and tabes	M.	49	16	10	6	1	2	35	1	3	2	1			2		3	1			1							
	F.	38	9	8	2	2	3	24	2	3	1	1	2	3	1				1									
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	615	15	9	8	3	2	37	3	5	26	72	95	78	65	64	44	37	25	26	17	8	9	3				1
	F.	752	14	7	6	1	3	31	8	12	61	122	115	99	79	68	38	36	24	23	17	8	2	1	1		1	6
5. Hydrocephalus	M.	39	17	11	4			32	2	1	1	1						1	1									
	F.	31	11	9	6	2		28	1			2																
6. Cancer	M.	55		1			1	2	2		1	1	1		2	4	3	7	4	8	6	7	3	3				1
	F.	91		2	1		1	4	1		1	1	1	3	8	15	14	13	10	7	2	5	5	1				
7. Tumor	M.	7										1			1		1	2	1			1						
	F.	21	1		2			3			1		2	1	2	2		2	1	5				2				
8. Anæmia	M.	7	4					4		1	1										1							
	F.	12	1	1				2		1		1		1	1	1			1	1	1	1	1					
9. Dropsy	M.	178	6	13	9	5	2	35	18	12	9	6	4	4	6	8	15	13	5	13	8	11	6	3	1		1	
	F.	174	5	12	6	2	6	31	5	7	6	20	12	19	14	8	2	12	5	12	9	4	3	1	3	1		
10. Glycosuria	M.	14											1	2	1	3			1	1	2	1	2					
	F.	5			1			1		2		1													1			
11. Others of this group	M.	3	1					1			1				1													
	F.	12									4		2	1						3	1	1						
12. Others of this class	M.	7							1		2							2	1				1					
	F.	7	1		1			2				1	1					1	2									
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1993	705	195	106	67	39	1112	131	61	73	70	71	52	35	40	54	39	39	48	45	46	34	19	4	4	3	7
Males		1113	416	115	58	25	22	636	66	33	36	39	32	31	17	24	25	27	24	32	28	26	18	7	3	2	2	5
Females		880	289	80	48	42	17	476	65	28	37	31	39	21	18	22	29	12	15	16	17	20	16	12	1	2	1	2
1. Inflammation of the brain	M.	181	51	43	9	6	1	110	14	5	5	11	10	9	3	3	1	3	1	3	2	1						
	F.	143	42	20	11	10	6	89	13	4	9	7	6	4		4	1	2		1	1	1		1				
2. Meningitis	M.	109	27	12	19	5	7	70	12	5	3	3	4	1	1	2	2	3	1		1							1
	F.	78	19	8	10	7	1	45	9	2	4	1	2		3	1	6		1	1			1					2
3. Apoplexy	M.	53	1				1	2	1	1	1	1		1		3	3	5	4	5	7	10	3	2	1	2		1
	F.	38				1		1		1	2		6	2	1	3	4	3	1	3		5	3	1	1	1		
4. Paralysis	M.	102	5	1	1	1	1	9	7		2	2	3	1	2	2	9	7	8	11	10	11	11	4	1		2	
	F.	66	2		1			3	2	2		2	3	1	2	3	2	1	4	8	7	10	4	10		1	1	
5. Tetanus and trismus nascentium	M.	84	66	1		2	1	70	3		4	1	1		3	1			1									
	F.	69	61	1	2			64	2	2	1																	
6. Epilepsy	M.	34	3	1	2			6		2	4	6	2	4		2	2	2	1	1	1		1					
	F.	24	3		1	1	1	6	2	3	5	3	1	1		1			1		1							
7. Convulsions	M.	220	178	12	6	2		198	7	1		5	1	2	1					2		1						2
	F.	177	112	18	4	8	1	143	9	2	1	5	7		4	1	1	1				2	1					
8. Mental diseases	M.	3										1		1					1									
	F.	3											1			1	1											
9. Diseases of the brain	M.	271	76	40	17	7	9	149	18	12	12	7	8	12	7	9	8	6	3	9	5	1	2	1	1			1
	F.	223	43	27	17	14	8	109	24	9	11	9	6	7	8	6	10	4	7	2	8	2	1					
10. Diseases of the spinal cord	M.	43	9	4	3	2	2	20	4	6	4	2	3			1		1				1	1					
	F.	30	7	5	2	1		15	3	2	3	2	3	3			2		1				3					
11. Others of this group	M.	13		1	1			2		1	1					1			4	1	2	1						
	F.	23		1				1	1	1	2	2	4	3		2	2	1		1			3					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		480	57	3	5	2	4	71	15	14	18	25	26	33	35	31	27	37	19	34	27	23	19	13	6	2		5
Males		235	37	2	3	1	1	44	11	7	7	7	7	10	15	8	14	19	13	15	18	10	10	13	3	2		2
Females		245	20	1	2	1	3	27	4	7	11	18	19	23	20	23	13	18	6	19	9	13	9		3			3
1. Angina pectoris	M.	6												1	2				1			1	1					
	F.	3													1	1			1									
2. Aneurism	M.	4							1	1		1											1					
	F.	1									1																	
3. Diseases of the heart	M.	196	10	2	3	1	1	17	9	6	7	6	7	9	13	8	14	19	11	15	18	9	8	13	3	2		2
	F.	221	5	1	1	1	3	11	3	7	10	18	17	23	19	22	13	18	5	19	9	13	8		3			3
4. Others of this group	M.	29	27					27	1										1									
	F.	20	15		1			16	1				2										1					
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		3405	759	221	154	83	49	1266	112	101	206	290	250	206	174	130	131	130	89	116	74	55	45	19	7	2	1	21
Males		1937	416	132	87	48	22	705	55	52	111	178	123	103	84	63	89	84	63	79	52	36	28	13	6	1	1	11
Females		1468	343	89	67	35	27	561	57	49	95	112	107	103	90	67	42	46	26	37	22	19	17	6	1	1		10
1. Croup	M.	332	241	39	23	18	2	323	3					1														
	F.	272	189	25	23	14	9	260	9	1				1							1							
2. Laryngitis	M.	13	2	1	4	1		8		1			3									1						
	F.	7	3	2				5	1					1														
3. Bronchitis	M.	131	39	20	8	3		70	3	3	4	3	3	3	3	3	5	2	4	8	6	2	4	4		1		
	F.	112	32	8	10	3	2	55	4	2		5	5	4	7	4	4	3	2	7	4	3	2	1				
4. Pneumonia	M.	1335	117	65	48	23	18	271	40	44	101	163	109	95	78	54	79	74	52	62	39	30	20	6	6		1	11
	F.	972	103	48	31	16	15	213	36	42	90	98	95	89	77	57	34	40	21	24	15	12	13	4	1	1		10
5. Pleurisy	M.	14	2	1				3	1		1		1	2			1			2	1	1		1				
	F.	24	2	1				3	1	2		4	1	1	2	2	1	1	2	1	1		1					
6. Asthma	M.	17	1				1	2		1		1			1			3	2	4	2	1						
	F.	5								1	1			1			1					1						
7. Others of this group	M.	95	14	6	4	3	1	28	3	3	5	11	7	2	2	6	4	5	5	3	3	2	4	2				
	F.	76	14	5	3	2	1	25	6	1	4	5	6	6	4	4	2	2	2	3	2	2	2					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		1125	278	187	63	24	16	568	55	27	30	47	51	45	41	29	40	39	34	42	22	18	15	4	4	....	2
Males		620	160	106	40	10	5	321	34	14	15	21	25	21	20	15	23	20	22	32	14	11	7	2	2	....	1
Females		505	118	81	23	14	11	247	21	13	21	26	26	24	21	14	23	19	12	10	8	7	8	2	2	....	1
1. Dentition	M.	102	32	55	13	2	....	102	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	99	44	44	9	1	....	98	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	31	6	6	4	1	1	18	8	1	....	....	....	....	....	....	....	2	....	....	1	1	....	....	....	....	....
	F.	20	1	7	1	1	2	12	3	1	2	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	22	4	5	1	....	....	10	1	....	....	1	....	1	....	....	2	1	1	4	....	....	1	....	....	....	....
	F.	15	2	3	1	1	....	7	2	....	....	....	2	1	1	....	....	....	....	1	....	1	....	....	....	....	....
4. Other diseases of the stomach	M.	100	22	14	6	3	1	46	12	3	2	7	5	1	3	1	5	2	4	6	2	1	....	....	....	....	....
	F.	92	14	10	6	5	5	40	5	2	2	9	7	4	5	2	5	4	4	2	1	....	....	....	....	....	....
5. Obstruction of the bowels	M.	22	2	1	....	....	....	3	1	2	4	1	2	2	2	1	....	1	....	1	1	....	1	....	....	....	....
	F.	18	3	1	....	2	1	7	1	1	2	1	1	....	1	....	1	2	....	1	....	....	....	....	....	....	....
6. Hernia	M.	14	1	....	1	1	....	3	....	....	....	....	1	1	1	1	2	....	1	....	....	1	....	1	1	....	....
	F.	5	1	....	....	....	....	1	....	....	....	....	....	....	....	....	2	1	....	1	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	43	17	5	2	....	....	24	2	....	3	1	2	4	....	....	1	....	1	2	1	....	2	....	....	....	....
	F.	29	8	3	1	....	....	12	2	2	3	1	1	....	1	....	2	1	1	....	1	....	2	....	....	....	....
8. Jaundice	M.	41	15	1	1	....	1	18	2	1	1	3	1	1	2	2	3	1	1	2	1	....	1	....	1	....	....
	F.	18	4	....	....	2	2	8	4	2	....	....	....	1	....	....	....	1	....	....	....	....	2	....	....	....	....
9. Inflammation and abscess of the liver.	M.	50	3	2	1	....	....	6	1	1	2	3	8	4	3	4	4	3	2	4	1	3	....	....	....	....	1
	F.	48	1	....	....	....	....	1	....	....	2	3	5	5	5	2	9	3	3	2	3	3	....	....	1	....	1
10. Other diseases of the liver	M.	66	9	6	1	....	1	17	2	2	2	1	3	6	6	2	3	6	6	6	2	1	1	....	....	....	....
	F.	46	7	3	3	1	....	14	1	3	3	1	1	2	1	4	3	2	3	1	1	3	1	....	1	....	....
11. Peritonitis	M.	18	2	1	2	....	....	5	1	1	....	....	3	....	1	3	....	1	1	1	1	....	....	....	....	....	....
	F.	42	....	1	1	....	....	2	1	1	5	10	5	7	4	5	1	1	....	....	....	....	....	....	....	....	....
12. Ascites	M.	13	1	....	1	2	....	4	1	....	....	1	....	1	....	....	3	....	....	1	1	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	98	46	10	7	1	1	65	3	3	1	2	....	....	2	1	....	3	5	5	3	3	1	1	....	....	....
	F.	69	33	9	1	1	1	45	1	1	1	1	4	2	1	1	....	3	1	2	1	....	3	2	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		166	10	1	2	3	3	19	3	1	6	13	9	5	4	7	12	8	10	25	13	19	7	2	2	1	....
Males		119	8	1	1	....	....	10	2	....	3	6	7	2	3	4	7	3	8	19	12	18	5	2	2	1	....
Females		47	2	....	1	3	3	9	1	1	3	7	2	3	1	3	5	....	2	6	1	1	2	....	....	....	....
1. Bright's disease	M.	32	....	....	....	....	....	....	....	....	1	2	....	....	....	1	2	3	4	7	2	10	....	....	....	....	....
	F.	14	....	....	....	....	2	2	....	1	2	5	....	1	....	1	1	....	....	....	1	....	....	....	....	....	....
2. Calculus, urinary	M.	23	2	....	1	....	....	3	1	....	1	1	....	....	3	....	1	1	1	4	1	3	1	1	1	....	....
	F.	3	....	....	....	1	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	31	4	1	....	....	....	5	1	....	....	2	3	....	....	1	1	3	2	1	4	2	1	1	1	....	....
	F.	22	1	....	....	2	1	4	1	....	1	1	1	2	1	1	1	....	1	5	....	1	2	....	....	....	....
4. Diseases of the bladder	M.	11	1	....	....	....	....	1	....	....	....	....	....	2	....	....	1	1	....	2	2	1	1	....	....	....	....	....
	F.	4	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
5. Others of this group	M.	22	1	....	....	....	....	1	....	....	1	1	4	....	....	2	2	....	1	2	3	2	2	....	....	1	....
	F.	4	1	....	....	....	....	1	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		115	....	....	....	2	....	2	....	1	12	13	13	10	16	9	15	8	5	7	1	....	3	....	....	....	....	....
1. Ovarian tumors	F.	11	....	....	....	1	....	1	....	....	....	1	2	1	2	....	1	2	....	....	....	....	1	....	....	....	....	....
2. Ovarian diseases	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	7	....	....	....	....	....	....	....	....	1	1	....	....	1	1	1	....	1	....	....	....	1	....	....	....	....	....
4. Uterine diseases	F.	41	....	....	....	....	....	....	....	....	....	7	4	6	7	3	3	3	2	5	....	....	1	....	....	....	....	....
5. Others of this group	F.	53	....	....	....	1	....	1	....	1	10	4	7	3	6	5	9	2	2	2	1	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		431	....	....	....	....	....	....	....	3	74	116	79	70	50	30	5	....	....	....	....	....	....	....	....	....	....	4
1. Abortion	F.	66	....	....	....	....	....	....	....	....	12	14	12	15	7	6	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	290	....	....	....	....	....	....	....	....	39	75	58	48	40	22	4	....	....	....	....	....	....	....	....	....	....	4
3. Others of this group	F.	75	....	....	....	....	....	....	....	3	23	27	9	7	3	2	1	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		46	5	7	1	1	....	14	3	6	2	3	6	....	2	2	2	2	1	1	....	1	1	....	....	....	....	....
Males		30	2	4	....	1	....	7	3	4	1	2	3	....	2	1	2	1	1	1	....	1	1	....	....	....	....	....
Females		16	3	3	1	....	....	7	....	2	1	1	3	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	12	1	2	....	1	....	4	1	1	....	....	1	....	1	....	2	1	1	....	....	....	....	....	....	....	....	....
	F.	7	2	2	1	....	....	5	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	9	....	1	....	....	....	1	2	1	....	1	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
	F.	5	....	1	....	....	....	1	....	....	....	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	4	1	....	....	....	....	1	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	5	....	1	....	....	....	1	....	1	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		44	9	2	1	..	1	13	1	1	1	1	5	3	1	4	3	5	1	1	1	3	....	1	....	....	....	....
Males		24	6	1	....	....	1	8	....	1	....	....	3	3	1	2	....	3	1	....	1	1	....	....	....	....	....	....
Females		20	3	1	1	....	....	5	1	....	1	1	2	....	....	2	2	2	....	1	....	2	....	1	....	....	....	....
1. Abscess	M.	14	3	1	....	....	....	4	....	....	....	....	3	1	1	1	....	2	1	....	1	....	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	1	....	1	....	2	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....
2. Carbuncle	M.	4	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	3	....	1	1	....	....	2	....	....	....	....	....	....	....	1	1	1	....	1	....	1	....	1	....	....	....	....
3. Others of this group	M.	6	3	....	....	....	....	3	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	3	....	....	....	....	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		16	....	....	....	....	1	1	1	1	1	3	....	4	1	1	....	1	....	....	1	....	....	....	1	....	....	....
Males		7	....	....	....	....	....	....	....	1	1	2	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....
Females		9	....	....	....	....	1	1	1	....	....	1	....	3	....	1	....	....	....	....	1	....	....	....	1	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	7	....	....	....	....	....	....	....	1	1	2	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	....	....	1	1	1	....	....	1	....	3	....	1	....	....	....	....	1	....	....	....	1	....	....	....
3. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		1130	160	42	36	41	24	303	87	58	78	145	96	89	79	45	32	25	22	16	12	14	12	6	1	1	....	9
Males		837	82	27	18	21	10	158	49	45	58	130	83	80	68	39	30	25	20	14	9	9	9	3	....	1	....	7
Females		293	78	15	18	20	14	145	38	13	20	15	13	9	11	6	2	....	2	2	3	5	3	3	1	....	....	2
1. Burns and scalds	M.	63	14	12	7	12	4	49	5	1	....	2	1	1	1	....	1	....	....	1	....	1	....	....	....	....	....	....
	F.	116	13	8	12	12	8	53	27	7	12	6	2	1	1	2	....	....	1	1	1	....	1	....	1	....	....	....
2. Drowned	M.	69	1	3	2	4	1	11	9	11	7	13	4	2	3	3	2	....	1	1	1	....	1	....	....	....	....	....
	F.	12	....	2	1	2	....	5	4	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Exposure and neglect	M.	21	11	2	1	2	....	16	....	....	....	....	....	....	1	....	1	1	1	....	....	....	1	....	....	....	....	....
	F.	20	12	1	....	....	....	13	....	....	....	2	1	2	1	....	....	....	....	....	....	....	1	....	....	....	....	....
4. Gunshot wounds	M.	169	....	....	1	1	....	2	7	6	11	47	28	24	18	9	7	6	5	1	....	....	....	....	....	....	....	....
	F.	10	....	....	1	....	1	2	....	1	1	....	4	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
5. Homicide	M.	95	....	....	....	....	....	....	....	3	10	17	17	18	8	7	5	4	3	1	1	....	....	1	....	....	....	....
	F.	6	....	....	....	....	....	....	....	1	1	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	5	....	....	....	....	....	....	....	3	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	32	....	....	....	....	....	....	1	....	5	4	4	5	4	....	1	3	....	....	....	1	....	....	....	....	....	....	4
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	61	36	3	1	....	....	40	4	....	1	5	2	1	2	2	....	....	....	....	1	1	....	1	....	....	....	....	1
	F.	34	31	1	1	1	....	34	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	13	....	....	....	....	....	....	....	....	....	4	3	1	2	1	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	8	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	3	....	....	1	1	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	22	....	....	....	....	....	....	....	....	....	2	4	3	3	1	1	1	....	3	2	1	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	10	....	....	1	....	....	1	....	1	4	1	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	5	....	....	1	....	....	1	....	....	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	25	2	1	....	....	....	3	2	1	1	3	2	5	2	1	1	2	1	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	236	18	6	4	2	5	35	21	19	18	29	17	17	23	13	10	3	9	5	3	5	5	1	....	1	....	2
	F.	79	20	3	3	5	5	36	6	4	3	3	2	3	6	2	1	....	1	1	2	4	1	3	....	....	....	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		581	136	80	37	31	11	295	24	14	20	47	36	29	23	16	19	8	14	10	5	3	3	1	2			12
Total: Males		339	66	47	15	17	7	152	15	7	10	35	23	19	17	10	12	4	13	9	2	2		1	2			6
Females		242	70	33	22	14	4	143	9	7	10	12	13	10	6	6	7	4	1	1	3	1	3					6
Unknown causes.																												
Total		40	16	1	2	1		20			1	1	2	2			4	1	2	1	1	1		1	2			1
Males		21	8	1				9				1		2			2		1		1	1		1	2			1
Females		19	8		2	1		11			1		2				2	1	1	1								
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		284	69	66	32	23	8	198	11	11	9	10	8	3	9	6	6	2	4	2	1							4
Males		150	34	38	12	13	5	102	5	6	5	7	3	2	5	3	3	1	4	2								2
Females		134	35	28	20	10	3	96	6	5	4	3	5	1	4	3	3	1			1							2
1. Small-pox	M.	73	20	21	7	10	3	61	3	2	3	1		1	1		1											
	F.	60	14	17	15	5	3	54	2	3			1		1													
2. Measles	M.	1											1															
	F.																											
3. Scarlet fever	M.																											
	F.	1				1		1																				
4. Diphtheria	M.	1																										1
	F.																											
5. Hooping-cough	M.																											
	F.	10	4	3		2		9																				1
6. Fever	M.	4		2	1			3	1																			
	F.	10	3	3				6				1	1			1					1							
7. Cerebro-spinal fever	M.	1		1				1																				
	F.	1		1				1																				
8. Enteric fever	M.	14	3	2			1	6		1	2	4				1												
	F.	10							3	1	1	1	1	1			1	1										
9. Diarrhœa	M.	5	1			1		2					1						1	1								
	F.	3	1		1			2																				1
10. Dysentery	M.	22	4	9	3	2		18		2					1				1									
	F.	13	5	3	2	2		12									1											
11. Enteritis	M.	11	3	2				5	1	1		1				1				1								1
	F.	7	4		1			5		1			1															
12. Cholera morbus	M.	1					1	1																				
	F.	1	1					1																				
13. Cholera infantum	M.	2	1		1			2																				
	F.	2	1		1			2																				
14. Malarial fever	M.	11	1	1				2				1	1	1	1	1	2	1	1									
	F.	7	1	1				2	1		1	1	1		1													
15. Erysipelas	M.	2	1					1																				
	F.	1																	1									
16. Septicæmia	M.															1												
	F.	1									1																	
17. Puerperal septicæmia	F.	2									1					1												
18. Venereal diseases	M.	1													1													
	F.	1	1					1																				
19. Others of this group	M.	1													1													
	F.	4								1					2		1											
General diseases—B.																												
Total		6	3					3								2	1											
Males		5	2					2								2	1											
Females		1	1					1																				
1. Worms	M.																											
	F.																											
2. Other parasitic diseases	M.																											
	F.																											
3. Alcoholism	M.	3														2	1											
	F.																											
4. Lead poison	M.																											
	F.																											
5. Other poisons	M.																											
	F.																											
6. Inanition	M.	2	2					2																				
	F.	1	1					1																				
General diseases—C.																												
Total		17	15					15	1														1					
Males		9	8					8	1																			
Females		8	7					7															1					
1. Premature birth	M.	4	4					4																				
	F.	1	1					1																				
2. Stillborn	M.	4	4					4																				
	F.	5	5					5																				
3. Malformation	M.																											
	F.	1	1					1																				
4. Debility	M.	1							1																			
	F.																											
5. Old age	M.																											
	F.	1																					1					
6. Atrophy	M.																											
	F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		42	2	..	...	...	...	2	2	1	1	7	7	8	2	3	1	3	3	2	....	....	....	....	....	....	....	....
Males		31	1	..	....	....	....	1	2	1	...	4	7	4	2	2	1	2	2	2	....	....	....	....	....	....	....	....
Females		11	1	...	....	....	....	1	....	....	1	3	....	4	....	1	....	1	....	....	....	....	....	....	....	....	....	....
1. Rheumatism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	20	....	....	....	....	....	....	1	....	....	4	6	3	2	1	....	1	1	1	....	....	....	....	....	....	....	....
	F.	8	...	..	....	....	....	....	....	....	....	3	....	4	....	..	..	1	....	....	....	....	....	....	....	....	....	....
5. Hydrocephalus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
7. Tumor	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	6	....	....	....	....	....	....	1	1	....	....	1	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	1	....	..	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	..	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		35	10	6	2	2	2	22	4	....	3	....	1	....	....	1	1	1	....	....	....	1	....	....	....	....	....	1
Males		18	5	3	2	1	1	12	2	....	2	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	1
Females		17	5	3	....	1	1	10	2	....	1	....	1	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....
1. Inflammation of the brain	M.	5	3	1	....	....	....	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	2	2	....	....	....	5	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	4	1	2	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	6	2	....	1	....	....	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	5	3	1	....	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	..	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	..	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		13	3	..	....	....	....	3	....	....	1	....	...	1	1	1	1	1	2	....	2	....	....	....	....	....	....	....
Males		8	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	2	....	1	....	....	....	....	....	....	....
Females		5	3	....	....	....	....	3	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	8	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	2	....	1	....	....	....	....	....	....	....
	F.	5	3	....	....	....	....	3	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		51	10	5	....	....	1	16	2	....	3	8	5	3	2	1	3	....	1	4	1	1	....	....	....	....	2
Males		35	3	4	....	....	1	8	1	....	3	7	4	....	2	....	3	....	1	4	....	1	....	....	....	....	1
Females		16	7	1	....	....	....	8	1	....	....	1	1	2	....	1	....	....	....	....	1	....	....	....	....	....	....	1
1. Croup	M.	5	2	2	....	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	26	1	2	....	....	1	4	....	....	3	7	4	....	1	....	3	....	1	2	....	....	....	....	....	....	....	1
	F.	7	1	....	....	....	....	1	1	....	....	....	1	1	....	1	....	....	....	....	1	....	....	....	....	....	....	1
5. Pleurisy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		15	4	2	....	2	....	8	....	....	....	1	1	1	....	....	....	....	....	1	....	....	2	....	....	....	....	1
Males		7	3	1	....	1	....	5	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females		8	1	1	....	1	....	3	....	....	....	....	1	1	....	....	....	....	....	....	....	....	2	....	....	....	....	1
1. Dentition	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
5. Obstruction of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
11. Peritonitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		4	....	....	....	....	....	....	1	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Males		2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females		2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		7	....	....	....	....	....	....	....	....	1	1	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	1
1. Abortion	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	6	....	....	....	....	....	....	....	....	....	1	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

TEXAS—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		1														1											
Males																											
Females		1														1											
1. Abscess	M.																										
	F.	1														1											
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		62	4		1	2		7	3	2		17	11	9	7	1	1		2								2
Males		52	2		1	2		5	3			15	9	9	7	1			2								1
Females		10	2					2		2		2	2				1										1
1. Burns and scalds	M.																										
	F.	1																									1
2. Drowned	M.	5			1			1				1	1	1	1												
	F.																										
3. Exposure and neglect	M.	2	1					1				1															
	F.																										
4. Gunshot wounds	M.	17										8	3	3	1	1			1								
	F.	1										1															
5. Homicide	M.	13										3	3	3	3				1								
	F.	3								1		1	1														
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.																										
	F.																										
9. Suffocation	M.	1													1												
	F.																										
10. Suicide by shooting	M.	1										1															
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.																										
	F.																										
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.	1											1														
	F.																										
16. Wounds	M.	1				1		1																			
	F.																										
17. Other accidents and injuries	M.	11	1			1		2	3			1	1	2	1			1									1
	F.	5	2					2			1		1				1										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

UTAH.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2414	618	234	157	114	109	1232	350	158	62	54	66	61	58	41	35	45	46	35	48	30	36	21	9	1	[illegible]	23
Total: Males	1270	334	132	98	55	54	673	175	71	33	34	37	28	26	20	17	22	23	17	25	20	18	13	2	1	1	
Females	1144	284	102	59	59	55	559	175	87	29	20	29	33	32	21	18	23	23	18	23	10	18	8	7		2	14 9
Unknown causes.																											
Total	124	78	7	5	....	....	90	4	1	1	1	4	1	2	1	1	3	1	1	1	4	1	1	....	....	....	6
Males	73	45	4	3	..	..	52	4	1	....	1	2	....	....	1	1	1	1	1	....	3	1	....	....	....	....	4
Females	51	33	3	2	....	....	38	....	....	1	....	2	1	2	....	....	2	....	....	1	1	....	1	....	....	....	2
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	1038	124	122	00	80	85	510	286	125	31	13	12	12	3	6	4	8	6	3	6	4	1	3	1	....	....	4
Males	517	61	63	63	42	41	270	137	52	16	6	6	4	....	1	3	4	3	1	5	3	1	3	....	....	....	2
Females	521	63	59	36	38	44	240	149	73	15	7	6	8	3	5	1	4	3	2	1	1	....	....	1	....	....	2
1. Small-pox { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles { M.	12	4	3	3	....	....	10	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	12	2	4	1	....	1	8	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever { M.	17	2	2	5	3	2	14	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
F.	8	1	2	1	1	....	5	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria { M.	363	19	31	50	37	38	175	126	43	13	2	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1
F.	375	20	36	29	34	42	161	138	65	6	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	2
5. Hooping-cough { M.	6	2	2	....	1	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	11	0	2	1	....	1	10	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever { M.	4	1	1	....	....	1	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	3	....	....	....	1	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever { M.	3	....	1	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever { M.	31	5	3	1	....	....	9	4	2	1	2	0	2	....	....	1	....	2	....	1	....	....	1	....	....	....	....
F.	24	....	1	1	....	....	2	2	4	8	1	1	2	....	1	1	2	1	1	....	....	....	....	....	....	....	....
9. Diarrhœa { M.	7	4	2	1	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	16	11	4	1	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery { M.	4	1	2	....	1	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	3	1	1	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis { M.	35	13	6	1	....	....	20	2	1	1	2	....	1	....	....	1	....	....	1	1	2	1	2	....	....	....	....
F.	17	7	2	1	....	....	10	....	1	....	....	....	1	....	....	....	2	1	1	....	....	....	....	1	....	....	....	....
12. Cholera morbus { M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
F.	2	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum { M.	17	6	10	1	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	17	11	6	....	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever { M.	6	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....
F.	6	1	1	....	1	....	3	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
15. Erysipelas { M.	6	2	....	1	....	....	3	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
F.	4	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
16. Septicæmia { M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	18	....	....	....	....	....	....	....	....	3	3	4	4	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group { M.	3	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	2	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	25	6	7	....	....	....	13	1	....	1	....	1	....	....	3	2	1	....	....	2	....	....	....	....	....	....	1
Males	20	4	6	....	....	....	10	1	....	1	....	1	....	....	3	2	1	....	....	....	....	....	....	....	....	....	1
Females	5	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
1. Worms { M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism { M.	8	....	....	....	....	....	....	....	....	....	....	1	....	....	3	2	1	....	....	....	....	....	....	....	....	....	1
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons { M.	7	....	5	....	....	....	5	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition { M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	4	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
General diseases—C.																											
Total	139	92	1	1	....	....	94	....	1	....	....	1	....	1	1	....	....	....	2	1	7	14	9	4	1	3	....
Males	75	54	1	1	....	....	56	....	1	....	....	....	....	....	....	....	....	....	....	....	3	6	5	2	1	1	....
Females	64	38	....	....	....	....	38	....	....	....	....	1	....	1	1	....	....	....	2	1	4	8	4	2	....	2	....
1. Premature birth { M.	19	19	....	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	12	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn { M.	32	32	....	....	....	....	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	22	22	....	....	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility { M.	8	3	1	1	....	....	5	....	1	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
F.	11	4	....	....	....	....	4	....	....	....	....	1	....	1	1	....	....	....	1	1	....	1	....	1	....	....	....
5. Old age { M.	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	6	5	2	1	1	....
F.	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	4	7	4	1	....	2	....
6. Atrophy { M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

UTAH—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		158	21	7	2	1	....	31	10	8	5	8	9	8	8	8	8	11	8	11	13	4	5	1	....	....	....	2
Males		67	14	6	2	....	....	22	4	4	2	4	2	3	4	4	1	3	1	3	7	1	....	1	....	....	....	1
Females		91	7	1	....	1	....	9	6	4	3	4	7	5	4	4	7	8	7	8	6	3	5	....	....	....	....	1
1. Rheumatism	M.	8	1	1	....	....	....	2	....	1	2	1	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	2	....	....	....	....	....	....	2	....	....	1	1	....	1	....	....	....	....	....	....
2. Scrofula and tabes	M.	6	2	1	....	....	....	3	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	29	4	2	....	....	....	6	1	2	....	2	2	3	3	2	....	3	1	1	2	....	....	....	....	....	....	1
	F.	40	1	....	....	....	....	1	2	3	2	1	4	2	2	1	5	7	2	3	3	....	1	....	....	....	....	1
5. Hydrocephalus	M.	3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	13	5	2	1	....	....	8	....	....	....	....	....	....	....	1	....	....	....	....	2	1	....	1	....	....	....	....
	F.	13	4	1	....	1	....	6	....	....	1	....	....	....	....	....	....	1	3	2	....	....	....	....	....	....	....	....
7. Tumor	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	6	....	....	....	....	....	....	2	1	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....
	F.	22	....	....	....	....	....	....	....	1	....	3	2	2	1	1	1	....	1	1	3	2	4	....	....	....	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		185	91	20	9	5	3	128	6	3	2	3	2	1	2	3	6	4	6	3	7	....	5	1	2	....	....	1
Males		91	45	9	5	....	1	63	3	1	1	2	2	....	2	2	3	1	3	3	3	....	2	....	....	....	....	....
Females		94	46	11	1	5	2	65	3	2	1	1	....	1	....	1	3	3	3	....	4	....	3	1	2	....	....	1
1. Inflammation of the brain	M.	19	7	1	1	....	1	10	2	....	....	2	1	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....
	F.	28	10	6	1	4	1	22	1	1	1	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
2. Meningitis	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Apoplexy	M.	7	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	2	....	1	....	1	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	2	....	....	....	....	....	....
4. Paralysis	M.	8	....	2	....	....	....	2	1	....	....	....	....	....	....	....	1	....	1	2	....	1	....	....	....	....	....	....
	F.	13	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	3	2	....	2	....	1	1	2	....	....	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Convulsions	M.	42	32	6	3	....	....	41	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	28	27	1	....	....	....	28	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	7	3	....	2	....	....	5	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	11	5	3	....	....	....	8	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	3	1	....	2	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	3	1	....	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		37	3	....	....	1	1	5	....	1	....	....	7	1	3	2	1	3	4	4	3	2	....	....	....	....	....	1
Males		20	1	....	....	....	1	2	....	1	....	....	5	....	1	....	1	2	3	1	2	1	....	....	....	....	....	1
Females		17	2	....	....	1	....	3	....	....	....	....	2	1	2	2	....	1	1	3	1	1	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	18	....	....	....	....	1	1	....	1	....	....	5	....	....	....	1	2	3	1	2	1	....	....	....	....	....	1
	F.	16	2	....	....	1	....	3	....	....	....	....	2	1	1	2	....	1	1	3	1	1	....	....	....	....	....	....
4. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		435	164	51	31	26	17	289	32	7	7	7	8	8	14	5	3	9	12	6	8	5	7	1	2	....	....	2
Males		240	88	34	14	12	8	156	17	3	4	4	3	5	10	2	1	6	7	3	5	5	5	3	....	....	....	1
Females		195	76	17	17	14	9	133	15	4	3	3	5	3	4	3	2	3	5	3	3	....	2	1	2	....	....	1
1. Croup	M.	36	6	7	8	7	1	29	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	10	4	7	5	3	29	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	11	4	3	....	....	....	7	1	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	8	6	....	2	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Pneumonia	M.	162	70	21	5	5	7	108	9	2	4	4	2	2	8	2	1	4	5	1	3	....	4	2	....	....	....	....
	F.	133	56	11	7	9	6	89	9	3	3	2	5	2	3	2	2	3	4	3	2	....	....	1	....	....	....	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Asthma	M.	13	2	1	....	....	....	3	....	....	....	....	....	2	....	....	....	1	2	1	2	....	1	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	....	2	....	....	....
7. Others of this group	M.	17	6	2	1	....	....	9	1	....	....	....	1	....	1	....	....	....	....	1	....	4	....	....	....	....	....	....
	F.	10	4	1	1	....	....	6	....	....	....	1	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

UTAH—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	71	23	11	3	....	3	40	3	2	....	1	1	1	2	3	3	2	6	2	2	1	1	1	....	....	..	....
Males	47	14	6	3	....	3	26	3	1	....	....	1	1	....	2	2	2	5	2	....	1	1	....	....	....	....	....
Females	24	9	5	....	....	....	14	....	1	....	1	....	....	2	1	1	....	1	....	2	....	....	1	....	....	....	....
1. Dentition M.	11	3	6	1	....	1	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition F.	10	6	4	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina M.	3	....	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach M.	4	....	....	1	....	1	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
4. Other diseases of the stomach F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia M.	5	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....
6. Hernia F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Other diseases of the bowels M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice M.	4	1	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
8. Jaundice F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. M.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver M.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....
10. Other diseases of the liver F.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....
11. Peritonitis M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Peritonitis F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites F.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
13. Others of this group M.	9	6	....	....	....	....	6	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....
13. Others of this group F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	23	2	1	1	....	....	4	1	....	....	....	....	1	....	1	2	2	1	3	3	2	2	1	....	....	....	....
Males	17	2	1	1	....	....	4	1	....	....	....	....	1	....	....	1	2	....	3	2	2	2	1	....	....	....	....
Females	6	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....
1. Bright's disease M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....
1. Bright's disease F.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Calculus, urinary M.	4	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....
2. Calculus, urinary F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney M.	10	1	1	....	....	....	2	....	....	....	....	....	....	....	1	1	....	....	3	2	1	....	....	....	....	....	....
3. Diseases of the kidney F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	6	....	..	....	....	....	....	....	2	2	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
1. Ovarian tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Others of this group F.	4	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	44	....	....	....	....	....	....	....	....	4	3	5	11	14	4	1	....	....	....	....	....	....	....	....	....	....	2
1. Abortion F.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth F.	42	....	....	....	....	....	....	....	....	4	3	4	11	13	4	1	....	....	....	....	....	....	....	....	....	....	2
3. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	6	1	1	....	....	....	2	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Males	3	1	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine M.	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

UTAH—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	4	3					3		1																		
Males	1								1																		
Females	3	3					3																				
1. Abscess M.																											
1. Abscess F.	3	3					3																				
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.	1								1																		
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	119	10	6	6	1		23	7	0	8	18	16	17	9	4	2	2	1		1	1						4
Males	99	5	2	3	1		11	6	5	8	17	15	14	9	4	2	2			1	1						4
Females	20	5	4	3			12	1	1		1	1	3					1									
1. Burns and scalds M.	3			1			1	1					1														
1. Burns and scalds F.	4		1	2			3	1																			
2. Drowned M.	6	1	1	1			3		1	1				1													
2. Drowned F.	2		2				2																				
3. Exposure and neglect M.	6	4	1				5							1													
3. Exposure and neglect F.	4	2					2				1		1														
4. Gunshot wounds M.	6								1	1	1	2		1													
4. Gunshot wounds F.																											
5. Homicide M.	5										3				2												
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.	1												1														
7. Injuries by machinery F.																											
8. Railroad accidents M.	7									1	4	1	1														
8. Railroad accidents F.																											
9. Suffocation M.																											
9. Suffocation F.	5	3		1			4						1														
10. Suicide by shooting M.																											
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.	1												1														
12. Suicide by poison F.	1											1															
13. Other suicides M.	2											1			1												
13. Other suicides F.																											
14. Sunstroke M.																											
14. Sunstroke F.																											
15. Surgical operations M.	1																										1
15. Surgical operations F.																											
16. Wounds M.	2												1				1										
16. Wounds F.																											
17. Other accidents and injuries M.	59			1	1		2	5	3	5	9	11	9	6	1	2	1			1	1						3
17. Other accidents and injuries F.	4		1				1		1				1					1									

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VERMONT.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		5024	728	210	135	72	66	1211	212	136	205	209	201	168	136	138	155	179	210	245	292	365	365	282	187	63	35	30
Total: Males		2505	416	110	74	34	41	675	106	63	86	102	83	62	48	57	76	84	102	132	147	190	195	138	99	30	15	15
Females		2519	312	100	61	38	25	536	106	73	119	107	118	106	88	81	79	95	108	113	145	175	170	144	88	33	20	15
Unknown causes.																												
Total		72	25	6	....	....	1	32	....	....	2	2	2	3	....	1	2	4	....	1	6	3	5	6	2	....	....	....
Males		38	15	5	....	....	1	21	....	....	1	1	1	....	....	....	....	2	..	....	3	1	4	2	2	....	....	....
Females		34	10	1	....	....	....	11	....	....	1	1	1	3	....	1	2	2	....	1	3	2	2	4	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		973	167	97	78	43	41	426	134	80	57	37	31	26	13	11	17	14	19	22	12	21	18	21	8	3	....	3
Males		490	89	49	40	19	25	222	67	35	27	22	14	9	4	3	8	10	10	12	10	12	6	8	6	2	....	3
Females		483	78	48	38	24	16	204	67	45	30	15	17	17	9	8	9	4	9	10	2	9	12	13	2	1	....	....
1. Small-pox	M.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	15	2	5	1	....	....	8	....	3	2	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	34	7	9	4	1	2	23	3	1	2	1	....	....	1	2	....	1	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	35	4	6	5	1	2	18	12	1	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	5	4	7	2	....	18	6	2	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	141	6	9	21	11	19	66	39	16	7	4	1	2	....	....	1	1	2	....	1	....	....	....	....	....	....	1
	F.	155	8	14	14	13	14	63	45	23	11	1	1	....	2	2	2	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	18	14	2	1	1	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	12	5	4	1	....	22	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	5	3	....	....	....	....	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	1	3	....	....	....	4	....	2	3	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	69	1	....	3	1	....	5	4	8	11	8	9	4	2	3	2	4	3	1	2	1	1	1	....	....	....	....
	F.	49	3	1	....	1	....	5	5	4	5	7	6	3	1	....	3	1	1	2	....	2	2	2	....	....	....	....
9. Diarrhœa	M.	17	3	3	1	....	....	7	....	....	....	....	....	....	....	....	1	1	1	2	1	....	1	....	2	1	....	....
	F.	10	1	....	....	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	1	1	2	1	1	....	....
10. Dysentery	M.	24	6	2	2	....	1	11	2	....	1	1	....	....	....	....	....	....	1	2	....	1	1	2	2	....	....	....
	F.	25	4	1	6	....	....	11	1	1	....	....	....	....	....	....	....	....	1	4	1	1	2	2	1	....	....	....
11. Enteritis	M.	48	4	2	1	1	1	9	4	5	1	6	3	1	....	....	2	1	2	3	2	4	1	2	1	1	....	....
	F.	25	2	....	2	....	....	4	2	4	1	....	....	3	....	1	....	1	2	2	....	1	2	2	....	....	....	....
12. Cholera morbus	M.	4	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....
13. Cholera infantum	M.	66	36	20	4	4	2	66	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	46	30	11	1	4	....	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	15	....	....	....	....	....	....	3	1	1	1	....	1	....	....	....	2	1	....	1	3	....	....	1	....	....	....
	F.	15	....	....	....	1	....	1	....	....	1	1	2	2	....	....	1	1	1	1	1	1	1	1	....	....	....	....
15. Erysipelas	M.	11	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	1	....	....	....	2
	F.	12	4	....	....	....	....	4	....	1	....	....	....	....	....	....	....	....	2	1	....	2	1	1	....	....	....	....
16. Septicæmia	M.	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	1	1	1	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	21	....	....	....	....	....	....	....	....	3	2	6	3	5	2	....	....	....	....	....	....	....	1	....	....	....	....
18. Venereal diseases	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	1	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	13	2	....	....	....	....	2	....	1	1	....	....	1	....	....	1	....	....	1	1	2	1	2	....	....	....	....
	F.	8	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	1	2	2	....	....	....	....
General diseases—B.																												
Total		31	9	....	2	1	....	12	1	1	....	1	....	2	2	1	1	....	1	1	3	2	1	....	1	....	1	....
Males		22	5	....	2	1	....	8	....	....	....	1	....	2	2	1	1	....	1	....	2	2	1	....	1	....	....	....
Females		9	4	....	....	....	....	4	1	1	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....
1. Worms	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	8	....	....	....	....	....	....	....	....	....	....	....	2	1	1	1	....	....	....	1	1	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	1	....	....	1	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....
6. Inanition	M.	1	1	....	....	1	....	6	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....
	F.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		501	225	2	2	1	....	230	1	....	....	1	1	....	....	....	....	1	4	1	5	24	37	75	74	29	17	1
Males		264	135	....	1	1	....	137	1	....	....	1	1	....	....	....	....	....	3	1	4	12	18	36	32	13	5	....
Females		237	90	2	1	....	..	93	....	....	....	....	....	....	....	....	....	1	1	....	1	12	19	39	42	16	12	1
1. Premature birth	M.	19	19	....	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	10	....	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	77	77	....	....	....	....	77	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	60	60	....	....	....	....	60	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	9	8	....	....	1	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	58	31	....	1	....	....	32	1	....	....	1	1	....	....	....	....	....	3	1	3	4	4	4	2	1	1	....
	F.	37	17	2	1	....	....	20	....	....	....	....	....	....	....	....	....	1	1	....	....	3	2	5	4	....	....	1
5. Old age	M.	101	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	8	14	32	30	12	4	....
	F.	127	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	9	17	34	38	16	12	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VERMONT—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1281	50	21	13	3	5	92	18	16	77	97	108	84	60	54	67	75	81	86	105	108	72	49	16	9	4	3
Males		533	32	14	7	....	3	56	7	7	24	36	40	30	15	15	30	29	32	40	46	50	40	17	10	5	4	....
Females		748	18	7	6	3	2	36	11	9	53	61	68	54	45	39	37	40	49	46	59	58	32	32	6	4	....	3
1. Rheumatism	M.	12	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	5	....	....	2	1	....	1	....	....
	F.	16	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	2	2	....	2	4	1	....	1	....	....	....
2. Scrofula and tabes	M.	29	7	1	2	....	....	10	....	3	....	....	....	....	....	....	1	....	....	....	1	1	1	....	3	....	....	....
	F.	22	3	....	....	1	....	4	2	2	2	2	....	4	....	1	....	1	1	....	1	2	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	328	10	7	1	....	1	19	2	3	22	30	35	27	14	13	16	20	20	23	24	27	21	7	2	2	1	....
	F.	485	7	2	3	....	1	13	7	5	49	58	67	45	37	27	18	24	19	26	28	31	14	13	2	....	....	2
5. Hydrocephalus	M.	28	13	4	3	....	1	21	4	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....
	F.	12	3	5	3	1	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	73	1	....	....	....	....	1	....	....	1	2	2	1	....	....	6	6	5	8	13	12	4	7	3	1	1	....
	F.	110	1	....	....	....	....	1	....	....	1	....	....	3	3	6	13	12	18	12	11	14	8	5	....	1	....	1
7. Tumor	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....
	F.	14	1	....	....	....	....	1	....	....	....	....	1	1	1	1	....	1	2	2	2	2	....	....	....	....	....	....
8. Anæmia	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....
9. Dropsy	M.	43	....	2	....	....	1	3	....	1	....	....	1	2	....	....	2	2	2	4	4	7	11	1	1	1	....	....
	F.	75	2	....	....	1	1	4	1	1	....	....	....	1	1	3	6	4	7	6	12	3	8	13	3	2	....	....
10. Glycosuria	M.	24	....	....	....	....	....	....	1	....	1	4	1	....	1	2	2	....	3	....	3	3	....	1	....	....	2	....
	F.	8	....	....	....	....	....	....	....	1	....	....	....	....	2	....	....	1	....	....	2	1	1	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		608	70	29	15	8	4	126	13	13	12	12	6	7	9	23	17	22	21	40	48	63	88	44	21	6	2	15
Males		309	35	13	8	4	2	62	7	5	4	8	2	4	6	12	12	8	6	22	25	31	45	29	10	3	....	8
Females		299	35	16	7	4	2	64	6	8	8	4	4	3	3	11	5	14	15	18	23	32	43	15	11	3	2	7
1. Inflammation of the brain	M.	21	6	3	2	2	....	13	2	2	1	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....
	F.	29	5	8	2	1	....	16	1	2	3	....	....	....	....	2	....	1	1	1	1	....	1	....	....	....	....	....
2. Meningitis	M.	14	2	2	....	1	....	5	2	1	....	2	....	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....
	F.	11	6	1	1	1	1	10	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Apoplexy	M.	66	1	....	....	....	....	1	....	....	....	....	....	....	2	1	0	4	1	6	9	11	11	10	2	1	....	2
	F.	58	1	....	1	....	....	2	....	....	1	1	2	....	....	4	....	6	3	2	6	8	10	4	6	2	1	....
4. Paralysis	M.	90	....	1	1	....	....	2	....	....	....	1	....	3	2	2	2	2	3	9	8	14	23	11	5	2	....	1
	F.	100	1	....	....	....	....	1	....	....	0	1	....	2	1	2	3	2	6	8	11	17	24	10	5	1	1	2
5. Tetanus and trismus nascentium.	M.	3	1	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	19	5	....	1	....	....	6	....	....	2	3	....	....	....	2	2	....	....	....	1	....	....	1	....	....	....	2
	F.	6	2	1	....	....	....	3	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....
7. Convulsions	M.	19	12	1	3	1	1	18	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	19	12	2	1	....	....	15	....	1	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3
	F.	11	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	3	....	1	....	....	....	....	1
9. Diseases of the brain	M.	59	8	4	1	....	....	13	2	2	1	1	....	....	6	2	1	2	7	6	3	7	6	....	....	....	....	....
	F.	48	8	3	1	2	1	15	4	4	....	1	1	....	1	1	....	1	2	4	2	5	7	....	....	....	....	....
10. Diseases of the spinal cord	M.	7	....	2	....	....	1	3	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	1	....	....	....
	F.	6	....	1	1	....	....	2	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	1
11. Others of this group	M.	8	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	1	1	1	....	2	....	....	....
	F.	11	....	....	....	....	....	....	1	....	....	1	....	....	....	1	1	2	2	....	....	2	....	1	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		320	16	....	....	....	....	16	3	4	8	5	10	10	7	10	15	17	19	35	28	40	42	22	14	3	5	7
Males		168	7	....	....	....	....	7	2	3	1	1	5	2	1	6	5	11	11	22	12	25	24	13	8	1	4	4
Females		152	9	....	....	....	....	9	1	1	7	4	5	8	6	4	10	6	8	13	16	15	18	9	6	2	1	3
1. Angina pectoris	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	163	6	....	....	....	....	6	2	3	1	1	5	2	1	6	5	11	11	21	12	25	21	13	8	1	4	4
	F.	144	5	....	....	....	....	5	1	1	6	4	5	7	6	4	9	6	8	13	16	14	18	9	6	2	1	3
4. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	7	4	....	....	....	....	4	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		699	135	39	22	13	9	218	20	7	18	19	13	15	14	15	21	16	34	35	53	64	49	44	31	10	3	....
Males		366	80	19	14	8	5	126	9	3	11	11	7	6	3	9	11	10	17	20	26	33	22	21	16	4	1	....
Females		333	55	20	8	5	4	92	11	4	7	8	6	9	11	6	10	6	17	15	27	31	27	23	15	6	2	....
1. Croup	M.	34	13	4	5	3	4	29	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	6	6	5	1	1	19	5	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	26	9	1	1	....	....	11	....	....	....	....	....	1	....	....	....	1	1	1	2	3	1	3	2	....	....	....	....
	F.	28	8	2	....	....	....	10	....	1	....	2	....	....	1	2	....	....	....	2	4	....	....	2	2	1	1	....	....
4. Pneumonia	M.	256	37	11	5	4	1	58	4	1	10	10	6	5	3	9	9	8	16	17	23	26	20	16	12	3	....	....
	F.	241	27	9	3	4	2	45	5	2	4	5	6	9	5	4	10	6	16	12	23	27	24	18	13	3	1	....
5. Pleurisy	M.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
7. Others of this group	M.	47	21	3	3	1	....	28	1	....	1	1	1	....	....	....	1	1	....	2	1	3	1	2	2	1	1	....
	F.	36	14	3	....	....	1	18	1	1	1	1	....	....	2	....	....	....	1	1	....	4	3	1	....	2	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VERMONT—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		141	13	8	1	1	1	24	7	3	5	5	6	3	1	7	7	8	6	10	14	11	11	6	5	....	1	1
Males		60	7	6	1	....	1	15	3	....	3	3	2	1	....	4	3	3	2	4	7	3	3	2	2	....	....	....
Females		81	6	2	....	1	....	9	4	3	2	2	4	2	1	3	4	5	4	6	7	8	8	4	3	....	1	1
1. Dentition	M.	8	1	6	....	....	1	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	2	....	1	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	2	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	1	1	....	1	....	....	....
4. Other diseases of the stomach	M.	4	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....
	F.	15	....	....	....	....	....	....	....	....	....	1	2	2	....	2	2	1	....	1	....	....	3	....	....	....	....	1
5. Obstruction of the bowels	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Hernia	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....
7. Other diseases of the bowels	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	1	1	....	....	....	....
	F.	8	1	....	....	....	....	1	1	....	....	....	....	....	....	....	1	2	....	1	1	....	1	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	18	....	....	....	....	....	....	2	....	1	1	....	....	....	2	2	1	1	1	3	1	2	....	1	....	....	....
	F.	22	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	2	3	6	3	2	1	....	....	....
11. Peritonitis	M.	9	1	....	....	....	....	1	1	....	2	1	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	1	1	2	....	1	....	....	....	1	....	1	2	1	....	....	....	....	....	1	....
12. Ascites	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	8	3	....	....	....	....	3	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	1	1	....	....	....
	F.	9	3	....	....	....	....	3	2	1	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		124	....	....	....	....	....	....	1	1	4	1	4	3	8	4	3	7	10	4	10	18	27	11	7	1	....	....
Males		94	....	....	....	....	....	....	....	....	3	1	2	1	4	2	2	4	8	3	9	15	23	9	7	1	....	....
Females		30	....	....	....	....	....	....	1	1	1	....	2	2	4	2	1	3	2	1	1	3	4	2	....	....	....	....
1. Bright's disease	M.	36	....	....	....	....	....	....	....	....	3	....	1	1	2	2	2	3	4	1	2	5	5	4	1	....	....	....
	F.	16	....	....	....	....	....	....	....	1	....	....	....	1	3	2	1	....	1	1	....	1	3	2	....	....	....	....
2. Calculus, urinary	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	40	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	3	1	3	8	14	3	3	1	....	....
	F.	7	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	1	1	....	....	1	1	....	....	....	....	....
4. Diseases of the bladder	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	2	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....
5. Others of this group	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	1	2	2	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		9	....	....	....	....	....	....	....	....	1	....	....	....	2	1	....	4	....	....	....	1	....	....	....	....	....	....
1. Ovarian tumors	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		35	....	....	....	....	....	....	....	....	4	7	8	5	6	3	1	1	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	34	....	....	....	....	....	....	....	....	4	7	8	5	5	3	1	1	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		19	1	1	....	....	....	2	1	....	2	2	2	1	1	1	1	....	1	....	....	3	1	....	1	....	....	....
Males		8	....	....	....	....	....	....	1	....	1	....	....	....	1	1	1	....	1	....	....	2	....	....	....	....	....	....
Females		11	1	1	....	....	....	2	....	....	1	2	2	1	....	....	....	....	....	....	....	1	1	....	1	....	....	....
1. Diseases of the spine	M.	6	....	....	....	....	....	....	1	....	1	....	....	....	1	1	....	....	....	....	....	2	....	....	....	....	....	....
	F.	10	1	1	....	....	....	2	....	....	1	2	2	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VERMONT—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		18	3					3	1		1	1	2			2			1	1	2			2		1		1	
Males		9	1					1			1		1						1	1				2		1		1	
Females		9	2					2	1			1	1			2					2								
1. Abscess	M.	6									1		1						1	1			1				1	
	F.	7	2					2	1				1			1					2								
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.	3	1					1															1		1			
	F.	2										1				1												
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1																		1								
Males																												
Females		1																		1								
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.																											
3. Others of this group	M.																											
	F.	1																		1								
XII.—ACCIDENTS AND INJURIES.																												
Total		192	14	7	2	2	5	30	12	11	14	19	8	9	13	5	3	10	13	8	6	7	11	4	6	2	1	
Males		144	10	4	1	1	4	20	9	10	10	17	8	7	12	4	3	7	10	7	3	4	7	1	4	1		
Females		48	4	3	1	1	1	10	3	1	4	2		2	1	1		3	3	1	3	3	4	3	2	1	1	
1. Burns and scalds	M.	3		1	1	1		3																				
	F.	6			1			1	2		2											1							
2. Drowned	M.	31		1			2	3	4	5	5	7	1	3	1			2											
	F.	8		2		1		3	1	1	1							2											
3. Exposure and neglect	M.	2	1	1				2																					
	F.	2	1	1				2																					
4. Gunshot wounds	M.	2								1									1										
	F.																												
5. Homicide	M.																												
	F.																												
6. Infanticide	M.																												
	F.																												
7. Injuries by machinery	M.																												
	F.																												
8. Railroad accidents	M.	20							1		2	2	4	2	3			1		1		2			2				
	F.	1																	1										
9. Suffocation	M.	6	4				1	5	1																				
	F.																												
10. Suicide by shooting	M.	4											2		1	1													
	F.																												
11. Suicide by drowning	M.																												
	F.																												
12. Suicide by poison	M.	4											1		1		1			1									
	F.																												
13. Other suicides	M.	12											1		3		2	2	1	1			1						
	F.	2																1	1										
14. Sunstroke	M.																												
	F.																												
15. Surgical operations	M.																												
	F.																												
16. Wounds	M.	1																		1									
	F.	1																							1				
17. Other accidents and injuries	M.	59	5	1			1	7	3	4	3	5	2		4	3	1	2	7	3	3	2	6	1	2	1		
	F.	28	3				1	4			1	2		2	1	1			1	1	3	2	4	3	1	1	1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	5381	1379	365	259	154	102	2259	261	157	215	293	219	210	189	158	181	177	154	203	171	174	134	108	52	30	18	18
Total: Males	2776	746	183	143	73	50	1195	128	72	105	148	87	88	96	85	93	103	82	128	96	88	67	52	27	14	9	13
Females	2605	633	182	116	81	52	1064	133	85	110	145	132	122	93	73	88	74	72	75	75	86	67	56	25	16	9	5
Unknown causes.																											
Total	645	365	33	40	18	4	460	27	14	10	13	7	9	7	7	9	7	5	13	7	9	10	12	6	4	4	5
Males	335	191	22	23	10	2	248	17	6	3	7	1	4	3	5	2	4	1	7	2	5	4	4	2	2	4	4
Females	310	174	11	17	8	2	212	10	8	7	6	6	5	4	2	7	3	4	6	5	4	6	8	4	2	....	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	1350	381	197	114	57	39	788	121	59	56	60	31	28	18	21	29	27	21	27	24	15	9	8	5	1	....	2
Males	696	213	88	58	27	19	405	58	29	29	37	14	10	6	11	15	15	9	18	15	6	6	7	4	1	....	1
Females	654	168	109	56	30	20	383	63	30	27	23	17	18	12	10	14	12	12	9	9	9	3	1	1	....	....	1
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	55	13	5	5	3	1	27	10	5	7	3	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
F.	56	13	11	8	3	3	38	5	1	1	3	....	1	1	3	1	....	....	....	....	....	....	....	....	....	....	1
3. Scarlet fever M.	15	....	2	6	1	2	11	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	24	1	2	3	5	2	13	7	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	47	6	8	4	4	9	31	6	4	....	1	1	1	....	....	1	1	....	....	....	....	....	....	....	1	....	....
F.	53	4	2	4	5	8	23	18	7	2	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....
5. Hooping-cough M.	17	8	6	1	2	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	37	14	9	8	1	3	35	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	5	2	....	....	....	1	3	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
F.	7	1	....	1	....	1	3	1	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	11	2	1	....	....	....	3	3	2	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
F.	5	2	....	1	....	....	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	81	2	5	3	1	1	12	12	5	10	15	5	3	4	3	4	1	2	....	3	1	1	....	....	....	....	....
F.	71	....	4	1	....	....	5	13	9	11	4	8	3	3	4	2	2	5	1	1	....	....	....	....	....	....	....
9. Diarrhœa M.	70	22	11	5	1	1	40	3	1	....	2	....	1	1	2	2	1	2	3	4	2	2	3	1	....	....	....
F.	53	13	14	5	2	....	34	1	....	1	3	2	3	....	1	2	....	....	2	1	2	1	....	....	....	....	....
10. Dysentery M.	50	16	3	11	1	....	31	3	1	....	1	....	1	1	1	1	3	....	2	....	1	....	2	2	....	....	....
F.	57	20	11	3	3	....	37	2	1	2	2	....	....	1	....	1	1	2	3	....	3	....	1	1	....	....	....
11. Enteritis M.	27	6	3	2	1	....	12	1	1	1	1	1	2	....	....	2	....	1	2	2	....	1	....	....	....	....	....
F.	27	9	5	....	2	....	16	1	3	....	....	1	....	2	....	1	1	2	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	12	....	1	....	....	....	1	2	....	1	1	....	....	....	2	1	1	....	....	2	....	1	....	....	....	....	....
F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	163	114	39	6	3	1	163	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	126	74	39	11	2	....	126	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	29	21	4	15	10	3	53	16	6	8	10	5	2	....	2	3	7	4	6	3	1	....	2	....	....	....	1
F.	109	15	11	10	7	3	46	10	7	6	6	2	3	2	2	6	6	2	2	5	2	2	....	....	....	....	....
15. Erysipelas M.	8	....	....	....	....	....	....	....	1	2	1	....	....	....	....	....	1	....	1	1	....	....	....	1	....	....	....
F.	9	1	1	1	....	....	3	1	....	....	....	....	2	....	....	....	1	....	1	....	1	....	....	....	....	....	....
16. Septicæmia M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	10	....	....	....	....	....	....	....	....	2	3	2	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	3	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
F.	4	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	1	....	....	....	....	....	....	....
General diseases—B.																											
Total	70	24	4	7	8	8	51	2	2	....	....	....	2	2	1	1	....	1	....	3	3	....	1	1	....	....	....
Males	38	11	1	3	5	3	23	2	2	....	....	....	1	2	1	1	....	1	....	1	2	....	1	1	....	....	....
Females	32	13	3	4	3	5	28	....	....	....	....	....	1	....	....	....	....	....	....	2	1	....	....	....	....	....	....
1. Worms M.	15	2	....	2	5	2	11	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	17	3	3	4	2	5	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	6	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	1	....	1	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	3	1	....	1	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	4	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....
6. Inanition M.	14	8	1	....	....	....	9	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	1	1	....	....	....
F.	11	10	....	....	....	....	10	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	368	186	3	5	2	....	196	5	1	1	2	4	2	3	1	2	2	1	5	7	22	29	43	17	15	9	1
Males	182	100	1	4	1	....	106	4	....	1	....	1	....	2	....	1	2	1	1	2	11	10	20	9	7	3	1
Females	186	86	2	1	1	....	90	1	1	....	2	3	2	1	1	1	....	....	4	5	11	19	23	8	8	6	....
1. Premature birth M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	12	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	78	78	....	....	....	....	78	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	64	64	....	....	....	....	64	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	43	13	1	4	1	....	19	4	....	1	....	1	....	2	....	1	2	1	1	1	5	3	2	....	....	....	....
F.	41	7	2	1	1	....	11	1	1	....	2	3	2	1	1	1	....	....	3	4	3	4	3	1	....	....	....
5. Old age M.	52	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	6	7	18	9	7	3	1
F.	63	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	8	15	20	7	8	6	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		919	26	23	15	15	9	88	22	27	49	103	82	77	68	52	55	52	49	65	42	33	21	16	9	1	3	5
Males		450	19	13	9	7	4	52	13	11	25	38	28	33	32	32	23	27	30	36	22	17	11	11	5	...	1	3
Females		469	7	10	6	8	5	36	9	16	24	65	54	44	36	20	32	25	19	29	20	16	10	5	4	1	2	2
1. Rheumatism	M.	19	...	...	...	...	...	...	...	...	...	...	1	...	1	1	..	...	1	6	2	1	2	1	2	...	1	...
	F.	13	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	3	1	1	3	2	...	...	...	1	...
2. Scrofula and tabes	M.	20	9	...	1	...	2	12	1	...	...	...	...	...	2	2	...	1	...	...	1	...	...	...	...	...	...	...
	F.	18	2	4	1	...	1	8	2	1	3	...	1	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...
3. Leprosy	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption	M.	289	5	6	4	3	2	20	7	8	21	34	24	29	25	25	17	20	16	17	10	7	4	3	...	...	...	2
	F.	319	3	1	2	2	3	11	1	11	19	57	45	30	25	19	21	15	12	18	10	9	6	3	3	1	1	2
5. Hydrocephalus	M.	11	2	6	2	...	...	10	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	4	1	2	1	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Cancer	M.	20	...	...	...	...	...	...	...	...	...	...	...	1	...	1	2	...	1	6	4	...	1	3	...	...	...	1
	F.	37	...	...	...	...	...	...	...	...	...	1	1	4	3	1	8	5	1	3	7	1	2	...	...	...	...	...
7. Tumor	M.	4	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...
8. Anæmia	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Dropsy	M.	81	2	1	2	4	...	9	4	3	3	4	3	2	4	3	3	4	10	7	5	6	4	4	3	...	...	...
	F.	72	1	3	2	6	1	13	5	3	1	7	6	7	7	...	3	4	3	6	2	3	...	2	...	...	...	...
10. Glycosuria	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Others of this class	M.	3	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		538	178	21	30	12	11	252	25	16	18	12	12	14	12	14	25	20	15	22	18	25	22	6	4	3	1	2
Males		291	101	12	20	4	6	143	10	7	10	6	4	7	8	9	13	13	6	17	12	13	8	....	1	1	1	2
Females		247	77	9	10	8	5	109	15	9	8	6	8	7	4	5	12	7	9	5	6	12	14	6	3	2	...	...
1. Inflammation of the brain	M.	35	12	2	5	2	1	22	3	...	3	...	...	1	2	1	...	1	...	1	...	...	...	...	...	...	...	1
	F.	34	10	3	3	2	...	18	4	3	1	2	2	1	1	1	...	...	...	1	...	...	...	...	...	...	...	...
2. Meningitis	M.	17	8	2	...	...	...	10	3	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	18	4	1	...	1	...	6	2	1	2	...	2	2	...	1	2	...	...	...	...	...	...	...	...	...	...	...
3. Apoplexy	M.	26	...	...	...	...	...	...	...	...	...	...	...	1	1	2	2	3	2	5	2	5	3	...	...	...	...	...
	F.	16	...	...	...	...	...	...	...	...	...	2	...	...	1	1	1	2	1	...	2	3	2	...	1	...	...	...
4. Paralysis	M.	43	1	1	1	...	...	3	...	...	1	...	...	2	1	3	4	2	3	7	8	5	2	...	1	...	1	...
	F.	51	...	...	...	...	1	1	...	...	1	...	...	1	...	2	5	2	7	2	3	7	11	6	1	2	...	...
5. Tetanus and trismus nascentium.	M.	24	17	...	...	...	...	17	1	...	1	3	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
	F.	11	10	...	...	...	...	10	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Epilepsy	M.	7	1	...	...	...	1	2	...	...	...	1	...	1	1	...	...	1	...	1	...	...	...	...	...	...	...	...
	F.	5	1	...	...	...	...	1	...	...	2	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...
7. Convulsions	M.	77	55	4	8	...	1	68	1	2	1	1	...	1	...	...	1	...	1	...	...	1	...	...	...	...	...	...
	F.	73	46	3	4	3	3	59	5	2	1	1	1	1	1	...	..	1	...	...	...	...	...	...	1	...	...	...
8. Mental diseases	M.	3	...	...	...	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
9. Diseases of the brain	M.	47	6	3	5	2	3	19	2	2	1	1	1	1	1	2	5	5	...	2	2	...	2	...	...	1	...	...
	F.	25	6	1	1	2	1	11	3	2	1	1	1	...	1	...	2	1	...	1	...	1	...	...	...	...	...	...
10. Diseases of the spinal cord	M.	6	...	...	1	...	...	1	...	1	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	1
	F.	6	...	1	1	...	...	2	1	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
11. Others of this group	M.	3	1	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	5	...	...	1	...	...	1	...	...	...	...	...	...	...	...	1	...	1	...	1	...	1	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		161	4	1	1	1	...	7	7	3	5	4	2	10	8	8	12	12	19	16	17	11	11	4	5	...	...	...
Males		76	2	...	1	1	...	4	1	1	1	1	1	3	4	1	6	6	8	12	8	5	9	3	2	...	...	...
Females		85	2	1	...	...	...	3	6	2	4	3	1	7	4	7	6	6	11	4	9	6	2	1	3	...	...	...
1. Angina pectoris	M.	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...
	F.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	1	...	...	...
2. Aneurism	M.	5	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	2	1	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the heart	M.	66	1	...	1	1	...	3	1	1	1	1	...	2	4	1	6	5	7	10	7	4	9	2	2	...	...	...
	F.	79	1	1	...	...	...	2	6	2	4	3	1	7	4	6	4	6	11	3	9	6	2	1	2	...	...	...
4. Others of this group	M.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		652	106	38	29	20	10	203	22	13	31	42	25	30	39	20	28	34	27	28	40	35	17	11	2	2	1	2
Males		352	49	20	14	10	5	98	6	4	14	29	14	15	27	12	19	22	17	18	25	15	10	4	1	...	...	2
Females		300	57	18	15	10	5	105	16	9	17	13	11	15	12	8	9	12	10	10	15	20	7	7	1	2	1	...
1. Croup	M.	33	17	5	2	5	2	31	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	33	13	10	3	3	...	29	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Laryngitis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Bronchitis	M.	16	5	2	1	1	...	9	...	...	1	...	...	...	1	...	1	...	1	2	1	...	...	...	...	...	...	...
	F.	30	8	2	2	3	...	15	2	...	...	1	...	...	1	1	1	...	...	3	3	2	1	...	...	...	...	...
4. Pneumonia	M.	267	21	11	8	3	2	45	4	4	13	27	13	14	25	12	18	20	14	14	18	13	7	3	1	...	...	2
	F.	196	28	5	9	3	5	50	6	9	16	11	10	12	10	7	7	12	9	5	9	15	3	1	1	2	1	...
5. Pleurisy	M.	8	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	2	1	2	1	...	...	...	...	...	...	...
	F.	7	1	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	1	1	1	...	2	...	...	...	...	...
6. Asthma	M.	10	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	4	...	3	1	...	...	...	...
	F.	11	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	1	1	6	...	...	...	...
7. Others of this group	M.	18	6	2	2	1	...	11	...	...	...	...	2	...	1	1	...	...	...	...	1	2	...	...	...	...	...	...
	F.	23	7	1	1	...	...	9	4	...	1	1	1	1	1	...	1	...	1	...	1	2	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		228	68	33	7	2	7	117	9	4	7	8	7	6	11	5	6	8	8	12	5	7	7	4	....	2	....
Males		133	41	20	4	2	4	71	5	4	2	2	4	3	2	3	5	6	4	8	3	6	3	1	....	1	....
Females		95	27	13	3	....	3	46	4	....	5	1	3	3	9	2	1	2	4	4	2	1	4	3	....	1	....
1. Dentition	M.	33	13	15	3	1	....	32	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	7	12	1	....	....	20	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	2	....	1	....	1	4	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	6	....	1	1	....	....	2	....	....	....	1	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	....	....	....	....	1	....	....	1	....	....	....	4	....	....	....	....	....	....	....	1	....	....	1	....
5. Obstruction of the bowels	M.	4	2	....	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	2	....	1	....	....	....	....	....
6. Hernia	M.	6	1	....	....	....	....	1	1	....	....	....	1	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	5	2	1	....	1	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	2	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....
8. Jaundice	M.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	9	....	....	....	....	1	1	....	....	2	....	....	1	....	....	....	1	....	1	....	1	1	1	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	18	....	....	....	....	1	1	1	1	....	....	1	2	2	....	3	1	3	1	1	1	....	....	....	....	....	....
	F.	6	2	....	....	....	....	2	....	....	....	....	2	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Peritonitis	M.	4	1	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	37	14	3	....	....	1	18	2	1	....	1	1	....	....	1	....	2	1	5	1	3	1	....	....	....	....	....	....
	F.	29	12	1	....	....	2	15	2	....	....	....	1	2	....	....	1	....	2	....	....	1	2	3	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		50	1	....	....	2	....	3	3	1	....	4	2	1	2	5	3	6	2	7	2	4	3	1	....	1	....
Males		39	1	....	....	1	....	2	2	....	....	3	2	1	2	4	1	4	2	6	2	3	3	1	....	1	....
Females		11	....	....	....	1	....	1	1	1	....	1	....	....	....	1	2	2	....	1	....	1	....	....	....	....	....	....
1. Bright's disease	M.	14	1	....	....	....	....	1	....	....	....	1	1	1	2	4	....	1	....	2	1	....	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	1	1	....	1	....	....	....	....	1	2	....	1	....	1	....	....	....	....	....	....
2. Calculus, urinary	M.	10	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	3	1	1	1	....	....	1	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	9	....	....	....	1	....	1	....	....	....	1	1	....	....	....	1	1	2	....	....	1	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	2	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		12	....	....	....	1	....	1	....	....	1	2	1	3	....	1	....	....	1	1	....	1	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	2	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	8	....	....	....	....	....	....	....	....	1	1	1	2	....	1	....	....	....	1	....	1	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		100	....	....	....	....	....	....	....	....	11	19	27	15	11	13	4	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	2	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	87	....	....	....	....	....	....	....	....	8	17	22	15	10	11	4	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	11	....	....	....	....	....	....	....	....	3	2	3	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		5	....	....	....	1	....	1	....	....	2	1	....	....	1	....	1	....	....	....	....	....	2	....	....	....	....	....
Males		4	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....
Females		4	....	....	....	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
1. Diseases of the spine	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		19	4	....	1	....	1	6	....	1	2	1	2	1	....	....	....	1	....	1	1	1	2	....	....	....	....	....
Males		14	2	....	1	....	1	4	....	....	2	....	2	....	....	....	....	1	....	1	1	1	2	....	....	....	....	....
Females		5	2	....	....	....	....	2	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abscess	M.	9	2	....	....	....	....	2	....	....	2	....	....	....	....	....	....	1	....	1	1	1	1	....	....	....	....	....
	F.	5	2	....	....	....	....	2	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Carbuncle	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	3	....	....	1	....	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		257	36	12	9	15	13	85	18	16	22	27	16	11	7	9	6	8	5	6	5	8	1	2	3	1	....	1
Males		163	16	6	6	5	6	39	10	8	18	24	15	10	7	6	6	3	3	4	3	4	....	....	2	1	....	....
Females		94	20	6	3	10	7	46	8	8	4	3	1	1	....	3	....	5	2	2	2	4	1	2	1	....	....	1
1. Burns and scalds	M.	24	1	1	3	3	4	12	5	2	....	....	2	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....
	F.	47	4	2	2	7	7	22	5	7	2	1	....	1	....	2	....	2	1	1	1	1	....	1	....	....	....	....
2. Drowned	M.	59	....	1	....	1	1	3	4	3	11	15	7	5	3	1	2	2	1	2	....	....	....	....	....	....	....	....
	F.	6	2	....	....	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....
3. Exposure and neglect	M.	4	2	1	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	13	....	....	....	....	....	....	1	....	4	4	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
5. Homicide	M.	4	....	1	....	....	....	1	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	4	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	7	5	1	....	....	....	6	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	4	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	39	8	1	2	....	1	12	....	2	3	4	4	2	1	2	2	....	....	2	3	1	....	....	1	....	....	....
	F.	27	8	2	1	3	....	14	1	1	1	....	1	....	....	1	....	1	1	1	1	2	1	....	....	....	....	1

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 2.

[Exclusive of RICHMOND.]

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		10242	2495	851	523	282	194	4345	497	307	436	569	380	324	307	339	279	330	229	391	294	363	306	263	123	59	59	42
Total: Males		5050	1403	423	281	136	98	2341	218	137	181	246	131	118	118	145	128	162	123	226	178	189	157	120	66	31	17	18
Females		5192	1092	428	242	146	96	2004	279	170	255	323	249	206	189	194	151	168	106	165	116	174	149	143	57	28	42	24
Unknown causes.																												
Total		1080	570	107	49	30	12	768	35	7	18	25	15	14	12	17	14	12	9	27	18	22	20	17	6	2	4	19
Males		539	296	57	27	15	7	402	10	2	6	14	4	4	5	7	9	5	3	17	9	12	11	8	....	2	2	7
Females		541	274	50	22	15	5	366	25	5	12	11	11	10	7	10	5	7	6	10	9	10	9	9	6	....	2	11
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2182	482	299	200	116	84	1181	219	108	91	94	62	52	45	45	39	40	24	50	30	35	31	17	6	6	4	3
Males		1082	266	153	107	53	38	617	100	49	43	46	24	18	21	22	16	15	12	28	22	16	14	8	3	4	1	3
Females		1100	216	146	93	63	46	564	119	59	48	48	38	34	24	23	23	25	12	22	8	19	17	9	3	2	3	....
1. Small-pox	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	1	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	102	23	24	11	6	6	70	8	4	4	6	3	1	1	1	....	1	1	....	....	....	2	....	....	....	....	....
	F.	67	12	7	9	4	3	35	12	5	2	5	2	1	2	....	....	....	1	1	....	....	....	....	....	....	1	....
3. Scarlet fever	M.	26	1	....	7	3	2	13	6	3	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	47	4	5	7	5	5	26	11	5	1	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	122	13	17	18	15	10	73	35	9	2	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	127	5	9	11	15	13	53	41	15	8	5	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	66	26	16	14	5	3	64	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	94	41	19	12	12	6	90	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	27	4	5	3	1	....	13	3	4	....	3	....	1	....	....	....	....	....	2	1	....	....	....	....	....	....	....
	F.	23	4	3	1	3	....	11	1	2	2	2	....	....	2	1	1	1	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	15	3	4	1	2	....	10	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	2	....	....	1	....	3	....	3	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	102	2	2	....	4	2	10	15	10	19	15	6	6	2	4	4	1	1	4	1	1	2	1	....	....	....	....
	F.	120	4	3	5	3	1	16	11	13	18	12	10	8	5	5	4	8	2	4	1	3	....	....	....	....	....	....
9. Diarrhœa	M.	95	31	17	10	4	3	65	1	2	....	1	2	2	2	2	1	2	1	3	2	4	....	4	1	....	....	....
	F.	99	32	19	12	5	1	69	3	1	....	1	2	....	1	2	2	2	....	2	....	2	5	2	1	....	1	....
10. Dysentery	M.	128	25	24	21	6	3	79	13	4	2	2	1	2	4	3	3	2	....	2	3	2	2	2	1	1	....	....
	F.	125	22	25	14	6	7	74	12	2	2	2	2	2	1	4	4	5	4	1	3	4	....	1	1	1	....	....
11. Enteritis	M.	54	16	7	7	1	2	33	3	1	2	....	....	....	....	2	....	....	1	4	....	2	2	1	....	....	....	1
	F.	51	9	4	2	2	3	20	....	....	....	4	3	3	2	....	3	4	1	3	1	2	3	2	....	....	....	....
12. Cholera morbus	M.	18	3	1	1	1	....	6	2	....	....	....	2	1	1	....	2	....	....	3	1	....	....	....	....	....	....	....
	F.	14	1	....	1	....	1	3	5	....	....	1	....	....	....	....	....	....	1	1	....	1	2	....	....	....	....	....
13. Cholera infantum	M.	137	100	27	9	....	1	137	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	124	67	43	12	2	....	124	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	154	13	8	4	5	6	36	7	10	12	15	8	5	4	7	5	7	6	7	10	5	4	....	....	3	1	2
	F.	139	10	6	5	4	5	30	18	11	10	6	6	14	4	7	5	1	1	7	3	6	5	3	1	....	1	....
15. Erysipelas	M.	14	2	1	....	....	....	3	....	....	....	....	1	....	3	....	1	....	....	....	3	1	1	....	1	....	....	....
	F.	20	3	3	2	....	1	9	1	1	....	....	2	....	1	....	....	....	1	2	....	1	2	....	....	....	....	....
16. Septicæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	28	....	....	....	....	....	....	....	....	2	8	7	5	4	2	....	....	1	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	15	1	....	1	....	....	2	....	....	....	2	....	....	3	2	....	2	1	2	1	....	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	3	....	1	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	6	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....
General diseases—B.																												
Total		112	26	14	14	10	5	69	8	3	2	4	2	2	2	1	....	4	3	3	2	5	1	1	....	....	....	....
Males		64	15	6	10	9	1	38	1	2	....	2	1	2	2	....	....	3	3	3	1	5	....	1	....	....	....	....
Females		48	11	8	4	4	4	31	7	1	2	2	1	....	....	1	....	1	....	....	1	....	1	....	....	....	....	....
1. Worms	M.	17	2	3	7	5	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	27	4	6	3	3	4	20	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	18	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	3	2	3	1	5	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	15	1	3	1	1	1	7	1	2	....	2	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....
	F.	6	1	2	....	....	....	3	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	14	12	....	2	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	6	....	1	1	....	8	....	1	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		809	508	7	4	3	2	524	2	....	1	2	2	2	....	....	4	2	2	3	4	33	36	73	55	32	32	....
Males		435	308	1	2	2	2	315	1	....	....	....	....	1	....	....	3	1	2	1	1	18	13	32	28	14	5	....
Females		374	200	6	2	1	....	209	1	....	1	2	2	1	....	....	1	1	....	2	3	15	23	41	27	18	27	....
1. Premature birth	M.	28	28	....	....	....	....	28	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	14	....	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	252	252	....	....	....	....	252	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	167	167	....	....	....	....	167	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	5	3	1	....	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	4	1	....	....	....	5	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	51	25	....	2	2	1	30	1	....	....	....	....	1	....	....	3	1	1	1	....	6	1	3	3	....	....	....
	F.	48	15	4	1	1	....	22	1	....	1	1	2	1	....	....	1	1	....	1	1	2	5	5	2	....	2	....
5. Old age	M.	99	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	12	12	29	25	14	5	....
	F.	138	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	13	18	36	25	18	25	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2104	53	68	57	32	22	232	82	78	171	252	177	145	144	146	106	107	98	114	73	75	51	45	10	3	5	5
Males		836	31	34	28	14	14	121	33	25	57	91	54	45	39	54	40	48	29	59	40	31	33	23	8	3	2	1
Females		1268	22	34	29	18	8	111	49	53	114	161	123	100	105	92	66	59	39	55	33	44	31	22	2	2	3	4
1. Rheumatism	M.	27			1			1	2	2	1	1		1		2		6	2	3		2	2	2				
	F.	28		1				1			2	1	2			1	2	1	1	4	3	1	6	3				
2. Scrofula and tabes	M.	75	4	8	5	4	5	26	10	3	3	6	4	1	2	2	2	2		1	2	4		2				
	F.	98	6	10	11	4	5	36	17	13	4	3	3	1	0	3	2	4	2	2	2							
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	483	15	13	7	5	4	44	12	12	44	78	43	36	30	42	28	26	17	20	21	10	8	7	1	2	1	1
	F.	824	9	14	10	11	2	46	26	29	102	132	101	85	83	59	30	31	22	21	16	26	6	5	1			3
5. Hydrocephalus	M.	12	6	3	2			11									1											
	F.	11	3	3	3			9		1							1											
6. Cancer	M.	48								2			1	1	3	3	1	3	5	10	6	5	5	3				
	F.	105							1		1	3	3	5	7	14	16	9	6	14	4	6	7	6		2		1
7. Tumor	M.	10			1		1	2									1	1	1	2	1							
	F.	18	2					2		1		2	1			2	1		3	1	2	3						
8. Anæmia	M.	7	3		1			4		1											1	1						
	F.	4									1	1					1						1					
9. Dropsy	M.	162	3	9	10	5	4	31	9	5	4	4	6	5	4	5	6	7	2	21	9	9	18	8	7	1	1	
	F.	174	2	3	4	2	1	12	5	9	4	19	13	8	9	13	13	14	5	13	6	8	11	8	1		3	
10. Glycosuria	M.	10										2		1			1	1	2	2				1				
	F.	1												1														
11. Others of this group	M.	2		1	1			2																				
	F.	5		3	1	1		5																				
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1022	322	78	37	14	16	467	42	32	26	22	19	9	12	23	23	43	42	50	37	58	46	37	15	7	5	7
Males		540	177	39	22	8	10	256	24	15	13	9	8	6	5	10	12	18	23	28	22	34	22	15	8	5	1	4
Females		482	145	39	15	6	6	211	18	17	13	13	11	3	7	13	11	25	17	22	15	24	24	22	7	2	4	3
1. Inflammation of the brain	M.	78	30	12	5	1		48	7	5	4	7	2		1			1		1		1	1					
	F.	62	16	11	2	1	4	34	4	6	8	3		1	1		2		1				2					
2. Meningitis	M.	29	13	5	3	1	2	24	2		1		1								1							
	F.	19	4	6	1	1		12	3	1		2	1															
3. Apoplexy	M.	51	2					2							2		1	4	8	13	5	9	3	2	1			1
	F.	42	1	1				2				1	1			4	1	0	4	8	3	4	3	3	2			
4. Paralysis	M.	107	2			1		3	2	1	2		1	2		5	4	7	12	9	7	18	13	10	5	3	1	2
	F.	118	2	2	1		1	6	1	2			3			5	3	10	8	12	10	18	14	16	4	2	3	1
5. Tetanus and trismus nascentium.	M.	14	8			1		9	1		1		1				1		1									
	F.	7	6		1			7																				
6. Epilepsy	M.	17	2					2	1	3	2	2	1	1		1	1			1			1			1		
	F.	14	1	2				3	2	2		3	2		1	1												
7. Convulsions	M.	150	107	16	8	3	4	138	5	2	1			1	1		1											1
	F.	132	97	11	8	3	1	120	2	2		1	1				0	1										2
8. Mental diseases	M.	9												1		1	2	1	1		1			1				
	F.	7													1		1	2	1			1	1					
9. Diseases of the brain	M.	73	12	4	5	1	3	25	5	2	2		1	1		3	2	5	2	4	8	6	4	2	1			
	F.	62	15	5	1			21	4	3	5	1	3	2	3	2	1	5	1	1	2	2	2	2	1		1	
10. Diseases of the spinal cord	M.	10	1	2	1		1	5	1	2						1			1									
	F.	11	3	1	1	1		6	2	1		1						1										
11. Others of this group	M.	2											1												1			
	F.	8										1			1	1			2	1			2					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		325	9	1	2		1	13	7	2	9	17	13	13	13	23	22	25	15	33	29	39	28	17	5		1	1
Males		163	7		1			8	3	1	5	6	5	6	5	14	8	12	8	19	17	17	17	7	4		1	
Females		162	2	1	1		1	5	4	1	4	11	8	7	8	9	14	13	7	14	12	22	11	10	1			1
1. Angina pectoris	M.	3																1		1	1							
	F.	3												1							1			1				
2. Aneurism	M.	3												1		1						1						
	F.																											
3. Diseases of the heart	M.	155	6		1			7	3	1	5	6	3	6	5	13	7	12	7	18	17	16	17	7	4		1	
	F.	157	1	1	1		1	4	4	1	4	11	7	7	8	9	14	13	7	13	11	22	11	9	1			1
4. Others of this group	M.	2	1					1					1															
	F.	2	1					1												1								
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1233	226	138	86	43	23	516	44	34	58	60	27	26	40	41	31	56	31	64	53	54	41	34	12	4	5	2
Males		675	136	71	39	24	14	284	20	17	29	36	12	15	20	22	17	38	20	41	33	28	21	13	4	1	3	1
Females		558	90	67	47	19	9	232	24	17	29	24	15	11	20	19	14	18	11	23	20	26	20	21	8	3	2	1
1. Croup	M.	77	28	26	9	8	2	73	3						1													
	F.	86	27	16	18	0	5	75	8							1	1						1					
2. Laryngitis	M.	1			1			1																				
	F.	1								1																		
3. Bronchitis	M.	61	22	6	6	3	1	38	4	1		1		1	1	1		1	2	3		1	2	1	2	1	1	
	F.	55	16	6	6	1		29	2			3				2		2	1	3	2	1	4	4	1	1		
4. Pneumonia	M.	483	78	36	23	9	10	156	13	15	28	34	12	14	18	18	15	34	15	31	29	21	16	10	1		2	1
	F.	355	41	40	20	8	3	112	13	16	27	19	10	10	16	13	12	15	8	16	14	21	12	12	5	2	1	1
5. Pleurisy	M.	20	3				1	4		1		1				1	1	2		3	3	1	2		1			
	F.	17	1		1	1	1	4				1	2		1	1		1	1	1		1	1	2			1	
6. Asthma	M.	10	2					2								1		1	1	2		1	1	1				
	F.	16	1		2			3							1	1			1	1	2	3	1	2				
7. Others of this group	M.	23	3	3		4		10			1					1	1		2	2	1	4		1				
	F.	28	4	5				9	1		2	1	3	1	2	1	1			2	3	1		1				

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		578	169	111	32	9	8	329	10	10	7	16	13	9	11	11	20	10	20	24	23	18	16	12	5	2	1	2
Males		313	98	50	19	4	4	175	7	6	2	7	9	3	8	6	9	8	13	16	12	11	10	5	3	2	1	
Females		265	71	61	13	5	4	154	3	4	5	9	4	6	3	5	11	11	7	8	11	7	6	7	2			2
1. Dentition	M.	92	34	43	14	1		92																				
	F.	99	39	51	8	1		99																				
2. Angina	M.	6	2			1		3	1	1									1									
	F.	4	2					2						1														
3. Gastritis	M.	8	2		1			3	1			1						1	1	1								
	F.	12	1		1	1		3									1			2	2		2					
4. Other diseases of the stomach	M.	25	4	2	1	2	1	10			1				2		4		2	1	2	2	1					
	F.	21	3	2		1	2	8	1	1		3				1		1	1	1	2	1	1					
5. Obstruction of the bowels	M.	5	2				1	3					1					1										
	F.	6									1						2		1				1					1
6. Hernia	M.	18	3					3										2	1	2	2	3	1	1		1		
	F.	3																	1		1							1
7. Other diseases of the bowels	M.	23	8	1			1	10	1		1	2	3				2		1				1	2				
	F.	13	2	2	2			6	2	1	1	1						1			1							
8. Jaundice	M.	14	9	1				10					1	1	1		1											
	F.	9	3					5					1	1					1					1				
9. Inflammation and abscess of the liver.	M.	10			1			1		1			1	1	2					1	1	2						
	F.	9										1					2			1		1	2	2				
10. Other diseases of the liver	M.	34	1		1			2	1	1		1	2	1		2	2	2	1	6	3	4	2	2	1	1		
	F.	19	2			1	1	4		1	1	1				2	2	2			3	1	1	1				
11. Peritonitis	M.	3			1			1							1					1								
	F.	7									1		2	1	1	1		1										
12. Ascites	M.	10	1	2				3	1			1							2		3							
	F.	8				1	1	2				1		1			2			1	1							
13. Others of this group	M.	65	32	1			1	34	2	3		2	1		2	4		2	4	4	1	1	3		1	1		
	F.	55	17	6	2			25		1	1	2	1	2	2		2	5	3	2	1	4		2	2			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		99	8		1	1	1	6	3	1		7	5	3	1	2	5	6	4	9	12	12	12	4	5		1	1
Males		82	3			1	1	5	2			3	3	2	1	1	5	6	4	8	11	11	11	3	5			1
Females		17			1			1	1	1		4	2	1		1				1	1	1	1	1			1	
1. Bright's disease	M.	15							2			1	2	1		1	2	1	2		1	1	1					
	F.	6										2	1							1	1						1	
2. Calculus, urinary	M.	13												1				1		2	3	1	3	2				
	F.																											
3. Diseases of the kidney	M.	23	3			1	1	5				1	1		1		3	2	1	2	2	2	3					
	F.	9			1			1				2	1	1		1						1	1	1				
4. Diseases of the bladder	M.	24																1	1	4	5	5	3	1	4			
	F.	1							1																			
5. Others of this group	M.	7										1						1				2	1		1			1
	F.	1								1																		
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		20									2	2	2	2	3	1		1	1	3		1	2					
1. Ovarian tumors	F.	2																1		1								
2. Ovarian diseases	F.																											
3. Uterine tumors	F.																											
4. Uterine diseases	F.	8											2	1	2					1		1	1					
5. Others of this group	F.	10									2	2		1	1	1			1	1			1					
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		137								1	19	27	25	28	12	17	4	3										1
1. Abortion	F.	10									1	4	3		2													
2. Child-birth	F.	115								1	14	21	21	27	10	15	3	3										
3. Others of this group	F.	12									4	2	1	1		2	1											1
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		13	2	1				3		1	1		1				1			2	2	1	1					
Males		9	2					2		1	1		1				1			1	1	1						
Females		4		1				1												1	1		1					
1. Diseases of the spine	M.	5	2					2			1									1	1							
	F.	2		1				1																				
2. Diseases of the bones	M.																						1					
	F.	1																										
3. Diseases of the hip-joint	M.																				1							
	F.																											
4. Others of this group	M.	4								1			1				1					1						
	F.	1																		1								

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		27	11			2	1	14	1	1		1	1		1		1	1	3		3						
Males		14	7			1	1	9				1			1				1		2						
Females		13	4			1		5	1	1			1				1	1	2		1						
1. Abscess	M.	7	3			1		4				1			1				1								
	F.	7	3					3	1	1			1						1								
2. Carbuncle	M.	2																			2						
	F.	3																									
3. Others of this group	M.	5	4				1	5										1	1		1						
	F.	3	1			1		2								1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2												1							1						
Males		1												1													
Females		1																			1						
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1												1													
	F.	1																			1						
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		499	114	27	41	22	19	223	44	29	31	40	16	18	11	12	9	11	7	9	7	10	8	6	4	1	1	2
Males		297	57	12	26	8	6	109	17	19	25	31	10	15	11	9	8	8	3	5	7	5	5	5	3		1	1
Females		202	57	15	15	14	13	114	27	10	6	9	6	3		3	1	3	4	4		5	3	1	1	1		1
1. Burns and scalds	M.	47	3	6	14	5	6	34	6	1	1	1										1		1	1		1	
	F.	104	6	7	11	14	13	51	24	7	4	4	3	1		2	1	2		2		1	1	1				
2. Drowned	M.	25			1			1	1	3	5	8	2		2						1		2					
	F.	4			1			1					1	1														1
3. Exposure and neglect	M.	41	19	4	7	2		32		2		1			1	2			1				1	1				
	F.	31	21	4	1			26	1	1		1							1			1						
4. Gunshot wounds	M.	22	1		1	1		3	3	4	5	1	1	3	2													
	F.	1									1																	
5. Homicide	M.	5							2			1		2														
	F.	3										1	1							1								
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.	1																				1						
	F.																											
8. Railroad accidents	M.	19									4	6	2	2	1	3		1										
	F.	1										1																
9. Suffocation	M.	29	25		1			26				2		1														
	F.	28	24	1	1			26	1	1																		
10. Suicide by shooting	M.	2													1			1										
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	2												1							1							
	F.																											
13. Other suicides	M.	3										1				1												1
	F.	1														1												
14. Sunstroke	M.	7								1	1			1			1		1	1		1						
	F.	1																	1									
15. Surgical operations	M.	3											1	1			1											
	F.																											
16. Wounds	M.	4										1					1	1						1				
	F.	2	1					1												1								
17. Other accidents and injuries	M.	87	9	2	2			13	5	8	9	9	4	4	4	3	5	5	1	4	5	2	2	2	2			
	F.	26	5	3	1			9	1	1	1	2	1	1				1	2			3	2		1	1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		7484	1843	539	294	191	163	3030	371	249	281	387	267	249	195	208	209	244	199	268	285	304	300	233	94	54	37	20
Total:	Males	3609	979	264	172	90	73	1578	186	112	105	179	105	88	71	83	77	119	92	137	144	165	153	107	52	30	13	13
	Females	3875	864	275	122	101	90	1452	185	137	176	208	162	161	124	125	132	125	107	131	141	139	147	126	42	24	24	7
Unknown causes.																												
Total		787	459	63	29	12	8	571	15	14	7	14	7	5	13	13	9	11	14	11	18	17	19	24	4	1	....	....
	Males	359	213	30	17	5	4	269	6	7	2	6	2	2	3	1	1	6	7	4	7	9	10	14	3	....	....	....
	Females	428	246	33	12	7	4	302	9	7	5	8	5	3	10	12	8	5	7	7	11	8	9	10	1	1	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1619	340	216	119	89	83	847	180	88	61	95	55	46	18	19	24	26	16	27	26	30	26	16	7	4	3	5
	Males	784	177	105	65	46	35	428	91	40	19	44	27	18	6	8	7	11	6	10	13	17	15	7	5	3	1	2
	Females	835	163	111	54	43	48	419	89	48	42	51	28	28	12	11	17	15	10	11	13	13	11	9	2	1	2	3
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	41	14	4	7	3	3	31	4	2	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	52	9	18	1	3	5	36	3	1	3	4	1	....	....	....	1	....	....	3	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	71	5	8	6	12	9	40	21	3	3	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	54	6	3	6	2	11	28	15	6	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria	M.	79	4	12	8	6	8	38	29	8	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	1
	F.	112	6	11	4	11	14	46	43	16	3	....	2	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
5. Hooping-cough	M.	59	41	18	13	6	4	82	4	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	112	53	20	15	8	7	103	6	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	7	....	....	1	....	1	2	1	....	1	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	11	4	1	1	1	1	8	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	1	....	1	....	1	3	1	4	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
8. Enteric fever	M.	144	3	2	3	1	1	10	9	12	11	32	22	13	3	3	2	4	4	7	4	4	3	....	1	....	....	1
	F.	123	3	....	1	3	1	8	7	11	27	10	10	10	4	3	6	5	6	4	....	1	1	....	....	....	....	1
9. Diarrhœa	M.	55	13	9	7	2	2	33	1	1	....	1	....	....	2	....	....	....	....	....	1	5	2	3	4	2	....	....
	F.	41	10	6	6	1	....	23	....	....	1	2	....	1	....	....	3	1	1	....	1	1	2	3	1	1	....	....
10. Dysentery	M.	99	22	22	11	8	5	63	11	8	....	1	1	1	....	2	1	1	....	1	2	1	1	....	....	....	....	....
	F.	100	12	18	10	6	2	50	9	7	2	5	1	5	....	....	1	1	1	2	4	5	3	3	....	....	1	....
11. Enteritis	M.	41	8	5	2	2	....	17	3	2	1	2	1	2	....	1	1	2	1	1	2	3	1	1	....	....	....	....
	F.	52	8	5	1	3	3	20	2	1	2	2	1	3	....	3	2	4	1	2	3	2	1	1	1	....	....	1
12. Cholera morbus	M.	20	1	4	1	1	....	7	3	....	....	....	....	....	1	....	....	1	....	2	1	3	1	1	....	....	....	....
	F.	9	1	3	....	....	....	4	....	....	....	2	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
13. Cholera infantum	M.	73	50	17	3	2	1	73	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	86	47	26	9	1	3	86	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	24	4	1	1	1	....	7	3	2	....	2	....	2	1	1	1	....	....	2	....	....	3	....	....	....	....	....
	F.	16	3	....	....	1	1	5	2	....	....	1	1	1	1	....	2	1	1	....	....	....	1	....	....	....	....	....
15. Erysipelas	M.	19	4	2	1	1	....	8	1	....	....	1	....	....	....	....	....	2	....	....	2	1	2	2	....	....	....	....
	F.	14	2	1	....	....	....	3	1	....	....	1	....	1	....	....	2	....	....	....	1	1	2	2	....	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	31	....	....	....	....	....	....	....	1	1	11	6	6	4	2	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	7	2	....	....	1	....	3	....	....	....	1	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....
19. Others of this group	M.	7	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	1	1	....
	F.	9	....	....	....	1	....	1	....	....	....	1	....	....	....	2	....	1	....	....	1	1	1	....	....	....	1	....
General diseases—B.																												
Total		68	24	12	4	4	2	46	5	1	3	1	....	2	....	....	....	....	1	3	1	1	1	2	....	....	....	1
	Males	38	12	8	4	2	1	27	2	....	1	1	....	1	....	....	....	....	1	3	....	....	1	....	....	....	....	1
	Females	30	12	4	....	2	1	19	3	1	2	....	....	1	....	....	....	....	....	....	1	1	....	2	....	....	....	....
1. Worms	M.	15	4	5	2	2	....	13	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	2	3	....	1	1	7	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	5	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	2	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	8	1	2	2	....	1	6	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	7	3	1	....	1	....	5	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	10	7	1	....	....	....	8	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	10	7	....	....	....	....	7	....	....	1	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
General diseases—C.																												
Total		578	373	5	3	3	3	387	....	....	4	1	1	2	....	....	1	1	2	5	4	17	30	40	28	25	28	2
	Males	305	221	3	2	2	2	230	....	....	1	1	....	....	....	....	1	1	1	2	4	5	12	13	10	13	9	2
	Females	273	152	2	1	1	1	157	....	....	3	....	1	2	....	....	....	....	1	3	....	12	18	27	18	12	19	....
1. Premature birth	M.	42	42	....	....	....	....	42	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	23	....	....	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	166	166	....	....	....	....	166	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	114	114	....	....	....	....	114	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	1	1	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	4	2	....	....	1	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	37	12	2	2	2	1	19	....	....	....	1	....	....	....	....	1	1	1	2	2	1	3	2	....	4	....	....
	F.	37	13	2	1	....	1	17	....	....	2	....	1	2	....	....	....	....	1	1	....	3	4	4	....	....	2	....
5. Old age	M.	55	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	4	9	11	10	9	9	1
	F.	95	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	9	14	23	18	12	17	....
6. Atrophy	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1472	63	28	17	13	9	130	45	54	101	148	104	110	87	89	79	92	73	77	76	87	53	38	21	4	3	2
Males		578	37	12	9	6	2	66	21	17	35	65	29	31	30	26	21	36	26	35	34	49	25	17	10	3	1	1
Females		894	26	16	8	7	7	64	24	37	66	83	75	79	57	63	58	50	47	42	42	38	28	21	11	1	1	1
1. Rheumatism	M.	30	1					1	1	2	3	1	1	1	1	2		2	2	5	2	1	1	2		1	1	
	F.	35				1		1	1	1	1			2	1	3	1	3	2	4	4	5	4	2				
2. Scrofula and tabes	M.	63	12	6	5	2	1	26	9	5	4	1	3	3	2	1	1	2		3	1	1		1				
	F.	67	10	9	3	2	1	25	12	3	1	8	2	3	1	4		1	3	2				2				
3. Leprosy	M.																											
	F.																											
4. Consumption	M.	313	6	4	2		1	13	5	6	21	62	21	20	25	21	16	21	16	14	15	14	11	3	2			1
	F.	532	8	6	3	4	3	24	6	26	56	70	63	58	41	47	31	27	23	19	15	12	8	6				
5. Hydrocephalus	M.	6	5			1		6																				
	F.	5	3		1		1	5																				
6. Cancer	M.	41									3		2				2	6	3	5	5	8	2	2	3			
	F.	92									1	1	1	2	7	1	18	13	10	8	9	7	3	1	4	1		
7. Tumor	M.	11	6		1	1		8											1	1		1						
	F.	17		1	1			2					1			3	2	2	2	1	1	1	1		1			
8. Anæmia	M.	1		1				1																				
	F.	2	1					1									1											
9. Dropsy	M.	98	6		1	2		9	6	1	4	1	1	1		2	2	5	4	6	9	20	10	7	5	2		
	F.	140	4				1	5	4	6	7	4	3	14	7	5	5	10	7	8	13	12	7	10	6		1	1
10. Glycosuria	M.	13											1		2					1	2	4	1	2				
	F.	2							1													1						
11. Others of this group	M.	2	1	1				2																				
	F.	2					1	1		1																		
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		693	168	53	33	17	8	279	36	18	14	18	16	9	17	16	14	19	11	35	46	36	55	37	9	4	2	5
Males		359	88	28	18	9	5	145	19	14	6	10	7	1	11	11	8	9	6	20	25	15	28	14	6			4
Females		334	80	25	15	11	3	134	17	4	8	8	9	5	6	5	6	10	5	15	21	21	27	23	3	4	2	1
1. Inflammation of the brain	M.	71	26	12	6	2	2	48	6	2	2		2		1	1		2	1	1	2	1	2					
	F.	60	15	11	6	5	2	39	6	1	2	1	3			1		1		1	2		1	2				
2. Meningitis	M.	36	10	4	6		2	22	5	4	1	2					1				1							
	F.	43	14	5	4	4		27	6		1	1	1	1				1		1	1	1		1			1	
3. Apoplexy	M.	35							1			3			3	2	2	1	4	4	5	4	3	3				
	F.	17										1					1	1	2	2	1	1	5	3				
4. Paralysis	M.	84		2	1			3	2	3					4	3	3	4	1	13	7	6	20	9	5			1
	F.	91	1			1		2	1	1	1	1		1	1	1	3	4	1	10	10	16	17	13	3	4	1	
5. Tetanus and trismus nascentium.	M.	5	2					2			1		1		1													
	F.																											
6. Epilepsy	M.	16	1	1				2	1	2	2	1	2		1	1	1				1		1	1				
	F.	15	3					3			2	1	2		4			1				1			1			
7. Convulsions	M.	57	41	5	3	2	1	52	1	2			1							1								
	F.	55	41	3	4			48	3		1			1							1		1					
8. Mental diseases	M.	4														1		2			1							
	F.	6											1					1	1	1			1					1
9. Diseases of the brain	M.	44	8	3	2	2		15	2	1		3	1	1	1	2	1				8	3	1	2				3
	F.	33	6	5	1	1	1	14	1	1	1	3	2	1	1		1				3	1	1	3				
10. Diseases of the spinal cord	M.	1		1				1																				
	F.	2		1				1															1					
11. Others of this group	M.	6							1			1				1					1		1		1			
	F.	12								1				1		3	1	1	1		2	2						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		241	14	2			1	17	4	2	10	1	10	7	3	6	16	19	25	26	33	24	24	7	4	3		
Males		116	8	2				10	2		3		4	3	1	1	5	11	12	17	17	10	14	3	1	2		
Females		125	6				1	7	2	2	7	1	6	4	2	5	11	8	13	9	16	14	10	4	3	1		
1. Angina pectoris	M.	2																				1		1				
	F.	2											1						1									
2. Aneurism	M.	5															1		1		1			1	1			
	F.	1														1												
3. Diseases of the heart	M.	102	2	2				4	2		3		4	3	1	1	4	11	11	17	16	8	14	1		2		
	F.	115	2				1	3	2	2	7	1	5	4	2	4	11	8	11	9	16	14	10	4	1	1		
4. Others of this group	M.	7	6					6														1						
	F.	7	4					4											1						2			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1062	270	94	59	33	33	489	34	34	41	45	25	30	25	27	26	23	29	47	43	44	48	35	8	7		2
Males		526	144	46	36	14	17	257	16	11	16	24	12	12	9	11	15	14	14	20	18	23	23	18	7	6		1
Females		536	126	48	23	19	16	232	18	23	26	21	13	18	16	16	11	9	15	27	25	21	25	17	1	1		1
1. Croup	M.	126	71	16	13	7	8	115	11																			
	F.	113	62	15	11	10	6	104	6	2								1										
2. Laryngitis	M.	5	3					3						1			1											
	F.	2				1	1	2																				
3. Bronchitis	M.	61	18	9	3	1	1	32	1	1		1	3	1		1	1	1	1	2	1	3	6	4		2		
	F.	68	19	9	2	3	1	34	1		2	2	1		2	1		2	1	3	5	3	6	3		1		1
4. Pneumonia	M.	299	49	20	18	5	8	100	4	8	13	23	7	9	7	9	10	11	10	14	14	20	15	13	7	4		1
	F.	307	42	22	9	3	8	84	10	18	23	19	10	16	12	13	6	5	11	19	18	16	13	13	1			
5. Pleurisy	M.	7			1			1		1	1		1					1		1	1							
	F.	20	1	1		1		3						2		2			1	5	1	2	4					
6. Asthma	M.	3													1			1										
	F.	9	1					1		2					2		1			1			1	1				
7. Others of this group	M.	25	3	1	1	1		6		1	1		1	1	1	1	3		3	3	2		1	1				
	F.	17	1	1	1	1		4	1	1	1		2				4	1	2				1					

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		307	65	29	13	3	2	112	9	16	5	19	3	9	12	13	12	15	12	16	14	14	14	6	2	3	1
Males		152	36	11	9	2	1	59	6	7	2	6	1	3	5	10	4	9	8	5	7	7	6	3	2	1	1
Females		155	29	18	4	1	1	53	3	9	3	13	2	6	7	3	8	6	4	11	7	7	8	3	..	2	....
1. Dentition	M.	20	7	8	5	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	8	10	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	8	3	....	....	1	....	4	1	1	....	..	..	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	6	....	....	1	....	....	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
3. Gastritis	M.	13	2	....	....	....	....	2	1	1	....	....	....	....	1	2	1	....	....	....	1	....	1	....	1	....	....
	F.	14	1	....	1	....	....	2	....	1	1	1	....	....	2	....	1	1	....	....	1	1	3	..	....	....	....
4. Other diseases of the stomach	M.	10	3	....	....	....	....	3	1	....	....	....	1	....	....	....	1	1	1	....	1	1	....	....	....	....	....
	F.	19	1	....	1	....	1	3	....	....	....	4	....	....	....	2	1	2	1	1	2	2	....	..	....	1	....
5. Obstruction of the bowels	M.	5	2	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Hernia	M.	9	1	....	....	....	....	1	....	....	....	2	....	....	....	1	1	..	....	....	..	1	1	2	....	..	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	8	4	1	....	..	....	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	..	....	....	....	....
	F.	10	3	2	....	....	....	5	....	....	1	1	....	....	....	..	1	....	....	....	1	1	....	....	....	....	....	....
8. Jaundice	M.	10	5	....	....	....	....	5	....	....	..	1	....	....	1	....	....	2	....	....	....	....	1	..	....	....	....	....
	F.	6	3	....	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	27	2	1	3	1	....	7	1	1	1	1	....	1	2	3	1	1	1	1	2	3	1	....	....	....	....	....
	F.	32	4	4	1	....	....	9	1	1	....	....	....	1	2	....	2	3	2	4	....	2	2	2	....	1	....	....
11. Peritonitis	M.	6	....	....	....	....	1	1	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	1
	F.	15	....	....	....	1	....	1	....	1	1	1	1	3	1	....	1	....	....	2	....	....	....	....	....	....	....	....
12. Ascites	M.	3	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
13. Others of this group	M.	29	7	1	1	....	....	9	1	1	....	2	....	2	....	....	....	3	4	2	2	....	1	....	1	1	..	....
	F.	25	8	2	....	....	....	10	....	1	....	2	1	2	1	1	..	....	....	2	2	1	1	1	....	..	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		120	....	....	....	1	1	2	....	1	4	5	2	2	1	7	7	8	4	8	9	23	14	16	6	....	1	....
Males		94	....	....	....	....	....	....	....	1	3	2	2	1	....	5	6	6	3	6	9	22	11	12	4	....	1	....
Females		26	....	....	....	1	1	2	....	....	1	3	....	1	1	2	1	2	1	2	....	1	3	4	2	....	....	....
1. Bright's disease	M.	20	....	....	....	....	....	....	....	....	1	1	2	....	....	3	1	1	1	1	2	3	3	1	....	....	....	....
	F.	7	....	....	....	....	1	1	....	....	....	....	....	1	....	....	1	....	....	....	....	1	2	....	1	....	....	....
2. Calculus, urinary	M.	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	2	7	2	5	1	....	1	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	20	....	....	....	....	....	....	....	1	2	1	....	....	....	2	3	2	1	1	1	5	3	4	....	....	..	....
	F.	13	....	....	....	....	....	....	....	....	1	1	....	....	....	2	....	1	1	2	....	....	1	3	1	....	....	....
4. Diseases of the bladder	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	3	5	2	1	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	13	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	3	1	1	1	2	1	1	2	....	....	....
	F.	5	....	....	....	1	....	1	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		16	....	....	....	....	....	....	....	....	1	2	3	....	1	2	2	1	1	....	1	....	1	....	..	....	....	1
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	10	....	....	....	....	....	....	....	....	1	....	3	....	1	2	1	1	..	....	....	....	....	....	....	....	....	1
5. Others of this group	F.	6	....	....	....	....	....	....	....	....	....	2	..	....	....	..	1	....	1	....	1	....	1	..	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		59	....	....	....	....	....	....	....	1	6	15	16	10	5	4	2	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	9	....	....	....	....	....	....	....	....	1	3	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	47	....	....	....	....	....	....	....	1	4	12	13	7	5	4	1	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	3	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		31	2	3	2	....	....	7	2	1	1	....	2	1	....	1	2	6	1	4	....	1	2	....	....	....	....	....
Males		18	2	....	2	....	....	4	2	....	1	....	2	1	....	1	....	2	1	2	....	1	1	....	....	....	....	....
Females		13	....	3	....	....	....	3	....	1	....	....	....	....	....	....	2	4	..	2	....	....	1	..	....	....	....	....
1. Diseases of the spine	M.	14	2	....	2	....	....	4	2	....	1	....	2	1	....	....	....	1	1	1	....	1	....	....	....	....	....	....
	F.	5	....	3	....	....	....	3	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....
	F.	4	..	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

VIRGINIA—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		35	11	5	....	1	1	18	3	1	....	....	....	1	....	2	2	1	1	1	1	2	....	1	....	....	....	....
Males		22	6	3	....	1	1	11	2	1	....	....	....	1	....	1	....	1	....	1	1	2	....	1	....	....	....	....
Females		13	5	2	....	....	....	7	1	....	....	....	....	....	....	1	2	....	1	....	1	....	....	....	....	....	....	....
1. Abscess	M.	14	2	1	....	1	1	5	2	1	....	....	....	....	....	1	....	....	....	1	1	2	....	1	....	....	....	....
	F.	6	....	1	....	....	....	1	....	....	....	....	....	....	....	1	2	....	1	....	1	....	....	....	....	....	....	....
2. Carbuncle	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	7	4	1	....	....	....	5	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	7	5	1	....	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
Males		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
1. Addison's disease	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																												
Total		395	54	29	15	15	12	125	38	18	23	23	23	18	13	9	13	22	9	8	12	8	13	11	4	3	1	1
Males		258	35	16	10	6	5	72	19	14	17	20	19	14	6	8	9	13	7	6	9	5	7	5	4	2	1	1
Females		137	19	13	5	9	7	53	19	4	6	3	4	4	7	1	4	9	2	2	3	3	6	6	....	1	....	....
1. Burns and scalds	M.	28	1	4	5	3	2	15	6	....	....	1	....	1	....	....	....	....	....	1	1	....	1	....	1	1	....	....
	F.	54	2	4	3	6	5	20	13	3	3	....	2	2	1	....	1	4	....	1	1	....	2	1	....	....	....	....
2. Drowned	M.	21	....	1	....	....	....	1	2	4	3	4	1	1	....	....	....	1	....	1	1	....	2	....	....	....	....	....
	F.	4	1	....	1	....	....	2	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	18	10	2	2	1	....	15	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....
	F.	15	5	3	1	....	....	9	1	....	2	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....
4. Gunshot wounds	M.	25	....	....	....	....	....	....	3	3	4	3	4	2	1	1	1	....	1	....	....	2	....	....	....	....	....	....
	F.	5	1	1	....	....	....	2	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	13	....	....	1	....	....	1	....	1	....	1	2	....	1	1	1	2	1	....	1	....	....	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	26	17	2	....	....	....	19	1	....	....	....	1	....	....	....	1	1	....	....	1	....	1	....	....	....	....	1
	F.	21	8	2	....	1	....	11	1	....	....	....	....	....	....	....	1	....	2	....	1	....	2	3	....	....	....	....
10. Suicide by shooting	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	7	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	2	....	....	....	1	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	2	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	116	7	7	2	2	3	21	5	6	10	10	10	8	4	5	5	8	3	4	5	3	2	5	1	1	....	....
	F.	36	2	3	....	2	2	9	4	....	....	2	2	1	4	1	2	2	....	1	....	3	2	2	....	1	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WASHINGTON TERRITORY—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	341	75	27	16	16	13	147	29	27	15	12	10	18	5	23	16	8	8	7	3	5	2	1				5
Total: Males	203	43	18	5	10	8	84	16	15	9	6	5	11	1	15	12	6	6	6	2	4						5
Females	138	32	9	11	6	5	63	13	12	6	6	5	7	4	8	4	2	2	1	1	1	2	1				
Unknown causes.																											
Total	9	4					4	1		1		1				1											1
Males	4	2					2					1															1
Females	5	2					2	1		1						1											
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	124	30	10	9	9	9	67	19	17	6	3		3		2	1	1	1	2	1							1
Males	75	15	6	5	6	6	38	11	10	4	2		3		2		1	1	1	1							1
Females	49	15	4	4	3	3	29	8	7	2	1					1			1								
1. Small-pox M.																											
F.																											
2. Measles M.	3			1			1			1		1															
F.	4	1					1	2		1																	
3. Scarlet fever M.	5					1	1	4																			
F.	3	1			1	1	3																				
4. Diphtheria M.	30	1	2	1	4	4	12	7	8	3																	
F.	21	1	2	2	2	2	9	6	6																		
5. Hooping-cough M.	4	3	1				4																				
F.	2	2					2																				
6. Fever M.																											
F.																											
7. Cerebro-spinal fever M.	1	1					1																				
F.																											
8. Enteric fever M.	5					1	1				1		1		1			1									
F.	5			1			1		1	1	1								1								
9. Diarrhœa M.	6	4			1		5										1										
F.	1	1					1																				
10. Dysentery M.	4	1		1			2								1												1
F.	2	1	1				2																				
11. Enteritis M.	3			1			1		1	1																	
F.	5	4					4									1											
12. Cholera morbus M.	1	1					1																				
F.																											
13. Cholera infantum M.	7	4	2		1		7																				
F.	5	3	1	1			5																				
14. Malarial fever M.	4		1	1			2		1																		
F.	1	1					1																				
15. Erysipelas M.																											
F.																											
16. Septicæmia M.	1												1														
F.																											
17. Puerperal septicæmia F.																											
18. Venereal diseases M.	1																			1							
F.																											
19. Others of this group M.																											
F.																											
General diseases—B.																											
Total	6							2					1		1						1						1
Males	5							1					1		1						1						1
Females	1							1																			
1. Worms M.																											
F.																											
2. Other parasitic diseases M.																											
F.																											
3. Alcoholism M.	3												1		1												1
F.																											
4. Lead poison M.																											
F.																											
5. Other poisons M.	2							1													1						
F.	1							1																			
6. Inanition M.																											
F.																											
General diseases—C.																											
Total	17	14					14								1						1		1				
Males	9	8					8														1						
Females	8	6					6								1								1				
1. Premature birth M.	1	1					1																				
F.																											
2. Stillborn M.	7	7					7																				
F	4	4					4																				
3. Malformation M.																											
F.	1	1					1																				
4. Debility M.																											
F.	2	1					1								1												
5. Old age M.	1																				1						
F.	1																						1				
6. Atrophy M.																											
F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WASHINGTON TERRITORY—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		56	2	1	1	2	....	6	2	2	3	4	6	6	4	9	5	1	3	3	1	1	....	....	....	....	....	....
Males		29	2	1	....	1	....	4	1	....	2	2	1	3	1	5	5	....	2	3	....	....	....	....	....	....	....	....
Females		27	....	....	1	1	....	2	1	2	1	2	5	3	3	4	....	1	1	....	1	1	....	....	....	....	....	....
1. Rheumatism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	22	....	1	....	....	....	1	....	....	2	2	1	2	1	5	5	....	1	2	....	....	....	....	....	....	....	....
	F.	21	....	....	1	....	....	1	1	2	1	2	5	2	2	2	....	1	1	....	....	1	....	....	....	....	....	....
5. Hydrocephalus	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
7. Tumor	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	3	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		26	7	2	3	....	3	15	2	....	....	....	....	2	....	2	1	....	1	1	....	2	....	....	....	....	....	....
Males		12	3	....	....	....	2	5	1	....	....	....	....	....	....	1	1	....	1	1	....	2	....	....	....	....	....	....
Females		14	4	2	3	....	1	10	1	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Inflammation of the brain	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	4	1	1	....	....	6	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	4	....	....	....	....	2	2	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		6	1	1	....	1	....	3	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
Males		5	1	1	....	1	....	3	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	4	....	1	....	1	....	2	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		54	12	8	2	2	1	25	2	5	2	1	1	2	1	2	4	3	1	1	....	....	2	....	....	....	....	2
Males		35	10	6	....	1	....	17	1	3	....	1	1	2	....	2	2	2	1	1	....	....	....	....	....	....	....	2
Females		19	2	2	2	1	1	8	1	2	2	....	....	....	1	....	2	1	....	....	....	....	2	....	....	....	....	....
1. Croup	M.	6	3	2	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	4	....	1	1	1	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	26	6	4	....	1	....	11	1	2	....	1	1	2	....	2	2	1	1	1	....	....	....	....	....	....	....	1
	F.	11	1	1	1	....	....	3	1	1	2	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....
5. Pleurisy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....
7. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WASHINGTON TERRITORY—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	14	4	4				8		2	1		1			1	1										
Males	8	1	3				4		1	1		1				1										
Females	6	3	1				4		1						1											
1. Dentition M.	3		3				3																			
1. Dentition F.	2	1	1				2																			
2. Angina M.																										
2. Angina F.																										
3. Gastritis M.																										
3. Gastritis F.																										
4. Other diseases of the stomach. M.																										
4. Other diseases of the stomach. F.																										
5. Obstruction of the bowels M.																										
5. Obstruction of the bowels F.																										
6. Hernia M.																										
6. Hernia F.																										
7. Other diseases of the bowels M.																										
7. Other diseases of the bowels F.																										
8. Jaundice M.	1	1					1																			
8. Jaundice F.	1	1					1																			
9. Inflammation and abscess of the liver. M.	3									1		1				1										
9. Inflammation and abscess of the liver. F.																										
10. Other diseases of the liver M.																										
10. Other diseases of the liver F.	2	1					1		1																	
11. Peritonitis M.	1								1																	
11. Peritonitis F.																										
12. Ascites M.																										
12. Ascites F.																										
13. Others of this group M.																										
13. Others of this group F.	1														1											
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	1																1									
Males	1																1									
Females																										
1. Bright's disease M.																										
1. Bright's disease F.																										
2. Calculus, urinary M.																										
2. Calculus, urinary F.																										
3. Diseases of the kidney M.																										
3. Diseases of the kidney F.																										
4. Diseases of the bladder M.																										
4. Diseases of the bladder F.																										
5. Others of this group M.	1																1									
5. Others of this group F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females																										
1. Ovarian tumors F.																										
2. Ovarian diseases F.																										
3. Uterine tumors F.																										
4. Uterine diseases F.																										
5. Others of this group F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	5										3		1		1											
1. Abortion F.																										
2. Child-birth F.	5										3		1		1											
3. Others of this group F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	1				1		1																			
Males																										
Females	1				1		1																			
1. Diseases of the spine M.																										
1. Diseases of the spine F.																										
2. Diseases of the bones M.																										
2. Diseases of the bones F.																										
3. Diseases of the hip-joint M.																										
3. Diseases of the hip-joint F.	1				1		1																			
4. Others of this group M.																										
4. Others of this group F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WASHINGTON TERRITORY—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total																										
Males																										
Females																										
1. Abscess M.																										
1. Abscess F.																										
2. Carbuncle M.																										
2. Carbuncle F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total																										
Males																										
Females																										
1. Addison's disease M.																										
1. Addison's disease F.																										
2. Diseases of the spleen M.																										
2. Diseases of the spleen F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XII.—ACCIDENTS AND INJURIES.																										
Total	22	1	1	1	1	....	4	1	1	1	1	1	3	....	3	3	2	1	....	1	....	....	....	....	....	....	....
Males	20	1	1	....	1	...	3	1	1	1	1	1	2	...	3	3	2	1	....	1	....	....	....	....	....	....	....
Females	2	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Burns and scalds M.	2	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Burns and scalds F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Drowned M.	3	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Drowned F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Suffocation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
13. Other suicides F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Sunstroke F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds M.	3	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....
16. Wounds F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries M.	6	....	....	....	....	....	....	....	1	1	....	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....
17. Other accidents and injuries F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WASHINGTON TERRITORY—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	414	65	16	16	13	6	116	43	20	17	35	21	28	33	20	21	16	10	6	9	3	6	3	....	1	....	6
Total: Males	264	40	10	11	9	6	76	23	7	9	16	14	20	24	17	17	14	8	1	7	3	2	2	....	....	....	4
Females	150	25	6	5	4	....	40	20	13	8	19	7	8	9	3	4	2	2	5	2	....	4	1	....	1	....	2
Unknown causes.																											
Total	14	7	2	....	....	....	9	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	3
Males	8	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
Females	6	1	2	....	....	....	3	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	108	19	10	12	10	3	54	28	13	5	3	....	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....
Males	66	13	8	11	6	3	41	15	4	1	1	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	42	6	2	1	4	....	13	13	0	4	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	3	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	4	2	....	....	1	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	3	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	33	....	3	9	1	3	16	12	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	27	4	....	1	3	....	8	10	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	2	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	6	1	....	....	3	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	2	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever F.	3	....	1	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	10	6	3	1	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	2	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	4	2	....	....	....	....	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	21	14	....	....	....	....	14	1	....	....	....	....	....	....	....	....	....	....	....	1	1	1	3	....	....	....	....
Males	11	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	....	....	....
Females	10	7	....	....	....	....	7	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....
1. Premature birth M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
5. Old age M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	....	....	....	....
5. Old age F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WASHINGTON TERRITORY—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		78	2	...	...	...	...	2	2	2	3	19	7	9	15	4	6	2	1	1	3	...	1	...	...	...	...	...
Males		42	1	...	...	...	...	1	...	2	1	6	4	6	10	3	4	1	1	...	3	...	...	...	...	...	...	...
Females		36	1	...	...	...	...	1	2	1	2	13	3	3	5	1	2	1	...	1	...	...	1	...	...	...	...	...
1. Rheumatism	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...
2. Scrofula and tabes	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Leprosy	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption	M.	29	...	...	...	...	...	...	...	2	1	5	4	3	9	1	2	1	1	...	...	...	...	...	...	...	...	...
	F.	28	...	...	...	...	...	...	...	1	2	13	3	2	3	1	1	...	...	...	...	...	...	...	...	...	...	...
5. Hydrocephalus	M.	2	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Cancer	M	6	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	3	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
7. Tumor	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
8. Anæmia	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Dropsy	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
10. Glycosuria	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Others of this class	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		35	6	2	...	2	...	10	1	...	...	1	2	3	1	4	3	1	1	2	3	...	2	...	...	1	...	...
Males		27	3	1	...	2	...	6	1	...	...	1	2	3	1	4	3	1	1	1	2	...	1	...	...	...	...	...
Females		8	3	1	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	1	...	...
1. Inflammation of the brain	M.	2	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Meningitis	M.	2	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Apoplexy	M.	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
4. Paralysis	M.	8	...	...	...	...	...	...	...	...	...	...	1	...	1	1	1	1	...	...	2	...	1	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...
5. Tetanus and trismus nascentium.	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Epilepsy	M.	3	1	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Convulsions	M.	2	1	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Mental diseases	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Diseases of the brain	M.	2	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
10. Diseases of the spinal cord	M.	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		20	2	...	...	...	...	2	...	...	1	1	2	2	5	...	3	...	2	...	1	1	...	...	...	...	...	...
Males		14	2	...	...	...	...	2	...	...	...	1	1	2	3	...	3	...	2	...	1	1	...	...	...	...	...	...
Females		6	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Angina pectoris	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Aneurism	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the heart	M.	13	1	...	...	...	...	1	...	...	...	1	1	2	3	...	3	...	...	...	1	1	...	...	...	...	...	...
	F.	6	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	2	...	...	...	...	...	...	...	...	...
4. Others of this group	M.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		42	10	1	3	1	2	17	3	2	2	1	1	2	3	2	2	3	3	...	...	1	...	...	...	...	...	...
Males		27	5	1	...	1	2	9	2	...	2	...	...	1	2	2	2	3	3	...	...	1	...	...	...	...	...	...
Females		15	5	...	3	...	...	8	1	2	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Croup	M.	3	2	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Laryngitis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Bronchitis	M.	3	2	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Pneumonia	M.	13	1	...	...	...	1	2	...	...	1	...	...	1	2	2	1	2	2	...	...	...	...	...	...	...	...	...
	F.	9	2	...	2	...	...	4	1	1	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Pleurisy	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Asthma	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Others of this group	M.	6	...	1	...	1	...	2	2	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	F.	3	1	...	1	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WASHINGTON TERRITORY—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	17	2					2	2				1	1	1	2	2	3		1			2					
Males	11	2					2	2				1	1		2	1	2										
Females	6													1		1	1		1			2					
1. Dentition M.																											
1. Dentition F.																											
2. Angina M.																											
2. Angina F.																											
3. Gastritis M.	2														1	1											
3. Gastritis F.	1															1											
4. Other diseases of the stomach. M.	3	1					1					1					1										
4. Other diseases of the stomach. F.	2																		1			1					
5. Obstruction of the bowels M.	3							2									1										
5. Obstruction of the bowels F.	1													1													
6. Hernia M.	1														1												
6. Hernia F.	2																1					1					
7. Other diseases of the bowels. M.																											
7. Other diseases of the bowels. F.																											
8. Jaundice M.																											
8. Jaundice F.																											
9. Inflammation and abscess of the liver. M.	1												1														
9. Inflammation and abscess of the liver. F.																											
10. Other diseases of the liver M.																											
10. Other diseases of the liver F.																											
11. Peritonitis M.																											
11. Peritonitis F.																											
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.	1	1					1																				
13. Others of this group F.																											
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	8										1					1	3		2	1							
Males	6										1					1	3			1							
Females	2																		2								
1. Bright's disease M.	4										1					1	2										
1. Bright's disease F.																											
2. Calculus, urinary M.																											
2. Calculus, urinary F.																											
3. Diseases of the kidney M.	1																1										
3. Diseases of the kidney F.	1																		1								
4. Diseases of the bladder M.	1																			1							
4. Diseases of the bladder F.	1																		1								
5. Others of this group M.																											
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	1														1												
1. Ovarian tumors F.																											
2. Ovarian diseases F.																											
3. Uterine tumors F.																											
4. Uterine diseases F.																											
5. Others of this group F.	1														1												
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	7									1	2		3														1
1. Abortion F.																											
2. Child-birth F.	7									1	2		3														1
3. Others of this group F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Males																											
Females																											
1. Diseases of the spine M.																											
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WASHINGTON TERRITORY—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		1											1														
Males																											
Females		1											1														
1. Abscess	M.																										
	F.	1											1														
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		58	1	1	1		1	4	6	1	5	7	6	4	8	5	3	4	3								2
Males		50	1				1	2	3		5	6	6	3	8	5	3	4	3								2
Females		8		1	1			2	3	1		1		1													
1. Burns and scalds	M.	1									1																
	F.	3		1				1	2																		
2. Drowned	M.	21							1		3	5	1	2	3	1	1	3									1
	F.	2							1					1													
3. Exposure and neglect	M.	3	1					1									2										
	F.																										
4. Gunshot wounds	M.	6											3		1	1			1								
	F.	1										1															
5. Homicide	M.	1														1											
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	1					1	1																			
	F.																										
8. Railroad accidents	M.	1													1												
	F.																										
9. Suffocation	M.																										
	F.																										
10. Suicide by shooting	M.	2											1														1
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	1																1									
	F.																										
14. Sunstroke	M.	1																	1								
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	12							2		1	1	1	1	3	2			1								
	F.	2			1			1		1																	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	3815	888	278	152	127	90	1541	247	153	137	175	157	115	111	99	84	112	115	124	139	144	157	126	39	18	14	8
Total: Males	1926	484	146	82	62	58	832	129	77	60	70	70	39	47	42	36	58	69	62	71	72	97	59	17	7	8	4
Females	1889	404	132	70	65	38	709	118	76	77	105	87	76	64	57	48	54	46	62	68	72	60	67	22	11	6	4
Unknown causes.																											
Total	315	210	18	11	6	3	248	8	4	1	2	....	3	....	2	2	9	5	7	5	4	9	2	1	1	1	2
Males	168	115	9	6	3	1	134	6	3	1	....	....	1	....	1	1	5	1	1	2	1	3	....	1	....	1	1
Females	147	95	9	5	3	2	114	2	1	....	2	....	2	....	1	1	3	4	6	3	3	1	2	....	1	....	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	961	178	124	83	59	56	500	157	83	48	29	20	18	11	7	7	7	7	10	11	16	12	16	2	....	....	....
Males	482	100	70	43	19	36	268	76	42	20	14	12	7	2	2	3	3	3	4	6	7	4	8	1	....	....	....
Females	479	78	54	40	40	20	232	81	41	28	15	8	11	9	5	4	4	4	6	5	9	8	8	1	....	....	....
1. Small-pox M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	11	4	4	1	2	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	19	4	3	1	....	1	9	2	2	1	1	....	1	1	1	....	....	....	....	1	....	....	....	....	....	....	....
3. Scarlet fever M.	71	5	13	12	4	5	39	20	5	3	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	66	5	7	0	6	9	33	26	5	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	156	6	15	15	7	25	68	45	29	10	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	132	9	12	11	21	7	60	36	24	10	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	37	10	9	5	3	1	34	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
5. Hooping-cough F.	31	10	6	4	7	1	28	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Fever M.	8	1	1	....	1	....	3	2	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
6. Fever F.	6	1	1	1	....	....	3	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	4	1	....	1	....	....	2	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	7	....	1	....	....	....	1	....	2	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	40	2	....	1	....	1	4	2	3	6	6	5	5	1	1	1	....	1	3	....	....	1	1	....	....	....	....
8. Enteric fever F.	44	1	....	3	....	....	4	6	6	5	4	....	5	1	....	1	1	1	1	1	3	1	3	1	....	....	....
9. Diarrhœa M.	24	12	2	1	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	1	3	1	4	....	....	....	....
9. Diarrhœa F.	14	4	4	1	1	....	10	....	....	....	....	....	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....
10. Dysentery M.	20	8	1	2	1	1	13	2	1	1	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
10. Dysentery F.	30	3	3	5	3	....	14	2	1	2	....	1	....	....	1	....	....	....	2	1	....	4	2	....	....	....	....
11. Enteritis M.	32	9	7	1	1	2	20	2	....	....	1	1	....	....	1	....	....	2	....	3	....	1	1	....	....	....	....
11. Enteritis F.	28	6	5	2	....	....	13	1	....	2	2	....	....	....	....	1	3	1	1	1	2	1	....	....	....	....	....
12. Cholera morbus M.	7	1	4	....	....	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
12. Cholera morbus F.	5	1	....	2	....	....	3	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
13. Cholera infantum M.	44	28	13	3	....	....	44	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	46	30	11	4	1	....	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	9	1	1	1	....	....	3	1	3	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
14. Malarial fever F.	12	1	1	....	....	1	3	3	....	1	....	....	....	2	....	....	....	....	1	....	....	....	2	....	....	....	....
15. Erysipelas M.	8	5	....	....	....	....	5	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....
15. Erysipelas F.	8	2	....	....	....	....	2	....	1	2	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....
16. Septicæmia M.	3	....	....	....	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	3	1	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	20	....	....	....	....	....	....	....	....	3	5	4	3	3	2	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	5	....	....	....	1	1	2	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	6	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	1	....	....	....	....
19. Others of this group F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....
General diseases—B.																											
Total	34	13	3	1	3	2	22	3	....	....	1	....	....	1	....	....	2	....	2	1	2	....	....	....	....	....	....
Males	21	5	2	1	3	2	13	3	....	....	....	....	....	1	....	....	2	....	1	1	....	....	....	....	....	....	....
Females	13	8	1	....	....	....	9	....	....	....	1	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....
1. Worms M.	4	1	....	....	....	1	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	1	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	7	....	2	....	3	1	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	6	4	....	1	....	....	5	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	11	7	1	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....
General diseases—C.																											
Total	307	173	3	2	....	....	178	1	....	1	1	5	1	1	....	....	1	2	5	5	7	21	44	15	10	8	1
Males	163	93	3	2	....	....	98	1	....	1	....	5	....	....	....	....	....	2	3	3	3	12	20	5	5	5	....
Females	144	80	....	....	....	....	80	....	....	....	1	....	1	1	....	....	1	....	2	2	4	9	24	10	5	3	1
1. Premature birth M.	17	17	....	....	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	17	17	....	....	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	66	66	....	....	....	....	66	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	54	54	....	....	....	....	54	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	39	9	3	1	....	....	13	1	....	1	....	5	....	....	....	....	....	2	3	2	1	5	4	1	1	....	....
4. Debility F.	17	6	....	....	....	....	6	....	....	....	1	....	1	1	....	....	1	....	2	....	....	....	5	....	....	....	....
5. Old age M.	39	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	7	16	4	4	5	....
5. Old age F.	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	4	9	19	10	5	3	1
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		768	42	19	10	5	6	82	12	18	50	86	77	45	52	47	37	40	39	37	42	37	42	20	2	1	1	1
Males		322	24	5	4	3	4	39	6	8	20	25	23	11	24	17	15	19	21	15	22	21	24	9	1	...	1	1
Females		446	18	14	6	3	2	43	6	10	30	61	54	34	28	30	22	21	18	22	20	16	18	11	1	1	...	...
1. Rheumatism	M.	16	...	...	...	...	1	1	1	...	...	...	...	1	...	2	1	1	1	1	1	1	1	4	...	...	...	...
	F.	10	...	...	...	...	...	...	...	1	1	...	...	...	1	1	...	...	1	2	1	1	1	...	...	...	...	...
2. Scrofula and tabes	M.	25	6	1	2	...	1	10	3	2	1	1	2	1	...	1	...	...	1	...	1	1	1	...	...	...	...	...
	F.	25	8	5	...	...	2	15	2	1	...	3	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...	...
3. Leprosy	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Consumption	M.	177	7	1	...	1	1	10	1	2	14	20	20	8	22	10	11	14	9	8	12	6	6	2	1	...	...	1
	F.	294	6	6	2	1	...	15	1	8	23	55	51	30	19	22	12	11	6	11	13	4	8	5	...	...	...	...
5. Hydrocephalus	M.	11	6	3	...	1	...	10	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	5	1	1	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
6. Cancer	M.	26	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	2	4	3	1	5	7	1	...	...	...	...
	F.	48	...	...	...	...	...	...	...	...	1	1	...	3	4	5	9	3	6	4	...	6	4	2	...	...	...	...
7. Tumor	M.	7	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	2	...	1	2	...	...	...	...	...	...
	F.	12	...	...	...	1	...	1	1	...	...	1	...	1	1	...	1	1	1	1	2	...	...	1	...	...	...	...
8. Anæmia	M.	3	2	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	3	...	...	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
9. Dropsy	M.	49	3	...	2	...	1	6	1	3	2	3	...	1	2	3	1	2	3	1	6	5	8	1	...	...	1	...
	F.	43	1	1	2	...	...	4	...	...	4	1	3	...	2	2	...	5	1	4	4	5	4	2	1	1	...	...
10. Glycosuria	M.	6	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	2	...	1	...	...	...	...	...	...
	F.	3	...	1	1	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...
	F.	3	2	...	...	1	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Others of this class	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		365	99	35	13	7	1	155	16	10	7	4	8	8	6	8	6	14	13	17	20	27	18	20	8	3	2	...
Males		187	54	18	7	4	...	83	6	3	4	...	1	6	5	3	3	6	6	9	9	16	12	9	4	1	1	...
Females		178	45	17	6	3	1	72	10	7	3	4	2	2	1	5	3	8	7	8	11	11	6	11	4	2	1	...
1. Inflammation of the brain	M.	32	11	10	3	1	...	25	2	1	...	...	1	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...
	F.	33	11	6	3	1	...	21	3	4	...	...	...	...	...	...	1	2	...	1	1	...	...	...	...	...	...	...
2. Meningitis	M.	11	6	1	2	1	...	10	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	12	4	4	...	2	...	10	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...
3. Apoplexy	M.	22	...	1	...	...	...	1	...	...	...	...	...	...	1	1	...	3	3	3	1	5	2	2	...	...	...	...
	F.	11	...	1	...	...	...	1	...	...	1	...	1	...	...	...	...	...	1	...	2	3	...	1	...	1	...	...
4. Paralysis	M.	43	1	...	...	...	...	1	...	...	1	...	...	...	...	...	1	2	1	4	5	9	8	7	2	1	1	...
	F.	52	...	...	...	...	...	...	3	1	1	1	...	...	...	2	1	4	2	5	7	5	5	9	4	1	1	...
5. Tetanus and trismus nascentium.	M.	2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
6. Epilepsy	M.	4	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	1	...	...	...
	F.	4	1	...	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
7. Convulsions	M.	39	28	4	2	1	...	35	...	1	...	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...
	F.	31	21	2	3	...	...	26	2	...	...	1	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...
8. Mental diseases	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
9. Diseases of the brain	M.	21	4	1	...	...	...	5	2	...	1	...	...	1	3	2	...	1	...	1	2	2	1	...	...	...	...	...
	F.	16	4	4	...	...	...	8	1	1	...	...	...	1	...	1	...	2	1	...	...	1	...	...	...	...	...	...
10. Diseases of the spinal cord	M.	11	2	1	...	1	...	4	2	1	1	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...
	F.	7	4	...	...	...	...	4	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group	M.	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...
	F.	3	...	...	...	...	1	1	...	...	...	1	...	1	...	1	...	...	...	...	1	1	1	1	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		121	9	2	...	1	2	14	...	3	1	4	5	6	6	6	8	8	9	8	15	10	14	3	1	...	...	...
Males		63	6	1	...	...	...	7	...	2	...	1	4	4	3	4	2	5	5	5	7	5	7	1	1	...	...	...
Females		58	3	1	...	1	2	7	...	1	1	3	1	2	3	2	6	3	4	3	8	5	7	2	...	...	...	...
1. Angina pectoris	M.	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...
2. Aneurism	M.	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the heart	M.	51	3	...	...	...	...	3	...	2	...	...	3	4	3	4	2	5	4	3	7	5	5	...	1	...	...	...
	F.	55	2	1	...	1	2	6	...	1	1	3	1	2	2	2	6	3	3	3	8	5	7	2	...	...	...	...
4. Others of this group	M.	5	3	1	...	...	...	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		473	115	52	24	31	16	238	31	13	10	14	4	12	8	9	12	11	17	16	18	18	20	14	4	2	1	1
Males		250	61	29	13	19	8	130	19	6	4	7	...	4	3	5	7	6	14	7	9	6	14	6	2	1	...	...
Females		223	54	23	11	12	8	108	12	7	6	7	4	8	5	4	5	5	3	9	9	12	6	8	2	1	1	1
1. Croup	M.	76	32	14	6	11	6	69	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	72	35	18	6	6	4	69	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Laryngitis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Bronchitis	M.	26	8	2	1	...	1	12	...	...	1	...	...	...	...	1	2	1	2	1	2	2	...	...	1	1	...	...
	F.	27	5	...	...	5	1	11	2	1	...	1	...	...	1	2	...	1	...	...	...	2	1	2	2	1	...	...
4. Pneumonia	M.	130	18	11	4	8	1	42	13	5	2	7	...	4	3	4	5	3	9	5	7	3	11	6	1	...	...	...
	F.	96	12	5	4	1	2	24	5	6	4	4	4	7	4	...	3	4	3	5	6	8	5	3	...	...	...	1
5. Pleurisy	M.	5	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	2	...	...	...	1	...	...	...	...	...
	F.	9	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	2	3	1	...	...	...	...	1	...
6. Asthma	M.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	1	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
7. Others of this group	M.	9	3	1	2	...	...	6	...	...	1	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...
	F.	17	2	...	1	...	...	3	2	...	2	2	...	...	...	2	1	...	...	2	...	...	...	3	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		167	33	13	1	4	1	52	5	7	4	4	9	5	6	7	4	6	12	12	10	8	12	1	1	...	...	2
Males		84	18	4	1	3	1	27	1	3	2	2	5	1	2	4	2	2	9	8	3	2	8	1	...	...	...	2
Females		83	15	9	...	1	...	25	4	4	2	2	4	4	4	3	2	4	3	4	7	6	4	...	1	...	...	...
1. Dentition	M.	4	1	3	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	6	...	6	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina	M.	4	...	...	...	...	1	1	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	5	1	1	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
3. Gastritis	M.	7	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...	1	...	1	1	...	...	...	...	1
	F.	5	...	...	...	1	...	1	...	...	...	...	...	...	1	...	1	...	...	...	1	1	...	...	...	...	...	...
4. Other diseases of the stomach	M.	10	1	...	1	2	...	4	...	...	1	...	...	...	...	...	1	...	1	...	2	...	...	1	...	...	...	...
	F.	9	...	1	...	...	...	1	1	1	...	...	...	1	...	2	...	...	1	2	...	1	1	...	...	...	...	...
5. Obstruction of the bowels	M.	4	1	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...
	F.	4	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	1	...	...	1	...	...	...	...	...	...	...
6. Hernia	M.	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Other diseases of the bowels	M.	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...
	F.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
8. Jaundice	M.	10	5	1	...	...	...	6	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1
	F.	7	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver.	M.	10	2	...	...	...	...	2	...	...	...	1	...	...	...	...	1	...	2	2	...	...	2	...	...	...	...	...
	F.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
10. Other diseases of the liver	M.	7	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	2	1	...	1	...	...	...	...	...
	F.	4	1	1	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
11. Peritonitis	M.	6	...	...	...	...	...	...	...	1	...	...	1	1	...	1	...	...	1	1	...	...	...	...	...	...	...	...
	F.	12	...	...	...	...	...	...	...	...	1	1	3	2	3	...	...	1	...	...	1	...	...	...	...	...	...	...
12. Ascites	M.	5	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	2	1	...	...	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...
13. Others of this group	M.	11	5	...	...	1	...	6	...	1	...	1	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...
	F.	23	9	...	...	...	...	9	1	...	1	...	1	1	...	1	1	1	...	1	2	1	2	...	1	...	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		40	...	...	...	...	...	...	...	...	1	...	1	1	2	...	1	3	3	3	5	9	7	4	...	...	...	...
Males		33	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	3	1	3	5	9	6	3	...	...	...	...
Females		7	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	2	...	...	...	1	1	...	...	...	...
1. Bright's disease	M.	8	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	1	2	...	1	1	...	...	...	...
	F.	5	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	1	1	...	...	...	...
2. Calculus, urinary	M.	8	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	4	1	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the kidney	M.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	1	2	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
4. Diseases of the bladder	M.	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	3	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
5. Others of this group	M.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	3	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		14	...	...	...	...	...	...	...	...	...	2	1	3	2	3	1	2	...	...	...	...	...	...	...	...	...	...
1. Ovarian tumors	F.	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
2. Ovarian diseases	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Uterine diseases	F.	4	...	...	...	...	...	...	...	...	...	1	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group	F.	7	...	...	...	...	...	...	...	...	...	...	1	1	2	1	...	2	...	...	...	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		36	...	...	...	...	...	...	...	...	4	2	8	9	7	4	1	...	...	...	...	...	...	...	...	...	...	1
1. Abortion	F.	4	...	...	...	...	...	...	...	...	1	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth	F.	28	...	...	...	...	...	...	...	...	3	2	6	8	5	2	1	...	...	...	...	...	...	...	...	...	...	1
3. Others of this group	F	4	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		11	1	1	...	...	1	3	...	...	...	...	...	...	1	...	2	1	1	...	1	1	...	1	...	...	...	...
Males		8	1	1	...	...	1	3	...	...	...	...	...	...	...	...	1	1	1	...	...	1	...	1	...	...	...	...
Females		3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...
1. Diseases of the spine	M.	5	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	1	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
4. Others of this group	M.	2	...	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		9	2	1		1		4			1						1	1	1			1						
Males		6	2			1		3			1							1	1									
Females		3		1				1									1					1						
1. Abscess	M.	5	1			1		2			1							1	1									
	F.	2															1					1						
2. Carbuncle	M.	1	1					1																				
	F.																											
3. Others of this group	M.																											
	F.	1		1				1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1													1													
Males		1													1													
Females																												
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.	1													1													
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		193	13	7	7	10	8	45	14	15	9	26	24	4	7	6	2	8	6	7	6	4	2	1	5	1	1	
Males		138	5	4	5	8	5	27	11	10	6	21	19	4	6	6	2	5	5	6	4	1	2	1	2			
Females		55	8	3	2	2	3	18	3	5	3	5	5		1			3	1	1	2	3			3	1	1	
1. Burns and scalds	M.	15		1	2	6	2	11	1	1			1								1							
	F.	18	1	2	2	1	2	8	3	2					1			1		1		1					1	
2. Drowned	M.	16		1	1		1	3	2		1	3	1	1	2			1										
	F.	2				1		1			1																	
3. Exposure and neglect	M.	5	2		1		1	4																	1			
	F.	9	1					1		1	1	2	2								1					1		
4. Gunshot wounds	M.	7				1		1			2	1	1	1				1										
	F.	1		1				1																				
5. Homicide	M.	5							1				3			1												
	F.																											
6. Infanticide	M.																											
	F.	1	1					1																				
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	26							2	3	1	6	7	1	2		1	2		1								
	F.	1											1															
9. Suffocation	M.	3	1		1	1		3																				
	F.	4	3					3					1															
10. Suicide by shooting	M.	1																					1					
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	4								1									1	1			1					
	F.																											
14. Sunstroke	M.																											
	F.																											
15. Surgical operations	M.	1																			1							
	F.																											
16. Wounds	M.																											
	F.	2								1		1																
17. Other accidents and injuries	M.	55	2	2			1	5	5	5	2	9	6	1	2	5	1	1	4	4	2	1		1	1			
	F.	17	2				1	3		1	1	2	1					2	1		1	2			3			

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3603	860	334	185	98	96	1582	221	114	158	231	152	117	101	100	84	97	67	91	97	129	119	67	42	18	12	4
Total: Males		1855	463	178	106	52	64	863	114	53	67	111	64	53	43	48	43	47	36	56	48	65	74	35	22	6	4	3
Females		1748	406	156	79	46	32	719	107	61	91	120	88	64	58	52	41	50	31	35	49	64	45	32	20	12	8	1
Unknown causes.																												
Total		248	169	19	9	3	6	200	8	2	....	2	2	3	2	....	3	1	1	4	3	5	7	1	4	....	....	....
Males		125	85	11	3	1	3	102	5	1	....	1	....	2	1	....	1	1	....	1	1	2	4	1	2	....	....	....
Females		123	84	8	1	2	3	98	3	1	....	1	2	1	1	....	2	....	1	3	2	3	3	....	2	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		986	179	162	100	48	60	549	127	61	53	54	23	10	12	19	11	11	8	3	9	12	9	11	2	....	....	2
Males		522	93	85	53	26	41	298	70	27	21	35	10	4	6	9	7	5	6	2	4	7	3	5	2	....	....	1
Females		464	86	77	47	22	19	251	57	34	32	19	13	6	6	10	4	6	2	1	5	5	6	6	....	....	....	1
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	30	5	10	5	4	3	27	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	48	9	20	7	2	1	39	5	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	54	7	5	12	4	9	37	16	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	36	5	4	4	3	3	19	9	5	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	112	3	10	13	10	23	59	30	10	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	110	2	10	19	14	14	59	33	11	5	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	31	16	8	3	1	....	28	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	13	6	4	1	....	24	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	9	....	3	1	....	....	4	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	9	....	2	....	....	....	2	....	1	....	1	2	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....
7. Cerebro-spinal fever	M.	4	1	1	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	3	....	....	....	3	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	88	....	4	1	2	3	10	1	6	17	24	8	3	2	4	2	1	5	2	1	....	2	....	....	....	....	....
	F.	60	....	2	1	1	....	4	3	10	19	11	4	....	1	1	1	3	....	....	....	1	1	1	....	....	....	....
9. Diarrhœa	M.	27	6	9	2	1	1	19	....	1	....	1	....	....	....	1	....	1	....	....	1	....	....	2	1	....	....	....
	F.	20	9	3	1	....	....	13	....	1	....	....	....	....	....	....	....	....	....	1	1	....	2	2	....	....	....	....
10. Dysentery	M.	16	2	4	1	....	....	7	2	1	....	....	....	1	....	....	1	....	....	....	1	3	....	....	....	....	....	....
	F.	13	1	2	1	1	....	5	....	....	....	....	....	....	1	1	....	1	....	....	....	3	1	1	....	....	....	....
11. Enteritis	M.	33	9	5	2	1	....	17	3	3	1	2	1	....	1	2	....	....	....	....	....	2	1	....	....	....	....	....
	F.	25	10	1	1	....	1	13	1	....	1	1	....	2	1	2	....	1	....	....	1	1	1	....	....	....	....	....
12. Cholera morbus	M.	10	1	1	2	....	....	4	1	....	1	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	7	1	1	1	....	....	3	....	....	....	....	....	1	....	....	1	....	1	....	1	....	....	....	....	....	....	....
13. Cholera infantum	M.	74	39	23	9	3	..	74	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	59	32	21	5	....	....	58	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	10	....	....	1	....	1	2	1	1	....	4	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	18	....	1	3	....	....	4	1	4	1	3	....	....	1	1	....	1	....	....	2	....	....	....	....	....	....	....
15. Erysipelas	M.	9	3	1	....	....	1	5	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....
	F.	10	4	....	....	....	....	4	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	2	....	....	....	....
16. Septicæmia	M.	4	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	15	....	....	....	....	....	....	....	....	2	2	6	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	8	....	1	1	....	....	2	....	....	....	....	1	....	....	2	2	....	....	....	....	....	....	....	....	....	....	1
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		35	12	3	1	3	1	20	1	....	....	1	1	1	1	3	1	2	1	....	....	1	2	....	....	....	....	....
Males		21	8	1	....	2	....	11	....	....	....	....	1	....	1	2	1	2	1	....	....	1	1	....	....	....	....	....
Females		14	4	2	1	1	1	9	1	....	....	1	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....
1. Worms	M.	3	1	1	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	2	1	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	7	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	2	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	5	1	....	....	1	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	5	....	....	....	....	1	1	1	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
General diseases—C.																												
Total		272	181	1	1	1	....	184	2	....	....	1	....	....	....	1	....	....	....	....	4	12	14	16	16	11	11	....
Males		152	105	1	1	....	....	107	2	....	....	....	....	....	....	....	....	....	....	....	2	5	8	10	10	4	4	....
Females		120	76	....	....	1	....	77	....	....	....	1	....	....	....	1	....	....	....	....	2	7	6	6	6	7	7	....
1. Premature birth	M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	86	86	....	....	....	....	86	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	53	53	....	....	....	....	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	19	9	1	1	....	....	11	2	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	2	....	....	....
	F.	14	8	....	....	1	....	9	....	....	....	1	....	....	....	1	....	....	....	....	2	1	....	....	....	....	....	....
5. Old age	M.	37	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	5	6	9	8	4	4	....
	F.	38	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	6	6	6	6	7	7	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		706	32	22	6	6	4	70	10	16	61	101	76	64	45	46	37	38	18	24	26	31	24	8	2	....	1	2
Males		299	18	10	6	2	3	39	7	5	21	35	29	30	13	24	16	17	8	9	14	13	11	5	1	....	....	2
Females		407	14	12	....	4	1	31	9	11	40	66	47	34	32	22	21	21	10	15	12	18	13	3	1	....	1	....
1. Rheumatism	M.	6	....	....	1	1	....	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	12	....	....	....	....	....	....	3	2	....	1	....	....	....	1	1	....	....	1	....	1	2	....	....	....	....	....
2. Scrofula and tabes	M.	25	10	3	1	1	1	16	2	....	2	1	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	19	2	4	....	2	....	8	2	1	1	2	1	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	202	8	2	3	....	....	8	2	2	17	34	25	26	11	23	12	10	8	1	8	6	5	2	1	....	....	1
	F.	296	7	3	....	....	1	11	2	7	36	61	43	31	27	13	12	10	6	9	8	8	9	2	....	....	1	....
5. Hydrocephalus	M.	9	4	2	....	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
	F.	6	3	2	....	....	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	15	....	....	....	....	....	....	....	....	1	....	....	2	....	1	1	4	....	3	....	....	2	1	....	....	....	....
	F.	20	....	....	....	....	....	....	....	....	1	....	1	3	2	3	5	6	1	3	3	1	....	....	....	....	....	....
7. Tumor	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	31	....	3	1	....	2	6	....	1	1	....	2	....	2	....	1	3	....	3	4	4	2	2	....	....	....	....
	F.	36	1	1	....	....	....	2	1	1	2	2	2	....	1	4	1	2	3	2	1	3	2	1	1	....	....	....
10. Glycosuria	M.	9	....	....	....	....	....	....	1	2	....	....	1	....	....	....	....	....	....	1	1	2	1	....	....	....	....	....
	F.	3	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		356	100	43	24	9	4	180	19	6	7	11	8	5	2	4	6	9	9	17	10	20	19	16	4	4	....	....
Males		185	48	24	14	4	3	93	8	4	3	6	5	4	1	3	2	4	4	13	4	10	13	5	2	1	....	....
Females		171	52	19	10	5	1	87	11	2	4	5	3	1	1	1	4	5	5	4	6	10	6	11	2	3	....	....
1. Inflammation of the brain	M.	59	23	11	12	2	....	48	3	2	1	2	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....
	F.	43	18	10	5	2	....	35	3	1	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
2. Meningitis	M.	9	2	1	....	1	....	4	3	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	2	....	2	....	....	4	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	....	1	3	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	1	....	1	....	....	....	....
4. Paralysis	M.	31	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	2	5	2	7	5	4	2	1	....	....
	F.	43	....	1	....	....	....	1	2	....	....	....	....	....	1	1	1	2	2	2	3	9	4	10	2	3	....	....
5. Tetanus and trismus nascentium.	M.	3	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	5	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....
	F.	5	1	....	....	....	....	1	1	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Convulsions	M.	26	14	7	1	....	1	23	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	25	5	....	....	....	30	....	....	2	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	7	....	....	....	....	....	....	....	....	....	1	....	1	....	2	1	....	....	2	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	23	4	4	1	1	1	11	....	....	1	....	2	1	....	....	....	1	....	2	1	2	2	....	....	....	....	....
	F.	16	4	2	3	1	....	10	....	....	....	1	....	1	....	....	1	1	....	....	1	....	1	....	....	....	....	....
10. Diseases of the spinal cord	M.	9	5	1	....	....	1	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	2	1	....	2	....	5	2	....	2	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....
11. Others of this group	M.	4	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	5	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		119	12	1	....	....	1	14	2	2	2	6	4	6	6	4	2	8	11	12	8	12	10	4	5	1	....	....
Males		56	7	....	....	....	1	8	....	1	....	2	3	3	5	....	1	3	5	6	3	6	6	1	2	1	....	....
Females		63	5	1	....	....	....	6	2	1	2	4	1	3	1	4	1	5	6	6	5	6	4	3	3	....	....	....
1. Angina pectoris	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Aneurism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	48	4	....	....	....	....	4	....	1	....	2	3	3	5	....	1	3	4	6	2	5	6	1	2	....	....	....
	F.	58	2	1	....	....	....	3	2	1	2	4	1	3	1	4	1	5	5	6	5	5	4	3	3	....	....	....
4. Others of this group	M.	4	3	....	....	....	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		434	125	59	37	21	12	254	19	10	14	12	11	7	10	6	9	11	7	10	14	14	17	6	2	1	....	....
Males		236	68	33	21	14	8	144	9	4	8	7	4	1	5	3	5	6	4	9	5	7	12	3	....	....	....	....
Females		198	57	26	16	7	4	110	10	6	6	5	7	6	5	3	4	5	3	1	9	7	5	3	2	1	....	....
1. Croup	M.	65	32	10	7	6	4	59	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	64	32	13	6	3	3	57	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	26	5	4	4	3	1	17	2	....	....	....	1	....	....	1	....	....	....	2	1	1	1	....	....	....	....	....
	F.	17	3	....	1	....	....	4	....	....	1	....	2	1	....	1	....	....	....	....	3	1	1	1	1	....	....	....
4. Pneumonia	M.	121	25	18	9	5	3	60	....	4	7	7	3	....	4	1	4	6	3	5	3	5	9	....	....	....	....	....
	F.	85	18	11	8	3	....	40	4	5	2	5	2	4	3	2	3	1	....	1	3	4	3	1	1	1	....	....
5. Pleurisy	M.	5	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	1	1	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	1	....	1	....	....	....	....
6. Asthma	M.	4	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	3	1	1	....	....	....	....	....
7. Others of this group	M.	14	4	....	1	....	....	5	1	....	....	....	....	1	1	....	1	....	....	1	1	....	1	2	....	....	....	....
	F.	19	4	2	1	1	1	9	....	....	2	....	2	1	2	....	....	2	1	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		130	27	15	4	4	4	54	8	2	1	4	4	1	3	3	3	6	5	9	13	10	2	....	1	1	....	....
Males		73	16	6	4	1	2	29	5	1	1	2	2	....	2	1	2	3	3	6	8	6	2	....	....	....	....	....
Females		57	11	9	....	3	2	25	3	1	....	2	2	1	1	2	1	3	2	3	5	4	....	....	1	1	....	....
1. Dentition	M.	5	1	3	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	4	7	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	9	3	1	1	1	2	8	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	1	....	....	2	3	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Gastritis	M.	4	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	8	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	2	1	2	2	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....
5. Obstruction of the bowels	M.	8	1	....	....	....	....	1	2	....	....	1	....	....	....	....	....	....	....	1	2	....	1	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	5	2	....	....	....	....	2	....	....	....	....	....	....	1	....	1	....	....	1	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	1	....	....	....
8. Jaundice	M.	5	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....
	F.	7	3	....	....	1	....	4	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	6	2	....	....	....	....	2	....	....	....	1	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....
	F.	10	1	....	....	....	....	1	1	....	....	1	....	1	....	1	....	....	1	....	2	1	....	....	1	....	....	....	....
11. Peritonitis	M.	5	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	14	6	....	1	....	....	7	....	....	1	....	2	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....
	F.	8	1	1	....	1	....	3	1	....	....	....	....	....	....	....	....	1	....	....	1	2	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		51	....	1	1	....	....	2	2	....	1	....	1	3	2	1	3	1	1	6	6	6	10	2	4	....	....	....
Males		35	....	1	1	....	....	2	....	....	1	....	....	2	....	....	1	....	1	4	5	5	9	2	3	....	....	....
Females		16	....	....	....	....	....	....	2	....	....	....	1	1	2	1	2	1	....	2	1	1	1	....	1	....	....	....
1. Bright's disease	M.	12	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	2	2	....	4	1	1	....	....	....
	F.	8	....	....	....	....	....	....	2	....	....	....	1	1	1	....	....	1	....	1	....	1	....	....	....	....	....	....
2. Calculus, urinary	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	2	1	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Diseases of the kidney	M.	9	....	1	....	....	....	1	....	....	....	....	....	1	....	....	1	....	1	....	2	1	2	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	1	....	....	....	1	....	....	....
4. Diseases of the bladder	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		16	....	....	....	....	....	....	....	....	1	3	2	1	1	2	1	3	1	....	1	....	....	....	....	....	....	....
1. Ovarian tumors	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	5	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	9	....	....	....	....	....	....	....	....	1	2	1	1	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		34	....	....	....	....	....	....	....	....	3	8	6	7	6	4	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	5	....	....	....	....	....	....	....	....	....	1	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	26	....	....	....	....	....	....	....	....	2	7	4	4	6	3	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	3	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		10	1	1	....	....	....	2	2	1	1	....	1	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....
Males		7	....	1	....	....	....	1	....	1	1	....	1	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....
Females		3	1	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	5	....	1	....	....	....	1	....	1	....	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WEST VIRGINIA—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		8	3					3							1			1	1		1		1				
Males		5	3					3										1					1				
Females		3													1				1		1						
1. Abscess	M.	2	1					1										1									
	F.	1													1												
2. Carbuncle	M.																										
	F.	2																	1		1						
3. Others of this group	M.	3	2					2															1				
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1																				1					
Males																											
Females		1																				1					
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.	1																				1					
XII.—ACCIDENTS AND INJURIES.																											
Total		197	28	7	8	3	4	50	15	14	14	28	13	9	10	7	8	6	3	6	2	4	3	3	2		
Males		139	12	5	4	2	3	26	8	9	11	23	9	7	9	6	7	5	3	6	2	2	3	3			
Females		58	16	2	4	1	1	24	7	5	3	5	4	2	1	1	1	1				2			2		
1. Burns and scalds	M.	14	8	3	3		2	11		1			1				1										
	F.	24	4		3		1	8	4	5	2	1	1	1		1									1		
2. Drowned	M.	24		1				1	3	3	4	3	1	2		1	1			1		2	1	1			
	F.	1	1					1																			
3. Exposure and neglect	M.	9	5			1		6				1				1								1			
	F.	8	6	1				7					1														
4. Gunshot wounds	M.	14					1	1	2		2	2	3				2	2									
	F	1										1															
5. Homicide	M.	3										1		1	1												
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	16										3	2	2	4	1		1		1	1			1			
	F.	3									1		1		1												
9. Suffocation	M.	5	2					2				2							1								
	F.	3	2			1		3																			
10. Suicide by shooting	M.	4										3		1													
	F.	1												1													
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.	1																					1				
	F.																										
13. Other suicides	M.	2										1				1											
	F.	1										1															
14. Sunstroke	M.	1													1												
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.	2										1					1										
	F.																										
17. Other accidents and injuries	M.	44	2	1	1	1		5	3	5	5	6	2	1	3	2	2	2	2	4	1		1				
	F.	16	3	1	1			5	3			2	1				1	1				2			1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 1.

[Exclusive of MILWAUKEE.]

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2461	503	128	108	93	74	906	255	106	108	124	72	63	65	56	72	71	74	100	99	104	87	52	22	12	5	8
Total: Males	1315	284	61	64	49	33	491	118	54	50	65	39	27	22	25	40	39	47	65	66	61	51	31	14	4	2	4
Females	1146	219	67	44	44	41	415	137	52	58	59	33	36	43	31	32	32	27	35	33	43	36	21	8	8	3	4
Unknown causes.																											
Total	131	65	3	2	1	1	72	3	4	4	....	1	...	3	1	2	2	2	9	7	7	8	5	....	....	....	1
Males	81	41	2	....	1	1	45	1	4	2	....	....	....	1	....	1	1	1	4	5	5	6	4	....	....	....	1
Females	50	24	1	2	....	....	27	2	....	2	....	1	....	2	1	1	1	1	5	2	2	2	1	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	369	166	67	76	73	58	440	196	67	43	33	8	14	12	6	11	4	12	8	3	4	3	2	....	1	1	1
Males	422	92	31	45	38	26	232	77	31	20	17	5	6	3	2	4	2	10	5	1	3	1	2	....	....	....	....
Females	447	74	36	31	35	32	208	119	36	23	16	3	8	9	4	7	2	2	3	2	1	2	....	....	1	....	1
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	11	6	....	....	1	....	7	1	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	6	1	....	....	2	....	3	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	43	12	2	5	6	3	28	9	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	65	7	12	3	10	7	39	17	3	2	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	201	18	13	34	24	20	109	60	20	8	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	229	20	12	23	22	24	101	90	26	10	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	8	5	1	....	1	1	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	4	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	36	....	1	2	2	....	5	1	2	6	9	3	2	1	....	2	....	2	1	1	1	....	....	....	....	....	....
8. Enteric fever F.	33	1	....	1	....	....	2	4	5	7	7	1	....	1	....	3	1	1	1	....	....	....	....	....	....	....	....
9. Diarrhœa M.	25	21	2	....	....	....	23	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	21	11	7	....	1	....	19	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....
10. Dysentery M.	13	5	2	....	1	....	8	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	12	2	3	1	....	1	7	1	....	1	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....
11. Enteritis M.	30	4	5	1	3	....	13	3	1	1	1	1	1	1	2	2	1	1	1	....	1	1	....	....	....	....	....
11. Enteritis F.	17	....	1	1	....	....	2	2	1	2	1	....	1	2	....	1	1	1	3	....	....	....	....	....	....	....	1
12. Cholera morbus M.	10	2	1	1	....	....	4	....	....	....	....	....	1	....	....	....	1	3	....	....	....	....	1	....	....	....	....
12. Cholera morbus F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	20	13	4	2	....	1	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	19	17	1	1	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	10	3	....	....	....	1	4	1	....	1	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
15. Erysipelas F.	10	2	....	1	....	....	3	....	1	....	2	....	....	....	2	1	....	....	2	....	....	....	....	....	....	....	....
16. Septicæmia M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
16. Septicæmia F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	16	....	....	....	....	....	....	....	....	....	2	1	5	6	1	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	5	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
19. Others of this group F.	4	1	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....
General diseases—B.																											
Total	15	8	....	2	....	....	10	....	....	1	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	1
Males	8	3	....	1	....	....	4	....	....	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	1
Females	7	5	....	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Worms M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
5. Other poisons F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Inanition F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	179	76	2	....	....	....	78	2	....	2	....	....	1	....	....	....	1	....	4	5	13	22	28	14	6	1	2
Males	102	47	1	....	....	....	48	1	....	2	....	....	1	....	....	....	....	....	4	2	5	13	15	9	....	1	1
Females	77	29	1	....	....	....	30	1	....	....	....	....	....	....	....	....	1	....	....	3	8	9	13	5	6	....	1
1. Premature birth M.	9	9	....	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	28	28	....	....	....	....	28	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	19	19	....	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	22	8	1	....	....	....	9	1	....	2	....	....	1	....	....	....	....	....	2	....	1	3	2	1	....	....	....
4. Debility F.	13	5	1	....	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	2	1	....	....
5. Old age M.	41	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	2	4	10	13	8	....	1	1
5. Old age F.	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	7	8	13	3	5	....	1
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		377	10	10	1	4	1	26	4	10	18	47	28	24	14	21	22	27	26	25	38	22	14	6	3	....	....	2
Males		186	7	3	....	1	....	11	2	5	8	23	15	12	5	9	11	11	13	14	25	13	5	2	1	....	....	1
Females		191	3	7	1	3	1	15	2	5	10	24	13	12	9	12	11	16	13	11	13	9	9	4	2	....	....	1
1. Rheumatism	M.	5	....	....	....	....	....	....	1	1	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	1	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....
2. Scrofula and tabes	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	129	4	2	....	1	....	7	....	1	7	21	14	10	3	8	9	8	5	11	17	8	2	2	....	....	....	1
	F.	121	1	3	....	....	....	4	1	3	9	23	12	12	5	8	8	7	6	5	7	3	3	3	1	....	....	1
5. Hydrocephalus	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	19	....	....	....	....	....	....	....	1	....	1	....	....	2	....	....	2	3	1	3	5	1	....	....	....	....	....
	F.	21	....	....	....	....	....	....	....	....	....	1	1	....	2	1	1	5	4	1	2	2	1	....	....	....	....	....
7. Tumor	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	23	....	....	....	....	....	....	1	1	....	1	1	1	....	1	1	1	3	1	4	4	2	....	1	....	....	....
	F.	35	....	2	1	1	....	4	1	....	1	....	....	....	2	2	1	3	2	5	4	3	5	1	1	....	....	....
10. Glycosuria	M.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		240	101	20	9	2	....	132	13	7	5	7	7	4	3	2	3	2	7	8	10	12	9	3	2	3	1	....
Males		138	56	11	8	....	....	75	8	4	....	3	4	2	1	....	3	1	3	7	9	6	6	2	2	3	....	....
Females		102	45	9	1	2	....	57	5	3	5	4	3	2	2	2	....	1	4	1	1	6	3	1	....	1	1	....
1. Inflammation of the brain	M.	19	7	1	3	....	....	11	3	1	....	....	1	....	....	....	1	....	....	1	....	1	....	1	....	....	....	....
	F.	16	3	2	....	....	....	5	2	....	2	1	3	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	5	3	2	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	4	....	1	1	....	6	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	19	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	3	4	4	2	1	....	1	....	....
	F.	11	1	....	....	....	....	1	....	....	1	....	....	2	1	1	....	....	....	....	1	2	1	....	....	....	1	....
4. Paralysis	M.	19	....	....	....	....	....	....	2	....	....	....	1	1	....	....	....	....	2	3	3	1	3	....	2	1	....	....
	F.	16	2	....	....	....	....	2	....	1	1	....	....	....	....	....	....	1	2	1	....	4	2	1	....	1	....	....
5. Tetanus and trismus nascentium	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	1	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	51	37	7	3	....	....	47	1	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	40	33	5	....	1	....	39	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	17	7	1	2	....	....	10	1	....	....	1	1	....	....	....	....	....	....	....	2	....	1	1	....	....	....	....
	F.	6	1	1	....	....	....	2	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	5	1	....	....	....	....	1	....	2	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		89	2	1	1	1	....	5	3	3	7	3	3	1	5	4	7	10	5	10	3	4	6	3	1	....	1	....
Males		42	1	....	1	1	....	3	1	2	3	....	1	....	1	1	4	6	2	7	3	2	4	1	1	....	....	....
Females		47	1	1	....	....	....	2	2	1	4	3	2	1	4	3	3	4	3	3	5	2	2	2	....	....	1	....
1. Angina pectoris	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	39	....	....	1	1	....	2	1	2	3	....	1	....	1	1	3	6	2	7	3	2	3	1	1	....	....	....
	F.	46	....	1	....	....	....	1	2	1	4	3	2	1	4	3	3	4	3	3	5	2	2	2	....	....	1	....
4. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		231	31	15	11	7	7	71	24	10	12	8	4	5	5	6	9	10	6	21	8	16	12	1	1	2	....	....
Males		146	14	5	5	3	3	30	20	4	8	8	3	3	2	5	7	8	6	14	6	11	7	1	1	2	....	....
Females		85	17	10	6	4	4	41	4	6	4	....	1	2	3	1	2	2	....	7	2	5	5	....	....	....	....	....
1. Croup	M.	33	6	3	2	2	3	16	16	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	29	9	6	2	4	2	23	2	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Laryngitis	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	6	3	....	....	....	....	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....
	F.	6	2	....	....	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
4. Pneumonia	M.	88	5	1	3	1	....	10	3	3	6	7	3	3	1	5	7	7	5	11	4	7	3	1	....	2	....	....
	F.	38	4	2	2	....	2	10	1	3	2	....	....	2	3	1	2	2	....	5	....	3	4	....	....	....	....	....
5. Pleurisy	M.	5	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	1	....	1	....	....	1	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Asthma	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	2	2	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....
7. Others of this group	M.	6	....	1	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	5	2	2	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	129	35	9	4	...	2	50	1	1	5	4	6	1	4	4	5	6	7	7	10	12	5	1	...	...	...
Males	78	18	7	3	...	1	29	1	...	1	4	5	1	3	2	4	3	3	4	7	6	4	1	...	...	...
Females	51	17	2	1	...	1	21	...	1	4	...	1	...	1	2	1	3	4	3	3	6	1	...	...	...	...
1. Dentition M.	7	4	2	1	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Dentition F.	6	5	1	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina M.	2	1	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis M.	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...
3. Gastritis F.	2	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Other diseases of the stomach. M.	6	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	1	...	1	1	...	...	...
4. Other diseases of the stomach. F.	4	...	...	1	...	...	1	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...
5. Obstruction of the bowels M.	3	1	...	...	...	1	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
5. Obstruction of the bowels F.	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
6. Hernia M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
6. Hernia F.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	2	...	2	...	...	...	...	...
7. Other diseases of the bowels. M.	8	1	3	...	...	...	4	...	...	...	1	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...
7. Other diseases of the bowels. F.	4	1	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...
8. Jaundice M.	2	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Jaundice F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...
9. Inflammation and abscess of the liver. M.	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	2	...	...	...	...	...	...
9. Inflammation and abscess of the liver. F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
10. Other diseases of the liver M.	10	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	2	3	1	1	...	...	...	...	...
10. Other diseases of the liver F.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...
11. Peritonitis M.	10	...	...	1	...	...	1	1	...	1	3	1	...	...	...	1	1	...	...	...	1	...	...	...	...	...
11. Peritonitis F.	4	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...
12. Ascites M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...
12. Ascites F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
13. Others of this group M.	19	10	2	...	...	...	12	...	...	...	...	...	...	...	1	1	1	2	...	1	1	...	...	...	...	...
13. Others of this group F.	16	10	1	...	...	1	12	...	1	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	36	...	...	...	...	2	2	1	...	...	1	1	...	2	1	2	2	2	1	5	8	5	2	...	...	1
Males	27	...	...	...	...	2	2	...	...	...	...	1	...	2	1	1	1	2	1	5	5	4	2	...	...	...
Females	9	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	1	...	...	...	3	1	...	...	...	1
1. Bright's disease M.	9	...	...	...	...	...	...	...	...	...	...	1	...	2	1	...	...	1	1	1	2	...	...	...	...	...
1. Bright's disease F.	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
2. Calculus, urinary M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Calculus, urinary F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the kidney M.	11	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	1	1	...	1	3	2	1	...	...	...
3. Diseases of the kidney F.	3	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1
4. Diseases of the bladder M.	5	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	1	...	...	...
4. Diseases of the bladder F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...
5. Others of this group M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...
5. Others of this group F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females	8	...	...	...	...	...	...	...	...	...	1	...	1	3	1	1	...	...	1	...	...	...	...	...	...	...
1. Ovarian tumors F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...
2. Ovarian diseases F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Uterine diseases F.	3	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
5. Others of this group F.	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	43	...	...	...	...	...	...	...	...	2	8	8	9	10	4	2	...	...	...	...	...	...	...	...	...	...
1. Abortion F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth F.	43	...	...	...	...	...	...	...	...	2	8	8	9	10	4	2	...	...	...	...	...	...	...	...	...	...
3. Others of this group F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...
Males	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Females	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...
1. Diseases of the spine M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
1. Diseases of the spine F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the hip-joint F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...
4. Others of this group M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Others of this group F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		3											1				1						1					
Males		1																					1					
Females		2											1				1											
1. Abscess	M.	1																					1					
	F.	1											1															
2. Carbuncle	M.																											
	F.																											
3. Others of this group	M.																											
	F.	1															1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total																												
Males																												
Females																												
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																											
	F.																											
3. Others of this group	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		108	9	1	2	5	3	20	3	4	9	12	5	3	4	6	7	5	7	5	4	5	1	1	1		1	
Males		83	5	1	1	5		12	7	4	5	10	5	2	4	5	5	4	7	5	2	4	1	1				
Females		25	4		1		3	8	1		4	2		1		1	2	1			2	1			1		1	
1. Burns and scalds	M.	2	1		1			2																				
	F.	3			1		2	3																				
2. Drowned	M.	18				3		3	3	3	2	1	2			1		1	1	1								
	F.	2									2																	
3. Exposure and neglect	M.	2	1					1				1																
	F.	1	1					1																				
4. Gunshot wounds	M.	1															1											
	F.																											
5. Homicide	M.	1							1																			
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	9										2		1	1	1	1		1	1				1				
	F.	1															1											
9. Suffocation	M.	5	2			1		3	2												1							
	F.	1																										
10. Suicide by shooting	M.																											
	F.																											
11. Suicide by drowning	M.																											
	F.	1														1												
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	6												1			1	1		1	1	1						
	F.																											
14. Sunstroke	M.	1									1																	
	F.																											
15. Surgical operations	M.	1											1															
	F.																											
16. Wounds	M.	1																	1									
	F.	1												1														
17. Other accidents and injuries	M.	36	1	1		1		3	1	1	2	5	3		3	3	2	2	4	2	1	3	1					
	F.	15	3				1	4	1		2	2					1	1			1	1			1		1	

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	2057	431	141	98	68	52	790	153	81	102	84	70	55	61	64	68	72	79	83	70	71	74	42	24	5	5	4
Total: Males	1145	257	69	59	39	30	454	80	39	47	50	32	28	29	30	43	33	41	60	44	39	48	25	16	4	2	2
Females	912	174	72	39	29	22	336	73	43	55	34	38	27	32	34	25	39	38	23	26	32	26	17	8	1	3	2
Unknown causes.																											
Total	158	74	9	3	7	1	94	5	5	5	4	2	3	1	5	5	1	2	7	1	4	5	5	1			
Males	90	48	4	2	4		58	5	2	3	2		1		2	2	1	2	3	1	2	2	3	1			
Females	68	26	5	1	3	1	36	3	3	2	2	2	2	1	3	3			4		2	3	2				
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	641	132	79	56	36	34	337	100	47	30	20	15	8	9	8	10	9	15	11	7	4	4	3			2	2
Males	335	77	35	36	21	19	188	53	19	15	10	5	2	3	3	7	4	8	7	3	2	2	2			1	1
Females	306	55	44	20	15	15	149	47	28	15	10	10	6	6	5	3	5	7	4	4	2	2	1			1	1
1. Small-pox M.																											
1. Small-pox F.																											
2. Measles M.	4	1	1	1			3	1																			
2. Measles F.	7	1	2			1	4		1				1						1								
3. Scarlet fever M.	12	2	4		1	1	8	1	2																		1
3. Scarlet fever F.	11	1	3	2		1	7	4																			
4. Diphtheria M.	124	11	12	16	12	14	65	38	14	5	1							1									
4. Diphtheria F.	111	8	9	8	13	9	47	36	22	3	1		1														1
5. Hooping-cough M.	6	5					5	1																			
5. Hooping-cough F.	8	6	1	1			8																				
6. Fever M.	1																	1									
6. Fever F.																											
7. Cerebro-spinal fever M.	2	1					1			1																	
7. Cerebro-spinal fever F.	2	1	1				2																				
8. Enteric fever M.	34	1		1	2		4	1	2	5	6	4	1	3		2	1		3	1	1						
8. Enteric fever F.	40			2			2	4	2	9	5	5	1		3	2	4	2				1					
9. Diarrhœa M.	20	10	4	2	1		17	1							1				1								
9. Diarrhœa F.	17	9	6	1			16											1									
10. Dysentery M.	48	15	7	11	1	4	38	6								1		2	1								
10. Dysentery F.	29	2	9	5		2	18	3	1				1	1	1				1	1			1			1	
11. Enteritis M.	23	7	2	2	1		12	1		2	2					1	1	1	1		1	1					
11. Enteritis F.	14	3	3		2	1	9		1		1		1					2									
12. Cholera morbus M.																											
12. Cholera morbus F.	5								1							1			1		1	1					
13. Cholera infantum M.	27	19	4	3	1		27																				
13. Cholera infantum F.	25	17	8				25																				
14. Malarial fever M.	21	2			1		3	3		2	1	1	1		2	1	1	2		2		1	1				
14. Malarial fever F.	16	1	2			1	4			2	3						1	1	1	3	1						
15. Erysipelas M.	8	2	1		1		4		1							1	1						1				
15. Erysipelas F.	5	4		1			5																				
16. Septicæmia M.	1															1											
16. Septicæmia F.																											
17. Puerperal septicæmia F.	13									1		5	1	5	1												
18. Venereal diseases M.																											
18. Venereal diseases F.																											
19. Others of this group M.	4	1					1											1	1							1	
19. Others of this group F.	3	2					2											1									
General diseases—B.																											
Total	19	8	3	2			13					1		2					1	1	1						
Males	13	6	1				7					1		2					1	1	1						
Females	6	2	2	2			6																				
1. Worms M.	2	1	1				2																				
1. Worms F.	1		1				1																				
2. Other parasitic diseases M.																											
2. Other parasitic diseases F.																											
3. Alcoholism M.	4													1					1	1	1						
3. Alcoholism F.																											
4. Lead poison M.																											
4. Lead poison F.																											
5. Other poisons M.	1											1															
5. Other poisons F.	3		1	2			3																				
6. Inanition M.	6	5					5							1													
6. Inanition F.	2	2					2																				
General diseases—C.																											
Total	135	64			1		65							1			1	1	2	5	10	14	14	14	5	3	
Males	77	36			1		37							1			1	1	1	2	5	8	8	9	4	1	
Females	58	28					28										1		1	3	5	6	6	5	1	2	
1. Premature birth M.	1	1					1																				
1. Premature birth F.	3	3					3																				
2. Stillborn M.	27	27					27																				
2. Stillborn F.	18	18					18																				
3. Malformation M.																											
3. Malformation F.																											
4. Debility M.	15	8			1		9							1						1	1	1	2				
4. Debility F.	12	7					7										1			1				3			
5. Old age M.	34																	1	1	1	4	7	6	9	4	1	
5. Old age F.	25																		1	2	5	6	6	2	1	2	
6. Atrophy M.																											
6. Atrophy F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		309	11	5	4	1	....	21	6	4	27	21	24	16	21	19	27	26	21	20	16	17	16	5	1	....	....	1
Males		160	7	2	3	1	....	13	3	1	5	13	8	8	12	8	17	12	7	14	12	12	12	2	1	....	....	....
Females		149	4	3	1	....	....	8	3	3	22	8	16	8	9	11	10	14	14	6	4	5	4	3	....	....	....	1
1. Rheumatism	M.	3	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	2	....	....	....	1	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	6	4	1	....	....	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	95	....	....	2	1	....	3	....	....	4	12	6	8	11	7	9	9	3	6	4	4	7	1	1	....	....	....	....
	F.	94	1	1	1	....	....	3	1	2	21	7	14	8	6	8	4	4	5	2	1	2	3	2	....	....	....	....	1
5. Hydrocephalus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	22	1	....	....	....	....	1	....	1	....	....	....	....	1	....	5	3	2	5	2	2	....	....	....	....	....	....	....
	F.	20	....	....	....	....	....	....	1	....	....	....	1	....	1	2	4	3	5	2	1	....	....	....	....	....	....	....	....
7. Tumor	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	28	1	1	1	....	....	3	....	....	....	1	1	....	....	1	3	....	1	3	4	6	4	1	....	....	....	....	....
	F.	16	....	....	....	....	....	....	1	1	....	1	....	....	1	1	1	2	2	2	1	1	1	1	....	....	....	....	....
10. Glycosuria	M.	4	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		161	46	12	5	2	2	67	6	5	3	4	5	2	2	3	3	4	8	11	7	10	6	6	4	....	....	....
Males		93	26	7	4	1	1	39	2	3	2	4	3	2	1	4	2	1	7	9	3	2	4	3	2	....	....	....
Females		68	20	5	1	1	1	28	4	2	1	....	2	....	1	4	1	3	1	2	4	8	2	3	2	....	....	....
1. Inflammation of the brain	M.	19	8	3	....	1	....	11	2	2	....	1	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	11	5	1	....	1	1	8	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	6	1	....	2	....	....	3	....	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	12	1	....	....	....	....	1	....	....	....	1	....	1	....	2	....	....	2	3	....	....	1	1	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	3	....	....	....	....	....	....	....
4. Paralysis	M.	10	....	....	....	....	1	1	....	....	....	1	....	....	....	....	2	1	4	1	2	1	3	1	2	....	....	....	....
	F.	22	1	....	....	....	....	1	....	....	....	....	....	....	....	3	1	1	1	1	4	4	2	3	2	....	....	....	....
5. Tetanus and trismus nascentium.	M.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Convulsions	M.	14	11	1	2	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	11	1	1	....	....	13	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	3	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	9	2	....	....	....	....	2	....	1	....	....	....	1	....	1	....	....	....	3	....	1	....	....	....	....	....	....	....
	F.	6	2	1	....	....	....	3	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	6	1	3	....	....	....	4	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total		64	2	....	1	2	....	5	4	4	3	1	3	....	1	5	3	6	4	5	9	8	3	....	....	....	....	....	....
Males		39	2	....	1	2	....	5	4	2	1	1	2	....	....	3	3	3	....	5	4	4	2	....	....	....	....	....	....
Females		25	....	....	....	....	....	....	....	2	2	....	1	....	1	2	....	3	4	....	5	4	1	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	37	1	....	1	2	....	4	4	2	1	1	2	....	....	3	3	3	....	5	3	4	2	....	....	....	....	....	....
	F.	25	....	....	....	....	....	....	....	2	2	....	1	....	1	2	....	3	4	....	5	4	1	....	....	....	....	....	....	....
4. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total		284	61	24	18	13	11	127	20	6	9	10	5	4	7	7	7	13	16	12	13	7	12	6	3	....	....	....
Males		161	37	14	7	6	7	71	8	3	4	6	3	3	5	3	4	6	7	9	10	4	8	4	3	....	....	....
Females		123	24	10	11	7	4	56	12	3	5	4	2	1	2	4	3	7	9	3	3	3	4	2	....	....	....	....	....
1. Croup	M.	27	8	5	3	2	5	23	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	24	6	2	5	3	3	19	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	8	4	1	....	....	....	5	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....
	F.	13	4	1	....	1	....	6	1	....	1	....	....	....	1	....	1	....	....	....	2	....	....	....	....	....	....	....	....
4. Pneumonia	M.	103	10	8	4	4	1	36	5	2	4	6	2	3	3	3	3	5	6	8	6	2	5	2	1	....	....	....
	F.	73	11	7	6	3	1	28	5	3	4	3	1	1	1	2	2	6	7	1	1	3	3	2	....	....	....	....	....
5. Pleurisy	M.	5	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	1	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	1	....	....	....	....	....	....
6. Asthma	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	1	1	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
7. Others of this group	M.	12	5	....	....	....	1	6	....	....	....	....	1	....	1	....	....	....	1	....	1	....	....	1	1	....	....	....	....
	F.	8	3	....	....	....	....	3	1	....	....	1	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		110	25	5	4	3	3	40	1	4	5	5	8	7	2	3	7	3	2	5	7	5	4	1	1		
Males		70	14	2	2	2	2	22	1	3		5	7	5	1	2	6	2	1	3	5	3	3	1			
Females		40	11	3	2	1	1	18		1	5		1	2	1	1	1	1	1	2	2	2	1		1		
1. Dentition	M.	2		1	1			2																			
	F.	7	4	2	1			7																			
2. Angina	M.	1	1					1																			
	F.	4			1			1			2							1									
3. Gastritis	M.	2															1		1								
	F.	4					1	1					1									2					
4. Other diseases of the stomach	M.	3					1	1						1			1										
	F.	2									1													1			
5. Obstruction of the bowels	M.	4			1			1		1			1									1					
	F.	1	1					1																			
6. Hernia	M.	4										1		1							1		1				
	F.	1															1										
7. Other diseases of the bowels	M.	6	2					2				1		1				1			1						
	F.																										
8. Jaundice	M.	1																				1					
	F.	1	1					1																			
9. Inflammation and abscess of the liver.	M.	4													1		1	1		1							
	F.																										
10. Other diseases of the liver	M.	20	2					2		2		2	3	2		1	2			1	3	1	1				
	F.	5		1				1		1	1										1		1				
11. Peritonitis	M.	5					1	1	1			1	1										1				
	F.	4									1			1	1	1											
12. Ascites	M.	3											1			1	1										
	F.	1												1													
13. Others of this group	M.	15	9	1		2		12					1							1				1			
	F.	10	5			1		6											1	2	1						
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		24									1				2	3		1	4	6	1	4	2				
Males		20									1				1	2			4	6	1	4	1				
Females		4													1	1		1					1				
1. Bright's disease	M.	7									1								2	2	1	1					
	F.	1													1												
2. Calculus, urinary	M.																										
	F.																										
3. Diseases of the kidney	M.	8													1				2	2		2	1				
	F.	3														1		1					1				
4. Diseases of the bladder	M.	2														1				1							
	F.																										
5. Others of this group	M.	3														1				1		1					
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		8										2	1	1		1	1		1				1				
1. Ovarian tumors	F.	1														1											
2. Ovarian diseases	F.																										
3. Uterine tumors	F.	2										1											1				
4. Uterine diseases	F.	3										1	1				1										
5. Others of this group	F.	2												1					1								
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		19									1	5	3	4	5	1											
1. Abortion	F.	3										1			2												
2. Child-birth	F.	15									1	3	3	4	3	1											
3. Others of this group	F.	1										1															
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		4									1				1					1			1				
Males		3									1									1			1				
Females		1													1												
1. Diseases of the spine	M.	1																		1							
	F.	1													1												
2. Diseases of the bones	M.																										
	F.																										
3. Diseases of the hip-joint	M.	1																						1			
	F.																										
4. Others of this group	M.	1									1																
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	6	1					1	1		1						1	1					1					
Males	4	1					1	1		1												1					
Females	2															1	1										
1. Abscess M.	2							1		1																	
1. Abscess F.	1																1										
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.	2	1					1															1					
3. Others of this group F.	1															1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	3	1					1										1						1				
Males	1																						1				
Females	2	1					1										1										
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.	1																						1				
2. Diseases of the spleen F.	1	1					1																				
3. Others of this group M.																											
3. Others of this group F.	1																1										
XII.—ACCIDENTS AND INJURIES.																											
Total	112	6	4	5	3	1	19	7	6	16	12	3	10	7	4	4	6	5	2	3	1	6					1
Males	70	3	4	4	1	1	13	3	5	14	9	3	7	3	3	2	4	4	1	2		5					1
Females	33	3		1	2		6	4	1	2	3		3	4	1	2	2	1	1	1	1	1					
1. Burns and scalds M.	4			2			2			1						1											
1. Burns and scalds F.	7	1		1			2	1	1	1			1	1													
2. Drowned M.	20		3	1	1		5	2	1	4	2	2	1		1		1	1									
2. Drowned F.	5							1		1	2							1									
3. Exposure and neglect M.	1		1				1																				
3. Exposure and neglect F.	2	1					1										1										
4. Gunshot wounds M.	8								2	1	2		1	1			1										
4. Gunshot wounds F.	2				1		1								1												
5. Homicide M.																											
5. Homicide F.	1																					1					
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.	1									1																	
8. Railroad accidents F.	1																			1							
9. Suffocation M.	4	1		1		1	3		1																		
9. Suffocation F.	1	1					1																				
10. Suicide by shooting M.	1													1													
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.	1																										1
12. Suicide by poison F.	1												1														
13. Other suicides M.	4																1			2		1					
13. Other suicides F.	1																			1							
14. Sunstroke M.	2								1						1												
14. Sunstroke F.																											
15. Surgical operations M.	1																	1									
15. Surgical operations F.	1													1													
16. Wounds M.	1									1																	
16. Wounds F.																											
17. Other accidents and injuries M.	31	2					2	1		6	5	1	5	1	1	1	1	2	1			4					
17. Other accidents and injuries F.	11				1		1	2			1		1	2		2	1				1						

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		6648	1170	339	240	177	139	2065	439	246	268	365	240	194	181	164	174	259	278	325	375	351	302	233	96	37	16	40
Total: Males		3515	673	174	131	92	67	1137	233	124	128	173	98	88	74	72	84	136	161	194	217	196	169	129	55	17	5	25
Females		3133	497	165	109	85	72	928	206	122	140	192	142	106	107	92	90	123	117	131	158	155	133	104	41	20	11	15
Unknown causes.																												
Total		291	162	11	6	6	5	190	6	4	4	5	4	1	3	2	3	7	14	6	9	12	12	5	1	....	....	3
Males		162	98	8	4	2	3	115	3	1	2	2	2	1	2	1	2	4	8	1	5	6	4	....	1	....	....	2
Females		129	64	3	2	4	2	75	3	3	2	3	2	....	1	1	1	3	6	5	4	6	8	5	....	....	....	1
1.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1724	349	165	130	106	87	837	294	148	89	60	37	29	22	22	19	29	23	26	31	24	11	13	8	1	1	5
Males		876	184	79	68	56	45	432	147	65	45	37	11	11	6	6	8	14	14	16	20	14	8	13	4	1	1	3
Females		858	165	86	62	50	42	405	147	83	44	23	26	18	16	16	11	15	9	10	11	10	3	5	4	....	....	2
1. Small-pox	M.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	10	....	3	1	3	1	8	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	19	6	5	1	2	....	14	1	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	67	4	13	7	7	5	36	18	9	3	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	77	6	8	14	13	4	45	20	10	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	325	26	29	41	39	33	168	103	36	7	5	1	1	....	1	....	....	....	....	....	3	....	....	....	....	....	....
	F.	332	16	28	28	29	36	137	107	56	18	5	3	2	1	....	....	1	....	1	....	....	....	....	....	....	....	1
5. Hooping-cough	M.	27	15	7	3	1	....	26	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	37	21	9	1	1	....	32	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	9	4	....	1	....	....	5	1	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	1	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	7	....	....	....	....	1	1	1	2	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	8	....	2	1	....	....	3	3	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	82	2	1	....	2	1	6	7	13	17	15	5	3	....	1	6	2	....	3	2	1	1	....	....	....	....	....
	F.	82	....	1	3	1	2	7	7	8	11	8	8	3	1	4	7	5	3	1	5	2	1	....	1	....	....	....
9. Diarrhœa	M.	49	29	3	1	....	....	33	....	....	....	....	....	1	1	1	....	....	3	1	2	2	1	3	....	....	1	....
	F.	38	24	3	2	....	....	29	....	1	1	....	....	1	1	....	....	....	1	....	1	1	1	....	1	....	....	....
10. Dysentery	M.	29	7	7	1	2	1	18	1	1	....	....	....	1	....	1	....	....	....	1	....	1	1	2	....	1	....	1
	F.	43	19	9	3	1	....	32	2	....	....	....	....	....	1	....	1	1	1	1	1	1	....	1	1	....	....	....
11. Enteritis	M.	90	18	6	7	1	....	32	11	1	9	6	2	1	1	2	1	2	4	7	3	2	2	1	....	....	....	1
	F.	44	11	7	3	2	....	23	....	....	3	3	....	....	1	3	1	2	....	3	1	2	1	....	1	....	....	....
12. Cholera morbus	M.	22	3	....	....	1	....	4	....	....	....	....	....	2	....	....	....	3	1	1	7	....	2	1	1	....	....	....	....
	F.	11	4	1	....	....	....	5	....	....	....	....	....	....	1	1	....	2	....	....	....	2	....	....	....	....	....	....	....
13. Cholera infantum	M.	76	64	9	2	....	1	76	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	65	47	12	5	1	....	65	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	34	3	....	3	....	2	8	1	1	4	3	1	....	1	....	....	5	2	1	1	3	1	2	....	....	....	....
	F.	30	6	....	1	....	....	7	1	4	3	....	4	....	2	....	1	....	1	1	2	1	....	2	....	....	....	1
15. Erysipelas	M.	17	7	....	....	....	....	7	....	....	2	1	....	....	....	....	....	2	2	1	1	....	....	1	....	....	....	....
	F.	15	2	1	....	....	....	3	....	1	1	....	....	2	1	2	....	1	....	2	1	1	....	....	....	....	....	....
16. Septicæmia	M.	8	....	....	....	....	....	....	2	....	....	2	1	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	1	1	1	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	34	....	....	....	....	....	....	....	....	2	7	8	7	6	4	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	5	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	19	....	1	1	....	....	2	1	1	1	3	....	....	1	....	1	....	1	1	2	2	....	2	2	....	....	....
	F.	5	1	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	1	1	2	....	....	2	....	....	....	....
General diseases—B.																												
Total		42	14	4	....	....	....	18	2	2	....	1	1	1	4	....	2	3	....	2	3	1	1	1	....	....	....	....
Males		27	7	2	....	....	....	9	1	1	....	1	1	1	2	....	2	2	....	2	3	....	1	1	....	....	....	....
Females		15	7	2	....	....	....	9	1	1	....	....	....	....	2	....	....	1	....	....	....	1	....	....	....	....	....	....
1. Worms	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	11	....	....	....	....	....	....	....	....	....	1	1	1	2	....	1	1	....	2	1	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	9	2	....	....	....	....	2	1	1	....	....	....	....	....	....	1	1	....	....	2	....	....	1	....	....	....	....
	F.	7	1	1	....	....	....	2	1	1	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	6	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		517	186	....	1	2	....	189	....	....	....	1	....	2	1	1	5	3	1	9	15	45	66	92	46	28	12	1
Males		279	117	....	1	....	....	118	....	....	....	....	....	1	....	....	2	3	1	5	5	30	32	42	24	13	3	....
Females		238	69	....	....	2	....	71	....	....	....	1	....	1	1	1	3	....	....	4	10	15	34	50	22	15	9	1
1. Premature birth	M.	16	16	....	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	82	82	....	....	....	....	82	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	42	42	....	....	....	....	42	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	7	....	....	1	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	48	12	....	1	....	....	13	....	....	....	....	....	1	....	....	2	3	1	5	4	9	6	3	1	....	....	....
	F.	32	9	....	....	1	....	10	....	....	....	1	....	1	1	1	3	....	....	2	4	2	1	1	4	1	....	....
5. Old age	M.	126	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	21	26	30	23	13	8	....
	F.	145	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	6	13	33	49	18	14	9	1
6. Atrophy	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1266	31	16	11	2	4	64	14	25	73	162	98	69	67	66	66	92	90	95	100	77	54	31	0	1	2	14
Males		570	19	7	7	2	1	36	8	13	21	59	35	34	26	23	27	43	50	52	50	34	24	19	4	....	....	6
Females		696	12	9	4	....	3	28	6	12	52	103	63	35	41	43	39	49	40	43	44	43	30	12	2	1	2	8
1. Rheumatism	M.	30	....	....	....	....	....	....	1	7	3	2	2	....	....	....	....	3	3	1	3	1	1	2	....	....	....	1
	F.	21	....	....	....	....	....	....	....	2	....	2	3	....	2	1	1	1	2	4	2	....	1	....	....	....	....	....
2. Scrofula and tabes	M.	12	3	2	....	....	....	5	1	....	....	1	....	....	....	....	1	1	....	1	....	1	....	1	....	....	....	....
	F.	8	1	....	....	....	1	2	....	....	1	....	....	....	2	....	....	....	....	....	....	3	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	336	6	1	2	....	....	9	1	4	15	55	31	29	21	16	17	25	26	24	27	15	9	7	1	....	....	4
	F.	456	8	2	2	....	....	12	4	7	40	97	57	34	29	20	23	23	14	15	22	19	13	2	1	1	1	4
5. Hydrocephalus	M.	15	6	4	2	....	....	12	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	11	2	6	2	....	....	10	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	90	1	....	....	....	....	1	....	....	....	1	....	3	2	5	7	9	16	12	17	7	5	3	1	....	....	1
	F.	107	....	....	....	....	1	1	....	....	1	2	2	1	3	8	10	15	14	18	10	7	8	5	....	....	....	2
7. Tumor	M.	8	....	....	1	1	....	2	....	1	....	....	....	....	....	....	....	2	....	....	1	1	....	....	....	....	....	....
	F.	16	....	....	....	....	....	....	....	1	....	....	....	....	....	....	3	4	1	2	2	3	....	....	....	....	....	....
8. Anæmia	M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	5	1	1	....	....	1	3	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	55	2	....	1	1	1	5	4	....	1	....	....	....	2	1	....	3	2	12	7	6	8	2	2	....	....	....
	F.	66	....	....	....	....	....	....	....	1	1	2	1	....	4	4	2	5	8	3	8	11	8	5	1	....	1	1
10. Glycosuria	M.	20	....	....	1	....	....	1	....	....	2	....	2	1	1	1	2	....	2	1	1	3	....	3	....	....	....	....
	F.	6	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	1
11. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		694	177	48	18	14	9	266	26	14	15	18	20	18	17	9	16	24	31	36	46	45	48	25	12	5	....	3
Males		353	100	27	5	8	2	142	11	8	6	8	5	12	7	4	7	13	15	20	24	21	28	10	7	2	....	3
Females		341	77	21	13	6	7	124	15	6	9	10	15	6	10	5	9	11	16	16	22	24	20	15	5	3	....	....
1. Inflammation of the brain	M.	33	10	5	1	2	1	19	1	2	2	2	1	2	....	....	....	....	1	2	1	....	....	....	....	....	....	....
	F.	46	6	9	4	3	3	25	6	....	....	2	....	3	2	1	2	1	2	....	1	1	....	....	....	....	....	....
2. Meningitis	M.	19	4	4	1	....	....	9	2	1	1	1	....	1	2	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	17	3	3	2	....	1	9	2	1	2	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	44	1	1	....	....	....	2	1	....	....	....	2	1	....	1	1	3	5	5	4	7	7	3	2	....	....	....
	F.	42	....	....	1	....	....	1	....	1	....	3	....	1	2	2	1	1	5	7	5	6	3	3	1	....	....	....
4. Paralysis	M.	77	....	2	1	1	....	4	....	....	....	....	....	1	2	1	2	5	4	9	11	12	13	7	3	2	....	1
	F.	85	....	....	1	....	....	1	....	1	1	....	2	....	....	1	3	4	7	7	11	17	15	9	4	2	....	....
5. Tetanus and trismus nascentium	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	11	2	....	....	1	....	3	....	1	1	2	1	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	10	3	....	1	....	....	4	....	....	....	....	4	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	93	69	11	2	1	....	83	3	....	....	....	....	3	1	....	....	....	....	....	....	....	2	....	....	....	....	1
	F.	75	56	6	2	1	1	66	2	1	1	....	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	6	....	....	....	....	....	....	....	....	2	1	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	2	....	....	1	....	1	....	2	....	....	....	1	1	....	....	....	....
9. Diseases of the brain	M.	42	8	2	....	1	1	12	3	2	....	....	....	....	1	1	1	4	3	1	7	....	4	....	2	....	....	1
	F.	25	5	1	2	1	1	10	1	....	2	1	1	....	....	....	1	2	....	1	2	....	1	2	....	1	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	25	4	2	....	2	....	8	1	2	....	2	....	2	1	....	1	1	2	2	1	....	2	....	....	....	....	....
	F.	31	3	2	....	1	1	7	4	2	3	2	2	1	2	....	1	3	....	1	3	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		325	18	1	1	1	2	23	2	12	9	17	11	7	15	8	9	22	37	37	33	39	25	8	7	....	....	4
Males		179	13	....	1	....	1	15	2	8	4	7	7	1	7	6	4	11	18	24	19	18	14	6	6	....	....	2
Females		146	5	1	....	1	1	8	....	4	5	10	4	6	8	2	5	11	19	13	14	21	11	2	1	....	....	2
1. Angina pectoris	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....
2. Aneurism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	167	6	....	1	....	1	8	2	8	4	7	7	1	7	6	3	11	17	23	18	18	14	5	6	....	....	2
	F.	130	5	1	....	1	1	8	....	4	5	8	4	6	6	2	5	11	18	13	14	20	10	2	1	....	....	2
4. Others of this group	M.	8	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		892	133	61	49	38	26	307	55	14	34	38	22	17	20	23	26	29	27	58	76	57	45	21	8	....	1	4
Males		523	72	30	30	22	13	167	40	8	21	20	12	8	11	13	17	21	16	35	43	37	29	15	6	....	1	3
Females		369	61	31	19	16	13	140	25	6	13	18	10	9	9	10	9	8	11	23	33	20	16	6	2	....	....	1
1. Croup	M.	96	17	9	19	13	8	66	27	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	70	15	11	8	9	10	53	15	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	23	6	....	2	....	1	9	....	....	1	....	....	....	....	....	1	2	1	....	1	3	3	2	....	....	....	....
	F.	30	9	....	4	1	....	14	....	....	2	1	....	....	2	....	....	....	....	1	4	4	2	....	....	....	....	....
4. Pneumonia	M.	318	37	19	8	7	4	75	11	5	18	18	11	8	10	12	12	16	11	27	29	21	18	9	4	....	1	2
	F.	206	30	16	5	5	3	59	10	4	9	13	7	7	6	9	6	6	8	15	20	10	9	5	2	....	....	1
5. Pleurisy	M.	7	2	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	2	....	....	....	....
	F.	10	....	....	....	....	....	....	....	....	1	1	2	2	....	....	2	....	....	....	1	1	....	....	....	....	....	....
6. Asthma	M.	32	1	....	....	....	....	1	....	1	....	....	....	....	....	....	2	1	2	4	6	7	4	3	1	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	1	2	1	3	1	....	....	....	....	....
7. Others of this group	M.	47	9	2	1	2	....	14	2	....	2	2	1	....	....	....	1	3	3	3	5	4	3	3	1	....	....	....
	F.	40	7	4	2	1	....	14	....	....	1	2	....	....	....	1	1	1	2	4	7	3	3	1	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		330	73	18	8	2	3	104	4	4	7	9	9	10	8	5	8	19	26	21	33	24	18	14	5	....	2
Males		180	48	11	5	....	2	66	2	2	4	3	6	3	3	2	3	8	14	11	19	11	11	10	....	....	2
Females		150	25	7	3	2	1	38	2	2	3	6	3	7	5	3	5	11	12	10	14	13	7	4	5	....	....
1. Dentition	M.	16	8	7	....	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	14	8	6	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	14	....	....	3	....	....	3	....	....	....	....	....	1	....	....	....	....	2	1	2	3	....	1	....	....	1
	F.	6	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	1	1	....	....	1	....	....	....	....
4. Other diseases of the stomach	M.	18	3	....	....	....	1	4	....	1	1	....	1	1	....	....	1	....	1	2	1	2	2	1	....	....	....
	F.	22	3	....	1	....	....	4	....	....	2	....	1	1	....	....	....	5	....	1	2	2	2	....	2	....	....
5. Obstruction of the bowels	M.	8	1	....	....	....	....	1	....	....	1	....	....	1	....	....	1	....	....	....	2	....	1	1	....	....	....
	F.	5	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	3	....	....	1	....	....	....	....	....
6. Hernia	M.	10	2	1	....	....	....	3	....	....	....	....	....	....	....	1	....	1	1	....	1	....	1	2	....	....	....
	F.	10	2	....	....	....	....	2	....	....	....	....	1	1	....	....	....	1	....	2	1	2	....	....	....	....	....
7. Other diseases of the bowels	M.	11	1	....	....	....	....	1	1	....	1	....	1	....	....	....	....	2	....	....	3	1	1	....	....	....	....
	F.	9	1	....	....	....	....	1	....	1	....	....	....	....	1	....	1	2	1	....	1	....	....	....	1	....	....
8. Jaundice	M.	6	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	2	....	1	....	1	....	....	....	....
	F.	5	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....
9. Inflammation and abscess of the liver.	M.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	2	1	1	1	1	....	....	....
	F.	10	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	3	2	....	1	....	....	1	....	....
10. Other diseases of the liver	M.	29	1	....	1	....	1	3	....	....	1	....	2	....	2	....	1	1	5	4	6	2	2	....	....	....	....
	F.	19	....	....	....	....	....	....	....	....	....	2	....	2	1	1	....	....	2	1	2	4	1	3	....	....	....
11. Peritonitis	M.	13	....	3	....	....	....	3	....	1	....	3	1	....	1	....	....	3	1	....	....	....	....	....	....	....	....
	F.	17	2	....	....	....	....	2	....	....	1	3	....	3	2	....	1	1	....	....	2	2	....	....	....	....	....
12. Ascites	M.	3	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	13	....	1	....	....	....	1	....	....	....	....	....	....	1	....	2	....	....	....	1	5	1	1	1	....	....
13. Others of this group	M.	42	29	....	1	....	....	30	....	....	....	....	1	....	....	....	....	1	....	....	2	2	1	1	4	....	....
	F.	19	8	....	1	1	1	11	....	....	....	1	....	....	....	1	....	....	2	2	....	....	1	....	1	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		113	3	....	....	....	....	3	2	1	4	3	2	3	3	6	4	6	7	10	17	14	12	11	3	1	....	1
Males		101	2	....	....	....	....	2	2	1	4	3	1	2	2	5	3	5	7	10	15	13	11	10	3	1	....	1
Females		12	1	....	....	....	....	1	....	....	....	....	1	1	1	1	1	1	....	....	2	1	1	1	....	....	....	....
1. Bright's disease	M.	29	....	....	....	....	....	....	....	....	2	1	1	1	1	2	....	3	4	2	5	4	1	....	....	1	....	1
	F.	6	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	1	....	....	1	....	....	....	....	....	....	....
2. Calculus, urinary	M.	20	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	1	2	3	3	2	1	4	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	29	2	....	....	....	....	2	2	....	2	2	....	1	....	2	2	....	1	3	3	1	5	2	1	....	....	....
	F.	5	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....
4. Diseases of the bladder	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	6	2	4	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	8	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	3	....	2	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		30	....	....	....	....	....	....	....	1	1	4	1	1	3	4	4	6	2	1	1	1	....	....	....	....	....	....
1. Ovarian tumors	F.	7	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	4	1	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....
4. Uterine diseases	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	17	....	....	....	....	....	....	....	1	1	3	..	1	3	2	3	1	1	....	....	1	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		58	....	....	....	....	....	....	....	....	3	11	14	16	9	5	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	5	....	....	....	....	....	....	....	....	....	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	49	....	....	....	....	....	....	....	....	3	7	11	14	9	5	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	4	....	....	....	....	....	....	....	....	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		21	2	....	....	....	....	2	1	1	1	2	2	2	....	1	....	....	1	4	1	3	....	....	....	....	....	....
Males		16	2	....	....	....	....	2	....	1	1	....	2	1	....	1	....	....	1	3	1	3	....	....	....	....	....	....
Females		5	....	....	....	....	....	....	1	....	....	2	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	4	1	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	9	....	....	....	....	....	....	....	1	....	....	1	1	....	1	....	....	1	1	1	2	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		11	1					1			2	1		1		2				1		3					
Males		7	1					1				1				2						3					
Females		4									2			1						1							
1. Abscess	M.	7	1					1				1				2						3					
	F.	3									2			1													
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.	1																		1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1		1				1																			
Males		1		1				1																			
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1		1				1																			
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		323	21	14	16	6	3	60	23	20	26	33	19	17	9	10	12	19	19	19	10	6	10	7		1		3
Males		241	10	9	10	2		31	17	16	20	32	16	13	8	9	9	12	17	15	7	6	7	3				3
Females		82	11	5	6	4	3	29	6	4	6	1	3	4	1	1	3	7	2	4	3		3	4		1		
1. Burns and scalds	M.	16	2	2	4	1		9	1		1	1			1		2	1										
	F.	23		3	4	2	2	11		2	1	1	2	1			1							1				
2. Drowned	M.	49		2	3	1		6	9	8	5	6	6	2			1	1	1	2	1							
	F.	9		2	1		1	4	1	2						1				1								
3. Exposure and neglect	M.	4	2					2						1									1					
	F.	5	2					2										1			1			1				
4. Gunshot wounds	M.	9								1	2	1	1		1	2			1									
	F.	1										1																
5. Homicide	M.	2							1				1															
	F.																											
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.	3										1		2														
	F.																											
8. Railroad accidents	M.	21		1				1			0	9	2	1	2									2				
	F.	2																										
9. Suffocation	M.	9	3	2				5											1	1		1						1
	F.	5	2		1	1		4																1				
10. Suicide by shooting	M.	4												1			1	1					1					
	F.	1									1																	
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.	2												1					1									
	F.	2									1						1											
13. Other suicides	M.	17								1		1	1		1			6	1	4				1				1
	F.	5									1			1				2	1									
14. Sunstroke	M.	10							1			3				2		1	1				1					1
	F.	3																1		2								
15. Surgical operations	M.	1										1																
	F.	3												1				1	1									
16. Wounds	M.	4		1				1		1				1						1								
	F.																											
17. Other accidents and injuries	M.	90	3	1	3			7	5	5	6	9	3	6	3	5	5	2	10	7	6	5	4	2				
	F.	23	7			1		8	2		1		1	1	1		1	2		1	2		1	1		1		

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 4.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		2476	563	207	130	100	97	1097	232	129	101	118	80	76	76	67	61	71	65	67	51	66	54	23	13	4	7	18
Total: Males		1350	330	120	68	51	57	629	116	63	48	59	39	33	28	40	33	44	40	48	28	35	31	11	4	4	6	11
Females		1126	233	87	62	46	40	468	116	66	53	59	41	43	48	27	28	27	25	19	23	31	23	12	9	....	1	7
Unknown causes.																												
Total		151	83	8	3	1	3	98	4	2	3	1	2	3	1	3	5	2	2	2	1	7	5	3	1	....	...	6
Males		80	48	4	1	1	2	56	4	1	...	....	....	2	....	1	3	2	1	2	....	4	1	....	....	....	...	3
Females		71	35	4	2	....	1	42	....	1	3	1	2	1	1	2	2	....	1	....	1	3	4	3	1	....	....	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		911	178	115	84	70	70	517	167	82	34	21	18	7	10	11	3	11	6	7	6	4	3	1	1	....	....	3
Males		468	105	63	43	34	38	283	81	33	15	9	8	4	3	9	1	6	4	3	5	1	1	1	....	....	...	1
Females		443	73	52	41	36	32	234	86	49	19	12	10	3	7	2	2	5	2	4	1	3	2	....	1	....	...	1
1. Small-pox	M.	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	8	2	2	2	....	2	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	2	1	....	1	....	4	1	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	87	9	13	18	10	10	60	22	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	76	10	13	7	11	13	54	12	7	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	179	21	16	18	18	23	96	52	23	5	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	191	13	13	20	16	16	78	67	36	7	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	14	12	2	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	10	1	1	1	....	13	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Fever	M.	4	....	1	....	....	1	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	3	1	1	....	....	1	3	3	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	2	1	....	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	34	2	4	....	....	....	6	1	2	3	2	4	2	2	2	....	....	1	....	3	....	....	1	....	....	....	....	....
	F.	24	....	....	....	1	1	2	1	2	6	4	3	....	2	1	....	1	1	1	....	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	26	10	6	3	1	....	20	1	1	....	....	....	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....
	F.	19	10	3	1	1	....	18	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	18	9	5	1	1	1	17	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	28	6	5	8	3	1	23	....	....	....	1	....	....	....	....	....	1	....	....	1	2	....	....	....	....	....	....	....
11. Enteritis	M.	34	12	2	....	1	....	15	1	1	2	3	2	1	1	4	....	....	....	2	1	....	1	....	....	....	....	....	....
	F.	13	....	3	....	....	....	3	1	3	1	1	1	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
13. Cholera infantum	M.	35	23	10	1	1	....	35	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	14	9	2	....	1	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	8	....	....	....	1	....	1	....	....	....	2	1	....	....	....	....	1	2	....	....	1	....	....	....	....	....	....	....
	F.	10	3	....	....	....	....	3	1	....	1	....	2	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1
15. Erysipelas	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	5	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	....	1	....	....	....	1	....	....	....	1	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	9	....	....	....	....	....	....	....	....	2	3	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	5	2	1	....	1	....	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		25	10	1	1	2	2	16	4	....	....	1	....	....	....	....	....	2	1	1	....	....	....	....	....	....	....	....	....
Males		19	8	....	....	2	2	12	2	....	....	1	....	....	....	....	....	2	1	1	....	....	....	....	....	....	....	....	....
Females		6	2	1	1	....	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	6	4	....	....	1	1	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	6	....	....	....	....	1	1	2	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	5	4	....	....	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		156	97	1	....	....	..	98	....	....	....	....	....	....	....	....	....	....	....	3	3	8	18	8	8	2	7	1
Males		94	63	1	....	....	....	64	....	....	....	....	....	....	....	....	....	....	....	2	....	2	11	4	2	2	6	1
Females		62	34	....	....	....	....	34	....	....	....	....	....	....	....	....	....	....	....	1	3	6	7	4	6	....	1	....
1. Premature birth	M.	15	15	....	....	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	36	36	....	....	....	....	36	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	22	....	....	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	14	8	1	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	2	....	....	2	....	....	....	....	....	1
	F.	7	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....
5. Old age	M.	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	9	4	2	2	6	....	....
	F.	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	6	7	4	5	....	1	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		365	22	15	3	6	2	48	0	10	21	44	32	26	27	16	20	28	25	22	10	16	8	4	....	....	2
Males		180	10	13	1	3	1	28	3	4	6	15	14	10	11	0	10	13	14	17	8	11	5	1	..	....	1
Females		185	12	2	2	3	1	20	3	6	15	29	18	16	16	7	10	15	11	5	2	5	3	3	....	....	1
1. Rheumatism	M.	9	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	2	2	1	....	1	....	....	....	....	....
	F.	3	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	2	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	114	7	5	1	3	1	17	3	2	5	15	12	8	8	5	3	7	5	7	3	6	1	1	....	....	1
	F.	130	6	1	2	1	....	10	2	5	12	27	16	12	13	5	6	9	6	3	1	1	1	....	....	....	1
5. Hydrocephalus	M.	8	3	4	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	5	2	1	....	1	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	19	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	2	3	5	2	1	2	....	....	....	....	....
	F.	22	1	....	....	....	1	2	....	....	....	1	1	1	2	1	2	4	1	1	....	3	....	2	....	....	....	....
7. Tumor	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	19	....	3	....	....	....	3	....	....	1	....	....	1	....	....	....	1	4	3	3	1	2	....	....	....	....	....
	F.	21	1	....	....	....	....	1	....	....	1	1	1	3	1	1	2	2	3	1	1	....	2	1	....	....	....	....
10. Glycosuria	M.	7	....	....	....	....	....	....	....	1	....	....	1	....	1	1	1	1	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		190	67	18	8	5	5	103	8	6	9	5	5	3	2	2	4	2	5	8	6	8	9	3	1	....	....	1
Males		109	36	11	4	3	4	58	3	5	6	3	5	2	....	1	2	1	3	5	5	3	4	2	1	....	....	....
Females		81	31	7	4	2	1	45	5	1	3	2	....	1	2	1	2	1	2	3	1	5	5	1	....	....	....	1
1. Inflammation of the brain	M.	25	4	4	1	1	2	12	1	5	4	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	15	8	2	2	1	....	13	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	4	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	14	....	....	....	1	....	1	....	....	....	2	1	....	....	....	1	....	....	2	3	1	1	1	1	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....
4. Paralysis	M.	13	....	....	....	....	....	....	1	....	....	....	1	1	....	1	....	1	....	1	2	1	3	1	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	3	4	....	....	....	....	1
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	4	3	....	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	29	21	3	2	1	2	29	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	20	3	....	1	....	24	1	1	....	1	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....
8. Mental diseases	M.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	12	4	1	....	....	....	5	1	....	1	1	1	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....
	F.	9	3	2	....	....	1	6	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	3	1	2	....	....	....	3	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	5	....	....	1	....	....	1	1	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		69	6	1	....	....	....	7	3	3	....	5	1	4	2	7	6	5	5	7	4	6	3	1	....	....	....	....
Males		39	5	1	....	....	....	6	2	2	....	2	....	2	1	6	2	4	1	3	3	3	2	....	....	....	....	....
Females		30	1	....	....	....	....	1	1	1	....	3	1	2	1	1	4	1	4	4	1	3	1	1	....	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	34	1	1	....	....	....	2	2	1	....	2	....	2	1	6	2	4	1	3	3	2	2	....	....	....	....	....
	F.	29	....	....	....	....	....	....	1	1	....	3	1	2	1	1	4	1	4	4	1	3	1	1	....	....	....	....
4. Others of this group	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		239	59	26	16	13	11	125	20	8	8	6	7	9	4	5	7	4	7	7	8	10	1	....	1	1	....	1
Males		138	34	12	10	9	7	72	8	5	6	4	2	6	2	4	5	3	5	6	2	4	1	....	1	1	....	1
Females		101	25	14	6	4	4	53	12	3	2	2	5	3	2	1	2	1	2	1	6	6	....	....	....	....	....	....
1. Croup	M.	47	12	8	5	8	7	40	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	24	6	4	3	2	1	16	5	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	8	3	1	....	....	....	4	....	....	....	....	1	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....
	F.	7	2	1	....	1	1	5	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	61	16	3	2	1	....	22	1	3	6	....	....	6	1	3	5	3	4	1	1	2	1	....	....	1	....	1
	F.	52	12	7	3	1	2	25	5	1	....	2	3	2	....	1	2	1	2	....	4	4	....	....	....	....	....	....
5. Pleurisy	M.	3	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
6. Asthma	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....
7. Others of this group	M.	17	3	....	3	....	....	6	1	....	....	3	1	....	....	1	....	....	....	3	....	1	....	....	1	....	....	....
	F.	11	5	2	....	....	....	7	1	....	....	....	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	99	28	9	1	1	....	39	9	2	1	2	....	3	4	6	5	4	8	3	3	3	2	....	1	1	....	3
Males	55	14	6	....	1	....	21	3	2	1	2	....	....	1	3	1	3	6	2	1	3	2	....	....	1	....	3
Females	44	14	3	1	....	....	18	6	....	....	....	....	3	3	3	4	1	2	1	2	....	....	....	1	....	....	....
1. Dentition (M.)	6	4	2	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina (M.)	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	4	1	....	1	....	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis (M.)	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
(F.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach (M.)	9	1	1	....	....	....	2	1	....	1	....	....	....	....	1	....	....	2	....	....	1	....	....	....	....	....	1
(F.)	3	1	....	....	....	....	1	....	....	....	....	....	2	1	2	2	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels (M.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia (M.)	4	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....
(F.)	3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
7. Other diseases of the bowels (M.)	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	3	....	2	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice (M.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. (M.)	5	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	1
(F.)	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
10. Other diseases of the liver (M.)	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
(F.)	6	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	1	....	....	....	....	1	....	....	....
11. Peritonitis (M.)	4	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
(F.)	4	....	....	....	....	....	....	2	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites (M.)	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
(F.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group (M.)	19	7	2	....	....	....	9	2	....	....	....	....	....	1	....	1	1	1	....	1	1	2	....	....	....	....	....
(F.)	10	8	....	....	....	....	8	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	24	....	....	1	....	1	2	1	....	1	2	1	1	....	1	....	1	2	3	2	3	1	3	....	....	....	....
Males	19	....	....	1	....	....	1	1	....	....	2	1	1	....	....	....	1	1	3	1	3	1	3	....	....	....	....
Females	5	....	....	....	....	1	1	....	....	1	....	....	....	....	1	....	1	1	....	1	....	....	....	....	....	....	....
1. Bright's disease (M.)	8	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	2	1	1	....	1	....	....	....	....
(F.)	2	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
2. Calculus, urinary (M.)	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
(F.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney (M.)	6	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....
(F.)	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder (M.)	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....
(F.)	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Others of this group (M.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females	13	....	....	....	....	....	....	....	....	1	....	1	1	1	2	1	3	....	....	2	....	....	....	....	....	....	1
1. Ovarian tumors (F.)	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases (F.)	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors (F.)	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Uterine diseases (F.)	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group (F.)	9	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females	45	....	....	....	....	....	....	....	....	3	9	3	10	13	6	1	....	....	....	....	....	....	....	....	....	....	....
1. Abortion (F.)	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth (F.)	41	....	....	....	....	....	....	....	....	3	8	3	8	13	1	1	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group (F.)	3	....	....	....	....	....	....	....	....	....	1	....	2	....	5	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	6	2	1	....	....	....	3	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Males	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
Females	3	1	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine (M.)	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
2. Diseases of the bones (M.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint (M.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group (M.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
(F.)	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WISCONSIN—GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	5	1	1				2							1								2					
Males	3	1	1				2															1					
Females	2													1								1					
1. Abscess M.	1	1					1																				
1. Abscess F.	2													1								1					
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.	2		1				1															1					
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1												1														
Males																											
Females	1												1														
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.	1												1														
XII.—ACCIDENTS AND INJURIES.																											
Total	177	10	11	13	2	3	39	10	16	18	22	10	8	11	8	9	9	4	4	5	1	2					1
Males	143	5	7	8	1	3	24	9	11	14	21	9	6	10	7	9	9	4	4	2	1	2					1
Females	34	5	4	5	1		15	1	5	4	1	1	2	1	1					3							
1. Burns and scalds M.	9		1	3	1	1	6		1						1					1							
1. Burns and scalds F.	11	1		3	1		5	1	3				1							1							
2. Drowned M.	37		4	3		1	8	7	4	6	4	3	1			1		1	2								
2. Drowned F.	6		1	1			2		2	1	1																
3. Exposure and neglect M.	5	2					2		1										1								1
3. Exposure and neglect F.	2		1				1			1																	
4. Gunshot wounds M.	3									1	1			1													
4. Gunshot wounds F.																											
5. Homicide M.	4			1			1				1	1		1													
5. Homicide F.	1									1																	
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.	5									2		1			1	1											
7. Injuries by machinery F.																											
8. Railroad accidents M.	6									1	3					2											
8. Railroad accidents F.																											
9. Suffocation M.	3	2	1				3																				
9. Suffocation F.	2	2					2																				
10. Suicide by shooting M.	1											1															
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.	2										1					1											
12. Suicide by poison F.	2												1		1												
13. Other suicides M.	2															1	1										
13. Other suicides F.	1																			1							
14. Sunstroke M.	1							1																			
14. Sunstroke F.																											
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.	4	1					1	1			1				1												
16. Wounds F.																											
17. Other accidents and injuries M.	61		1	1		1	3		5	4	10	3	5	8	4	4	7	3	1	1	1	2					
17. Other accidents and injuries F.	9	2	2	1			5			1		1		1						1							

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 1.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	54	8	6	6	2	....	22	5	2	1	7	4	4	5	....	1	....	2	....	....	....	1	....	....	....	....	....
Total: Males	34	6	2	5	1	....	14	1	1	....	3	3	4	4	....	1	....	2	....	....	....	1	....	....	....	....	....
Females	20	2	4	1	1	....	8	4	1	1	4	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Unknown causes.																											
Total	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	29	4	2	6	2	....	14	5	1	1	4	....	1	1	....	1	....	....	....	....	....	1	....	....	....	....	....
Males	16	3	....	5	1	....	9	1	1	....	1	....	1	1	....	1	....	....	....	....	....	1	....	....	....	....	....
Females	13	1	2	1	1	....	5	4	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	9	2	....	5	....	....	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	6	1	....	1	1	....	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	3	1	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	2	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																										
Total	5	1					1		1			1		2												
Males	1													1												
Females	4	1					1		1			1		1												
1. Rheumatism M.																										
1. Rheumatism F.																										
2. Scrofula and tabes M.																										
2. Scrofula and tabes F.	1											1														
3. Leprosy M.																										
3. Leprosy F.																										
4. Consumption M.	1													1												
4. Consumption F.	2	1					1		1																	
5. Hydrocephalus M.																										
5. Hydrocephalus F.																										
6. Cancer M.																										
6. Cancer F.																										
7. Tumor M.																										
7. Tumor F.																										
8. Anæmia M.																										
8. Anæmia F.																										
9. Dropsy M.																										
9. Dropsy F.	1													1												
10. Glycosuria M.																										
10. Glycosuria F.																										
11. Others of this group M.																										
11. Others of this group F.																										
12. Others of this class M.																										
12. Others of this class F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																										
Total	1		1				1																			
Males	1		1				1																			
Females																										
1. Inflammation of the brain M.																										
1. Inflammation of the brain F.																										
2. Meningitis M.																										
2. Meningitis F.																										
3. Apoplexy M.																										
3. Apoplexy F.																										
4. Paralysis M.																										
4. Paralysis F.																										
5. Tetanus and trismus nascentium. M.																										
5. Tetanus and trismus nascentium. F.																										
6. Epilepsy M.																										
6. Epilepsy F.																										
7. Convulsions M.																										
7. Convulsions F.																										
8. Mental diseases M.																										
8. Mental diseases F.																										
9. Diseases of the brain M.	1		1				1																			
9. Diseases of the brain F.																										
10. Diseases of the spinal cord M.																										
10. Diseases of the spinal cord F.																										
11. Others of this group M.																										
11. Others of this group F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																										
Total	2	2					2																			
Males	2	2					2																			
Females																										
1. Angina pectoris M.																										
1. Angina pectoris F.																										
2. Aneurism M.	2	2					2																			
2. Aneurism F.																										
3. Diseases of the heart M.																										
3. Diseases of the heart F.																										
4. Others of this group M.																										
4. Others of this group F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																										
Total	6		1				1				1	2		1												
Males	5										1	3		1												
Females	1		1				1																			
1. Croup M.																										
1. Croup F.																										
2. Laryngitis M.																										
2. Laryngitis F.																										
3. Bronchitis M.																										
3. Bronchitis F.	1		1				1																			
4. Pneumonia M.	5										1	3		1												
4. Pneumonia F.																										
5. Pleurisy M.																										
5. Pleurisy F.																										
6. Asthma M.																										
6. Asthma F.																										
7. Others of this group M.																										
7. Others of this group F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	2	....	1	....	....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	....	....	....	....	....	....	....	....
Females	1	....	1	....	....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
1. Dentition M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
1. Dentition F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
2. Angina M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
2. Angina F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
3. Gastritis M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
3. Gastritis F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach. M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach. F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels. M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels. F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
6. Hernia M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
6. Hernia F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels. M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels. F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
8. Jaundice M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
8. Jaundice F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. M.	1	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver. F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver. M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver. F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
12. Ascites M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
12. Ascites F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
13. Others of this group M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
13. Others of this group F.	1	....	1	....	....	....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	1	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	....	....	....	....	....	....	....	....
Males	1	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	....	....	....	....	....	....	....	....
Females	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease M.	1	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	....	....	....	....	....	....	....	....
1. Bright's disease F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidneys M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidneys F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
5. Others of this group M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
5. Others of this group F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	1	....	....	....	....	....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
1. Abortion F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
2. Child-birth F.	1	....	....	....	....	....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
3. Others of this group F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
Males	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
Females	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
4. Others of this group M.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....
4. Others of this group F.	.....	....	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total																										
Males																										
Females																										
1. Abscess M.																										
1. Abscess F.																										
2. Carbuncle M.																										
2. Carbuncle F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total																										
Males																										
Females																										
1. Addison's disease M.																										
1. Addison's disease F.																										
2. Diseases of the spleen M.																										
2. Diseases of the spleen F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XII.—ACCIDENTS AND INJURIES.																										
Total	4										1		2	1												
Males	4										1		2	1												
Females																										
1. Burns and scalds M.																										
1. Burns and scalds F.																										
2. Drowned M.	1												1													
2. Drowned F.																										
3. Exposure and neglect M.																										
3. Exposure and neglect F.																										
4. Gunshot wounds M.	1												1													
4. Gunshot wounds F.																										
5. Homicide M.	1										1															
5. Homicide F.																										
6. Infanticide M.																										
6. Infanticide F.																										
7. Injuries by machinery M.																										
7. Injuries by machinery F.																										
8. Railroad accidents M.																										
8. Railroad accidents F.																										
9. Suffocation M.																										
9. Suffocation F.																										
10. Suicide by shooting M.																										
10. Suicide by shooting F.																										
11. Suicide by drowning M.																										
11. Suicide by drowning F.																										
12. Suicide by poison M.																										
12. Suicide by poison F.																										
13. Other suicides M.																										
13. Other suicides F.																										
14. Sunstroke M.																										
14. Sunstroke F.																										
15. Surgical operations M.																										
15. Surgical operations F.																										
16. Wounds M.																										
16. Wounds F.																										
17. Other accidents and injuries M.	1													1												
17. Other accidents and injuries F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 2.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	135	28	13	10	12	5	68	10	3	1	4	11	7	13	5	2	2	3	3	1	....	1	....	....	....	....	1
Total: Males	85	14	7	4	4	2	31	3	2	1	4	11	6	13	4	1	2	3	1	1	....	1	....	....	....	....	1
Total: Females	50	14	6	6	8	3	37	7	1	....	....	....	1	....	1	1	....	....	2	....	....	....	....	....	....	....	....
Unknown causes.																											
Total	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	54	9	10	10	8	3	40	7	2	1	....	....	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....
Males	23	3	6	4	3	....	16	2	1	1	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
Females	31	6	4	6	5	3	24	5	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	9	2	3	1	2	....	8	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	13	1	2	3	3	2	11	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	8	....	3	2	1	....	6	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	5	1	1	1	....	1	4	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	1
Males	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
Females	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Alcoholism F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	7	4	....	....	....	....	4	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....
Males	7	4	....	....	....	....	4	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....
Females	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....
4. Debility F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		6					1	1					1	2			1	1									
Males		6					1	1					1	2			1	1									
Females																											
1. Rheumatism	M.																										
	F.																										
2. Scrofula and tabes	M.																										
	F.																										
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	2											1				1										
	F.																										
5. Hydrocephalus	M.																										
	F.																										
6. Cancer	M.	1												1													
	F.																										
7. Tumor	M.																										
	F.																										
8. Anæmia	M.																										
	F.																										
9. Dropsy	M.	1																1									
	F.																										
10. Glycosuria	M.	2					1	1						1													
	F.																										
11. Others of this group	M.																										
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		10	3	1		1		5	1				1		1				1	1							
Males		9	3	1				4	1				1		1				1	1							
Females		1				1		1																			
1. Inflammation of the brain	M.	1							1																		
	F.																										
2. Meningitis	M.	1		1				1																			
	F.	1				1		1																			
3. Apoplexy	M.	2													1					1							
	F.																										
4. Paralysis	M.																										
	F.																										
5. Tetanus and trismus nascentium.	M.																										
	F.																										
6. Epilepsy	M.																										
	F.																										
7. Convulsions	M.	2	2					2																			
	F.																										
8. Mental diseases	M.	1											1														
	F.																										
9. Diseases of the brain	M.	2	1					1											1								
	F.																										
10. Diseases of the spinal cord	M.																										
	F.																										
11. Others of this group	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		5								1		1		1	2												
Males		5								1		1		1	2												
Females																											
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.																										
	F.																										
3. Diseases of the heart	M.	5								1		1		1	2												
	F.																										
4. Others of this group	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		17	7	1		2	1	11	1				2		1	1				1							
Males		7	2				1	3					2		1	1											
Females		10	5	1		2		8	1											1							
1. Croup	M.	1					1	1																			
	F.	4	2	1		1		4																			
2. Laryngitis	M.																										
	F.																										
3. Bronchitis	M.																										
	F.																										
4. Pneumonia	M.	6	2					2					2		1	1											
	F.	6	3			1		4	1											1							
5. Pleurisy	M.																										
	F.																										
6. Asthma	M.																										
	F.																										
7. Others of this group	M.																										
	F.																										

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	4	2	1				3	1																			
Males	1	1					1																				
Females	3	1	1				2	1																			
1. Dentition M.	1	1					1																				
1. Dentition F.	1		1				1																				
2. Angina M.																											
2. Angina F.																											
3. Gastritis M.																											
3. Gastritis F.																											
4. Other diseases of the stomach. M.																											
4. Other diseases of the stomach. F.																											
5. Obstruction of the bowels. M.																											
5. Obstruction of the bowels. F.																											
6. Hernia M.																											
6. Hernia F.																											
7. Other diseases of the bowels. M.																											
7. Other diseases of the bowels. F.																											
8. Jaundice M.																											
8. Jaundice F.																											
9. Inflammation and abscess of the liver. M.																											
9. Inflammation and abscess of the liver. F.																											
10. Other diseases of the liver M.																											
10. Other diseases of the liver F.																											
11. Peritonitis M.																											
11. Peritonitis F.	1							1																			
12. Ascites M.																											
12. Ascites F.																											
13. Others of this group M.																											
13. Others of this group F.	1	1					1																				
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total																											
Males																											
Females																											
1. Bright's disease M.																											
1. Bright's disease F.																											
2. Calculus, urinary M.																											
2. Calculus, urinary F.																											
3. Diseases of the kidney M.																											
3. Diseases of the kidney F.																											
4. Diseases of the bladder M.																											
4. Diseases of the bladder F.																											
5. Others of this group M.																											
5. Others of this group F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females																											
1. Ovarian tumors F.																											
2. Ovarian diseases F.																											
3. Uterine tumors F.																											
4. Uterine diseases F.																											
5. Others of this group F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	1												1														
1. Abortion F.																											
2. Child-birth F.	1												1														
3. Others of this group F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	1											1															
Males	1											1															
Females																											
1. Diseases of the spine M.	1											1															
1. Diseases of the spine F.																											
2. Diseases of the bones M.																											
2. Diseases of the bones F.																											
3. Diseases of the hip-joint M.																											
3. Diseases of the hip-joint F.																											
4. Others of this group M.																											
4. Others of this group F.																											

TABLE VII.—MORTALITY, BY STATE GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

WYOMING—GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total																										
Males																										
Females																										
1. Abscess M.																										
1. Abscess F.																										
2. Carbuncle M.																										
2. Carbuncle F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total																										
Males																										
Females																										
1. Addison's disease M.																										
1. Addison's disease F.																										
2. Diseases of the spleen M.																										
2. Diseases of the spleen F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XII.—ACCIDENTS AND INJURIES.																										
Total	25	1			1		2				3	6	3	6	1		1	2	1							
Males	23				1		1				3	6	3	6	1		1	2								
Females	2	1					1												1							
1. Burns and scalds M.																										
1. Burns and scalds F.																										
2. Drowned M.																										
2. Drowned F.																										
3. Exposure and neglect M.	1				1		1																			
3. Exposure and neglect F.																										
4. Gunshot wounds M.	5										1	1		1												
4. Gunshot wounds F.																										
5. Homicide M.	2										1			1												
5. Homicide F.																										
6. Infanticide M.																										
6. Infanticide F.																										
7. Injuries by machinery M.																										
7. Injuries by machinery F.																										
8. Railroad accidents M.	3												1	1			1									
8. Railroad accidents F.																										
9. Suffocation M.																										
9. Suffocation F.	1	1					1																			
10. Suicide by shooting M.	1												1													
10. Suicide by shooting F.																										
11. Suicide by drowning M.																										
11. Suicide by drowning F.																										
12. Suicide by poison M.																										
12. Suicide by poison F.																										
13. Other suicides M.																										
13. Other suicides F.																										
14. Sunstroke M.																										
14. Sunstroke F.																										
15. Surgical operations M.	1																	1								
15. Surgical operations F.																										
16. Wounds M.																										
16. Wounds F.																										
17. Other accidents and injuries M.	10										1	3	1	3	1			1								
17. Other accidents and injuries F.	1																		1							

TABLE VIII.

DEATHS IN FIFTY PRINCIPAL CITIES

(BY GRAND GROUPS),

WITH

DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF CAUSE,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, AND SPECIFIED DISEASE.

GRAND GROUP 1.—BOSTON, MASS.; CAMBRIDGE, MASS.; FALL RIVER, MASS.; LAWRENCE, MASS.; LOWELL, MASS.; LYNN, MASS.; NEW HAVEN, CONN.; PROVIDENCE, R. I.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		15972	4237	1148	598	463	347	6793	765	258	451	754	724	654	650	574	580	528	521	574	591	504	457	347	160	54	24	3
Total: Males		7897	2355	599	296	242	177	3669	347	117	190	326	317	305	314	260	310	255	261	296	285	233	195	149	48	17	1	2
Females		8075	1882	549	302	221	170	3124	418	141	261	428	407	349	336	314	270	273	260	278	306	271	262	198	118	37	23	1
Unknown causes.																												
Total		112	48	4	1	....	....	53	4	2	5	2	5	2	3	3	3	5	5	3	7	2	6	1	1	....	....	....
Males		65	27	3	1	....	....	31	1	1	2	2	3	1	2	1	2	4	2	2	5	....	5	1	....	....	....	....
Females		47	21	1	....	....	....	22	3	1	3	....	2	1	1	2	1	1	3	1	2	2	1	....	1	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		3707	1195	566	293	247	218	2459	456	95	61	104	89	62	52	32	39	36	40	46	47	41	24	20	4	....	....	....
Males		1806	623	267	126	135	116	1267	200	41	18	46	44	24	24	6	16	13	19	22	23	22	11	9	1	....	....	....
Females		1901	572	239	167	112	102	1192	256	54	43	58	45	38	28	26	23	23	21	24	24	19	13	11	3	....	....	....
1. Small-pox	M.	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	1	....	....	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	23	6	8	1	2	2	19	2	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	4	8	2	3	....	17	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	345	29	51	49	57	50	236	88	11	2	4	1	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....
	F.	380	26	50	68	48	47	241	112	12	2	7	3	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Diphtheria	M.	362	22	62	49	61	56	250	83	9	4	7	2	1	2	....	1	....	1	....	1	1	....	....	....	....	....	....
	F.	379	15	56	54	48	44	227	116	23	5	2	1	1	1	1	....	....	2	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	72	37	22	8	2	3	72	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	112	60	25	12	6	3	106	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	3	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	1	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	8	3	2	....	....	....	5	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
	F.	5	4	....	....	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	136	....	2	....	....	2	5	10	10	10	25	26	11	7	1	6	3	4	5	3	6	3	....	1	....	....	....
	F.	122	1	1	2	....	1	5	8	8	21	21	13	8	3	4	5	5	2	8	4	3	3	....	1	....	....	....
9. Diarrhœa	M.	121	75	15	2	2	1	95	1	....	....	1	1	2	2	....	2	4	2	4	1	4	2	....	....	....	....	....
	F.	127	80	20	3	....	....	103	1	1	....	....	1	....	1	....	2	3	3	1	3	3	2	3	....	....	....	....
10. Dysentery	M.	100	30	15	4	4	1	54	10	1	1	2	2	4	1	3	1	1	3	4	6	2	2	3	....	....	....	....
	F.	100	28	13	8	1	3	53	2	3	....	3	2	....	2	1	4	6	5	5	5	2	3	3	1	....	....	....
11. Enteritis	M.	70	29	6	2	3	1	41	2	6	....	3	3	1	2	....	1	2	3	3	1	1	1	....	....	....	....	....
	F.	77	31	1	1	1	1	35	2	1	2	2	4	2	2	5	5	2	4	1	6	2	1	....	1	....	....	....
12. Cholera morbus	M.	18	4	1	....	1	....	6	2	....	....	1	....	1	....	....	2	1	1	....	2	1	....	1	....	....	....	....
	F.	34	....	....	2	1	....	3	....	1	1	1	2	4	2	3	1	....	1	7	1	6	....	1	....	....	....	....
13. Cholera infantum	M.	440	352	80	7	1	....	440	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	364	295	62	5	1	1	364	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	23	3	1	....	1	....	5	....	....	....	2	2	....	3	....	2	1	1	1	2	2	1	....	....	....	....	....
	F.	25	1	....	....	....	....	1	5	3	1	1	....	....	3	1	2	2	1	1	1	1	1	1	....	....	....	....
15. Erysipelas	M.	31	14	1	2	1	....	18	....	....	....	....	3	1	....	1	....	1	....	2	3	....	....	2	....	....	....	....
	F.	41	9	....	....	1	....	10	1	1	1	4	3	3	....	4	2	4	2	1	1	2	1	1	....	....	....	....
16. Septicæmia	M.	13	1	....	....	....	....	1	....	1	....	1	3	1	4	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	17	....	2	....	....	....	2	....	....	3	3	3	1	2	2	....	....	....	....	....	....	1	....	....	....	....	....
17. Puerperal septicæmia	F.	59	....	....	....	....	....	....	....	....	5	13	9	16	11	4	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	19	17	....	1	....	....	18	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	14	....	....	....	....	14	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	21	1	....	1	....	....	2	....	1	....	....	1	1	2	....	....	....	2	1	2	4	2	3	....	....	....	....
	F.	16	1	....	1	....	....	2	....	....	2	1	2	1	....	1	1	....	1	....	2	....	1	2	....	....	....	....
General diseases—B.																												
Total		189	114	4	2	1	1	122	....	....	2	3	7	8	14	5	9	6	4	4	2	1	1	....	1	....	....	....
Males		96	54	2	2	....	....	58	....	....	....	2	4	6	7	2	4	2	4	3	2	1	1	....	....	....	....	....
Females		93	60	2	....	1	1	64	....	....	2	1	3	2	7	3	5	4	....	1	....	....	....	....	1	....	....	....
1. Worms	M.	2	....	....	2	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	37	....	....	....	....	....	....	....	....	....	2	4	6	7	2	4	2	3	3	2	1	1	....	....	....	....	....
	F.	23	....	....	....	....	....	....	....	....	....	....	3	2	5	3	5	4	....	1	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	6	....	1	....	1	....	2	....	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	55	53	2	....	....	....	55	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	63	60	1	....	....	....	61	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
General diseases—C.																												
Total		2121	1479	37	10	3	2	1530	5	2	2	2	2	....	4	4	5	6	11	17	31	70	137	143	87	41	18	1
Males		1095	855	23	8	1	....	887	2	....	1	1	....	....	1	3	2	1	6	2	18	25	51	57	26	10	1	1
Females		1026	624	14	2	1	2	643	3	2	1	1	2	....	3	1	3	5	5	15	16	45	86	86	61	31	17	....
1. Premature birth	M.	109	109	....	....	....	....	109	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	70	70	....	....	....	....	70	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	505	505	....	....	....	....	505	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	335	335	....	....	....	....	335	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	27	24	3	....	....	....	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	16	....	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	305	217	20	8	1	....	246	2	....	1	1	....	....	1	3	2	1	6	1	14	8	12	5	1	....	....	1
	F.	299	203	14	2	1	2	222	3	2	1	1	2	....	3	1	3	4	5	10	7	8	10	9	4	3	1	....
5. Old age	M.	149	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	17	39	52	25	10	1
	F.	306	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	5	9	37	76	77	57	28	10	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 1.—BOSTON, MASS.; CAMBRIDGE, MASS.; FALL RIVER, MASS.; LAWRENCE, MASS.; LOWELL, MASS.; LYNN, MASS.; NEW HAVEN, CONN.; PROVIDENCE, R. I.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		3390	210	112	56	38	17	433	50	58	250	450	357	304	257	219	211	194	151	141	142	86	42	36	6	3	....	....
Males		1469	113	54	31	18	6	222	21	17	103	188	141	136	106	92	102	83	62	74	56	29	20	12	2	3	....	....
Females		1921	97	58	25	20	11	211	29	41	147	262	216	168	151	127	109	111	89	67	86	57	22	24	4	....	....	....
1. Rheumatism	M.	36	1	....	....	1	....	2	1	1	3	2	2	2	1	2	1	2	2	3	3	5	3	....	1	....	....	....
	F.	40	1	....	....	....	....	1	2	3	3	2	1	2	1	2	2	2	4	2	4	5	2	2	....	....	....	....
2. Scrofula and tabes	M.	22	12	2	1	....	....	15	1	....	3	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	44	16	2	3	2	2	25	2	4	1	....	2	1	4	....	....	....	4	....	1	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	1081	32	16	10	6	....	64	10	12	93	180	137	126	92	84	83	57	45	45	27	7	9	8	1	1	....	....
	F.	1307	16	18	11	9	2	56	6	32	139	245	203	159	117	87	56	61	36	35	41	26	7	8	2	....	....	....
5. Hydrocephalus	M.	135	55	32	19	11	4	121	7	2	....	....	....	1	1	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	131	53	37	10	9	6	115	12	....	....	2	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Cancer	M.	105	2	....	....	....	....	2	....	....	....	2	1	5	6	3	13	14	7	12	20	13	3	3	....	1	....	....
	F.	253	....	....	....	....	....	....	....	....	....	....	5	9	22	22	44	34	32	22	26	19	9	8	1	....	....	....
7. Tumor	M.	8	1	....	....	....	....	1	....	....	....	....	....	1	....	....	1	1	....	3	....	1	....	....	....	....	....	....
	F.	39	1	....	1	....	....	2	1	....	2	1	2	2	4	5	2	5	4	1	3	2	2	1	....	....	....	....
8. Anæmia	M.	24	8	3	1	....	1	13	....	....	....	....	....	....	1	....	....	1	....	4	1	....	3	....	....	1	....	....
	F.	31	7	1	....	....	....	8	2	....	....	5	2	1	1	2	....	3	1	....	5	....	....	1	....	....	....	....
9. Dropsy	M.	43	2	....	....	....	1	3	2	1	3	2	....	1	1	1	3	6	5	7	3	2	2	1	....	....	....	....
	F.	52	2	....	....	....	....	2	3	1	....	4	....	3	1	7	4	4	5	3	5	4	2	4	....	....	....	....
10. Glycosuria	M.	9	....	....	....	....	....	....	....	....	1	1	....	....	....	2	1	....	....	2	....	2	....	....	....	....	....	....
	F.	19	....	....	....	....	1	1	....	1	2	3	....	....	....	....	2	....	2	2	4	1	....	....	1	....	....	....
11. Others of this group	M.	6	....	1	....	....	....	1	....	1	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	1	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1627	423	161	76	54	22	736	69	18	20	18	28	48	50	51	49	48	75	86	85	94	70	48	31	2	1	....
Males		839	236	89	37	24	10	396	32	7	11	8	12	25	30	28	27	26	43	46	40	43	31	26	8	....	....	....
Females		788	187	72	39	30	12	340	37	11	9	10	16	23	20	23	22	22	32	40	45	51	39	22	23	2	1	....
1. Inflammation of the brain	M.	49	13	7	3	5	4	32	7	....	1	....	1	1	3	1	1	....	1	....	1	....	1	....	....	....	....	....
	F.	41	9	9	4	2	1	25	7	....	3	....	....	1	....	....	....	1	1	....	2	....	2	....	....	....	....	....
2. Meningitis	M.	147	56	36	13	10	3	118	10	5	4	2	1	4	1	....	1	....	....	....	....	....	1	....	....	....	....	....
	F.	128	38	28	13	10	8	97	11	4	2	2	1	3	3	1	1	1	....	....	1	....	2	1	....	....	....	....
3. Apoplexy	M.	140	3	1	....	....	....	4	....	....	....	1	3	6	5	9	8	11	24	23	15	18	8	12	2	....	....	....
	F.	156	2	1	....	....	....	3	....	....	....	1	2	9	5	8	8	12	15	26	19	17	10	8	11	1	1	....
4. Paralysis	M.	108	2	....	1	....	....	3	....	....	1	....	1	3	5	3	5	7	11	10	15	13	16	12	8	....	....	....
	F.	120	1	....	....	....	1	2	....	....	....	....	....	3	1	4	5	4	10	9	14	25	21	10	11	1	....	....
5. Tetanus and trismus nascentium.	M.	12	6	....	....	....	....	6	1	....	....	....	....	....	1	1	1	1	....	....	....	....	1	....	....	....	....	....	....
	F.	6	4	....	....	....	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	18	....	....	....	....	....	....	....	....	2	2	1	3	5	2	1	....	....	1	....	....	....	1	....	....	....	....
	F.	23	1	....	....	....	....	1	2	3	1	4	2	1	2	....	1	1	1	1	2	....	....	1	....	....	....	....
7. Convulsions	M.	194	129	26	17	4	3	179	6	....	2	1	1	1	1	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	190	108	22	18	12	2	162	7	....	2	2	3	4	6	2	....	1	....	....	....	1	1	....	....	....	....	....
8. Mental diseases	M.	12	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	3	1	1	3	1	....	....	....	....	....	....
	F.	16	....	....	....	....	....	....	....	....	2	....	....	1	2	1	....	2	1	....	1	2	3	1	....	....	....	....
9. Diseases of the brain	M.	131	26	18	3	5	....	52	7	2	2	1	4	6	6	8	8	2	4	7	6	8	4	1	3	....	....	....
	F.	100	24	11	3	6	....	44	6	2	1	1	6	1	1	7	7	1	4	3	6	6	2	1	1	....	....	....
10. Diseases of the spinal cord	M.	15	....	1	....	....	....	1	1	....	....	....	....	1	1	2	....	1	1	4	....	2	1	....	....	....	....	....
	F.	5	....	1	1	....	....	2	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		818	50	4	1	2	4	61	15	18	22	30	34	50	64	63	60	45	60	72	77	51	52	36	8	....	....	....
Males		400	33	4	....	....	1	38	7	6	7	12	16	20	36	26	35	23	30	34	41	33	21	12	3	....	....	....
Females		418	17	....	1	2	3	23	8	12	15	18	18	30	28	37	25	22	30	38	36	18	31	24	5	....	....	....
1. Angina pectoris	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	2	1	2	1	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....	....
2. Aneurism	M.	13	....	....	....	....	....	....	....	....	....	....	1	....	2	4	4	1	....	....	....	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	1	....	....	....	....
3. Diseases of the heart	M.	353	16	3	....	....	1	20	7	6	7	11	15	20	32	21	30	21	30	32	39	30	20	9	3	....	....	....
	F.	391	9	....	1	1	3	14	8	12	14	17	18	29	26	34	25	22	28	34	35	18	30	23	4	....	....	....
4. Others of this group	M.	25	17	1	....	....	....	18	....	....	....	....	1	....	1	1	1	....	....	....	1	....	....	....	2	....	....	....	....
	F.	18	8	....	....	1	....	9	....	....	....	....	....	1	1	2	....	....	2	....	1	....	1	....	1	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		2231	528	253	130	87	65	1063	85	16	37	53	63	66	73	54	91	89	77	106	102	90	71	37	13	5	3	2
Males		1110	290	120	71	45	29	555	43	9	15	22	32	36	42	39	52	46	37	48	45	35	30	17	5	3	....	1
Females		1121	238	133	59	42	36	508	42	7	22	31	31	30	31	45	39	43	40	60	57	55	41	20	13	2	3	1
1. Croup	M.	156	28	40	28	25	10	131	22	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	143	20	32	26	23	16	117	23	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	10	4	1	1	2	....	8	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	1	1	2	....	1	5	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	240	123	29	11	5	7	175	3	1	1	....	1	2	2	1	5	5	6	2	7	13	4	7	3	2	....	....
	F.	243	103	23	11	4	2	143	2	1	....	3	3	....	3	3	....	9	3	12	14	14	16	9	5	2	....	1
4. Pneumonia	M.	595	103	48	23	12	12	198	15	5	13	21	26	29	34	31	41	38	25	36	32	18	21	8	2	1	....	1
	F.	617	96	73	17	13	15	214	12	3	18	25	23	28	21	33	30	27	33	36	40	35	19	10	7	....	3	....
5. Pleurisy	M.	25	2	....	4	....	....	6	....	....	....	1	2	1	2	2	2	2	3	1	1	1	1	....	....	....	....	....
	F.	21	1	3	....	....	....	4	1	....	....	2	2	....	1	1	2	1	1	4	....	....	2	....	....	....	....	....
6. Asthma	M.	7	1	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	2	....	1	....	....	....	....	....
	F.	20	1	....	....	....	....	1	....	....	....	....	....	....	2	2	2	5	1	3	....	2	1	1	....	....	....	....
7. Others of this group	M.	77	29	2	4	1	....	36	3	2	....	....	2	3	4	3	3	1	2	7	3	3	3	2	....	....	....	....
	F.	70	16	1	3	2	2	24	4	2	1	1	3	2	4	6	5	1	2	4	3	4	3	....	1	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 1.—BOSTON, MASS.; CAMBRIDGE, MASS.; FALL RIVER, MASS.; LAWRENCE, MASS.; LOWELL, MASS.; LYNN, MASS.; NEW HAVEN, CONN.; PROVIDENCE, R. I.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		611	127	51	9	7	3	197	14	6	11	22	36	21	30	26	47	29	35	39	37	29	14	7	4	1	....
Males		309	82	27	5	2	3	119	7	4	4	5	15	8	15	11	22	12	21	24	19	15	4	4	....	....	....
Females		302	45	24	4	5	....	78	7	2	7	17	21	13	21	15	25	17	14	15	18	14	10	3	4	1	....
1. Dentition	M.	44	25	19	....	....	....	44	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	38	22	16	....	....	....	38	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	5	1	2	1	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	1	2	1	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Gastritis	M.	23	4	2	....	....	....	6	....	....	1	1	....	1	....	1	1	1	1	2	2	5	....	1	....	....	....	....
	F.	28	....	1	....	1	....	2	2	....	....	2	2	2	3	1	1	2	2	1	2	5	....	....	1	....	....	....
4. Other diseases of the stomach.	M.	23	7	....	....	....	1	8	....	....	....	....	1	....	1	1	....	2	3	2	1	1	3	....	....	....	....	....
	F.	15	2	....	2	2	....	6	1	....	....	....	1	1	1	2	....	1	....	....	2	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	14	5	....	....	....	....	5	....	1	....	1	1	1	....	....	2	....	....	2	1	....	....	....	....	....	....	....
	F.	8	2	....	....	....	....	2	....	....	1	....	....	1	....	....	....	1	1	....	....	2	....	....	....	....	....	....	....
6. Hernia	M.	12	4	1	....	....	....	5	....	....	....	....	....	1	....	....	3	....	....	....	1	....	....	2	....	....	....	....
	F.	10	....	....	....	....	....	....	....	....	....	1	....	....	2	....	1	....	....	2	2	1	1	....	....	....	....	....
7. Other diseases of the bowels.	M.	11	4	....	....	....	....	4	1	....	....	....	....	1	1	1	....	1	....	1	1	....	....	....	....	....	....	....
	F.	8	2	....	....	....	....	2	....	....	1	....	....	1	....	....	1	....	....	....	1	....	....	1	1	....	....	....
8. Jaundice	M.	13	10	....	....	1	....	11	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	12	....	....	....	....	....	....	....	....	....	....	1	....	1	1	2	....	3	1	1	2	....	....	....	....	....	....
	F.	16	....	....	....	....	....	....	1	....	1	....	1	....	....	4	2	2	....	2	1	1	1	....	....	....	....	....
10. Other diseases of the liver	M.	63	3	1	....	....	....	4	....	....	1	1	4	1	5	4	12	5	6	9	7	3	1	....	....	....	....	....
	F.	67	5	1	....	....	....	6	1	....	1	2	3	2	4	3	12	6	5	4	6	3	5	2	1	....	....	....
11. Peritonitis	M.	54	6	1	1	1	1	10	6	3	1	2	5	3	6	3	1	2	6	4	2	....	....	....	....	....	....	....
	F.	82	5	....	....	1	....	6	1	2	3	9	14	6	10	5	5	4	5	5	2	1	2	....	1	1	....	....
12. Ascites	M.	8	....	....	1	....	....	1	....	....	1	....	....	....	....	....	1	....	2	1	....	2	....	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	....	....	....	....	....	....	....	2	1	1	1	....	....	....	....	....	....	....	....
13. Others of this group	M.	27	13	1	2	....	....	16	....	....	....	....	3	....	....	....	....	1	....	1	3	2	....	1	....	....	....	....
	F.	15	5	3	1	....	....	9	....	....	....	1	....	....	1	....	1	....	....	....	2	....	1	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		390	5	5	4	6	2	22	15	5	5	16	31	30	25	28	21	28	30	32	38	18	28	12	4	2	....	....
Males		232	5	3	3	3	1	15	6	4	2	3	14	15	12	13	17	14	19	22	28	13	19	7	3	1	....	....
Females		158	....	2	1	3	1	7	9	1	3	2	17	15	13	15	4	14	11	10	10	5	9	5	1	1	....	....
1. Bright's disease	M.	120	....	1	2	....	1	4	....	2	1	7	8	12	6	6	10	8	15	15	12	7	4	3	....	....	....	....
	F.	97	....	....	1	2	....	3	5	....	1	4	13	10	8	9	2	10	9	5	7	4	5	1	....	1	....	....
2. Calculus, urinary	M.	3	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	53	3	2	1	3	....	9	6	1	1	1	2	3	2	5	3	3	....	4	3	1	7	....	1	1	....	....
	F.	42	....	2	....	....	....	2	4	....	2	3	2	4	5	3	....	3	2	5	1	1	3	1	1	....	....	....
4. Diseases of the bladder	M.	38	2	....	....	....	....	2	....	....	....	....	2	....	2	1	3	3	3	2	9	3	6	1	1	....	....	....
	F.	8	....	....	....	....	....	....	....	1	....	....	....	....	....	3	1	....	....	....	....	....	....	3	....	....	....	....
5. Others of this group	M.	18	....	....	....	....	....	....	....	....	....	....	1	....	2	1	1	....	1	1	3	2	2	3	1	....	....	....
	F.	10	....	....	....	1	1	2	....	....	....	1	2	1	....	....	1	1	....	....	1	....	1	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		42	....	....	1	....	....	1	....	....	....	5	....	4	6	3	6	5	3	2	4	2	1	....	....	....	....	....
1. Ovarian tumors	F.	14	....	....	....	....	....	....	....	....	....	1	....	....	2	1	....	4	1	....	2	2	1	....	....	....	....	....
2. Ovarian diseases	F.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	13	....	....	....	....	....	....	....	....	....	....	....	....	1	....	6	....	2	2	2	....	....	....	....	....	....	....
4. Uterine diseases	F.	6	....	....	....	....	....	....	....	....	....	3	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	7	....	....	....	....	....	....	....	....	....	1	....	3	1	2	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		66	....	....	....	....	....	....	....	....	3	8	20	17	11	6	1	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	8	....	....	....	....	....	....	....	....	1	....	2	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	51	....	....	....	....	....	....	....	....	2	7	16	13	7	5	1	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	7	....	....	....	....	....	....	....	....	....	1	2	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		54	2	....	1	6	....	9	5	3	1	4	6	4	3	3	2	1	4	....	1	3	....	....	....	....	....	....
Males		33	1	....	1	5	....	7	2	5	1	3	2	3	1	3	1	....	3	....	....	2	....	....	....	....	....	....
Females		21	1	....	....	1	....	2	3	3	....	1	4	1	2	....	1	1	1	....	1	1	....	....	....	....	....	....
1. Diseases of the spine	M.	18	1	....	1	2	....	4	1	2	....	2	1	2	....	3	....	....	2	....	....	1	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	1	1	....	....	1	....	2	....	1	1	1	....	1	....	....	....	....	....	....	....
2. Diseases of the bones	M.	10	....	....	....	2	....	2	1	1	....	1	....	1	1	....	1	....	1	....	....	1	....	....	....	....	....	....
	F.	9	....	....	....	1	....	1	1	1	....	1	3	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	5	....	....	....	1	....	1	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 1.—BOSTON, MASS.; CAMBRIDGE, MASS.; FALL RIVER, MASS.; LAWRENCE, MASS.; LOWELL, MASS.; LYNN, MASS.; NEW HAVEN, CONN.; PROVIDENCE, R. I.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		56	5	1	2	1	1	10	2	2	3	4	5	3	4	3	2	3	6	3	1	1	1	2	1	....	....
Males		30	2	1	1	....	1	5	2	1	2	2	1	2	1	2	2	1	3	3	1	1	....	1	....	....	....
Females		26	3	....	1	1	....	5	....	1	1	2	4	1	3	1	....	2	3	....	....	....	1	1	1	....	....	....
1. Abscess	M.	17	1	1	1	....	1	4	1	1	1	1	1	1	....	1	2	1	1	1	....	....	1	....	....	....	....	....
	F.	23	3	....	1	1	....	5	....	1	1	2	4	1	3	....	....	2	2	....	....	....	1	....	1	....	....	....
2. Carbuncle	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	2	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	8	1	....	....	....	....	1	1	....	1	1	....	1	....	....	....	....	....	2	....	....	....	1	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		5	....	1	....	....	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	1	1	....	....	....	....
Males		3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....
Females		2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
1. Addison's disease	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
2. Diseases of the spleen	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		553	51	9	12	12	12	96	45	28	29	33	41	34	48	44	33	33	20	23	14	10	9	4	1	....	2	....
Males		410	34	5	10	9	10	68	24	22	24	27	33	29	37	34	27	30	12	18	7	14	2	2	....	....	....	....
Females		143	17	4	2	3	2	28	21	6	5	6	8	5	11	10	6	3	8	5	7	2	7	2	1	....	2	....
1. Burns and scalds	M.	26	1	2	6	5	2	16	1	1	1	....	1	....	2	....	1	1	2	....	....	....	....	....	....	....	....	....	....
	F.	27	2	2	....	1	....	5	4	3	3	1	1	1	2	3	....	1	2	1	....	....	....	....	....	....	....	....	....
2. Drowned	M.	80	....	1	2	1	3	7	10	8	10	9	6	5	3	3	8	6	....	1	2	2	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	1	2	....	1	2	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
3. Exposure and neglect	M.	6	3	....	....	....	....	3	....	....	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	5	4	....	....	....	....	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	5	....	....	....	....	....	....	....	....	1	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	37	....	....	....	....	....	....	2	2	1	5	5	7	2	5	3	3	....	....	....	2	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Suffocation	M.	21	14	1	....	1	....	16	....	....	....	....	....	1	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....
	F.	10	5	....	....	1	....	6	1	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	36	....	....	....	....	....	....	....	....	2	4	4	2	6	3	3	3	2	3	1	2	....	1	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	3	1	2	3	....	....	....	1	1	....	....	....	....	....	....	....	....	....
14. Sunstroke	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	6	....	....	....	1	....	1	1	....	....	1	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Wounds	M.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	185	16	1	2	1	5	25	9	10	9	7	15	13	22	19	8	16	6	13	4	6	2	1	....	....	....	....
	F.	73	6	2	2	1	1	12	13	1	1	1	3	2	5	2	4	1	4	3	7	2	7	2	1	....	2	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 2.—BALTIMORE, MD.; BROOKLYN, N. Y.; NEW YORK, N. Y.; CAMDEN, N. J.; JERSEY CITY, N. J.; NEWARK, N. J.; WASHINGTON, D. C.; WILMINGTON, DEL.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		61699	19225	5460	2589	1584	1163	30021	2501	913	1296	2348	2624	2423	2720	2418	2326	2195	1983	1901	1738	1541	1241	823	412	136	110	29
Total: Males		32086	10493	2889	1380	809	611	16182	1308	439	603	1069	1255	1142	1433	1315	1316	1214	1121	1041	861	762	537	295	105	42	28	18
Females		29613	8732	2571	1209	775	552	13839	1193	474	693	1279	1369	1281	1287	1103	1010	981	862	860	877	779	704	528	307	94	82	11
Unknown causes.																												
Total		176	91	17	5	5	1	119	5	5	2	3		3	3	3	4	4	4	4	6	2			2			7
Males		90	48	9	2	2	1	62	4	2		1		2	2	2	2	4		2		1						3
Females		86	43	8	3	3		57	1	3	2	2		1	1	1	2		1	2	6	1			2			4
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		13487	4937	2032	1021	765	580	9335	1248	238	228	306	306	244	268	167	168	162	156	146	168	117	117	64	32	11	5	1
Males		6696	2599	1056	535	383	285	4858	604	113	96	96	103	83	103	80	93	86	82	72	84	50	56	22	10	3	2	
Females		6791	2338	976	486	382	295	4477	644	125	132	210	203	161	165	87	75	76	74	74	84	67	61	42	22	8	3	1
1. Small-pox	M.	21	2	5		2		12	2		1	1		2				1	1				1					
	F.	25	2	3	2	1	2	10	7	2	1		1	2		1			1									
2. Measles	M.	193	61	64	24	20	5	174	14	2	1			1	1													
	F.	186	57	63	22	16	13	166	13			2	1	1	3													
3. Scarlet fever	M.	719	43	101	148	120	89	501	178	28	5	3	2	1			1											
	F.	671	35	98	117	111	83	444	184	25	8	2	3	1	1			1	2									
4. Diphtheria	M.	980	64	165	168	170	124	691	258	16	3		3	4	2	3												
	F.	1056	64	158	186	172	135	715	282	33	5	4	3	1	4	2	2	2		1				2				
5. Hooping-cough	M.	259	140	66	29	9	9	253	5	1																		
	F.	336	164	111	28	11	10	324	9		1				1			1										
6. Fever	M.	2	1	1				2																				
	F.	1																				1						
7. Cerebro-spinal fever	M.	128	25	25	12	8	6	76	16	8	2	3	3	1	5	1	1	5	2	1	3		1					
	F.	95	19	13	7	3	8	55	16	5	3	1	2	4	2	1	5			1								
8. Enteric fever	M.	299	5	3	2	6	4	20	22	22	39	42	33	26	18	15	25	13	4	3	7	4	6					
	F.	324	2	4	5	6	1	18	27	31	45	50	30	26	24	10	10	14	10	8	8	11	5	1	1			
9. Diarrhœa	M.	753	465	118	15	8	7	613	6	3	2	5	7	5	3	10	5	10	10	16	23	17	4	10	2	1	1	
	F.	689	430	83	28	6	2	549	9	1	1		6	6	3	6	7	6	7	12	21	14	15	16	7	1	2	
10. Dysentery	M.	486	203	95	23	12	11	344	28	7	7	6	10	3	5	6	10	9	12	9	11	7	7	3	1	1		
	F.	478	184	94	18	13	7	316	22	3	8	7	7	5	13	8	9	10	11	13	8	13	11	7	5	2		
11. Enteritis	M.	358	164	71	16	1	1	253	9	4	5	5	6	4	12	6	9	8	9	8	5	6	6	2	1			
	F.	338	157	31	9	5	5	207	8	5	10	10	10	3	9	7	8	7	14	4	9	9	7	3	2			1
12. Cholera morbus	M.	79	4	4	1	1	1	11	10	1	1	3	3	2	6	10	5	1	5	8	4		5	1	3			
	F.	82	2	1	2		1	6	8	1	2	4	4	1	2	3	5	9	7	10	14	2	1	3				
13. Cholera infantum	M.	1600	1260	285	41	6	8	1600																				
	F.	1392	1082	274	25	8	3	1392																				
14. Malarial fever	M.	419	39	24	39	19	17	138	46	16	22	17	19	17	23	10	19	19	19	13	16	3	16	8	2		1	
	F.	415	31	17	24	14	18	104	50	17	22	23	36	19	24	16	15	12	15	18	18	11	11	2	1	1		
15. Erysipelas	M.	145	45	15	4		1	65	3	2	2	4	4	8	8	9	6	5	8	6	6	3	2	3	1			
	F.	141	54	5	6		4	69	4	2	2	8	4	6	4	9	5	5	3		4	4	4	4	4			
16. Septicæmia	M.	67	17	4	4	1	1	27	3	1		2	5	2	3	4	4	6	5		1	1	2		1			
	F.	55	6	6	2	1		15	1		2	4	7	3	7	3	1	3	1	2	3		2		1			
17. Puerperal septicæmia	F.	336									18	89	81	74	58	16												
18. Venereal diseases	M.	131	57	8	6		1	72	2		4	4	6	4	11	3	3	5	3	5	3	4	2					
	F.	117	49	10	4	6	2	71	2		4	2	6	2	7	4	4	4	2	1	1	1	2		1	1		
19. Others of this group	M.	57	4	2				6	2	2	2	1	2	3	6	3	5	4	4	2	5	5	4					
	F.	54	5	5	1	4	1	16	2			4	2	2	3	1	4	2	1	4	3	1	3	2	1	3		
General diseases—B.																												
Total		1016	642	46	15	7	2	712	7	2	1	13	33	37	35	37	31	23	33	24	9	9	3	5	1			1
Males		586	337	30	9	6	2	384	3			10	22	24	28	26	19	13	25	15	4	8	1	4				
Females		430	305	16	6	1		328	4	2	1	3	11	13	7	11	12	10	8	9	5	1	2	1	1			1
1. Worms	M.	1			1			1																				
	F.	1							1																			
2. Other parasitic diseases	M.																											
	F.																											
3. Alcoholism	M.	152										6	17	20	22	20	17	12	19	11	3	4		1				
	F.	70										2	9	11	7	9	11	9	4	5	2		1					
4. Lead poison	M.	1										1																
	F.	1														1												
5. Other poisons	M.	38	10	5	1	3	1	20	1			3	5	3	6	6	2	1	5	3	1	1		1				
	F.	21	3	2	2			7	1	2		1	1	2		1	1	1	2	1			1					
6. Inanition	M.	374	327	25	7	3	1	363	2					1					1	1		3	1	2				
	F.	337	302	14	4	1		321	2		1		1						2	3	3	1		1	1			1
General diseases—C.																												
Total		8023	6413	244	75	25	8	6765	25	8	3	11	19	14	24	19	26	18	37	38	70	169	233	256	166	56	65	1
Males		4249	3586	129	43	9	6	3773	15	3	1	7	6	4	12	10	16	12	22	17	23	81	86	90	39	15	16	1
Females		3774	2827	115	32	16	2	2992	10	5	2	4	13	10	12	9	10	6	15	21	47	88	147	166	127	41	49	
1. Premature birth	M.	658	658					658																				
	F.	500	500					500																				
2. Stillborn	M.	2137	2137					2137																				
	F.	1665	1665					1665																				
3. Malformation	M.	55	54	1				55																				
	F.	30	29		1			30																				
4. Debility	M.	1184	719	122	40	9	6	896	15	3	1	7	6	4	12	10	16	12	22	16	14	44	44	37	9	5	10	1
	F.	1164	615	110	28	16	2	771	10	5	2	4	13	10	12	9	10	6	15	21	28	47	63	66	37	11	24	
5. Old age	M.	188																		1	9	37	42	53	30	10	6	
	F.	389																			19	41	84	100	90	30	25	
6. Atrophy	M.	27	18	6	3			27																				
	F.	20	18	5	3			26																				

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 2.—BALTIMORE, MD.; BROOKLYN, N. Y.; NEW YORK, N. Y.; CAMDEN, N. J.; JERSEY CITY, N. J.; NEWARK, N. J.; WASHINGTON, D. C.; WILMINGTON, DEL.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		12030	840	474	221	116	83	1734	181	182	587	1234	1333	1131	1121	975	851	705	582	508	380	256	145	74	29	13	6	3
Males		5877	470	261	115	55	40	950	93	71	239	559	636	522	568	467	434	362	315	267	180	121	53	27	8	3	1	1
Females		6153	370	213	106	61	34	784	88	111	348	675	697	609	553	508	417	343	267	241	200	135	92	47	21	10	5	2
1. Rheumatism	M.	89	....	1	2	....	1	4	7	4	3	....	6	9	1	6	11	9	4	6	7	6	4	1	1	....	....	....
	F.	109	1	2	....	....	1	4	7	6	3	5	5	9	10	11	6	5	3	6	9	6	6	4	2	1	1	....
2. Scrofula and tabes	M.	179	66	32	10	8	6	122	9	3	5	2	2	3	6	3	5	5	4	4	3	2	1	....	....	....	....	....
	F.	159	74	25	11	6	2	118	3	4	....	2	2	2	3	4	5	4	2	2	3	3	1	....	1	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	4378	109	78	41	19	15	262	31	46	218	544	608	481	528	405	355	282	219	180	108	70	22	13	3	1	1	1
	F.	4371	79	67	36	20	15	217	49	89	333	649	656	547	459	390	270	193	143	134	103	63	49	16	7	3	....	1
5. Hydrocephalus	M.	523	232	129	48	20	20	449	29	10	2	3	2	4	6	5	3	1	4	1	....	1	2	1	....	....	....	....
	F.	417	172	106	45	27	11	361	18	6	2	2	6	3	2	2	3	2	1	3	2	1	2	1	....	....	....	....
6. Cancer	M.	404	5	1	1	4	1	12	2	2	3	4	7	13	9	35	42	51	66	55	46	30	14	9	3	1	....	....
	F.	804	3	1	4	3	1	12	1	1	3	8	14	39	67	79	118	124	96	77	69	48	20	20	5	2	1	....
7. Tumor	M.	46	9	2	2	1	1	15	1	3	2	1	2	4	2	2	4	1	1	2	3	2	1	....	....	....	....	....
	F.	53	3	1	3	1	....	8	....	2	2	2	1	3	5	6	1	5	5	8	2	....	3	....	....	....	....	....
8. Anæmia	M.	58	23	5	1	....	2	31	1	....	1	....	....	2	4	3	3	2	3	4	1	2	1	....	....	....	....	....
	F.	55	15	1	2	....	....	18	4	....	2	1	1	3	....	3	3	1	5	2	2	2	4	....	2	1	....	1
9. Dropsy	M.	119	10	2	7	1	2	22	9	2	3	2	6	3	9	6	9	8	11	7	6	6	7	1	1	1	....	....
	F.	126	10	5	2	1	2	20	2	1	2	4	10	2	5	9	8	7	10	8	7	10	6	6	4	2	3	....
10. Glycosuria	M.	32	....	....	....	....	....	....	2	....	....	1	2	2	2	2	2	2	3	5	5	1	1	2	....	....	....	....
	F.	21	....	....	....	....	....	....	....	2	....	2	2	1	2	4	....	2	1	1	2	1	....	....	....	1	....	....
11. Others of this group	M.	49	16	11	3	2	1	33	2	1	2	2	1	1	1	....	....	1	....	3	1	1	....	....	....	....	....	....
	F.	38	13	5	3	3	2	26	4	....	1	....	....	....	....	....	3	....	1	....	1	1	1	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		6702	2429	698	309	147	123	3716	197	79	87	102	110	141	194	180	221	225	258	255	264	250	213	127	51	20	10	2
Males		3563	1306	393	173	73	73	2018	119	39	41	42	60	66	113	103	119	121	144	146	139	119	95	49	15	8	5	2
Females		3139	1123	305	136	74	50	1698	78	40	46	60	50	75	81	77	102	104	114	109	125	131	118	78	36	12	5	....
1. Inflammation of the brain	M.	130	39	10	6	1	8	64	7	2	....	4	3	4	3	4	8	6	5	6	5	3	5	....	1	....	....	....
	F.	110	40	11	3	4	4	62	5	2	5	5	2	4	3	1	6	2	1	2	3	2	....	1	3	....	1	....
2. Meningitis	M.	613	198	131	65	30	29	452	49	16	6	8	8	5	14	13	9	6	11	6	3	4	2	....	....	....	....	....
	F.	508	180	78	50	29	30	367	31	18	7	12	8	6	9	7	8	7	7	4	5	3	1	4	2	2	....	....
3. Apoplexy	M.	616	26	9	8	3	2	48	9	1	5	8	20	24	44	35	47	50	52	61	72	53	45	28	9	2	2	1
	F.	580	17	5	3	1	2	28	3	5	7	8	10	25	24	31	46	50	51	55	65	56	61	40	11	3	1	....
4. Paralysis	M.	272	17	3	1	....	2	23	3	3	2	3	1	8	9	17	12	19	30	40	25	31	22	14	5	3	2	....
	F.	293	10	7	4	5	1	27	2	1	2	5	4	8	10	9	16	15	27	20	30	43	30	20	17	5	2	....
5. Tetanus and trismus nascentium.	M.	124	95	....	1	1	1	98	3	3	5	2	1	2	2	2	1	1	2	1	1	....	....	....	....	....	....	....
	F.	94	72	7	2	....	....	83	....	1	1	....	....	....	2	2	....	....	2	1	1	1	....	....	....	....	....	....
6. Epilepsy	M.	73	8	5	....	2	2	17	....	3	7	6	9	2	4	2	6	7	3	2	....	3	2	....	....	....	....	....
	F.	76	6	6	....	2	....	14	1	2	3	11	3	6	5	4	3	4	4	7	3	2	2	1	....	1	....	....
7. Convulsions	M.	1101	788	151	58	24	16	1037	20	3	2	3	4	6	6	2	3	5	5	2	1	1	....	....	....	1	....	....
	F.	955	672	133	48	22	14	889	17	2	7	8	5	9	4	2	2	2	1	3	2	2	....	....	....	....	....	....
8. Mental diseases	M.	35	....	....	....	....	....	....	....	....	1	1	5	2	3	4	6	....	5	....	4	2	1	....	....	....	....	1
	F.	28	....	....	....	....	....	....	....	....	....	....	3	4	4	1	2	4	1	2	....	2	3	1	1	....	....	....
9. Diseases of the brain	M.	430	102	65	26	7	10	210	18	4	9	4	5	6	20	15	20	15	22	21	20	20	15	5	....	1	....	....
	F.	350	100	47	21	8	5	181	12	7	10	7	9	4	14	12	9	9	12	9	12	16	16	7	2	1	1	....
10. Diseases of the spinal cord	M.	135	28	17	5	5	3	58	9	3	4	3	1	4	6	6	5	11	6	6	5	1	1	2	....	....	1	....
	F.	113	25	8	4	1	3	41	6	2	3	4	3	7	6	5	8	8	7	5	2	1	3	2	....	....	....	....
11. Others of this group	M.	34	5	2	3	....	....	10	1	1	....	....	....	3	2	3	2	1	3	1	3	1	2	....	....	1	....	....
	F.	32	1	3	1	....	1	6	1	....	1	....	3	2	....	3	2	3	1	1	2	3	2	2	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		2785	240	20	7	13	7	287	78	95	68	101	143	143	180	202	218	223	226	220	212	181	125	57	16	8	2	....
Males		1413	137	9	4	6	3	159	38	43	34	58	72	68	96	113	124	125	114	105	94	84	53	24	5	4	....	....
Females		1372	103	11	3	7	4	128	40	52	34	43	71	75	84	89	94	98	112	115	118	97	72	33	11	4	2	....
1. Angina pectoris	M.	38	....	....	....	....	....	....	....	....	1	....	1	4	5	4	2	1	3	6	4	3	4	....	....	....	....	....
	F.	44	....	....	....	....	....	....	....	....	....	....	4	6	2	3	3	1	2	3	4	2	7	4	1	1	1	....
2. Aneurism	M.	54	3	1	....	....	....	4	1	....	1	....	1	2	4	8	10	6	4	3	5	4	1	....	....	....	....	....
	F.	15	1	1	....	....	....	2	....	1	....	....	1	2	4	2	1	....	....	....	1	....	....	....	1	....	....	....
3. Diseases of the heart	M.	1180	38	4	3	6	2	53	35	42	32	55	65	59	84	94	110	116	106	91	85	76	46	23	5	3	....	....
	F.	1205	32	2	1	6	2	43	30	50	34	41	65	66	73	84	90	94	107	108	112	95	65	28	8	2	1	....
4. Others of this group	M.	141	96	4	1	....	1	102	2	1	....	3	5	3	3	7	2	2	1	5	....	1	2	1	....	1	....	....
	F.	108	70	8	2	1	2	83	1	1	....	2	1	1	5	....	....	3	3	4	1	....	....	1	1	1	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		9240	2323	1373	723	376	248	5043	446	96	119	205	230	218	312	300	306	354	270	286	311	288	210	143	72	16	14	1
Males		4919	1273	718	375	204	135	2705	240	34	71	114	134	126	173	188	185	199	155	155	149	134	88	44	17	4	3	1
Females		4321	1050	655	348	172	113	2338	206	62	48	91	96	92	139	112	121	155	115	131	162	154	122	99	55	12	11	....
1. Croup	M.	644	93	157	138	93	69	550	92	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	564	70	131	143	72	62	478	81	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	96	22	13	6	2	5	48	4	....	1	2	2	6	5	6	2	7	4	1	4	1	2	....	1	....	....	....
	F.	74	17	9	12	2	4	44	5	....	....	1	1	1	7	1	3	2	1	....	2	2	1	2	1	....	....	....
3. Bronchitis	M.	1049	438	169	57	25	11	700	33	7	6	16	15	19	24	11	20	20	27	35	37	32	27	13	3	2	2	....
	F.	1073	397	166	58	30	12	663	35	9	2	8	14	13	23	18	14	23	20	30	39	42	48	38	22	6	6	....
4. Pneumonia	M.	2495	520	327	158	80	42	1127	86	23	53	85	100	78	111	136	134	139	96	93	80	81	41	25	5	1	....	1
	F.	2088	433	306	120	58	31	948	73	43	36	63	69	65	80	72	86	101	75	78	99	84	48	44	22	3	4	....
5. Pleurisy	M.	106	26	1	3	2	1	33	8	1	3	....	5	5	9	5	6	5	9	6	5	2	2	1	1	....	....	....
	F.	90	11	9	2	5	....	27	3	1	3	4	4	4	5	3	4	7	3	5	5	9	3	1	3	1	....	....
6. Asthma	M.	61	10	2	2	....	1	15	3	....	2	....	1	2	4	1	5	5	3	3	7	3	7	6	2	....	....	....
	F.	56	6	3	....	....	....	9	....	....	1	1	....	1	3	4	4	3	6	4	3	7	3	3	1	2	....	1
7. Others of this group	M.	468	164	49	11	2	6	232	14	2	5	11	11	16	20	29	18	23	16	17	16	15	13	4	5	1	....	....
	F.	371	116	31	13	5	4	169	9	5	6	13	8	8	21	14	10	19	10	19	14	10	16	12	5	2	1	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 2.—BALTIMORE, MD.; BROOKLYN, N. Y.; NEW YORK, N. Y.; CAMDEN, N. J.; JERSEY CITY, N. J.; NEWARK, N. J.; WASHINGTON, D. C.; WILMINGTON, DEL.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		2879	741	346	109	49	30	1275	80	57	41	91	89	98	140	136	149	135	141	141	108	87	62	34	9	4	1	1
Males		1550	413	175	62	23	12	685	42	34	16	43	46	41	69	79	99	80	76	83	50	60	31	12	2	1		1
Females		1329	328	171	47	26	18	590	38	23	25	48	43	57	71	57	50	55	65	58	58	27	31	22	7	3	1	
1. Dentition	M.	296	163	101	26	2	2	294	2																			
	F.	259	137	103	16		1	257	2																			
2. Angina	M.	76	26	6	6	4	1	43	7		1	1	4		1	1	2	4	1	3	2	3	3					
	F.	55	11	6	1	5	3	26	9	1		1		2	1	4	1		3	1	2	1	1		1		1	
3. Gastritis	M.	94	14	5	4	1	1	25		1		3	2	3	9	4	9	10	5	5	6	4	5	3				
	F.	118	24	6	4	7	2	43	5		3	3	3	7	9	1	8	5	8	7	8	3	6	2				
4. Other diseases of the stomach	M.	94	23	12	4	2		41	2	2	1	2	5	5	3	7	3	8	4	3	3	4	1					
	F.	56	11	6	6		1	24	1	2	1	1	2	2	4	1	2	4	1	4	1	1	3	1	1			
5. Obstruction of the bowels	M.	45	14		2			16	2	3	2		4		2	1	1	2	2	2	4	2	2					
	F.	31	5	2		1		8	1		1	3	1	1	1	2	2	4	2	2		1		2				
6. Hernia	M.	48	3	1				4	1	1		4	1		4		7	1	7	6	2	6	2	1	1			
	F.	59	5		1			6		2					5	3	3	3	3	2	7	2	2	1				
7. Other diseases of the bowels	M.	109	32	7	2	3	2	46	5	3	1	5	4	4	5	7	1	4	9	4	3	6	4	1				
	F.	88	19	10	3	6	4	42	2	1	2	4	2		4	3	5	5	2	4	6	3	3		1			
8. Jaundice	M.	68	26	6	2	1	1	36	3	1		2	1	1	2	3	2	5	2	2	3	5	1					
	F.	51	19	5	1	2		27	2					1	4	1	1	1	3	3	3	2	2		1			
9. Inflammation and abscess of the liver	M.	82	7	3	4	1		15	3	2	1	3	1	4	10	7	9	3	3	5	6	6	2	2	1			
	F.	76	10	3	1	1		15	2	1	4	5	2	4	4	5	5	5	9	1	8	2	2	2				
10. Other diseases of the liver	M.	296	27	9	5	4	2	47	5	4	2	7	11	16	14	24	38	31	31	36	14	9	5	1		1		
	F.	221	35	8	4	2	4	53	5	2	5	5	10	12	16	19	10	17	20	21	10	5	4	4	2	1		
11. Peritonitis	M.	226	35	14	3	2	2	56	9	17	7	13	10	9	17	18	19	7	9	13	2	12	4	3				1
	F.	227	21	13	6	1	2	43	6	13	7	23	21	24	21	13	8	8	12	6	7	2	5	6		2		
12. Ascites	M.	12														2	2	2	1	1	2	1	1					
	F.	17									1		2			1	3			4	2	3		1				
13. Others of this group	M.	104	43	11	4	3	1	62	5		1	3	3	2	2	5	6	3	2	3	3	2	1	1				
	F.	91	31	9	4	1	1	46	3	1	1	3		4	2	4	2	3	2	3	6	4	3	3	1			
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		2191	138	70	26	19	22	275	64	36	34	95	130	149	186	183	183	190	146	154	132	108	75	28	10	2	2	
Males		1220	78	33	13	11	15	150	39	15	19	45	60	74	99	107	107	100	94	99	89	62	45	10	4	1	1	
Females		971	60	37	13	8	7	125	25	21	15	50	70	75	87	76	76	90	52	55	43	46	30	18	15	1	1	
1. Bright's disease	M.	795	30	10	3	2	12	57	15	11	14	37	46	56	70	75	76	69	70	75	55	32	30	5	1	1		
	F.	618	17	12	4	2	2	37	13	17	10	26	48	48	55	60	51	65	42	43	31	32	18	12	8	1	1	
2. Calculus, urinary	M.	6		1		1		2											1		1	1						
	F.	1																1										
3. Diseases of the kidney	M.	263	34	16	8	6	3	67	23	3	3	5	8	13	16	21	15	18	12	13	20	14	6	3	2		1	
	F.	232	28	19	6	4	4	61	8	1	5	17	8	15	24	11	14	14	8	8	7	9	12	5	5			
4. Diseases of the bladder	M.	81	10	3	2			15		1		1	5		5	7	3	6	8	5	8	8	6	2	1			
	F.	49	9	3	1	1	1	15	2	1		3	4	3	3	1	4	4		4	1	3		1				
5. Others of this group	M.	75	4	3		2		9	1		2	2	1	5	8	4	12	7	3	6	5	7	3					
	F.	71	6	3	2	1		12	2	2		4	10	9	5	4	7	6	2		4	2			2			
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		71									3	4	9	12	11	2	4	6	2	5	4	3	2	3	1			
1. Ovarian tumors	F.	28												2	4	1	3	6		4	2	2	2	2				
2. Ovarian diseases	F.	1																			1							
3. Uterine tumors	F.	5												2	2						1							
4. Uterine diseases	F.	11											1	3	2	1	1		1			1						
5. Others of this group	F.	26									3	3	6	6	4				1	1				1	1			
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		250									11	59	60	56	37	22	5											
1. Abortion	F.	55									1	8	14	10	11	4	1											
2. Child-birth	F.	147									3	30	38	34	23	16	3											
3. Others of this group	F.	48									7	21	8	6	3	2	1											
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		248	55	14	11	10	5	95	20	20	11	7	11	11	15	6	8	8	7	8	5	6	6	2	1	1		
Males		141	26	9	6	8	3	52	11	11	8	5	5	6	11	4	4	6	2	3	4	6	2			1		
Females		107	29	5	5	2	2	43	9	9	3	2	6	5	4	2	4	2	5	5	1		4	2	1			
1. Diseases of the spine	M.	82	21	4	4	6	2	37	5	6	4	3	3	5	4	1	3	3	1	1	2	2	1			1		
	F.	73	25	5	3	2	2	37	6	3	2	1	4	3	4	2	3	1	2	1			2	1	1			
2. Diseases of the bones	M.	32	4	3	1	1		9	1	2	2	1	1	1	2	2	1	2		2	2	3	1					
	F.	19	4					4		5		1	1	1					2	3	1			1				
3. Diseases of the hip-joint	M.	12					1	1	3	2	1	1	1		2	1												
	F.	6			1			1	2	1				1						1								
4. Others of this group	M.	15	1	2	1	1		5	2	1	1				3			1	1			1						
	F.	9			1			1	1		1		1				1	1	1				2					

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 2.—BALTIMORE, MD.; BROOKLYN, N. Y.; NEW YORK, N. Y.; CAMDEN, N. J.; JERSEY CITY, N. J.; NEWARK, N. J.; WASHINGTON, D. C.; WILMINGTON, DEL.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		217	58	16	8	4	5	91	5	8	6	10	8	12	7	9	11	13	8	8	5	8	4	....	2	1	1
Males		116	32	7	5	2	....	46	4	3	4	5	4	8	3	6	3	7	6	6	4	3	2	....	1	1	....
Females		101	26	9	3	2	5	45	1	5	2	5	4	4	4	3	8	6	2	2	1	5	2	....	1	....	1
1. Abscess	M.	93	28	6	5	1	....	40	4	3	4	4	3	6	3	6	2	4	4	2	3	3	1	....	1	....	....
	F.	80	21	7	3	2	3	36	1	5	1	5	3	4	3	3	4	5	1	1	1	5	....	....	1	....	1
2. Carbuncle	M.	12	....	....	....	1	....	1	....	....	....	1	1	....	....	....	1	2	2	3	1	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....
3. Others of this group	M.	11	4	1	....	....	....	5	....	....	....	....	....	2	....	....	....	1	....	1	....	....	1	....	....	1	....	....
	F.	17	4	2	....	....	2	8	....	....	1	....	1	....	1	....	3	1	....	....	....	....	2	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		14	3	1	....	1	....	5	....	1	1	1	1	....	1	....	....	1	1	1	1	....	....	....	....	....	....	....
Males		8	3	1	....	1	....	5	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		6	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....
1. Addison's disease	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	6	3	1	....	1	....	5	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		2370	315	109	59	47	39	569	145	86	94	106	142	154	186	177	141	128	112	103	63	57	46	30	11	4	4	12
Males		1658	185	59	38	26	27	335	96	71	74	83	106	118	155	130	111	99	83	71	41	33	25	13	4	1	....	9
Females		712	130	50	21	21	12	234	49	15	20	23	36	36	31	47	30	29	29	32	22	24	21	17	7	3	4	3
1. Burns and scalds	M.	95	9	20	13	8	5	55	3	5	3	3	1	6	7	4	2	2	....	2	....	1	....	....	....	....	....	1
	F.	93	10	11	1	2	2	26	12	0	6	5	7	3	2	4	1	4	3	3	3	1	1	1	....	....	....	....
2. Drowned	M.	258	6	2	....	....	6	14	35	22	24	18	8	18	27	27	18	19	7	7	4	2	....	1	1	....	....	6
	F.	33	5	2	....	1	1	9	6	....	1	....	2	1	2	4	1	1	....	..	2	1	....	....	....	....	1	2
3. Exposure and neglect	M.	14	8	....	1	1	....	10	....	....	....	....	....	....	1	1	....	....	1	....	....	1	....	....	....	....	....	....
	F.	11	10	1	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds	M.	31	4	1	....	2	....	7	1	4	4	6	3	1	....	2	....	....	1	2	....	....	....	....	....	....	....	....
	F.	11	1	3	1	....	....	5	....	1	....	....	....	....	....	....	1	1	....	....	2	....	1	....	....	....	....	....
5. Homicide	M.	30	1	....	....	....	....	1	....	1	....	4	9	3	4	4	1	....	2	....	....	1	....	....	....	....	....	....
	F.	18	1	....	1	....	....	2	....	....	2	....	2	3	1	2	1	1	3	1	....	....	....	....	....	....	....	....
6. Infanticide	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	5	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
8. Railroad accidents	M.	110	2	5	....	2	1	10	10	0	6	6	9	9	9	10	10	5	10	3	1	2	1	1	1	....	....	1
	F.	19	2	....	....	....	....	2	3	1	....	1	1	2	1	....	....	2	....	2	....	1	1	2	....	....	....	....
9. Suffocation	M.	70	44	2	4	....	1	51	2	....	....	....	1	1	3	1	1	4	....	....	1	1	1	3	....	....	....	....
	F.	46	24	4	....	....	....	28	2	2	1	....	....	2	1	2	....	1	....	2	....	2	1	....	....	....	1	1
10. Suicide by shooting	M.	20	....	....	....	....	....	....	....	....	1	2	2	3	5	1	1	2	2	1	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	1	1	....	....	2	....	....	1	....	1	....	3	....	....	....	....	....	....
11. Suicide by drowning	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison	M.	14	....	....	....	....	....	....	....	....	....	1	1	2	1	1	2	3	2	1	....	....	....	....	....	....	....	....	....
	F.	17	....	....	....	....	....	....	....	....	....	2	1	3	2	2	3	1	1	1	....	1	....	....	....	....	....	....	....
13. Other suicides	M.	83	....	....	....	....	....	....	....	....	4	5	5	4	11	11	11	9	8	0	4	5	....	....	....	....	....	....	....
	F.	26	....	....	....	....	....	....	....	....	2	1	3	1	3	4	6	1	1	1	....	1	....	1	....	....	....	....	....
14. Sunstroke	M.	76	5	....	1	....	....	6	4	....	2	5	8	11	11	7	4	4	3	2	2	1	3	2	....	....	....	1
	F.	19	5	3	....	....	....	8	1	....	1	....	1	....	2	1	....	1	2	1	....	1	....	....	....	....	....	....	....
15. Surgical operations	M.	17	3	....	....	....	2	5	....	....	....	1	....	2	....	2	1	....	....	4	2	....	....	....	....	....	....	....	....
	F.	14	....	....	1	1	....	2	1	....	1	....	3	2	2	1	....	1	....	1	....	....	....	....	....	....	....	....	....
16. Wounds	M.	20	....	2	....	1	....	3	....	2	2	....	2	....	....	....	3	1	2	3	1	....	1	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
17. Other accidents and injuries	M.	806	101	27	19	12	12	171	41	31	28	32	56	57	74	57	57	49	44	40	26	16	18	6	2	1	....	....
	F.	388	71	26	17	17	9	140	22	5	5	13	14	13	15	25	16	14	18	19	12	16	17	12	7	3	2	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 3.—CHARLESTON, S. C.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL	1768	595	147	40	26	26	840	47	37	41	80	74	66	65	47	65	55	47	74	60	60	41	27	12	7	13	10
Total: Males	860	304	66	24	10	17	421	31	20	11	37	32	34	34	26	29	32	22	37	26	30	17	7	2	3	4	5
Females	908	291	81	22	16	9	419	16	17	30	43	42	32	31	21	36	23	25	37	34	30	24	20	10	4	9	5
Unknown causes.																											
Total	35	21	....	1	....	1	23	....	....	....	....	1	....	3	....	1	2	....	1	1	....	....	....	....	....	....	1
Males	21	12	....	1	....	1	14	....	....	....	....	2	....	....	....	1	2	....	1	1	....	....	....	....	....	....	....
Females	14	9	....	....	....	....	9	....	....	....	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	1
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total	315	99	50	13	15	13	190	16	7	10	15	13	9	9	6	8	8	5	4	8	2	3	1	....	1	....	2
Males	155	40	21	8	8	9	86	15	3	1	6	9	4	5	3	4	4	3	4	3	2	2	....	....	....	....	1
Females	160	59	29	5	7	4	104	1	4	9	9	4	5	4	3	4	2	2	....	5	....	1	1	..	1	....	1
1. Small-pox M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Small-pox F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles F.	3	....	3	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria M.	22	....	3	1	6	4	14	7	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria F.	9	2	1	....	3	1	7	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
5. Hooping-cough M.	11	2	4	3	....	1	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough F.	14	10	2	1	....	....	13	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Fever M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever M.	2	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever M.	29	....	....	1	....	2	3	4	3	1	3	4	1	3	....	2	....	2	2	1	....	....	....	....	....	....	....
8. Enteric fever F.	18	....	2	....	....	....	2	....	....	5	3	1	2	1	1	1	....	2	....	1	....	....	....	....	....	....	....
9. Diarrhœa M.	24	11	4	1	....	1	17	1	....	....	....	1	1	....	1	....	1	....	1	....	....	1	....	....	....	....	....
9. Diarrhœa F.	27	7	7	3	2	3	22	....	....	....	2	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery M.	12	7	1	1	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....
10. Dysentery F.	12	4	3	....	....	....	7	....	1	....	....	1	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....
11. Enteritis M.	15	6	3	1	1	1	12	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Enteritis F.	31	17	6	1	2	....	26	....	....	1	1	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....
12. Cholera morbus M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
12. Cholera morbus F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum M.	18	12	6	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum F.	20	17	3	....	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever M.	10	....	....	....	....	....	....	1	....	....	....	3	1	1	1	....	2	....	1	....	....	....	....	....	....	....	....
14. Malarial fever F.	10	1	1	....	....	....	2	....	....	2	1	....	3	....	....	....	1	....	....	1	....	....	....	....	....	....	....
15. Erysipelas M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
16. Septicæmia M.	5	....	....	....	....	....	....	....	....	....	....	1	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....
16. Septicæmia F.	4	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
17. Puerperal septicæmia F.	6	....	....	....	....	....	....	....	....	1	2	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases M.	3	1	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total	18	9	2	1	1	....	13	....	....	....	....	1	1	....	....	3	....	1	....	....	....	....	....	....	....	....	....
Males	6	3	....	....	....	....	3	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....
Females	12	6	2	1	1	....	10	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
1. Worms M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Worms F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Other poisons F.	4	....	1	1	1	....	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Inanition M.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Inanition F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total	349	245	24	5	1	2	277	1	....	1	1	....	....	1	....	2	1	1	3	5	9	9	17	5	3	12	1
Males	152	121	10	2	....	....	133	....	....	....	1	....	....	....	....	....	1	....	2	1	3	1	5	....	1	4	....
Females	197	124	14	3	1	2	144	1	....	1	....	....	....	1	....	2	....	1	1	4	6	8	12	5	2	8	1
1. Premature birth M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Premature birth F.	10	10	....	....	....	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn M.	86	86	....	....	....	....	86	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn F.	84	84	....	....	....	....	84	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility M.	47	27	10	2	....	....	39	....	....	....	1	....	....	....	....	....	1	....	2	....	1	1	1	....	....	1	....
4. Debility F.	70	29	14	3	1	2	49	1	....	1	....	....	....	1	....	2	....	1	....	4	1	4	3	1	....	1	1
5. Old age M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	4	....	1	3	....
5. Old age F.	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	5	4	9	4	2	7	....
6. Atrophy M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 3.—CHARLESTON, S. C.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		355	13	12	8	1	3	37	13	19	16	42	33	28	32	14	26	19	16	17	16	14	6	3	2	1	1
Males		157	7	6	4	1	1	19	6	11	3	22	9	10	20	7	9	9	9	6	7	7	2				
Females		198	6	6	4		2	18	7	8	13	20	24	18	12	7	17	10	7	11	9	7	4	3	2	1	1
1. Rheumatism	M.	1																	1								
	F.	1													1												
2. Scrofula and tabes	M.	7	1	1	1			3	2			1			1												
	F.	7		2	1			3	1		1						1			1							
3. Leprosy	M.	1														1											
	F.	1																							1		
4. Consumption	M.	116	6	4	1	1		12	1	10	1	21	8	8	18	6	6	5	7	4	4	3	1				1
	F.	130	2	3	3		2	10	5	8	9	19	20	15	10	6	13	5	2	2	3	1	1	1			
5. Hydrocephalus	M.	1			1			1																			
	F.	3	3					3																			
6. Cancer	M.	3									2						1										
	F.	7										1					1	1		1	1	1	1				
7. Tumor	M.	2					1	1										1									
	F.	2																1	1								
8. Anæmia	M.	1		1				1																			
	F.	0									1		1	2			1			1							
9. Dropsy	M.	23			1			1	3	1			1	1	1		2	3	1	2	2	4	1				
	F.	39	1	1				2	1		2		3	1	1	1	1	3	4	5	4	5	2	2	1		1
10. Glycosuria	M.	1												1													
	F.	1																		1							
11. Others of this group	M.	1																			1						
	F.	1																			1						
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		292	131	10	7	2	3	159	9	3	4	5	5	5	6	11	8	11	6	17	11	14	7	2	4	2	3
Males		153	75	6	1		3	85	6	2	3	1	3	3	3	6	5	6	3	6	3	8	5	1	2	1	1
Females		139	56	10	6	2		74	3	1	1	4	2	2	3	5	3	5	3	11	8	6	2	1	2	1	2
1. Inflammation of the brain	M.	2								1							1										
	F.	3		1				1	1																		
2. Meningitis	M.	2									1			1						1							
	F.	1							1																		
3. Apoplexy	M.	19										1		1	2	2	1	3		3	2	1	1		1	1	
	F.	14															1	2	1	3	2	2	1	1			
4. Paralysis	M.	19					1	1	1				2			1	1	2	2	3		5		1			1
	F.	18																2		3		3					
5. Tetanus and trismus nascentium.	M.	64	60	1				61	1				1	1				1	1	6	5	3	1		1		
	F.	40	38					38	1																		1
6. Epilepsy	M.	1																									
	F.	2																									1
7. Convulsions	M.	21	9	5	1		2	17	3	1							1					1					
	F.	38	17	8	6	2		33			1		1		1	1		1									
8. Mental diseases	M.	2									1										1						
	F.	1																									
9. Diseases of the brain	M.	19	6					6	1		1					1	2		1			1	4		1		
	F.	10	1	1				2		1		2	1	2	2	2	1	1	1	1	1				2		
10. Diseases of the spinal cord	M.	2														1						1					
	F.																										
11. Others of this group	M.	2													1			1									
	F.	3										2				1											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		52	6					6		1	1	1	4	4	3	3	1	1	5	6	8	5	2	1			
Males		25	5					5					2	3	1	2	1		2	3	6						
Females		27	1					1		1	1	1	2	1	2	1		1	3	3	2	5	2	1			
1. Angina pectoris	M.																										
	F.																										
2. Aneurism	M.	1												1													
	F.																										
3. Diseases of the heart	M.	19											2	2	1	2	1		2	3	6						
	F.	26								1	1	1	2	1	2	1		1	3	3	2	5	2	1			
4. Others of this group	M.	5	5					5																			
	F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		148	38	13	7	5	3	66	5	3		3	7	7	4	2	4	4	7	10	6	8	9	2		1	
Males		77	20	6	6	1	2	35	2	1		2	5	4	2	2	1	1	2	7	2	5	5			1	
Females		71	18	7	1	4	1	31	3	2		1	2	3	2		3	3	5	3	4	3	4	2			
1. Croup	M.	4			2	1		3	1																		
	F.	2	1					1	1																		
2. Laryngitis	M.	1		1				1																			
	F.	1																									
3. Bronchitis	M.	15	4	2				6	1				1	2						2		1					
	F.	13	4			1		5	1												1		1		1		
4. Pneumonia	M.	35	8	3	3		2	16		1		2	4	1	2	2	1	1	3	1	1		1				
	F.	30	7	3		2	1	13		1		1	2	1	1		1		1	2	2	2	2	1			
5. Pleurisy	M.	3																		1							
	F.	6	1					1						1	1			1			1	1					
6. Asthma	M.	3															1	1			1						
	F.	3																1	1			1					
7. Others of this group	M.	16	8		1			9						1			2							1			
	F.	16	5	4	1	1		11	1	1				1		1					1	3	2				

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 3.—CHARLESTON, S. C.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		113	24	27	4	1	....	56	2	2	5	3	4	4	2	4	7	5	2	9	2	5	1	....	....	....	....	....
Males		57	14	16	2	....	....	32	1	1	2	....	2	2	1	2	2	4	....	3	2	3	....	....	....	....	....	....
Females		56	10	11	2	1	....	24	1	1	3	3	2	2	1	2	5	1	2	6	....	2	1	....	....	....	....	....
1. Dentition	M.	24	8	15	1	....	....	24	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	10	10	2	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	0	....	....	1	....	....	1	....	....	....	....	1	1	....	....	....	1	....	....	....	2	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
6. Hernia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	4	2	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	4	2	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	7	....	....	....	....	....	....	1	....	....	....	....	....	1	1	1	1	....	1	1	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	1	2	....	1	....	....	....	....	....	....
10. Other diseases of the liver	M.	4	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	1	....	....	....	....	....	....	....
	F.	10	....	....	....	....	....	....	1	1	....	1	1	....	....	2	1	....	1	1	....	....	1	....	....	....	....	....
11. Peritonitis	M.	2	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
13. Others of this group	M.	2	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		19	....	....	....	....	....	....	....	....	....	2	1	1	2	1	2	2	1	2	....	1	2	1	....	....	....	1
Males		16	....	....	....	....	....	....	....	....	....	1	....	1	2	1	2	2	1	2	....	1	1	1	....	....	....	1
Females		3	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
1. Bright's disease	M.	9	....	....	....	....	....	....	....	....	....	1	....	1	2	....	2	1	....	2	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	1	1	....	....	....	1
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
4. Diseases of the bladder	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		8	....	....	....	....	....	....	....	....	....	....	1	....	2	1	1	....	2	....	....	1	....	....	....	....	....	....
1. Ovarian tumors	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		4	....	....	....	....	....	....	....	....	....	....	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	3	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		4	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
Males		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females		3	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 3.—CHARLESTON, S. C.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total	6		1				1	1			1		1		1		1									
Males	3							1							1		1									
Females	3		1				1				1		1													
1. Abscess M.	3							1							1		1									
1. Abscess F.	2										1		1													
2. Carbuncle M.																										
2. Carbuncle F.																										
3. Others of this group M.																										
3. Others of this group F.	1		1				1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total																										
Males																										
Females																										
1. Addison's disease M.																										
1. Addison's disease F.																										
2. Diseases of the spleen M.																										
2. Diseases of the spleen F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XII.—ACCIDENTS AND INJURIES.																										
Total	50	9	2			1	12		2	3	5		6		4	3	3	1	3	3	1	2		1		1
Males	37	7	1			1	9		2	2	4		6		2	3	2	1	2	1	1	1				1
Females	13	2	1				3			1	1				2		1		1	2		1		1		
1. Burns and scalds M.	1												1													
1. Burns and scalds F.	3									1	1											1				
2. Drowned M.	1																									1
2. Drowned F.																										
3. Exposure and neglect M.	1	1					1																			
3. Exposure and neglect F.	2		1				1								1											
4. Gunshot wounds M.	7								1		1		3			1			1							
4. Gunshot wounds F.																										
5. Homicide M.																										
5. Homicide F.																										
6. Infanticide M.																										
6. Infanticide F.																										
7. Injuries by machinery M.																										
7. Injuries by machinery F.																										
8. Railroad accidents M.																										
8. Railroad accidents F.																										
9. Suffocation M.	5		1				1						2		1				1							
9. Suffocation F.	1	1					1																			
10. Suicide by shooting M.																										
10. Suicide by shooting F.																										
11. Suicide by drowning M.																										
11. Suicide by drowning F.																										
12. Suicide by poison M.																										
12. Suicide by poison F.																										
13. Other suicides M.																										
13. Other suicides F.	1																1									
14. Sunstroke M.	7										2				1	1	1				1	1				
14. Sunstroke F.	2																			1				1		
15. Surgical operations M.																										
15. Surgical operations F.																										
16. Wounds M.																										
16. Wounds F.																										
17. Other accidents and injuries M.	15	6				1	7		1	2	1					1	1	1		1						
17. Other accidents and injuries F.	4	1					1								1				1	1						

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 4.—NEW ORLEANS, LA.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		5606	1491	302	191	96	59	2140	161	111	126	266	277	245	300	292	298	281	204	230	201	149	126	87	33	19	35	25
Total: Males		3105	803	146	104	48	37	1138	93	65	64	134	136	161	162	186	195	176	121	124	115	86	64	40	12	8	10	15
Females		2501	688	157	87	48	22	1002	68	46	62	132	141	84	138	106	103	105	83	106	86	63	62	47	21	11	25	10
Unknown causes.																												
Total		5	....	1	....	....	....	1	....	....	....	....	....	....	....	2	1	....	....	1	....	....	....	....	....	....	....	....
Males		4	....	1	....	....	....	1	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1170	303	104	79	44	27	557	57	37	32	47	39	30	52	50	68	52	26	31	29	29	18	6	2	2	1	5
Males		646	151	49	40	18	16	274	33	19	16	28	17	20	34	36	51	33	18	19	11	20	9	2	....	2	1	3
Females		524	152	55	39	26	11	283	24	18	16	19	22	10	18	14	17	19	8	12	18	9	9	4	2	....	....	2
1. Small-pox	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	20	5	2	5	2	3	17	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	46	7	16	8	3	1	35	3	1	2	2	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	1
3. Scarlet fever	M.	8	....	1	....	2	....	3	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	2	1	1	4	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	31	3	6	5	5	3	22	8	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	36	....	5	6	5	5	21	9	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	27	16	2	6	1	....	25	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	27	2	3	3	....	35	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	1	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	7	2	....	1	....	....	3	1	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	6	3	....	1	....	....	4	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	23	....	....	....	....	....	....	3	4	2	3	3	1	2	1	....	2	....	1	1	1	....	....	....	....	....	....
	F.	20	....	2	2	....	....	4	1	1	4	2	3	....	2	....	....	....	....	....	1	1	1	....	....	....	....	....
9. Diarrhœa	M.	66	13	8	7	....	1	29	2	....	1	4	1	4	3	4	7	10	5	6	3	4	1	1	....	....	....	1
	F.	55	15	4	1	1	1	22	....	....	....	2	1	2	4	4	4	4	....	3	5	2	1	1	....	....	....	....
10. Dysentery	M.	75	5	3	1	1	1	11	2	2	1	1	4	2	6	7	10	7	5	3	4	5	4	....	....	....	1	....
	F.	52	6	2	5	3	1	17	....	1	....	3	1	1	2	3	5	3	4	2	3	1	4	1	1	....	....	....
11. Enteritis	M.	103	43	14	4	2	4	67	1	2	2	2	1	3	6	2	5	3	2	2	....	4	1	....	....	....	....	....
	F.	81	33	7	4	3	....	47	1	1	1	1	2	1	1	3	4	4	1	3	5	....	3	1	1	....	....	1
12. Cholera morbus	M.	15	2	....	1	1	....	4	2	1	1	....	....	1	1	1	2	....	....	....	....	1	....	....	....	1	....	....
	F.	4	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	46	35	8	2	1	....	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	43	37	6	....	....	....	43	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	159	22	4	8	2	2	38	9	3	5	16	4	7	10	21	19	7	3	6	3	3	3	....	....	....	....	2
	F.	92	21	8	7	5	1	42	3	6	3	1	7	5	5	2	3	6	3	2	2	2	....	....	....	....	....	....
15. Erysipelas	M.	9	2	....	....	....	....	2	1	....	....	....	1	....	....	....	....	2	....	1	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	11	1	....	....	....	....	1	....	1	....	1	....	1	2	....	3	....	1	....	....	....	1	....	....	....	....	....
	F.	5	....	....	....	1	1	2	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....
17. Puerperal septicæmia	F.	15	....	....	....	....	....	....	....	....	3	5	4	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	6	1	....	....	....	....	1	....	1	....	1	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	4	2	1	....	....	....	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	19	1	1	....	1	2	5	....	1	2	....	....	2	....	1	4	2	1	....	....	....	....	....	....	1	....	....
	F.	17	....	1	....	1	....	2	2	1	1	2	1	....	2	1	....	....	....	2	1	1	....	1	....	....	....	....
General diseases—B.																												
Total		54	22	1	....	1	....	24	....	....	1	3	1	4	7	4	6	....	2	1	....	....	....	1	....	....	....	....
Males		25	6	1	....	....	....	7	....	....	....	1	1	3	3	4	2	....	2	1	....	....	....	1	....	....	....	....
Females		29	16	....	....	1	....	17	....	....	1	2	....	1	4	....	4	....	....	....	....	....	....	....	....	....	....	....
1. Worms	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	15	....	....	....	....	....	....	....	....	....	1	1	3	2	4	1	....	2	1	....	....	....	....	....	....	....	....
	F.	10	....	....	....	....	....	....	....	....	1	1	....	1	4	....	3	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	14	....	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		869	523	35	8	2	5	573	7	1	1	3	3	3	5	7	5	16	7	23	27	42	41	42	21	13	27	2
Males		471	295	22	4	1	5	327	3	....	....	3	1	2	1	4	2	5	4	13	21	23	22	19	9	5	7	....
Females		398	228	13	4	1	....	246	4	1	1	....	2	1	4	3	3	11	3	10	6	19	19	23	12	8	20	2
1. Premature birth	M.	53	53	....	....	....	....	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	35	....	....	....	....	35	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	101	101	....	....	....	....	101	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	96	96	....	....	....	....	96	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	276	137	22	4	1	5	169	3	....	....	3	1	2	1	4	2	5	3	11	21	17	17	10	3	2	2	....
	F.	213	95	13	4	1	....	113	4	1	1	....	2	1	4	3	3	9	3	7	6	14	17	7	4	3	11	....
5. Old age	M.	37	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	6	5	9	6	3	5	....
	F.	52	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	3	....	5	2	16	8	5	9	2
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 4.—NEW ORLEANS, LA.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1143	52	14	14	9	3	92	17	19	42	125	134	114	131	99	100	73	63	47	43	13	19	6	1		5
Males		599	27	9	8	3	1	48	7	7	19	58	62	69	66	59	65	44	31	21	25	6	7	3			2
Females		544	25	5	6	6	2	44	10	12	23	67	72	45	65	40	35	29	32	26	18	7	12	3	1		3
1. Rheumatism	M.	9										1			1	1		1	1		4						
	F.	7												2	1	2		1			1						
2. Scrofula and tabes	M.	22	5	4	5	1		15	1	1	1	2			1		1										
	F.	15	5	1	2	2	2	12							1		1				1						
3. Leprosy	M.																										
	F.	2										2															
4. Consumption	M.	469	6	2	1	1		10	4	5	17	54	61	63	58	48	55	33	20	17	11	6	4	1			2
	F.	383	7		3	2		12	7	9	22	61	67	35	56	29	19	17	15	14	10	4	3				3
5. Hydrocephalus	M.	14	8	2		1	1	12	1				1														
	F.	11	6	2				8	3																		
6. Cancer	M.	45							1					3	3	2	7	4	8	4	8		3	2			
	F.	87	2	1				3				1	3	4	5	8	13	10	14	11	5	3	5	2			
7. Tumor	M.	1																			1						
	F.	1															1										
8. Anæmia	M.	13	7		1			8		1				1	1	1		1									
	F.	8	4			1		5				2	1														
9. Dropsy	M.	16	1					1			1			1	2	4	2	3	1		1						
	F.	22		1		1		2		2			1	3	2	1	1		2	1	1		4	1	1		
10. Glycosuria	M.	6			1			1								3		2									
	F.	3									1			1				1									
11. Others of this group	M.	4		1				1				1		1					1								
	F.	5	1		1			2		1		1							1								
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		877	351	40	39	12	3	445	37	16	9	16	30	28	30	37	35	46	22	37	34	20	14	10	4	1	2	4
Males		521	191	24	28	8	3	254	24	11	5	7	15	20	17	27	19	32	14	22	21	16	7	7	1		2
Females		356	160	16	11	4		191	13	5	4	9	15	8	13	10	10	14	8	15	13	4	7	3	3	1	2	2
1. Inflammation of the brain	M.	16	3	2	1	1	1	8						1	1	2	1		1			2						
	F.	8	2	2				4					1	1	1					1								
2. Meningitis	M.	47	17	4	8	4		33	5	1			2		2	1	1				1	1						
	F.	29	17	3	2			22	2	1		1			1	1									1		
3. Apoplexy	M.	57	1					1					2	1	1	10	3	10	3	9	6	5	4	1			1
	F.	41										1	4	1	3	3	4	4	2	7	8		1	2	1		
4. Paralysis	M.	39							1			2	2	2	1	6	4	5	3	4	4	2	1	2			
	F.	24			1			1	1				2				3	5	1	3		2	3		2		1
5. Tetanus and trismus nascentium	M.	141	97	2	2			101	9	9	2	3	2	4	3	1	1	2	2	2							
	F.	112	88			1		89	7	8	1	3	1		4	1		1	1								1
6. Epilepsy	M.	13									1		1	3	2	2	2	2									
	F.	8									1	1	1	2	1			1					1				
7. Convulsions	M.	92	60	10	11	1	1	83	3	1			1			1	1	1					1				
	F.	66	43	10	5	3		61	1	1			2								1						
8. Mental diseases	M.	4												1	2						1						
	F.	2												1													
9. Diseases of the brain	M.	97	12	5	4	2		23	5		1	2	5	7	5	3	6	11	4	8	8	5	1	3	1		1
	F.	51	8	1	1			5	2		1	2	3	3	3	5	8	3	4	4	4	2	1				1
10. Diseases of the spinal cord	M.	14	1	1	2		1	5	1		1			1		1		1	1		1	1	1				
	F.	14	7		2			9			1	1					1			1							
11. Others of this group	M.	1																					1			1	
	F.	1											1							1							
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		256	13	1			2	16	3	6	8	9	11	10	13	31	17	23	22	39	17	22	9	6	2		1	1
Males		138	8				2	10	2	3	6	5	1	8	9	20	11	11	12	13	5	12	7	1	1			1
Females		128	5	1				6	1	3	2	4	10	2	4	11	6	12	10	26	12	10	2	5	1		1	
1. Angina pectoris	M.																										
	F.	4															1			3							
2. Aneurism	M.	8												2	1		2	1		1		1					
	F.	7											1	1	1				1	1		1					
3. Diseases of the heart	M.	123	2				2	4	2	3	6	5	1	6	8	20	9	9	12	12	5	11	7	1	1		1
	F.	109	2	1				3	1	3	1	4	8	1	3	10	5	11	9	22	12	8	2	4	1		1	
4. Others of this group	M.	7	6					6										1									
	F.	8	3					3			1		1			1		1				1					
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		543	146	53	29	24	12	264	19	7	8	30	18	14	17	18	18	17	27	20	22	12	18	6	3		3	2
Males		295	77	19	11	16	5	128	12	4	4	14	12	11	14	8	13	16	15	10	15	5	8	2	1		1	2
Females		248	69	34	18	8	7	136	7	3	4	16	6	3	3	10	5	1	12	10	7	7	10	4	2		2	
1. Croup	M.	23	4	3	6	5	1	19	3	1																	
	F.	23		8	6	2	3	19	3	1																	
2. Laryngitis	M.	11	1	1	1	2	1	6	2							1		2									
	F.	8	2	1	1	2	1	7																			
3. Bronchitis	M.	66	28	4	1	2		35	2			3	1	4	1	2	1	1	3	2	4	3	1	1	1		1
	F.	68	29	7	4	1		41						1		5	1		4	3	1	5	4	3			
4. Pneumonia	M.	168	42	11	2	7	2	64	5	3	3	10	10	6	11	5	9	13	8	5	7	2	4	1		1	1
	F.	130	33	18	7	3	3	64	4	1	4	15	6	1	3	4	2	1	8	6	4		3	1	1	2	
5. Pleurisy	M.	12									1	1	1	1	1		1	1	2	2			1				
	F.	6	1					1									1			1		2			1		
6. Asthma	M.	8															1			1	4		2				
	F.	6														1	1				2		2				
7. Others of this group	M.	7	2		1		1	4							1		1	1									
	F.	7	4					4		1				1									1				

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 4.—NEW ORLEANS, LA.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		340	63	46	14	2	4	129	7	2	6	8	8	20	23	19	24	27	15	23	13	6	4	5	....	1	....	....
Males		199	38	18	9	2	3	70	3	2	2	5	7	10	11	8	17	18	11	19	9	3	1	3	....	....	....	....
Females		141	25	28	5	....	1	59	4	....	4	3	1	10	12	11	7	9	4	4	4	3	3	2	....	1	....	....
1. Dentition	M.	49	26	16	7	....	....	49	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	48	19	26	3	....	....	48	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	5	....	1	....	1	1	3	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	6	1	1	1	....	....	3	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	15	1	....	....	....	....	1	....	1	....	....	....	1	....	1	....	1	....	5	2	....	1	....	....	....	....	....
	F.	17	....	1	....	....	....	1	....	....	....	....	....	2	4	3	....	1	1	....	1	1	1	1	....	1	....	....
4. Other diseases of the stomach	M.	4	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	13	6	....	....	....	....	6	....	....	1	....	....	....	1	....	1	....	1	2	....	1	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	....	1	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....
6. Hernia	M.	4	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	1	....	....	....	....
7. Other diseases of the bowels	M.	4	....	....	1	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
8. Jaundice	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	47	3	....	1	....	....	4	1	....	....	3	3	2	7	1	8	7	3	6	1	1	....	....	....	....	....	....
	F.	15	....	....	....	....	....	....	....	....	....	1	....	1	2	4	....	1	....	2	1	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	32	....	....	....	....	....	....	1	....	....	2	1	4	2	2	3	4	5	3	2	....	....	3	....	....	....	....
	F.	19	1	....	....	....	....	1	....	....	....	2	1	....	4	1	3	3	....	1	1	1	1	....	....	....	....	....
11. Peritonitis	M.	14	1	....	....	....	1	2	....	1	1	....	2	1	1	2	1	1	....	1	1	....	....	....	....	....	....	....
	F.	10	....	....	....	....	....	....	....	....	2	....	....	4	2	1	2	3	2	....	....	....	....	....	....	....	....	....
12. Ascites	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	8	1	....	....	1	....	2	....	....	....	....	....	1	....	....	2	2	1	....	....	....	....	....	....	....	....	....	....
	F.	4	2	....	1	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		102	1	2	....	....	....	3	3	1	1	11	11	5	5	9	10	14	11	2	7	4	....	1	....	1	1	2
Males		64	....	1	....	....	....	1	3	1	1	5	8	3	3	7	7	8	8	2	4	....	....	1	....	....	1	1
Females		38	1	1	....	....	....	2	....	....	....	6	3	2	2	2	3	6	3	....	3	4	....	....	....	1	....	1
1. Bright's disease	M.	53	....	1	....	....	....	1	2	1	1	4	6	3	3	7	5	6	6	1	4	....	....	1	....	....	1	1
	F.	37	....	1	....	....	....	1	....	....	....	5	3	2	2	2	3	6	3	....	3	4	....	....	....	1	....	1
2. Calculus, urinary	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	3	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		12	....	....	....	....	....	....	....	....	....	....	1	....	3	1	3	....	2	1	1	....	....	....	....	....	....	....
1. Ovarian tumors	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	1	....	....	....	....	....	....	....
4. Uterine diseases	F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		18	....	....	....	....	....	....	....	....	4	5	5	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	3	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	14	....	....	....	....	....	....	....	....	4	4	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		3	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		2	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	2	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 4.—NEW ORLEANS, LA.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		7	1					1					1		1			1	1					1				1
Males		3	1					1										1										1
Females		4											1		1				1					1				
1. Abscess	M.																										
	F.	1											1															
2. Carbuncle	M.	1																										1
	F.	2													1									1				
3. Others of this group	M.	2	1					1										1										
	F.	1																	1									
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1											1															
Males																												
Females		1											1															
1. Addison's disease	M.																										
	F.	1											1															
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		196	16	6	8	2	3	35	11	23	13	9	13	14	12	14	11	12	6	5	8	1	3	3		1		3
Males		138	9	2	4		2	17	6	18	11	8	11	14	4	11	8	8	6	3	4	1	3	1		1		3
Females		58	7	4	4	2	1	18	5	4	2	1	2		8	3	3	4		2	4			2				
1. Burns and scalds	M.	8		1	2			3	1					1					1		1					1		
	F.	18	1	2		2	1	6	3	1	2		1		2	1	1							1				
2. Drowned	M.	45		1			2	3	4	11	4	2	3	3	1	1	2	4	3		1							3
	F.	4			1			1										1			1			1				
3. Exposure and neglect	M.																											
	F.																											
4. Gunshot wounds	M.	14										1	4	1	2	4	1			1								
	F.	5			1			1		1			1		1						1							
5. Homicide	M.																											
	F.																											
6. Infanticide	M.	1	1					1																				
	F.	1	1					1																				
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.																											
	F.																											
9. Suffocation	M.	4	3					3		1																		
	F.	5	2	1	1			4										1										
10. Suicide by shooting	M.	5												2		1			1		1							
	F.																											
11. Suicide by drowning	M.	1																1										
	F.	2														1				1								
12. Suicide by poison	M.	4												1		1	1	1										
	F.	1														1												
13. Other suicides	M.	3									1							1						1				
	F.	2													1		1											
14. Sunstroke	M.	1										1																
	F.																											
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.	4									1	1				1	1											
	F.																											
17. Other accidents and injuries	M.	48	5		2			7	1	6	5	3	4	6	1	3	3	1	1	2	1	1	3					
	F.	20	3	1	1			5	2	2		1			4		1	2		1	2							

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 5.—HARTFORD, CONN.; WORCESTER, MASS.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1829	428	118	60	30	24	660	54	23	55	82	91	83	80	66	80	74	77	89	85	69	63	51	30	7	5	5
Total: Males		969	241	65	36	10	10	362	34	14	29	47	40	39	51	25	47	45	41	40	48	36	31	21	13	2	2	2
Females		860	187	53	24	20	14	298	20	9	26	35	51	44	29	41	33	29	36	49	37	33	32	30	17	5	3	3
Unknown causes.																												
Total		69	20	8	2	....	1	31	3	....	2	....	2	2	3	3	2	2	3	2	4	3	2	1	2	1	....	1
Males		31	9	2	1	....	1	13	3	....	....	....	....	2	1	1	1	2	2	1	1	1	1	....	1	1	....	....
Females		38	11	6	1	....	....	18	....	....	2	....	2	....	2	2	1	....	1	1	3	2	1	1	1	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		327	114	38	22	10	13	197	16	8	9	8	10	12	5	3	6	7	7	11	10	4	2	4	6	1	....	1
Males		165	54	20	13	3	6	96	10	5	6	6	7	3	3	....	3	4	3	5	7	1	1	2	3	....	....	....
Females		162	60	18	9	7	7	101	6	3	3	2	3	9	2	3	3	3	4	6	3	3	1	2	3	1	....	1
1. Small-pox	M.	10	....	....	1	....	....	1	3	1	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	2	1	....	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	3	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	4	....	....	1	1	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	....	3	2	1	2	8	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Diphtheria	M.	17	1	2	6	1	5	15	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	1	2	1	3	4	11	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	3	2	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	21	....	1	1	....	....	2	3	1	4	4	3	1	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....
	F.	13	2	....	....	1	....	3	....	1	2	1	....	2	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	18	5	5	1	....	....	11	....	....	....	1	....	....	....	....	....	1	....	2	1	....	....	1	1	....	....	....	....
	F.	7	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....
10. Dysentery	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	2	....	....	1	....	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	17	6	3	....	....	....	9	....	2	....	....	1	....	2	....	....	....	....	1	2	....	....	....	....	....	....	....	....
	F.	9	1	1	....	....	....	2	....	....	....	....	1	1	1	1	....	....	1	2	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	43	34	7	1	1	....	43	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	51	40	7	3	....	1	51	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	10	1	1	....	....	....	2	....	1	....	....	1	....	....	....	2	1	....	....	3	....	....	....	....	....	....	....	....
	F.	11	1	....	....	....	....	1	....	1	1	....	1	1	....	....	....	1	1	....	....	....	1	1	1	1	....	....	....
15. Erysipelas	M.	10	2	....	....	....	....	2	....	....	....	....	1	....	1	....	....	1	1	1	1	....	....	1	1	....	....	....	....
	F.	10	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	1	1	....	2	....	1	1	....	....	....	1
16. Septicæmia	M.	2	....	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	8	....	....	....	....	....	....	....	....	....	....	1	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	5	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	1	....	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	1	....	....	1	....	....	....	....
General diseases—B.																													
Total		14	3	....	1	....	....	4	....	....	....	....	....	4	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1
Males		9	1	....	1	....	....	2	....	....	....	....	....	3	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females		5	2	....	....	....	....	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	7	....	....	....	....	....	....	....	....	....	....	....	3	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	2	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
General diseases—C.																													
Total		236	152	5	1	....	....	158	1	....	....	....	1	2	1	3	1	1	3	1	2	12	11	21	12	2	4	....
Males		129	95	3	....	....	....	98	1	....	....	....	1	1	1	....	1	....	1	1	2	6	3	9	3	....	1	....
Females		107	57	2	1	....	....	60	....	....	....	....	....	1	....	3	....	1	2	....	....	6	8	12	9	2	3	....
1. Premature birth	M.	12	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	51	51	....	....	....	....	51	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	36	36	....	....	....	....	36	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	50	28	3	....	....	....	31	1	....	....	....	1	1	1	....	1	....	1	1	2	4	3	3	....	....	....	....	....
	F.	32	14	2	1	....	....	17	....	....	....	....	....	1	....	3	....	1	1	....	....	3	1	2	3	....	....	....	....
5. Old age	M.	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	6	3	....	1	....	....
	F.	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	3	7	10	6	2	3	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 5.—HARTFORD, CONN.; WORCESTER, MASS.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		360	10	15	6	3	....	43	7	5	25	45	50	27	27	20	21	22	14	23	13	5	5	3	3	....	1	1
Males		179	12	12	4	1	....	29	4	....	12	24	24	9	15	7	12	10	5	12	6	2	2	2	2	....	1	1
Females		181	7	3	2	2	....	14	3	5	13	21	26	18	12	13	9	12	9	11	7	3	3	1	1	....	....	....
1. Rheumatism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	1	....	2	....	1	1	....	1	....	....	....
2. Scrofula and tabes	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	138	3	2	2	....	....	7	2	....	12	24	24	8	15	7	12	7	3	7	4	1	2	....	1	....	1	1
	F.	126	5	....	....	1	....	6	2	5	11	19	26	18	9	9	4	6	3	1	5	1	1	....	....	....	....	....
5. Hydrocephalus	M.	21	6	10	2	1	....	19	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	2	2	2	1	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	11	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	3	1	2	1	1	....	1	1	....	....	....
	F.	20	....	....	....	....	....	....	....	....	....	....	....	....	3	2	2	3	3	2	2	1	1	1	....	....	....	....
7. Tumor	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	2	3	....	....	....	....	....	....	....	....
8. Anæmia	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	1	....	....	....	....
	F.	8	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1	2	1	3	....	....	....	....	....	....	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		273	40	22	13	4	5	84	12	3	5	6	4	10	10	11	15	17	21	17	11	18	18	9	1	1	....	....
Males		153	24	14	7	1	2	48	4	3	2	3	1	5	8	5	9	12	13	8	9	9	7	5	1	1	....	....
Females		120	16	8	6	3	3	36	8	....	3	3	3	5	2	6	6	5	8	9	2	9	11	4	....	....	....	....
1. Inflammation of the brain	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	23	2	6	2	1	1	12	2	2	1	1	....	....	....	1	2	1	1	....	....	....	....	....	....	....	....	....
	F.	21	1	4	1	3	....	9	5	....	....	1	1	....	1	1	1	....	....	1	....	....	1	....	....	....	....	....
3. Apoplexy	M.	31	....	....	....	....	....	....	....	....	....	....	1	1	1	1	1	3	6	4	1	2	5	4	....	1	....	....
	F.	33	2	....	....	....	....	2	....	....	1	....	1	1	1	1	2	2	2	3	1	2	3	1	....	....	....	....
4. Paralysis	M.	25	....	....	1	....	....	1	....	....	....	....	....	1	5	1	2	5	4	2	1	3	....	....	....	....	....	....
	F.	21	1	1	....	....	....	2	....	....	1	....	....	....	....	....	1	2	2	2	1	4	6	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	5	....	....	....	....	....	....	....	....	1	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	28	13	6	4	....	....	23	2	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
	F.	20	9	3	4	....	2	18	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	14	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	1	1	2	3	2	1	1	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	1	1	....	1	....	1	....	....	....	....
9. Diseases of the brain	M.	23	7	2	....	....	1	10	....	....	....	1	....	....	1	1	2	2	....	....	5	1	....	....	....	....	....	....
	F.	20	2	....	1	....	1	4	....	....	1	2	....	1	....	1	1	1	3	1	....	2	1	2	....	....	....	....
10. Diseases of the spinal cord	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		101	3	....	....	....	1	4	1	1	5	4	5	2	8	5	10	5	10	8	14	6	8	4	1	....	....	....
Males		58	3	....	....	....	....	3	1	1	3	2	1	....	6	1	7	4	8	4	8	4	4	....	1	....	....	....
Females		43	....	....	....	....	1	1	....	....	2	2	4	2	2	4	3	1	2	4	6	2	4	4	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	57	2	....	....	....	....	2	1	1	3	2	1	....	6	1	7	4	8	4	8	4	4	....	1	....	....	....
	F.	43	....	....	....	....	1	1	....	....	2	2	4	2	2	4	3	1	2	4	6	2	4	4	....	....	....	....
4. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		247	63	25	14	12	4	118	6	1	1	4	7	9	8	9	10	11	11	9	12	12	8	8	2	1	....	....
Males		130	32	13	10	4	1	60	5	1	....	4	3	7	7	5	5	8	5	3	3	6	5	3	....	....	....	....
Females		117	31	12	4	8	3	58	1	....	1	....	4	2	1	4	5	3	6	6	9	6	3	5	2	1	....	....
1. Croup	M.	14	2	1	5	2	1	11	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	....	3	3	....	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	16	12	2	....	....	....	14	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	18	7	5	....	....	....	12	....	....	....	....	....	....	....	....	1	1	....	....	2	1	1	....	....	....	....	....
4. Pneumonia	M.	84	13	8	4	2	....	27	1	1	....	3	5	7	5	4	4	7	4	3	2	5	5	3	....	....	....	....
	F.	79	17	7	1	4	3	32	....	....	....	....	4	2	1	3	4	2	6	5	6	5	2	4	2	1	....	....
5. Pleurisy	M.	3	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
7. Others of this group	M.	13	5	1	1	....	....	7	....	....	....	1	....	....	1	1	1	....	1	....	....	1	....	....	....	....	....	....
	F.	9	6	....	....	1	....	7	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 5.—HARTFORD, CONN.; WORCESTER, MASS.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		74	11	3	1	....	....	15	1	1	2	3	3	1	3	2	7	3	4	11	11	2	2	1	1	....	....	1
Males		38	8	....	....	....	....	8	1	1	1	1	1	1	1	1	3	....	2	4	8	1	2	....	1	....	....	1
Females		36	3	3	1	....	....	7	....	....	1	2	2	....	2	1	4	3	2	7	3	1	....	1	....	....	....	....
1. Dentition	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	2	2	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	1	....	....	1	....	....	....	....
5. Obstruction of the bowels	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	3	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	5	4	....	....	....	....	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	13	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	....	1	2	4	....	1	....	....	....	1
	F.	9	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	2	....	3	1	1	....	....	....	....	....	....
11. Peritonitis	M.	6	1	....	....	....	....	1	1	1	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	1	1	1	....	2	1	1	....	....	1	1	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		47	....	1	....	....	....	1	....	1	1	2	1	3	4	6	3	1	2	3	7	6	5	....	1	....	....	....
Males		20	....	1	....	....	....	1	....	....	1	....	....	....	3	1	1	....	....	....	3	5	4	....	1	....	....	....
Females		27	....	....	....	....	....	....	....	1	....	2	1	3	1	5	2	1	2	3	4	1	1	....	....	....	....	....
1. Bright's disease	M.	15	....	1	....	....	....	1	....	....	1	....	....	....	3	1	1	....	....	....	2	4	1	....	1	....	....	....
	F.	19	....	....	....	....	....	....	....	1	....	1	1	2	1	4	1	1	....	3	2	1	1	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	2	....	2	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	3	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		3	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	3	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		8	....	....	....	....	....	....	....	....	....	2	2	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	7	....	....	....	....	....	....	....	....	....	2	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 5.—HARTFORD, CONN.; WORCESTER, MASS.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	5									1				1		1			2								
Males	4									1						1			2								
Females	1													1													
1. Abscess M.	4									1						1			2								
1. Abscess F.	1													1													
2. Carbuncle M.																											
2. Carbuncle F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1												1														
Males	1												1														
Females																											
1. Addison's disease M.	1												1														
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	63	3	1		1		5	7	3	4	8	4	7	3	4	4	4	2	2	1	1	2		1	1		
Males	51	3			1		4	5	3	3	7	2	6	3	4	4	4	2		1	1	2					
Females	12		1				1	2		1	1	2	1						2					1	1		
1. Burns and scalds M.	2	1			1		2																				
1. Burns and scalds F.	2										1	1															
2. Drowned M.	12							1	3		2	1		2	1	1	1										
2. Drowned F.	4		1				1	1		1			1														
3. Exposure and neglect M.																											
3. Exposure and neglect F.																											
4. Gunshot wounds M.	1													1													
4. Gunshot wounds F.																											
5. Homicide M.																											
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.	14							2		2	4		4		1						1						
8. Railroad accidents F.	2							1											1								
9. Suffocation M.																											
9. Suffocation F.																											
10. Suicide by shooting M.																											
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.																											
12. Suicide by poison F.																											
13. Other suicides M.	9										1				1	3	1	2				1					
13. Other suicides F.																											
14. Sunstroke M.	1																			1							
14. Sunstroke F.																											
15. Surgical operations M.																											
15. Surgical operations F.																											
16. Wounds M.																											
16. Wounds F.																											
17. Other accidents and injuries M.	12	1					2	2		1		1	2		1		2					1					
17. Other accidents and injuries F.	4											1							1					1	1		

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 6.—PATERSON, N. J.; SCRANTON, PA.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1570	365	148	76	58	45	692	117	45	48	55	43	63	53	65	53	56	57	52	53	37	43	15	7	0	4	6
Total: Males		816	196	78	37	37	23	371	60	28	22	27	20	29	31	35	24	34	28	31	26	19	18	5	1	2	1	4
Females		754	169	70	39	21	22	321	57	17	26	28	23	34	22	30	29	22	29	21	27	18	25	10	6	4	3	2
Unknown causes.																												
Total		19	10	1	....	....	....	11	....	....	1	1	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....	2
Males		8	3	1	....	....	....	4	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1
Females		11	7	....	....	....	....	7	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		403	93	75	24	28	27	247	50	14	9	8	4	9	3	3	2	9	8	7	5	3	4	1	....	..	....	1
Males		212	52	41	11	21	12	137	32	7	2	4	1	4	1	2	....	8	1	5	1	2	3	1	....	....	....	1
Females		191	41	34	13	7	15	110	34	7	7	4	3	5	2	1	2	1	7	2	4	1	1	....	....	....	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	8	3	2	1	2	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	2	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	51	2	8	3	12	9	34	10	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	42	....	8	7	4	8	27	13	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	38	4	8	5	4	3	24	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	25	1	8	2	3	6	15	9	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	2	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	10	....	....	....	....	....	....	....	2	....	2	....	2	....	....	....	2	....	1	....	....	....	....	....	....	....	....	1
	F.	14	....	....	....	....	....	....	1	1	5	....	....	1	1	....	2	1	1	....	1	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	10	6	3	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	11	8	1	1	....	....	10	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	22	5	4	....	2	....	11	3	....	1	....	....	1	....	2	....	1	1	2	....	....	....	....	....	....	....	....	....
	F.	16	....	3	....	....	1	4	5	2	1	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....
11. Enteritis	M.	7	4	2	....	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	2	1	1	....	....	4	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	9	3	....	....	....	....	3	2	....	....	....	1	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....
	F.	8	1	1	....	....	....	2	1	....	....	....	....	....	....	1	....	....	2	1	....	....	1	....	....	....	....	....	....
13. Cholera infantum	M.	36	23	12	1	....	....	36	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	39	26	13	....	....	....	39	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	11	....	1	....	....	....	1	2	....	....	....	....	....	....	....	....	3	....	....	1	....	3	1	....	....	....	....	....
	F.	10	....	....	2	....	....	2	....	1	1	....	....	1	....	....	....	....	3	....	2	....	....	....	....	....	....	....	....
15. Erysipelas	M.	3	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	5	....	....	....	....	....	....	....	....	....	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		20	16	....	....	....	....	16	....	....	....	....	....	....	....	1	....	....	1	....	....	1	1	....	....	....	....	....
Males		9	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females		11	8	....	....	....	....	8	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
General diseases—C.																												
Total		134	67	9	3	....	....	79	....	....	....	....	....	....	....	....	....	1	....	....	4	9	19	6	6	6	3	1
Males		65	38	6	1	....	....	45	....	....	....	....	....	....	....	....	....	....	....	....	2	5	9	1	1	2	....	....
Females		69	29	3	2	....	....	34	....	....	....	....	....	....	....	....	....	1	....	....	2	4	10	5	5	4	3	1
1. Premature birth	M.	11	11	....	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	14	....	....	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	30	24	6	1	....	....	31	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	1	....	....	....
	F.	21	12	3	2	....	....	17	....	....	....	....	....	....	....	....	....	1	....	....	2	1	....	....	....	....	....	....	....
5. Old age	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	8	1	1	1	....	....	....
	F.	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	10	5	5	4	3	1	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 6.—PATERSON, N. J.; SCRANTON, PA.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		290	20	11	5	5	1	42	12	6	21	31	23	22	24	26	21	17	15	10	7	6	4	3	....	....	....	....
Males		128	10	6	2	3	1	22	5	3	11	14	9	8	13	13	8	6	6	3	4	2	1	....	....	....	....
Females		102	10	5	3	2	....	20	7	3	10	17	14	14	11	13	13	11	9	7	3	4	3	3	....	....	....	....
1. Rheumatism	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	100	2	2	1	1	....	6	4	1	11	14	9	8	13	12	4	6	4	....	3	2	1	....	....	....	....	....
	F.	109	1	2	2	1	....	6	2	2	9	16	14	13	10	7	8	8	3	5	2	2	1	1	....	....	....	....
5. Hydrocephalus	M.	12	6	3	1	1	1	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	3	2	1	....	....	6	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....
	F.	25	....	1	....	....	....	1	....	....	....	....	....	....	1	4	5	2	5	2	1	1	2	1	....	....	....	....
7. Tumor	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	8	1	....	....	1	....	2	....	....	....	....	....	....	....	1	2	....	....	2	1	....	....	....	....	....	....	....
	F.	13	2	....	....	1	....	3	2	....	1	....	....	1	....	2	....	1	1	....	....	1	....	1	....	....	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		209	73	23	11	9	5	121	12	4	5	2	5	7	2	4	4	3	9	11	10	5	3	2	....	....	....	....
Males		103	35	11	5	3	2	56	7	3	3	1	3	2	2	2	3	1	4	8	5	2	....	1	....	....	....	....
Females		106	38	12	6	6	3	65	5	1	2	1	2	5	....	2	1	2	5	3	5	3	3	1	....	....	....	....
1. Inflammation of the brain	M.	5	1	2	....	....	1	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	4	2	1	1	....	8	2	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Meningitis	M.	14	2	2	....	2	1	7	2	....	3	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	11	3	1	1	....	....	5	2	....	....	1	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....
3. Apoplexy	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	1	3	1	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	2	....	1	1	1	1	....	....	....	....
4. Paralysis	M.	9	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	....	1	2	....	1	....	1	....	....	....	....
	F.	10	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	1	1	3	....	2	....	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	3	....	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
7. Convulsions	M.	43	28	6	4	1	....	39	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	51	31	7	4	5	3	50	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	14	1	1	1	....	....	3	2	....	....	....	1	1	....	1	....	....	1	3	2	....	....	....	....	....	....	....
	F.	7	....	1	....	....	....	1	....	....	1	....	1	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		78	3	....	—	1	....	4	2	4	....	....	2	7	1	4	7	10	7	5	8	5	7	2	....	....	....	....
Males		37	2	....	....	1	....	3	1	2	....	....	....	3	1	1	2	6	5	....	6	2	4	1	....	....	....	....
Females		41	1	....	....	....	....	1	1	2	....	....	2	4	3	3	5	4	2	5	2	3	3	1	....	....	....	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	31	....	....	....	1	....	1	1	2	....	....	....	3	1	1	1	4	5	....	6	1	4	1	....	....	....	....
	F.	40	....	....	....	....	....	....	1	2	....	....	2	4	3	3	5	4	2	5	2	3	3	1	....	....	....	....
4. Others of this group	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		251	69	28	27	12	9	145	12	4	4	4	2	7	7	9	10	5	12	11	9	3	4	1	1	....	1	....
Males		148	40	12	16	8	5	81	7	2	....	4	2	5	5	7	4	5	7	9	4	3	1	1	....	....	1	....
Females		103	29	16	11	4	4	64	5	2	4	....	....	2	2	2	6	....	5	2	5	....	3	....	1	....	....	....
1. Croup	M.	38	12	5	8	6	3	34	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	3	10	10	2	2	27	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	23	12	2	2	....	....	16	....	1	....	....	....	....	1	....	....	....	1	2	....	1	1	....	....	....	....	....
	F.	18	10	2	....	2	1	15	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	69	9	5	6	1	....	21	4	....	....	4	1	4	4	6	4	4	6	5	3	2	....	1	....	....	1	....
	F.	49	13	3	1	....	1	18	1	2	3	....	....	1	1	2	6	....	4	2	5	....	3	....	1	....	....	....
5. Pleurisy	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	2	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	11	7	....	....	1	2	10	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	3	1	....	....	....	4	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 6.—PATERSON, N. J.; SCRANTON, PA.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		43	6	....	1	1	....	8	1	2	3	1	2	1	1	5	1	6	3	2	3	3	....	....	....	....	....	1
Males		22	3	....	....	1	....	4	....	1	1	1	1	....	....	1	1	5	2	1	1	2	....	....	....	....	....	1
Females		21	3	....	1	....	....	4	1	1	2	....	1	1	1	4	....	1	1	1	2	1	....	....	....	....	....	....
1. Dentition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	3	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	5	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	1	1	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
11. Peritonitis	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	1	2	....	1	....	1	3	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		32	....	....	4	2	....	6	2	1	....	1	1	2	2	2	3	2	....	3	5	1	1	....	....	....	....	....
Males		16	....	....	1	....	....	1	1	1	....	....	....	1	2	1	2	1	....	3	2	1	....	....	....	....	....	....
Females		16	....	....	3	2	....	5	1	....	....	1	1	1	....	1	1	1	....	....	3	....	1	....	....	....	....	....
1. Bright's disease	M.	8	....	....	1	....	....	1	....	1	....	....	....	....	1	....	2	1	....	1	1	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	1	....	....	2	....	1	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	4	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	7	....	....	2	2	....	4	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		8	....	....	....	....	....	....	....	....	....	4	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	5	....	....	....	....	....	....	....	....	....	2	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	2	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		5	....	....	....	....	....	....	2	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
Males		3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
Females		2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 6.—PATERSON, N. J.; SCRANTON, PA.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4	1	1				2	1	1																	
Males		3	1	1				2		1																	
Females		1							1																		
1. Abscess	M.	2		1				1		1																	
	F.	1							1																		
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.	1	1					1																			
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		72	7		1		3	11	7	8	5	3	4	6	7	10	3	2	1	3	1						1
Males		62	4		1		3	8	6	8	5	2	4	5	7	8	3	2	1	2							1
Females		10	3					3	1			1		1		2				1	1						
1. Burns and scalds	M.	2					1	1									1										
	F.	2							1											1							
2. Drowned	M.	9					2	2	2		3		1	1													
	F.	1														1											
3. Exposure and neglect	M.	1	1					1																			
	F.																										
4. Gunshot wounds	M.	2													1			1									
	F.																										
5. Homicide	M.																										
	F	1														1											
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	14							2	3	1	1	2	2	1	2											
	F.	1												1													
9. Suffocation	M.	5	2					2	1						1												1
	F.	2	2					2																			
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	3								1						2											
	F.																										
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	26	1		1			2	1	4	1	1	1	2	4	4	2	1	1	2							
	F.	3	1					1				1									1						

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 7.—BUFFALO, N. Y.; CHICAGO, ILL.; CLEVELAND, OHIO; DETROIT, MICH.; MILWAUKEE, WIS.; ROCHESTER, N. Y.; TOLEDO, OHIO.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		21412	6710	1822	1040	857	622	11051	1506	446	554	807	751	774	749	658	619	624	567	532	452	431	373	253	98	47	28	92
Total: Males		11442	3783	949	524	439	323	6018	747	230	246	383	365	413	392	379	363	372	343	283	251	220	190	119	44	22	14	48
Females		9970	2927	873	516	418	299	5033	759	216	308	424	386	361	357	279	256	252	224	249	201	211	183	134	54	25	14	44
Unknown causes.																												
Total		147	67	3	2	2	1	75	4	5	....	3	4	5	4	6	10	6	5	6	2	1	4	1	....	....	....	6
Males		83	43	....	1	2	....	46	1	4	....	....	1	2	2	2	6	4	3	4	2	....	2	1	....	....	....	3
Females		64	24	3	1	....	1	29	3	1	....	3	3	3	2	4	4	2	2	2	....	1	2	....	....	....	....	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		6222	1793	898	505	493	361	4050	916	195	129	160	130	120	116	61	62	67	44	49	32	25	30	13	5	1	1	16
Males		3093	985	458	244	259	172	2118	417	87	54	63	42	45	40	33	42	38	28	25	19	17	13	4	2	1	1	4
Females		3129	808	440	261	234	189	1932	499	108	75	97	88	75	76	28	20	29	16	24	13	8	17	9	3	....	....	12
1. Small-pox	M.	2	....	....	....	1	....	1	....	....	1	1	....	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	6	1	....	....	1	....	2	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	133	44	47	17	11	4	123	6	1	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	153	48	37	18	15	6	124	21	3	1	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	440	33	58	66	82	60	299	113	18	5	3	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	481	24	58	71	81	62	296	140	29	5	2	3	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	2
4. Diphtheria	M.	828	63	112	117	136	95	523	246	38	6	3	3	4	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	834	40	105	115	119	102	481	273	49	13	1	4	5	1	....	1	2	....	....	....	....	....	1	....	....	....	....	3
5. Hooping-cough	M.	60	40	11	2	1	3	57	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	64	32	11	16	....	4	63	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	2	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	40	6	7	5	4	1	23	6	....	3	1	....	4	....	1	1	1	....	....	....	....	1	....	....	....	....	....	1
	F.	26	3	7	2	2	1	15	5	1	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	1	1
8. Enteric fever	M.	170	2	....	5	5	3	15	17	13	25	23	20	9	12	7	9	4	7	4	2	....	1	....	....	....	....	....	....
	F.	195	2	3	1	1	6	13	23	16	28	31	20	18	15	2	3	7	7	4	2	....	3	2	1	....	....	....	....
9. Diarrhœa	M.	254	172	47	8	1	....	228	....	1	....	2	....	1	2	1	2	2	....	2	1	4	4	2	....	....	....	....	2
	F.	193	125	43	4	3	1	176	1	1	....	....	....	1	....	1	....	3	1	2	1	1	4	1	....	....	....	....	....
10. Dysentery	M.	142	76	32	5	6	....	119	1	2	2	2	1	4	1	1	1	3	1	....	2	1	1	....	....	....	....	....	....
	F.	109	47	31	5	....	....	83	....	....	2	5	1	3	....	2	....	2	1	3	....	2	3	1	1	....	....	....	1
11. Enteritis	M.	243	116	29	2	5	2	154	10	7	8	6	4	4	7	8	5	7	7	4	4	4	1	1	1	....	....	....	1
	F.	191	89	20	6	4	3	122	8	4	3	5	7	5	8	6	3	4	2	3	3	1	3	2	....	....	....	....	2
12. Cholera morbus	M.	35	4	1	1	....	1	7	4	2	....	2	1	....	2	2	3	4	2	2	2	2	....	....	....	....	....	....	....
	F.	28	3	2	....	....	....	5	8	1	....	....	1	1	4	1	....	2	....	2	1	2	....	....	....	....	....	....	....
13. Cholera infantum	M.	498	386	103	7	1	1	498	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	489	357	113	16	2	....	488	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	95	13	5	4	4	1	27	5	2	3	9	7	4	2	2	8	6	6	5	4	1	1	....	....	1	....	....	....
	F.	83	8	2	5	1	2	18	10	4	5	9	4	6	5	5	4	1	2	3	1	1	3	1	1	....	....	....	....
15. Erysipelas	M.	58	18	2	2	....	....	22	1	1	1	3	3	3	4	3	3	3	1	3	1	2	3	1	....	....	....	....	....
	F.	52	17	4	1	1	....	23	....	....	2	1	4	4	4	3	6	1	....	2	2	....	....	....	....	....	....	....	....
16. Septicæmia	M.	33	3	2	1	....	1	7	1	1	....	1	....	5	3	2	3	4	2	1	3	....	....	....	....	....	....	....	....
	F.	39	4	1	1	1	....	7	3	....	3	6	6	....	5	1	2	3	....	2	1	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	138	....	....	....	....	....	....	....	....	8	37	35	26	25	4	1	....	....	....	....	1	....	....	....	....	....	....	2
18. Venereal diseases	M.	17	9	....	....	....	....	9	....	....	....	....	1	1	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	5	1	....	....	....	6	....	....	....	....	....	....	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	40	....	2	1	2	....	5	4	1	....	5	....	4	3	2	2	3	2	4	....	2	2	....	1	....	....	....	....
	F.	34	3	2	....	1	2	8	4	....	2	....	2	3	2	....	....	4	3	2	2	1	....	1	....	....	....	....	....
General diseases—B.																													
Total		386	265	21	9	2	2	299	2	2	4	4	6	10	12	8	9	8	2	5	4	1	1	2	....	....	....	7
Males		223	148	9	5	....	1	163	1	1	2	2	5	8	9	8	5	5	2	4	2	1	....	1	....	....	....	....	4
Females		163	117	12	4	2	1	136	1	1	2	2	1	2	3	....	4	3	....	1	2	....	1	1	....	....	....	....	3
1. Worms	M.	5	2	1	2	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	34	....	....	....	....	....	....	....	....	....	....	....	6	7	8	3	4	1	3	1	1	....	....	....	....	....	....	....
	F.	10	....	....	....	....	....	....	....	....	....	2	1	2	2	....	2	1	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	14	....	1	2	....	....	3	....	....	1	1	4	2	1	....	1	....	1	....	....	1	....	....	....	....	....	....	....
	F.	3	....	1	1	....	....	2	....	1	1	....	....	....	1	....	2	....	....	....	1	....	....	1	....	....	....	....	1
6. Inanition	M.	167	146	7	1	....	1	155	1	1	1	1	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	3
	F.	142	117	10	3	1	1	132	....	....	1	....	....	....	....	....	....	2	....	1	1	....	1	1	....	....	....	....	....
General diseases—C.																													
Total		2580	1030	27	12	6	2	1986	5	3	2	7	5	2	7	10	3	15	4	25	44	73	126	131	62	37	24	11
Males		1389	1102	12	10	3	1	1128	3	3	2	2	1	2	2	7	2	5	2	11	17	30	50	63	29	16	12	2
Females		1191	837	15	2	3	1	858	2	....	....	5	4	....	5	9	1	10	2	14	27	43	76	68	33	21	12	1
1. Premature birth	M.	135	135	....	....	....	....	135	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	102	102	....	....	....	....	102	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	788	738	....	....	....	....	738	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	542	542	....	....	....	....	542	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	17	16	....	....	....	....	16	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	11	....	....	....	1	12	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Debility	M.	328	199	8	7	3	1	218	3	3	2	2	1	2	2	6	2	5	2	11	11	14	21	10	8	2	1	3
	F.	308	173	15	2	2	....	192	2	....	....	5	4	....	5	8	1	9	2	12	15	16	17	13	6	1	....	....
5. Old age	M.	150	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	6	16	29	53	21	14	11	....	....
	F.	215	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	12	27	59	55	27	20	12	....	....
6. Atrophy	M.	21	14	4	3	....	....	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	9	....	....	1	....	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 7.—BUFFALO, N. Y.; CHICAGO, ILL.; CLEVELAND, OHIO; DETROIT, MICH.; MILWAUKEE, WIS.; ROCHESTER, N. Y.; TOLEDO, OHIO—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		3124	199	85	52	27	31	394	66	66	191	342	306	274	247	207	209	194	191	153	107	78	48	22	12	2	2	13
Males		1583	118	51	23	14	19	225	28	27	64	170	149	145	127	106	96	114	111	79	61	40	18	10	6	....	....	7
Females		1541	81	34	29	13	12	169	38	39	127	172	157	129	120	101	113	80	80	74	46	38	30	12	6	2	2	6
1. Rheumatism	M.	35	....	....	....	....	1	1	4	3	3	....	2	2	1	1	2	1	7	2	1	1	1	....	2	....	....	1
	F.	27	....	....	1	....	....	1	2	1	6	....	3	1	4	1	....	1	1	2	....	1	2	1	....	....	....	....
2. Scrofula and tabes	M.	41	22	6	4	....	2	34	1	....	1	1	....	....	....	....	....	1	....	1	2	....	....	....	....	....	....	....
	F.	33	11	5	3	....	....	19	4	2	1	2	1	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	1076	27	16	8	4	6	61	13	7	56	160	139	128	109	80	67	72	71	43	30	21	8	5	1	....	....	5
	F.	1001	29	13	12	5	5	64	14	27	115	163	139	111	88	63	56	32	38	34	20	13	11	4	2	2	1	4
5. Hydrocephalus	M.	108	50	24	9	7	6	96	4	3	....	....	2	1	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....
	F.	80	30	15	8	4	5	62	10	4	1	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....
6. Cancer	M.	153	3	1	1	....	1	6	1	1	....	4	2	7	6	14	15	20	22	21	16	13	3	1	1	....	....	....
	F.	214	1	....	1	1	....	3	....	....	2	2	5	9	14	26	39	37	24	17	18	9	5	1	2	....	....	1
7. Tumor	M.	25	3	1	....	....	....	4	2	2	....	1	1	2	1	....	2	3	3	1	1	1	....	1	....	....	....	....
	F.	26	1	....	....	....	....	1	....	....	....	2	2	3	3	2	4	2	1	4	....	2	....	....	....	....	....	....
8. Anæmia	M.	5	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	13	1	....	2	....	....	3	....	1	....	....	1	....	1	1	1	2	....	2	....	....	1	....	....	....	....	....	....
9. Dropsy	M.	115	6	2	1	2	2	13	3	9	4	2	3	4	7	10	10	13	7	11	7	3	4	2	2	....	....	1
	F.	136	7	1	2	3	2	15	6	4	2	3	5	4	8	7	12	4	14	13	8	12	9	6	2	....	1	1
10. Glycosuria	M.	17	....	....	....	....	1	1	....	1	....	1	....	1	3	1	....	1	1	....	3	1	2	1	....	....	....	....
	F.	8	....	....	....	....	....	....	2	....	....	....	....	....	1	....	1	1	1	....	....	1	1	....	....	....	....	....	....
11. Others of this group	M.	8	4	1	....	1	....	6	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		2917	1376	299	140	80	55	1950	129	31	43	38	44	54	61	64	68	72	82	62	58	68	44	25	7	1	1	15
Males		1612	770	154	70	42	30	1066	63	20	16	16	31	33	40	41	43	36	48	32	37	35	28	14	3	1	1	8
Females		1305	606	145	70	38	25	884	66	11	27	22	13	21	21	23	25	36	34	30	21	33	16	11	4	....	....	7
1. Inflammation of the brain	M.	111	26	28	10	6	1	71	10	2	1	2	4	4	3	4	3	2	1	....	1	2	1	....	....	....	....	....
	F.	84	25	13	6	8	4	56	10	3	3	....	1	3	....	2	1	3	....	1	....	1	....	....	....	....	....	....
2. Meningitis	M.	218	86	36	14	12	9	157	21	3	6	3	2	5	5	5	1	4	2	1	....	1	....	1	....	....	1	....
	F.	187	69	36	20	7	5	137	24	....	7	3	2	1	2	2	2	....	1	....	4	....	1	....	....	....	....	1
3. Apoplexy	M.	144	5	1	....	....	....	6	....	1	....	1	8	9	8	9	17	13	26	13	10	14	6	1	1	....	....	1
	F.	100	6	....	1	....	1	8	....	1	2	2	1	3	7	8	7	8	20	8	7	13	6	4	1	....	....	....
4. Paralysis	M.	115	1	2	3	2	2	10	2	....	1	2	3	2	4	8	4	7	7	10	16	10	17	9	2	1	....	....
	F.	79	2	....	1	1	....	4	2	....	....	....	....	3	3	3	4	11	8	10	7	13	7	5	....	....	....	....
5. Tetanus and trismus nascentium.	M.	33	21	....	....	....	2	23	2	1	1	1	....	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	19	11	....	....	1	....	12	....	....	1	1	....	....	....	1	1	2	....	1	....	....	....	....	....	....	....	....
6. Epilepsy	M.	27	6	....	....	....	....	6	....	2	1	2	2	1	3	1	3	1	2	....	1	2	....	....	....	....	....	....
	F.	23	3	....	....	....	....	3	1	2	2	2	....	5	1	1	2	....	1	1	....	1	1	....	....	....	....	....
7. Convulsions	M.	724	573	62	31	14	13	693	16	5	....	....	1	1	....	....	3	....	....	....	....	....	....	....	....	....	....	5
	F.	624	439	82	32	14	10	577	19	2	6	4	3	1	2	....	3	3	1	....	....	....	....	....	....	....	....	3
8. Mental diseases	M.	21	....	....	....	....	....	....	....	....	....	1	1	3	4	2	2	....	5	1	....	2	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	3	....	....	2	1	1	....	1	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	174	44	23	10	6	1	84	9	4	4	4	7	3	9	10	6	5	5	5	9	3	4	1	....	....	....	2
	F.	131	39	13	10	4	3	69	7	....	4	5	3	5	4	5	2	4	2	6	3	4	1	2	2	....	....	3
10. Diseases of the spinal cord	M.	34	8	2	1	2	2	15	3	1	1	....	2	1	1	1	2	2	....	2	....	1	....	2	....	....	....	....
	F.	37	12	1	....	3	2	18	3	2	1	3	....	....	2	....	1	4	1	1	....	1	....	....	....	....	....	....
11. Others of this group	M.	11	....	....	1	....	....	1	....	1	1	....	1	2	2	....	1	2	....	....	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	1	1	2	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		693	35	3	1	5	2	46	25	32	27	24	34	52	36	52	51	65	54	63	46	37	32	14	1	1	....	1
Males		380	27	1	1	4	1	34	15	10	13	11	15	32	22	24	33	40	30	28	26	20	19	6	1	....	....	1
Females		313	8	2	....	1	1	12	10	22	14	13	19	20	14	28	18	25	24	35	20	17	13	8	....	1	....	....
1. Angina pectoris	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	10	....	....	....	....	....	....	....	....	....	....	1	3	....	1	2	....	....	1	....	....	2	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	350	10	1	1	4	1	23	15	10	13	11	14	29	20	22	29	39	30	27	25	20	17	5	1	....	....	....
	F.	298	4	1	....	1	1	7	8	21	14	13	18	19	14	26	17	25	24	34	19	17	13	8	....	1	....	....
4. Others of this group	M.	16	11	....	....	....	....	11	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	1	....	....	....	....	1
	F.	10	1	1	....	....	....	3	2	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		2802	644	391	258	202	137	1632	233	27	44	56	66	59	65	85	81	72	69	71	80	74	45	24	9	2	....	8
Males		1525	374	219	135	97	79	904	131	12	19	27	32	33	43	55	51	41	37	35	34	27	28	8	1	2	....	5
Females		1277	270	172	123	105	58	728	102	15	25	29	34	26	22	30	30	31	32	36	46	47	17	16	8	....	....	3
1. Croup	M.	397	49	72	63	57	62	303	86	4	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1
	F.	307	36	53	52	63	37	241	60	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
2. Laryngitis	M.	21	4	5	3	1	1	14	4	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	25	3	6	2	6	2	19	3	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	244	114	43	23	15	2	197	8	1	2	....	1	1	1	2	4	3	4	3	5	2	7	2	....	....	....	1
	F.	199	71	33	25	9	4	142	8	2	2	3	2	1	1	6	1	1	2	3	7	7	3	5	2	....	....	1
4. Pneumonia	M.	661	149	92	39	19	10	309	26	6	12	30	25	27	38	42	33	26	21	24	20	16	13	4	1	1	....	2
	F.	561	109	66	38	22	11	246	28	7	16	18	25	19	14	19	27	22	20	23	25	30	12	7	3	....	....	....
5. Pleurisy	M.	25	1	....	1	1	1	4	2	....	....	1	1	....	4	3	2	2	2	1	....	1	1	1	....	....	....	....
	F.	21	3	....	1	....	1	5	....	....	....	3	1	....	3	....	....	1	2	1	2	3	....	....	....	....	....	....
6. Asthma	M.	32	4	....	1	....	....	5	1	....	....	....	....	1	2	3	2	3	4	....	4	2	4	1	....	....	....	....
	F.	36	5	....	....	....	....	5	....	....	....	2	1	....	1	3	....	3	4	5	5	3	2	1	1	....	....	....
7. Others of this group	M.	145	53	7	5	4	3	72	4	1	5	4	5	4	3	3	10	7	5	7	5	6	3	....	1	....	....	....
	F.	128	43	14	5	5	3	70	3	1	6	2	4	6	3	2	2	4	4	4	7	4	....	3	2	....	....	1

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 7.—BUFFALO, N. Y.; CHICAGO, ILL.; CLEVELAND, OHIO; DETROIT, MICH.; MILWAUKEE, WIS.; ROCHESTER, N. Y.; TOLEDO, OHIO—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total	992	320	72	24	11	5	432	25	14	31	38	35	54	56	43	41	39	43	49	33	32	14	9	2	1		10
Males	562	181	31	11	5	4	232	19	7	16	15	15	30	19	24	22	21	28	25	19	22	8	4	2			4
Females	460	139	41	13	6	1	200	6	7	15	23	20	24	37	19	19	18	15	15	14	10	6	5		1		6
1. Dentition M.	29	16	10	1	2		29																				
1. Dentition F.	43	20	22	1			43																				
2. Angina M.	16	7	2	4			13	1							1						1						
2. Angina F.	21	7	2	3	1		13	2	2						1	2						1					
3. Gastritis M.	38	11	4	1		1	17						7	2	3	1		1		2	4		1				
3. Gastritis F.	38	4	1		1	1	7			3	4	1	2	6	2	3	2	2	3	1	1	1					
4. Other diseases of the stomach. M.	45	7	1		1		9	4	2		3	3	1	1	3	3	2	2	4	4	3		1				
4. Other diseases of the stomach. F.	29	6	1		1		8	1		1	1	3	1	2	1		2		2	1	3	1	2				
5. Obstruction of the bowels M.	21	6					6	2	1	2	1	2	1	1	2	2								1			
5. Obstruction of the bowels F.	8	2					2		2			1	1			1			1								
6. Hernia M.	13	4					4				1						3		1		1	2		1			
6. Hernia F.	11											1			1	1	2	2		1	1		1				1
7. Other diseases of the bowels. M.	14	1	4				5						1			3	1	1	3								
7. Other diseases of the bowels. F.	7	3	1				4				1	1						1									
8. Jaundice M.	15	9		1			10					1	1							1		1	1				
8. Jaundice F.	20	8	1	1			10			1			1	2			1		2	1			1		1		
9. Inflammation and abscess of the liver. M.	37	3					3	2			4	2	7	3	4	2	2	2	2	1	2	1					
9. Inflammation and abscess of the liver. F.	18	1	1				2				1	1	2	1	1	2	2	2	2	1	1						
10. Other diseases of the liver M.	74	1	1	1	1		4	2	1	1	2	1	3	2	6	4	9	14	8	7	7	2	1				
10. Other diseases of the liver F.	42	2		1			3	2		1	1	1	5	3	2	3	4	3	4	8	1	1					
11. Peritonitis M.	75	7	3			1	11	7	2	11	4	6	7	7	4	3	3	2	5	1	1	1					
11. Peritonitis F.	106	5	2	1	3		11	1	3	7	13	10	12	21	9	6	4	1		1	2	2	1				2
12. Ascites M.	5			1			1		1					1	1	1											
12. Ascites F.	5													2	1		1										
13. Others of this group M.	150	109	6	2	1	2	120	1		2			2	2		3	1	6	2	3	3	1					4
13. Others of this group F.	112	81	10	6			97			2	2	1			1	1		3	1		1						3
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	349	8	4	3	5	11	31	24	12	15	17	13	24	24	24	22	19	29	19	20	26	18	9		2		1
Males	211	4	2		2	5	13	13	9	8	7	7	12	11	12	13	15	17	11	16	20	18	7		2		
Females	138	4	2	3	3	6	18	11	3	7	10	6	12	13	12	9	4	12	8	4	6		2				1
1. Bright's disease M.	104	1				4	5	3	8	4	5	4	8	8	11	6	7	12	3	7	6	5	2				
1. Bright's disease F.	67		1	1	1	3	6	5	3	4	5	2	9	5	6	4	2	8	6	1	1						
2. Calculus, urinary M.	5																	2	1		1	1					
2. Calculus, urinary F.	1																				1						
3. Diseases of the kidney M.	57	1	2		2	1	6	6	1	2	2	2	1	3	1	6	6	3	4	2	6	3	3				
3. Diseases of the kidney F.	47	4	1	1	2	3	11	5		1	4	2	2	4	5	2	2	3		2	2		1				1
4. Diseases of the bladder M.	25							1				1	1						2	6	6	5	1		2		
4. Diseases of the bladder F.	7							1		1					1	1			1	1	1						
5. Others of this group M.	20	2					2	3		2			2			1	2		1	1	1	4	1				
5. Others of this group F.	16			1			1			1	1	2	1	4		2		1	1		1		1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females	64									1	6	10	9	8	11	4	5	3	3	2	2						
1. Ovarian tumors F.	13											3	1	1	3			1	1	1	2						
2. Ovarian diseases F.	1																		1								
3. Uterine tumors F.	9													2	2		2	1	1	1							
4. Uterine diseases F.	12											2	1	4	2	1	2										
5. Others of this group F.	29									1	4	6	4	5	4	3	1	1									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females	99									4	18	20	30	17	9	1											
1. Abortion F.	12									1	2	2	5	1		1											
2. Child-birth F.	67									2	13	15	17	12	8												
3. Others of this group F.	20									1	3	3	8	4	1												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	41		1	1	1	2	5	8	4	2	4		1	5	1	4	2	1		2	2						
Males	22		1				1	2	3	1	2		1	3	1	4		1		1	2						
Females	19			1	1	2	4	6	1	1	2			2			2			1							
1. Diseases of the spine M.	11							2	1	1	2		1	2		2											
1. Diseases of the spine F.	12			1	1	2	4	4	1		1						1			1							
2. Diseases of the bones M.	8								1						1	1	2		1		1	1					
2. Diseases of the bones F.	1										1																
3. Diseases of the hip-joint M.	2		1				1		1																		
3. Diseases of the hip-joint F.	5							2		1					1		1										
4. Others of this group M.	1																				1						
4. Others of this group F.	1													1													

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 7.—BUFFALO, N. Y.; CHICAGO, ILL.; CLEVELAND, OHIO; DETROIT, MICH.; MILWAUKEE, WIS.; ROCHESTER, N. Y.; TOLEDO, OHIO—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		53	11	2	....	1	....	14	.....	2	4	4	2	5	1	3	3	4	3	4	3	....	....	1	....	....	....	....
Males		28	3	....	....	1	....	4	.....	1	3	1	1	2	1	1	3	3	2	3	3	....	....	....	....	....	....	....
Females		25	8	2	....	....	....	10	.....	1	1	3	1	3	....	2	....	1	1	1	....	....	....	1	....	....	....	....
1. Abscess	M.	22	2	....	....	1	....	3	.....	1	1	1	1	2	1	1	2	3	1	2	3	....	....	....	....	....	....	....
	F.	14	1	1	....	....	....	2	.....	1	1	3	1	3	....	1	....	1	....	....	....	....	....	1	....	....	....	....
2. Carbuncle	M.	2	....	....	....	....	....	....	.....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	3	1	....	....	....	....	1	.....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	11	7	1	....	....	....	8	.....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		8	....	....	....	1	....	1	.....	....	2	....	1	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....
Males		5	....	....	....	1	....	1	.....	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		3	....	....	....	....	....	....	.....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Addison's disease	M.	2	....	....	....	....	....	....	.....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	.....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen	M.	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	.....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	M.	3	....	....	....	1	....	1	.....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total		934	53	16	33	21	13	136	69	53	55	86	75	75	87	68	50	55	37	32	19	12	11	2	....	....	....	13
Males		756	28	11	24	9	11	83	54	46	47	67	65	68	71	65	43	50	34	26	14	6	6	1	....	....	....	10
Females		178	25	5	9	12	2	53	15	7	8	19	10	7	16	3	7	5	3	6	5	6	5	1	....	....	....	2
1. Burns and scalds	M.	36	1	2	10	4	5	22	3	2	2	1	....	1	1	1	....	2	1	....	....	....	....	....	....	....	....	....
	F.	37	2	1	2	7	2	14	6	2	2	6	....	1	2	1	2	....	....	1	....	....	....	....	....	....	....	....
2. Drowned	M.	159	2	2	4	4	1	13	27	17	11	7	12	13	14	12	8	9	4	5	3	....	....	1	....	....	....	3
	F.	21	2	3	2	2	....	9	3	1	2	....	....	1	2	....	....	1	....	....	2	....	....	....	....	....	....	....
3. Exposure and neglect	M.	17	7	2	3	....	....	12	....	....	....	....	1	....	1	1	....	....	....	....	....	1	....	....	....	....	....	1
	F.	5	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	1
4. Gunshot wounds	M.	23	....	....	....	....	....	....	4	1	4	3	5	1	1	3	1	....	....	....	1	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide	M.	5	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery	M.	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents	M.	137	....	....	2	....	1	3	3	15	13	23	17	12	16	9	1	8	7	4	2	1	2	....	....	....	....	1
	F.	9	....	....	1	....	....	1	1	1	....	1	....	....	1	....	....	1	1	....	1	....	1	....	....	....	....	....
9. Suffocation	M.	21	10	2	....	....	....	12	....	....	....	2	1	3	....	1	....	....	....	1	....	....	....	....	....	....	....	1
	F.	12	6	1	....	1	....	8	1	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
10. Suicide by shooting	M.	28	....	....	....	....	....	....	....	....	1	5	5	3	6	2	2	3	....	1	....	....	....	....	....	....	....	1
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning	M.	10	....	....	....	....	....	....	....	....	....	1	1	1	2	1	....	2	....	....	....	....	1	....	....	....	....	1
	F.	5	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
12. Suicide by poison	M.	21	....	....	....	....	....	....	....	....	1	....	5	5	2	5	1	1	1	....	....	1	....	....	....	....	....	....
	F.	13	....	....	....	....	....	....	....	....	1	2	5	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides	M.	38	....	....	....	....	....	....	....	....	1	1	....	1	7	7	5	4	4	6	1	1	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	1	1	1	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....
14. Sunstroke	M.	9	....	....	....	....	....	....	....	....	....	....	1	2	....	....	2	2	....	2	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Surgical operations	M.	14	....	....	....	....	....	....	1	....	....	2	2	1	....	1	1	3	1	....	2	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....
16. Wounds	M.	7	1	1	....	....	....	2	1	1	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
17. Other accidents and injuries	M.	220	7	2	5	1	4	19	15	10	12	19	14	25	21	21	22	15	15	6	6	3	3	....	....	....	....	3
	F.	58	12	....	4	2	....	18	4	2	2	6	2	1	5	....	3	2	2	2	1	4	3	1	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 8.—ALBANY, N. Y.; ALLEGHENY CITY, PA.; PHILADELPHIA, PA.; PITTSBURGH, PA.; READING, PA.; RICHMOND, VA.; SYRACUSE, N. Y.; TROY, N. Y.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		26894	6734	1871	1115	691	481	10892	1159	507	735	1273	1244	1148	1205	993	963	1016	900	926	959	893	780	540	268	91	50	346
Total: Males		13865	3627	963	563	349	226	5728	582	229	346	609	630	590	649	536	524	560	518	519	504	432	357	202	106	31	16	197
Females		13029	3107	908	552	342	255	5164	577	278	389	664	614	558	556	457	439	456	382	407	455	461	423	338	162	60	40	149
Unknown causes.																												
Total		346	139	15	6	4	1	165	11	5	4	5	4	10	8	10	6	13	7	11	4	10	7	3	....	....	....	68
Males		184	66	6	3	3	1	79	6	....	3	1	....	7	3	7	4	7	6	4	3	7	3	2	....	....	....	42
Females		162	73	9	3	1	....	86	5	5	1	4	4	3	5	3	2	6	1	2	1	3	4	1	....	....	....	26
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		5687	1769	702	412	299	256	3438	608	167	144	215	163	141	130	87	83	93	76	69	63	63	64	22	10	2	2	47
Males		2830	915	349	206	157	112	1739	277	67	62	107	75	63	69	42	49	52	47	42	40	32	27	11	4	1	2	22
Females		2857	854	353	206	142	144	1699	331	100	82	108	88	78	61	45	34	41	29	27	23	31	37	11	6	1	....	25
1. Small-pox	M.	32	8	1	....	2	1	12	4	2	3	5	....	2	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	40	4	6	1	3	3	17	5	1	3	6	....	3	1	1	2	....	....	....	....	....	....	....	....	....	....	....	1
2. Measles	M.	97	32	27	19	8	3	89	4	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	96	25	22	24	7	4	82	8	1	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	303	24	36	58	48	34	200	81	13	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4
	F.	308	21	46	47	35	45	194	87	19	2	2	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	1
4. Diphtheria	M.	455	32	68	81	57	50	288	129	22	5	3	2	....	4	....	....	1	....	....	....	....	....	....	....	....	....	....	1
	F.	510	40	63	56	66	69	294	160	36	5	3	4	1	1	....	1	2	1	1	....	....	1	....	....	....	....	....	....
5. Hooping-cough	M.	116	57	31	13	9	3	113	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	135	66	29	29	7	3	134	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	9	....	....	....	....	....	....	....	1	1	1	....	1	2	1	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	1	1	....	1	2	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	37	10	8	1	4	5	28	1	1	2	1	....	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	48	12	5	6	....	....	23	12	1	2	....	3	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....	3
8. Enteric fever	M.	358	2	2	5	8	2	19	26	20	31	73	52	39	20	12	11	12	9	11	9	6	3	....	....	....	....	....	5
	F.	324	4	3	2	4	3	16	29	29	52	49	31	25	13	17	13	12	7	7	6	10	4	....	....	1	....	....	8
9. Diarrhœa	M.	156	62	20	2	3	1	88	2	....	....	1	2	5	7	5	7	5	4	4	8	5	5	3	2	....	1	2
	F.	152	68	24	4	1	....	97	....	1	1	3	4	4	4	1	1	4	1	5	4	2	8	4	3	....	....	5
10. Dysentery	M.	129	51	21	8	2	....	83	3	1	....	1	4	1	4	2	2	3	3	5	4	2	5	1	....	....	....	5
	F.	106	40	12	3	2	2	59	2	1	....	....	2	4	3	3	1	3	5	2	5	5	5	3	....	....	....	3
11. Enteritis	M.	207	79	15	5	5	2	106	14	2	8	8	4	4	7	5	10	11	3	5	6	6	3	1	1	....	....	....	....
	F.	157	46	9	10	5	4	74	11	4	3	6	2	7	5	10	6	6	5	6	3	3	3	1	1	....	....	....	1
12. Cholera morbus	M.	36	2	2	....	....	1	5	3	....	1	....	....	2	2	2	2	5	5	2	4	....	....	1	....	1	....	....	1
	F.	35	3	1	1	1	....	6	4	2	....	2	2	2	2	1	2	2	1	....	1	3	2	2	....	....	....	....	1
13. Cholera infantum	M.	636	519	104	7	2	2	634	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	633	482	129	15	4	2	632	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	59	4	6	2	5	3	20	4	3	2	2	1	4	2	....	2	3	8	1	....	3	2	....	1	....	....	....	1
	F.	51	3	3	2	3	3	14	6	....	3	5	3	2	2	2	....	1	1	3	....	3	4	....	1	....	....	....	1
15. Erysipelas	M.	57	12	3	2	1	2	20	....	....	1	4	3	1	6	2	4	1	3	4	3	4	....	1	....	....	....	....	....
	F.	60	23	1	1	1	1	27	4	1	2	4	3	2	1	3	3	2	1	1	2	1	3	....	....	....	....	....	....
16. Septicæmia	M.	81	5	2	2	1	3	13	2	....	4	4	3	2	5	7	7	9	6	9	1	3	1	1	....	....	....	....	1
	F.	65	2	....	1	3	1	7	....	1	1	8	8	6	12	3	3	6	3	....	1	1	1	....	1	....	....	....	3
17. Puerperal septicæmia	F.	76	....	....	....	....	....	....	....	....	4	15	21	16	15	3	1	....	....	....	....	....	....	....	....	....	....	....	1
18. Venereal diseases	M.	25	13	2	....	1	....	16	....	....	....	2	....	1	1	1	2	....	1	1	....	....	....	....	....	....	....	....	....
	F.	21	12	....	2	....	1	15	....	....	....	1	2	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	37	3	1	1	....	....	5	1	....	2	....	2	....	2	1	1	1	1	....	4	3	8	3	....	....	1	....	....
	F.	33	3	....	2	....	2	7	3	2	....	1	2	3	....	....	1	2	2	1	....	3	5	....	....	....	....	....	1
General diseases—B.																													
Total		568	370	27	6	6	2	411	1	2	1	10	17	17	18	21	14	10	9	12	8	4	5	1	....	....	....	7
Males		348	219	13	3	3	2	240	1	1	1	7	11	9	17	16	11	8	6	8	4	2	3	1	....	....	....	2
Females		220	151	14	3	3	....	171	....	1	....	3	6	8	1	5	3	2	3	4	4	2	2	....	....	....	....	5
1. Worms	M.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	73	....	....	....	....	....	....	....	1	....	2	3	7	13	13	8	3	6	4	2	1	....	1	....	....	....	....	....
	F.	21	....	....	....	....	....	....	....	....	....	....	3	5	1	3	3	1	1	1	1	..	1	....	....	....	....	....	1
4. Lead poison	M.	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	27	4	2	....	1	1	8	1	....	1	4	2	1	2	2	2	2	..	1	1	....	....	....	....	....	....	....	....
	F.	13	2	1	....	1	....	4	....	....	....	2	2	1	....	....	....	1	....	1	2	....	....	....	....	....	....	....	....
6. Inanition	M.	246	214	10	3	2	1	230	....	....	....	1	....	1	2	1	1	....	....	3	1	1	3	....	....	....	....	....	2
	F.	185	149	12	3	2	....	166	....	1	....	1	1	2	..	2	....	....	2	2	1	2	1	....	....	....	....	....	4
General diseases—C.																													
Total		3486	1973	116	50	12	11	2162	12	5	11	13	16	16	15	22	32	37	46	62	100	162	218	243	171	65	37	21
Males		1705	1066	57	25	5	8	1161	6	3	6	8	6	7	5	12	15	14	24	33	49	70	93	84	72	17	9	11
Females		1761	907	59	25	7	3	1001	6	2	5	5	10	9	10	10	17	23	22	29	51	92	125	159	99	48	28	10
1. Premature birth	M.	140	140	....	....	....	....	140	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	118	118	....	....	....	....	118	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	501	501	....	....	....	....	501	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	415	415	....	....	....	....	415	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	18	18	....	....	....	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	17	....	....	....	....	17	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Debility	M.	855	403	56	25	4	8	496	6	3	6	8	6	7	5	12	15	14	23	31	42	43	56	39	27	4	2	10
	F.	902	356	58	25	7	3	449	6	1	5	5	10	9	10	10	17	22	21	22	47	58	72	74	42	9	7	6
5. Old age	M.	185	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	7	27	37	45	45	13	7	1
	F.	306	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	7	4	34	53	85	57	39	21	4
6. Atrophy	M.	6	4	1	....	1	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	1	..	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 8.—ALBANY, N. Y.; ALLEGHENY CITY, PA.; PHILADELPHIA, PA.; PITTSBURGH, PA.; READING, PA.; RICHMOND, VA.; SYRACUSE, N. Y.; TROY, N. Y.—Continued.

Cause of death.		Total.	Under 1.	1	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		5459	217	141	66	44	29	497	77	99	314	679	608	516	509	380	377	337	269	223	206	146	89	43	6	2	5	71
Males		2555	117	77	33	25	11	263	35	27	115	302	283	254	246	180	178	171	137	111	93	62	44	16	2	2	....	34
Females		2904	100	64	33	19	18	234	42	72	199	377	325	262	263	206	199	166	132	112	113	84	45	27	4	....	5	37
1. Rheumatism	M.	40	....	....	....	....	....	....	....	1	1	3	2	6	3	4	1	....	5	6	3	3	....	1	....	....	....	1
	F.	32	....	....	....	....	....	....	....	5	....	2	3	1	2	....	....	1	2	2	7	3	2	2	....	....	....	....
2. Scrofula and tabes	M.	50	18	7	1	2	....	28	4	2	3	3	....	....	1	1	1	1	3	....	2	1	....	....	....	....	....	....
	F.	63	15	10	6	2	2	35	4	5	1	3	1	5	1	....	2	2	3	....	....	....	....	....	....	....	....	1
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	1947	27	18	13	9	8	70	20	18	103	283	273	239	222	148	148	128	86	71	51	34	21	6	....	1	....	25
	F.	2064	26	16	12	4	5	63	19	53	183	363	299	238	226	150	132	89	59	49	55	34	17	9	2	....	....	24
5. Hydrocephalus	M.	144	62	41	13	8	6	130	4	1	....	1	1	1	....	1	1	2	....	1	....	....	....	....	....	....	....	1
	F.	136	52	33	13	10	6	114	8	3	2	2	1	2	1	1	....	....	1	....	....	....	....	....	....	....	....	1
6. Cancer	M.	166	....	....	....	1	1	2	....	....	3	3	3	2	9	12	19	21	23	22	19	12	9	3	1	....	....	3
	F.	350	2	....	....	....	....	2	....	1	2	1	5	9	22	47	48	50	47	33	28	21	15	9	2	....	•1	7
7. Tumor	M.	21	....	1	....	1	....	2	....	1	....	2	....	....	1	2	....	5	2	....	4	....	....	....	....	....	....	2
	F.	33	....	2	....	....	....	2	2	....	2	....	3	....	2	3	4	2	2	3	3	3	2	....	....	....	....	....
8. Anæmia	M.	8	1	....	....	....	....	1	....	....	1	1	....	....	....	1	....	1	1	1	....	1	....	....	....	....	....	....
	F.	14	2	1	....	....	....	3	....	....	2	1	3	....	....	2	2	....	....	....	....	1	....	....	....	....	....	....
9. Dropsy	M.	140	4	8	4	4	1	21	5	4	4	3	2	3	8	10	7	10	15	10	10	9	11	4	1	1	....	3
	F.	190	3	2	1	2	4	12	8	3	6	4	7	6	7	3	10	20	17	25	18	20	9	7	....	....	4	4
10. Glycosuria	M.	25	....	....	....	....	....	....	....	....	....	3	2	3	2	1	1	3	1	....	3	2	2	2	....	....	....	....
	F.	13	....	....	....	....	....	....	1	1	....	1	2	1	2	....	1	1	1	....	....	2	....	....	....	....	....	....
11. Others of this group	M.	14	5	2	2	....	....	9	2	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....
	F.	9	....	....	1	1	1	3	....	1	1	....	1	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		3509	1093	381	219	99	55	1847	111	54	45	64	75	87	102	87	87	115	110	148	174	163	140	92	29	7	6	26
Males		1924	607	201	109	46	28	991	57	27	26	33	48	51	66	54	48	69	61	93	88	82	68	37	6	4	2	13
Females		1645	486	180	110	53	27	856	54	27	19	31	27	36	36	33	39	46	49	55	86	81	72	55	23	3	4	13
1. Inflammation of the brain	M.	126	29	21	12	4	9	75	9	2	....	7	3	4	8	1	3	3	2	3	4	2	....	....	....	....	....	....
	F.	101	27	21	14	3	3	68	6	2	2	3	2	5	1	1	4	1	....	1	2	2	....	....	....	....	....	1
2. Meningitis	M.	193	57	43	21	15	4	140	8	4	3	6	4	4	7	5	2	5	....	1	....	1	....	1	....	....	....	2
	F.	165	51	40	19	12	5	127	13	6	2	5	2	2	....	1	1	1	....	2	1	....	....	....	....	....	....	2
3. Apoplexy	M.	234	14	7	2	2	1	26	2	....	1	3	3	8	11	16	9	20	18	32	24	27	15	10	2	1	1	5
	F.	214	9	4	1	1	1	16	3	2	1	4	5	5	2	11	13	12	11	20	35	26	22	16	7	1	....	2
4. Paralysis	M.	232	5	1	2	....	1	9	1	1	4	3	4	5	8	7	10	13	17	27	36	31	29	20	4	2	1	....
	F.	244	2	1	....	3	....	6	2	3	1	2	2	5	6	4	8	17	17	19	28	37	35	28	14	2	4	4
5. Tetanus and trismus nascentium.	M.	57	25	2	....	....	1	28	2	4	4	3	3	3	5	2	1	....	....	....	1	....	1	....	....	....	....	....
	F.	25	18	....	1	....	....	19	....	....	1	1	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	42	....	1	1	....	....	2	1	3	5	2	6	6	6	1	2	3	....	3	1	....	....	....	....	....	....	1
	F.	26	....	....	....	....	....	....	....	3	1	2	1	3	5	2	2	....	....	....	4	1	2	....	....	....	....	....
7. Convulsions	M.	597	390	99	46	17	6	558	15	5	2	4	3	2	1	2	....	1	1	....	1	....	1	....	....	....	....	1
	F.	520	308	75	59	23	9	474	13	2	....	5	6	7	7	1	....	....	1	1	....	....	1	....	....	....	....	2
8. Mental diseases	M.	17	....	....	....	....	....	....	....	....	....	....	1	1	2	1	2	3	1	3	....	2	....	....	....	....	....	1
	F.	24	....	....	....	....	....	....	....	....	....	2	1	3	2	3	1	1	....	1	3	....	3	3	....	....	....	1
9. Diseases of the brain	M.	378	82	27	22	8	6	145	16	6	6	5	19	15	17	16	17	19	17	20	18	14	19	6	....	....	....	3
	F.	278	68	36	14	7	8	133	14	7	5	7	6	3	9	9	5	12	18	11	9	13	8	7	1	....	....	1
10. Diseases of the spinal cord	M.	33	3	....	3	....	....	6	3	2	....	....	1	2	1	3	1	1	2	2	3	4	1	....	....	1	....	....
	F.	28	2	3	1	3	1	10	2	1	5	....	2	1	1	....	4	1	....	....	1	....	....	....	....	....	....	....
11. Others of this group	M.	15	2	....	....	....	....	2	....	....	1	....	1	1	....	....	1	1	3	2	....	1	2	....	....	....	....	....
	F.	20	1	....	1	1	....	3	1	1	1	....	....	1	....	1	1	1	2	....	3	2	1	1	1	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		1449	152	7	9	12	7	187	32	37	39	53	53	60	101	91	78	107	101	120	132	116	72	38	14	3	3	15
Males		749	79	4	7	7	3	100	18	17	23	23	28	32	58	55	47	55	48	61	58	66	36	9	4	1	1	9
Females		700	73	3	2	5	4	87	14	20	16	30	25	28	43	36	31	52	53	59	74	50	36	26	10	2	2	6
1. Angina pectoris	M.	25	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	2	2	6	5	3	2	1	1	....	....	....
	F.	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	2	2	2	1	....	....	....	....
2. Aneurism	M.	32	....	....	....	....	....	....	....	....	1	....	....	....	1	2	1	....	1	2	3	2	2	1	....	....	....	....
	F.	12	....	....	....	....	....	....	....	....	....	....	2	2	9	4	4	3	2	3	1	2	....	....	....	....	....	....
3. Diseases of the heart	M.	620	22	1	6	7	3	39	18	17	23	21	24	28	48	50	43	49	43	52	51	60	34	8	3	1	....	8
	F.	600	24	1	2	5	4	36	14	20	12	28	23	26	42	33	28	47	50	54	69	45	33	23	8	1	2	6
4. Others of this group	M.	72	57	3	1	....	....	61	....	....	....	2	1	....	1	1	....	1	1	....	1	1	....	....	....	....	1	1
	F.	70	49	2	....	....	....	51	....	....	3	2	1	1	....	....	....	2	1	1	2	2	1	1	1	1	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		3241	695	383	287	178	89	1632	194	35	65	80	83	89	99	79	109	102	107	125	153	91	76	55	25	6	3	33
Males		1728	374	208	139	84	41	846	108	19	38	40	49	53	64	47	64	60	68	60	85	30	29	20	13	4	2	23
Females		1513	321	175	148	94	48	786	86	16	27	34	34	36	35	32	45	42	39	65	68	61	47	35	12	2	1	10
1. Croup	M.	258	33	46	45	47	29	200	52	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	..	1
	F.	200	31	29	43	44	21	108	30	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	52	4	8	13	8	3	36	5	....	1	....	1	2	1	....	1	....	2	....	1	1	....	....	....	....	....	1
	F.	44	2	5	14	6	4	31	7	1	....	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	287	96	62	20	6	1	185	9	3	3	1	2	6	5	3	2	7	8	10	13	7	11	6	4	1	..	1
	F.	271	99	45	25	13	7	189	4	2	3	4	6	1	1	3	1	3	3	5	13	10	8	10	2	....	....	3
4. Pneumonia	M.	795	143	68	47	20	7	285	30	10	27	39	34	37	40	34	44	35	41	33	43	17	12	10	6	2	1	15
	F.	736	119	81	55	26	14	295	37	11	17	22	21	23	27	20	32	35	20	40	37	35	28	13	9	1	....	4
5. Pleurisy	M.	45	....	1	....	....	....	1	3	1	2	1	4	2	9	3	5	5	3	3	2	....	1	....	....	....	....	....
	F.	28	1	....	1	....	....	2	....	....	....	....	2	5	....	1	3	....	3	3	3	2	2	1	....	....	....	1
6. Asthma	M.	45	....	1	1	....	....	2	1	....	1	....	....	....	1	2	4	6	3	5	11	4	....	1	2	....	1	1
	F.	37	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	246	98	22	13	3	1	137	8	3	4	4	7	6	8	5	8	7	11	9	15	1	5	3	1	....	....	4
	F.	197	69	15	10	5	2	101	8	2	6	7	2	4	5	7	6	3	1	10	10	10	6	7	....	....	1	1

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 8.—ALBANY, N. Y.; ALLEGHENY CITY, PA.; PHILADELPHIA, PA.; PITTSBURGH, PA.; READING, PA.; RICHMOND, VA.; SYRACUSE, N. Y.; TROY, N. Y.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		1153	180	60	27	10	7	284	29	18	24	41	63	62	71	67	71	77	67	73	48	62	46	21	7	4	18
Males		583	107	30	15	5	2	159	12	6	13	13	22	30	31	30	38	41	41	39	33	36	16	10	1	2	10
Females		570	73	30	12	5	5	125	17	12	11	28	41	32	40	37	33	36	26	34	15	26	30	11	6	2	8
1. Dentition	M.	48	29	16	3			48																			
	F.	55	24	26	4		1	55																			
2. Angina	M.	11	3	4	1	1		9	1									1									
	F.	10	3			1	2	6	1	2						1											
3. Gastritis	M.	55	7	1	2	1		11	2		2	2	1	2	2	1	4	4	2	6	4	3	3	2		1	3
	F.	48	5		2			7	3		1	4	2	2	5	6	4	1	1	1	3	2	5	1			
4. Other diseases of the stomach	M.	51	5	1	3			9	3	1			1	2	2	4	2	5	4	6	3	6	3				
	F.	40	3		1	1	1	6	1	1	1		1	3	2	3	3	3	3	5	2	2	2	2			
5. Obstruction of the bowels	M.	33	14	1	1		1	17		1	2		1	1	1	1	2	1		3	2	1					
	F.	31	8		1			9	1	1		1	4		2		4	1	1	2	1	1	1	1			1
6. Hernia	M.	23	2				1	3	1							1		2	4	2	1	4	1	3	1		
	F.	21												2			2	3	1	4	3	2	1	1	2		
7. Other diseases of the bowels	M.	24	5	3	1			9				1	1		3	1	2		1	2		2	1	1			
	F.	12	2		1		1	4		2	1				1			3				1					
8. Jaundice	M.	26	13		1			14							1	1		5	1		1	1					1
	F.	18	3					3	1					1	1	1		3		1		2	4				1
9. Inflammation and abscess of the liver.	M.	52	1					1	2				1	4	3	5	8	6	3	8	3	4	2				2
	F.	47	1		1			2				1	2	1	5	3	3	1	3	9	2	6	6	2	1		
10. Other diseases of the liver	M.	116	7			1		8				1	5	12	10	10	9	13	12	7	13	8	4	2			2
	F.	89	5			1		6				4	5	2	7	10	7	10	10	6	2	5	7	1	2	2	3
11. Peritonitis	M.	87	4	2	1	1		8	3	4	8	9	7	6	7	6	5	3	7	1	5	5	1			1	1
	F.	154	6		1	1		8	8	5	5	18	27	21	15	10	8	8	3	4	1	4	3	3			3
12. Ascites	M.	8		1				1					3	1	1				1			1					
	F.	13				1		1	1						1	2	2	1	3	1			1				
13. Others of this group	M.	49	17	1	2	1		21			1				1		6	1	6	4	1	2		1			1
	F.	32	13	4	1			18	1	1	3				1	1		2	1	1	1	1			1		
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		515	7	1	4	3	7	22	14	11	14	18	35	30	25	42	34	45	46	46	41	39	37	13			3
Males		316	4	1	3	1	6	15	9	7	5	11	14	13	15	28	19	28	33	36	20	25	23	7			2
Females		199	3		1	2	1	7	5	4	9	7	21	17	10	14	15	17	13	10	15	14	14	6			1
1. Bright's disease	M.	154	2	1	1		3	7	5	3	1	3	10	7	11	17	7	11	22	17	10	8	8	1			1
	F.	125	2		1			3	2	3	5	4	13	13	9	7	9	11	9	5	9	9	9	4			1
2. Calculus, urinary	M.	4																			2		2				
	F.	1																					1				
3. Diseases of the kidney	M.	79	1			1	2	4	3	2	3	3	1	2	3	8	7	10	7	7	5	8	5	1			
	F.	41				2	1	3	2	1		2	6	1	1	2	3	3	3	4	4	2	2	2			
4. Diseases of the bladder	M.	31								2	1		1			1	2	1	2	5	4	4	6	2			
	F.	9									1					3	1	1		1	1	1					
5. Others of this group	M.	48	1		2		1	4	1				2	4	1	2	3	6	2	7	5	5	2	3			1
	F.	23	1					1	1		3	1	2	3		2	2	2	1		1	2	2				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		69									3	5	7	8	9	13	4	9	4		2	2	1		1		1
1. Ovarian tumors	F.	20									1	2	2	1	1	3	1	5	1		1	1	1				
2. Ovarian diseases	F.																										
3. Uterine tumors	F.	10												1		3	3	1			1						1
4. Uterine diseases	F.	16										3	2	3	3	3			1			1					
5. Others of this group	F.	23									2		3	3	5	4		3	2						1		
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		70									3	10	9	23	17	7	1										
1. Abortion	F.	3												3													
2. Child-birth	F.	45									1	6	5	12	13	7	1										
3. Others of this group	F.	22									2	4	4	8	4												
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		70	5	2	3	3	1	14	3	16	2	4	5	2	4	2	3	4	3	1	1	2	1	2	1		
Males		40	3	1	1	1	1	7	1	9	1	2	3	1	4	2	2	1		1	1	2		2	1		
Females		30	2	1	2	2		7	2	7	1	2	2	1			1	3	3				1				
1. Diseases of the spine	M.	22	3		1	1	1	6	1	3		1		1	2	2	2	1				1		1	1		
	F.	15	1	1	1	2		5	1	2	1	1	1					2	2		1						
2. Diseases of the bones	M.	7		1				1		1			1		2					1		1					
	F.	5	1		1			2		1									1				1				
3. Diseases of the hip-joint	M.	6								3		1	2														
	F.	6							1	4		1															
4. Others of this group	M.	5								2	1										1			1			
	F.	4											1	1			1	1									

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 8.—ALBANY, N. Y.; ALLEGHENY CITY, PA.; PHILADELPHIA, PA.; PITTSBURGH, PA.; READING, PA.; RICHMOND, VA.; SYRACUSE, N. Y.; TROY, N. Y.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	101	21	6	4	3	1	35	1	2	3	2	4	7	8	2	6	6	7	3	2	6	3	1	....	..	....	3
Males	60	11	2	2	3	1	19	1	1	2	1	3	5	5	1	5	5	5	1	1	2	1	....	....	....	..	2
Females	41	10	4	2	....	....	16	....	1	1	1	1	2	3	1	1	1	2	2	1	4	2	1	....	....	....	1
1. Abscess M.	43	9	2	2	1	1	15	1	....	2	1	2	5	4	1	4	1	3	....	1	....	1	....	....	....	....	2
1. Abscess F.	32	5	4	2	....	....	11	....	1	1	1	1	2	3	1	1	1	2	2	1	2	1	....	....	....	....	1
2. Carbuncle M.	0	....	....	....	1	....	1	....	....	....	....	1	....	....	....	1	2	2	1	....	1	....	....	....	....	....	....
2. Carbuncle F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	2	....	....	....	....	....	....
3. Others of this group M.	8	2	....	....	1	....	3	....	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Others of this group F.	6	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	8	....	....	....	....	1	1	....	....	2	1	....	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....
Males	6	....	....	....	....	1	1	....	....	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
Females	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Addison's disease M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Addison's disease F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen M.	4	....	....	....	....	1	1	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
2. Diseases of the spleen F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
XII.—ACCIDENTS AND INJURIES.																											
Total	1123	113	30	22	18	14	197	66	56	61	73	102	80	88	77	57	61	46	38	25	27	21	9	4	2	....	33
Males	837	59	14	17	9	9	108	51	45	49	54	88	65	66	62	43	49	41	30	23	16	14	3	3	....	....	27
Females	286	54	16	5	9	5	89	15	11	12	19	14	15	22	15	14	12	5	8	2	11	7	6	1	2	....	6
1. Burns and scalds M.	55	8	6	7	7	6	29	6	1	2	2	....	1	3	2	2	5	1	....	....	....	....	....	1	....	....	....
1. Burns and scalds F.	70	1	5	3	5	3	17	8	5	4	4	4	3	4	6	4	2	....	4	....	1	1	1	....	....	....	2
2. Drowned M.	198	....	....	2	....	1	3	27	21	23	17	24	7	12	17	13	11	7	3	2	5	....	....	....	....	....	6
2. Drowned F.	16	1	1	....	1	....	3	1	1	4	1	....	....	2	....	1	1	1	1	....	....	....	....	....	....	....	....
3. Exposure and neglect M.	11	3	....	....	....	....	3	....	....	....	....	....	....	....	1	1	3	1	1	....	....	....	....	....	....	....	....	1
3. Exposure and neglect F.	8	1	1	....	....	....	2	1	....	....	1	....	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Gunshot wounds M.	22	....	....	1	....	....	1	1	1	3	3	1	5	....	1	1	1	....	2	....	....	1	....	....	....	....	1
4. Gunshot wounds F.	3	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Homicide M.	21	3	....	....	....	....	3	....	....	....	4	2	2	3	3	1	....	1	....	....	1	....	....	....	....	....	1
5. Homicide F.	11	5	....	....	....	....	5	....	....	....	1	....	1	1	2	....	....	....	1	....	....	....	....	....	....	....	....
6. Infanticide M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Infanticide F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Injuries by machinery M.	8	....	....	....	....	....	....	....	....	3	1	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	1
7. Injuries by machinery F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Railroad accidents M.	115	....	1	3	1	....	5	5	9	6	11	18	15	10	10	4	5	3	6	3	2	1	1	....	....	....	1
8. Railroad accidents F.	19	....	1	....	1	1	3	1	....	1	1	2	2	2	....	1	....	1	....	....	2	....	....	....	....	....	1
9. Suffocation M.	51	32	3	1	1	....	37	2	1	....	....	2	....	2	....	1	....	....	1	....	....	....	....	....	....	....	5
9. Suffocation F.	36	29	3	....	1	....	33	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	1
10. Suicide by shooting M.	26	....	....	....	....	....	....	....	....	....	....	3	1	3	5	3	2	3	3	2	....	....	....	....	....	....	....
10. Suicide by shooting F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Suicide by drowning M.	13	....	....	....	....	....	....	....	....	....	....	....	....	3	....	1	2	2	....	....	1	1	....	....	....	....	3
11. Suicide by drowning F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Suicide by poison M.	13	....	....	....	....	....	....	....	....	....	1	....	2	3	1	2	....	1	1	1	....	1	....	....	....	....	....
12. Suicide by poison F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Other suicides M.	31	....	....	....	....	....	....	....	....	....	2	6	1	1	2	1	4	6	3	1	2	1	....	....	....	....	1
13. Other suicides F.	10	....	....	....	....	....	....	....	....	....	1	1	....	1	1	2	2	1	1	....	....	....	....	....	....	....	....
14. Sunstroke M.	10	....	....	....	....	....	....	....	1	....	1	2	....	1	4	2	1	1	1	2	....	....	....	....	....	....	....
14. Sunstroke F.	4	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....
15. Surgical operations M.	4	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
15. Surgical operations F.	5	1	....	....	....	....	1	....	....	....	....	....	....	....	2	2	....	....	....	....	....	....	....	....	....	....	....
16. Wounds M.	12	....	....	....	....	....	....	....	1	2	....	....	2	1	2	1	1	....	1	1	....	....	....	....	....	....	....
16. Wounds F.	5	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	2	....	....	....	1	....	....	....	....	....	....
17. Other accidents and injuries M.	241	18	4	3	....	2	27	10	10	10	11	29	27	23	13	10	12	15	8	11	5	9	2	2	....	....	7
17. Other accidents and injuries F.	98	16	5	2	1	1	25	4	3	1	10	5	5	9	2	4	4	2	1	2	6	5	5	1	2	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 10.—CINCINNATI, OHIO; DAYTON, OHIO; LOUISVILLE, KY.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		8799	2698	621	419	235	161	4134	409	153	250	402	370	299	366	322	320	297	262	290	276	232	182	105	56	17	9	48
Total:	Males	4757	1508	330	215	119	77	2249	206	81	104	193	176	171	211	190	185	180	155	178	146	124	93	52	26	5	7	25
	Females	4042	1190	291	204	116	84	1885	203	72	146	209	194	128	155	132	135	117	107	112	130	108	89	53	30	12	2	23
Unknown causes.																												
Total		84	37	1	2	1	2	43	3	....	2	3	....	2	2	2	5	3	5	2	2	3	2	..	....	....	....	5
	Males	48	21	....	1	1	....	23	1	....	1	2	....	1	....	2	2	2	4	2	1	3	1	....	....	....	....	3
	Females	36	16	1	1	....	2	20	2	....	1	1	....	1	2	....	3	1	1	....	1	....	1	....	....	....	....	2
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2117	677	263	179	116	86	1321	213	55	54	80	53	35	45	34	36	40	30	31	43	17	11	8	6	....	....	5
	Males	1093	359	128	87	64	40	678	111	27	25	37	22	16	23	19	21	26	16	16	26	11	7	6	4	....	....	2
	Females	1024	318	135	92	52	46	643	102	28	29	43	31	19	22	15	15	14	14	15	17	6	4	2	2	....	....	3
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	38	3	10	11	3	3	30	6	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	34	6	7	12	3	....	28	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	157	10	18	28	31	7	94	53	5	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	159	12	17	28	29	24	110	30	5	2	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
4. Diphtheria	M.	110	10	12	20	14	15	71	28	5	....	2	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	1
	F.	115	11	19	17	7	13	67	32	10	2	2	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	80	35	16	13	5	5	74	3	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	84	35	23	7	6	4	75	6	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	22	8	2	1	....	2	13	....	1	1	1	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	16	4	2	1	2	1	10	....	2	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	125	4	....	2	1	3	10	8	9	16	19	11	9	8	6	8	8	2	4	5	....	1	1	....	....	....	....
	F.	78	....	....	3	1	....	4	8	7	14	10	6	5	5	1	4	3	4	2	2	1	1	....	....	....	....	1
9. Diarrhœa	M.	132	77	17	5	2	....	101	2	....	....	2	1	1	1	1	....	6	5	....	8	1	....	1	1	....	....	1
	F.	99	65	16	5	....	....	86	....	....	1	....	5	....	1	....	....	1	....	1	1	....	1	....	....	....	....	2
10. Dysentery	M.	73	22	10	2	3	....	37	1	1	1	3	3	1	2	3	2	1	3	8	2	2	....	2	1	....	....	....
	F.	75	30	11	3	1	....	45	1	....	....	3	2	1	1	3	4	5	2	3	2	....	2	....	1	....	....	....
11. Enteritis	M.	60	21	11	2	1	2	37	4	....	....	1	1	1	3	1	1	1	....	1	4	3	1	1	....	....	....	....
	F.	60	19	9	3	1	2	34	2	2	2	3	2	1	4	3	....	....	1	3	2	....	....	1	....	....	....	....
12. Cholera morbus	M.	21	1	....	....	....	....	1	2	....	....	....	....	....	1	2	4	3	3	....	2	2	....	....	1	....	....	....
	F.	19	2	....	....	....	....	2	1	....	....	....	1	2	....	2	3	....	3	....	2	2	1	....	....	....	....	....
13. Cholera infantum	M.	179	147	31	1	....	....	179	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	155	120	28	7	....	....	155	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	40	3	1	....	3	3	10	4	....	2	4	....	1	2	1	3	2	2	2	3	1	3	....	....	....	....	....
	F.	39	1	2	4	1	2	10	7	1	2	1	....	1	....	1	2	1	1	5	4	2	....	....	1	....	....	....
15. Erysipelas	M.	14	6	....	1	1	....	8	....	....	....	....	1	....	2	....	....	....	1	....	1	....	....	1	....	....	....	....
	F.	14	6	1	....	....	....	7	....	....	....	1	2	1	....	....	....	1	1	....	1	....	....	....	....	....	....	....
16. Septicæmia	M.	22	4	....	1	....	....	5	....	1	1	2	1	....	....	4	1	2	....	1	1	1	1	....	1	....	....	....
	F.	20	....	....	2	....	....	2	....	....	2	6	2	2	3	....	....	1	....	1	1	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	33	....	....	....	....	....	....	....	....	3	11	8	4	3	3	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	13	7	....	....	....	....	7	....	....	....	1	....	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	11	7	....	....	....	....	7	....	....	....	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	7	1	....	....	....	....	1	....	....	....	....	3	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....
	F.	12	....	....	....	1	....	1	....	....	1	1	1	....	2	1	1	....	2	....	1	1	....	....	....	....	....	....
General diseases—B.																												
Total		212	132	10	3	1	1	147	....	....	2	....	3	6	7	8	10	9	4	5	6	2	1	....	....	....	....	2
	Males	131	75	5	3	....	....	83	....	....	1	....	2	5	5	5	7	6	3	4	6	2	1	....	....	....	....	2
	Females	81	57	5	....	1	1	64	....	....	1	....	1	....	2	3	3	3	1	1	....	....	....	....	....	....	....	....
1. Worms	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	37	....	....	....	....	....	....	....	....	....	....	1	6	5	5	6	5	2	2	4	....	1	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	2	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	1	1	....	....	1	....	....	....	....	....	1	....	1	2	1	2	....	....	....	....	....	....	1
6. Inanition	M.	90	75	4	3	....	....	82	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	71	57	5	....	1	....	63	....	....	....	....	1	....	2	1	....	1	1	1	....	....	....	....	....	....	....	....	1
General diseases—C.																												
Total		1150	816	9	7	4	2	838	1	1	7	4	6	1	4	8	9	8	10	13	34	60	49	44	35	11	5	2
	Males	622	471	3	5	2	1	482	1	1	3	2	3	1	3	....	5	4	4	8	11	23	26	19	17	4	4	1
	Females	528	345	6	2	2	1	356	....	....	4	2	3	....	1	8	4	4	6	5	23	37	23	25	18	7	1	1
1. Premature birth	M.	98	98	....	....	....	....	98	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	81	81	....	....	....	....	81	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	317	317	....	....	....	....	317	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	222	222	....	....	....	....	222	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	8	7	....	1	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	110	47	3	4	2	1	57	1	1	3	2	3	1	3	....	5	4	2	5	6	5	4	3	2	1	1	1
	F.	125	39	6	2	2	1	50	....	....	4	2	3	....	1	8	4	4	6	3	12	13	6	6	1	1	....	1
5. Old age	M.	87	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	5	18	22	16	15	3	3	....
	F.	97	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	11	24	17	19	17	6	1	....	....
6. Atrophy	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 10.—CINCINNATI, OHIO; DAYTON, OHIO; LOUISVILLE, KY.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1594	80	47	31	8	6	172	36	30	97	187	180	129	147	133	102	87	84	72	53	40	24	8	2	3	8
Males		764	39	26	19	1	1	86	15	8	27	85	84	70	75	74	46	46	40	42	27	22	10	3	1	1	2
Females		830	41	21	12	7	5	86	21	22	70	102	96	59	72	59	56	41	44	30	26	18	14	5	1	2	6
1. Rheumatism	M.	9								1			1		1	3	2			1	1						
	F.	2											1						1								
2. Scrofula and tabes	M.	19	5	4		1		10	2	3		1			1	1				1							
	F.	22	7		3	2		12	2	1	3		1	2	1												
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	589	16	8	8			32	8	2	24	83	79	70	67	63	32	32	28	23	22	14	5	2		1	2
	F.	605	11	10	4	3	3	31	12	19	62	99	91	54	56	44	38	22	21	20	16	11	5		1	1	2
5. Hydrocephalus	M.	42	13	12	10			35	3		1		2							1							
	F.	43	21	8	4	2		35	4	1		1															1
6. Cancer	M.	54	1					1		1		1			6	3	7	8	8	8	2	4	3	1	1		
	F.	100			1		1	2			1		2	3	12	12	12	10	16	8	8	5	5	2		1	1
7. Tumor	M.	5															1	1	1	1			1				
	F.	11							1		1				1	1	2	1	1	1			1				1
8. Anæmia	M.	1															1										
	F.	3									1	1							1								
9. Dropsy	M.	36	1	1	1		1	4	2	1	2		1			4	3	5	2	6	2	3	1				
	F.	34		1			1	2	1	1	1	1			1	2	3	8	3	1	1	2	3	3			1
10. Glycosuria	M.	3																	1	2							
	F.	4							1						1				1		1						
11. Others of this group	M.	6	3	1				4					1									1					
	F.	6	2	2				4			1		1														
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		1287	600	122	62	26	15	825	49	20	20	24	27	16	35	21	32	31	34	43	34	25	27	9	5	2	6
Males		749	353	73	30	15	7	478	21	13	7	12	13	13	24	14	20	20	24	30	20	13	16	5	1	2	3
Females		538	247	49	32	11	8	347	28	7	13	12	14	3	11	7	12	11	10	13	14	12	11	4	4	2	3
1. Inflammation of the brain	M.	22	9	2	1	2		14	3			3					1						1				
	F.	21	7	4	2	2		15	3	1					1		1										
2. Meningitis	M.	118	47	19	9	6	6	87	10	7	5	2	2	1	2	1											
	F.	93	31	18	13	4	5	71	10	2	1	2	3		2			1		1	1						
3. Apoplexy	M.	69											3	2	9	6	9	5	6	7	9	3	5	2	1		1
	F.	48	1					1			1	1	1	1		3	5	6	4	7	4	2	6	3	1		2
4. Paralysis	M.	52			1			1	1					3	3		2	4	7	11	3	7	5	3		1	1
	F.	44			1			1	1	1	2	2	1		4		5	1	3	1	6	9	3		2	2	
5. Tetanus and trismus nascentium.	M.	28	22	1				23			1	2	1					1									
	F.	20	16	1			1	18	1	1																	
6. Epilepsy	M.	2									1									1							
	F.	7	1					1			3		1		1		1										
7. Convulsions	M.	301	243	32	10	4	1	290	4	3		1		1				1		1							
	F.	220	168	20	14	2	2	206	7	1	2	3	1					1		1							
8. Mental diseases	M.																										
	F.	1																	1								
9. Diseases of the brain	M.	147	32	19	7	2		60	3	3		3	7	5	10	7	8	8	10	10	6	2	4				1
	F.	73	23	5	2	3		33	4	1	3	3	5	2	3	2	1	2	1	4	4	1	2	1	1		
10. Diseases of the spinal cord	M.	6			2	1		3						1				1	1								
	F.	1														1											
11. Others of this group	M.	4										1									1	1	1				
	F.	10		1				1	2		1	1	2			1			1								1
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		289	15	1	1	1	1	19	7	5	18	11	13	15	26	19	24	22	25	23	24	19	14	4			1
Males		148	7	1	1	1		10	3	3	9	4	8	8	16	7	12	11	15	14	11	8	7	2			
Females		141	8				1	9	4	2	9	7	5	7	10	12	12	11	10	9	13	11	7	2			1
1. Angina pectoris	M.	4											1						2		1						
	F.																										
2. Aneurism	M.	5															1	1									
	F.	3											1	1		1											
3. Diseases of the heart	M.	133	3		1	1		5	2	3	9	4	7	6	16	7	11	10	14	12	11	7	7	2			
	F.	135	5				1	6	4	2	9	7	5	6	10	11	11	11	10	9	13	11	7	2			1
4. Others of this group	M.	6	4	1				5	1																		
	F.	3	3																								
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		1088	239	139	116	64	43	601	50	11	15	29	24	32	32	26	27	34	23	49	41	36	29	17	5	1	5
Males		579	123	75	60	30	23	311	23	5	6	11	11	18	19	20	19	25	14	25	23	20	12	9	3		4
Females		509	116	64	56	34	20	290	27	6	9	18	13	14	13	6	8	9	9	24	18	16	17	8	2	1	1
1. Croup	M.	49	2	6	12	12	9	41	8																		
	F.	41	4	7	9	10	6	35	6																		
2. Laryngitis	M.	3	1					1							1	1											
	F.	5	2				1	3	1	1																	
3. Bronchitis	M.	114	43	12	10	3	3	71	5					2	3		7	1	2	3	5	6	2	5	1		1
	F.	102	42	10	12	1	2	67	2	1		1	1	2	1			1	2	5	3	5	7	3		1	
4. Pneumonia	M.	328	61	54	37	14	8	174	9	5	5	10	8	11	10	14	11	19	6	14	11	9	6	3	1	1	1
	F.	297	50	45	34	23	11	163	18	4	9	16	8	7	7	3	6	6	4	9	13	8	8	5	2		1
5. Pleurisy	M.	10	1				1	2						1	1	2			1			1	1	1			
	F.	5	2					2					1	1	2												
6. Asthma	M.	12	1					1	1										1	2	2	1	3				1
	F.	11																									
7. Others of this group	M.	63	14	3	1	1	2	21			1	1	3	4	4	3	1	5	4	6	5	3		1			1
	F.	48	16	2	2			20				1	3	4	2	3	1	1	2	5	2	3	1				

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 10.—CINCINNATI, OHIO; DAYTON, OHIO; LOUISVILLE, KY.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		403	64	19	10	4	1	98	15	8	10	18	18	22	25	24	31	31	23	24	17	15	15	4	1			4
Males		232	42	12	5	1	1	61	5	5	5	7	8	9	16	18	22	16	14	15	8	10	8	3				2
Females		171	22	7	5	3		37	10	3	5	11	10	13	9	6	9	15	9	9	9	5	7	1	1			2
1. Dentition	M.	22	11	10	1			22																				
	F.	19	11	6	2			19																				
2. Angina	M.	7	3		1			4	1			1										1						
	F.	5			1	1		2	2			1																
3. Gastritis	M.	25	9	1				10	1	1		2			1		2	1	2	1		2	2					
	F.	20	2			1		3				1	2	1	2		2	2		1	1	1	3	1				
4. Other diseases of the stomach	M.	7	3					3							3	1												
	F.	8										1	1	1						1	2		2					
5. Obstruction of the bowels	M.	14	6					6		1							2	2	1	1			1					
	F.	6												1	1			1	1		1	1						
6. Hernia	M.	7							1								2		1			1		1				1
	F.	4								1								2		1								
7. Other diseases of the bowels	M.	10	2		1	1		4							2		1	1	1	1								
	F.	8	3					3	1	2								1		1								
8. Jaundice	M.	7	3					3				1							1	2								
	F.	5	1					1										3	1									
9. Inflammation and abscess of the liver	M.	30	2					2					2	2	3	5	5	2	2	3	2	1	1					
	F.	13			2			2	1			1		2		1	3			1		1						1
10. Other diseases of the liver	M.	62	1					1	1	1		3	3	6	3	5	9	9	5	5	5	4	1					1
	F.	21	1					1					2	1	1	3	3	1	2	1	3	1	1		1			
11. Peritonitis	M.	32	1	1	1		1	4	1	1	5		2		3	6	1	1	1	2	1	1	1	2				
	F.	52	2					2	6		4	7	5	7	5	2	1	3	4	3	1		1					1
12. Ascites	M.	5								1				1	1	1							1					
	F.	2																1			1							
13. Others of this group	M.	4	1		1			2						1									1					
	F.	8	2	1		1		4			1							1	1			1						
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		151	2		2	1		5	6	3	2	9	13	4	13	13	18	7	13	12	14	7	5	5	1			1
Males		95	1		2	1		4	4	1	1	6	5	2	8	8	13	6	11	10	7	4	2	3				
Females		56	1					1	2	2	1	3	8	2	5	5	5	1	2	2	7	3	3	2	1			1
1. Bright's disease	M.	53			2			2	4			3	5	1	6	6	7	4	7	2	3	2		1				
	F.	31							1	1		1	5	1	3	3	4	1		1	4	3	1	1	1			
2. Calculus, urinary	M.	1																			1							
	F.																											
3. Diseases of the kidney	M.	17								1	1	2			1		5		3	2			2					
	F.	10							1	1	1				2	1			1	1	1		1					
4. Diseases of the bladder	M.	6													1					3		1		1				
	F.	2										1					1											
5. Others of this group	M.	18	1			1		2				1		1		2	1	2	1	3	3	1		1				
	F.	13	1					1				1	3	1		1			1		2		1	1				1
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		20									1		2	2	4	5	4	1		1								
1. Ovarian tumors	F.	4											1				3											
2. Ovarian diseases	F.	1																		1								
3. Uterine tumors	F.	1															1											
4. Uterine diseases	F.	2													1	1												
5. Others of this group	F.	12									1		1	2	3	4		1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		12										2	4	4	1	1												
1. Abortion	F.	2										1			1													
2. Child-birth	F.	7										1	3	2		1												
3. Others of this group	F.	3											1	2														
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		16	1			1		2	3	1	1	4		1		2	2											
Males		10	1					1	1	1		4		1			2											
Females		6				1		1	2		1					2												
1. Diseases of the spine	M.	4	1					1	1	1							1											
	F.	3				1		1	1							1												
2. Diseases of the bones	M.	2										2																
	F.																											
3. Diseases of the hip-joint	M.																											
	F.	3							1		1					1												
4. Others of this group	M.	4										2		1		1												
	F.																											

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 10.—CINCINNATI, OHIO; DAYTON, OHIO; LOUISVILLE, KY.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		16	3		1	1		5		2	1	1			1			2			1	3					
Males		10	1					1		1	1	1						2			1	3					
Females		6	2		1	1		4		1					1												
1. Abscess	M.	7	1					1			1	1									1	1					
	F.	3			1	1		2							1												
2. Carbuncle	M.	2																2									
	F.																										
3. Others of this group	M.	1								1																	
	F.	3	2					2		1																	
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3									1			1										1			
Males																											
Females		3									1			1										1			
1. Addison's disease	M.																										
	F.	1												1													
2. Diseases of the spleen	M.																										
	F.	2									1													1			
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		357	32	10	5	7	4	58	26	17	19	30	27	29	24	26	20	22	11	15	7	5	5	6		1	9
Males		276	15	7	2	3	4	31	21	16	18	22	20	26	22	23	16	16	10	12	5	5	3	2			8
Females		81	17	3	3	4		27	5	1	1	8	7	3	2	3	4	6	1	3	2		2	4		1	1
1. Burns and scalds	M.	12	2	1	1	2		6	1		1								1	1							2
	F.	17	1	2	2	1		6	4			2				2		1	1				1				
2. Drowned	M.	39		1				1	8	7	6	2	2	2	2	4		1	1	2		1					
	F.	1																1									
3. Exposure and neglect	M.	6	4					4												1	1						
	F.	4	2					2										2									
4. Gunshot wounds	M.	5										2	1	2													
	F.																										
5. Homicide	M.	13									2	3	2	4	1		1										
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	30							3	3	1	2	7	2		7		2	1	2							
	F.	3				1		1						1			1										
9. Suffocation	M.	18	7	2				9					1		1	1	2	1		1	1						1
	F.	14	10	1	1			12			1				1												
10. Suicide by shooting	M.	6													2	1		2	1								
	F.	2										1					1										
11. Suicide by drowning	M.	6										2		1				1				1	1				
	F.	5										1	1	1							2						
12. Suicide by poison	M.	2													1	1											
	F.	1										1															
13. Other suicides	M.	27									1	2		3	8	1	4	3	2			2		1			
	F.	5										1	4														
14. Sunstroke	M.	9											2	1	1	1	2	1		1							
	F.	1																		1							
15. Surgical operations	M.																										
	F.	2										1	1														
16. Wounds	M.	7			1			1				1	1			1	1					1					1
	F.																										
17. Other accidents and injuries	M.	90	2	3		1	4	10	9	6	7	8	4	11	6	6	6	5	1	4	3		2	1			4
	F.	26	4			2		6	1	1		1	1	1	1	1	2	2		2			1	4		1	1

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 13.—MINNEAPOLIS, MINN.; SAINT LOUIS, MO.; SAINT PAUL, MINN.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		7958	2819	611	230	151	110	3921	280	138	217	337	344	354	332	336	346	290	258	223	212	148	107	61	23	7	10	14
Total: Males		4426	1576	324	104	76	53	2133	141	72	98	164	171	218	194	216	225	195	165	139	125	68	44	29	8	4	5	12
Females		3532	1243	287	126	75	57	1788	139	66	119	173	173	136	138	120	121	95	93	84	87	80	63	32	15	3	5	2
Unknown causes.																												
Total		35	3	3	2	....	....	8	2	1	2	2	....	....	3	5	....	1	3	2	....	1	....	....	....	....	....	5
Males		21	2	1	....	....	....	3	1	1	1	1	....	....	2	4	....	..	2	2	....	....	....	....	....	....	....	4
Females		14	1	2	2	....	....	5	1	....	1	1	....	....	1	1	....	1	1	..	....	1	....	....	....	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1808	605	230	88	69	59	1051	122	48	49	77	89	57	52	57	58	33	30	25	28	14	9	5	2	....	2	....
Males		973	324	129	40	38	24	555	60	20	22	34	43	33	27	39	42	26	23	14	18	11	3	....	1	....	2	....
Females		835	281	101	48	31	35	496	62	28	27	43	46	24	25	18	16	7	7	11	10	3	6	5	1	....	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	34	16	10	2	2	....	30	1	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	27	4	11	3	4	1	23	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	21	5	1	1	5	4	16	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	29	2	3	5	4	5	19	7	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	99	12	13	13	14	10	62	28	5	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	99	0	12	15	9	16	58	31	4	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	28	16	5	2	3	..	26	2	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	47	23	7	9	4	....	43	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	16	3	2	2	....	2	9	5	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	8	4	....	1	....	....	5	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	91	5	8	3	3	1	20	3	7	8	14	13	6	5	6	4	....	2	2	1	....	....	....	....	....	....	....
	F.	63	3	2	....	2	3	10	7	11	3	10	6	4	3	3	3	....	....	....	1	....	....	1	....	....	....	....
9. Diarrhœa	M.	83	33	7	6	1	....	47	2	..	....	3	3	4	5	4	4	3	2	1	5	....	....	....	....	....	....	....
	F.	56	26	11	1	....	2	40	1	....	1	....	3	1	1	1	1	....	....	3	1	....	....	2	1	....	....	....
10. Dysentery	M.	117	25	17	....	....	1	43	1	....	....	4	8	9	7	5	19	8	6	3	1	....	3	....	....	....	....	....
	F.	60	18	9	1	2	1	31	....	....	....	1	2	....	5	4	1	3	4	3	3	1	2	....	....	....	....	....
11. Enteritis	M.	107	41	19	3	1	1	65	3	1	3	2	5	1	2	6	4	4	2	2	2	5	....	....	....	....	....	....
	F.	82	28	7	6	3	2	45	2	0	3	4	5	4	4	4	3	....	....	1	....	....	3	1	....	....	....	....
12. Cholera morbus	M.	11	....	....	....	....	....	....	....	....	....	....	1	1	....	3	....	2	1	1	2	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	1	....	1	....	....	1	1	....	....	1	1	1	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	184	140	34	3	6	1	184	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	184	141	37	4	....	2	184	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	102	13	10	2	3	4	32	9	2	3	6	6	5	3	8	8	5	5	2	3	3	....	....	1	....	1	....
	F.	88	15	1	2	3	2	23	4	4	10	10	11	4	5	1	6	1	1	3	3	1	1	....	....	....	....	....
15. Erysipelas	M.	26	5	2	....	....	....	7	....	....	....	....	2	4	2	1	1	2	2	2	2	1	....	....	....	....	....	....
	F.	17	0	1	....	1	....	8	1	....	1	1	2	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	28	2	1	3	....	....	6	2	2	4	3	3	1	1	3	1	1	1	....	....	....	....	....	....	....	....	....
	F.	28	2	....	1	....	1	4	1	3	2	3	5	3	3	1	1	1	....	....	1	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	28	....	....	....	....	....	....	....	....	1	11	6	5	2	2	1	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	12	6	....	....	....	....	6	....	1	....	....	....	1	1	1	1	....	1	....	....	....	....	....	....	....	....	....
	F.	6	3	....	....	....	....	3	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	14	2	....	....	....	....	2	....	....	1	1	2	....	....	1	....	1	1	....	2	2	....	....	....	....	1	....
	F.	5	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....
General diseases—B.																												
Total		217	125	7	3	2	1	138	....	..	1	4	3	12	17	5	8	10	6	6	1	2	2	1	....	....	....	....
Males		106	52	....	1	1	1	55	....	....	....	2	1	7	9	3	7	9	4	5	1	1	2	....	....	....	....	....
Females		111	73	7	2	1	....	83	....	....	1	2	3	5	8	2	1	1	2	1	....	1	....	1	....	....	....	....
1. Worms	M.	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	38	....	....	....	....	....	....	....	....	....	....	1	1	6	6	3	6	8	3	2	....	....	1	....	....	....	....
	F.	16	....	....	....	....	....	....	....	....	....	....	....	1	3	6	2	1	1	2	1	....	....	....	....	....	....	....
4. Lead poison	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	4	1	....	....	....	....	1	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	11	1	1	1	....	....	3	....	....	1	1	1	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	63	51	....	1	1	1	54	....	....	....	....	....	....	2	....	1	....	....	3	1	1	1	....	....	....	....	....
	F.	84	72	6	1	1	....	80	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	1	..	....	....	....
General diseases—C.																												
Total		1280	999	43	10	3	1	1056	3	2	1	2	....	5	6	4	10	10	9	20	22	39	34	33	12	5	5	2
Males		695	571	20	5	....	1	597	2	..	....	1	....	4	4	1	4	5	7	10	11	12	13	16	3	2	1	2
Females		585	428	23	5	3	....	459	1	2	1	1	....	1	2	3	0	5	2	10	11	27	21	17	9	3	4	....
1. Premature birth	M.	69	69	..	....	....	....	69	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	61	61	....	....	....	....	61	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	343	343	....	....	....	....	343	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	220	220	....	....	....	....	220	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	7	....	1	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	262	150	20	4	....	1	175	2	....	....	1	....	4	4	1	4	5	7	9	10	9	12	14	2	1	....	2
	F.	277	137	23	4	3	....	167	1	2	1	1	....	1	2	3	6	5	2	9	10	26	16	14	6	2	3	....
5. Old age	M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	3	1	2	1	1	1	....
	F.	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	5	3	3	1	1	....
6. Atrophy	M.	3	3	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 13.—MINNEAPOLIS, MINN.; SAINT LOUIS, MO.; SAINT PAUL, MINN.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1278	74	36	14	9	9	142	31	13	85	142	138	134	102	100	103	88	68	41	42	21	12	10	4	....	2
Males		668	43	16	8	3	3	73	14	5	32	60	70	75	61	60	61	50	42	20	19	11	6	6	2	....	1
Females		610	31	20	6	6	6	69	17	8	53	82	68	59	41	40	42	38	26	21	23	10	6	4	2	....	1
1. Rheumatism	M.	8	....	....	....	....	....	....	2	....	....	1	1	2	....	....	1	....	....	....	....	....	1	....	....	....	....	....
	F.	4	....	....	....	1	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
2. Scrofula and tabes	M.	11	3	1	....	....	1	5	3	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	6	1	....	2	1	10	4	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	515	11	5	4	1	1	22	7	3	30	57	65	66	51	55	47	39	35	11	14	5	3	4	....	....	....	1
	F.	418	2	6	4	....	4	16	11	6	53	78	62	50	29	32	29	18	8	8	10	3	2	2	....	....	....	1
5. Hydrocephalus	M.	37	25	8	1	1	....	35	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	39	21	12	2	2	1	38	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
6. Cancer	M.	46	1	....	....	....	....	1	....	....	....	....	....	3	1	3	6	10	3	6	5	4	1	2	1	....	....	....
	F.	33	....	1	....	....	....	1	....	....	....	....	1	5	9	6	11	15	14	11	8	4	3	....	....	....	....	....
7. Tumor	M.	6	1	....	....	....	....	1	....	....	....	....	....	1	1	....	1	....	....	....	....	....	1	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	1	1	1	....	2	....	....	....	....	2	....	1	....	1	....	....	....
8. Anæmia	M.	3	1	2	....	....	1	4	1	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	1	....	1	....	....	1	....	....	....	....
9. Dropsy	M.	24	1	....	2	1	....	4	1	....	1	....	1	1	4	....	5	1	2	1	....	2	....	....	1	....	....	....
	F.	20	2	....	....	....	....	2	1	....	....	....	1	2	3	....	1	3	1	2	1	1	....	1	1	....	....	....
10. Glycosuria	M.	10	....	....	....	....	....	....	....	....	....	2	2	1	1	1	....	....	1	2	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
11. Others of this group	M.	4	....	....	1	....	....	1	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	1	....	1	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1196	636	130	27	26	11	830	33	19	17	23	10	25	32	27	41	33	30	21	24	16	10	3	2	....	....	....
Males		704	373	77	11	15	6	482	17	14	7	13	6	19	19	14	28	22	20	11	18	6	6	1	1	....	....	....
Females		492	263	53	16	11	5	348	16	5	10	10	4	6	13	13	13	11	10	10	6	10	4	2	1	....	....	....
1. Inflammation of the brain	M.	27	5	8	1	2	1	17	3	....	1	....	2	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....
	F.	27	10	6	1	....	....	17	1	1	2	1	....	....	....	2	....	2	1	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	110	51	20	3	4	4	82	4	3	3	3	....	2	1	3	2	1	....	2	3	1	....	....	....	....	....	....
	F.	72	28	12	1	7	1	49	6	3	3	2	....	1	4	1	....	1	1	....	....	1	....	....	....	....	....	....
3. Apoplexy	M.	59	4	1	....	....	....	5	....	1	....	....	2	6	5	1	8	7	10	2	6	1	3	1	1	....	....	....
	F.	39	1	1	....	....	....	2	....	....	3	1	1	....	2	4	5	4	3	5	4	4	....	1	....	....	....	....
4. Paralysis	M.	31	....	....	....	....	....	....	....	3	....	1	....	2	4	2	4	5	2	1	3	2	2	....	....	....	....	....
	F.	17	1	....	....	....	....	1	....	....	....	....	....	....	2	....	1	1	1	3	1	3	2	1	1	....	....	....
5. Tetanus and trismus nascentium.	M.	117	104	....	....	3	....	107	....	2	....	1	1	....	1	....	1	2	1	1	....	....	....	....	....	....	....	....
	F.	75	67	2	....	....	1	70	3	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	17	....	....	....	....	....	....	1	....	....	4	....	3	3	1	1	1	2	1	....	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	1	....	1	3	....	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	224	179	33	5	3	....	220	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	173	139	16	8	3	3	169	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	110	28	15	2	3	1	49	4	4	....	4	1	4	5	5	10	6	5	4	6	2	1	....	....	....	....	....
	F.	75	15	10	6	1	....	38	5	1	1	2	3	2	4	5	4	2	3	....	1	2	2	....	....	....	....	....
10. Diseases of the spinal cord	M.	8	2	....	....	....	....	2	2	....	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		250	25	3	1	1	2	32	3	10	10	11	10	13	14	22	21	19	20	20	20	11	9	2	1	....	1	1
Males		140	19	1	....	....	1	21	3	4	5	6	4	5	7	11	12	11	11	12	16	6	3	2	....	....	....	1
Females		110	6	2	1	1	1	11	....	6	5	5	6	8	7	11	9	8	9	8	4	5	6	....	1	....	1	....
1. Angina pectoris	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....	....
2. Aneurism	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	118	5	1	....	....	1	7	3	4	5	5	3	4	6	10	11	11	10	12	16	6	3	2	....	....	....	....
	F.	91	....	....	1	1	1	3	....	6	3	5	4	8	6	10	8	7	8	7	3	5	6	....	1	....	1	....
4. Others of this group	M.	19	14	....	....	....	....	14	....	....	....	1	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	1
	F.	14	6	2	....	....	....	8	....	....	1	....	2	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1022	257	131	75	36	19	518	58	15	13	18	28	31	46	31	44	45	44	37	38	24	21	5	2	1	1	2
Males		557	143	63	33	18	13	270	22	4	6	12	13	24	28	20	31	33	25	25	19	10	7	3	1	1	1	2
Females		465	114	68	42	18	6	248	36	11	7	6	15	7	18	11	13	12	19	12	19	14	14	2	1	....	....	....
1. Croup	M.	32	3	2	10	5	7	27	3	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	44	5	4	10	8	3	30	11	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	8	2	1	2	1	....	6	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	85	35	11	6	3	....	55	2	....	....	....	2	3	2	1	2	2	5	2	4	2	1	1	....	....	1	....
	F.	85	37	15	7	3	....	62	6	....	1	....	....	....	1	1	1	....	....	....	5	2	5	....	1	....	....	....	....
4. Pneumonia	M.	328	66	48	13	7	4	138	14	4	6	9	7	15	21	13	20	26	17	13	11	7	5	1	1	....	....	....
	F.	236	40	42	23	6	3	114	15	9	5	4	8	4	12	7	7	8	11	8	9	8	5	2	....	....	....	....
5. Pleurisy	M.	9	....	....	2	....	....	2	....	....	....	....	....	....	1	1	2	....	1	1	1	....	....	....	....	....	....	....
	F.	11	1	1	....	....	....	2	....	1	....	....	1	....	2	....	2	....	2	....	....	....	1	....	....	....	....	....	....
6. Asthma	M.	8	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	2	....	....	....	....	1	....	....	....
	F.	15	2	....	....	....	....	2	....	....	....	....	1	....	1	....	1	1	3	....	3	1	2	....	....	....	....	....	....
7. Others of this group	M.	67	37	1	....	2	2	42	1	....	....	3	3	6	3	5	6	3	1	8	....	1	....	1	....	....	....	....	2
	F.	72	29	6	1	1	....	37	3	....	1	2	3	3	2	3	2	3	3	4	2	3	1	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 13.—MINNEAPOLIS, MINN.; SAINT LOUIS, MO.; SAINT PAUL, MINN.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		387	63	15	2	....	....	80	8	8	13	22	28	18	30	38	29	23	24	29	19	10	6	1	....	....	1	....
Males		219	27	10	1	....	....	38	4	4	7	8	13	11	18	25	18	18	16	22	9	4	3	....	....	....	1	....
Females		168	36	5	1	....	....	42	4	4	6	14	15	7	12	13	11	5	8	7	10	6	3	1	....	....	....	....
1. Dentition	M.	9	3	5	....	....	....	8	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	5	2	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	3	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	13	3	....	....	....	....	3	....	....	....	....	....	....	1	2	1	2	....	2	....	1	1	....	....	....	....	....
	F.	19	7	....	....	....	....	7	....	1	1	2	1	....	....	2	....	....	1	1	1	2	....	....	....	....	....	....
4. Other diseases of the stomach	M.	3	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	1	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	8	1	....	....	....	....	1	....	....	....	1	1	....	....	1	....	....	....	2	1	1	....	....	....	....	....	....
	F.	15	5	....	....	....	....	5	....	....	....	2	1	....	....	1	2	1	1	1	1	....	....	....	....	....	....	....
6. Hernia	M.	8	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	2	4	....	....	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....
7. Other diseases of the bowels	M.	6	3	....	....	....	....	3	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....
	F.	7	3	....	1	....	....	4	1	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
8. Jaundice	M.	5	3	....	....	....	....	3	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	56	1	3	....	....	....	4	....	....	1	1	7	3	5	8	6	5	6	6	2	1	1	....	....	....	....	....
	F.	27	1	1	....	....	....	2	....	1	....	1	3	2	3	2	4	1	2	2	3	....	....	1	....	....	....	....
10. Other diseases of the liver	M.	49	1	....	....	....	....	1	....	....	....	1	1	4	5	6	8	6	7	6	3	....	1	....	....	....	....	....
	F.	17	3	....	....	....	....	3	....	....	....	....	....	....	2	1	1	2	2	1	2	1	2	....	....	....	....	....
11. Peritonitis	M.	34	3	1	....	....	....	4	1	3	6	3	1	4	3	4	1	3	....	....	1	....	....	....	....	....	....	....
	F.	40	1	1	....	....	....	2	....	....	4	7	9	5	3	3	2	....	1	1	1	2	....	....	....	....	....	....
12. Ascites	M.	11	....	....	....	....	....	....	....	....	....	1	....	....	....	2	2	1	....	2	2	....	....	....	....	....	1	....
	F.	6	....	....	....	....	....	....	....	1	....	....	1	....	1	....	2	....	....	....	1	....	....	....	....	....	....	....	....
13. Others of this group	M.	14	8	1	1	....	....	10	....	....	....	....	....	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	13	10	....	....	....	....	10	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		88	2	1	3	....	....	6	2	4	2	3	7	8	9	8	6	7	5	8	4	6	2	....	....	1	....	....
Males		52	2	1	1	....	....	4	2	3	1	2	3	6	4	5	1	5	1	6	3	5	....	....	....	1	....	....
Females		36	....	....	2	....	....	2	....	1	1	1	4	2	5	3	5	2	4	2	1	1	2	....	....	....	....	....
1. Bright's disease	M.	23	1	....	1	....	....	2	1	1	....	1	1	4	3	1	....	3	1	4	1	....	....	....	....	....	....	....
	F.	18	....	....	2	....	....	2	....	1	1	1	3	....	2	....	2	2	3	....	....	1	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	19	1	1	....	....	....	2	....	2	1	1	....	2	....	3	1	1	....	1	2	3	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	....	1	1	2	1	2	....	....	2	1	....	1	....	....	....	....	....
4. Diseases of the bladder	M.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	1	....	....	....	1	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....
5. Others of this group	M.	5	....	....	....	....	....	....	1	....	....	....	1	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		6	....	....	....	....	....	....	....	....	....	1	1	2	1	....	....	....	....	....	....	1	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	6	....	....	....	....	....	....	....	....	....	1	1	2	1	....	....	....	....	....	....	1	....	....	....	....	....	....
5. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		24	....	....	....	....	....	....	....	....	....	5	5	3	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	14	....	....	....	....	....	....	....	....	....	3	1	6	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	8	....	....	....	....	....	....	....	....	....	1	3	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		16	1	....	....	....	....	1	2	....	1	1	3	3	....	2	1	2	....	....	....	....	....	....	....	....	....	....	....
Males		10	1	....	....	....	....	1	2	....	....	1	2	1	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....
Females		6	....	....	....	....	....	....	....	....	1	....	1	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	3	1	....	....	....	....	1	1	....	....	....	2	1	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 13.—MINNEAPOLIS, MINN.; SAINT LOUIS, MO.; SAINT PAUL, MINN.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		7													2	3		1	1		1						
Males		6													1	2		1	1		1						
Females		1													1												
1. Abscess	M.	5													1	2			1		1						
	F.	1													1												
2. Carbuncle	M.	1																1									
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1	1					1																			
Males																											
Females		1	1					1																			
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.	1	1					1																			
XII.—ACCIDENTS AND INJURIES.																											
Total		343	28	12	5	5	8	58	16	18	23	26	21	38	15	32	25	18	18	14	13	3	2	1			2
Males		275	19	6	4	1	4	34	14	17	17	24	16	33	14	30	21	14	13	12	10	2	1	1			2
Females		68	9	6	1	4	4	24	2	1	6	2	5	5	1	2	4	4	5	2	3	1	1				
1. Burns and scalds	M.	16	2	4	2		1	9	2				1	2	1		1										
	F.	16		3	1	3	2	9	1		2		2		1	1											
2. Drowned	M.	40	1	1				2	6	12	3	5	1	3	1	2	1	2		2							
	F.	4	2					2			1						1										
3. Exposure and neglect	M.	2	2					2																			
	F.	2	1	1				2																			
4. Gunshot wounds	M.	14									2	1	1	2	2	2	2		1		1						
	F.	2									1			1													
5. Homicide	M.	8								1		3			1	1			2								
	F.	3											1	1			1										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	26	1					1	3	1	1	6	1	3	3	2	3	2									
	F.	2				1		1						1													
9. Suffocation	M.	17	4				2	6			1	1		2		1			1	2			1				2
	F.	1																			1						
10. Suicide by shooting	M.	8											1		1	1	2		1		2						
	F.																										
11. Suicide by drowning	M.	4												1			1		1			1					
	F.	2																	2								
12. Suicide by poison	M.	5											2	1		2											
	F.	3										2	1														
13. Other suicides	M.	17									1			3	1	2	2	1	3	2	2						
	F.																										
14. Sunstroke	M.	12								1			2	2		3		3		1							
	F.	2															1	1									
15. Surgical operations	M.	1					1	1																			
	F.																										
16. Wounds	M.	10	1					1		1		1	1	3		1	1	1									
	F.	3	1					1									1					1					
17. Other accidents and injuries	M.	95	8	1	2	1		12	3	1	9	7	6	11	4	13	8	5	4	5	5	1		1			
	F.	28	5	2			2	9	1	1	2		1	2		1		3	3	2	2	1					

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 15.—COLUMBUS, OHIO; INDIANAPOLIS, IND.; NASHVILLE, TENN.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3070	796	215	131	101	70	1313	165	94	136	183	149	140	149	106	115	100	81	70	68	60	52	43	18	8	7	7
Total: Males		1622	440	101	65	52	42	700	82	38	61	97	70	73	83	62	62	60	52	43	38	28	27	25	10	4	3	4
Females		1448	356	114	66	49	28	613	83	56	75	92	79	67	66	44	53	40	29	27	30	32	25	18	8	4	4	3
Unknown causes.																												
Total		95	37	4	3	3	1	48	7	3	3	1	2	2	5	4	3	2	2	2	2	3	3	1	....	....	....	[illegible]
Males		50	26	2	....	2	....	30	3	2	1	1	1	....	2	1	....	2	1	1	....	3	....	1	....	....	....	1
Females		45	11	2	3	1	1	18	4	1	2	....	1	2	3	3	3	....	1	1	2	....	3	....	....	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		790	204	76	60	53	31	424	76	40	43	54	22	21	24	17	13	14	10	11	7	8	3	1	1	....	....	1
Males		405	106	40	35	27	14	222	38	18	20	26	10	11	9	10	9	8	9	4	5	3	2	....	1	....	....	....
Females		385	98	36	25	26	17	202	38	22	23	28	12	10	15	7	4	6	1	7	2	5	1	1	....	....	....	1
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	11	3	4	3	....	....	10	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	6	1	2	2	1	12	3	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	58	7	8	8	8	9	40	14	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	60	2	4	13	9	8	36	16	1	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	36	2	2	7	9	3	23	11	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	....	5	1	3	5	14	8	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	16	8	4	3	....	....	15	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	8	2	2	8	....	10	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	6	1	1	1	1	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	1	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	32	1	....	3	5	....	9	6	7	13	19	7	6	2	5	1	2	3	....	1	1	....	....	....	....	....	....
	F.	63	1	1	1	3	1	7	4	8	13	11	5	4	3	1	2	1	....	1	1	....	....	1	....	....	....	1
9. Diarrhœa	M.	10	5	3	....	....	....	8	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	25	22	1	....	....	....	23	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
10. Dysentery	M.	31	7	1	1	....	....	9	1	1	2	1	1	1	1	2	6	....	2	1	2	1	....	....	....	....	....	....
	F.	24	6	2	1	2	....	11	....	....	....	1	....	1	1	2	....	3	....	3	....	2	....	....	....	....	....	....
11. Enteritis	M.	16	4	1	3	1	....	9	1	2	....	1	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....
	F.	16	6	1	....	1	1	9	1	1	1	1	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	4	1	....	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	74	54	15	4	1	....	74	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	59	42	13	4	....	....	59	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	39	8	1	1	2	....	12	1	1	3	3	1	2	5	2	1	2	3	1	1	....	1	....	....	....	....	....	....
	F.	43	6	4	....	2	1	13	3	3	4	5	1	1	4	2	2	2	....	1	1	....	1	....	....	....	....	....	....
15. Erysipelas	M.	7	1	....	1	....	....	2	....	1	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....
	F.	4	1	1	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
16. Septicæmia	M.	3	1	....	....	....	1	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	1	....	1	1	....	3	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	15	....	....	....	....	....	....	....	....	2	4	4	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	1	....	1	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
19. Others of this group	M.	8	....	....	....	....	1	1	....	2	....	1	1	....	1	....	....	....	....	....	....	....	1	....	1	....	....	....	....
	F.	6	1	....	....	....	....	1	....	1	1	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
General diseases—B.																												
Total		83	54	7	1	....	1	63	2	1	1	....	....	4	....	3	2	1	1	1	1	2	1	....	....	....	....	....
Males		43	27	4	....	....	1	32	1	....	....	....	....	2	....	3	1	1	....	1	1	....	1	....	....	....	....	....
Females		40	27	3	1	....	....	31	1	1	1	....	....	2	....	....	1	....	1	....	....	2	....	....	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	6	....	....	....	....	....	....	....	....	....	....	....	1	....	3	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	4	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	1	....	1	....	....	2	....	....	1	....	1	....	....	1	....	1	....	....	....	....	....
6. Inanition	M.	33	27	4	....	....	....	31	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	32	27	3	1	....	....	31	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		360	232	3	3	1	2	241	1	1	....	....	2	2	....	2	3	2	3	3	11	12	24	29	13	5	6	....
Males		187	126	1	1	....	2	130	1	....	....	....	1	1	....	1	....	2	2	2	5	4	11	14	7	3	3	....
Females		173	106	2	2	1	....	111	....	1	....	....	1	1	....	1	3	....	1	1	6	8	13	15	6	2	3	....
1. Premature birth	M.	30	30	....	....	....	....	30	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	20	....	....	....	....	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	80	80	....	....	....	....	80	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	69	69	....	....	....	....	69	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	28	11	1	1	....	....	13	1	....	....	....	1	1	....	1	....	2	2	....	3	1	1	1	....	....	....	1	....
	F.	26	9	2	2	1	....	14	....	1	....	....	1	1	....	1	3	....	....	....	1	2	1	1	....	....	....	....	....
5. Old age	M.	42	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	3	10	13	7	3	2	....
	F.	50	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	5	6	12	14	6	2	3	....
6. Atrophy	M.	2	....	....	....	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP. 15.—COLUMBUS, OHIO; INDIANAPOLIS, IND.; NASHVILLE, TENN.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		577	26	21	14	6	4	71	22	11	46	73	62	61	54	32	44	27	23	21	11	9	3	3	1	2	1
Males		277	15	7	6	4	4	36	10	3	18	35	26	23	33	17	22	16	13	12	6	3	1	2	1		
Females		300	11	14	8	2		35	12	8	28	38	36	38	21	15	22	11	10	9	5	6	2	1		2	1
1. Rheumatism	M.	4												1					1	1				1			
	F.	5			1			1			1					1				1						1	
2. Scrofula and tabes	M.	11	2	1	1			4	3		1		1		1						1						
	F.	16	2	4	3			9	3	1	2			1													
3. Leprosy	M.																										
	F.																										
4. Consumption	M.	206	6	3	2	2	2	15	2	2	15	35	25	19	31	13	17	11	7	6	3	3	1	1			
	F.	218	4	7	3	2		16	5	6	24	37	33	31	19	12	14	5	5	2	5	1	2	1			
5. Hydrocephalus	M.	15	6	3	3	1	1	14	1																		
	F.	10	4	2	1			7		1							2										
6. Cancer	M.	13														1	3	5	1	2	1						
	F.	21										1	1	2	2		3	4	3	3		2					
7. Tumor	M.	2												1			1										
	F.	1											1														
8. Anæmia	M.	1												1													
	F.	3	1					1						1												1	
9. Dropsy	M.	23				1	1	2	4	1	2			1	1	2	1		4	3	1				1		
	F.	26		1				1	4		1		1	3		2	3	2	2	3		3				1	
10. Glycosuria	M.	1														1											
	F.																										
11. Others of this group	M.	1	1					1																			
	F.																										
12. Others of this class	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		369	121	39	13	11	10	194	18	14	10	11	10	11	20	7	8	11	8	10	11	9	4	5		1	1
Males		209	73	22	7	6	9	117	7	4	7	6	4	9	9	1	5	8	3	6	8	5	3	5		1	1
Females		160	48	17	6	5	1	77	11	10	3	5	12	2	11	6	3	3	5	4	3	4	1				
1. Inflammation of the brain	M.	31	10	7	1	2	3	23	2	1				1	1			3									
	F.	34	14	5	2	2	1	24		3	1		1		4	1											
2. Meningitis	M.	23	7	2	2	2	4	17	1	2	1				1			1									
	F.	20	3	4	2			9	4	3			1	1		1			1								
3. Apoplexy	M.	15	1	1				2					2	2				1	1		4		1	1		1	
	F.	8	1					1	1						2		1	1	1			1					
4. Paralysis	M.	23									1	2		2	2				1	4	2	3	2	4			
	F.	14										1	2		1	1	1		2	2	2	1	1				
5. Tetanus and trismus nascentium.	M.	9	5					5			1			1			1	1									
	F.	7	5					5		1	1																
6. Epilepsy	M.	4	1					1			1	1						1									
	F.	4								1			1		1							1					
7. Convulsions	M.	44	35	4	2	1		42					1														1
	F.	29	18	5	1	1		25	2						1	1											
8. Mental diseases	M.	2										1			1												
	F.	3											1					1		1							
9. Diseases of the brain	M.	49	12	7	1	1	2	23	3	1	3	2	1	3	2		4	1		2	2	2					
	F.	34	6	3	1	2		12	4	2	1	2	6	1	2	1		1	1	1							
10. Diseases of the spinal cord	M.	8	2	1	1			4	1						2	1											
	F.	3	1					1									1					1					
11. Others of this group	M.	1																	1								
	F.	4										2				1					1						
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		102	4	2				6	1	4	3	12	6	7	6	3	6	11	11	7	4	6	4	1			
Males		47	1					1	1		1	5	5	4	2	4	4	3	6	4	2	1	3	1			
Females		55	3	2				5		4	1	7	1	3	4	4	2	8	5	3	2	5	1				
1. Angina pectoris	M.	2																		1	1						
	F.	2																			1	1					
2. Aneurism	M.	1																	1								
	F.																										
3. Diseases of the heart	M.	42							1		1	5	5	4	2	4	4	3	5	2	1	1	3	1			
	F.	51	1	2				3		4	1	7	1	3	4	4	2	8	5	3	1	4	1				
4. Others of this group	M.	2	1					1												1							
	F.	2	2					2																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		355	69	45	27	24	18	183	24	6	10	11	12	15	14	11	14	12	10	6	11	7	7	2			
Males		185	34	18	12	12	11	87	11	3	4	6	4	10	10	5	9	8	6	6	6	6	3	1			
Females		170	35	27	15	12	7	96	13	3	6	5	8	5	4	6	5	4	4		5	1	4	1			
1. Croup	M.	17	4	1	1	4	2	12	5																		
	F.	19	5	4	2	4	1	16	3																		
2. Laryngitis	M.	3	1				1	2										1									
	F.	5							2			1	1										1				
3. Bronchitis	M.	25	4	7	2	2	2	17			1	2		1	1		1	1				1					
	F.	21	6	6	1			13	1	1			3						1		1		1				
4. Pneumonia	M.	120	24	10	3	5	4	52	6	3	2	4	3	6	7	5	8	5	4	5	6	2	2				
	F.	99	19	14	9	7	6	55	5	1	5	4	4	5	4	4	2	2	2		3	1	2				
5. Pleurisy	M.	3													1				1					1			
	F.	1														1											
6. Asthma	M.	3																1	1			1					
	F.	3															2	1									
7. Others of this group	M.	14	1			1	2	4			1		1	3	1					1		2	1				
	F.	22	5	3	3	1		12	2	1	1					1	1	1	1		1			1			

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 15.—COLUMBUS, OHIO; INDIANAPOLIS, IND.; NASHVILLE, TENN.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		134	34	12	5	2	....	53	3	4	5	7	9	2	9	8	8	5	3	4	9	1	1	....	2	....	....	1
Males		75	21	5	2	1	....	29	2	1	1	3	4	2	5	7	4	2	3	2	5	1	1	....	1	....	....	1
Females		59	13	7	3	1	....	24	1	3	4	4	5	....	3	1	4	3	....	2	4	....	....	....	1	....	....	....
1. Dentition	M.	12	6	4	1	1	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	4	6	2	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	10	1	....	....	....	....	1	....	....	....	....	1	1	2	....	1	1	....	1	1	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....
5. Obstruction of the bowels	M.	4	....	....	....	....	....	....	....	1	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	12	3	1	....	....	....	4	....	....	....	2	1	....	1	2	....	....	....	....	1	....	1	....	....	....	....	....
	F.	8	3	1	....	....	....	4	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	12	1	....	....	....	....	1	....	....	....	1	....	....	2	1	1	....	3	....	1	....	....	....	1	....	....	1
	F.	7	....	....	....	....	....	....	....	....	....	....	1	....	1	....	2	....	....	2	1	....	....	....	....	....	....	....
11. Peritonitis	M.	5	....	....	....	....	....	....	1	....	1	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	12	....	....	....	....	....	....	....	1	3	3	2	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	8	5	....	1	....	....	6	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	5	....	1	....	....	6	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		38	....	....	....	....	2	2	4	2	1	1	2	1	2	5	3	4	3	3	1	2	1	1	....	....	....	1
Males		27	....	....	....	....	1	1	3	1	....	1	2	1	1	4	1	2	3	2	....	2	1	1	....	....	....	1
Females		11	....	....	....	....	1	1	1	1	1	....	....	....	1	1	2	2	....	....	1	....	....	....	....	....	....	....
1. Bright's disease	M.	18	....	....	....	....	....	....	3	1	....	1	1	....	1	4	....	....	3	1	....	2	....	....	....	....	....	1
	F.	5	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	6	....	....	....	....	1	1	....	....	....	....	1	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	1	1	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		6	....	....	....	....	....	....	....	....	3	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	5	....	....	....	....	....	....	....	....	3	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		9	....	....	....	....	....	....	....	....	1	3	1	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	4	....	....	....	....	....	....	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	4	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		5	....	1	....	....	....	1	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....
Males		1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		4	....	1	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....
1. Diseases of the spine	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 15.—COLUMBUS, OHIO; INDIANAPOLIS, IND.; NASHVILLE, TENN.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	7	3					3						1		1	1			1								
Males	4	2					2								1				1								
Females	3	1					1						1			1											
1. Abscess M.	2	1					1												1								
1. Abscess F.	2	1					1						1			1											
2. Carbuncle M.	1														1												
2. Carbuncle F.																											
3. Others of this group M.	1	1					1																				
3. Others of this group F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease M.																											
1. Addison's disease F.																											
2. Diseases of the spleen M.																											
2. Diseases of the spleen F.																											
3. Others of this group M.																											
3. Others of this group F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	140	12	5	5	1	1	24	7	7	11	16	13	11	12	8	9	10	7	2		1	1					1
Males	112	9	2	2			13	5	6	9	14	12	10	11	8	7	8	6	2			1					
Females	28	3	3	3	1	1	11	2	1	2	2	1	1	1		2	2	1			1						1
1. Burns and scalds M.	4	1	2	1			4																				
1. Burns and scalds F.	12		2	1	1	1	5	1		2		1		1		1					1						
2. Drowned M.	13							1	4	1	1	1	1	2		1	1										
2. Drowned F.	3			1			1										1	1									
3. Exposure and neglect M.	6	3		1			4							1	1												
3. Exposure and neglect F.	1		1				1																				
4. Gunshot wounds M.	7									1		3	1	1	1												
4. Gunshot wounds F.	1																1										
5. Homicide M.	2										2																
5. Homicide F.																											
6. Infanticide M.																											
6. Infanticide F.																											
7. Injuries by machinery M.																											
7. Injuries by machinery F.																											
8. Railroad accidents M.	29							2		3	8	5	2	1	3	1	3	1									
8. Railroad accidents F.																											
9. Suffocation M.	3	3					3																				
9. Suffocation F.	5	2					2	1								1											1
10. Suicide by shooting M.	2												1	1													
10. Suicide by shooting F.																											
11. Suicide by drowning M.																											
11. Suicide by drowning F.																											
12. Suicide by poison M.	5													1		1	2					1					
12. Suicide by poison F.																											
13. Other suicides M.	7										2			1		2	2										
13. Other suicides F.	1												1														
14. Sunstroke M.	4													2		1			1								
14. Sunstroke F.																											
15. Surgical operations M.	1																	1									
15. Surgical operations F.																											
16. Wounds M.																											
16. Wounds F.																											
17. Other accidents and injuries M.	20	2					2	2	2	4	1	3	5	1	3	1		4	1								
17. Other accidents and injuries F.	5	1		1			2		1		2																

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 17.—KANSAS CITY, MO.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		627	123	59	43	29	19	273	61	25	21	45	36	29	22	33	21	8	16	10	9	7	5	4	1		1	
Total: Males		354	75	31	26	14	10	156	34	14	14	25	21	14	13	19	15	3	9	6	5	3	2	1	1		1	
Females		273	48	28	17	15	9	117	27	11	7	20	15	15	9	14	6	5	7	4	6	4	3	3				
Unknown causes.																												
Total		1										1																
Males																												
Females		1										1																
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		233	47	30	29	11	13	130	35	8	5	7	12	7	5	9	5	1	1	5	3							
Males		130	30	16	16	7	6	75	17	5	4	5	7	3	2	4	4			3	1							
Females		103	17	14	13	4	7	55	18	3	1	2	5	4	3	5	1	1	1	2	2							
1. Small-pox	M.																											
	F.																											
2. Measles	M.	10	2	3	3	1		9	1																			
	F.	13	3	2	2		1	8	4						1													
3. Scarlet fever	M.	15		2	3	3	3	11	3	1																		
	F.	15	2	2	2	1	2	9	5					1														
4. Diphtheria	M.	17	6	1	2	1	1	11	5	1																		
	F.	3	1	1	1			3	4						1													
5. Hooping-cough	M.	6	3	1		1		5	1																			
	F.	4	2				1	3	1																			
6. Fever	M.																											
	F.																											
7. Cerebro-spinal fever	M.																											
	F.																											
8. Enteric fever	M.	9							1	1	1	1	1	2		1	1											
	F.	3								1						1				1								
9. Diarrhœa	M.	6	1	5				6																				
	F.	7	3	1	2			6											1									
10. Dysentery	M.	11	1	2	1		1	5	2		1					2				1								
	F.	8		1	3			4								1	1			1	1							
11. Enteritis	M.	9	4		1			5	1			1	1							1								
	F.	4	1	2			1	4																				
12. Cholera morbus	M.	3							1				1							1								
	F.	2		1	1			2																				
13. Cholera infantum	M.	15	11	2	1	1		15																				
	F.	7	4	3				7																				
14. Malarial fever	M.	23	2		5		1	8	2	2	2	3	4	1	2		3				1							
	F.	24		1	2	3	2	8	4	2	1		4	2		2					1							
15. Erysipelas	M.	1														1												
	F.	3	1					1							1	1												
16. Septicæmia	M.																											
	F.																											
17. Puerperal septicæmia	F.	5										2	1	1				1										
18. Venereal diseases	M.																											
	F.																											
19. Others of this group	M.																											
	F.																											
General diseases—B.																												
Total		9	2		1			3	1			1	1				1			1		1						
Males		5	1		1			2				1	1				1					1						
Females		4	1					1	1											1								
1. Worms	M.																											
	F.																											
2. Other parasitic diseases	M.																											
	F.																											
3. Alcoholism	M.	1											1															
	F.																											
4. Lead poison	M.																											
	F.																											
5. Other poisons	M.	3			1			1				1					1											
	F.	1							1																			
6. Inanition	M.	1	1					1													1		1					
	F.	3	1					1																				
General diseases—C.																												
Total		23	17					17				1										1		3			1	
Males		13	11					11																1			1	
Females		10	6					6				1										1		2				
1. Premature birth	M.	5	5					5																				
	F.	3	3					3																				
2. Stillborn	M.	5	5					5																				
	F.	2	2					2																				
3. Malformation	M.																											
	F.																											
4. Debility	M.	2	1					1																1				
	F.	3	1					1				1										1					1	
5. Old age	M.	1																						2				
	F.	2																										
6. Atrophy	M.																											
	F.																											

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 17.—KANSAS CITY, MO.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		93	7	1	2	2	1	13	4	2	4	18	11	11	4	9	3	1	4	3	3	2	....	1	....	....	....	....
Males		44	3	1	1	....	1	6	2	1	1	9	7	5	3	4	2	....	2	2	....	....	....	....	....	....	....	....
Females		49	4	....	1	2	....	7	2	1	3	9	4	6	1	5	1	1	2	1	3	2	....	1	....	....	....	....
1. Rheumatism	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes	M.	4	1	1	....	....	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	30	2	....	1	....	1	4	....	....	1	7	5	4	2	1	1	....	1	1	....	....	....	....	....	....	....	....
	F.	33	2	....	1	....	....	3	....	1	3	9	4	5	1	2	1	....	1	1	2	....	....	....	....	....	....	....
5. Hydrocephalus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	1	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	1	....	....	....	....
7. Tumor	M.	3	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	5	....	....	....	....	....	....	1	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		39	13	4	2	3	....	22	2	....	....	....	....	....	2	3	6	1	2	....	....	1	....	....	....	....	....	....
Males		20	7	1	2	....	....	10	1	....	....	....	....	....	2	1	3	....	2	....	....	1	....	....	....	....	....	....
Females		19	6	3	....	3	....	12	1	....	....	....	....	....	....	2	3	1	....	....	....	....	....	....	....	....	....	....
1. Inflammation of the brain	M.	9	4	....	2	....	....	6	1	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	5	1	1	....	3	....	5	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	4	....	1	....	....	....	1	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		18	5	....	1	....	....	6	1	1	....	1	2	3	1	....	....	1	2	....	....	....	....	....	....	....	....	....
Males		9	3	....	1	....	....	4	1	....	....	....	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....
Females		9	2	....	....	....	....	2	....	1	....	1	1	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	7	1	....	1	....	....	2	1	....	....	....	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	8	1	....	....	....	....	1	....	1	....	1	1	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		138	23	18	8	12	3	64	13	9	5	4	3	6	0	7	4	2	6	1	3	1	4	....	....	....	....
Males		88	14	10	5	7	2	38	11	4	4	2	1	4	4	6	4	2	3	1	2	1	1	....	....	....	....
Females		50	9	8	3	5	1	26	2	5	1	2	2	2	2	1	....	....	3	....	1	....	3	....	....	....	....
1. Croup	M.	13	2	5	2	2	....	11	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	1	4	2	2	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	2	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
4. Pneumonia	M.	59	7	4	2	3	1	17	7	4	4	2	1	2	2	6	4	2	3	1	2	1	1	....	....	....	....	....
	F.	31	4	4	1	3	1	13	2	4	....	1	2	2	1	1	....	....	2	....	1	....	2	....	....	....	....	....
5. Pleurisy	M.	2	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Asthma	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	5	3	1	....	1	....	5	2	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	....	....	....	....	1	....	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 17.—KANSAS CITY, MO.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		21	3	3	....	1	....	7	1	1	1	3	....	1	1	3	....	....	....	....	....	1	1	....	1	....	....	....
Males		14	3	2	....	....	....	5	....	....	1	2	....	....	1	2	....	....	....	....	....	1	1	....	1	....	....	....
Females		7	....	1	....	1	....	2	1	1	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition	M.	3	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	2	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																												
Total		3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
Males		2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total: Females		1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total: Females		7	....	....	....	....	....	....	....	....	....	1	3	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	3	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	4	....	....	....	....	....	....	....	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 17.—KANSAS CITY, MO.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		1	1					1																			
Males																											
Females		1	1					1																			
1. Abscess	M.																										
	F.	1	1					1																			
2. Carbuncle	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1										1															
Males		1										1															
Females																											
1. Addison's disease	M.	1										1															
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		39	5	3			2	10	4	4	5	7	4		1	2	1		1								
Males		28	3	1			1	5	2	4	3	5	4		1	2	1		1								
Females		11	2	2			1	5	2		2	2															
1. Burns and scalds	M.	2					1	1									1										
	F.																										
2. Drowned	M.	1								1																	
	F.	1							1																		
3. Exposure and neglect	M.	2	1	1				2																			
	F.	4	1	2				3	1																		
4. Gunshot wounds	M.	1											1														
	F.																										
5. Homicide	M.	1										1															
	F.																										
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.																										
	F.																										
8. Railroad accidents	M.	7							2	1	1	1	1		1												
	F.	1					1	1																			
9. Suffocation	M.																										
	F.																										
10. Suicide by shooting	M.	2										1	1														
	F.	1									1																
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.																										
	F.																										
13. Other suicides	M.	1										1															
	F.																										
14. Sunstroke	M.																										
	F.	1										1															
15. Surgical operations	M.																										
	F.																										
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	11	2					2		2	2	1	1			2			1								
	F.	3	1					1			1	1															

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 18.—DENVER, COLO.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		369	97	34	26	20	16	193	31	24	11	39	31	26	30	26	15	11	6	7	8	7	2	2				
Total: Males		288	51	20	11	11	7	100	16	14	5	26	20	20	23	22	13	6	6	4	4	5	2	2				
Females		181	46	14	15	9	9	93	15	10	6	13	11	6	7	4	2	5		3	4	2						
Unknown causes.																												
Total																												
Males																												
Females																												
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		181	44	19	14	14	10	101	21	15	4	15	7	7	4	1	2	1		2	1							
Males		95	23	12	6	6	3	50	9	6	2	10	4	6	4	1	2			1								
Females		86	21	7	8	8	7	51	12	9	2	5	3	1				1		1	1							
1. Small-pox	M.																											
	F.																											
2. Measles	M.	5	3	1				4							1													
	F.	4	1		1	2		4																				
3. Scarlet fever	M.	8	2		1	2		5	2						1													
	F.	4			1		1	2	1	1																		
4. Diphtheria	M.	22	3	1	4	2	3	13	5	1		3																
	F.	31	2	3	5	4	3	17	8	6																		
5. Hooping-cough	M.	5	3	2				5																				
	F.	4	1	1		1	1	4																				
6. Fever	M.	29		1	1	1		3	2	5	2	7	4	3	1	1	1											
	F.	16					1	1	2	2	2	5	2	1				1										
7. Cerebro-spinal fever	M.																											
	F.																											
8. Enteric fever	M.																											
	F.																											
9. Diarrhœa	M.																											
	F.	4	2			1		3												1								
10. Dysentery	M.	2	1					1									1											
	F.																											
11. Enteritis	M.	5	1	1		1		3						1						1								
	F.	4	2					2					1								1							
12. Cholera morbus	M.																											
	F.																											
13. Cholera infantum	M.	14	9	5				14																				
	F.	13	11	2				13																				
14. Malarial fever	M.	1		1				1																				
	F.	3	1				1	2	1																			
15. Erysipelas	M.	2	1					1							1													
	F.	3	1	1	1			3																				
16. Septicæmia	M.	1													1													
	F.																											
17. Puerperal septicæmia	F.																											
18. Venereal diseases	M.																											
	F.																											
19. Others of this group	M.	1													1													
	F.																											
General diseases—B.																												
Total		5											1	1	1		2											
Males		4												1	1		2											
Females		1											1															
1. Worms	M.																											
	F.																											
2. Other parasitic diseases	M.																											
	F.																											
3. Alcoholism	M.	4												1	1		2											
	F.																											
4. Lead poison	M.																											
	F.																											
5. Other poisons	M.																											
	F.	1											1															
6. Inanition	M.																											
	F.																											
General diseases—C.																												
Total		25	19					19													1		2	1	2			
Males		12	7					7													1		1	1	2			
Females		13	12					12															1					
1. Premature birth	M.																											
	F.	1	1					1																				
2. Stillborn	M.	5	5					5																				
	F.	7	7					7																				
3. Malformation	M.																											
	F.	1	1					1													1		1	1				
4. Debility	M.	5	2					2															1					
	F.	4	3					3																	2			
5. Old age	M.	2																										
	F.																											
6. Atrophy	M.																											
	F.																											

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 18.—DENVER, COLO.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		76	5	1	..	..	1	7	1	..	1	15	8	9	14	6	3	7	..	1	2	1	1	..	..	..	..	..
Males		49	2	..	..	..	1	3	..	..	..	9	6	5	10	5	3	4	..	1	1	1	1	..	..	..	..	..
Females		27	3	1	..	..	..	4	1	..	1	6	2	4	4	1	..	3	..	..	1	..	..	..	..	..	..	..
1. Rheumatism	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Scrofula and tabes	M.	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Leprosy	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
4. Consumption	M.	42	..	..	..	..	1	1	..	..	..	8	6	5	10	4	2	2	..	1	1	1	1	..	..	..	..	..
	F.	20	1	1	..	..	..	2	..	..	1	6	2	4	3	1	..	1	..	..	..	..	..	..	..	..	..	..
5. Hydrocephalus	M.	2	2	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	2	2	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6. Cancer	M.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
	F.	2	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..
7. Tumor	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
8. Anæmia	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
9. Dropsy	M.	3	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	..	..	..	..	..	..	..	..	..
	F.	3	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..
10. Glycosuria	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
11. Others of this group	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
12. Others of this class	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		44	12	0	1	3	..	24	1	1	1	1	4	1	1	3	2	..	..	2	1	2	..	..	..	..	..	..
Males		29	9	3	1	2	..	15	1	1	..	1	2	1	1	2	1	..	..	1	1	2	..	..	..	..	..	..
Females		15	3	3	2	1	..	9	..	..	1	..	2	..	..	1	1	..	..	1	..	..	..	..	..	..	..	..
1. Inflammation of the brain	M.	5	1	3	..	..	..	4	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Meningitis	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	2	..	1	1	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Apoplexy	M.	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..
	F.	2	..	..	..	1	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
4. Paralysis	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
5. Tetanus and trismus nascentium.	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6. Epilepsy	M.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
7. Convulsions	M.	6	5	..	..	1	..	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	3	1	1	..	..	..	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
8. Mental diseases	M.	2	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
9. Diseases of the brain	M.	12	3	..	1	..	..	4	..	1	..	1	1	1	1	1	..	..	..	1	1	..	..	..	..	..	..	..
	F.	6	2	1	1	..	..	4	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
10. Diseases of the spinal cord	M.	1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
11. Others of this group	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		10	2	1	..	..	..	3	1	2	..	..	1	..	..	2	..	..	..	..	1	..	..	..	..	..	..	..
Males		8	1	1	..	..	..	2	1	2	..	..	1	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..
Females		2	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
1. Angina pectoris	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Aneurism	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Diseases of the heart	M.	8	1	1	..	..	..	2	1	2	..	..	1	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..
	F.	2	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
4. Others of this group	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		85	14	5	8	2	4	33	5	3	4	3	5	3	5	7	5	3	4	1	2	2	..	..	..	..	..	..
Males		61	8	3	4	2	2	19	4	2	3	3	4	3	4	7	4	2	4	..	1	1	..	..	..	..	..	..
Females		24	6	2	4	..	2	14	1	1	1	..	1	..	1	..	1	1	..	1	1	1	..	..	..	..	..	..
1. Croup	M.	5	1	..	1	..	2	4	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	5	..	..	1	..	2	3	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Laryngitis	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Bronchitis	M.	4	2	..	1	1	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
4. Pneumonia	M.	49	5	3	2	1	..	11	3	2	3	3	4	3	3	7	3	2	4	..	..	1	..	..	..	..	..	..
	F.	18	5	2	3	..	..	10	..	..	1	..	1	..	1	..	1	1	..	1	1	1	..	..	..	..	..	..
5. Pleurisy	M.	2	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6. Asthma	M.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
7. Others of this group	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 18.—DENVER, COLO.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		13	1	1	1	1	....	4	1	1	....	2	1	1	1	1	....	....	....	....	1	....	....	....	....	....	....
Males		9	1	1	....	1	....	3	....	1	....	2	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....
Females		4	....	....	1	....	....	1	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Dentition	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	4	....	....	....	1	....	1	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		7	....	....	....	....	....	....	....	1	....	....	....	1	1	3	....	....	1	....	....	....	....	....	....	....	....	....
Males		5	....	....	....	....	....	....	....	1	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....
Females		2	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease	M.	5	....	....	....	....	....	....	....	1	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		4	....	....	....	....	....	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Males		1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Females		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 18.—DENVER, COLO.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total	1																	1								
Males	1																	1								
Females																										
1. Abscess M.																										
1. Abscess F.																										
2. Carbuncle M.	1																	1								
2. Carbuncle F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total																										
Males																										
Females																										
1. Addison's disease M.																										
1. Addison's disease F.																										
2. Diseases of the spleen M.																										
2. Diseases of the spleen F.																										
3. Others of this group M.																										
3. Others of this group F.																										
XII.—ACCIDENTS AND INJURIES.																										
Total	17		1			1	2	1	1		2	2	3	3	2	1										
Males	14					1	1	1	1		1	2	3	2	2	1										
Females	3		1				1				1			1												
1. Burns and scalds M.	1															1										
1. Burns and scalds F.	1										1															
2. Drowned M.	3											1	1	1												
2. Drowned F.	1		1				1																			
3. Exposure and neglect M.																										
3. Exposure and neglect F.																										
4. Gunshot wounds M.	2								1				1													
4. Gunshot wounds F.																										
5. Homicide M.																										
5. Homicide F.																										
6. Infanticide M.																										
6. Infanticide F.																										
7. Injuries by machinery M.																										
7. Injuries by machinery F.																										
8. Railroad accidents M.	2										1	1														
8. Railroad accidents F.																										
9. Suffocation M.	1							1																		
9. Suffocation F.																										
10. Suicide by shooting M.																										
10. Suicide by shooting F.																										
11. Suicide by drowning M.																										
11. Suicide by drowning F.																										
12. Suicide by poison M.																										
12. Suicide by poison F.																										
13. Other suicides M.																										
13. Other suicides F.																										
14. Sunstroke M.	1												1													
14. Sunstroke F.																										
15. Surgical operations M.																										
15. Surgical operations F.																										
16. Wounds M.																										
16. Wounds F.																										
17. Other accidents and injuries M.	4					1	1							1	2											
17. Other accidents and injuries F.	1													1												

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 21.—OAKLAND, CAL.; SAN FRANCISCO, CAL.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		5134	1257	197	136	98	60	1748	144	71	120	242	306	388	414	328	341	313	193	178	116	93	68	43	12	6	1	9
Total: Males		3251	697	111	69	54	30	961	79	47	65	143	193	288	295	234	253	230	146	121	74	56	31	22	2	2	1	8
Females		1883	560	86	67	44	30	787	65	24	55	99	113	100	119	94	88	83	47	57	42	37	37	21	10	4	....	1
Unknown causes.																												
Total		240	8	....	2	1	2	13	3	3	4	18	33	50	34	25	24	12	11	7	1	....	....	....	....	....	....	2
Males		223	6	....	....	....	2	8	1	3	4	18	32	48	31	24	23	11	11	7	1	....	....	....	....	....	....	1
Females		17	2	....	2	1	....	5	2	....	....	....	1	2	3	1	1	1	....	....	....	....	....	....	....	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		652	174	45	31	32	16	298	56	18	23	31	39	41	24	23	19	18	16	13	6	5	1	2	1	....	....	....
Males		342	91	19	13	18	8	149	30	9	10	18	22	23	14	12	13	14	14	8	4	1	1	....	....	....	....	....
Females		290	83	26	18	14	8	149	26	9	13	13	17	18	10	11	6	4	2	5	2	2	....	2	1	....	....	....
1. Small-pox	M.	2	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	11	....	3	3	3	....	9	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	3	3	3	....	....	9	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	12	2	3	1	3	1	10	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	2	3	....	5	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	40	5	2	4	6	4	21	16	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	34	4	2	4	4	5	19	12	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	14	7	4	2	1	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	20	6	4	3	4	2	19	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	8	2	....	....	1	1	4	2	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	....	1	....	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	66	....	....	....	2	....	2	5	6	7	10	11	8	2	5	1	4	3	2	....	....	....	....	....	....	....	....
	F.	47	1	1	....	2	....	4	5	6	10	4	5	2	5	2	....	2	....	1	....	1	....	....	....	....	....	....
9. Diarrhœa	M.	19	12	1	....	....	....	13	....	....	....	....	1	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	7	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	11	9	2	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	51	23	2	....	1	1	28	1	2	1	1	3	1	3	....	3	5	2	....	....	....	1	....	....	....	....	....
	F.	36	14	2	2	....	....	18	....	1	....	1	4	3	....	3	2	....	1	1	1	....	....	1	....	....	....	....
12. Cholera morbus	M.	7	1	1	....	....	....	2	1	....	....	....	....	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....
13. Cholera infantum	M.	35	30	2	3	....	....	35	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	50	40	9	1	....	....	50	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	15	....	1	....	1	....	2	....	1	....	2	1	2	1	3	1	....	....	....	1	1	....	....	....	....	....	....
	F.	15	1	1	2	1	1	6	2	....	1	1	1	1	....	1	1	....	....	....	....	1	....	....	....	....	....	....
15. Erysipelas	M.	4	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
16. Septicæmia	M.	31	2	....	....	....	....	2	1	....	1	3	....	6	1	1	5	2	5	2	2	....	....	....	....	....	....	....
	F.	11	....	2	....	....	....	2	....	....	1	1	....	2	....	1	2	1	....	....	....	....	....	....	....	1	....	....
17. Puerperal septicæmia	F.	23	....	....	....	....	....	....	....	....	1	5	4	6	3	3	....	....	....	1	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	11	1	....	....	....	....	1	....	....	....	....	3	1	1	1	1	2	1	....	....	....	....	....	....	....	....	....
	F.	7	1	....	....	....	....	1	....	....	....	1	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	8	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	1	2	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		298	204	6	8	2	1	221	1	....	....	2	6	6	13	11	12	11	2	4	3	1	3	....	....	....	....	2
Males		168	111	4	5	2	1	123	....	....	....	....	4	3	6	8	8	9	....	1	3	....	1	....	....	....	....	2
Females		130	93	2	3	....	....	98	1	....	....	2	2	3	7	3	4	2	2	3	....	1	2	....	....	....	....	....
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	28	....	....	....	....	....	....	....	....	....	....	2	2	5	6	6	3	....	1	2	....	1	....	....	....	....	....
	F.	21	....	....	....	....	....	....	....	....	....	1	2	1	5	3	4	2	2	....	....	....	1	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	13	....	....	....	....	....	....	....	....	....	....	2	1	1	2	2	5	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	127	111	4	5	2	1	123	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	2
	F.	106	93	2	3	....	....	98	1	....	....	....	....	1	1	....	....	....	....	3	....	1	1	....	....	....	....	....
General diseases—C.																												
Total		624	455	5	3	....	1	464	4	2	4	2	1	1	11	1	10	9	10	3	13	18	30	26	8	5	1	1
Males		323	243	4	2	....	....	249	2	1	2	....	....	....	9	1	5	4	6	1	5	12	11	12	....	1	1	1
Females		301	212	1	1	....	1	215	2	1	2	2	1	1	2	....	5	5	4	2	8	6	19	14	8	4	....	....
1. Premature birth	M.	35	35	....	....	....	....	35	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	30	....	....	....	....	30	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	162	162	....	....	....	....	162	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	141	141	....	....	....	....	141	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Debility	M.	99	42	3	2	....	....	47	2	1	2	....	....	....	9	1	5	4	6	1	4	6	4	6	....	....	....	....
	F.	83	40	....	1	....	1	42	2	1	2	2	1	1	2	....	5	5	4	1	3	2	4	4	2	....	....	....
5. Old age	M.	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	6	7	6	....	1	1	....
	F.	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	5	4	15	10	6	4	....	....
6. Atrophy	M.	4	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 21.—OAKLAND, CAL.; SAN FRANCISCO, CAL.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1061	31	17	10	4	6	68	14	7	36	106	117	126	146	107	100	86	56	42	25	12	10	1	1			1
Males		667	15	6	7	2	2	32	6	6	14	60	64	94	103	65	70	59	44	25	13	7	3	1				1
Females		394	16	11	3	2	4	36	8	1	22	46	53	32	43	42	30	27	12	17	12	5	7		1			
1. Rheumatism	M.	6													2	1	2	1										
	F.	5							1						1				1	1	1							
2. Scrofula and tabes	M.	10	3			1		4	2		1		1		1	1												
	F.	11	4	1			2	10				1																
3. Leprosy	M.	1												1														
	F.																											
4. Consumption	M.	516	2	2	1	1	1	7	1	4	13	60	61	85	80	57	57	40	28	10	6	4	1	1				1
	F.	261	4	5	1	1	2	13	2		21	44	52	24	31	27	14	13	3	7	6	2	1		1			
5. Hydrocephalus	M.	18	5	4	5		1	15	2	1																		
	F.	14	6	2	2	1		11	3																			
6. Cancer	M.	73											2	5	10	5	10	11	12	9	6	2	1					
	F.	75							1			1	1	6	9	10	13	11	7	7	3	2	4					
7. Tumor	M.	6	1					1							3			2										
	F.	5														3		1			1							
8. Anæmia	M.	3	2					2												1								
	F.	1	1					1																				
9. Dropsy	M.	25	1					1	1	1				3	5	1		5	4	2	1		1					
	F.	14	1					1	1					2	1	1	3	1			1	1	2					
10. Glycosuria	M.	4													2					1		1						
	F.	7								1	1					1		1	1	2								
11. Others of this group	M.	5	1		1			2									1			2								
	F.	1													1													
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		638	130	58	38	20	14	310	25	9	5	10	12	18	34	39	38	37	27	29	17	14	9	2	1	1		1
Males		409	107	40	21	10	6	184	14	6	3	7	6	12	26	28	29	28	18	20	12	7	5	1	1	1		1
Females		229	73	18	17	10	8	126	11	3	2	3	6	6	8	11	9	9	9	9	5	7	4	1				
1. Inflammation of the brain	M.	31	6	9	3		1	19	4					2	1	3	2											
	F.	13	3	2	1	2	2	10	3																			
2. Meningitis	M.	71	21	15	5	7	2	50	6	2	1		3	2	1	3		1	1		1							
	F.	48	17	8	7	4	1	37	5	2		1			2				1									
3. Apoplexy	M.	76	3					3		1		2	1	1	7	5	11	12	10	12	5	4	2					
	F.	27			1		1	2					2	2	2	4	5	4		2	2	1		1				
4. Paralysis	M.	45								2	1	1		3	3	5	8	7	3		5	2	2	1	1	1		
	F.	34	1					1			1	1	2	2	2	4	1	4	4	3	2	4	3					
5. Tetanus and trismus nascentium.	M.	4	3					3							1													
	F.	3	2					2									1											
6. Epilepsy	M.	8			1			1				1		1	1	1	1		1	2								
	F.	6	1					1		1				1	1			1	1									
7. Convulsions	M.	89	61	11	8	3		83	3				2	1														
	F.	70	48	8	5	3		64	2				1			1			1	1								
8. Mental diseases	M.																											
	F.	1																		1								
9. Diseases of the brain	M.	64	11	2	4		1	18		1		3		2	10	8	6	6	2	5		1	1					1
	F.	20	1		1	1	3	6	1		1	1	1	1	1	1	2		1	1	1	1	1					
10. Diseases of the spinal cord	M.	15	1	3			2	6	1		1				1	3			1	1	1							
	F.	6			2		1	3								1				1		1						
11. Others of this group	M.	6	1					1							2		1	2										
	F.	1																			1							
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		262	20	1	2	1	4	28	6	6	8	8	11	23	26	23	34	24	23	17	12	7	3	2	1			
Males		182	12	1	2		3	18	3	4	5	1	7	16	19	19	26	16	17	12	11	5	1	1	1			
Females		80	8			1	1	10	3	2	3	7	4	7	7	4	8	8	6	5	1	2	2	1				
1. Angina pectoris	M.	1															1											
	F.	1												1														
2. Aneurism	M.	39	1					1		1	1		2	5	11	2	7	5	2		1	1						
	F.	3												1		1		1										
3. Diseases of the heart	M.	131	3	1	1		2	7	3	3	4	1	5	11	8	17	17	11	15	12	10	4	1	1	1			
	F.	65	2				1	3	2	2	3	6	4	5	6	3	8	7	6	4	1	2	2	1				
4. Others of this group	M.	11	8		1		1	10									1											
	F.	11	6			1		7	1			1			1					1								
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		627	131	48	35	31	9	254	20	10	11	20	23	37	23	31	36	50	26	29	20	24	7	5				1
Males		399	83	28	15	18	3	147	12	5	6	10	14	30	17	24	25	37	17	20	14	13	4	3				1
Females		228	48	20	20	13	6	107	8	5	5	10	9	7	6	7	11	13	9	9	6	11	3	2				
1. Croup	M.	21		3	4	10	1	18	2	1																		
	F.	20	5	2	4	5	1	17	3																			
2. Laryngitis	M.	3	1					1	1									1										
	F.	2																										
3. Bronchitis	M.	52	20	2	4	2	1	29		1		1	1	1	2	1	1	2	2	4	3	3		2				
	F.	38	8	5	3			16	2	1	2			1	1	1	1	4	2		3	3	1					
4. Pneumonia	M.	254	42	20	6	6	1	75	7	3	4	9	11	24	11	19	18	26	13	13	8	7	4	1				1
	F.	131	27	12	10	7	4	60	2	1	2	8	8	6	4	4	9	6	5	6	2	5	1	2				
5. Pleurisy	M.	11	1					1					1	2		1	3	2		1								
	F.	3					1	1												1		1						
6. Asthma	M.	7														1	1	1	1		2	1						
	F.	10								1					1		1	2	2		1	1	1					
7. Others of this group	M.	51	19	3	1			23	2		2	1	1	3	4	2	2	5	1	2		2						
	F.	24	8	1	3	1		13	1	2	1	1				2		1		2		1						

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 21.—OAKLAND, CAL.; SAN FRANCISCO, CAL.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		288	36	16	4	5	2	63	3	3	3	12	14	24	35	26	30	30	6	19	9	5	3	3	....	....	....	....
Males		187	19	9	2	2	1	33	2	3	....	7	10	15	19	22	23	21	5	14	5	3	3	2	....	....	....	....
Females		101	17	7	2	3	1	30	1	....	3	5	4	9	16	4	7	9	1	5	4	2	....	1	....	....	....	....
1. Dentition	M.	12	6	6	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	5	5	1	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	1	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	10	....	....	....	....	....	....	....	....	....	....	....	2	2	1	1	....	....	1	....	....	1	1	1	....	....	....	....
	F.	16	1	....	....	1	1	3	....	....	....	1	....	1	1	1	2	2	1	2	1	....	....	1	....	....	....	....
4. Other diseases of the stomach	M.	5	1	....	1	....	....	2	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	7	2	1	....	....	....	3	1	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	9	1	....	....	....	....	1	....	....	....	1	2	....	....	1	1	1	....	....	....	....	2	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Hernia	M.	11	....	....	....	....	....	....	....	....	....	....	1	....	1	1	2	3	....	2	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	M.	7	4	....	....	1	1	6	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	M.	45	....	....	....	....	....	....	....	....	....	4	5	9	3	5	8	7	2	1	1	....	....	....	....	....	....	....	....
	F.	10	....	....	....	....	....	....	....	....	....	....	....	2	1	2	....	3	....	....	1	1	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	45	....	....	1	1	....	2	....	1	....	1	1	1	7	8	8	5	3	6	1	1	....	....	....	....	....	....	....
	F.	19	3	....	....	....	....	3	....	....	1	....	1	4	3	1	2	1	....	2	....	1	....	....	....	....	....	....	....
11. Peritonitis	M.	19	....	1	....	....	....	1	2	1	....	1	....	3	4	1	2	2	....	....	2	....	....	....	....	....	....	....	....
	F.	22	1	....	....	2	....	3	....	....	2	2	3	1	0	....	....	1	....	....	1	....	....	....	....	....	....	....	....
12. Ascites	M.	10	3	1	....	....	....	4	....	....	....	....	....	....	....	1	....	1	....	3	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	9	3	....	....	....	....	3	....	1	....	....	....	....	2	....	....	1	....	1	1	....	....	....	....	....	....	....	....
	F.	4	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		72	....	....	....	....	1	1	....	2	2	5	4	4	8	2	7	9	5	5	6	4	1	1	....	....	....	....
Males		54	....	....	....	....	1	1	....	....	2	2	3	4	5	3	5	9	5	4	2	4	1	1	....	....	....	....
Females		18	....	....	....	....	....	....	....	2	....	3	1	....	3	2	2	....	....	1	4	....	....	....	....	....	....	....
1. Bright's disease	M.	34	....	....	....	....	1	1	....	....	1	....	2	2	3	3	4	7	5	3	1	1	....	1	....	....	....	....
	F.	13	....	....	....	....	....	....	....	1	....	1	1	....	3	1	2	....	....	1	3	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	5	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	2	....	....	....	....	....	....	....	....	....	1	....	2	....	1	....	1	....	....	1	1	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	7	....	....	....	....	....	....	....	....	....	1	1	....	2	1	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		18	....	....	....	....	....	....	....	....	....	3	2	4	3	3	1	2	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	4	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	9	....	....	....	....	....	....	....	....	....	2	2	2	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		12	....	....	....	....	....	....	....	....	....	....	4	4	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	7	....	....	....	....	....	....	....	....	....	....	3	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	3	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		13	....	....	....	....	1	1	2	1	2	....	2	....	....	1	3	1	....	....	....	....	....	....	....	....	....	....
Males		8	....	....	....	....	....	....	2	1	2	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
Females		5	....	....	....	....	1	1	....	....	....	....	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	5	....	....	....	....	....	....	2	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....

TABLE VIII.—MORTALITY IN 50 PRINCIPAL CITIES, BY GRAND GROUPS, AGE AND SEX, ETC.

GRAND GROUP 21.—OAKLAND, CAL.; SAN FRANCISCO, CAL.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		13	3					3			2			1	1	1		2				2		1			
Males		8	2					2			1			1		1		1				1		1			
Females		5	1					1			1				1			1				1					
1. Abscess	M.	4	1					1			1					1		1									
	F.	2	1					1										1									
2. Carbuncle	M.	2												1								1					
	F.																										
3. Others of this group	M.	2	1					1																1			
	F.	3									1				1							1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2								1						1											
Males		2								1						1											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.	1														1											
	F.																										
3. Others of this group	M.	1								1																	
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		334	15	1	3	2	3	24	10	9	20	25	33	49	54	26	27	22	11	10	4	3	1				1
Males		279	8		2	2	3	15	7	8	16	20	31	42	46	22	24	21	9	9	4	3	1				1
Females		55	7	1	1			9	3	1	4	5	7	7	8	4	3	1	2	1							
1. Burns and scalds	M.	19			1		1	2			1	8	2	2	3		1										
	F.	9			1			1			2	1	1			1	2		1								
2. Drowned	M.	49					1	1	2	3	4	4	9	8	4	4	2	3	1	2	1	1					
	F.	1		1				1																			
3. Exposure and neglect	M.	1	1					1																			
	F.																										
4. Gunshot wounds	M.	3									2							1									
	F.																										
5. Homicide	M.	25											2	11	5	2	1	3	1								
	F.	1											1														
6. Infanticide	M.	1	1					1																			
	F.																										
7. Injuries by machinery	M.	1										1															
	F.																										
8. Railroad accidents	M.	5							1	1		1	1		1	2		1									
	F.																										
9. Suffocation	M.	11	4			1		5	1						2	1	1										1
	F.	9	6					6							1	1	1										
10. Suicide by shooting	M.	7										1			2			4									
	F.	3									1	1		1													
11. Suicide by drowning	M.	1													3				1								
	F.	1											1														
12. Suicide by poison	M.	2															1	1									
	F.	3											1		1												
13. Other suicides	M.	56									2	3	10	9	8	4	3	5	2	3	2						
	F.	10									1		2	2	4	1											
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.	2													1					1							
	F.	3											1	1	1												
16. Wounds	M.																										
	F.																										
17. Other accidents and injuries	M.	90	2		1	1	1	5	3	4	7	2	7	12	17	9	10	3	4	3	1	2	1				
	F.	15	1					1	3	1		3		3	1			1	1	1							

TABLE IX.

DEATHS IN THE CHINESE POPULATION OF THE UNITED STATES

(BY AGE AND SEX),

WITH

SPECIFICATION OF CAUSE,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE IX.—DEATHS IN THE CHINESE POPULATION OF THE UNITED STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		869	24	7	9	4	4	48	4	3	17	74	141	172	134	90	68	49	28	22	5	3	1	....	....	....	....	10
Total: Males		790	15	4	4	2	3	28	1	2	14	66	131	163	125	83	67	46	27	21	4	3	1	....	....	....	....	8
Total: Females		79	9	3	5	2	1	20	3	1	3	8	10	9	9	7	1	3	1	1	1	....	....	....	....	....	....	2
Unknown causes.																												
Total		241	3	....	2	....	3	8	3	2	5	19	35	52	33	22	27	10	14	8	1	....	....	....	....	....	....	2
Males		229	2	....	....	....	3	5	1	2	5	19	34	50	31	21	27	9	14	8	1	....	....	....	....	....	....	2
Females		12	1	....	2	....	....	3	2	....	....	....	1	2	2	1	....	1	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		69	1	1	1	1	1	5	....	....	1	5	11	10	12	9	7	5	3	1	....	....	....	....	....	....	....	....
Males		61	1	1	....	....	....	2	....	....	1	3	11	9	11	9	7	4	3	1	....	....	....	....	....	....	....	....
Females		8	....	....	1	1	1	3	....	....	....	2	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	3	3	3	....	....	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	14	....	....	....	....	....	....	....	....	....	1	1	2	4	3	1	2	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	5	1	1	....	....	....	2	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	3	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	M.	19	....	....	....	....	....	....	....	....	1	1	5	4	3	....	3	2	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15. Erysipelas	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	4	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	2	....	....	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		33	12	3	6	2	....	23	1	....	....	....	1	....	....	3	....	....	2	1	1	....	....	....	....	....	....	1
Males		23	10	2	4	2	....	18	....	....	....	....	1	....	....	2	....	....	1	1	....	....	....	....	....	....	....	....
Females		10	2	1	2	....	....	5	1	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	1
1. Worms	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Inanition	M.	20	10	2	4	2	....	18	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	3	2	1	2	....	....	5	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
General diseases—C.																												
Total		20	5	1	....	....	....	6	....	....	....	....	....	1	1	2	1	2	1	4	....	1	....	....	....	....	....	1
Males		14	1	1	....	....	....	2	....	....	....	....	....	1	1	2	....	1	1	4	....	1	....	....	....	....	....	1
Females		6	4	....	....	....	....	4	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
1. Premature birth	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Debility	M.	10	....	1	....	....	....	1	....	....	....	....	....	1	1	2	....	....	1	3	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE IX.—DEATHS IN THE CHINESE POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		223	1					1			5	27	32	43	41	26	18	17	5	4		2						2
Males		202	1					1			4	22	29	40	36	22	18	17	5	4		2						2
Females		21									1	5	3	3	5	4												
1. Rheumatism	M.	1															1											
	F.																											
2 Scrofula and tabes	M.	1														1												
	F.																											
3. Leprosy	M.	1												1														
	F.																											
4. Consumption	M.	186	1					1			4	21	28	37	32	18	17	15	5	4		2						2
	F.	20									1	5	3	3	5	3												
5. Hydrocephalus	M.																											
	F.																											
6. Cancer	M.	1													1													
	F.																											
7. Tumor	M.	1										1																
	F.	1														1												
8. Anæmia	M.																											
	F.																											
9. Dropsy	M.	11											1	2	3	3		2										
	F.																											
10. Glycosuria	M.																											
	F.																											
11. Others of this group	M.																											
	F.																											
12. Others of this class	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		15		1				1				1	1	3		1		5			1							2
Males		13										1	1	3		1		5			1							1
Females		2		1				1																				1
1. Inflammation of the brain	M.	4											1	2					•		1							
	F.																											
2. Meningitis	M.																											
	F.																											
3. Apoplexy	M.	2										1																1
	F.	1																										1
4. Paralysis	M.	3												1				2										
	F.																											
5. Tetanus and trismus nascentium.	M.																											
	F.																											
6. Epilepsy	M.																											
	F.	1		1				1																				
7. Convulsions	M.																											
	F.																											
8. Mental diseases	M.	1																1										
	F.																											
9. Diseases of the brain	M.	3														1		2										
	F.																											
10. Diseases of the spinal cord	M.																											
	F.																											
11. Others of this group	M.																											
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		13											5	2	2	2	1			1								
Males		12											4	2	2	2	1			1								
Females		1											1															
1. Angina pectoris	M.	2												1		1												
	F.																											
2. Aneurism	M.	2												1		1												
	F.																											
3. Diseases of the heart	M.	5											4		2		1			1								
	F.	1											1															
4. Others of this group	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		33	1			1		2		1		3	7	6	4	3	3	2		2								
Males		29										3	7	6	4	3	3	2		1								
Females		4	1			1		2		1										1								
1. Croup	M.																											
	F.	1	1					1																				
2. Laryngitis	M.	1											1															
	F.																											
3. Bronchitis	M.																											
	F.																											
4. Pneumonia	M.	27										3	6	5	4	3	3	2		1								
	F.	3				1		1		1										1								
5. Pleurisy	M.																											
	F.																											
6. Asthma	M.																											
	F.																											
7. Others of this group	M.	1												1														
	F.																											

TABLE IX.—DEATHS IN THE CHINESE POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																										
Total	41										3	7	10	3	8	3	4	1		1						1
Males	37										3	7	8	2	7	3	4	1		1						1
Females	4												2	1	1											
1. Dentition M.																										
1. Dentition F.																										
2. Angina M.																										
2. Angina F.																										
3. Gastritis M.	1														1											
3. Gastritis F.																										
4. Other diseases of the stomach. M.	1																									1
4. Other diseases of the stomach. F.	1												1													
5. Obstruction of the bowels.... M.																										
5. Obstruction of the bowels.... F.																										
6. Hernia M.																										
6. Hernia F.																										
7. Other diseases of the bowels.. M.	4											1	1		1	1										
7. Other diseases of the bowels.. F.																										
8. Jaundice M.	1											1														
8. Jaundice F.																										
9. Inflammation and abscess of the liver. M.	24										3	4	6		5	2	3	1								
9. Inflammation and abscess of the liver. F.	2												1		1											
10. Other diseases of the liver.... M.	1																			1						
10. Other diseases of the liver.... F.																										
11. Peritonitis M.	4												1	2			1									
11. Peritonitis F.	1													1												
12. Ascites M.	1											1														
12. Ascites F.																										
13. Others of this group M.																										
13. Others of this group F.																										
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	2										1	1														
Males	2										1	1														
Females																										
1. Bright's disease M.	1											1														
1. Bright's disease F.																										
2. Calculus, urinary M.																										
2. Calculus, urinary F.																										
3. Diseases of the kidney M.																										
3. Diseases of the kidney F.																										
4. Diseases of the bladder M.	1										1															
4. Diseases of the bladder F.																										
5. Others of this group M.																										
5. Others of this group F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total: Females	1										1															
1. Ovarian tumors F.																										
2. Ovarian diseases F.																										
3. Uterine tumors F.																										
4. Uterine diseases F.	1										1															
5. Others of this group F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total: Females																										
1. Abortion F.																										
2. Child-birth F.																										
3. Others of this group F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	1											1														
Males																										
Females	1											1														
1. Diseases of the spine M.																										
1. Diseases of the spine F.																										
2. Diseases of the bones M.																										
2. Diseases of the bones F.																										
3. Diseases of the hip-joint M.																										
3. Diseases of the hip-joint F.																										
4. Others of this group M.																										
4. Others of this group F.	1											1														

TABLE IX.—DEATHS IN THE CHINESE POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		3											1	1							1						
Males		2												1							1						
Females		1											1														
1. Abscess	M.	1																			1						
	F.	1											1														
2. Carbuncle	M.	1												1													
	F.																										
3. Others of this group	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Males																											
Females																											
1. Addison's disease	M.																										
	F.																										
2. Diseases of the spleen	M.																										
	F.																										
3. Others of this group	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		174	1	1				2			6	14	39	44	38	14	8	4	2	1			1				1
Males		166									4	14	36	43	38	14	8	4	2	1			1				1
Females		8	1	1				2			2		3	1													
1. Burns and scalds	M.	23									1	7	4	4	5	1	1										
	F.	1												1													
2. Drowned	M.	7											2		2	1	1						1				
	F.	3		1				1					2														
3. Exposure and neglect	M.	5										1				1	2	1									
	F.																										
4. Gunshot wounds	M.	9										1	2	3	2	1											
	F.																										
5. Homicide	M.	19											3	10	4	1											1
	F.	1											1														
6. Infanticide	M.																										
	F.																										
7. Injuries by machinery	M.	1										1															
	F.																										
8. Railroad accidents	M.	2												2													
	F.																										
9. Suffocation	M.	2													1	1											
	F.	1	1					1																			
10. Suicide by shooting	M.																										
	F.																										
11. Suicide by drowning	M.																										
	F.																										
12. Suicide by poison	M.	2												1	1												
	F.																										
13. Other suicides	M.	18									1		6	1	4	1	1		1	1							
	F.	2									2																
14. Sunstroke	M.																										
	F.																										
15. Surgical operations	M.	1															1										
	F.																										
16. Wounds	M.	2										1						1									
	F.																										
17. Other accidents and injuries	M.	77									2	3	19	22	19	7	2	2	1								
	F.																										

TABLE X.

DEATHS IN THE INDIAN POPULATION OF THE UNITED STATES

(BY AGE AND SEX),

WITH

SPECIFICATION OF CAUSE,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE X.—DEATHS IN THE INDIAN POPULATION OF THE UNITED STATES, BY AGE AND SEX, WITH SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		903	114	52	42	30	10	257	59	35	71	94	61	57	41	48	24	27	17	25	13	15	13	13	7	5	10	11
Total: Males		463	57	34	19	16	9	135	25	17	29	54	30	27	20	20	16	17	11	11	10	8	6	8	5	3	2	9
Females		440	57	18	23	14	10	122	34	18	42	40	31	30	21	28	8	10	6	14	3	7	7	5	2	2	8	2
Unknown causes.																												
Total		99	30	5	5	4	1	45	5	3	5	4	5	2	4	2	4	3	1	2	....	1	1	1	1	2	2	6
Males		48	14	2	2	1	....	19	4	....	1	3	3	....	2	1	3	3	1	1	....	....	....	....	1	1	....	5
Females		51	16	3	3	3	1	26	1	3	4	1	2	2	2	1	1	....	....	1	....	1	1	1	....	1	2	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		193	28	24	22	11	10	95	22	6	13	17	7	5	4	11	2	5	....	1	....	....	1	1	....	....	1	2
Males		92	13	17	7	5	5	47	5	5	5	11	3	4	2	5	1	2	....	....	....	....	....	1	....	....	....	1
Females		101	15	7	15	6	5	48	17	1	8	6	4	1	2	6	1	3	....	1	....	....	1	....	....	....	1	1
1. Small-pox	M.	4	1	1	1	....	....	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	M.	5	1	1	1	....	....	3	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	2	2	4	1	....	9	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	M.	5	1	1	....	1	....	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	M.	3	....	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	2	1	....	1	2	6	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	M.	9	5	3	....	1	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	4	2	1	1	1	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	M.	6	1	....	1	....	1	3	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	....	3	....	....	4	....	....	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	M.	14	1	....	....	....	1	2	1	1	3	2	1	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	....	1	....	....	2	2	....	2	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa	M.	9	....	5	1	1	1	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	3	....	1	2	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery	M.	7	....	2	....	1	1	4	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	1	....	3	1	1	6	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis	M.	3	1	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	....	1	....	1	1	3	1	....	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus	M.	2	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
13. Cholera infantum	M.	3	....	1	2	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
14. Malarial fever	M.	13	1	1	1	....	1	4	....	3	....	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	1	....	....	1	....	2	4	....	2	1	1	....	1	1	....	1	....	1	....	....	....	....	....	....	....	1	....
15. Erysipelas	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
16. Septicæmia	M.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	F.	3	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	M.	6	....	....	....	....	....	....	....	....	....	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	1
	F.	7	....	....	....	....	....	....	....	....	1	....	1	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																												
Total		17	3	....	....	3	....	6	1	....	....	2	....	1	1	1	....	2	1	2	....	....	....	....	....	....	....	....	....
Males		11	1	....	....	3	....	4	....	....	....	1	....	1	1	....	....	2	1	1	....	....	....	....	....	....	....	....	....
Females		6	2	....	....	....	....	2	1	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Worms	M.	4	1	....	....	3	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	M.	6	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	2	1	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Inanition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total		31	9	1	....	....	....	10	1	....	....	....	1	....	....	....	....	2	....	....	1	1	4	4	4	1	2	....
Males		18	5	1	....	....	....	6	....	....	....	....	1	....	....	....	....	1	....	....	1	1	3	2	3	....	....	....
Females		13	4	....	....	....	....	4	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	2	1	1	2	....
1. Premature birth	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	M.	5	2	1	....	....	....	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	4	3	....	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Old age	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	3	1	3	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	2	1	1	2	....	....
6. Atrophy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE X.—DEATHS IN THE INDIAN POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		273	13	3	5	1	2	24	11	17	30	40	32	24	19	17	13	5	4	13	4	9	4	2	1	1	2	1
Males		130	9	2	4	....	1	16	3	6	14	23	13	11	7	4	10	2	3	5	3	5	1	2	....	1	....	
Females		143	4	1	1	1	1	8	8	11	16	17	19	13	12	13	3	3	1	8	1	4	3	....	1	....	2	1
1. Rheumatism	M.	4	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
	F.	4	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
2. Scrofula and tabes	M.	4	....	....	....	....	....	....	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	1	....	1	....	....	2	1	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	M.	112	9	2	3	....	1	15	2	6	13	20	11	9	5	3	9	2	3	3	3	5	1	1	....	....	....	1
	F.	122	3	1	....	1	....	5	6	10	15	17	19	12	12	12	2	2	....	4	1	1	2	....	1	....	1	....
5. Hydrocephalus	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....
7. Tumor	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	M.	4	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	3	....	2	....	....	....	....	1	....
10. Glycosuria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		44	12	8	4	2	1	27	4	3	1	1	1	1	....	1	....	....	3	....	....	1	....	1	....	....	....	....
Males		24	7	5	4	1	....	17	2	1	....	1	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....
Females		20	5	3	....	1	1	10	2	2	1	....	....	1	....	....	....	....	3	....	....	1	....	....	....	....	....	....
1. Inflammation of the brain	M.	6	1	1	2	....	....	4	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	1	3	....	....	1	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
4. Paralysis	M.	4	....	1	1	....	....	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Tetanus and trismus nascentium.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
7. Convulsions	M.	8	5	1	1	1	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	M.	3	....	2	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Diseases of the spinal cord	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		9	2	....	2	....	....	4	....	....	....	1	....	1	....	....	1	....	....	1	1	....	....	....	....	....	....	....
Males		6	2	....	1	....	....	3	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
Females		3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
1. Angina pectoris	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	M.	6	2	....	1	....	....	3	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		120	13	9	2	5	4	33	6	4	9	10	7	8	6	8	3	3	3	4	5	2	1	4	....	1	1	2
Males		71	5	5	1	4	2	17	5	4	4	7	3	4	4	3	1	2	3	1	4	2	1	2	....	1	1	2
Females		49	8	4	1	1	2	16	1	....	5	3	4	4	2	5	2	1	....	3	1	....	....	2	....	....	....	....
1. Croup	M.	7	2	1	1	2	1	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	M.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Pneumonia	M.	59	1	4	....	2	1	8	4	4	3	7	3	4	4	3	1	2	3	1	4	2	1	2	....	....	1	2
	F.	38	3	2	1	1	2	9	1	....	3	3	4	4	2	5	2	1	....	2	....	....	....	2	....	....	....	....
5. Pleurisy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	M.	3	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....

TABLE X.—DEATHS IN THE INDIAN POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		28	3	2	....	2	....	7	2	....	2	2	....	2	2	1	1	4	2	1	....	1	....	....	....	....	1	....
Males		17	1	2	....	1	....	4	1	....	2	2	....	1	1	....	1	2	1	1	....	....	....	....	....	....	1	....
Females		11	2	....	....	1	....	3	1	....	....	....	....	1	1	1	....	2	1	....	....	1	....	....	....	....	....	....
1. Dentition	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	M.	2	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach	M.	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels	M.	4	....	....	....	1	....	1	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
8. Jaundice	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Other diseases of the liver	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group	M.	3	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		6	..	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	1	....	....	....
Males		5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	1	....	....	....
Females		1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Bright's disease	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total: Females		2	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total: Females		20	....	....	....	....	....	....	....	....	6	8	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	F.	19	....	....	....	....	....	....	....	....	5	8	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Males		....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Females		1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the hip-joint	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Others of this group	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE X.—DEATHS IN THE INDIAN POPULATION, BY AGE, SEX, CAUSE, ETC.—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		6							3					1		1			1									
Males		2							2																			
Females		4							1					1		1			1									
1. Abscess	M.	2							2																			
	F.	3							1							1			1									
2. Carbuncle	M.																											
	F.	1												1														
3. Others of this group	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1									1																	
Males																												
Females		1									1																	
1. Addison's disease	M.																											
	F.																											
2. Diseases of the spleen	M.																									1		
	F.																											
3. Others of this group	M.																											
	F.	1									1																	
XII.—ACCIDENTS AND INJURIES.																												
Total		53	1		1	2	1	5	4	1	3	9	7	7	4	6		2	2		1		1				1	
Males		39				1	1	2	3	1	3	5	6	5	3	6		2	2		1						1	
Females		14	1		1	1		3	1			4	1	2	1								1				1	
1. Burns and scalds	M.	3					1	1		1	1																	
	F.	2	1					1						1														
2. Drowned	M.	5				1		1				3		1														
	F.																											
3. Exposure and neglect	M.	1													1													
	F.																											
4. Gunshot wounds	M.	7									1	1	4			1												
	F.	1										1																
5. Homicide	M.	7							1				1	1		1		1	2									
	F.	3							1				1	1														
6. Infanticide	M.																											
	F.																											
7. Injuries by machinery	M.																											
	F.																											
8. Railroad accidents	M.	2													1	1												
	F.																											
9. Suffocation	M.																											
	F.																											
10. Suicide by shooting	M.																											
	F.																											
11. Suicide by drowning	M.																											
	F.																											
12. Suicide by poison	M.																											
	F.																											
13. Other suicides	M.	1												1														
	F.	1										1																
14. Sunstroke	M.																											
	F.																											
15. Surgical operations	M.																											
	F.																											
16. Wounds	M.	2										1				1												
	F.																											
17. Other accidents and injuries	M.	11							2		1		1	2	1	2		1			1							
	F.	7			1	1		2				2			1								1				1	

TABLE XI.

DEATHS IN CERTAIN GRAND GROUPS

(BY AGE AND SEX),

WITH

DISTINCTION OF COLOR AND SPECIFICATION OF CAUSE,

FOR THE

CENSUS YEAR ENDING MAY 31, 1880.

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE AND SEX, WITH DISTINCTION OF COLOR AND SPECIFICATION OF CAUSE, FOR THE CENSUS YEAR ENDING MAY 31, 1880.

GRAND GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		88840	25654	7092	3703	2274	1685	40408	3743	1598	2229	3549	3718	3443	3706	3327	3211	3182	2916	3054	2871	2688	2190	1592	708	293	193	131
Total: White	M.	40278	12058	3206	1667	1009	792	18732	1687	624	834	1371	1536	1434	1734	1595	1612	1611	1525	1529	1362	1217	912	547	244	80	29	63
	F.	37007	9910	2910	1501	948	683	15952	1567	645	947	1607	1694	1607	1576	1397	1297	1277	1129	1224	1267	1189	1083	810	461	156	75	47
Colored	M.	5725	1930	497	286	158	96	2967	230	159	197	276	203	158	195	166	154	149	142	163	123	139	104	97	38	25	29	11
	F.	5830	1756	479	249	159	114	2757	259	170	251	295	285	244	201	169	148	145	120	138	119	143	91	138	55	32	60	10
Unknown causes.																												
Total		1562	854	96	65	37	18	1070	49	23	21	26	15	22	20	29	32	26	29	38	42	36	24	21	11	6	4	18
Total: White	M.	437	250	29	11	8	6	304	13	5	3	5	2	6	8	9	7	12	11	12	14	10	4	3	2	....	1	6
	F.	360	175	18	10	6	4	213	8	5	6	8	4	6	2	9	14	9	10	9	18	14	10	5	2	2	....	6
Colored	M.	362	203	26	25	12	5	271	18	3	3	7	1	3	3	4	4	2	5	7	4	6	6	5	2	2	3	3
	F.	403	226	23	19	11	3	282	10	10	9	6	8	7	7	7	7	3	3	10	6	6	4	8	5	2	....	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		19742	6916	2770	1519	1024	802	13031	1840	488	458	515	464	370	355	271	245	254	252	260	282	229	190	127	61	26	7	17
Total: White	M.	8719	3192	1255	679	478	373	5977	799	200	167	171	148	115	123	112	121	127	129	129	136	103	83	44	20	7	3	5
	F.	8767	2894	1194	651	448	360	5547	868	213	211	263	259	214	192	129	97	105	105	101	126	110	93	69	36	16	3	10
Colored	M.	1140	437	161	101	46	28	773	77	36	40	41	26	17	14	20	13	13	7	17	11	7	12	10	2	1	1	2
	F.	1116	393	160	88	52	41	734	96	39	40	40	31	24	26	10	14	9	11	13	9	9	2	4	3	2	....	....
1. Small-pox	W. M.	16	2	3	1	2	..	8	1	2	1	....	....	2	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	W. F.	19	3	3	1	1	1	9	4	2	2	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. M.	9	....	2	2	....	....	4	1	....	....	1	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....
	C. F.	10	....	....	1	1	1	3	3	1	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	W. M.	242	67	69	36	24	6	202	20	4	4	6	2	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	W. F.	241	60	75	27	17	18	197	19	3	1	5	2	3	5	4	1	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	45	12	7	5	3	1	28	3	3	4	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	45	11	10	8	4	1	34	6	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	W. M.	908	54	118	180	147	115	614	228	45	7	4	3	2	1	1	1	1	....	....	....	....	....	....	....	....	....	....	1
	W. F.	879	55	114	158	131	102	560	246	39	13	5	6	2	2	....	....	....	3	....	....	....	2	....	....	....	....	....	1
	C. M.	30	3	6	4	5	2	20	5	1	2	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	32	3	3	5	4	3	18	8	2	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	W. M.	1262	100	192	210	201	158	861	330	40	10	1	6	6	3	3	1	....	....	....	....	1	....	....	2	....	1	....	....
	W. F.	1356	92	181	221	202	164	860	395	58	14	6	4	1	5	3	3	2	....	1	....	1	....	....	1	....	....	....	....
	C. M.	79	12	7	13	8	12	52	15	6	1	....	....	1	....	....	....	1	....	....	....	1	....	....	1	....	1	....	....
	C. F.	76	9	6	9	6	12	42	21	8	3	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	W. M.	311	174	79	29	9	9	300	6	1	....	....	....	....	....	2	....	....	....	....	1	....	....	....	1	....	....	....	....
	W. F.	414	205	131	44	10	7	397	12	....	....	....	1	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1
	C. M.	116	53	29	16	5	4	107	5	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. F.	135	56	30	17	10	11	124	6	1	1	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Fever	W. M.	6	2	1	....	....	1	4	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	W. F.	4	....	....	1	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	C. M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	C. F.	6	1	....	....	....	1	2	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	W. M.	157	40	26	11	9	4	90	20	8	6	4	5	2	5	3	1	4	2	3	3	....	1	....	....	....	....	....	....
	W. F.	118	27	17	8	9	10	71	18	5	3	4	1	4	3	1	5	....	1	1	1	....	....	....	....	....	....	....	....
	C. M.	17	5	2	1	....	2	8	2	2	....	2	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	C. F.	10	1	....	1	....	....	2	2	2	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	W. M.	528	5	7	5	11	8	36	35	37	71	83	53	40	26	21	35	20	16	15	19	12	8	1	....	....	....	....	....
	W. F.	500	5	8	9	8	4	34	37	56	81	61	47	35	30	17	15	20	17	13	10	13	8	4	2	....	....	....	....
	C. M.	128	5	5	3	7	2	22	18	12	14	19	13	4	4	4	3	2	1	2	....	2	2	1	....	....	....	....	....
	C. F.	114	2	6	2	1	3	14	17	12	17	15	13	6	5	3	1	3	4	2	....	1	....	1	....	....	....	....	....
9. Diarrhœa	W. M.	813	472	121	18	9	8	628	10	3	2	7	7	7	4	14	9	11	15	18	26	26	7	12	4	2	1	....	....
	W. F.	767	439	96	36	7	2	580	11	2	1	3	8	10	3	11	8	7	8	18	26	22	20	16	9	2	2	....	....
	C. M.	142	78	25	5	....	2	110	2	2	1	2	2	1	1	1	....	1	2	5	5	2	1	3	....	....	1	....	....
	C. F.	111	67	15	7	3	1	93	1	1	1	1	1	....	2	....	1	....	1	2	3	2	....	2	....	....	....	....	....
10. Dysentery	W. M.	689	264	117	43	19	19	462	42	14	14	10	13	5	8	12	8	17	19	12	13	15	13	6	3	1	1	1	....
	W. F.	628	231	105	30	15	8	389	32	3	11	11	9	10	18	10	10	13	12	20	16	18	19	15	8	4	....	....	....
	C. M.	89	33	7	17	3	....	60	6	1	....	2	1	2	....	1	5	....	2	4	1	....	....	2	2	....	....	....	....
	C. F.	91	33	18	7	5	2	65	4	3	2	3	1	....	4	....	1	2	2	1	1	....	....	....	2	....	....	....	....
11. Enteritis	W. M.	458	183	77	23	8	2	293	13	14	7	7	8	6	11	10	12	9	13	16	10	12	7	7	2	1	....	....	....
	W. F.	426	183	41	12	7	5	248	7	7	11	11	11	12	15	9	12	11	18	6	11	15	10	5	5	1	....	1	....
	C. M.	47	21	3	3	....	....	27	4	1	2	....	1	1	4	....	....	2	....	1	....	1	3	....	....	....	....	....	....
	C. F.	45	15	5	2	1	1	24	5	2	1	1	2	....	1	2	2	....	2	....	1	1	....	1	....	....	....	....	....
12. Cholera morbus	W. M.	108	8	4	2	1	1	16	13	2	2	4	3	2	8	10	5	6	6	11	9	....	6	1	4	....	....	....	....
	W. F.	105	5	1	2	....	1	9	8	2	1	5	5	1	2	5	6	9	11	11	14	5	2	5	2	1	....	1	....
	C. M.	16	1	1	....	....	....	2	5	....	1	....	....	....	....	3	1	....	1	....	2	....	1	....	....	....	....	....	....
	C. F.	6	1	....	....	....	....	1	3	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
13. Cholera infantum	W. M.	2076	1614	383	57	11	11	2076	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	1838	1406	259	56	9	8	1838	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	267	190	57	16	3	1	267	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	238	159	56	13	9	1	238	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	W. M.	655	75	28	50	26	28	207	68	24	34	29	29	25	25	17	23	32	33	29	31	11	24	6	3	1	1	3
	W. F.	629	54	34	32	20	22	162	67	34	38	31	49	24	27	29	19	23	24	20	30	22	16	9	2	1	....	2
	C. M.	112	12	8	16	12	2	50	6	5	11	9	5	2	5	2	4	3	....	3	2	....	1	3	....	....	....	1
	C. F.	126	20	8	13	8	4	53	18	5	4	8	2	5	4	1	7	2	2	5	3	4	2	....	....	1	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas	W. M.	185	55	17	4		1	77	4	3	4	6	4	8	9	9	9	8	9	11	7	7	4	4	2		
	W. F.	179	67	8	7	1	4	87	6	2	3	8	3	6	4	11	4	8	3	2	8	6	5	5	7	1	
	C. M.	13	2					2		1	2	1	1	1				1	1	2	1						
	C. F.	20	9	1	2			12	1		1		1	2			1			1		1					
16. Septicæmia	W. M.	88	21	4	4	1	1	31	4	1		5	6	1	4	3	6	6	7	3	2	3	4		1	1	
	W. F.	77	6	6	2	1	1	16	2		3	5	8	6	8	7	1	5	1	3	4	2	3		1		2
	C. M.	3												1		1		1									
	C. F.	5	1		1			2			1	1		1													
17. Puerperal septicæmia	W.—F.	395									25	102	92	93	61	18	2	1									1
	C. —F.	28									6	7	6	3	4	1	1										
18. Venereal diseases	W. M.	126	52	7	6		1	66	2		3	4	6	3	11	2	5	6	4	5	3	4	2				
	W. F.	119	50	9	4	6	2	71	2		4	2	8	2	6	2	5	4	3	1	1	1	3	2		1	1
	C. M.	20	9	2				11			2	3	1	1		2											
	C. F.	14	5	1				6				1	2		2	2				1							
19. Others of this group	W. M.	91	4	2				6	3	2	2	1	2	5	7	3	6	7	4	4	11	13	7	6	1	1	
	W. F.	73	6	6	1	4	1	18	2			4	3	3	3	2	5	2	3	4	5	2	7	6		4	
	C. M.	5	1					1														1	3				
	C. F.	4		1				1						1											1	1	
General diseases—B.																											
Total		1292	786	64	27	17	13	907	16	6	2	17	37	40	45	44	39	27	36	27	17	16	6	7	2		1
Total: White	M.	619	322	31	12	7	3	375	4	1	1	12	24	26	35	32	24	16	27	15	8	10	3	5	1		
	F.	419	270	14	8	3	4	299	7	2	1	4	11	13	8	12	14	10	9	11	9	3	3	1	1		1
Colored	M.	122	94	7	3	5	2	111	3	2		1	1		2							2					
	F.	132	100	12	4	2	4	122	2	1			1	1			1	1		1		1		1			
1. Worms	W. M.	9	1	1	3	2	1	8	1																		
	W. F.	12	2	2	3	1	1	9	2	1																	
	C. M.	10	1			3	1	5	3	2																	
	C. F.	14	2	3	3	1	4	13	1																		
2. Other parasitic diseases.	W. M.	1														1											
	W. F.																										
	C. M.																										
	C. F.																										
3. Alcoholism	W. M.	173										6	19	22	28	22	21	13	20	11	5	5		1			
	W. F.	75										2	9	11	8	9	13	9	5	5	3		1				
	C. M.	3										1			1							1					
	C. F.	1											1														
4. Lead poison	W. M.	1										1															
	W. F.	1														1											
	C. M.																										
	C. F.																										
5. Other poisons	W. M.	80	13	8	5	4	1	31	1		1	5	5	3	6	9	3	3	6	3	1	1	1	1			
	W. F.	33	5	2	2	1	3	13	3	1		1	1	1		1	1	1	2	3	2	2	1				
	C. M.	5	3				1	4					1														
	C. F.	8	1			1		2	1	1				1			1	1		1							
6. Inanition	W. M.	355	308	22	4	1	1	336	2	1				1	1			1	1	2	4	2	3	1			
	W. F.	298	263	10	3	1		277	2		1	1	1	1		1		2	3	4	1	1	1	1			1
	C. M.	104	90	7	3	2		102							1						1						
	C. F.	109	97	9	1			107													1		1				
General diseases—C.																											
Total		10047	7359	286	96	38	11	7790	33	13	5	17	25	20	35	28	38	30	52	65	113	280	401	538	309	138	122	5
Total: White	M.	4682	3737	131	51	14	7	3940	15	5	3	8	7	3	16	13	22	15	29	28	41	107	141	156	78	37	14	4
	F.	4186	2872	124	35	18	3	3052	10	6	2	8	15	13	14	13	12	10	21	25	62	129	212	275	191	69	47	
Colored	M.	578	401	17	5	2	1	426	5	1				1	2	1	2	5	2	3	1	19	26	30	14	12	13	
	F.	601	349	14	5	4		372	3	1		1	3	3	3	1	2			9	9	25	22	57	26	20	43	1
1. Premature birth	W. M.	712	712					712																			
	W. F.	528	528					528																			
	C. M.	62	62					62																			
	C. F.	66	66					66																			
2. Stillborn	W. M.	2136	2136					2136																			
	W. F.	1618	1618					1618																			
	C. M.	223	223					223																			
	C. F.	187	187					187																			
3. Malformation	W. M.	72	69	3				72																			
	W. F.	42	41		1			42																			
	C. M.	6	6					6																			
	C. F.	2	2					2																			
4. Debility	W. M.	1394	800	123	48	14	7	992	15	5	3	8	7	3	16	13	22	15	29	26	29	59	67	44	19	11	8	3
	W. F.	1318	668	119	31	18	3	839	10	6	2	8	15	13	14	13	12	10	20	25	36	65	72	80	47	17	14	
	C. M.	193	110	16	5	2	1	134	5	1				1	2	1	2	5	2	3	1	9	8	14	1	1	3	
	C. F.	212	93	14	5	4		116	3	1		1	3	3	3	1	2			6	6	12	13	18	7	3	14	
5. Old age	W. M.	340																		2	12	48	74	112	59	26	6	1
	W. F.	655																	1		26	64	140	195	144	52	33	
	C. M.	93																				10	18	26	13	11	16	
	C. F.	133																		3	3	13	9	39	19	17	29	1
6. Atrophy	W. M.	28	20	5	3			28																				
	W. F.	25	17	5	3			25																				
	C. M.	1		1				1																				
	C. F.	1	1					1																				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		17532	1115	595	294	179	119	2302	293	310	925	1773	1851	1570	1510	1325	1167	1030	873	861	659	487	302	158	77	24	13	22
Total: White	M.	7256	537	252	108	53	49	999	98	72	289	651	750	640	660	565	525	466	417	401	299	211	117	57	21	6	2	10
	F.	7726	413	206	104	63	31	817	89	111	433	841	847	731	687	612	539	462	356	376	306	222	151	81	41	14	1	9
Colored	M.	1168	93	72	39	33	15	252	46	59	78	120	107	71	74	69	43	47	60	46	29	27	17	11	7	1	3	1
	F.	1382	72	65	43	30	24	234	60	68	125	161	147	128	89	79	60	55	40	38	25	27	17	9	8	3	7	2
1. Rheumatism	W. M.	110			2		1	3	7	4	4	2	7	10	1	7	10	9	5	11	10	11	5	3	1			
	W. F.	126	1	1			1	3	8	3	5	7	7	8	12	9	7	7	7	9	9	7	6	7	3	2		
	C. M.	28		1				1					2		2	2	2	2	1	5	1	3	3	1	2		1	
	C. F.	30	1	1				2	1	4	1		1	4	1	2		2	1	1	2	2	3	1			2	
2. Scrofula and tabes	W. M.	166	71	21	7	2	4	105	3	2	7	5	3	1	9	3	5	5	4	4	5	3	2					
	W. F.	157	67	25	11	7	2	112	5	3	1		4	1	5	4	4	5	2	3	3	3	1		1			
	C. M.	81	23	13	6	7	6	55	10	3	3		2	3		3		1		1								
	C. F.	63	20	7	3	2	2	34	5	5	4	3	2	3	1	1	3	1	1									
3. Leprosy	W. M.																											
	W. F.																											
	C. M.																											
	C. F.																											
4. Consumption	W. M.	5337	127	68	40	18	16	269	29	42	261	628	718	592	611	480	426	360	277	257	180	114	52	25	8	1	1	6
	W. F.	5438	103	45	33	14	11	206	37	85	411	805	793	660	559	475	348	261	187	208	153	104	77	37	17	7		3
	C. M.	841	45	37	20	15	6	123	27	48	70	112	96	62	66	57	32	36	47	25	15	14	5	4	1			1
	C. F.	1048	29	44	29	19	17	138	42	56	115	150	132	110	75	60	41	32	24	29	12	15	8	2	3	1	1	2
5. Hydrocephalus	W. M.	589	267	144	47	23	20	501	39	13	2	2	2	4	6	5	3	1	4	1	1	1	2	1				1
	W. F.	462	192	117	48	29	12	398	22	7	3	3	6	3	3	2	3	2	1	3	2	1	2	1				
	C. M.	46	15	14	8	2	2	41	2			1				2												
	C. F.	31	14	6	3	2	2	27	3				1															
6. Cancer	W. M.	580	6	1	2	4	1	14	2	2	4	6	6	16	13	46	52	64	93	89	70	48	30	15	6	3		1
	W. F.	1043	6	2	4	4	1	17	3	1	4	7	18	43	82	94	149	162	118	114	99	70	30	24	6	2		
	C. M.	32				2		2				1	2	2		1	6	3		2	5	2	3	2		1		
	C. F.	84				1		1				3	2	4	7	7	12	13	8	5	9	3	4	3	1	1	1	
7. Tumor	W. M.	55	8	2	2	2	1	15	1	3	1	2	2	4	2	3	3	1	3	4	5	3	3					
	W. F.	84	4	1	3	2		10		2	2	2	1	5	9	8	3	5	9	11	6	4	7					
	C. M.	9	2	1				3			1		1	1			1	1				1						
	C. F.	8									1					1	2	1	1			1			1			
8. Anæmia	W. M.	68	27	5	1		2	35	2		1			2	3	3	5	2	4	3	2	4	2					
	W. F.	67	18	2	1			21	4	1	3	2	2	4		3	3	2	6	2	3	2	4			3	1	1
	C. M.	3	1					1							1					1								
	C. F.	4	1		1			2	1		1																	
9. Dropsy	W. M.	249	16	3	6	3	3	31	10	5	5	3	6	7	12	14	15	18	23	24	16	20	19	10	6	2	1	2
	W. F.	281	9	9	3	4	2	27	6	7	3	13	14	5	13	12	19	16	22	23	26	29	22	12	10	1	1	
	C. M.	116	5	3	3	6	1	18	7	8	4	6	4	3	5	4	2	4	9	11	8	6	6	4	4		2	
	C. F.	105	6	4	5	6	3	24	8	3	3	5	9	7	4	7	2	6	5	3	2	6	1	3	3	1	3	
10. Glycosuria	W. M.	52							2		2	1	5	3	2	3	5	4	3	5	8	4	2	3				
	W. F.	29								2		2	2	1	3	5		2	2	2	4	1	1		1	1		
	C. M.	3																	2			1						
	C. F.	2													1	1												
11. Others of this group	W. M.	50	15	8	1	1	1	26	3	1	2	2	1	1	1	1	1	2	1	3	2	3						
	W. F.	39	13	4	1	3	2	23	4		1			1	1				2	1	1	1	1					
	C. M.	9	2	3	2	1		8											1					1				
	C. F.	7	1	3	2			6																				
12. Others of this class	W. M.	2											1	1														
	W. F.																1											
	C. M.	1																										
	C. F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		10276	3468	913	481	230	201	5293	323	152	158	158	175	223	296	261	332	364	379	415	451	453	402	252	115	40	19	15
Total: White	M.	4805	1555	460	232	98	99	2444	165	59	66	54	80	98	162	133	163	191	202	218	227	201	175	101	41	12	5	8
	F.	4156	1306	382	191	103	78	2060	111	63	69	75	70	98	109	106	131	137	143	154	191	214	205	121	65	20	9	5
Colored	M.	664	320	41	34	15	12	422	23	19	12	14	10	12	17	9	14	17	15	21	16	14	6	10	5	5	2	1
	F.	651	287	30	24	14	12	367	24	11	11	15	15	15	8	13	24	19	19	22	17	24	16	20	4	3	3	1
1. Inflammation of the brain.	W. M.	256	76	27	19	7	11	140	17	5	5	6	7	5	6	6	10	9	6	10	5	5	7	3	2			2
	W. F.	214	77	29	7	10	11	134	14	3	6	6	3	6	5	3	6	5		3	5	5	1	1	3		3	2
	C. M.	48	15	3	7	3	3	31	4	2	3			1		2		1	1	1				1				
	C. F.	52	15	5	7	3		30	3	3	4	2	2	1		1				1	4	1						
2. Meningitis	W. M.	724	237	139	78	37	34	525	60	22	9	9	10	7	14	17	11	9	11	8	6	4	2					
	W. F.	584	205	84	51	32	29	411	37	25	11	13	10	8	11	10	8	9	9	5	5	2	2	3	2	2		1
	C. M.	59	22	12	3	4		41	7	2	2	1		2	1				1		1							
	C. F.	54	19	5	4	2	4	34	5		2	1	2	2	1		3	1		1		1		1				
3. Apoplexy	W. M.	804	31	8	9	4	4	56	9	3	6	9	21	24	53	39	57	69	75	83	104	72	68	39	11	2	2	2
	W. F.	716	21	5	3	2	2	33	5	5	8	7	11	28	28	37	53	62	61	63	89	79	80	47	15	3	2	
	C. M.	43		1				1					2	1	4	2	4	8	1	5	6	6		2	1			
	C. F.	65	3					3					6	1	2	4	2	4	6	6	5	3	8	6	8		1		1
4. Paralysis	W. M.	546	23	6	4	1	1	35	5	4	6	3	5	15	21	22	23	43	46	65	61	64	53	47	19	8	1	
	W. F.	549	16	8	4	4	2	34	2	3	5	7	8	11	14	15	26	18	38	41	59	88	77	50	39	11	3	
	C. M.	67	3				1	4	1		1	1	3	1	1	4	3		7	13	7	6	3	5	3	2	2	
	C. F.	93	1	1	1	2	2	7	1				1	2	2	7	6	7	9	6	11	9	8	10	3	3	1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	135	86			1	2	89	7	4	7	4	1	3	5	3	3	1	4	1	1	1	1				
		F.	98	66	7	2	2		77	3	1	1		2	1	3	2			2	2	1	2					1
	C.	M.	67	54		1			55	1	3	2	3						1	1								1
		F.	32	29					29			1		1	1													
6. Epilepsy	W.	M.	94	8	4	1	2	2	17	2	3	10	5	10	6	6	2	9	7	4	3	2	5	3				
		F.	84	6	6	1	2		15	1	3	7	15	4	4	4	5	3	3	4	7	4	1	2	1		1	
	C.	M.	17	2	1		1	1	5		3	1	3		2	2			1									
		F.	16	1			1		2		2		1	1	4	1		1	2		1		1					
7. Convulsions	W.	M.	1318	916	181	74	29	26	1226	27	4	4	4	5	8	6	2	5	6	7	5	2	2	1	1	1	1	
		F.	1136	742	169	70	33	19	1033	25	5	11	10	4	15	8	5	3	6		3	2	3		1	1		1
	C.	M.	249	189	14	18	5	4	230	8	3	1	4	1	1	1												
		F.	262	197	13	8	6	5	229	8	3	2	4	6	1			4	1	1	1				1			1
8. Mental diseases	W.	M.	80									2	2	7	7	12	9	9	2	6	3	6	7	4	2	1		1
		F.	60										2	8	5	8	7	6	8	2	4		2	6	1	1		
	C.	M.	6											2			1	1	1						1			
		F.	3														1					1	1					
9. Diseases of the brain	W.	M.	646	142	76	36	11	17	282	26	7	12	7	9	15	31	23	29	33	33	30	30	33	31	7	6		2
		F.	530	140	62	35	17	11	265	16	14	14	11	11	11	19	13	14	11	18	17	21	27	30	13	2	2	1
	C.	M.	89	31	9	5	2	2	49	2	5		2	1	3	3	2	4	5	4	1	2	1	1	1		3	
		F.	60	20	6	3		1	30	4	2	2	1	1	1		1	5	1	1	4	1	4	1				1
10. Diseases of the spinal cord.	W.	M.	149	30	17	7	6	2	62	10	7	5	4	3	5	5	7	5	11	6	7	5	2	1	2			1
		F.	137	28	9	7	1	3	48	7	4	5	4	5	7	7	5	9	12	8	7	2	1	4	2			1
	C.	M.	12	2	1			1	4			1		1	1	3					1				1			
		F.	9	2					2	3					1		1	1						1				
11. Others of this group	W.	M.	53	6	2	4			12	2			1	2	3	3	3	2	1	4	3	5	6	4		1	1	
		F.	48	5	3	1		1	10	1		1		4	2	2	4	3	3	1	2	3	4	3	2	2	1	
	C.	M.	7	2					2		1	1						1						2				
		F.	5			1			1		1								1	1					1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total			3995	356	24	12	20	11	423	102	125	95	131	174	182	238	263	291	303	332	342	328	299	202	106	41	13	3	2
Total: White		M.	1841	190	11	9	9	6	225	40	47	42	63	79	77	114	118	143	155	156	150	140	144	78	44	19	6		1
		F.	1772	149	11	3	8	5	176	49	72	47	57	77	92	94	109	120	115	141	161	156	128	106	46	18	6	1	1
Colored		M.	184	9			2		11	3	4	2	7	9	7	13	20	19	13	13	20	10	13	11	6	2	1		
		F.	198	8	2		1		11	10	2	4	4	9	6	17	16	9	20	22	11	22	14	7	10	2		2	
1. Angina pectoris	W.	M.	44									1		1	3	5	2	2	2	6	7	3	6	5		1		
		F.	62											4	6	1	4	6	6	3	7	8	1	8	4	3	1		
	C.	M.	8											1	1		2				2	1	1						
		F.	3													1							1				1		
2. Aneurism	W.	M.	56	3	1				4	1		1		1	3	6	8	8	5	4	3	4	7	1					
		F.	19	1	1				2		1			1	2	5	2	2		1		1	1			1			
	C.	M.	13												1		2	2	2	1	2	2		1					
		F.	1														1												
3. Diseases of the heart	W.	M.	1504	64	5	8	8	5	90	38	46	40	60	71	68	98	101	131	145	143	135	132	129	70	43	18	5		1
		F.	1561	60	2	1	7	3	73	47	70	47	55	70	83	83	101	112	107	133	149	146	126	98	42	19	4	1	1
	C.	M.	155	4			2		6	2	4	2	7	8	5	13	16	17	11	12	15	7	12	10	5	2	1		
		F.	190	6	2		1		9	10	2	4	4	9	6	16	15	9	19	22	11	22	13	7	9	2		1	
4. Others of this group	W.	M.	177	123	5	1	1	1	131	1	1		3	6	3	5	7	2	3	3	5	1	2	2	1		1		
		F.	130	88	8	2	1	2	101	2	1		2	2	1	5	2		2	4	5	1				1	1		
	C.	M.	8	5					5	1											1				1				
		F.	4	2					2										1						1				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total			12742	3052	1654	928	530	352	6516	621	155	206	318	318	310	422	417	419	495	405	451	499	455	348	229	108	27	16	7
Total: White		M.	5990	1447	756	425	254	172	3055	308	52	93	148	160	149	204	230	218	257	219	222	224	192	148	72	36	6	3	4
		F.	5241	1184	686	397	219	148	2634	264	70	67	113	118	123	164	155	148	194	149	186	229	219	175	133	64	21	9	1
Colored		M.	797	212	103	57	28	18	418	24	13	22	38	10	21	36	21	34	24	23	28	29	25	11	5	3		1	2
		F.	714	209	109	49	29	13	409	30	20	24	24	21	17	18	11	19	20	14	15	17	19	14	14	5		3	
1. Croup	W.	M.	836	131	184	170	124	92	701	131	3	1																	
		F.	735	89	166	177	103	81	616	111	6		1								1								
	C.	M.	78	33	18	7	8	5	74	4																			
		F.	54	30	11	3	4	1	49	3	2																		
2. Laryngitis	W.	M.	114	26	14	9	3	5	57	8	2	1	3	2	6	7	9	2	7	3	1	4	2	2		1			
		F.	86	18	10	13	5	6	52	7			2	1	1	7	1	3	2	1		3	2	1	2	1			
	C.	M.	2																	1		1							
		F.	2	1	1				2																				
3. Bronchitis	W.	M.	1134	474	166	56	25	11	732	35	8	6	18	16	19	24	12	19	21	30	42	44	39	38	19	8	2	2	
		F.	1176	421	160	60	33	15	689	38	8	3	10	15	15	24	21	16	27	23	36	53	54	62	43	25	9	5	
	C.	M.	124	49	27	12	4	1	93	4	1	1		1	1	4	1	4	1	3	3	2	4	1					
		F.	138	51	29	13	6		99	8	1			1	1	2	3	3	1		3	4	4	2	3	2		1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	3122	588	335	171	96	52	1242	100	34	72	108	120	96	139	173	163	190	144	142	135	122	80	42	14	3	3
	W.	F.	2589	498	305	128	65	40	1036	86	48	51	76	87	89	100	105	105	133	97	116	141	133	75	71	28	9	3
	C.	M.	509	109	54	31	15	8	217	13	9	17	36	17	13	26	18	26	20	16	21	21	19	7	4	2		2
	C.	F.	429	106	62	29	17	10	224	18	15	23	21	17	13	12	7	15	16	11	7	8	10	5	3	2	2	
5. Pleurisy	W.	M.	119	20	1	3	2	2	34	8		3	1	6	5	7	4	4	7	11	9	7	3	5	2	3		
	W.	F.	111	12	8	2	5		27	3	1	3	4	5	4	7	3	5	6	6	6	8	10	7	1	4	1	
	C.	M.	14	1				1	2		2				1	3	1	2			2	1						
	C.	F.	17	1	1				2		1		1	1	2			1	2		1	2	1	1	2				
6. Asthma	W.	M.	88	10	2	3		1	16	4		1		2	2	4	1	7	7	4	5	13	6	7	3	4		1	1
	W.	F.	68	10	3			1	14			1	1		1	2	4	4	3	6	6	7	7	8	3	1			
	C.	M.	18	1		1			2			1						1		2	1	4	1	3	1	1		1	
	C.	F.	25	1			1		2							2	1		1	2	2	2	3	3	3	1			
7. Others of this group	W.	M.	577	192	54	13	4	10	273	17	5	9	13	14	21	23	34	23	25	27	23	21	20	16	6	6	1	
	W.	F.	476	136	34	17	3	5	200	19	7	9	19	10	13	24	21	15	23	16	21	17	13	22	18	5	2	1
	C.	M.	52	19	4	6	1		30	3	1	3	2	1	1	3	1	1	3	1	1		1						
	C.	F.	49	19	5	4	1	2	31	1	1	1	2	2	1	2				1	2	1	1	3					
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total			4074	1026	438	130	67	43	1713	115	87	68	128	129	136	185	176	200	198	192	206	187	153	111	58	19	7	2	4
Total: White		M.	1940	491	167	67	30	16	771	55	49	30	58	53	55	81	97	121	106	97	107	87	88	57	17	6	2		3
		F.	1662	382	167	51	31	20	651	47	32	31	58	62	73	88	69	69	79	83	82	89	54	49	30	12	2	1	1
Colored		M.	258	91	54	11	5	3	164	8	4		7	7	4	8	3	8	8	7	10	4	8	3	3		1	1	
		F.	214	62	50	10	1	4	127	5	2	7	5	7	4	8	7	2	5	5	7	7	3	2	8	1	2		
1. Dentition	W.	M.	276	161	85	23	3	2	274	2																			
	W.	F.	268	149	96	19		1	265	3																			
	C.	M.	95	40	44	9	1		94	1																			
	C.	F.	70	25	40	5			70																				
2. Angina	W.	M.	97	28	9	8	5	1	51	8	1	1	2	4	2	3	1	3	4	2	3	4	5	3	1				
	W.	F.	71	14	5	3	5	4	31	10	2	2	1		3	1	4	2	1	3	1	3	2	2	1	1		1	
	C.	M.	7	4		1			5	1						1													
	C.	F.	7	2	1	1			4	1					1	1													
3. Gastritis	W.	M.	138	20	6	6	2	1	35	1	3		4	2	4	9	6	9	12	10	11	12	6	9	3	2			
	W.	F.	140	25	7	4	6	2	44	6	1	2	3	5	9	11	1	7	6	11	8	10	4	6	3	3			
	C.	M.	16	3	1	1			6				1		1			2	3				2	1					
	C.	F.	20	4	1	1	1	1	8			1	1	1	1			1		1		2	1		3				
4. Other diseases of the stomach.	W.	M.	120	27	12	4	3		46	3	2	1	2	7	5	5	9	3	7	8	4	7	6	4			1		
	W.	F.	82	13	6	5	1	1	26	4	2	2	1	2	2	5	4	3	7	3	6	4	4	5	1	1			
	C.	M.	10	6					6	1					1				1									1	
	C.	F.	13	1	1	2		1	5			1				3						2			1		1		
5. Obstruction of the bowels.	W.	M.	72	19		2	1		22	4	6	4	2	5	1	3	1	4	2	2	5	6	3	2					
	W.	F.	55	9	2		1		12	2		1	4	1	2	4	2	2	6	4	4	3	4	1	3				
	C.	M.	7	3					3		1			1	1						1								
	C.	F.	5									1					1					2		1					
6. Hernia	W.	M.	66	6					6	2	1		5	2		5		7	4	7	5	3	3	4	1	1			
	W.	F.	47	4		1			5		2			1		5	4	3	3	4	3	8	4	4	1				
	C.	M.	14	2	1				3	1				1		1	1		1	1	2	1	1		1				
	C.	F.	3	2					2												1								
7. Other diseases of the bowels.	W.	M.	134	42	10	2	4	2	60	5	4	3	7	4	1	4	9	1	5	9	4	5	3	4	1				
	W.	F.	106	25	10	2	7	4	48	2	2	4	4	3		5	4	5	6	3	5	6	2	4	1	2			
	C.	M.	13	3	2		1	1	7							1			1	2	1		1						
	C.	F.	9	2		1			3			1	1						1		3								
8. Jaundice	W.	M.	92	40	6	2	1	1	50	2	2		1	1	1	2	3	3	8	3	2	7	6	1					
	W.	F.	70	26	6	1	2		35	2	1		2	1	1	4	2	2	1	4	3	5	2	3		2			
	C.	M.	11	6				1	7	1			1					1	1										
	C.	F.	3	2					2										1										
9. Inflammation and abscess of the liver.	W.	M.	110	9	3	4	1		17	2	3	5	3	1	6	11	10	10	4	5	6	8	8	7	3	1			
	W.	F.	99	11	4	1	1		17	2	1	3	5	4	4	4	5	8	10	11	2	10	7	4	2				
	C.	M.	7	1				1	2							1	1			1		1			1				
	C.	F.	6							1		1	1						1	1			1						
10. Other diseases of the liver.	W.	M.	376	33	9	7	4	4	57	7	4	3	8	12	22	17	30	48	40	38	43	21	13	9	2	1			1
	W.	F.	273	39	8	5	3	5	60	5	3	5	5	9	15	17	21	13	22	22	30	20	10	7	6	2	1		
	C.	M.	18	2					2	1	1			1	1	3		1		1	2	1	3				1		
	C.	F.	9	1					1				1	3			1		1	1		1							
11. Peritonitis	W.	M.	276	40	15	3	3	2	63	13	20	11	19	11	9	21	19	23	11	9	14	3	15	8	4		1		2
	W.	F.	301	24	13	6	1	1	45	8	16	11	30	33	30	28	19	16	10	15	10	9	8	6	6		1		
	C.	M.	13	1			1		2		1		3	3			1	2		1									
	C.	F.	20					1	1	1	2	1	1	3	2	3	3				1				1		1		
12. Ascites	W.	M.	18										1		1		2	3	2	1	3	2	2	1					
	W.	F.	24	1	1				2		1	1		2			1	4	1	1	5	2	3		1				
	C.	M.	5				1		1		1									1			1	1					
	C.	F.	4		1				1												1			1	1				
13. Others of this group	W.	M.	165	66	12	6	3	3	90	6	3	2	4	4	3	2	7	7	7	3	7	4	8	5	2	1			
	W.	F.	126	42	9	4	4	2	61	3	1		3	1	7	4	2	4	6	2	5	9	4	7	5	1			1
	C.	M.	42	20	6				26	2			2	1		1		2	1	2	4	1		1	1				
	C.	F.	45	23	6			1	30	2		1				1	2	1	1	2	1		1		2	1			

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		2750	142	75	29	26	25	297	82	48	50	116	151	174	214	210	218	235	189	219	175	160	118	57	31	3	2	1
Total: White	M.	1465	75	31	15	12	17	150	43	16	22	55	71	86	105	114	120	113	124	139	114	82	66	31	12	1	1	....
	F.	1103	60	40	13	12	7	132	32	27	23	51	74	81	92	84	87	107	61	68	47	61	40	18	17	1	....	....
Colored	M.	113	5	3	....	1	....	9	4	3	2	5	2	2	10	8	9	9	2	8	11	11	10	5	2	1	....	....
	F.	69	2	1	1	1	1	6	3	2	3	5	4	5	7	4	2	6	2	4	3	6	2	3	....	....	1	1
1. Bright's disease	W. M.	929	29	10	5	3	13	60	16	13	16	45	50	62	77	82	83	77	92	99	70	38	36	10	2	1	....	....
	W. F.	699	17	12	4	4	2	39	19	19	18	28	50	49	62	64	56	79	49	53	32	41	21	11	8	1	....	....
	C. M.	56	2	....	....	....	....	2	2	2	2	3	1	2	4	6	5	5	2	4	10	3	2	1	....	....	....	....
	C. F.	45	1	....	1	....	1	3	1	2	1	2	3	4	3	3	1	5	1	4	2	4	2	2	....	....	1	1
2. Calculus, urinary	W. M.	18	....	1	....	1	....	2	1	....	....	1	1	....	2	....	1	....	1	3	2	1	1	1	1	....	....	....
	W. F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
	C. M.	10	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	2	....	2	1	1	1	1	....	....
	C. F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	W. M.	311	33	14	3	6	4	65	24	3	3	6	13	16	15	21	21	22	17	21	22	20	12	7	2	....	1	....
	W. F.	266	28	22	6	6	4	66	7	4	5	16	10	20	21	14	17	17	9	9	10	13	16	5	7	....	....	....
	C. M.	23	2	3	....	1	....	6	1	....	....	1	1	....	2	1	2	2	....	1	1	1	1	2	1	....	....	....
	C. F.	18	1	1	....	....	....	2	2	....	2	2	....	....	4	1	1	....	....	....	1	2	....	1	....	....	....	....
4. Diseases of the bladder	W. M.	116	10	3	2	....	....	15	....	....	1	1	5	2	5	7	3	7	10	8	13	12	8	12	7	....	....	....
	W. F.	55	9	3	1	1	1	15	2	1	....	2	4	4	3	2	6	4	....	4	1	5	....	2	....	....	....	....
	C. M.	12	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	3	5	1	....	....	....	....
	C. F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	W. M.	91	3	3	....	2	....	8	2	....	2	2	2	6	6	4	12	7	4	8	7	11	9	1	....	....	....	....
	W. F.	80	6	3	2	1	....	12	4	3	....	5	10	8	6	4	8	6	2	1	4	2	3	....	2	....	....	....
	C. M.	12	1	....	....	....	....	1	....	....	....	1	....	....	3	....	2	1	....	1	....	2	1	....	....	....	....	....
	C. F.	4	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total		132	....	....	....	1	....	1	....	1	8	8	17	23	18	9	8	9	5	8	4	5	2	3	1	....	....	2
Total: White	F.	101	....	....	....	....	....	....	....	1	5	6	14	16	17	7	7	6	2	6	4	4	1	3	1	....	....	1
Colored	F.	31	....	....	....	1	....	1	....	....	3	2	3	7	1	2	1	3	3	2	....	1	1	....	....	....	....	1
1. Ovarian tumors	W.—F.	31	....	....	....	....	....	....	....	....	....	....	....	2	5	4	4	4	....	4	2	2	1	2	....	....	....	1
	C. —F.	9	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	1	2	....	....	1	....	....	....	....	1
2. Ovarian diseases	W.—F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	C. —F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Uterine tumors	W.—F.	5	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	1	....	....	1	....	....	....	....	....	....	....
	C. —F.	3	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	W.—F.	20	....	....	....	....	....	....	....	....	....	2	5	3	3	2	2	1	1	....	....	1	....	....	....	....	....	....
	C. —F.	7	....	....	....	1	....	1	....	....	1	1	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Others of this group	W.—F.	44	....	....	....	....	....	....	....	1	4	4	9	11	7	1	1	....	1	2	....	1	....	1	1	....	....	....
	C. —F.	10	....	....	....	....	....	....	....	....	2	1	1	3	....	1	....	1	....	....	....	1	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total		514	....	....	....	....	....	....	....	....	33	109	120	110	80	47	14	....	....	....	....	....	....	....	....	....	....	1
Total: White	F.	390	....	....	....	....	....	....	....	....	18	86	88	90	64	34	9	....	....	....	....	....	....	....	....	....	....	1
Colored	F.	124	....	....	....	....	....	....	....	....	15	23	32	20	16	13	5	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	W.—F.	59	....	....	....	....	....	....	....	....	1	8	15	17	14	3	1	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	11	....	....	....	....	....	....	....	....	1	1	5	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	W.—F.	268	....	....	....	....	....	....	....	....	10	50	62	66	43	30	6	....	....	....	....	....	....	....	....	....	....	1
	C. —F.	97	....	....	....	....	....	....	....	....	10	20	23	17	14	9	4	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	W.—F.	63	....	....	....	....	....	....	....	....	7	28	11	7	7	1	2	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	16	....	....	....	....	....	....	....	....	4	2	4	2	1	3	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		304	60	14	13	15	7	109	25	25	17	10	16	11	19	9	9	9	9	9	5	8	10	2	1	1	....	....
Total: White	M.	162	28	9	7	9	3	56	14	16	9	5	6	5	12	5	5	6	4	3	4	7	4	....	....	1	....	....
	F.	120	29	5	5	3	3	45	10	9	5	2	9	5	4	4	4	2	5	6	1	....	6	2	1	....	....	....
Colored	M.	11	1	....	....	1	....	2	....	....	1	2	1	1	2	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	11	2	....	1	2	1	6	1	....	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	W. M.	95	23	4	5	7	2	41	7	10	5	3	3	4	4	2	4	3	1	1	2	2	2	....	....	1	....	....
	W. F.	82	25	5	3	3	3	39	7	3	3	1	7	3	4	3	3	1	2	2	....	....	2	1	1	....	....	....
	C. M.	8	1	....	....	1	....	2	....	....	....	1	1	1	2	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. F.	9	2	....	1	2	1	6	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	W. M.	36	4	3	1	1	....	9	1	2	2	2	1	1	3	2	1	2	1	2	2	4	1	....	....	....	....	....
	W. F.	19	4	....	....	....	....	4	....	5	....	1	1	1	....	....	....	....	2	3	1	....	....	1	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
3. Diseases of the hip-joint.	W.	M.	13					1	1	4	3	1		1		2	1												
		F.	8			1			1	2	1	1			1					1			1						
	C.	M.	2									1	1																
		F.																											
4. Others of this group	W.	M.	18	1	2	1	1		5	2	1	1		1		3			1	2			1	1					
		F.	11			1			1	1		1		1			1	1	1	1				3					
	C.	M.	1																				1						
		F.	2									2																	
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																													
Total			299	72	19	10	5	6	112	9	10	11	15	11	16	8	12	12	10	12	12	13	17	9		2	1	1	
Total: White		M.	146	36	9	5	2	1	53	5	3	5	6	5	8	3	8	3	8	6	10	10	9	2		1	1		
		F.	126	31	9	4	2	4	50	4	6	3	7	4	4	5	4	9	7	6	1	2	7	5		1		1	
Colored		M.	16	2		1	1		4			3	1	2	1				1			1	1	2					
		F.	11	3	1			1	5		1		1		3						1								
1. Abscess	W.	M.	112	30	8	5	1		44	5	3	4	5	3	6	3	3	2	4	4	5	7	7	1		1			
		F.	97	25	7	4	2	2	40	4	6	1	6	3	4	4	4	5	5	1	1	2	7	2		1		1	
	C.	M.	12	2					2			3	1	1	1				1			1	1	1					
		F.	9	2	1			1	4		1		1		3														
2. Carbuncle	W.	M.	19	1			1		2			1	1	1				1	3	2	3	3	2						
		F.	7	1					1									1	1	4									
	C.	M.	3				1		1					1										1					
		F.	1																		1								
3. Others of this group	W.	M.	15	5	1			1	7					1	2				1		2			1			1		
		F.	22	5	2			2	9			2	1	1		1		3	1	1				3					
	C.	M.	1			1			1																				
		F.	1	1					1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																													
Total			19	3	1	1	1		6		1	1	1	1		2		1	2	1	1	1		1					
Total: White		M.	8	2			1		3				1	1		2		1											
		F.	9			1			1		1	1							2	1	1	1		1					
Colored		M.	2	1	1				2																				
		F.																											
1. Addison's disease	W.	M.	1											1															
		F.	4								1								1	1	1								
	C.	M.																											
		F.																											
2. Diseases of the spleen	W.	M.	3													2		1											
		F.	3			1			1										1					1					
	C.	M.																											
		F.																											
3. Others of this group	W.	M.	4	2			1		3				1																
		F.	2									1										1							
	C.	M.	2	1	1				2																				
		F.																											
XII.—ACCIDENTS AND INJURIES.																													
Total			3557	445	143	89	84	77	838	235	154	171	207	213	235	259	225	180	184	150	140	95	90	64	44	20	7	4	36
Total: White		M.	2206	196	65	46	34	39	380	133	99	104	139	149	165	209	159	139	139	104	95	58	53	34	17	7	1		22
		F.	869	145	54	28	32	16	275	68	27	25	28	42	48	36	50	37	32	37	37	26	24	26	21	11	5	3	11
Colored		M.	309	61	12	10	7	12	102	19	15	34	33	18	18	14	10	8	9	8	3	7	5		2	1	1		2
		F.	173	43	12	5	11	10	81	15	13	8	7	4	4		6	2	4	1	5	4	8	4	4	1		1	1
1. Burns and scalds	W.	M.	128	12	21	20	13	8	74	4	6	3	4	3	6	9	4	2	4		3	3	1	1					1
		F.	149	9	12	6	6	5	38	24	16	9	7	8	14	6	4	3	6	4	2	1	2	2	2				1
	C.	M.	42	3	6	2	3	9	23	8	2	3		1								1	2			1	1		
		F.	76	5	6	2	7	10	30	11	9	5	2	1	1		3		1	1	3	3	1	3	2				
2. Drowned	W.	M.	393	7	2	2	1	11	23	52	29	38	37	22	29	42	34	22	25	9	12	5	3		1	1			9
		F.	56	8	5	2	2	1	18	11		2	2	4	1	2	4	2	1			2	1			1		1	4
	C.	M.	85	1	1	1	1	1	5	6	8	16	19	6	6	7	1	1	4	1	2	2							1
		F.	5	1			1		2	1			1												1				
3. Exposure and neglect	W.	M.	10	4		1			5								1		2	1			1						
		F.	6	5	1				6																				
	C.	M.	15	8	1	2	1		12							1	1												1
		F.	17	12	2	2			16					1															
4. Gunshot wounds	W.	M.	63	4	1		2		7	4	8	6	15	5	5	1	1	1	2	2	2	1	2						1
		F.	11	1	3	1			5	1	1								1			2		1					
	C.	M.	16							1		5	2	1	2	1	2	1		1									
		F.	6								2		1		1			1					1						
5. Homicide	W.	M.	36	1					1		1		4	8	3	6	4	2	2	2			2	1					
		F.	17	1		1			2			1		2	3	1	2	1	1	3	1								
	C.	M.	7		1				1					3	2		1												
		F.	1									1																	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 2—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.	2	2					2																			
		F.	1	1					1																			
	C.	M.																										
		F.																										
7. Injuries by machinery	W.	M.	5											1	1	1	1							1				
		F.	1																			1						
	C.	M.																										
		F.																										
8. Railroad accidents	W.	M.	194	3	5		4	2	14	10	11	10	14	14	15	21	16	11	10	15	7	6	2	4	1	2			5
		F.	27	3					3	3	1		2	1	1	1		1	3	1	2	1	1	1	3	1			1
	C.	M.	6								1		1	1			1	1							1				
		F.	2							1					1														
9. Suffocation	W.	M.	78	44	3	2	1	1	51	1	1	1		1		3	1	1	4		1	1	1	1	4				4
		F.	64	34	4		1		39	2	3	1		1	3	1	3		2		2		1	1				1	4
	C.	M.	31	22	2	2			26	1			1		2					1									
		F.	13	11	1				12														1						
10. Suicide by shooting	W.	M.	41									3	5	3	4	7	2	4	4	3	2	1	2		1				
		F.	6										1	1			2			1		1							
	C.	M.																											
		F.																											
11. Suicide by drowning	W.	M.	10												1	2	1	1	1	1			3						
		F.	5															1	1	1	2								
	C.	M.																											
		F.																											
12. Suicide by poison	W.	M.	18										1	1	4	1	1	3	4	2	1								
		F.	18									2	2	1	3	2	2	3	1	1	1								
	C.	M.																											
		F.	2										1										1						
13. Other suicides	W.	M.	117									2	5	7	6	13	10	14	13	11	10	6	11	1					
		F.	30							1		2	2	3	1	3	4	7	1	1	2	1	1		1				
	C.	M.	4									2	1		1														
		F.																											
14. Sunstroke	W.	M.	87	5		1			6	4	1	3	5	9	13	13	8	5	5	5	2	1	1	4	1				1
		F.	20	5	2				7	1		1		1	1	2	1		1	3	1		1						
	C.	M.	10	1		1	1		3				1	1		1				1		1	1		1				
		F.	5		1				1										1		1		2						
15. Surgical operations	W.	M.	18	3				2	5				2		3		2				4	2							
		F.	15		1	1	1		3	1		1		4	2	2	1		1										
	C.	M.	1															1											
		F.	2																		1	1							
16. Wounds	W.	M.	30		3		1		4	1	2	1	1	5	1			3	2	3	4	1	1	1					
		F.	8	1			1		2	1		1		1	1							1			1				
	C.	M.	4								1	1	1					1											
		F.																											
17. Others of this group	W.	M.	976	111	30	20	12	15	188	57	40	37	46	70	74	88	65	70	55	50	47	31	23	20	9	4	1		1
		F.	435	77	26	17	21	10	151	23	6	5	12	15	18	16	27	10	13	22	24	16	17	21	14	9	5	1	1
	C.	M.	88	26	1	2	1	2	32	3	3	7	7	5	5	4	4	3	5	4	1	3	2						
		F.	44	14	2	1	3		20	2	2	2	2	2	1		3	1	2				2	1	1	1		1	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		14710	3621	1344	891	527	381	6764	923	465	487	714	582	521	483	373	403	456	336	522	402	420	312	255	99	62	73	67
Total: White	M.	3084	693	239	162	104	96	1294	211	119	79	119	109	105	94	91	104	103	101	138	118	105	99	48	23	7	3	14
	F.	3015	560	230	157	92	79	1118	197	87	102	158	140	137	133	99	114	99	88	116	94	106	86	70	31	12	9	19
Colored	M.	4255	1273	469	283	152	101	2278	272	131	115	191	124	101	112	76	86	126	88	127	110	114	65	61	21	19	19	19
	F.	4365	1095	406	289	179	105	2074	243	128	191	240	209	178	144	107	99	128	59	141	80	95	62	76	24	24	42	15
Unknown causes.																												
Total		1593	786	132	85	58	33	1094	70	28	26	27	25	33	29	24	28	27	19	28	13	37	18	25	13	6	5	8
Total: White	M.	311	158	18	9	7	5	197	15	9	5	4	7	6	4	8	3	3	3	7	7	9	8	4	7	2	1	2
	F.	291	124	28	14	8	6	180	13	5	1	6	6	8	7	3	8	5	5	9	6	10	2	7	4	1	....	5
Colored	M.	508	277	49	32	21	11	350	18	9	6	9	4	4	8	2	8	6	6	6	6	9	3	9	1	1	2	1
	F.	483	227	37	30	22	11	327	24	5	14	8	8	15	10	11	9	13	5	6	4	9	5	5	1	2	2	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		4129	933	637	438	264	191	2463	462	178	125	158	101	87	74	58	69	67	38	60	54	40	33	20	15	5	1	21
Total: White	M.	1002	219	133	92	65	58	567	112	49	22	43	23	24	16	19	18	20	15	22	15	15	9	6	3	....	....	4
	F.	947	171	129	88	52	46	486	115	49	42	40	29	25	29	19	24	15	10	11	15	9	11	6	5	1	....	6
Colored	M.	1096	264	205	131	73	43	716	130	42	20	29	20	17	12	11	14	14	9	10	18	11	6	4	5	2	....	6
	F.	1084	279	170	127	74	44	694	105	38	41	46	29	21	17	9	13	18	4	17	6	5	7	4	2	2	1	5
1. Small-pox	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	3	....	....	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	W. M.	38	11	6	8	1	1	27	4	1	....	2	....	2	....	1	1	....	....	....	....	1	....	....	....	....	....	....
	W. F.	39	1	9	6	3	....	19	5	1	4	4	1	2	....	2	....	....	....	....	1	1	....	....	....	....	....	1
	C. M.	93	23	23	15	7	4	72	13	1	....	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	80	18	20	10	10	5	63	8	2	2	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	W. M.	6	1	2	....	....	2	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	W. F.	6	....	1	1	....	....	2	....	2	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. M.	9	....	1	4	1	....	6	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	7	1	3	1	....	....	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
4. Diphtheria	W. M.	201	16	23	30	29	25	123	55	15	....	2	1	2	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....
	W. F.	179	18	19	28	25	19	109	38	24	4	....	1	....	1	1	....	....	....	....	....	1	1	1	....	....	....	....	....
	C. M.	120	25	19	14	13	4	75	29	6	2	3	....	1	....	....	....	1	....	1	1	....	....	....	....	....	....	....	1
	C. F.	115	20	13	16	12	9	70	26	11	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	W. M.	63	31	15	5	3	1	55	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	50	20	11	7	4	1	43	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	181	68	54	24	10	7	163	15	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. F.	192	86	42	27	6	6	167	20	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	W. M.	18	3	....	....	....	1	4	4	3	1	1	....	....	....	1	....	....	....	1	....	2	1	....	....	....	....	....	....
	W. F.	21	3	2	2	1	....	8	4	1	....	2	....	1	1	....	....	1	....	....	1	1	....	2	....	2	....	1	....
	C. M.	86	27	12	9	6	3	57	13	1	1	1	2	2	....	1	....	....	1	2	2	....	2	....	....	....	1	....	....
	C. F.	85	27	12	9	3	3	54	6	3	1	4	4	2	1	1	4	2	....	2	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	W. M.	6	2	....	1	1	1	5	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	W. F.	9	2	1	1	....	1	5	....	1	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	C. M.	6	....	....	....	2	....	2	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	3	1	1	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	W. M.	133	9	7	5	7	5	33	9	13	11	20	10	6	5	2	3	1	6	5	....	6	2	1	....	....	....	....	....
	W. F.	105	5	7	3	3	7	25	8	6	17	13	4	2	5	5	6	2	2	2	5	1	....	2	....	....	....	....	....
	C. M.	90	6	5	6	2	....	19	11	9	6	8	6	7	5	....	5	3	....	2	6	1	1	....	....	....	....	....	1
	C. F.	104	11	6	3	2	3	25	11	12	15	13	4	5	3	4	2	3	2	4	....	....	....	....	1	....	....	....	....
9. Diarrhœa	W. M.	79	27	18	12	2	....	59	....	1	1	1	....	....	....	1	1	1	2	1	5	3	1	1	....	....	....	....	....
	W. F.	59	18	8	5	1	4	36	....	....	1	1	1	2	1	....	4	4	....	2	2	2	3	....	....	....	....	....	....
	C. M.	102	29	19	12	13	3	76	6	2	....	3	2	3	....	....	1	1	....	....	4	1	1	....	2	....	....	....	....
	C. F.	81	17	20	12	9	3	61	5	....	....	4	1	1	....	....	2	....	....	2	1	....	3	1	....	....	....	....	....
10. Dysentery	W. M.	47	11	11	3	2	1	28	3	1	....	1	2	1	....	....	....	1	3	....	....	3	2	1	1	....	....	....	....
	W. F.	54	10	8	7	1	2	28	2	1	1	....	....	1	1	2	3	1	2	2	1	3	....	2	....	2	1	....	1
	C. M.	52	17	11	8	2	4	42	1	....	....	1	....	....	....	1	1	....	1	1	....	1	2	....	....	....	....	....	....	....
	C. F.	59	20	12	11	5	1	49	2	1	....	....	2	....	....	1	....	....	1	....	2	....	1	....	....	....	....	....	....	....
11. Enteritis	W. M.	38	13	7	3	1	1	25	1	1	2	....	2	1	....	1	....	2	1	....	1	3	....	1	....	2	1	....	....	....
	W. F.	45	17	7	1	....	1	26	6	....	....	3	....	....	....	....	1	....	....	3	....	....	....	....	1	1	....	....	....	....
	C. M.	39	8	8	2	3	4	25	3	....	1	1	1	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	1
	C. F.	45	15	7	4	8	2	36	....	....	3	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus	W. M.	8	1	1	....	1	....	2	1	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	1	....	....	....
	W. F.	7	1	....	1	....	....	2	1	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	5	1	1	....	....	....	2	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	5	2	....	1	1	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	W. M.	103	59	28	12	2	2	103	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	W. F.	84	46	26	11	1	....	84	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	83	34	31	13	2	2	82	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	69	36	15	13	3	1	68	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	W. M.	227	30	14	12	15	17	88	27	13	7	12	7	10	4	9	9	8	7	10	4	3	3	1	2	....	....	3
	W. F.	228	26	28	14	13	11	92	42	9	9	8	10	11	5	3	9	4	5	4	2	4	5	1	2	....	....	3
	C. M.	202	24	20	23	10	12	89	32	19	8	6	7	1	4	6	3	8	3	3	4	2	1	1	2	1	....	2
	C. F.	180	28	17	18	12	11	81	24	6	13	9	5	4	5	3	4	10	....	4	3	5	3	3	1	1	1	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	W.	M.	15	2		1		1	4				1			3	2	2		1		1			1				
		F.	12	3	1				4				2	1	1						1		1		1				1
	C.	M.	5		1				1				2				1									1			
		F.	9	1	1		3		5									1	1		1	1							
16. Septicæmia	W.	M.	7	1					1					1	1	1	1		2										
		F.	7		1				1	1	1			1	1		1	1											
	C.	M.	3											1				1			1								
		F.	3									1	1									1							
17. Puerperal septicæmia	W.—F.		35								1	5	6	6	8	10	3											1
	C. —F.		28									3	6	7	4	7	1											
18. Venereal diseases	W.	M.	3										2		1														
		F.	1												1														
	C.	M.	9	1		1	1		3				2			1		1	1			1							
		F.	7		1				1	1			1	2	1				1										
19. Others of this group	W.	M.	10	2	1		1		4				1			2			1				1	1					
		F.	6	1		1			2	2	1			1															
	C.	M.	8	1					1		1			1			1	1			1		2						
		F.	6	1		2			3				2		1														
General diseases—B.																													
Total			290	54	47	50	35	22	208	30	9	3	7	2	4	4	2	5	6	4	1	3	1	1					
Total: White		M.	56	12	7	7	3	2	31	6	1	1	1	1	1	3		3	3	2		2	1					
		F.	37	3	4	6	8	1	22	5	4		2		1			1	1	1								
Colored		M.	106	21	19	21	10	7	78	12		2	4		2	1	2		2		1	1		1					
		F.	91	18	17	16	14	12	77	7	4			1				1		1									
1. Worms	W.	M.	25	3	5	7	3	2	20	5																			
		F.	22		3	4	6	1	14	5	3																		
	C.	M.	60	4	15	19	10	6	54	6																			
		F.	63	3	13	16	12	11	55	5	3																		
2. Other parasitic diseases.	W.	M.																											
		F.																											
	C.	M.																											
		F.																											
3. Alcoholism	W.	M.	13							1	1				1	1		2	3	1		2	1						
		F.																											
	C.	M.	4							1			1			1	1												
		F.	1											1															
4. Lead poison	W.	M.																											
		F.																											
	C.	M.																											
		F.																											
5. Other poisons	W.	M.	7		3				2			1	1			2			1										
		F.	11		1	2	2		5		1		1		1			1	1										
	C.	M.	21		3	2		1	6	5		2	3		2				1		1			1					
		F.	12	1	4		2	1	8	2	1									1									
6. Inanition	W.	M.	11	9					9					1				1											
		F.	4	3					3				1																
	C.	M.	21	17	1				18								1		1			1							
		F.	15	14					14									1											
General diseases—C.																													
Total			1127	758	42	18	3	3	824	5	6	4	3	3	3	2	2	4	4	4	10	17	30	43	64	24	23	42	1
Total: White		M.	155	114	5	1			120		1			1				1	1	2	2	2	7	7	8	2	1		
		F.	188	116	1				117		1	1		1	1	1	1		2	1	1	9	7	13	16	7	5	4	
Colored		M.	385	283	16	10	2	1	312	2	2		2				1	1			5	3	11	10	14	3	8	11	
		F.	399	245	20	7	1	2	275	3	2	3	1	1	2	1		2	1	1	2	3	14	13	26	12	9	27	1
1. Premature birth	W.	M.	15	15					15																				
		F.	32	32					32																				
	C.	M.	26	26					26																				
		F.	40	40					40																				
2. Stillborn	W.	M.	76	76					76																				
		F.	63	63					63																				
	C.	M.	209	209					209																				
		F.	164	164					164																				
3. Malformation	W.	M.	6	6					6																				
		F.	4	4					4																				
	C.	M.	9	5		2	1		8		1																		
		F.	2	1		1			2																				
4. Debility	W.	M.	40	16	5	1			22		1			1				1	1	2	2	2	3	3	1	1			
		F.	46	16	1				17		1	1		1	1	1	1		2		1	6	3	5	3	2	1		
	C.	M.	91	43	16	8	1	1	69	2	1		2				1	1			4	1	4	2	1		1	2	
		F.	111	40	20	6	1	2	69	3	2	3	1	1	2	1		2	1	1	1	3	3	8	3	3	1	2	1
5. Old age	W.	M.	17																	1			4	4	7	1	1		
		F.	42																			3	4	8	13	5	4	4	
	C.	M.	59																		1	2	7	8	13	3	7	9	
		F.	82																		1		11	5	23	9	8	25	
6. Atrophy	W.	M.	1	1					1																				
		F.	1	1					1																				
	C.	M.																											
		F.																											

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2380	67	83	52	28	21	251	79	82	116	239	213	173	180	129	145	152	103	156	107	101	63	50	19	6	9	7
Total: White	M.	440	19	9	6	4	5	43	14	20	13	27	30	32	41	21	31	26	28	30	30	18	22	8	5	....	1	....
	F.	524	15	9	8	2	2	36	10	7	18	49	46	43	43	38	44	36	27	37	26	29	15	9	5	3	2	1
Colored	M.	610	16	33	14	10	7	80	27	22	29	68	44	31	45	29	30	39	33	42	25	25	12	16	6	1	2	4
	F.	806	17	32	24	12	7	92	28	33	56	95	93	97	51	41	40	51	15	47	26	29	14	17	3	2	4	2
1. Rheumatism	W. M.	10	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	2	1	3	....	1	....	....	....	....	....	....
	W. F.	16	....	....	....	....	....	....	1	....	....	2	....	1	1	1	3	1	....	3	1	1	1	....	....	....	....	....	....
	C. M.	17	....	....	....	....	....	....	....	....	....	3	1	....	....	1	....	1	4	1	2	....	2	....	....	....	....	....	....
	C. F.	22	1	....	....	....	....	1	....	1	....	....	3	....	1	1	1	3	....	3	2	3	1	1	....	1	....	....	....
2. Scrofula and tabes	W. M.	13	1	....	....	1	....	2	1	2	....	2	....	1	2	....	....	....	....	....	....	....	....	2	1	....	....	....	....
	W. F.	24	2	4	2	....	....	8	1	....	....	1	2	1	2	1	2	2	....	1	1	2	....	....	....	....	....	....	....
	C. M.	40	4	8	4	2	....	18	7	1	1	5	....	....	3	1	....	1	1	....	1	1	....	....	....	....	....	....	....
	C. F.	35	1	8	0	3	....	18	4	4	2	1	2	..	..	....	....	....	....	....	1	1	1	....	....	....	....	....	1
3. Leprosy	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	W. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....
	C. M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	W. M.	228	8	2	1	....	....	11	....	2	6	21	25	23	32	15	19	16	15	18	14	6	5	....	....	....	....	....	....
	W. F.	256	3	4	2	1	....	10	....	4	9	24	29	34	23	19	20	17	11	15	9	10	4	4	2	....	1	1
	C. M.	323	7	11	3	4	....	25	5	13	15	50	34	25	35	17	20	19	17	19	10	10	3	2	2	....	....	2
	C. F.	482	3	9	5	4	3	24	13	17	44	83	77	56	37	27	28	29	3	19	10	4	5	4	....	....	1	1
5. Hydrocephalus	W. M.	15	7	2	3	1	1	14	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	12	7	....	....	....	....	7	1	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....
	C. M.	8	3	2	1	1	....	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	11	5	2	1	....	....	8	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	W. M.	26	....	....	....	....	1	1	....	....	....	....	....	1	2	2	3	2	2	2	4	5	3	....	1	....	....	....	....
	W. F.	68	....	....	1	....	....	1	....	....	2	....	1	2	4	6	12	7	8	11	4	3	....	2	1	1	....	....	....
	C. M.	14	....	....	....	....	1	1	....	....	2	2	1	....	....	1	....	2	....	4	....	....	....	1	....	....	....	....	....
	C. F.	31	....	....	1	....	....	1	....	....	1	3	1	....	5	2	2	4	4	1	3	3	....	....	....	....	1	....	....
7. Tumor	W. M.	5	1	....	....	....	1	2	....	....	....	....	....	....	....	1	1	1	....	....	....	....	2	....	....	....	....	....	....	....
	W. F.	9	....	1	....	....	....	1	....	....	....	....	....	....	....	3	1	2	....	....	....	....	....	....	....	....	....	....	....
	C. M.	3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	C. F.	7	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	1	2	1	....	....	1	....	....	....	....	....	....
8. Anæmia	W. M.	4	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
	W. F.	5	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....
	C. M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	C. F.	6	....	....	....	1	....	1	....	....	1	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	W. M.	130	2	4	2	2	2	12	13	15	6	3	2	6	5	3	7	6	9	9	5	7	10	7	4	....	1	....
	W. F.	129	3	....	3	1	2	9	7	3	7	11	13	2	12	8	5	7	8	5	9	10	7	3	1	1	1	....
	C. M.	199	2	10	6	3	6	27	14	8	11	8	9	5	7	8	10	16	10	18	12	11	9	10	3	1	2	1
	C. F.	210	6	13	10	4	4	37	10	11	8	8	8	8	8	10	9	14	6	21	10	16	8	12	3	1	2	....
10. Glycosuria	W. M.	6	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....
	W. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	C. M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	C. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Others of this group	W. M.	3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	W. F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	1
	C. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	W. M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	C. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		1373	429	90	54	34	27	634	90	47	35	28	34	26	29	29	32	54	42	72	55	55	47	29	10	7	5	13
Total: White	M.	326	62	18	12	11	6	109	30	12	4	7	11	8	8	11	10	14	15	16	16	15	21	10	1	2	....	6
	F.	275	51	24	11	9	9	104	17	8	9	7	5	4	9	5	7	11	10	17	12	18	13	6	7	1	2	3
Colored	M.	378	182	24	7	6	10	229	23	18	11	4	8	5	4	5	8	10	8	11	13	9	5	2	1	1	1	2
	F.	394	134	24	24	8	2	192	20	9	11	10	10	9	8	8	7	19	9	28	14	13	8	11	1	3	2	2
1. Inflammation of the brain.	W. M.	45	8	3	7	2	4	24	6	3	....	1	3	1	1	....	4	....	1	....	....	....	1	....	....	....	....	....	....
	W. F.	38	4	7	2	3	5	21	6	5	3	....	....	1	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....
	C. M.	38	6	4	1	2	1	14	8	7	2	2	....	....	1	....	....	2	....	....	1	1	....	....	....	....	....	....	....
	C. F.	29	1	2	7	....	1	11	7	1	3	1	1	1	....	....	....	1	....	3	....	....	....	....	....	....	....	....	....
2. Meningitis	W. M.	18	1	4	1	2	....	8	4	....	1	....	1	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1
	W. F.	16	3	1	1	1	2	8	2	....	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	20	5	4	1	1	....	11	4	1	2	....	1	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	C. F.	14	2	3	2	....	1	8	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	W. M.	44	1	....	....	....	....	1	1	....	1	1	2	3	3	1	1	6	5	4	6	1	4	1	....	1	....	2
	W. F.	21	1	....	....	....	....	1	....	....	....	1	....	....	1	1	1	2	1	2	3	4	1	2	....	....	....	....	1
	C. M.	24	....	....	....	....	....	....	1	....	1	....	1	2	1	2	2	3	....	2	5	....	2	....	1	....	1	....	....
	C. F.	29	....	....	....	....	....	....	1	....	....	....	2	1	....	2	3	3	2	5	2	3	1	2	....	....	1	1	1
4. Paralysis	W. M.	70	....	....	....	1	....	1	3	2	....	1	1	....	1	3	2	5	6	9	7	9	13	5	....	1	....	....	....
	W. F.	67	....	....	....	....	....	....	....	1	....	1	....	....	1	1	3	3	5	11	7	12	11	2	6	1	2	....	....
	C. M.	41	2	....	....	....	1	3	1	2	....	....	2	....	....	2	3	4	6	5	6	5	....	1	....	1	....	....	....
	C. F.	67	....	1	....	....	....	1	....	....	....	1	....	2	5	1	1	8	5	11	9	9	6	6	....	2	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	19	16					16						1		1											1
		F.	12	11			1		12																			
	C.	M.	100	89	1				90	2	3	1		1	1							1						1
		F.	72	64	1				65	1			1	1			1							1	1			1
6. Epilepsy	W.	M.	5									1		1	1								1					1
		F.	7	2		1			3			1				1		1					1					
	C.	M.	11	3				1	4	1	1	1		1									1	1	1			
		F.	8	1					1		1		1		1		1				1	1					1	
7. Convulsions	W.	M.	52	23	9	1	3	1	37	7	2		2	2						1					1			
		F.	56	25	9	4	2	1	41	2		1	2	2	1	1			2		1	1	1		1			
	C.	M.	100	63	10	5	2	5	85	5	4	1	1					1		1	1			1				
		F.	125	80	16	12	8		96	3	2	3	3	5	2	1	1	2	3	1	3							
8. Mental diseases	W.	M.	6								1	1										1	1		2			
		F.	3											1		1				1								
	C.	M.	1																1									
		F.	4									1		1		1	1											
9. Diseases of the brain	W.	M.	60	13	2	3	1	1	20	9	3		2	1	1	2	4	3	1	1	3	2	2	3	1	1		1
		F.	49	4	6	3	2	1	16	6	2		2	1	2	4	2	1	4	3	2	1		1	1	1		
	C.	M.	34	9	4		1	2	16	1		2	1	2	2	1	1	2		1	1	1	1	1				1
		F.	39	5	1	3			9	4	5	2	2		2	1	1	1	4		4	2	1			1		
10. Diseases of the spinal cord.	W.	M.	4				2		2		1						1											
		F.	3	1					1	1																		1
	C.	M.	1																				1					
		F.	4									2												1		1		
11. Others of this group	W.	M.	3													1			1			1						
		F.	3		1				1				1				1											
	C.	M.	8	5	1				6			1									1							
		F.	3	1					1				1											1				
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total			435	16	2	2	4	3	27	12	12	10	24	18	23	15	27	14	28	36	47	44	40	23	23	6	3	1	2
Total: White		M.	108	4	1	1	2	1	9	3	5	3	1	4	3	4	3	4	7	10	12	20	9	4	5	2		
		F.	148	5				2	7	4	4	3	13	6	3	4	14	5	8	9	18	9	17	14	9	1		
Colored		M.	83	5					5	2	2		2	6	5	4	4	3	5	9	7	12	5	3	5	2		1	1
		F.	96	2	1	1	2		6	3	1	4	8	2	12	3	6	2	8	8	10	3	9	2	4	1	3		1
1. Angina pectoris	W.	M.	3																	1		2						
		F.	2											1			1											
	C.	M.	1																					1				
		F.	2														1			1								
2. Aneurism	W.	M.	1																		1							
		F.																										
	C.	M.	6												1							3	1			1		
		F.																										
3. Diseases of the heart	W.	M.	101	2	1	1	2		6	3	5	3	1	4	3	4	3	4	7	9	12	17	9	4	5	2		
		F.	143	4				2	6	4	4	3	12	5	3	4	13	5	8	9	18	9	17	14	8	1		
	C.	M.	72	1					1	2	2		2	0	4	4	4	3	5	9	7	9	4	3	4	1		1	1
		F.	93	1	1	1	2		5	3	1	4	8	2	12	3	5	2	8	7	10	3	9	2	4	1	3		1
4. Others of this group	W.	M.	3	2				1	3																			
		F.	3	1					1				1												1			
	C.	M.	4	4					4																			
		F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total			1393	290	106	90	42	39	567	72	36	46	66	67	54	55	42	39	46	51	66	47	57	39	30	3	4	2	4
Total: White		M.	293	59	18	25	6	9	117	12	7	7	10	15	13	6	11	10	7	15	20	13	15	10	3		2		
		F.	241	43	14	13	4	8	82	13	4	5	9	14	16	9	8	7	8	14	11	5	9	11	12	2			2
Colored		M.	480	112	42	33	16	12	215	30	7	17	27	21	12	18	11	8	19	13	22	15	24	12	6	1	1		1
		F.	379	76	32	19	10	10	153	17	18	17	20	17	13	22	12	14	12	9	13	14	9	6	9		1	2	1
1. Croup	W.	M.	51	21	5	14	2	6	48	3																			
		F.	26	8		5	3	4	20	5																			1
	C.	M.	31	11	11	5	2	1	30	1																			
		F.	35	21	7	5	1		34																				1
2. Laryngitis	W.	M.	1		1				1																				
		F.	1																				1						
	C.	M.																											
		F.																											
3. Bronchitis	W.	M.	26	2	3	1	3		9	3		1			2			1		1	1	3	2			2			
		F.	25	4	1	2		1	8	1				1	3	1	1	1	3	2	1	2		1					
	C.	M.	40	17	6	3	1		27	2	1		1	3	1	1			1		2		1						
		F.	28	7	6		2	1	16	2			1		1	1				3	3						1		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	185	30	8	9	1	3	51	3	7	6	9	15	9	6	10	9	6	13	17	11	5	5	3			
	W.	F.	140	24	6	6		2	38	4	3	5	6	11	7	5	6	6	4	11	8	3	6	3	7	1		1
	C.	M.	352	69	25	23	9	11	137	24	4	16	24	17	11	15	9	8	17	9	16	11	20	7	5	1	1	
	C.	F.	271	38	19	11	12	8	88	13	17	15	18	17	10	19	10	12	8	4	8	12	6	5	7			2
5. Pleurisy	W.	M.	12							3					1		1		1		2		2	2				
	W.	F.	17	1					1	1	1		2	1	3		1		1	1	1		1	1	2			
	C.	M.	18	2			2		4		1	1	1			1			1	2	2	1	1	2	1			
	C.	F.	17	2				1	3	1			1		1	1	2		2	1	1	1	2		1			
6. Asthma	W.	M.	1																	1								
	W.	F.	8					1	1						1	1					1		1		2	1		
	C.	M.	12	1			2		3					1			1				2	1	2	2				
	C.	F.	9	1					1			1						1	3	1	1		1		1			
7. Others of this group	W.	M.	17	6	1	1			8				1		1							1	5	1				
	W.	F.	24	6	7		1		14	2			1	1	2	2								1	1			
	C.	M.	27	12	..	2			14	3	1		1			1	1			2		2		1				1
	C.	F.	19	7		3	1		11	1	1	1			1	1		1				1		1				
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total			727	164	153	41	13	12	383	24	11	18	23	21	23	19	16	21	31	18	42	21	23	20	8		1	1	3
Total: White		M.	169	37	26	3		3	69	6	4	4	4	5	7	3	7	6	12	5	15	7	5	8	2			
		F.	149	25	15	11	4	3	58	6	1	3	7	6	7	8	4	5	6	6	6	8	7	6	4			1
Colored		M.	204	54	55	14	5	2	130	6	2	6	5	3	5	3	2	5	9	3	7	4	7	3	2		1	1	
		F.	205	48	57	13	4	4	126	6	4	5	7	7	4	5	3	5	4	4	14	2	4	3					2
1. Dentition	W.	M.	25	6	18	1			25																			
	W.	F.	23	6	12	5			23																			
	C.	M.	74	26	41	5	2		74																			
	C.	F.	71	22	40	8	1		71																			
2. Angina	W.	M.	8	3	3			1	7										1									
	W.	F.	10	1	1	1	3		6	2				1						1								
	C.	M.	6	1	2	1			4	1	1																	
	C.	F.	7	1	1	1		1	4			1	1			1												
3. Gastritis	W.	M.	12	3					3					2	1			1	2		1		2					
	W.	F.	11			1		1	2				1		2	1			2	1			2					
	C.	M.	6			3	1		4						1									1				
	C.	F.	9	2	1		1		4					1							2	1	1					
4. Other diseases of the stomach.	W.	M.	5	3		1			4	1								1										
	W.	F.	6	1					1	1							1		1		1	1						
	C.	M.	5	1					1			1							2			1						
	C.	F.	9		2			1	3	2		1		1		1		1										
5. Obstruction of the bowels.	W.	M.	4							1				1			1				1							
	W.	F.	6														1	1	1				1	1				1
	C.	M.	5	1		1			2			1	1		1													
	C.	F.	2												1			1										
6. Hernia	W.	M.	4	1					1											1	1	1						
	W.	F.	3													1		1				1						
	C.	M.	15			1			1		1	1						1	3		2	1	3		1		1	
	C.	F.																										
7. Other diseases of the bowels.	W.	M.	18	6	2				8		1	2		1		1			1		1		1	2				
	W.	F.	8	5		1			6													1		1				
	C.	M.	11	4	4				8	1					1	1												
	C.	F.	11	1	4	2		1	8			1			1								1					
8. Jaundice	W.	M.	10	1				1	2	1		1	1				2		1					1	1			
	W.	F.	8	2	1			2	5	1		1						1										
	C.	M.	6	2					2							2			1		1							
	C.	F.	8	2	1	1			4		1			1						1	1							
9. Inflammation and abscess of the liver.	W.	M.	12							2				1	1	1	2	1	1	1	2							
	W.	F.	8									1	1			1				2	1	2						
	C.	M.	6										1	1				1		1	1	1						
	C.	F.	6					1	1	1								1	1		1		1					
10. Other diseases of the liver.	W.	M.	27	2	1	1		1	5		1		3		1			2	5		3	5	1	1				
	W.	F.	30		1	1			2	2	1		2	2	2	4	1	1	2	1	3	1	1	3	2			
	C.	M.	20	1	1	1	1		4	2		1	1		1		1	2	2	1	2		2	1				
	C.	F.	23		2				2	1	1		4	1	1	1	2	1	1	3	2	1	1	1				
11. Peritonitis	W.	M.	3													1								1				
	W.	F.	9			1			1				1	2	1	1	1			1				1				
	C.	M.	2									2																
	C.	F.	7										1		1	1					2							2
12. Ascites	W.	M.	8							1					1		1			2	1		1	1				
	W.	F.	3										2									1						
	C.	M.	9		1				1	2			1								1	1	1	1			1	
	C.	F.	7				1		1		1	1		1		1	1				1							
13. Others of this group	W.	M.	33	12	2				14		2	1			3		1	2	1	1	4	1		2	1			
	W.	F.	24	10		1	1		12			1		1	2			1			1	1	3		2			
	C.	M.	39	18	6	2	1	2	29				1	2	1		1	1	1	1			1	1				
	C.	F.	45	20	6	1	1		28	2	1	1	1	2				1	2		5		1	1				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		137		2	2	3	1	8	3	3	2	7	5	7	6	5	9	9	6	14	14	11	12	5	5	3	1	2
Total: White	M.	52		1	1	1	1	4	1		1	2		3	1	1	6	4	2	7	4	4	5	2	3		1	1
	F.	16		1	1	1		3	1			2	2	1			1	1	1	3			1					
Colored	M.	53								2	1	2	1	1	4	2	2	4	2	4	3	6	5	3	2	3		1
	F.	16				1		1	1	1		1	2	2	1	2			1		2	1	1					
1. Bright's disease	W. M.	10										1		1		1	1	1		2	1		1	1				
	W. F.	9				1		1				2		1			1		1	3								
	C. M.	9												1	3	1	1	2			1							
	C. F.	8							1			1	1	1							1	1						
2. Calculus, urinary	W. M.	10				1		1			1						2	1		2	1				1		1	
	W. F.	1		1				1																				
	C. M.	10								1							1		1	1	3	3	1	3	2	2		1
	C. F.	2								1									1									
3. Diseases of the kidney	W. M.	17		1	1		1	3						2	1		2	2	2	1	1			1	1			1
	W. F.	4							1				1					1					1					
	C. M.	13								1		1	1		1	1		1	1	2	2		2					
	C. F.	7				1		1						1	1	2					1		1					
4. Diseases of the bladder	W. M.	8							1											2		3	2					
	W. F.	2			1			1					1															
	C. M	6										1									2	2	1					
	C. F.	1											1															
5. Others of this group	W. M.	7										1					1				1	1	2		1			
	W. F.																											
	C. M.	6									1							1		1		1	1			1		
	C. F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total		68									6	6	5	11	10	6	6	5	4	2	3	1			2	1		
Total: White	F.	31									3	4	2	4	5	1	5	3	3		1							
Colored	F.	37									3	2	3	7	5	5	1	2	1	2	2	1			2	1		
1. Ovarian tumors	W.—F.	5											1	3			1											
	C. —F.	6									1	1	1					1		1		1						
2. Ovarian diseases	W.—F.																											
	C. —F.	1														1												
3. Uterine tumors	W.—F.	3									1						2											
	C. —F.	3													2										1			
4. Uterine diseases	W.—F.	7									1	1		1	1			1	2									
	C. —F.	7									1			3						1	2							
5. Others of this group	W.—F.	16									1	3	1		4	1	2	2	1		1							
	C. —F.	20									1	1	2	4	3	4	1	1	1							1	1	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total		220									39	56	45	37	32	4	6						1					
Total: White	F.	81									11	15	18	16	16	1	4											
Colored	F.	139									28	41	27	21	16	3	2						1					
1. Abortion	W.—F.	5											2		2		1											
	C. —F.	6									1			2	1	1							1					
2. Child-birth	W.—F.	67									10	12	12	15	14	1	3											
	C. —F.	128									26	38	26	19	15	2	2											
3. Others of this group	W.—F.	9									1	3	4	1														
	C. —F.	5									1	3	1															
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		24	4	1		1		6	3		2	3	1		2			1	1	2	1		2					
Total: White	M.	5	1					1	1		1	1			1													
	F.	5		1				1	1				1		1					1								
Colored	M.	8	2			1		3										1		1	1		2					
	F.	6	1					1	1		1	2							1									
1. Diseases of the spine	W. M.	2	1					1							1													
	W. F.	2		1				1	1																			
	C. M.	5	2			1		3													1		1					
	C. F.	3	1					1				2																
2. Diseases of the bones	W. M.																											
	W. F.	2											1							1								
	C. M.																											
	C. F.	3							1		1								1									

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	W. M.																										
	W. F.																										
	C. M.																										
	C. F.																										
4. Others of this group..	W. M.	3							1		1	1			1												
	W. F.	1																1		1			1				
	C. M.	3																									
	C. F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		46	3	4	2			9	4	1	2	5	2	3	3	3	4	3	1	2		2	2				
Total: White	M.	10			1			1	1						1	1	2	1		1		1	1				
	F.	8		1				1				1		1	1	1	1	1									
Colored	M.	15	3	1				4	2	1	1	3	1			1		1		1							
	F.	13		2	1			3	1		1	1	1	2	1		1					1	1				
1. Abscess	W. M.	8			1			1							1	1	1	1		1		1	1				
	W. F.	5		1				1				1		1	1			1									
	C. M.	6	1					1	1	1		1				1		1									
	C. F.	9			1			1	1		1	1	1	2			1						1				
2. Carbuncle	W. M.	1															1										
	W. F.	1															1										
	C. M.																										
	C. F.	1																				1					
3. Others of this group..	W. M.	1							1							1			1								
	W. F.	2																									
	C. M.	9	2	1				3	1		1	2	1							1							
	C. F.	3		2				2							1												
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		4				1		1						1				1		1							
Total: White	M.	1												1				1									
	F.	1																		1							
Colored	M.																										
	F.	1				1		1																			
1. Addison's disease	W. M.																										
	W. F.																										
	C. M.																										
	C. F.																										
2. Diseases of the spleen.	W. M.	2												1				1									
	W. F.	1																		1							
	C. M.																										
	C. F.	1				1		1																			
3. Others of this group..	W. M.																										
	W. F.																										
	C. M.																										
	C. F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		769	116	45	57	41	29	288	68	52	53	62	40	36	23	25	21	22	9	19	13	12	8	1	2	3	6	6
Total: White	M.	153	7	3	4	5	6	25	10	11	18	19	12	7	6	8	10	4	4	6	2	6	4					1
	F.	72	7	3	5	4	2	21	11	4	6	3	4	7		4	2	2		1	3			1		1	1	1
Colored	M.	328	54	25	21	8	8	116	20	24	22	36	16	19	13	6	7	16	5	10	4	6	3			1	1	3
	F.	216	48	14	27	24	13	126	27	13	7	4	8	3	4	7	2			2	4		1		2	1	4	1
1. Burns and scalds	W. M.	16	1	2	1	2	3	9	2	1	1			1						1	1							1
	W. F.	35	2	1	4	4	2	13	4	3	3	2	1	4		3	1			2		3						
	C. M.	56	5	15	10	7	5	42	7		2																4	
	C. F.	117	5	9	19	22	11	66	21	8	6	4	2	1	2					1	1		1					
2. Drowned	W. M.	25			1	1		2	4	1	5	3			2	1	1		1	3	1						1
	W. F.	4							2		1	1																1
	C. M.	61		1	3		1	5	6	9	11	8	5	4	2	2	3	2		2	1							
	C. F.	11	2		1		1	4	1	1			2		2	1												
3. Exposure and neglect.	W. M.	2	1	1				2								1												
	W. F.	4	2	1				3								1		3		1	1						1	
	C. M.	31	13	6	3			22					2			1												1
	C. F.	28	18	3		1		22						1		3	1											
4. Gunshot wounds	W. M.	23							1	3	2	8	3	3	1		2											
	W. F.	1							1																			
	C. M.	34					1	1	3	5	2	9	1	5	1		1	2		1	1							2
	C. F.	3							1	1				1														
5. Homicide	W. M.	6										1	2		1	1				1								
	W. F.	2							1					1														
	C. M.	9			1			1		1		2	3	1				1							1			
	C. F.	1																										

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 3—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
7. Injuries by machinery	W.	M.	1															1										
		F.																										
	C.	M.																										
		F.																										
8. Railroad accidents	W.	M.	4										3						1									
		F.																										
	C.	M.	14								2	1	4	1		4				1	1							
		F.																										
9. Suffocation	W.	M.	9	3		2	2	1	8	1																		
		F.	5	2	1	1			4	1																		
	C.	M.	23	18	3	2	1		19						2		1				1							
		F.	15	15					15																			
10. Suicide by shooting	W.	M.	1										1															
		F.																										
	C.	M.																										
		F.																										
11. Suicide by drowning	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
12. Suicide by poison	W.	M.																										
		F.	1																			1						
	C.	M.	1												1													
		F.																										
13. Other suicides	W.	M.	2											1						1								
		F.	3								1								1			1						
	C.	M.	4									2	1			1												
		F.																										
14. Sunstroke	W.	M.	3														2						1					
		F.																										
	C.	M.	9										3			1		1	1	1			1	1		1		
		F.	6				1		1		1			1							1	1				1			
15. Surgical operations	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
16. Wounds	W.	M.	3							1							1				1							
		F.																										
	C.	M.	6										2	2		2												
		F.																										
17. Others of this group	W.	M.	58	2				2	4	1	6	10	3	6	3	2	3	6	3	2			6	3				
		F.	17	1					1	2		2		3	2			1	1		1	1			1		1	1
	C.	M.	80	23		2		1	26	4	7	4	5	4	6	2	2	2	7	3	2	1	2	2		1		
		F.	85	8	2	7		1	18	4	2	1		2	1		3	1				2				1		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		16154	3626	1011	705	465	318	6125	871	484	564	897	836	689	818	741	694	687	674	604	452	403	307	214	84	52	89	69
Total: White	M.	5059	1034	266	184	133	81	1698	256	151	157	251	228	241	258	303	278	265	213	226	182	159	91	46	17	9	8	22
	F.	3954	898	217	164	113	83	1475	188	117	148	240	251	178	227	165	156	148	116	131	110	92	87	54	26	7	15	23
Colored	M.	3651	883	257	182	108	83	1513	217	98	121	183	177	145	179	140	158	143	81	127	84	87	75	50	18	18	26	11
	F.	3490	811	271	175	111	71	1439	210	118	138	223	180	125	154	133	102	131	64	120	76	65	54	64	23	18	40	13
Unknown causes.																												
Total		734	276	54	35	29	27	421	48	17	21	28	20	12	16	18	19	23	13	25	15	10	10	7	1	1	4	5
Total: White	M.	161	49	14	8	8	7	86	13	4	4	6	3	2	2	8	6	7	2	7	4	3	2	1			1	
	F.	124	57	4	4	7	6	78	5	3	1	6	3	1	2	3	3	4	2	2	2	3	2	1			1	2
Colored	M.	234	99	18	10	7	9	143	17	4	9	9	4	4	6	3	5	3	7	8	3	2	4	1	1			1
	F.	215	71	18	13	7	5	114	13	6	7	7	10	5	6	4	5	9	2	8	6	2	2	4		1	2	2
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		4048	829	399	316	222	136	1902	371	172	163	186	167	125	150	135	133	135	83	100	65	72	44	19	4	5	1	16
Total: White	M.	1303	247	99	77	66	39	528	114	53	51	73	49	45	50	55	64	50	43	40	23	35	18	5				7
	F.	1107	227	83	86	58	42	496	100	49	57	56	62	41	45	35	31	34	21	21	21	15	11	6	2			4
Colored	M.	834	167	115	74	55	30	441	83	35	26	28	29	20	29	31	28	22	13	14	10	14	5	1	1	2	1	1
	F.	804	188	102	79	43	25	437	74	35	29	29	27	19	26	14	10	29	6	25	11	8	10	7	1	3		4
1. Small-pox	W. M.	15		3	3		1	7	6	1					1													
	W. F.	8		1	1			2	5	1																		
	C. M.	7				1		1	4			1						1										
	C. F.	9	1			2		3	3	3																		
2. Measles	W. M.	25	3	3	6	3	4	19	3	1	1		1										1					1
	W. F.	31	5	10	6	2	1	24	2		1			1	1													
	C. M.	21	8	5	1	3		17	3	1																		
	C. F.	42	9	11	8	2		30	5	3	1	3																
3. Scarlet fever	W. M.	10		1	1	3	1	6	3		1																	
	W. F.	11	1		4	1	1	7	3	1																		
	C. M.	7	1	3	1			5	1	1																		
	C. F.	4				1	1	2	1	1																		
4. Diphtheria	W. M.	64	8	8	12	14	5	47	14		1	2			1	1												
	W. F.	63	3	5	9	11	4	32	19	8	1	1																
	C. M.	25	5	8	1	4	2	20	1	1		2							1									1
	C. F.	28	4	5	4	1	1	15	7	2			1		1		1											
5. Hooping-cough	W. M.	51	29	4	3	4		40	4	3		2																2
	W. F.	63	37	8	7	4	2	58	5																			
	C. M.	80	40	17	11	5	1	74	4	1																		1
	C. F.	68	33	12	10	8	2	65	1		1																	1
6. Fever	W. M.	64	16	5	2	3	2	28	8	3		3	2	4		7	2	1	1	3		2						
	W. F.	45	7	2	5	3	1	18	7	1	3	2	4	1	2	2		1			1	2	1					
	C. M.	69	16	9	5	9	2	41	10	5	2	1	2	1		2	1		1	2		1				1		1
	C. F.	82	17	6	10	4	6	43	12	3	5	2	2	3	1	1		2		4	1		1					
7. Cerebro-spinal fever	W. M.	12	3		2			5	1	3				1								1						
	W. F.	10	3		2			5	1	1			1															
	C. M.	4	1					1	2													1						
	C. F.	6	3		1		1	5						1														
8. Enteric fever	W. M.	92		1	3	1	2	7	11	11	11	14	4	4	6	3	3	4	5	1	3	4	1					
	W. F.	98	1	3	4	4	2	14	9	7	17	11	6	5	8	5	4	2	3	3	1	2	1					
	C. M.	88	7	4	4	2	6	23	13	11	7	5	7	1	1	6	3	1	1	4	2		1					
	C. F.	66	3	6	6	2	3	20	10	7	9	4	4	3		3	3	2					1					
9. Diarrhœa	W. M.	103	15	10	7	1	1	34	6	1	1	5	3	3	4	3	6	10	5	7	4	6	3	1				1
	W. F.	56	14	4	2		1	21	1	1		1	2	2	4	5	4	3		2	4	1	2	2	1			
	C. M.	77	16	13	11	8	2	50	2			2		3	3	3	3	6		3	1		1	1				
	C. F.	80	23	19	6	6		54		1		1	2		4	1		4		5	3	1	2	1		1		
10. Dysentery	W. M.	116	12	10	2	2	1	27	4	2	2	3	5	3	10	10	9	8	8	6	5	8	6					
	W. F.	87	11	7	10	5	1	34	3	2		4	2	5	4	2	7	6	4	4	4	1	4	1				
	C. M.	65	4	11	4	3	2	24	8	1		1	4	3	4	4	6	3	2	1	2	1				1		
	C. F.	52	9	8	5	2	4	28	1		1	2		3		2		3	2	3	2	2	2		1			
11. Enteritis	W. M.	179	60	20	10	10	3	103	7	4	7	6	4	3	4	3	7	5	6	8	4	5	2					1
	W. F.	128	45	13	11	4	3	76	4	2	2	3	4	2	1	5	4	6	2	6	5	2	2		1			1
	C. M.	66	17	8	6	4	4	39	6	2	1	3	2	2	4	1		1	1	1		1	2					
	C. F.	73	15	7	8			30	4	3	4	2	3	4	2	1	1	8	1	3	3		2	2				
12. Cholera morbus	W. M.	19	5			1		6	2	2	2			1		1	2		1		1	1						
	W. F.	8	3	1	1			5										2	1							1		
	C. M.	16			1	1	2	4	3					1	1	2	1	3		1								
	C. F.	6							3										2									
13. Cholera infantum	W. M.	77	51	19	4	3		77																				
	W. F.	68	51	11	4	2		68																				
	C. M.	36	19	10	5	2		36																				
	C. F.	42	30	8	2	1	1	42																				
14. Malarial fever	W. M.	338	33	10	17	18	13	91	40	15	16	23	14	14	17	25	24	17	11	11	4	7	5	1				3
	W. F.	290	37	15	16	18	21	107	32	29	18	12	25	12	12	9	7	11	9	5	5	6						
	C. M.	217	29	22	21	13	9	94	22	8	14	10	10	5	6	11	10	7	4	3	3	9	1					
	C. F.	176	35	16	16	12	5	84	24	8	2	6	9	2	9	3	4	7	3	7	2	3	2	1				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	W.	M.	24	6	..	..	..	..	6	..	..	2	..	4	..	1	..	1	3	1	1	1	1	1	2	..	..	..
		F.	15	4	1	..	..	..	5	1	..	..	..	1	1	1	1	2	2	1	..	..	..	..	..	..	..	..
	C.	M.	3	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..
		F.	4	..	..	1	..	..	1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..
16. Septicæmia	W.	M.	9	1	..	..	..	..	1	..	1	..	1	1	1	1	..	2	..	..	..	..	..	..	1	..	..	..	..
		F.	5	..	..	..	1	1	2	..	..	..	1	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
	C.	M.	6	..	..	..	..	..	..	..	..	..	..	..	2	1	..	1	1	1	..	..	..	..	..	..	..	..	..
		F.	5	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..
17. Puerperal septicæmia	W.—F.		47	..	..	..	..	..	..	..	..	5	12	9	9	7	2	1	..	..	..	..	..	..	..	..	..	..	2
	C. —F.		20	..	..	..	..	..	..	..	..	1	6	3	2	5	2	..	..	..	..	..	..	..	..	..	..	..	1
18. Venereal diseases	W.	M.	10	3	1	1	..	..	5	..	..	..	1	1	..	..	..	2	..	1	..	..	..	..	..	..	..	..	..
		F.	6	1	1	..	..	..	2	..	..	1	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
	C.	M.	13	..	1	1	..	..	2	..	1	2	1	2	..	4	1	..	..	..	..	..	..	..	..	..	..	..	..
		F.	8	2	1	..	..	..	3	..	..	..	..	..	2	1	..	1	1	..	..	..	..	..	..	..	..	..	..
19. Others of this group	W.	M.	95	2	4	4	3	6	19	5	6	7	13	10	11	5	3	6	2	4	3	1	..	..	..	..	..	..	..
		F.	68	4	1	4	3	4	16	8	5	9	7	5	3	4	3	2	..	1	1	1	1	..	2	..	..	..	..
	C.	M.	34	4	4	2	..	..	10	3	3	..	2	1	2	4	2	1	2	2	..	1	..	..	..	1	..	..	..
		F.	33	4	3	2	2	1	12	3	4	2	2	2	..	3	..	..	..	..	2	..	1	..	1	1	..	..	..
General diseases—B.																													
Total			284	72	25	28	24	14	163	26	3	3	7	10	8	15	6	15	7	3	9	3	1	1	1	1	..	..	2
Total: White		M.	89	21	8	3	..	4	36	6	1	1	..	5	3	7	6	7	4	2	6	2	1	..	1	..	..	..	1
		F.	46	13	3	6	4	1	27	3	..	1	2	1	2	3	..	3	1	..	1	1	..	..	..	..	..	..	1
Colored		M.	66	13	7	12	7	4	43	5	1	1	3	3	2	3	..	2	1	..	1	..	..	1	..	..	..	..	..
		F.	83	25	7	7	13	5	57	12	1	..	2	1	1	2	..	3	1	1	1	..	..	..	..	1	..	..	..
1. Worms	W.	M.	17	2	5	2	..	4	13	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	10	..	1	3	2	1	7	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	C.	M.	30	3	4	8	5	4	24	5	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	38	2	7	7	10	3	29	9	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Other parasitic diseases.	W.	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	C.	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Alcoholism	W.	M.	33	..	..	..	..	..	..	..	..	..	..	3	3	5	5	5	3	2	5	2	..	..	..	..	..	..	..
		F.	8	..	..	..	..	..	..	..	..	1	1	..	2	2	..	2	..	..	..	..	..	..	..	..	..	..	..
	C.	M.	10	..	..	..	..	..	..	..	..	1	2	..	1	3	..	1	1	..	1	..	..	..	..	..	..	..	..
		F.	6	..	..	..	..	..	..	1	..	..	1	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..
4. Lead poison	W.	M.	2	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
		F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	C.	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
5. Other poisons	W.	M.	19	2	3	1	..	..	6	2	1	1	..	..	..	2	1	1	1	..	1	..	1	..	1	..	..	..	1
		F.	12	1	2	1	2	..	6	..	..	..	1	..	..	1	..	1	1	..	..	1	..	..	..	..	..	..	1
	C.	M.	13	..	2	3	1	..	6	..	..	..	1	3	1	..	..	1	..	..	..	..	1	..	..	..	..	..	..
		F.	15	1	..	..	2	2	5	2	1	..	..	1	1	..	..	1	1	1	1	..	..	..	..	1	..	..	..
6. Inanition	W.	M.	18	17	..	..	..	..	17	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	16	12	..	2	..	..	14	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
	C.	M.	13	10	1	1	1	..	13	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	24	22	..	..	1	..	23	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
General diseases—C.																													
Total			1449	824	59	15	2	7	907	12	4	1	8	6	4	7	10	7	21	12	38	39	76	77	85	42	30	61	2
Total: White		M.	412	249	23	6	..	1	279	3	..	..	3	1	2	..	3	2	6	5	10	17	25	20	15	9	7	5	..
		F.	372	220	13	2	1	2	238	4	1	1	2	2	1	4	3	..	6	4	11	7	15	23	20	16	4	10	..
Colored		M.	346	195	11	3	1	4	214	3	..	..	3	1	1	1	2	2	2	1	11	10	18	20	23	7	11	16	..
		F.	319	160	12	4	..	..	176	2	3	..	..	2	..	2	2	3	7	2	6	5	18	14	27	10	8	30	2
1. Premature birth	W.	M.	45	45	..	..	..	..	45	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	32	32	..	..	..	..	32	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	C.	M.	32	32	..	..	..	..	32	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	33	33	..	..	..	..	33	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Stillborn	W.	M.	86	86	..	..	..	..	86	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	98	98	..	..	..	..	98	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	C.	M.	104	104	..	..	..	..	104	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	90	90	..	..	..	..	90	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Malformation	W.	M.	8	8	..	..	..	..	8	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	4	4	..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	C.	M.	3	3	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	2	2	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
4. Debility	W.	M.	225	110	23	6	..	1	140	3	..	..	3	1	2	..	3	2	6	4	8	17	13	11	7	2	2	1	..
		F.	176	86	13	2	1	2	104	4	1	1	2	2	1	4	3	..	5	4	9	4	9	14	5	2	..	2	..
	C.	M.	144	56	11	3	1	4	75	3	..	..	3	1	1	1	2	2	2	1	5	8	13	11	11	2	1	2	..
		F.	121	34	12	4	..	..	50	2	3	..	..	2	..	2	2	3	6	1	1	5	12	7	7	3	4	11	..
5. Old age	W.	M.	48	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	12	9	8	7	5	4	..
		F.	62	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	3	6	9	15	14	4	8	..
	C.	M.	63	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	2	5	9	12	5	10	14	..
		F.	72	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	5	..	6	7	20	7	4	19	2
6. Atrophy	W.	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	C.	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
		F.	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		2745	97	58	41	33	23	252	71	69	118	279	302	229	284	229	214	180	132	128	87	70	48	25	9	3	6	10
Total: White	M.	824	25	18	9	9	4	65	17	21	19	63	80	74	86	98	75	59	47	42	36	19	17	4	1	....	....	1
	F.	692	25	11	6	5	5	52	10	19	28	81	80	56	84	55	53	40	34	33	24	17	12	4	2	....	2	6
Colored	M.	593	23	15	15	5	7	65	21	11	35	56	58	50	59	31	54	43	26	27	15	17	8	8	3	2	3	1
	F.	636	24	14	11	14	7	70	23	18	36	79	84	49	55	45	32	38	25	26	12	17	11	9	3	1	1	2
1. Rheumatism	W. M.	24	....	....	....	....	1	1	1	1	....	1	....	....	1	1	1	2	3	3	6	2	....	1	....	....	....	....
	W. F.	11	....	....	....	....	....	....	....	....	....	2	....	1	1	3	1	....	....	1	1	....	1	....	....	....	....	....
	C. M.	19	....	....	....	....	....	....	....	....	....	1	2	....	1	....	3	2	2	....	3	1	2	1	1	....	....	....
	C. F.	19	1	....	....	....	....	1	1	....	1	....	1	1	....	....	....	3	1	4	....	2	1	2	....	1	....	....
2. Scrofula and tabes	W. M.	19	5	5	3	1	1	15	1	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	26	6	3	3	4	1	17	....	1	1	1	1	....	2	1	....	....	....	....	1	....	1	....	....	....	....	....
	C. M.	22	4	1	3	....	....	8	2	3	1	2	1	....	1	....	2	....	....	....	....	1	....	1	....	....	....	....
	C. F.	18	4	2	2	....	1	9	3	....	1	2	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
3. Leprosy	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	2	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	W. M.	571	6	8	1	1	....	16	1	5	13	62	71	68	72	81	61	37	24	24	14	10	10	....	1	....	....	1
	W. F.	440	6	3	1	....	1	11	4	6	22	68	70	42	66	34	30	23	16	16	13	7	6	....	1	....	....	5
	C. M.	399	5	5	3	3	....	16	10	6	28	50	50	45	54	22	39	32	14	13	7	6	3	1	....	1	1	1
	C. F.	408	9	2	4	5	4	24	10	13	33	70	70	37	44	33	15	18	12	10	7	4	1	2	2	....	1	1
5. Hydrocephalus	W. M.	23	8	4	....	3	1	16	2	....	1	....	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	13	8	2	....	....	....	10	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
	C. M.	7	5	....	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	5	2	1	....	1	....	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	W. M.	67	....	....	....	....	....	....	1	....	....	....	2	3	5	7	9	4	9	7	11	2	4	3	....	....	....	....
	W. F.	114	2	1	....	....	....	3	....	....	1	2	2	6	6	11	18	12	16	13	9	6	4	2	....	....	2	1
	C. M.	17	2	....	....	....	....	2	....	....	....	....	1	1	1	....	....	3	2	4	2	....	....	1	....	....	....	....
	C. F.	50	1	....	....	....	....	1	....	....	....	....	4	1	5	6	8	7	5	5	1	2	2	1	....	....	....	1
7. Tumor	W. M.	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	1	....	1	....	....	....	....	....
	W. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	7	....	....	1	....	....	1	....	....	....	....	1	....	....	1	3	1	....	....	....	....	....	....	....	....	....	....
8. Anæmia	W. M.	10	5	....	....	....	....	5	....	1	....	....	....	....	1	1	....	1	1	....	....	....	....	....	....	....	....	....
	W. F.	9	2	....	....	1	....	3	....	1	....	2	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	6	2	1	1	....	....	4	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	C. F.	5	3	1	....	....	....	4	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	W. M.	90	....	....	3	4	1	8	10	12	4	....	5	2	5	4	3	11	10	5	4	5	2	....	....	....	....	....
	W. F.	66	....	2	1	....	3	6	4	8	3	3	7	6	5	6	4	4	1	3	....	3	....	2	1	....	....	....
	C. M.	116	5	7	7	1	6	26	9	2	0	2	4	3	2	9	9	6	6	10	2	9	3	4	2	....	2	....
	C. F.	123	4	8	4	8	2	26	7	5	1	7	6	10	6	5	5	9	6	7	4	5	6	4	1	....	....	....
10. Glycosuria	W. M.	2	....	1	1	....	....	2	1	....	....	....	....	....	....	3	....	2	....	1	....	....	....	....	....	....	....	....	....
	W. F.	4	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
	C. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	W. M.	5	1	....	1	....	....	2	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	W. F.	6	1	....	1	....	....	2	....	3	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. M.	4	....	1	....	1	....	2	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	W. M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		2106	818	105	88	40	32	1092	125	56	50	59	60	55	57	71	71	83	44	78	79	49	33	19	7	2	5	11
Total: White	M.	760	243	36	27	17	7	330	47	20	14	22	17	26	21	34	28	40	27	37	40	32	7	8	3	1	2	4
	F.	508	208	30	23	10	10	281	29	12	15	13	17	10	13	13	21	14	11	16	13	7	13	6	....	1	....	3
Colored	M.	441	190	20	24	11	9	254	30	14	7	10	15	11	11	14	12	15	2	14	13	5	8	3	....	....	1	2
	F.	397	177	19	14	11	6	227	19	10	14	14	11	8	12	10	10	14	4	11	13	5	5	2	4	....	2	2
1. Inflammation of the brain.	W. M.	56	15	4	4	3	1	27	7	4	3	....	1	2	1	3	1	....	2	2	....	2	....	....	....	....	....	....	1
	W. F.	48	14	4	4	1	3	26	5	3	2	1	....	2	2	1	3	1	....	1	1	....	....	....	....	....	....	....	....
	C. M.	37	5	1	2	2	4	14	5	3	2	3	1	1	3	1	1	1	....	....	1	1	....	....	....	....	....	....	....
	C. F.	34	7	4	3	1	....	15	4	1	2	3	1	1	1	1	1	1	....	....	2	....	1	....	....	....	....	....	....
2. Meningitis	W. M.	59	22	7	5	4	....	38	5	....	1	2	4	1	1	2	1	1	....	....	1	2	....	....	....	1	....	....	....
	W. F.	48	26	4	4	....	....	34	5	1	2	2	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	37	9	....	5	3	....	17	7	4	2	1	3	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	18	4	1	1	1	....	7	3	4	1	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	W. M.	93	1	....	....	1	....	2	....	....	1	5	1	1	6	11	6	10	6	13	13	12	2	1	1	....	1	1
	W. F.	44	....	....	....	....	....	....	1	....	1	1	3	2	3	3	6	5	3	4	7	1	2	1	....	....	....	1
	C. M.	28	....	....	....	....	....	....	....	....	....	2	2	1	1	2	3	5	1	3	4	1	3	....	....	....	....	....
	C. F.	34	....	....	....	....	....	....	....	....	1	1	4	....	2	2	1	4	1	6	5	3	2	1	1	....	....	....
4. Paralysis	W. M.	75	1	....	2	....	....	3	2	1	1	1	2	3	1	6	5	8	3	11	14	6	3	3	1	1	....	....
	W. F.	37	....	....	1	1	....	2	....	....	2	1	2	1	....	1	1	4	2	5	2	3	6	4	....	....	....	1
	C. M.	37	....	....	1	....	....	1	1	....	....	1	2	2	....	4	3	2	....	5	6	3	4	2	....	....	1	....
	C. F.	25	....	1	1	....	....	2	1	....	....	1	....	....	1	2	3	3	....	3	2	2	1	....	3	....	1	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	165	115	1	1	...	1	118	14	11	1	4	1	4	3	...	3	1	2	1	1	...	...	...	...	...	1	...
		F.	128	104	3	...	...	1	108	7	2	1	...	4	...	4	1	...	...	1	...	...	...	...	...	...	...	...	...
	C.	M.	143	114	2	1	1	1	119	5	3	1	1	3	2	1	3	1	2	...	1	...	...	...	...	...	...	...	1
		F.	120	102	1	1	2	...	106	1	1	1	3	...	1	2	2	...	1	...	...	...	...	...	...	...	...	...	2
6. Epilepsy	W.	M.	10	...	...	...	...	...	...	2	...	2	2	1	3	1	1	3	1	...	...	...	...	...	...	...	...	...	...
		F.	2	...	...	1	1	...	2	...	...	1	2	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...
	C.	M.	0	...	...	1	...	...	1	1	1	...	...	...	1	1	1	...	1	...	1	...	...	...	...	...	...	...	1
		F.	11	...	1	...	...	...	1	...	...	3	...	1	2	1	1	...	1	...	...	...	...	1	...	...	...	...	...
7. Convulsions	W.	M.	121	72	14	11	4	...	101	7	2	...	...	1	1	1	1	1	2	...	...	1	1	...	1	...	...	...	1
		F.	94	51	14	5	5	3	78	4	3	5	1	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	C.	M.	91	52	12	11	...	4	79	8	2	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...
		F.	95	58	7	7	3	4	79	5	1	2	2	2	2	1	...	...	...	...	...	1	...	...	...	...	...	...	...
8. Mental diseases	W.	M.	8	...	...	...	...	...	...	...	...	1	...	1	1	2	1	...	...	...	...	1	1	...	...	...	...	...	...
		F.	5	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	1	1	...	...	...	...
	C.	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
		F.	2	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Diseases of the brain	W.	M.	145	16	9	3	5	3	36	9	1	2	3	4	3	5	9	8	12	12	8	9	7	2	3	1	...	...	1
		F.	78	7	5	5	2	3	22	6	2	1	3	4	3	2	4	9	5	5	4	3	3	3	...	...	...	...	1
	C.	M.	50	9	3	2	5	...	19	3	1	2	2	2	3	4	1	2	4	1	4	...	...	...	1	...	...	...	...
		F.	48	5	4	1	3	1	14	4	3	2	2	3	2	2	1	4	3	3	2	3	...	...	...	...	...	...	...
10. Diseases of the spinal cord.	W.	M.	17	1	1	1	...	2	5	1	1	1	...	1	1	...	...	...	4	2	...	...	1	...	...	...	...	...	...
		F.	12	6	...	2	...	...	8	...	1	...	1	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...
	C.	M.	7	1	2	1	...	...	4	...	...	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	...	...
		F.	0	1	...	...	1	1	3	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...
11. Others of this group	W.	M.	5	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	...	2	...	...	...	...	...	...	...	...
		F.	6	...	...	1	...	...	1	1	...	...	1	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...
	C.	M.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	4	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total			598	21	4	...	...	3	28	16	15	24	23	28	28	35	61	39	54	44	71	43	44	22	12	4	2	3	2
Total: White		M.	185	11	1	...	...	2	14	5	6	7	4	6	9	9	21	15	21	15	16	10	17	6	3	...	...	...	1
		F.	166	6	1	...	...	...	7	5	6	7	4	10	10	10	15	8	13	13	16	15	12	9	3	1	1	...	1
Colored		M.	119	2	2	...	...	1	5	2	1	5	5	3	7	8	12	8	11	8	15	9	10	6	1	1	...	2	...
		F.	128	2	...	...	...	...	2	4	2	5	10	9	2	8	13	8	9	8	24	9	5	1	5	2	1	1	...
1. Angina pectoris	W.	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...
		F.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	1	...	...	...	...	...
	C.	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...
2. Aneurism	W.	M.	11	1	...	...	...	...	1	...	...	...	...	...	1	2	...	3	2	1	1	...	...	...	...	...	...	...	...
		F.	3	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	2	1	...	1	...	...	...	...	...	...
	C.	M.	6	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	2	1	...	...	1	...	...	...	...	...	...
		F.	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...
3. Diseases of the heart	W.	M.	162	2	1	...	...	2	5	5	6	7	4	6	8	7	21	12	17	14	15	9	16	6	3	...	...	...	1
		F.	146	3	1	...	...	...	4	5	6	6	4	8	9	9	13	7	12	11	13	15	10	3	3	1	1	...	1
	C.	M.	110	1	2	...	...	1	4	2	1	5	5	3	6	7	12	7	9	7	15	8	9	6	1	1	...	2	...
		F.	121	1	...	...	...	...	1	4	2	5	9	8	2	8	13	7	9	7	23	9	5	1	4	2	1	1	...
4. Others of this group	W.	M.	9	8	...	...	...	...	8	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
		F.	8	3	...	...	...	...	3	...	...	1	...	1	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...
	C.	M.	3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...
		F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total			1762	395	130	91	64	40	720	62	50	55	121	75	74	74	85	61	76	65	75	53	32	35	25	9	3	5	7
Total: White		M.	533	109	33	30	22	7	201	17	7	18	33	18	26	22	29	23	30	28	26	23	9	13	5	1	1	...	3
		F.	386	80	32	24	17	11	164	13	11	16	20	22	16	13	17	11	6	16	18	10	10	10	6	4	...	1	2
Colored		M.	403	112	28	17	15	13	185	19	14	9	27	26	16	28	22	16	26	11	21	11	8	7	8	3	2	2	2
		F.	380	94	37	20	10	9	170	13	18	12	41	9	16	11	17	11	14	10	10	9	5	5	6	1	...	2	...
1. Croup	W.	M.	75	30	12	13	9	3	67	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
		F.	67	23	11	8	8	8	58	5	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	C.	M.	36	27	1	2	2	2	34	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...
		F.	34	19	4	5	3	1	32	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
2. Laryngitis	W.	M.	16	2	1	1	3	1	8	2	...	...	...	1	...	...	1	1	...	2	...	...	...	...	1	...	...	...	...
		F.	10	2	1	...	2	1	6	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	C.	M.	3	1	1	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	2	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
3. Bronchitis	W.	M.	65	24	3	3	1	...	31	1	...	2	2	1	3	1	4	...	1	3	2	6	2	2	3	...	...	...	1
		F.	54	14	4	4	2	...	24	2	1	...	...	2	1	...	5	...	1	6	3	2	3	2	2	...	...	...	...
	C.	M.	51	23	4	...	3	...	30	4	...	...	2	1	1	1	1	1	1	3	...	...	2	1	...	1	...	...	2
		F.	52	30	4	...	1	1	36	1	...	...	1	...	1	1	...	1	...	...	1	3	2	2	3	...	...	...	...

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	312	44	15	9	9	2	79	7	6	13	30	13	18	19	21	18	24	18	18	12	6	7	1			2
		F.	209	34	14	11	4	2	65	3	7	16	13	16	12	12	11	7	4	8	12	6	3	5	3	3	1	2
	C.	M.	326	57	19	14	9	10	109	13	14	9	24	22	12	21	19	8	19	7	17	11	5	3	7	2	2	2
		F.	251	43	28	12	6	5	94	10	17	11	34	8	13	6	15	7	9	10	6	4	1	2	2	1	1	
5. Pleurisy	W.	M.	30	2		1			3	1		1	1	3	4			4	4	4	2	1		1	1			
		F.	20	1		1			2				3	4	1	1	1	1	1	1	1		2		1	1		
	C.	M.	25	1	1	1	1	1	5	1			1	2	2	2		3	3	1	3		1	1				
		F.	17	1	1			1	3	1		1	2	1	2	1					2	2	1		1			
6. Asthma	W.	M.	10														1				2	4		2		1		
		F.	10		1				1									2		1		2	2	2				
	C.	M.	5															1			1			2	1			
		F.	14			2			2				1			2	2	1	3		1		1	1				
7. Others of this group	W.	M.	25	7	2	3		1	13			2			1	2	2		1	1	2			1				
		F.	16	6	1		1		8	2					2		1				2			1				
	C.	M.	17	3	2				5					1	1	3	2	3	2									
		F.	10	1				1	2		1		3			1		1	1								1	
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total			979	192	146	54	18	19	429	44	19	25	25	33	43	56	44	54	47	34	39	27	27	15	9		3	2	4
Total: White		M.	336	61	28	14	6	8	117	12	8	8	6	11	14	25	17	23	23	22	26	13	7	2	1				1
		F.	251	48	33	9	5	6	101	10	5	5	9	9	16	17	9	12	15	8	6	8	9	4	4		1	1	2
Colored		M.	196	45	34	18	3	2	102	10	4	7	4	4	5	6	8	12	5	3	5	3	8	5	4				1
		F.	196	38	51	13	4	3	109	12	2	5	6	9	8	8	10	7	4	1	2	3	3	4			2	1	
1. Dentition	W.	M.	54	28	22	3	1		54																				
		F.	53	26	22	5			53																				
	C.	M.	64	23	27	12	1		63	1																			
		F.	75	21	42	9	2	1	75																				
2. Angina	W.	M.	23	6	1	2	3	3	15	4	2								1			1							
		F.	20	4	3	1	3	1	12	4	1	1		1					1										
	C.	M.	10	2	3	2			7	3																			
		F.	21	4	3	1	1	1	10	8	1			1					1										
3. Gastritis	W.	M.	20	1	1	1			3		1				2	1	1		3		5	2	1	1					
		F.	24		1				1	2	1	1	1	1	3	3	1		2	2	2		1	1	1		1		
	C.	M.	2														1		1										
		F.	8	1					1						1	2	3					1							
4. Other diseases of the stomach.	W.	M.	25	1		1		2	4		2	2	1		1	2	3	4	1	1	2	2							
		F.	7			1	2		3	1			1	1	1														
	C.	M.	5							1			1					1	1			1							
		F.	8	1					1	1		1			2				1					1			1		
5. Obstruction of the bowels.	W.	M.	15	6					6	1	1	1					1	1	1		2	1							
		F.	6	1					1								1		2	1		1							
	C.	M.	8	2					2	1				1			1		1			1		1					
		F.	3									1		1				1											
6. Hernia	W.	M.	6														2			1			2		1				
		F.	6														1	1				2	1		1				
	C.	M.	16	1	1				2					1	3		3	1			2	1	1	2					
		F.	2												1				1										
7. Other diseases of the bowels.	W.	M.	11	4				1	5			1		1		1	1	1				1							
		F.	17	4	2	1		1	8		1	1	1		2			1	1				1	1					
	C.	M.	9	1	1	1	1	1	5	1	1	1	1																
		F.	9	2		1	1		4	1				1		1			1					1					
8. Jaundice	W.	M.	11	1		1		1	3	1		1			3					1	1								1
		F.	7	1	1				2	2										1		1	1						
	C.	M.	3	2			1		3																				
		F.	1											1															
9. Inflammation and abscess of the liver.	W.	M.	58	3	1	1			5	2			3	3	2	11	2	8	7	4	8	1	2						
		F.	25		2			1	3					1	5	3	4	1	2	1	1	1	1	1	1				
	C.	M.	12										3		1			3		1			1	1					
		F.	6											1				2				1	1		1				
10. Other diseases of the liver.	W.	M.	51			1	1		2	2	1	2	2	1	4	5	4	3	7	7	6	3	2						1
		F.	39	1				2	3		2	1	3	1		6	2	6	5		2	2	3	1	1				
	C.	M.	25	2					2	2	1	1	2	1		2	1	4		2			3	1	3				
		F.	13							1			1	1	1	2	1	3		1		1	1						
11. Peritonitis	W.	M.	20	2	1			1	4		1			3	1	1	2	3	1	1	1	2							1
		F.	23					1	1				1	2	5	2		1	4	2								1	
	C.	M.	7	1				1	2	1	1	1			1		1												
		F.	16		1				1			3	3	1	2	2	3	1											
12. Ascites	W.	M.	6			1			1						1		1		1			1		1					
		F.	3														1			2									
	C.	M.	7													1	1		2		2								1
		F.	10					1	1				1	3	1		1				1		1				1		
13. Others of this group	W.	M.	36	9	2	3	1		15	2		1		3		1	2	3	2	5	2		2	1					
		F.	21	11	2	1			14	1				2		1							2	1	1				
	C.	M.	28	11	2	3			16		1	1			1		1	2	1			1	2	1				1	
		F.	24	9	5	2			16	1	1					1	1		1				1	1					

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		235	6	2	3	....	3	13	6	4	2	17	20	12	16	13	22	20	18	17	19	14	7	6	4	1	1	3
Total: White	M.	107	2	1	2	....	1	6	2	4	1	3	10	9	10	3	10	9	10	8	7	7	2	2	2	....	....	2
	F.	38	1	....	....	....	....	1	....	....	....	3	4	2	2	2	5	4	3	2	3	4	1	1	....	....	....	1
Colored	M.	57	1	....	1	....	....	2	3	....	1	5	5	....	1	8	5	4	2	6	7	1	4	1	1	....	1	....
	F.	33	2	1	....	....	1	4	1	....	....	6	1	1	3	....	2	3	3	1	2	2	....	2	1	1	....	....
1. Bright's disease	W. M.	69	....	1	....	....	....	1	1	2	1	2	9	7	7	3	7	6	8	5	4	3	1	1	....	....	....	1
	W. F.	29	....	....	....	....	....	....	....	....	....	3	4	2	1	2	3	3	2	2	3	3	....	....	....	....	....	1
	C. M.	29	....	....	....	....	....	....	1	....	....	3	1	....	1	6	3	4	....	2	5	....	1	1	....	....	1	....
	C. F.	21	....	1	....	....	....	1	....	....	....	4	....	1	3	....	2	3	2	1	2	1	....	....	....	1	....	....
2. Calculus, urinary	W. M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	6	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	1	1	....	....	2	....	....	....	....	....
	C. F.	2	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	W. M.	17	2	....	1	....	1	4	1	2	....	1	1	2	2	....	....	1	....	1	1	....	....	....	....	....	....	1
	W. F.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	1	....	....	....	....	....
	C. M.	13	1	....	....	....	....	1	1	....	1	1	2	....	....	....	2	....	1	2	....	1	....	....	1	....	....	....
	C. F.	6	1	....	....	....	....	1	1	....	....	2	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....
4. Diseases of the bladder	W. M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	....	....	1	2	1	1	2	....	....	....
	W. F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
	C. M.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....
	C. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
5. Others of this group	W. M.	7	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	1	2	1	1	....	....	....	....	....	....
	W. F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	C. M.	5	....	....	....	....	....	....	....	....	....	1	1	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....
	C. F.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total		61	....	....	....	....	....	....	....	2	4	8	5	3	9	7	9	2	2	5	1	....	2	1	....	....	1	....
Total: White	F.	32	....	....	....	....	....	....	....	1	1	6	4	....	6	3	4	2	2	2	....	....	1	....	....	....	....	....
Colored	F.	29	....	....	....	....	....	....	....	1	3	2	1	3	3	4	5	....	....	3	1	....	1	1	....	....	1	....
1. Ovarian tumors	W.—F.	5	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	1	....	....	1	....	....	....	....	....
	C. —F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	W.—F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Uterine tumors	W.—F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. —F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....
4. Uterine diseases	W.—F.	7	....	....	....	....	....	....	....	....	....	1	2	....	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....
	C. —F.	12	....	....	....	....	....	....	....	....	1	1	1	2	1	1	2	....	....	1	....	....	1	1	....	....	....	....	....
5. Others of this group	W.—F.	18	....	....	....	....	....	....	....	1	1	4	2	....	3	2	3	2	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	10	....	....	....	....	....	....	....	1	2	1	....	1	1	2	1	....	....	....	....	....	....	....	....	....	....	1	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total		216	....	....	....	....	....	....	....	5	34	51	44	33	28	17	3	....	....	....	....	....	....	....	....	....	....	....	1
Total: White	F.	121	....	....	....	....	....	....	....	1	11	32	31	22	17	6	....	....	....	....	....	....	....	....	....	....	....	....	1
Colored	F.	95	....	....	....	....	....	....	....	4	23	19	13	11	11	11	3	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion	W.—F.	9	....	....	....	....	....	....	....	....	....	1	3	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. —F.	6	....	....	....	....	....	....	....	....	1	....	1	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	W.—F.	98	....	....	....	....	....	....	....	1	9	27	24	17	14	6	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	77	....	....	....	....	....	....	....	3	19	15	10	8	9	11	2	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group	W.—F.	14	....	....	....	....	....	....	....	....	2	4	4	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	12	....	....	....	....	....	....	....	1	3	4	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		19	....	2	....	1	....	3	1	1	2	1	2	1	....	....	2	2	....	2	....	1	1	....	....	....	....	....
Total: White	M.	12	....	....	....	1	....	1	1	1	1	....	2	1	....	....	....	1	....	2	....	1	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Colored	M.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	W. M.	10	....	....	....	1	....	1	....	1	1	....	2	1	....	....	....	1	....	2	....	1	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	C. F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	W. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	W. F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint. W. M.	1							1																			
3. Diseases of the hip-joint. W. F.	1															1											
3. Diseases of the hip-joint. C. M.																											
3. Diseases of the hip-joint. C. F.																											
4. Others of this group.. W. M.																											
4. Others of this group.. W. F.																											
4. Others of this group.. C. M.																											
4. Others of this group.. C. F.	1		1				1																				
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	41	7	1	1	1		10	1	2	1	1	2	2	4	3	1	6	3		2	1		1				1
Total: White M.	12	1		1	1		3		1	1	1	1		1	1		2	1									
Total: White F.	14	2	1				3		1				1	2	2		2	1		1			1				
Colored M.	9	4					4									1	1	1			1						1
Colored F.	6							1				1	1	1			1			1							
1. Abscess W. M.	10	1		1	1		3		1	1	1	1			1		1	1									
1. Abscess W. F.	5	2					2		1						1					1							
1. Abscess C. M.	2	1					1														1						
1. Abscess C. F.	5							1				1	1	1			1			1							
2. Carbuncle W. M.	1													1													
2. Carbuncle W. F.	5												1	1			2						1				
2. Carbuncle C. M.	3															1		1									1
2. Carbuncle C. F.																											
3. Others of this group... W. M.	1																1										
3. Others of this group... W. F.	4		1				1							1	1			1									
3. Others of this group... C. M.	4	3					3										1										
3. Others of this group... C. F.	1																			1							
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	6							1				1		1	1			1		1							
Total: White M.	1													1													
Total: White F.	2											1			1												
Colored M.																											
Colored F.	3							1										1		1							
1. Addison's disease W. M.																											
1. Addison's disease W. F.	1											1															
1. Addison's disease C. M.																											
1. Addison's disease C. F.																											
2. Diseases of the spleen. W. M.	1													1													
2. Diseases of the spleen. W. F.	1														1												
2. Diseases of the spleen. C. M.																											
2. Diseases of the spleen. C. F.	2																	1		1							
3. Others of this group... W. M.																											
3. Others of this group... W. F.																											
3. Others of this group... C. M.																											
3. Others of this group... C. F.	1							1																			
XII.—ACCIDENTS AND INJURIES.																											
Total	868	89	26	33	22	15	185	30	65	61	83	60	60	66	41	44	31	20	16	18	6	12	4	3	2		5
Total: White M.	322	16	5	7	3	1	32	19	25	32	37	24	30	24	26	25	13	11	5	7	3	3	1	1			2
Total: White F.	93	11	0	4	6		27	9	8	4	6	5		9	1	4	7	1	3	5		1	2	1			
Colored M.	290	32	6	8	4	4	54	23	14	21	33	29	20	27	9	13	9	7	5	3	3	7		1	1		2
Colored F.	163	30	9	14	9	10	72	35	18	4	7	2	1	6	3	2	2	1	3	3		1	1		1		1
1. Burns and scalds W. M.	18		3	4	2		9	1	1		2		1	1				1		2							
1. Burns and scalds W. F.	32	1	2	1	6		10	8	4	2	2	2		2		1	1										
1. Burns and scalds C. M.	17	1	2	4		2	9	2		2				2		1									1		
1. Burns and scalds C. F.	60	1	5	6	5	6	23	21	5	1		2		2	2	1				1			1				1
2. Drowned W. M.	76			1		1	2	10	11	5	8	8	3	4	5	7	6	3	1	1	1						1
2. Drowned W. F.	7			1			1				1					1	1			2			1				
2. Drowned C. M.	57		1	1	3	1	6	8	9	4	5	3	5	9	1	1	2	2									2
2. Drowned C. F.	18			2	2		4	4	5	2	1			1					1								
3. Exposure and neglect. W. M.	3	2			1		3																				
3. Exposure and neglect. W. F.	5	3	1				4													1							
3. Exposure and neglect. C. M.	16	11	2	1			14											1				1					
3. Exposure and neglect. C. F.	21	10	3	3		1	17	1			1					1			1								
4. Gunshot wounds W. M.	53							1		11	6	4	6	10	8	5	1	1									
4. Gunshot wounds W. F.	8			1			1	1		1	1	1		2			1										
4. Gunshot wounds C. M.	35							2	1	3	5	6	7	6	2	1		1	1								
4. Gunshot wounds C. F.	8			1			1	1	2				1						1	2							
5. Homicide W. M.	17									1	2	1	2	3	3	3	1	1									
5. Homicide W. F.																											
5. Homicide C. M.	28									1	6	8	6	2	2	3											
5. Homicide C. F.	1																	1									

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 4—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.	1	1					1																			
		F.																										
	C.	M.	1	1					1																			
		F.	2	2					2																			
7. Injuries by machinery	W.	M.	1												1													
		F.																										
	C.	M.																										
		F.																										
8. Railroad accidents	W.	M.	11								3	1	1	1		2	1	1		1								
		F.																										
	C.	M.	8							1		2	3				1				1							
		F.																										
9. Suffocation	W.	M.	9	4	1	1			6	1	1														1			
		F.	5	3	1				4										1									
	C.	M.	6	6					6																			
		F.	12	10		1	1		12																			
10. Suicide by shooting	W.	M.	12									1	2		3		2	1		2		1						
		F.	1										1															
	C.	M.																										
		F.																										
11. Suicide by drowning	W.	M.	1															1										
		F.	2														1				1							
	C.	M.																										
		F.																										
12. Suicide by poison	W.	M.	4									1			1		1		1									
		F.																										
	C.	M.	1															1										
		F.	1														1											
13. Other suicides	W.	M.	10									1	1	1				1	3	1				1	1			
		F.	3								1					1		1										
	C.	M.	1													1												
		F.																										
14. Sunstroke	W.	M.	3									1	1					1										
		F.																										
	C.	M.	7		1				1	1		1		1								1	1	1				
		F.	6					1	1	5																		
15. Surgical operations	W.	M.																										
		F.																										
	C.	M.																										
		F.	1					1	1																			
16. Wounds	W.	M.	8									1	2	1			1	2				1						
		F.																										
	C.	M.	10	2					2		1		3		1		1		1						1			
		F.	3					1	1		2																	
17. Others of this group	W.	M.	95	9	1	1			11	6	9	9	12	8	13	4	7	4		1	4	2	2	2				1
		F.	30	4	2	1			7		3	1	1	2		4		1	3	1	2	2		1	1	1		
	C.	M.	103	11		2	1	1	15	9	3	8	11	11	10	7	2	6	6	3	3	2	2	5				
		F.	30	7	1	1	1		10	3	4	1	5			3			2					1			1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		88209	18328	5773	3595	2253	1754	31703	4592	2378	3156	4252	3627	3180	3142	2868	2828	3065	2854	3486	3730	4010	3689	2812	1341	534	312	650
Total: White	M.	37948	8055	2291	1421	906	735	13408	1959	939	1156	1572	1370	1244	1258	1213	1255	1405	1456	1703	1855	1968	1753	1209	599	210	68	297
	F.	35748	6377	2065	1323	904	743	11412	1891	953	1304	1787	1648	1459	1397	1237	1218	1264	1141	1417	1583	1733	1674	1326	666	259	129	250
Colored	M.	7153	2163	730	471	230	135	3729	317	201	270	367	259	193	203	185	170	202	124	216	165	159	139	100	41	33	32	48
	F.	7360	1733	687	380	213	141	3154	425	285	426	526	350	284	284	233	185	194	133	150	127	150	123	126	35	32	83	55
Unknown causes.																												
Total		3623	1800	287	152	73	49	2361	104	43	55	76	57	48	51	55	48	62	47	88	81	108	88	77	32	13	11	118
Total: White	M.	952	490	43	20	9	12	574	24	6	12	7	10	8	9	9	14	22	25	36	33	38	36	25	15	2	1	46
	F.	824	350	41	21	6	11	429	15	13	13	19	20	17	15	18	14	22	14	23	30	41	35	30	8	7	4	37
Colored	M.	944	504	110	64	29	16	723	19	11	15	28	9	10	10	12	12	7	4	17	8	16	9	12	1	2	2	17
	F.	903	456	93	47	29	10	635	46	13	15	22	18	13	17	16	8	11	4	12	10	13	8	10	8	2	4	18
1.—GENERAL DISEASES.																												
General diseases—A.																												
Total		20793	4670	2408	1635	1135	987	10835	2700	1169	780	834	579	461	401	329	295	326	297	354	308	340	331	203	95	31	20	105
Total: White	M.	8910	2100	1012	686	489	428	4715	1166	467	301	346	227	179	133	129	122	143	146	170	155	160	156	89	46	12	7	41
	F.	8993	1870	935	671	488	457	4421	1289	556	351	360	271	221	207	150	126	142	122	142	123	146	147	100	49	13	8	49
Colored	M.	1472	395	238	143	87	44	907	108	59	53	59	39	25	31	21	24	21	19	27	22	19	16	5	....	4	2	11
	F.	1418	305	223	135	71	58	792	137	87	75	69	42	36	30	29	23	20	10	15	8	15	12	9	....	2	3	4
1. Small-pox	W. M.	40	9	1	....	2	1	13	5	4	3	5	....	2	2	....	1	1	4	....	....	....	....	....	....	....	....	....	....
	W. F.	48	4	6	2	3	3	18	5	1	4	6	2	3	2	1	2	1	....	1	....	1	....	....	....	....	....	....	1
	C. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	3	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	W. M.	225	66	50	33	12	9	170	13	11	5	9	5	2	1	3	....	....	2	1	1	....	....	....	1	....	....	....	1
	W. F.	247	48	46	46	18	7	159	23	5	11	13	5	8	8	1	4	2	1	4	....	....	....	1	....	....	1	....	1
	C. M.	135	36	31	19	8	3	97	10	4	6	2	6	4	....	....	....	1	1	....	....	....	2	....	....	1	....	....	1
	C. F.	98	28	11	13	7	3	62	10	8	4	3	3	3	1	....	....	2	1	....	....	....	....	....	....	....	....	....	1
3. Scarlet fever	W. M.	857	78	113	153	120	102	566	206	51	12	8	4	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	6
	W. F.	878	63	116	143	97	119	538	241	56	16	9	8	1	2	4	....	....	....	....	....	....	....	1	....	....	....	....	2
	C. M.	51	4	....	8	5	4	21	5	2	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	48	9	8	6	5	3	27	13	4	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	W. M.	2298	181	240	276	242	245	1184	731	246	65	29	17	8	5	....	....	1	1	1	3	1	2	....	....	....	....	....	4
	W. F.	2352	134	192	230	263	255	1074	790	312	80	32	19	8	13	3	5	4	5	3	1	....	2	....	....	....	....	....	1
	C. M.	140	32	17	21	21	8	99	25	9	1	....	3	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	C. F.	112	11	10	12	12	12	57	26	15	4	5	1	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	W. M.	273	148	61	27	15	8	259	10	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
	W. F.	345	173	81	43	19	12	328	11	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	193	86	51	20	17	9	183	9	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. F.	198	85	47	30	15	8	185	12	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	W. M.	54	9	2	3	....	1	15	2	2	4	3	2	3	4	2	....	1	5	4	2	2	1	....	....	1	1	....	....
	W. F.	64	9	3	1	2	2	17	4	4	4	3	4	2	2	1	2	2	3	2	2	2	4	3	1	1	1	....	....
	C. M.	37	2	8	5	3	....	18	4	4	....	4	1	1	....	....	....	....	2	2	1	....	....	....	....	....	....	....	....
	C. F.	36	3	3	1	4	....	11	4	5	5	2	2	1	2	....	....	1	....	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	W. M.	114	26	19	9	7	8	69	12	4	12	2	....	2	2	1	1	1	1	4	1	2	....	....	....	....	....	....	....
	W. F.	138	32	8	16	7	3	66	19	8	7	5	8	8	3	1	3	1	1	2	4	2	1	....	....	1	....	....	4
	C. M.	18	2	1	1	2	2	8	3	3	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	1
	C. F.	12	2	1	....	....	1	4	3	3	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	W. M.	1146	18	18	18	17	12	83	60	78	135	206	129	96	41	40	37	47	36	39	39	25	31	10	5	....	1	8
	W. F.	1088	17	16	23	11	13	80	76	95	164	155	95	72	52	48	42	42	35	31	26	36	19	6	6	2	....	6
	C. M.	177	5	7	4	5	5	26	22	21	22	22	13	10	10	3	6	4	5	9	2	2	....	....	....	....	....	....	....
	C. F.	217	6	8	8	4	8	34	33	29	27	25	15	11	6	10	6	9	1	2	3	3	1	1	....	....	....	....	1
9. Diarrhœa	W. M.	487	157	60	18	9	3	247	8	7	2	3	8	7	13	19	16	14	15	20	21	29	21	18	9	3	4	3
	W. F.	419	142	49	19	9	....	219	4	3	2	5	9	8	7	7	7	14	4	18	25	17	28	21	10	2	1	8
	C. M.	137	48	29	13	3	3	96	3	2	1	3	4	2	2	1	1	3	1	5	4	3	3	2	....	....	....	....	1
	C. F.	123	38	31	21	4	3	97	3	....	3	3	1	....	1	3	2	....	1	2	....	3	2	1	....	....	1	....	....
10. Dysentery	W. M.	446	121	85	45	14	6	271	21	10	4	5	8	3	7	3	9	7	10	12	14	15	23	9	7	....	1	7
	W. F.	476	103	81	38	13	12	247	19	5	6	6	5	9	9	7	11	11	22	18	14	23	26	19	8	2	2	7
	C. M.	138	33	34	22	8	2	99	6	2	1	4	....	....	3	5	2	....	2	3	2	2	2	2	....	1	....	....	2
	C. F.	122	25	29	20	4	7	85	10	2	2	....	....	2	....	2	4	3	2	2	2	2	1	2	....	1	....	....	....
11. Enteritis	W. M.	502	173	41	26	13	7	260	41	20	27	30	11	13	16	21	18	22	7	20	24	23	20	13	5	....	....	1
	W. F.	504	109	33	33	9	10	194	31	24	11	20	21	10	18	20	19	24	17	19	15	20	19	16	3	1	....	2
	C. M.	48	12	7	5	2	1	27	2	3	5	....	2	....	1	1	1	....	1	2	....	2	....	....	....	....	....	....	1
	C. F.	40	10	5	3	2	1	21	....	....	1	3	2	6	1	1	....	1	....	1	....	1	....	2	....	....	....	....	....
12. Cholera morbus	W. M.	119	11	10	4	1	1	27	10	5	1	1	4	5	2	4	3	9	10	13	6	4	7	4	1	1	....	2
	W. F.	88	13	4	4	2	....	23	9	3	....	3	4	2	4	2	2	4	3	3	5	9	4	5	1	1	....	....	1
	C. M.	22	3	5	2	1	....	11	2	....	2	2	....	....	....	1	....	1	....	....	2	....	....	....	....	....	....	....	....
	C. F.	12	1	2	1	....	1	5	4	....	....	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
13. Cholera infantum	W. M.	1334	993	274	49	11	5	1332	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	W. F.	1274	909	280	66	14	4	1273	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	148	105	32	8	2	1	148	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	135	70	50	12	2	1	135	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	W. M.	403	29	19	17	20	12	97	28	21	19	28	25	20	14	12	14	15	21	24	14	22	13	9	2	3	....	2
	W. F.	388	21	13	8	14	9	65	41	25	24	34	12	24	13	16	8	14	10	20	12	18	25	13	8	1	1	4
	C. M.	189	19	14	13	8	6	60	17	8	14	17	6	5	6	4	9	8	6	3	8	7	5	....	....	2	1	3
	C. F.	185	15	11	7	11	9	53	17	18	19	9	8	9	11	8	7	1	2	6	3	4	6	2	....	....	1	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	
General diseases—A—Continued.																												
15. Erysipelas	W.	M.	226	47	10	4	2	2	65	8	5	4	7	7	6	9	10	11	9	17	14	15	12	12	6	6	1	
		F.	221	61	3	4	2	1	71	5	7	5	9	9	3	8	13	6	11	10	14	13	10	11	7	4	2	1
	C.	M.	9	2	1				3					1		3		1							1			
		F.	12	2	3	1		1	7	1	1			1									2					
16. Septicæmia	W.	M.	119	7	3	2	2	2	17	7	3	4	7	3	4	8	8	7	13	9	11	2	6	4	2	2		
		F.	113	2	4	2	3	4	15	4	3	2	10	13	11	15	7	6	5	5	3	1	2	2	2	2		1
	C.	M.	4												1		1	1					1					
		F.	7										2	1		2			1	1								
17. Puerperal septicæmia	W.—F.		224									10	45	51	45	50	17	4										
	C.—F.		30									6	12	7	3	5	2	1										
18. Venereal diseases	W.	M.	43	19	3				22				1	1	3	3	3	3	1	2		3	1					
		F.	46	20		2		1	23				3	3	4		1	2	2	3	2	1		1				1
	C.	M.	23	1	1	1	1		4				4		2	3	4	1	2		3							
		F.	11	1	1				2			2	3			1		1			1							1
19. Others of this group	W.	M.	134	8	3	2	2	3	18	4		3	2	3		6	3	2	2	6	7	10	17	22	18	8	3	
		F.	80	10		3	2	2	17	7	3	2	2	3	3	1	1	3	5	3	2	4	6	5	6	6		1
	C.	M.	22	3		1	1		7		1		1				1		2	1		2	1	4			1	1
		F.	11	3	3				6											1				1	1	1		
General diseases—B.																												
Total			1118	513	73	49	37	20	692	36	10	11	26	34	34	37	46	29	29	29	30	18	16	18	9		2	1	11
Total: White		M.	582	274	23	13	12	4	326	11	3	6	12	22	23	30	31	23	21	18	17	11	12	8	5		1		2
		F.	325	176	19	8	4	4	211	8	2	2	7	10	8	5	13	5	6	9	11	7	3	9	4				5
Colored		M.	116	37	13	17	12	4	83	7	4	1	4	1	1	2	1		1	2	2		1	1			1	1	3
		F.	95	26	18	11	9	8	72	10	1	2	3	1	2		1	1	1										1
1. Worms	W.	M.	19	4	4	2	5	1	16	1		1								1								
		F.	22	3	5	5	1	3	17	5																		
	C.	M.	47	6	11	13	10	2	42	3	1	1																
		F.	46	4	12	8	7	8	39	7																		
2. Other parasitic diseases.	W.	M.																										
		F.	1																			1						
	C.	M.																										
		F.	1															1										
3. Alcoholism	W.	M.	162							1	1	1	4	15	17	23	23	17	16	15	9	7	7	2	2			2
		F.	31											4	5	1	5	3	1	1	4	2	1	3				1
	C.	M.	11										1	1	1		1		1	2	2		1				1	
		F.	2										1		1													
4. Lead poison	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
5. Other poisons	W.	M.	82	5	3	4	4	2	23	7	2	3	6	4	5	5	6	5	3	2	4	2	3	1	1			
		F.	53	10	3	1	2	1	17	3	1	2	4	3		2	4	2	3	2	3	2		2	2			1
	C.	M.	25	2	2	3	1	2	10	4	3		3			2								1			1	1
		F.	13	1	4	1			6	3		1	1	1	1													
6. Inanition	W.	M.	319	265	11	7	3	1	287	2		1	2	3	1	2	2	1	2		4	2	3	5	2		1		
		F.	218	163	11	2	1		177		1		3	3	3	2	4		2	6	4	2	2	4	2				3
	C.	M.	32	29		1	1		31																				2
		F.	33	21	2	2	2		27		1	1	1				1		1										1
General diseases—C.																												
Total			7790	4273	158	68	24	19	4542	22	12	13	23	27	21	27	30	48	51	60	102	167	352	519	777	520	271	176	30
Total: White		M.	3387	2006	58	21	9	7	2101	6	8	6	10	10	8	8	14	20	17	31	49	79	143	210	311	218	94	29	15
		F.	3191	1492	60	25	7	4	1588	11	3	5	11	11	10	17	15	20	29	22	45	73	169	268	388	269	147	77	13
Colored		M.	636	452	17	13	5	7	494	3	1	1			2	1	1	3	3	2	3	5	21	17	33	17	11	18	
		F.	576	323	23	9	3	1	359	2		1	2	6	1	1		5	2	5	5	10	19	24	45	16	19	52	2
1. Premature birth	W.	M.	286	286					286																			
		F.	218	218					218																			
	C.	M.	45	45					45																			
		F.	32	32					32																			
2. Stillborn	W.	M.	1147	1147					1147																			
		F.	786	786					786																			
	C.	M.	317	317					317																			
		F.	231	231					231																			
3. Malformation	W.	M.	45	43					43			1																
		F.	47	45	1				46		1																	
	C.	M.	14	9	3	1		1	14																			
		F.	12	6	2	1	1	1	11				1															
4. Debility	W.	M.	1180	525	57	21	8	7	618	6	8	5	10	10	8	8	14	20	17	30	43	61	81	91	82	49	6	1	
		F.	1172	442	58	25	7	4	536	11	2	5	11	11	10	17	15	20	28	21	30	57	88	107	104	66	13	11	
	C.	M.	165	81	14	12	5	6	118	3	1	1			2	1	1	3	3	1	3	4	7	5	5	5	1	1	
		F.	144	53	20	8	2		83	2		1	1	6	1	1		5	2	5	3	7	4	10	8	1		4	
5. Old age	W.	M.	722																	1	6	18	62	119	229	169	88	28	
		F.	966																1	1	15	16	81	161	284	203	134	66	
	C.	M.	95																	1		1	14	12	28	12	10	17	
		F.	155																		2	3	15	14	37	15	19	48	
6. Atrophy	W.	M.	7	5	1		1		7																			
		F.	2	1	1				2																			
	C.	M.																										
		F.	2	1	1				2																			

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		18361	698	389	225	157	115	1584	370	384	1189	1946	1697	1379	1302	1124	1044	1015	892	972	980	911	741	450	161	58	27	135
Total: White	M.	6831	337	144	62	51	33	632	105	93	297	620	548	487	449	413	398	423	395	416	433	413	331	214	73	27	6	58
	F.	8298	261	123	57	36	36	513	99	124	559	877	837	675	640	534	509	459	405	442	472	424	351	206	80	22	13	57
Colored	M.	1310	57	68	56	32	23	236	67	49	110	162	117	76	71	69	59	59	32	62	36	38	30	12	7	7	2	9
	F.	1922	43	54	50	38	18	203	99	118	223	287	195	141	142	108	78	74	60	52	39	36	29	18	1	2	6	11
1. Rheumatism	W. M.	183	1	1	1	1		4	4	6	11	6	8	6	6	9	9	16	16	12	17	23	15	8	4	1		2
	W. F.	172	1			1	2	4	11	12	7	8	4	5	3	8	5	7	9	15	20	15	20	14	3	1		1
	C. M.	22	1	1	1			3	1	1	1	1		1	1	1		3	1	2	1	1	3	1				
	C. F.	24		1				1	1		2	1	2	1			1	1	1	3	2	3	2	2				1
2. Scrofula and tabes	W. M.	160	45	16	6	2	3	72	8	9	7	5	3	5	5	7	3	4	5	4	8	7	1	1	1	1		4
	W. F.	176	38	16	11	4	4	73	12	7	2	11	5	8	6	7	11	6	6	1	6	5	2	5	2			1
	C. M.	129	7	17	8	10	7	49	16	7	18	12	4	5	2	4	2	3		1	1	3		1				1
	C. F.	160	10	13	16	10	5	54	27	22	8	8	9	3	7	2	2	6	3	3	2	1	1					2
3. Leprosy	W. M.																											
	W. F.																											
	C. M.																											
	C. F.																											
4. Consumption	W. M.	4512	128	37	23	23	16	227	38	42	243	571	515	440	389	326	286	273	238	236	228	180	132	80	24	7	2	35
	W. F.	5439	106	44	19	10	10	189	35	82	511	807	767	586	523	371	288	222	184	212	209	176	143	63	27	6	3	35
	C. M.	862	30	26	23	9	8	96	32	35	84	145	106	60	61	50	44	39	23	28	19	17	8	3	2	3	1	6
	C. F.	1376	19	27	20	19	8	93	52	83	203	250	163	123	118	78	54	44	37	18	22	16	8	6		1		7
5. Hydrocephalus	W. M.	241	114	64	17	14	6	215	7	4	1	1	1	1	1	1	1	2	1	2			1	1				1
	W. F.	207	84	52	19	10	9	174	11	3	2	3	2	4	1	1	1		2						1			2
	C. M.	20	6	7	5	1		19									1											
	C. F.	21	8	2	4	4	1	19	1	1																		
6. Cancer	W. M.	682	11	3		1	3	18	3	9	9	4	7	12	19	36	54	70	70	94	71	81	64	40	8	6		7
	W. F.	1137	6	1		1	1	9	4	2	6	7	25	33	63	99	135	142	128	117	124	92	76	41	17	5	3	9
	C. M.	28				1	1	2	1					1	2	5	1	2	5	3	2	2	1					1
	C. F.	84	1					1			1	5	2	4	4	10	7	10	7	9	4	6	7	3	1	1	1	1
7. Tumor	W. M.	96	8	2	2	1	2	15	1	3	1	4	2	4	4	4	4	13	7	7	12	6	4	3				2
	W. F.	133	4	4	1		1	10	3		3	3	5	1	8	11	13	12	9	12	14	13	11	3	2			
	C. M.	14	1		1	1	1	4	1		1				1		2	2		2	1							
	C. F.	19	1	1			1	3		1		2	1	1		3	1		4	1		1		1				
8. Anæmia	W. M.	33	3				1	4	1	1	1	2		2	1	1	1	1	2	3	3	4	1	1	2	2		
	W. F.	34	3	1				4			3	3	4	2	2	3	4			1	2	2	3	1				
	C. M.	3	1	1	1			3																				
	C. F.	2									1		1															
9. Dropsy	W. M.	771	18	18	9	5	4	54	36	15	20	18	9	11	19	22	35	38	48	49	78	98	97	74	30	10	3	7
	W. F.	935	17	5	6	8	9	45	19	14	21	30	18	33	31	32	45	67	63	82	93	119	92	78	28	10	7	8
	C. M.	222	10	14	14	10	6	54	16	6	6	4	7	8	4	8	9	10	3	24	12	15	18	7	5	4	1	1
	C. F.	223	4	7	7	3	1	22	17	10	8	21	17	9	13	15	13	13	8	18	9	8	11	6			5	
10. Glycosuria	W. M.	129	4			3	2	9	5	4	3	9	3	6	4	7	5	6	7	9	13	14	15	6	3		1	
	W. F.	51	1			2		3	4	4	3	4	6	2	3	2	7	2	3	1		2	3	1				1
	C. M.	4												1		1				2								
	C. F.	1																				1						
11. Others of this group	W. M.	24	5	3	4	1	1	14	2		1				1				1		3		1		1			
	W. F.	14	1		1			2			1	1	1	1				1	1	1	4		1					
	C. M.	6	1	2	3			6																				
	C. F.	12		3	3	2	2	10	1	1																		
12. Others of this class	W. M.																											
	W. F.																											
	C. M.																											
	C. F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		10722	2645	802	442	226	150	4265	355	189	183	203	207	213	235	258	307	385	382	552	671	775	684	510	209	52	32	55
Total: White	M.	5124	1204	385	204	93	71	1957	153	77	83	101	97	104	129	131	145	184	192	286	347	405	351	232	96	25	7	23
	F.	4380	980	315	180	108	64	1647	136	72	69	73	84	87	80	107	130	158	163	234	288	332	305	248	105	21	15	26
Colored	M.	631	253	58	31	15	8	365	33	22	21	9	16	13	15	9	13	18	12	18	17	14	16	10	2	5	1	2
	F.	587	208	44	27	10	7	296	33	18	10	20	10	9	11	11	19	26	15	14	19	24	12	20	6	1	9	4
1. Inflammation of the brain.	W. M.	472	127	73	29	13	17	259	30	16	14	21	10	10	14	7	10	11	10	10	15	12	11	7	4	1		
	W. F.	386	113	45	34	18	18	228	22	10	17	8	13	11	5	4	10	10	6	9	12	7	7	4	1		1	1
	C. M.	89	28	9	8	3	1	49	11	5	5	2	1	3	3		2	3		1		1	1			1		1
	C. F.	78	19	15	4	2	4	44	7	6	9	5		1		1	2		1				1					1
2. Meningitis	W. M.	375	118	60	35	23	10	246	22	7	8	12	7	11	10	8	10	7	6	5	5	4	2	3				2
	W. F.	322	98	60	31	21	7	217	32	11	4	14	6	2	3	4	1	4	6	3	4	5	1			1		4
	C. M.	50	21	10	2	2	2	37	6	2	1	1		1							1			1				
	C. F.	34	10	4	4	2		20	4	2		2		1			2	1	1									1
3. Apoplexy	W. M.	900	24	9	5	1	3	42	4		14	15	13	13	27	41	44	50	66	110	102	136	107	68	29	8	4	7
	W. F.	767	24	6	2	2	2	36	8	6	6	11	14	19	13	29	37	48	60	90	95	96	85	74	34	4		2
	C. M.	36	4	1	1	1		7				1			2			6	3	5	4	4	4					
	C. F.	47								1		1	3			1	4	7	2	5	6	7	2	2	5		1	
4. Paralysis	W. M.	1100	11	3	5	4	5	28	7	8	8	13	9	16	29	27	30	51	55	104	159	182	175	129	50	14	3	3
	W. F.	1070	12	7	2	5	2	28	7	11	8	10	15	10	19	27	44	60	43	100	125	164	169	137	55	14	14	10
	C. M.	77	1			2		3	1	3	5	1	3	3	2	1	3	5	8	10	6	7	5	6	1	2	1	1
	C. F.	106	3	1	1			5	2			1	2	2	1	6	7	10	8	8	10	15	7	15	1	1	5	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	87	27	3	...	...	1	31	4	10	6	6	2	6	6	1	5	3	4	...	1	...	2	...	...	..	...	...
		F.	38	24	2	1	...	...	27	1	1	3	2	...	1	2	...	...	...	...	...	...	1	...	...	...	...	...	...
	C.	M.	29	16	...	1	1	...	18	...	1	1	...	3	1	2	2	1	...	...	...	...	...	...	...	...	...	...	...
		F.	14	11	...	1	...	...	12	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Epilepsy	W.	M.	83	3	2	1	...	...	6	5	6	5	9	9	8	8	6	2	5	...	4	2	3	1	1	1	...	...	2
		F.	60	3	2	...	1	...	6	1	5	2	5	3	6	11	6	2	...	...	1	3	4	3	2	...	...	...	...
	C.	M.	25	2	1	...	...	...	3	1	5	3	1	4	1	1	...	2	...	1	1	...	...	1	...	...	1	...	...
		F.	20	5	2	1	...	...	8	2	2	...	3	2	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...
7. Convulsions	W.	M.	1091	709	158	80	32	18	997	37	6	4	9	8	3	2	4	3	4	2	...	3	...	2	1	1	...	...	5
		F.	906	550	123	80	40	15	814	20	4	6	6	13	12	9	4	3	...	2	2	2	2	2	2	...	...	...	3
	C.	M.	238	167	29	17	6	2	221	6	2	2	1	...	2	2	1	...	...	...	...	...	...	1	...	...	...	...	...
		F.	204	148	16	12	4	1	181	6	3	...	3	...	2	1	1	2	1	...	...	...	...	...	1	...	...	1	2
8. Mental diseases	W.	M.	55	...	...	...	...	...	...	...	1	...	...	2	5	5	2	8	8	3	7	5	4	...	2	2	...	...	1
		F.	60	...	...	...	...	...	...	1	...	...	2	5	6	3	11	4	3	3	3	5	3	6	3	1	...	...	1
	C.	M.	10	...	...	...	...	...	...	...	...	1	...	...	1	...	1	1	2	...	...	1	...	...	2	...	1	...	...
		F.	8	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	3	1	...	...	...	1	1	...	...	...	...
9. Diseases of the brain	W.	M.	801	165	73	44	18	13	313	36	16	16	12	30	28	25	28	29	32	34	37	45	52	42	19	3	1	...	3
		F.	575	141	61	19	14	16	251	37	15	14	12	12	13	14	13	18	20	32	19	26	32	22	16	5	2	...	2
	C.	M.	64	13	5	2	...	3	23	8	3	2	2	3	1	1	3	4	1	...	1	5	1	4	1	1	...	...	...
		F.	63	11	6	4	1	2	24	9	3	1	3	3	2	6	2	...	4	2	1	...	...	...	1	...	...	2	...
10. Diseases of the spinal cord.	W.	M.	99	17	4	5	2	4	32	8	5	5	1	5	3	3	6	1	6	4	5	7	4	3	...	...	1	...	...
		F.	87	13	7	4	5	4	33	5	7	7	2	2	3	1	1	5	5	2	2	4	4	1	2	...	...	...	1
	C.	M.	6	1	2	...	...	...	3	...	1	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
		F.	6	1	...	...	1	...	2	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Others of this group	W.	M.	61	3	...	...	...	...	3	...	2	3	3	2	1	...	1	3	6	8	4	3	8	6	2	6	...	...	...
		F.	109	2	2	1	2	...	7	2	2	2	1	1	4	...	8	6	8	9	5	12	14	9	8	9	...	...	2
	C.	M.	7	...	1	...	...	...	1	...	...	1	...	2	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
		F.	7	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	2	1	...	...	...	...	...
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total			4300	339	29	27	17	21	433	79	93	119	147	138	146	201	234	211	276	284	371	438	441	356	206	72	18	6	31
Total: White		M.	2086	184	17	15	8	5	229	39	42	56	55	57	65	92	108	92	116	142	197	210	229	189	106	35	8	1	18
		F.	1822	141	10	8	7	12	178	32	47	53	73	63	67	73	92	86	121	123	139	202	187	144	86	35	9	2	10
Colored		M.	192	6	2	3	2	1	14	3	2	4	6	11	8	20	23	15	23	9	16	11	8	9	6	1	1	1	1
		F.	200	8	...	1	...	3	12	5	2	6	13	7	6	16	11	18	16	10	19	15	17	14	8	1	...	2	2
1. Angina pectoris	W.	M.	68	...	...	...	...	...	...	...	...	...	2	2	4	3	2	3	6	5	10	12	6	4	6	2	...	...	1
		F.	42	...	...	...	...	...	...	...	...	2	2	1	1	2	2	3	1	3	2	10	5	2	5	1	...	...	...
	C.	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Aneurism	W.	M.	53	...	...	...	...	...	...	...	...	...	...	3	2	9	4	5	5	4	5	6	8	...	2	...	...	...	...
		F.	17	1	...	...	...	...	1	...	...	...	...	1	1	...	2	2	3	2	2	...	1	...	1	...	1	...	...
	C.	M.	6	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	1	...	1	...	...	1	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the heart	W.	M.	1835	84	12	13	8	5	122	38	42	56	51	50	59	80	102	83	104	130	181	191	212	182	97	32	8	...	15
		F.	1663	73	8	6	7	11	105	32	47	47	71	60	63	71	88	80	115	116	135	188	178	139	79	32	7	2	10
	C.	M.	182	5	2	3	2	1	13	3	2	4	6	10	8	18	20	15	22	9	15	11	8	8	6	1	1	1	1
		F.	192	3	...	1	...	3	7	5	2	6	11	6	6	16	11	18	16	10	19	15	17	14	8	1	...	2	2
4. Others of this group	W.	M.	130	100	5	2	...	...	107	1	...	...	2	2	...	...	...	1	1	3	1	1	3	3	1	1	...	1	2
		F.	100	67	2	2	...	1	72	...	...	4	...	1	2	...	...	1	2	2	2	4	3	3	1	2	1	...	...
	C.	M.	4	1	...	...	...	...	1	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
		F.	7	5	...	...	...	...	5	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total			10604	2145	1129	708	408	262	4652	503	160	310	328	241	262	307	271	322	379	353	449	536	517	467	287	129	52	20	59
Total: White		M.	4667	954	458	283	168	119	1982	242	58	124	132	100	113	144	121	148	177	193	205	271	220	200	124	53	21	6	33
		F.	4177	771	402	283	186	113	1755	185	57	105	103	89	103	113	99	139	138	123	192	222	259	230	144	71	25	6	19
Colored		M.	970	244	134	83	29	18	508	36	26	34	47	29	25	21	24	21	45	22	35	26	22	23	12	5	2	3	4
		F.	790	176	135	59	25	12	407	40	19	47	46	23	21	29	27	14	19	15	17	17	16	14	7	...	4	5	3
1. Croup	W.	M.	746	163	148	117	98	78	604	124	8	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	3
		F.	638	154	108	112	92	72	538	90	2	2	...	...	1	...	...	2	...	...	...	...	1	...	1	...	...	...	1
	C.	M.	119	56	33	15	6	6	116	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	105	53	26	12	7	...	98	6	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
2. Laryngitis	W.	M.	58	5	9	15	7	3	39	6	...	1	...	2	2	1	...	1	...	2	...	2	1	...	...	...	...	...	1
		F.	49	2	6	15	6	4	33	7	2	1	1	1	1	1	...	...	...	...	...	1	...	...	1	...	...	...	...
	C.	M.	3	...	...	...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
		F.	5	...	...	...	1	1	2	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Bronchitis	W.	M.	550	176	80	29	10	6	301	16	2	8	4	3	11	15	11	8	23	13	17	20	25	38	18	7	8	...	2
		F.	510	161	65	36	18	6	286	7	3	7	10	8	6	3	5	6	8	10	22	30	23	26	31	11	2	1	5
	C.	M.	129	51	25	15	5	2	98	7	5	2	1	...	...	...	1	1	1	3	1	1	1	1	2	3	...	1	...
		F.	106	36	20	5	6	2	75	5	...	2	4	1	1	3	3	...	2	1	...	...	2	2	1	...	1	...	3

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	2560	428	178	92	44	25	767	73	41	100	109	73	85	101	86	112	117	142	152	178	143	137	80	35	8	8	18
		F.	2343	326	192	106	58	24	706	69	40	72	75	61	76	89	71	113	109	94	128	137	183	160	81	49	14	3	7
	C.	M.	626	112	67	50	13	8	250	26	19	29	42	24	22	19	21	18	38	14	29	22	17	18	8	2	2	2	4
		F.	491	75	75	38	10	8	206	26	16	39	37	18	19	21	15	12	13	10	15	12	9	10	6	....	3	3	....
5. Pleurisy	W.	M.	117	5	2	2	....	2	11	1	2	1	3	6	5	10	5	8	11	6	7	14	12	6	4	1	1	....	....
		F.	81	4	....	2	....	....	6	....	....	3	4	4	7	1	5	5	4	2	6	5	13	5	5	3	2	....	1
	C.	M.	27	3	1	....	....	....	4	1	1	1	2	3	1	1	1	1	2	2	3	....	2	2	....	....	....	....	....
		F.	25	....	1	1	1	1	4	....	1	3	2	1	....	1	4	1	1	2	1	2	....	1	....	....	....	1	....
6. Asthma	W.	M.	104	5	2	1	1	1	10	2	1	1	....	1	1	2	8	4	7	11	12	19	14	3	4	2	....	1	1
		F.	107	4	1	....	1	....	6	....	....	3	1	1	....	3	3	2	6	5	14	17	17	10	8	4	4	1	2
	C.	M.	20	5	1	1	....	1	8	....	....	....	....	....	....	....	....	1	3	....	2	2	1	2	1	....	....	....	....
		F.	17	1	2	3	....	....	6	....	....	....	....	1	1	1	2	....	2	....	....	....	3	1	....	....	....	....	....
7. Others of this group	W.	M.	532	172	39	27	8	4	250	17	4	10	15	14	9	15	11	15	19	19	17	38	24	10	18	8	3	2	8
		F.	449	120	30	12	11	7	180	12	10	17	12	14	12	16	15	11	11	12	22	32	22	23	17	4	3	1	3
	C.	M.	46	17	7	2	3	1	30	1	....	2	2	2	2	....	1	....	1	3	....	1	....	....	1	....	....	....	....
		F.	41	11	5	....	....	....	16	3	1	3	3	....	....	3	2	....	1	2	1	3	2	....	....	....	....	1	....
V.—DISEASES OF THE DIGESTIVE SYSTEM.																													
Total			3770	687	326	111	37	37	1198	86	60	91	110	141	127	139	139	180	219	187	243	226	217	185	130	43	14	7	28
Total: White		M.	1641	306	83	40	16	14	459	34	24	40	34	57	44	54	61	82	101	102	115	124	120	82	60	17	8	1	13
		F.	1483	185	99	27	15	17	343	35	28	35	53	69	69	68	67	82	95	73	104	88	80	90	64	21	6	2	11
Colored		M.	346	107	72	25	2	2	208	10	4	6	13	7	4	11	8	9	12	6	17	11	6	7	3	3	....	1	....
		F.	300	89	72	19	4	4	188	7	4	10	10	8	10	6	3	7	11	6	7	3	5	6	3	2	....	....	4
1. Dentition	W.	M.	118	65	43	10	....	....	118	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	104	42	56	5	....	1	104	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	114	37	60	16	1	....	114	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	115	43	56	15	1	....	115	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	W.	M.	50	10	6	2	4	1	23	4	1	....	....	3	....	....	1	1	3	3	1	....	4	1	4	1	....	....	....
		F.	37	7	4	1	1	3	16	3	2	2	....	....	....	2	2	2	3	....	1	....	....	3	1	....	....	....	....
	C.	M.	8	3	1	1	....	....	5	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		F.	7	5	1	....	....	....	6	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	W.	M.	124	18	3	3	2	....	26	4	....	3	4	1	3	4	3	8	11	4	17	10	6	7	9	....	1	....	3
		F.	147	12	8	3	2	....	25	6	1	5	5	4	5	7	11	12	6	8	6	11	7	14	10	1	2	....	1
	C.	M.	10	1	....	2	....	....	3	1	....	....	2	....	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....
		F.	5	1	....	1	....	....	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
4. Other diseases of the stomach.	W.	M.	155	14	7	5	3	1	30	6	3	2	4	2	4	3	7	10	8	12	17	17	16	11	3	....	....	....	....
		F.	143	16	3	5	4	3	31	4	5	3	9	3	5	4	5	5	9	7	17	13	6	9	8	1	....	....	....
	C.	M.	15	4	....	1	....	....	5	2	....	1	1	....	....	2	....	....	1	....	....	1	2	....	....	....	....	....	....	....
		F.	11	1	....	....	....	2	3	1	1	1	1	....	....	....	1	....	1	....	....	1	1	....	....	....	....	....	....	....
5. Obstruction of the bowels.	W.	M.	92	27	3	3	1	3	37	....	5	4	....	5	3	3	3	4	4	1	5	3	4	2	3	1	....	....	....
		F.	60	10	....	1	2	....	13	1	2	4	1	5	....	4	....	5	1	4	4	4	4	2	2	2	....	....	2
	C.	M.	10	4	....	1	....	....	5	....	....	....	1	1	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....
		F.	6	....	....	....	....	....	....	....	....	....	1	1	....	....	....	2	....	....	....	1	....	....	....	....	....	....	1
6. Hernia	W.	M.	93	10	....	....	....	1	11	1	1	1	2	1	2	2	2	2	8	9	10	10	10	6	6	1	2	....	....
		F.	66	8	....	....	....	1	9	1	....	....	....	....	3	....	....	5	9	6	9	9	6	2	4	3	....	....	....
	C.	M.	23	3	....	....	....	....	3	....	....	1	1	....	....	1	1	....	2	....	3	4	1	3	1	1	....	1	....
		F.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	1
7. Other diseases of the bowels.	W.	M.	111	27	11	3	1	2	44	5	2	6	5	4	....	2	3	5	2	3	5	4	6	8	4	3	....	....	....
		F.	62	11	4	2	....	2	19	1	3	3	1	2	....	3	....	1	7	1	5	5	4	5	1	....	....	1	....
	C.	M.	24	9	4	1	....	1	15	2	....	2	1	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
		F.	21	5	5	2	....	....	12	1	1	1	2	....	....	....	....	1	1	1	....	....	1	....	....	....	....	....	....
8. Jaundice	W.	M.	86	38	....	1	1	1	41	1	....	....	1	2	....	2	1	3	7	3	4	5	6	4	2	2	....	....	2
		F.	75	17	1	....	....	3	21	1	2	1	1	1	6	2	2	2	4	5	2	4	5	7	8	....	....	....	1
	C.	M.	11	5	1	1	....	....	7	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	1	....	....	....
		F.	9	3	....	....	....	....	3	2	....	....	....	....	....	1	....	....	1	....	1	....	....	1	....	....	....	....	....
9. Inflammation and abscess of the liver.	W.	M.	92	2	....	1	....	....	3	2	2	2	1	7	4	5	6	10	10	4	11	6	12	4	1	....	....	....	2
		F.	86	3	....	1	....	....	4	....	....	1	2	3	6	6	5	7	6	4	12	4	10	7	6	2	....	....	1
	C.	M.	8	....	....	....	....	....	....	....	....	....	....	....	1	1	....	2	....	1	....	2	....	1	....	....	....	....	....
		F.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	2	....	....	....	....	1
10. Other diseases of the liver.	W.	M.	309	27	2	2	2	2	35	4	1	4	3	7	12	15	18	21	30	29	20	37	27	24	12	4	3	1	2
		F.	254	14	5	2	2	2	25	4	2	2	7	7	8	9	18	16	27	22	23	21	19	18	11	7	4	1	3
	C.	M.	28	1	1	2	1	....	5	1	1	....	....	3	1	1	2	4	1	....	4	1	1	1	1	....	....	....	....
		F.	19	2	....	....	1	1	4	2	1	1	1	1	1	....	1	1	1	....	3	....	....	1	....	1	....	....	....
11. Peritonitis	W.	M.	181	10	4	4	1	....	19	6	6	16	11	11	10	11	13	9	6	11	6	12	13	7	9	1	1	1	2
		F.	265	11	4	4	1	2	22	9	8	10	23	38	34	22	17	16	13	7	16	7	8	11	5	2	....	....	3
	C.	M.	11	....	1	....	....	....	1	....	....	1	3	1	1	....	....	....	....	1	1	1	1	....	....	....	....	....	....
		F.	31	....	....	....	....	....	....	....	1	5	1	6	2	2	1	....	2	1	....	....	....	....	....	....	....	....	....
12. Ascites	W.	M.	22	1	2	....	....	....	3	....	....	....	1	3	1	1	1	....	....	3	2	4	1	1	....	1	....	....	....
		F.	29	....	....	....	2	....	2	....	....	....	....	....	....	3	4	4	1	4	2	1	4	3	1	....	....	....	....
	C.	M.	8	....	1	....	....	....	1	1	....	....	....	....	....	2	1	....	....	....	1	2	....	....	....	....	....	....	....
		F.	15	....	....	....	2	1	3	1	....	....	1	....	3	2	....	1	....	1	2	1	....	....	....	....	....	....	....
13. Others of this group	W.	M.	208	57	2	6	1	3	69	1	3	2	2	11	5	6	3	9	12	20	17	11	15	7	7	3	1	2	2
		F.	159	34	14	3	1	....	52	5	3	4	4	6	2	6	3	7	9	5	13	10	7	9	7	3	....	....	....
	C.	M.	76	40	3	....	....	1	44	2	2	1	4	....	....	2	4	1	5	....	7	....	1	2	1	....	....	....	....
		F.	62	28	10	1	....	....	39	....	....	2	2	....	2	1	....	2	4	1	1	....	3	2	1	1	....	....	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	1684	39	7	19	11	10	86	40	29	49	68	76	64	71	77	84	99	117	157	152	188	166	99	40	11	3	8
Total: White M.	1034	26	3	10	5	8	52	24	16	29	33	34	27	35	40	44	59	77	103	95	139	114	68	29	7	2	7
Total: White F.	522	10	3	6	5	1	25	14	8	20	29	39	32	28	29	31	33	31	41	37	41	45	24	9	4	1	1
Colored M.	98	3	1	2	....	....	6	....	2	....	2	1	4	7	5	7	6	8	12	18	7	7	4	2	....	....	....
Colored F.	30	....	....	1	1	1	3	2	3	....	4	2	1	1	3	2	1	1	1	2	1	....	3	....	....	....	....
1. Bright's disease W. M.	401	2	1	3	....	4	10	11	5	15	21	17	18	23	24	19	21	44	50	33	43	28	11	5	1	....	2
1. Bright's disease W. F.	273	2	....	2	....	....	4	7	5	12	21	24	17	20	16	17	17	16	20	18	22	21	9	3	2	1	1
1. Bright's disease C. M.	23	....	1	....	....	....	1	....	1	....	....	1	....	4	4	3	....	4	2	3	....	....	....	....	....	....	....	....
1. Bright's disease C. F.	10	....	....	....	....	....	....	....	1	....	1	1	1	1	....	1	1	1	1	1	....	....	....	....	....	....	....	....
2. Calculus, urinary W. M.	53	....	....	....	....	....	....	....	1	1	....	3	....	1	1	1	3	....	7	6	8	10	8	3	....	....	....	....
2. Calculus, urinary W. F.	11	....	1	....	....	....	1	1	....	1	....	....	....	2	....	1	....	....	....	1	1	2	1	....	....	....	....	....
2. Calculus, urinary C. M.	24	1	....	....	....	....	1	....	....	....	....	....	2	....	....	1	2	2	5	5	2	1	3	....	....	....	....	....
2. Calculus, urinary C. F.	3	....	....	....	1	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Disease of the kidney W. M.	355	16	2	3	5	3	29	8	5	10	11	6	5	7	12	17	25	22	28	34	52	46	23	9	4	1	1
3. Disease of the kidney W. F.	161	5	2	2	5	1	15	4	2	2	5	11	11	5	8	7	10	12	19	12	12	11	11	3	1	....	....
3. Disease of the kidney C. M.	25	2	....	1	....	....	3	....	1	....	1	....	2	3	....	3	1	1	1	4	1	4	....	....	....	....	....	....
3. Disease of the kidney C. F.	12	....	....	1	....	....	1	1	....	....	3	1	....	....	2	....	....	....	....	....	1	....	3	....	....	....	....	....
4. Diseases of the bladder W. M.	126	6	....	2	....	....	8	....	4	2	....	5	..	2	1	3	4	6	13	13	23	24	10	6	2	....	....
4. Diseases of the bladder W. F.	29	2	....	1	....	....	3	....	....	1	2	2	....	....	4	3	3	1	2	2	2	2	1	1	....	....	....	....
4. Diseases of the bladder C. M.	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	3	2	2	....	2	....	....	....	....
4. Diseases of the bladder C. F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
5. Others of this group W. M.	99	2	....	2	....	1	5	5	1	1	1	3	4	2	2	4	6	5	5	9	13	6	16	6	....	1	4
5. Others of this group W. F.	48	1	....	1	....	....	2	2	1	4	1	2	4	1	1	3	3	2	....	4	4	9	2	2	1	....	....
5. Others of this group C. M.	14	....	....	1	....	....	1	....	....	....	1	..	....	....	1	....	2	....	3	3	2	....	1	....	....	....	....	....
5. Others of this group C. F.	3	....	..	....	....	1	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total	195	....	....	....	....	....	....	....	..	10	15	20	19	26	26	21	22	12	6	3	5	4	2	2	....	....	3
Total: White F.	156	....	....	....	....	....	....	....	....	7	11	15	15	18	25	18	10	10	3	3	4	4	2	2	....	....	3
Colored F.	39	....	....	....	....	....	....	....	....	3	4	5	4	8	1	3	6	2	2	....	1	....	....	....	....	....	....
1. Ovarian tumors W.—F.	38	....	....	....	....	....	....	....	....	2	2	2	3	2	7	2	9	2	2	1	2	1	....	1	....	....	....
1. Ovarian tumors C.—F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
2. Ovarian diseases W.—F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases C.—F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors W.—F.	23	....	....	....	....	....	....	....	....	....	1	2	....	1	4	6	3	3	....	1	....	....	....	....	....	....	....	2
3. Uterine tumors C.—F.	2	....	....	....	....	....	....	....	....	....	....	..	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases W.—F.	28	....	....	....	....	....	....	....	....	....	4	4	5	3	5	3	1	....	....	....	1	1	....	....	....	....	....	1
4. Uterine diseases C.—F.	10	....	....	....	....	....	....	....	....	....	....	2	1	3	....	....	1	1	1	....	1	....	....	....	....	....	....	....
5. Others of this group W.—F.	65	....	..	..	....	....	....	....	....	5	4	7	7	11	9	6	3	5	1	1	1	2	2	1	....	....	....
5. Others of this group C.—F.	24	....	..	..	....	....	....	....	....	3	4	3	2	4	1	2	4	1	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total	662	....	....	....	....	....	....	....	1	62	145	116	141	108	68	13	3	..	....	....	....	....	....	....	....	..	5
Total: White F.	494	....	....	....	....	....	....	....	....	38	107	93	107	86	50	9	....	....	....	....	....	....	....	....	....	..	4
Colored F.	168	....	....	....	..	....	....	....	1	24	38	23	34	22	18	4	3	....	....	....	..	....	....	....	....	....	1
1. Abortion W.—F.	26	....	....	....	....	....	....	....	....	1	7	7	4	5	2	....	....	....	..	....	....	....	....	....	....	....	....	....
1. Abortion C.—F.	13	....	....	..	....	....	....	....	....	1	3	2	2	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth W.—F.	391	....	....	....	....	....	....	....	....	23	80	75	88	70	44	8	....	....	....	....	..	....	....	....	....	....	....	3
2. Child-birth C.—F.	146	....	....	....	....	....	....	....	1	18	34	21	30	17	17	4	3	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group W.—F.	77	....	....	....	....	....	....	....	....	14	20	11	15	11	4	1	....	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group C.—F.	9	....	....	....	....	....	....	....	....	5	1	.	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	252	22	12	10	7	6	57	15	26	9	11	14	7	8	10	13	11	12	8	19	13	10	4	1	2	....	2
Total: White M.	129	11	4	5	2	3	25	11	13	2	4	8	4	8	8	7	3	6	2	9	7	6	3	1	1	....	1
Total: White F.	95	8	6	3	2	3	22	1	11	4	7	4	2	..	1	6	8	6	4	8	5	4	1	....	1	....	....
Colored M.	14	2	1	1	2	....	6	....	1	2	....	1	....	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....
Colored F.	14	1	1	1	1	....	4	3	1	1	....	1	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	1
1. Diseases of the spine W. M.	91	11	2	5	2	3	23	10	3	1	3	2	3	4	5	5	2	5	1	8	5	3	2	1	1	....	1
1. Diseases of the spine W. F.	66	7	6	2	2	3	20	1	3	1	5	3	1	....	1	4	5	5	3	7	3	3	....	....	1	....	....
1. Diseases of the spine C. M.	10	2	1	1	2	..	6	....	....	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....
1. Diseases of the spine C. F.	9	....	1	1	1	....	3	1	1	1	....	1	1	....	....	....	....	....	1	....	..	....	....	....	....	....	....	....
2. Diseases of the bones W. M.	18	....	2	....	....	....	2	1	2	1	....	2	....	3	....	....	1	1	1	....	2	2	....	....	....	....	....	....
2. Diseases of the bones W. F.	8	1	....	1	....	..	2	....	1	1	....	....	....	....	....	1	....	1	....	....	1	1	....	....	....	....	....	....
2. Diseases of the bones C. M.	....	....	....	....	....	..	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones C. F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	W. M.	14								5		1	4	1	1		1						1				
	W. F.	13								6	1	2						2			1			1			
	C. M.																										
	C. F.	2							2																		
4. Others of this group	W. M.	6								3							1				1			1			
	W. F.	8								1	1		1	1			1	1		1		1					
	C. M.	4								1	1		1									1					
	C. F.	1		1				1																			
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		262	54	8	4	5	2	73	7	5	7	11	13	14	19	9	12	13	25	12	13	12	9	6		1	4
Total: White	M.	131	24	2	2	4	2	34	2	2	6	4	10	9	9	3	7	7	10	5	9	5	4	2		1	2
	F.	107	23	5	2			30	4	3	1	6	1	5	9	2	3	5	12	7	3	7	4	3			2
Colored	M.	13	6	1				7				1			1	1			2					1			
	F.	11	1			1		2	1				2				2	1	1		1		1				
1. Abscess	W. M.	96	16	2	2	2	1	23	2	1	6	4	8	9	7	3	5	2	8	3	7	1	3	2			2
	W. F.	81	11	4	2			17	4	2	1	6	1	5	7	2	3	4	10	5	3	5	3	3			1
	C. M.	10	4	1				5				1			1	1			2								
	C. F.	7	1					1	1				2				1		1				1				
2. Carbuncle	W. M.	16				1		1					1				1	2	2	2	2	1			1		
	W. F.	8	2	1				3							1				2			2					
	C. M.																										
	C. F.	2																1			1						
3. Others of this group	W. M.	19	8			1	1	10		1			1		2		1	3				1					
	W. F.	18	10					10		1					1			1		2			1	1			1
	C. M.	3	2					2																1			
	C. F.	2				1		1									1										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		17	1			1	1	3			2	2		3	1		1		3		1	1					
Total: White	M.	11	1			1	1	3			2	2					1		2			1					
	F.	5												2	1				1		1						
Colored	M.	1												1													
	F.																										
1. Addison's disease	W. M.	2										1											1				
	W. F.	3												2					1								
	C. M.																										
	C. F.																										
2. Diseases of the spleen	W. M.	5				1	1	2			2								1								
	W. F.	1																			1						
	C. M.	1												1													
	C. F.																										
3. Others of this group	W. M.	4	1					1				1				1		1									
	W. F.	1													1												
	C. M.																										
	C. F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		4056	442	145	145	115	75	922	275	197	266	307	267	241	209	195	200	175	154	143	117	114	111	52	37	9	9	56
Total: White	M.	2463	138	59	60	39	23	319	142	130	192	212	190	173	158	145	152	133	117	102	79	70	66	21	16	3	5	38
	F.	876	110	47	32	40	21	250	62	29	42	51	42	39	37	35	40	32	27	30	26	35	38	26	17	4	1	13
Colored	M.	410	97	15	33	15	12	172	31	20	23	36	28	24	13	10	7	7	6	6	10	6	4	2	3		1	1
	F.	307	97	24	20	21	19	181	40	18	9	8	7	5	1	5	1	3	4	5	2	3	3	3	1	2	2	4
1. Burns and scalds	W. M.	168	19	28	23	22	10	102	19	3	4	3	1	5	5	4	3	8	3	1	3		1	1	1			1
	W. F.	219	7	21	19	23	17	87	31	12	14	12	9	2	5	9	7	6	6	6		3	3	4	1			2
	C. M.	72	3	6	23	9	12	53	11	2	1		1				1					1			1		1	
	C. F.	142	7	8	16	19	16	66	34	12	4	2	3	2	1	4	1	1		3	1	2	1	3		1		1
2. Drowned	W. M.	400	1	8	14	9	4	36	71	45	46	33	34	14	17	26	22	17	11	8	6	5	1		1			7
	W. F.	59	1	8	3	8		20	2	5	7	5	1	2	3		4	3	3	1	2		1					
	C. M.	46			1			1	3	6	7	16	3		2	2	1				1	2	2					1
	C. F.	3											1	1														
3. Exposure and neglect	W. M.	25	5		1	1		7	1	1	1		2	1	2	1	2	3	1	1			1					1
	W. F.	13	1	1	1			3	1			1		2	2			1			1		2					
	C. M.	53	28	6	7	4		45		1		1			1	2			1			1	1					
	C. F.	47	26	7	1	1	1	36	1	1	1	2	1						1			1					2	1
4. Gunshot wounds	W. M.	91	1		1	1		3	7	6	18	18	5	9	8	3	5	1	1	3		1	2					1
	W. F.	17				1		1	2		1		4		1	4					1	2	1					
	C. M.	24	1		1	1		3	5	3	2	1	2	5	2		1											
	C. F.	3			1			1		1	1																	
5 Homicide	W. M.	36		2			1	3		1		11	2	3	5	2	1	2	1	1		4						
	W. F.	16	4					4	2			2		1	1	2	1	1	1	1								1
	C. M.	16	3					3	2			1	1	4	1	1		1			1							
	C. F.	8	2					2	1	1			1	1														1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 8—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.	2	2					2																			
		F.																										
	C.	M.																										
		F.	2	2					2																			
7. Injuries by machinery	W.	M.	13								2	4	1		2	1			1	1								1
		F.	1									1											1					
	C.	M.	1																									
		F.																										
8. Railroad accidents	W.	M.	367		2	5	1		8	12	16	29	51	43	35	35	30	24	20	12	21	10	9	4	6	1		1
		F.	51		1		1	1	3	3	1	7	1	2	3	5	1	6	1	3	3	3			2			4
	C.	M.	19									3	5	3	3	1	2	1	1									
		F.	2			1			1				1																
9. Suffocation	W.	M.	114	63	6	1	3		73	4	2		3	2	5	4		1	1		3	2	1	1	3			9
		F.	87	55	8	1	2		66	5				1	2	1	2	1	1		1		1	2	2			2
	C.	M.	53	45	1	1			47				1	1	2						2							
		F.	42	39	1				40	1	1																	
10. Suicide by shooting	W.	M.	49								1	2	3	6	6	4	7	4	5	4	3	2	1	1				
		F.	2									1	1															
	C.	M.	1																1									
		F.																										
11. Suicide by drowning	W.	M.	16										1			3		2	2	2		1	1	1				3
		F.	10									2	1	1	2		1	1		1	1							
	C.	M.																										
		F.																										
12. Suicide by poison	W.	M.	20										2	2	3	3	2	2		1	2	2		1				
		F.	4										3	1														
	C.	M.																										
		F.																										
13. Other suicides	W.	M.	143								1	8	11	10	10	8	7	13	13	21	13	7	7	8	2	1		3
		F.	27									1	5	1	1	2	3	3	4	2	2	1				1		1
	C.	M.	4											4														
		F.	1																1									
14. Sunstroke	W.	M.	39					1	1		1	1	1	3	2	2	7	7	3	2	2	3	1	2		1		
		F.	10	1				1	2		1				1	1	1					2		2				
	C.	M.	8								1	1		2	1					1	1		1					
		F.	2	1					1											1								
15. Surgical operations	W.	M.	9										3	3	1	1			1									
		F.	8	1					1								3	2	1					1				
	C.	M.	3											1	1			1										
		F.																										
16. Wounds	W.	M.	48	2	1	1			4		2	8	3	1	4	2	3	7	3		2	4	1	2			2	
		F.	12	1					1					3	1	2			3			1	1					
	C.	M.	4										1						1		1				1			
		F.	2	1					1												1							
17. Others of this group	W.	M.	923	45	12	14	2	7	80	28	49	68	68	78	73	59	53	59	53	57	42	39	39	41	9	11	3	3	11
		F.	340	39	8	8	5	2	62	16	10	8	20	19	22	14	9	15	11	11	15	15	25	26	18	15	4	1	4
	C.	M.	106	17	2		1		20	10	7	9	10	10	8	6	3	2	3	3	2	9	1	1		2			
		F.	53	19	8	1	1	2	31	3	2	3	3	1	1		1		1	2		1		2		1	1		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		35231	9143	3015	1591	942	624	15315	1639	1060	1511	2036	1464	1225	1131	987	898	999	795	1099	1103	1174	1088	860	389	215	128	115
Total: White	M.	13251	3824	1175	622	364	221	6206	592	365	389	590	427	335	316	273	296	385	350	465	491	530	518	363	195	83	37	45
	F.	13616	3123	1020	577	346	236	5302	598	348	568	853	665	586	567	459	414	410	335	424	463	474	445	374	152	88	43	48
Colored	M.	4045	1226	412	211	110	99	2049	201	153	206	265	150	125	98	105	69	102	58	113	81	74	64	57	20	22	18	15
	F.	4319	970	408	181	122	77	1758	248	194	348	328	222	179	150	150	119	102	52	97	68	96	61	66	22	22	30	7
Unknown causes.																												
Total		2974	1780	250	111	48	27	2216	61	34	28	39	35	29	34	31	30	42	36	45	51	63	64	67	25	11	10	23
Total: White	M.	1102	709	88	38	15	7	857	20	9	4	10	5	4	5	3	7	17	14	16	21	21	35	24	12	2	3	13
	F.	1025	588	71	37	16	8	720	23	6	11	15	16	14	20	15	15	12	14	20	21	28	24	26	9	7	3	6
Colored	M.	425	263	47	21	8	7	346	6	8	1	6	8	4	2	3		5	5	4	3	7	3	9	3	...	1	1
	F.	422	220	44	15	9	5	293	12	11	12	8	6	7	7	10	8	8	3	5	6	7	2	8	1	2	3	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		8944	2029	1373	756	413	298	4869	813	440	421	493	292	240	171	124	120	129	80	166	135	144	121	92	51	21	8	14
Total: White	M.	3505	843	593	305	154	108	2003	307	152	149	182	102	79	33	33	41	48	32	75	65	67	57	41	22	11	1	5
	F.	3680	777	493	310	176	125	1881	339	182	187	209	124	119	98	63	60	62	38	63	59	60	51	42	25	7	4	7
Colored	M.	831	213	136	68	36	34	487	81	43	36	49	27	17	16	13	7	11	5	16	6	4	3	3	3	....	2	2
	F.	928	196	151	73	47	31	498	86	63	49	53	39	25	24	15	12	8	5	12	5	13	10	6	1	3	1	....
1. Small-pox	W. M.	2	.....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	W. F.	2	.....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	W. M.	101	35	21	6	3	4	69	6	9	5	3	1	3	....	....	4	....	....	....	....	1	....	....	....	....	....	....
	W. F.	133	44	25	8	2	10	89	10	2	7	5	3	2	2	1	3	....	....	5	3	....	....	....	....	....	....	1
	C. M.	80	29	12	9	6	2	58	7	2	....	5	1	3	....	1	....	1	....	2	....	....	....	....	....	....	....	....
	C. F.	82	15	19	7	6	2	49	11	6	2	6	3	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	W. M.	154	16	25	23	12	13	89	45	7	6	2	2	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	W. F.	132	11	16	14	12	20	73	41	11	3	1	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	1
	C. M.	26	4	2	2	4	4	16	8	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	17	3	....	1	1	3	8	6	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	W. M.	454	50	70	63	45	44	272	113	47	13	2	2	1	....	....	1	1	....	1	....	....	....	....	....	....	....	....	1
	W. F.	474	57	48	40	63	51	259	130	61	14	....	5	2	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....
	C. M.	39	8	7	4	4	3	26	10	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	C. F.	60	9	5	6	4	4	28	20	6	3	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	W. M.	352	199	67	40	13	7	326	17	6	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	W. F.	424	200	92	56	26	16	390	24	6	2	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	C. M.	156	71	34	22	8	5	140	14	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	194	87	44	22	14	12	179	12	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	W. M.	83	16	19	3	5	2	45	7	4	4	8	3	....	3	3	....	1	....	1	1	....	2	....	....	....	....	....	1
	W. F.	90	24	8	7	4	....	43	9	4	5	5	4	3	3	3	....	2	1	1	1	2	....	3	....	1	....	....	....
	C. M.	28	4	2	4	2	2	14	3	3	2	2	2	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	C. F.	41	4	6	6	3	....	19	3	2	3	3	4	....	2	1	1	....	1	....	....	1	....	....	....	1	....	....	....
7. Cerebro-spinal fever	W. M.	44	18	7	6	1	2	34	2	....	2	2	1	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....
	W. F.	33	5	3	4	1	1	14	6	4	2	3	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	C. M.	4	1	1	....	....	....	2	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. F.	11	.....	....	....	2	1	3	2	4	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	W. M.	575	24	24	13	9	8	78	37	41	78	107	64	47	11	10	11	18	12	17	12	9	13	6	3	....	....	1
	W. F.	602	28	19	23	8	10	88	47	56	96	89	39	41	22	13	22	16	18	14	14	10	7	6	1	....	....	3
	C. M.	169	10	5	5	2	5	27	17	23	22	23	15	9	7	6	1	4	2	5	1	1	1	2	2	....	....	1
	C. F.	164	7	11	4	5	2	29	11	27	22	20	13	2	6	4	10	3	3	6	3	....	3	....	....	2	....	....
9. Diarrhœa	W. M.	265	82	47	19	10	2	160	4	2	....	2	1	2	5	4	3	3	2	12	12	13	11	14	11	3	....	1
	W. F.	219	54	44	23	6	1	128	2	3	1	5	4	4	7	4	6	7	2	4	7	5	9	12	5	4	....	....
	C. M.	39	11	17	1	....	2	31	2	....	....	1	2	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	41	10	15	6	2	....	33	1	1	....	2	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	1	....
10. Dysentery	W. M.	408	96	100	55	23	9	283	30	12	7	6	2	2	1	5	2	5	2	11	6	13	8	6	3	3	1	....
	W. F.	404	57	75	54	25	6	217	30	9	8	9	5	9	6	2	7	10	6	18	13	17	17	10	8	1	2	....
	C. M.	68	19	17	6	4	2	48	2	2	....	3	2	2	1	1	1	....	....	1	1	1	1	....	1	....	1	....
	C. F.	55	15	12	6	2	1	36	2	1	2	....	2	1	1	....	....	....	....	....	1	4	3	2	....	....	....	....
11. Enteritis	W. M.	221	63	31	17	11	3	125	10	5	7	7	7	5	3	2	2	4	5	10	10	8	5	4	....	2	....	....
	W. F.	212	46	35	13	7	3	104	5	3	5	12	6	6	4	11	7	13	2	7	10	10	2	1	3	....	....	1
	C. M.	49	13	7	4	1	2	27	4	2	2	5	....	....	2	2	1	2	....	1	....	1	....	....	....	....	....	....	....
	C. F.	42	9	7	3	2	2	23	3	1	3	1	1	4	1	1	....	....	....	1	....	1	1	....	1	....	....	....	....
12. Cholera morbus	W. M.	62	9	15	3	1	....	28	11	....	....	....	....	1	1	1	....	2	2	3	5	3	2	1	1	1	....	....	....
	W. F.	34	6	6	4	....	....	16	4	....	....	1	2	1	....	....	....	....	....	1	2	2	2	2	....	....	1	....	....
	C. M.	3	.....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	C. F.	10	4	....	1	....	....	5	....	....	1	1	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
13. Cholera infantum	W. M.	372	186	136	36	8	6	372	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	347	187	98	48	12	2	347	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	53	29	17	5	1	1	53	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	45	19	18	5	2	1	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	W. M.	288	10	25	17	7	7	75	21	16	24	35	13	13	6	5	14	8	7	12	10	13	10	5	....	....	....	....	1
	W. F.	288	31	18	15	7	4	75	26	18	22	24	17	16	18	14	9	11	5	8	4	6	6	4	4	1	....	....	....
	C. M.	87	5	12	5	3	6	32	11	8	8	5	3	2	4	1	3	2	....	4	1	1	1	....	....	....	....	....	1
	C. F.	94	8	10	6	3	2	29	13	9	4	6	3	5	3	4	1	3	1	4	....	3	3	3	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	W.	M.	60	21	4	3	5	....	33	2	2	....	4	2	1	....	2	2	3	1	3	2	3	4	3	1	1	....
		F.	62	18	5	1	....	....	24	3	2	2	3	2	1	....	1	3	....	1	1	1	4	6	4	3	....	1
	C.	M.	9	3	1	....	....	....	4	1	....	....	....	1	....	1	....	....	....	....	1	1	....	....	....	....	....	....
		F.	7	1	1	....	....	....	2	2	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
16. Septicæmia	W.	M.	11	....	....	....	1	1	2	1	....	1	2	1	....	1	....	....	....	....	2	....	....	....	....	1	....	....
		F.	5	....	....	....	....	....	....	1	....	....	....	....	1	1	....	....	1	....	....	....	1	....	....	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	4	1	....	....	....	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17. Puerperal septicæmia	W.	—F.	163	....	....	....	....	....	....	....	....	18	49	31	26	28	11	....	....	....	....	....	....	....	....	....	....	....
	C.	—F.	42	....	....	....	....	....	....	....	2	5	7	8	10	8	2	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases	W.	M.	20	5	....	....	....	....	5	1	....	....	....	2	2	1	....	1	2	....	1	2	1	1	1	....	....	....
		F	28	7	1	....	1	1	10	....	1	2	....	2	6	3	....	1	....	....	3	....	....	....	....	....	....	....
	C.	M.	14	3	2	....	1	....	6	1	....	....	4	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....
		F.	17	4	2	....	1	1	8	....	....	2	3	....	1	1	....	....	1	....	....	....	1	....	....	....	....	....
19. Others of this group	W.	M.	24	4	2	1	....	....	7	....	1	....	2	....	1	1	....	....	....	....	2	4	3	1	1	....	1	....
		F.	28	2	....	....	2	....	4	1	1	....	3	1	1	2	3	....	1	2	1	1	3	2	....	1	....	1
	C.	M.	7	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	1
		F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
General diseases—B.																												
Total			379	119	63	44	21	17	264	30	5	8	12	5	3	4	1	4	5	6	9	8	6	1	3	....	....	5
Total: White		M.	162	45	26	20	7	7	105	11	2	2	7	4	1	3	1	4	3	5	7	4	1	1	....	....	....	1
		F.	118	46	16	12	4	5	83	8	1	3	4	....	1	1	....	....	1	1	1	3	5	....	3	....	....	3
Colored		M.	47	11	13	7	5	2	38	3	....	2	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	1
		F.	52	17	8	5	5	3	38	8	2	1	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
1. Worms	W.	M.	66	12	21	16	4	5	58	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	43	7	11	9	4	4	35	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	25	3	9	4	5	1	22	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	35	6	6	5	4	3	24	8	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases.	W.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism	W.	M.	21	....	....	....	....	....	....	....	....	....	1	2	1	2	1	3	2	2	5	2	....	....	....	....	....	....
		F.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....
	C.	M.	3	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison	W.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons	W.	M.	34	2	5	1	3	2	13	3	1	1	4	2	....	1	....	1	....	2	2	2	1	1	....	....	....	....	....
		F.	24	7	1	2	....	1	11	....	1	2	3	....	1	1	....	....	....	1	....	2	1	....	1	....	....	....	....
	C.	M.	8	2	2	2	....	....	6	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		F.	8	3	1	....	1	....	5	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Inanition	W.	M.	41	31	....	3	....	....	34	1	....	1	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1
		F.	47	32	4	1	....	....	37	....	....	1	....	....	....	....	....	....	1	....	1	1	3	....	....	....	....	....	3
	C.	M.	11	6	2	1	....	....	9	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
		F.	9	8	1	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																												
Total			2618	1844	21	7	9	5	1886	3	2	7	7	9	9	2	5	5	4	7	24	23	53	111	180	109	93	74	5
Total: White		M.	1128	844	5	1	4	2	856	1	....	3	2	6	1	....	1	3	2	4	13	11	15	36	66	48	37	21	2
		F.	959	621	8	2	....	1	632	....	2	3	3	1	6	2	2	2	2	2	6	9	27	62	83	49	38	26	2
Colored		M.	308	236	3	3	3	2	247	1	....	....	1	....	1	....	2	....	....	1	2	3	5	8	12	2	11	11	1
		F.	223	143	5	1	2	....	151	1	....	1	1	2	1	....	....	....	....	....	3	....	6	5	19	10	7	16	....
1. Premature birth	W.	M.	160	160	....	....	....	....	160	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	119	119	....	....	....	....	119	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	32	32	....	....	....	....	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	20	20	....	....	....	....	20	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn	W.	M.	602	602	....	....	....	....	602	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	428	428	....	....	....	....	428	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	183	183	....	....	....	....	183	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	111	111	....	....	....	....	111	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation	W.	M.	35	30	1	....	1	....	32	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
		F.	16	13	1	1	....	....	15	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	6	4	1	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	6	3	2	....	1	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility	W.	M.	135	52	4	1	3	2	62	....	....	2	2	6	1	....	1	3	2	4	9	8	2	13	9	4	6	....	1
		F.	129	61	7	1	....	1	70	....	2	2	3	1	6	2	2	2	2	1	6	3	4	7	11	3	1	1	....
	C.	M.	39	17	2	2	3	1	25	1	....	....	1	....	1	....	2	....	....	1	....	2	3	1	....	....	2	....	....
		F.	25	9	3	1	1	....	14	1	....	1	1	2	1	....	....	....	....	....	....	....	....	2	....	....	1	2	....
5. Old age	W.	M.	196	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	4	3	13	23	57	44	31	21	....
		F.	267	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	6	23	55	72	46	37	25	2
	C.	M.	47	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	2	7	12	2	9	11	1
		F.	61	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	6	3	19	10	6	14	....
6. Atrophy	W.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		7071	299	185	120	76	48	728	188	212	533	819	627	506	481	442	356	372	288	337	297	324	258	174	64	28	12	25
Total: White	M.	2035	121	48	38	23	15	245	45	46	81	167	147	109	141	104	96	123	106	115	122	146	116	69	32	13	3	9
	F.	3009	90	58	32	12	9	201	40	46	190	369	306	255	241	220	174	185	141	147	130	128	114	77	23	9	2	11
Colored	M.	787	46	35	31	20	12	144	48	55	80	105	53	46	28	39	22	31	18	38	19	19	16	15	2	2	2	5
	F.	1240	42	44	19	21	12	138	55	65	182	178	121	96	71	79	64	33	23	37	26	31	12	13	7	4	5	
1. Rheumatism	W. M.	89	1				2	3	4	5	3	6	2	3	3	4	3	8	4	9	8	8	4	6	5	1		
	W. F.	78	1			2	1	4	1	3	4	1	1	6	5	1	1	8	9	8	3	11	7	4	1			
	C. M.	22								1	4	1				2		2		4	2	1	2	1		1	1	
	C. F.	22	1					1	1	2		2		1		3	1	2		1	3	1	2	1	1			
2. Scrofula and tabes	W. M.	157	41	15	14	9	4	83	11	8	12	6	6	3	3	3	2	6		2	2	4	2	1	1		1	1
	W. F.	142	34	22	8	2	4	70	10	9	3	14	5	4	2	7	3	3	5	3		1	2	1				
	C. M.	124	15	14	13	6	5	53	15	12	8	10	5	7	2	2	2		1	3	2		1	1				
	C. F.	104	8	18	5	5	5	41	19	7	9	8	6	1	1	4	1	2	1	1			1	2				
3. Leprosy	W. M.																											
	W. F.																											
	C. M.																											
	C. F.																											
4. Consumption	W. M.	1123	36	12	8	2	4	62	8	11	42	145	128	96	118	81	70	80	60	54	59	41	34	17	9	3		5
	W. F.	1952	26	16	12	5	3	62	8	21	169	334	274	216	178	156	114	108	60	64	60	53	38	23	4	3		7
	C. M.	479	19	12	13	7	3	54	19	33	63	87	40	35	25	33	16	19	13	16	4	10	4	3	1			4
	C. F.	869	22	20	6	10	5	63	29	50	153	154	105	77	55	60	41	19	13	18	14	9	4	3		1	1	
5. Hydrocephalus	W. M.	42	23	7	2	3	1	36	2	1	1		1	1														
	W. F.	30	12	9	2	1		24	4							1							1					
	C. M.	10	3	2	2	3		10																				
	C. F.	10	6	1	1	1	1	10																				
6. Cancer	W. M.	150								1	5		4	3	4	2	7	15	14	17	14	20	23	14	6			1
	W. F.	321	1	2	1			4	2	1	4	7	5	12	24	25	33	35	41	31	26	21	26	16	3	3	1	1
	C. M.	14	1	1				2		2	1			1				2		2	1	2						1
	C. F.	48									1	2	2	3	5	6	9	2	4	3	3	4		1	3			
7. Tumor	W. M.	27	4	1	1	1		7	2			1						1	3	3	2	3	2	2	1			
	W. F.	46	1		2	1		4	1			3		2	3	7	2	3	5	3	4	3	3	2	1			
	C. M.	7	3					3				1										1	1	1				
	C. F.	11		1		1		2					1			3	2			1	1		1	1				
8. Anæmia	W. M.	6	2	2	1			5			1																	
	W. F.	10	2					2		1	2						3						1	1				
	C. M.																											
	C. F.	2			1			1			1																	
9. Dropsy	W. M.	393	13	10	11	7	4	45	18	16	15	8	5	3	11	13	11	11	21	25	31	62	49	27	10	8	2	2
	W. F.	410	11	6	5			22	12	11	7	10	20	14	28	23	18	27	20	38	36	38	35	30	14	3	1	3
	C. M.	120	4	6	3	3	4	20	11	7	3	6	7	3		2	4	8	4	12	9	5	8	8	1	1	1	
	C. F.	173	5	4	6	4	1	20	6	5	18	12	7	14	10	3	10	8	5	13	5	17	5	5	3	3	4	
10. Glycosuria	W. M.	42			1	1		2		2	2	1	1		2	1	2		4	6	5	9	1	2	1	1		
	W. F.	12		2	1			3	2		1			1	1			1	1		1	1						
	C. M.	6				1		1	1		1					1					1	1						
	C. F.																											
11. Others of this group	W. M.	6	1	1				2		2													1	1				
	W. F.	8	2	1	1	1	1	6					1										1					
	C. M.	5	1					1	2				1											1				
	C. F.	1								1																		
12. Others of this class	W. M.	3							2											1								
	W. F.	2					1	1						1														
	C. M.																											
	C. F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		2981	766	305	138	80	43	1332	166	67	86	88	64	56	64	59	68	92	67	115	164	145	156	108	44	22	6	12
Total: White	M.	1189	288	119	60	32	15	514	55	31	30	25	25	15	26	21	29	40	31	55	72	67	74	46	21	6	1	5
	F.	1144	253	113	43	27	19	455	63	18	32	37	28	30	24	26	28	35	30	46	77	66	63	51	17	10	3	5
Colored	M.	339	116	43	22	9	6	196	21	12	6	18	6	8	10	8	4	6	4	7	7	6	9	3	6		1	1
	F.	309	109	30	13	12	3	167	27	6	18	8	5	3	4	4	7	11	2	7	8	6	10	8		6	1	1
1. Inflammation of the brain.	W. M.	255	92	51	21	15	5	184	18	4	6	4	6	1	5	2	4	5	5	2	4	2	2	1				
	W. F.	238	84	46	16	11	10	167	21	7	10	4	5	5		2	2	3	1	2	3	2	1	2				1
	C. M.	71	21	13	7	3		44	7	6		3	2	2	3	1	1	1					1					
	C. F.	55	13	11	6	2	2	34	5	2	6	1		2		3					1		1					
2. Meningitis	W. M.	115	41	19	18	4	2	84	8	6	2	3	3	1			2		1	2	1		1			1		
	W. F.	105	37	16	5	8		66	16	2	3	3	1	3		1	2	2	3	1	1	1						
	C. M.	37	11	1	5	1	2	20	7	2	3	1	1	2				1										
	C. F.	40	15	7	3	3		28	2		2	2	2					1						1		1	1	
3. Apoplexy	W. M.	104		1	1			2	1	1	1	4	2	4	6	5	2	9	9	11	12	12	10	10	2			1
	W. F.	62		1				1		1	4	3	2	3	2	2	2	6	3	4	8	5	8	4	2	1		1
	C. M.	18		1				1				1				1	2		2	1	2	2	3		3			
	C. F.	1	1					1					1	1	1		2	2		2		1	2	2				
4 Paralysis	W. M.	269	6	5	1	1		13	5	3	2	3		3	5	5	10	17	10	25	33	37	48	29	15	4	1	1
	W. F.	309	4	7		1	2	14	4	2	3	3	2	5	4	6	12	15	9	26	43	45	48	42	14	9	3	
	C. M.	27	1		1		1	3		1	1			1		1	1	1	1	4	1	4	4	2	2			
	C. F.	39		2				2	4	1	1	1			3		2	2	1	3	6	4	2	2		5		

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	14	6	....	....	....	....	6	2	2	1	....	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
		F.	9	3	....	....	....	1	4	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	C.	M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	4	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
6. Epilepsy	W.	M.	52	8	1	....	....	....	9	1	3	5	3	4	2	3	3	2	1	1	2	2	3	4	1	2	1	....
		F.	47	5	....	....	1	1	7	3	....	5	5	5	2	8	3	....	1	1	2	3	1	....	1	....	....	....
	C.	M.	10	1	1	1	....	....	3	....	1	....	3	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....
		F.	14	4	....	....	1	....	5	1	....	3	1	....	....	....	....	1	1	....	....	1	....	....	1	....	....	....
7. Convulsions	W.	M.	167	94	20	9	5	4	132	2	6	2	2	3	2	1	....	2	....	4	3	4	2	2	....	....	....	....
		F.	161	84	14	12	2	3	115	5	2	5	8	6	5	2	1	1	....	2	3	2	1	1	1	....	....	1
	C.	M.	105	66	19	5	2	1	93	4	....	1	....	1	....	....	....	....	1	....	2	....	....	....	1	....	1	1
		F.	98	65	7	1	5	....	78	8	1	6	1	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....
8. Mental diseases	W.	M.	12	....	....	....	....	....	....	....	....	4	....	....	....	....	1	....	2	3	2	....	....	....	....	....	....	....
		F.	13	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	4	1	1	1	....	....	1	....	....	1
	C.	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	2	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
9. Diseases of the brain	W.	M.	153	35	16	7	6	2	66	12	4	5	5	5	1	3	5	6	3	1	5	13	6	8	3	1	....	3
		F.	126	27	21	9	3	1	61	7	2	1	6	3	4	5	2	5	6	5	2	9	5	1	1	....	....	1
	C.	M.	51	9	7	3	3	2	24	2	2	....	7	....	3	4	3	....	2	1	....	2	....	1	....	....	....	....
		F.	31	7	3	2	1	1	14	6	1	....	1	....	....	....	....	2	1	....	....	....	....	3	2	....	1	....
10. Diseases of the spinal cord.	W.	M.	29	4	5	3	1	1	14	6	2	1	....	....	1	....	....	2	....	1	1	1	....	....	....	....	....	....	....
		F.	33	9	8	1	1	....	19	3	....	1	3	1	....	1	1	1	....	....	1	1	....	1	....	....	....	....	....
	C.	M.	3	1	1	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	6	1	....	1	....	....	2	1	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	W.	M.	19	2	1	....	....	1	4	....	....	1	1	....	....	2	....	1	1	....	1	3	3	1	....	1	....	....	....
		F.	41	....	....	....	....	1	1	1	1	....	2	3	2	1	7	3	1	2	4	6	4	3	....	....	....	....	....
	C.	M.	7	....	....	....	....	....	....	1	....	....	3	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....
		F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	....	1	1	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total			973	52	9	7	4	6	78	10	24	27	37	39	32	41	50	53	58	65	85	114	103	81	38	17	6	2	4
Total: White		M.	403	30	5	4	1	....	40	7	9	8	11	14	10	11	19	14	24	30	39	49	42	47	16	9	3	1	....
		F.	386	16	....	2	2	3	23	6	11	10	17	16	15	17	20	22	17	24	32	46	50	29	18	7	2	1	3
Colored		M.	85	3	2	1	1	1	8	2	1	6	2	3	6	6	4	11	5	4	6	10	4	3	2	1	1	....	....
		F.	99	3	2	....	....	2	7	4	3	3	7	6	1	7	7	6	12	7	8	9	7	2	2	....	....	....	1
1. Angina pectoris	W.	M.	13	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	2	2	2	2	2	....	....	....	....
		F.	9	....	....	....	....	....	....	....	....	....	1	1	....	1	1	....	....	2	....	....	2	1	....	....	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	W.	M.	11	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	1	1	1	1	2	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
		F.	2	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	W.	M.	358	12	4	4	1	....	21	7	9	8	9	13	10	10	19	13	23	28	36	46	38	44	13	7	3	1	....
		F.	364	10	....	2	2	3	17	6	11	10	15	14	15	15	19	22	17	22	32	46	48	28	18	5	2	....	2
	C.	M.	82	2	2	1	1	1	7	2	1	6	2	3	6	6	4	10	5	4	6	10	3	3	2	1	1	....	....
		F.	94	2	1	....	....	2	5	4	2	3	7	6	1	7	6	6	12	6	8	9	7	2	2	....	....	....	1
4. Others of this group	W.	M.	21	18	1	....	....	....	19	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
		F.	11	5	....	....	....	....	6	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	1
	C.	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	3	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total			5125	1652	513	279	195	115	2754	184	128	197	219	135	129	109	124	108	135	116	156	153	178	143	95	30	15	6	11
Total: White		M.	1981	709	206	110	88	44	1157	68	46	49	63	31	37	24	35	41	55	48	56	62	71	69	38	20	5	3	3
		F.	1874	560	162	101	79	44	946	70	43	65	72	58	55	51	54	42	47	43	61	68	76	53	48	10	7	1	4
Colored		M.	675	224	80	32	11	13	360	18	13	37	47	30	21	16	16	13	21	15	22	14	13	10	4	....	3	....	2
		F.	595	159	65	36	17	14	291	28	26	46	37	16	16	18	19	12	12	10	17	9	18	11	5	....	....	2	2
1. Croup	W.	M.	790	509	116	58	51	28	762	29	6	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	675	411	99	56	45	26	637	30	5	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....
	C.	M.	145	110	19	6	3	2	140	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	123	84	20	11	4	2	121	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	W.	M.	16	5	1	4	1	....	11	1	....	....	....	....	1	....	....	1	....	....	....	....	....	2	....	....	....	....	....
		F.	14	2	....	2	2	3	9	4	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	W.	M.	179	51	22	8	6	3	90	3	6	3	3	1	3	2	3	5	6	6	7	9	10	8	6	4	3	1	....
		F.	182	44	13	5	11	2	75	8	3	5	8	4	2	7	4	2	5	3	7	10	15	9	9	2	3	....	1
	C.	M.	57	18	16	4	1	3	42	....	....	2	3	3	1	....	....	1	1	....	1	1	....	1	....	....	1	....	....
		F.	36	11	9	3	1	....	24	2	1	2	....	3	....	....	....	....	1	1	....	1	....	....	1	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	852	135	60	35	27	13	270	35	32	39	58	27	25	17	28	31	40	37	41	39	46	43	25	13	2	1	3
		F.	831	92	46	35	19	12	204	25	30	45	49	47	44	37	40	27	37	34	40	46	48	35	31	6	3		
	C.	M.	420	87	42	20	6	8	163	12	9	34	43	22	19	12	15	8	17	12	17	10	11	8	4		2		2
		F.	386	60	32	20	8	11	131	24	22	42	36	11	13	16	18	10	10	5	13	6	15	6	4			2	2
5. Pleurisy	W.	M.	39			2			2		1			1				1	4	1	4	6	5	10	2	2			
		F.	52	1	1		1		3		1	1	1	1	3	1	4	4	1	3	8	6	5	5		1		1	
	C.	M.	19		1	1			2	1	3	1		4		2		1	2	1	1	1							
		F.	19	1	2	1	1		5					1	1		1			1	3	1	2	4					
6. Asthma	W.	M.	23				1		1						2	2			1	1	2	3	4	3	2	1		1	
		F.	20	1					1		1	1			1	3		1		1		2	4	2	2	1			
	C.	M.	4		1	1			2														2						
		F.	7	1					1		1					1		1		1		1	1						
7. Others of this group	W.	M.	73	9	5	5	2		21		1	5	2	2	6	3	4	3	4	3	2	5	6	3	3				
		F.	100	9	3	3	1	1	17	3	3	13	11	6	4	2	5	8	3	2	6	4	4	2	6		1		
	C.	M.	30	9	1		1		11		1		1	1	1	2	1	3	1	2	3	2		1					
		F.	23	2	1	1	3	1	8		2	2	1	1	2	1		1	1	2	1			1					
V.—DISEASES OF THE DIGESTIVE SYSTEM.																													
Total			1486	321	191	55	26	14	607	41	38	28	60	44	40	69	50	48	59	63	82	68	63	63	28	17	8	2	8
Total: White		M.	604	134	46	17	15	8	220	22	13	7	17	14	14	26	23	16	28	36	39	30	32	30	17	12	3		5
		F.	548	101	65	16	7	4	193	13	11	17	30	20	22	33	17	25	20	20	32	29	24	25	8	3	3	1	2
Colored		M.	179	50	38	12	3	2	105	2	6	3	7	4	1	4	6	3	6	5	7	8	2	3	2	1	2	1	1
		F.	155	36	42	10	1		89	4	8	1	6	6	3	6	4	4	5	2	4	1	5	5	1	1			
1. Dentition	W.	M.	46	16	23	6	1		46																				
		F.	65	18	42	3	2		65																				
	C.	M.	46	12	27	7			46																				
		F.	49	12	33	4			49																				
2. Angina	W.	M.	32	7	3	3	2	3	18	5	1	1		1		2			1	1	1								1
		F.	30	4	4	3		2	13	3	6		2					4					1	1					
	C.	M.	8	3	2				5		1						1			1									
		F.	2		1				1																				
3. Gastritis	W.	M.	40	6	1	1		1	9	3	2		2			2	1		3	1	2	5	2	3	1	1	2		1
		F.	38	5		1	1	1	8	1	1	2	5	1		1	1	3	1		1	4	2	4					
	C.	M.	3		1				1								1	1											
		F.	1													1													
4. Other diseases of the stomach.	W.	M.	60	14	7	1	4		26	1	1	3	1	3			1	4	4	3		4	3	1	3	2			
		F	71	8	3	2	1	1	15	2	1	6	5	4	4	1	2	2	6	5	3	3	6	4		1	1		
	C.	M.	5								1		1	1						1	1								
		F.	10			1			1	1			2			1	1					2		1		1			
5. Obstruction of the bowels.	W.	M.	31	6			2	1	9	1	1		1	2	2	1	4		1		2	1	2	1	2				
		F.	18	2	1				3	1	1					4	2			2	2	2	1						
	C.	M.	2											1		1			1										
		F.	2												1				1										
6. Hernia	W.	M.	25	1					1			1	2	2	2	1	2	1			1	1	3	1	4	2	1		
		F.	7	1					1		1				1	1		2		1									
	C.	M.	7								1		1						1			1	1	1	1				
		F.																											
7. Other diseases of the bowels.	W.	M.	41	11	5	2		1	19	3	1			1		2	2	1	1	1	1	1	4	4					
		F.	37	11	4	2			17			2	3	1		1	1	2	1	1		3	1	3		1			
	C.	M.	12	5	3				8			1		1					1			1							
		F.	8	2		3			5		1								1			1							
8. Jaundice	W.	M.	30	14	1				15		1					1			2	2	3	1	2	2					1
		F.	23	9			1		10	1								1	1	2	2	2	2			1			
	C.	M.	16	10		1			11					1		1	1		1					1					
		F.	5	3					8		1																		
9. Inflammation and abscess of the liver.	W.	M.	36	5	2				7	1	1		2	1			2	4	3	4	2	1	2	4	2				
		F.	34	2	2				4			2	1	5	1	3	2	2	1	2	2	3	4	2					
	C.	M.	9				1		1		1		1					1		2	1	1		1					
		F.	8	1					1		1		1	1	1	1				1									
10. Other diseases of the liver.	W.	M.	100	21	1	2	3		27	5	1		3	1	4	9	8	3	7	7	13	7	5	6	1	1			1
		F.	93	14	9	5			28	3			5	1	6	8	1	2	3	5	9	5	5	6	5		1		
	C.	M.	19	3	1	2	1	2	9	2	1	1	2				1				2	1							
		F.	19	2	2				4	1	1		1	2		1	1	3	2	1			1	1					
11. Peritonitis	W.	M.	18			1	1	1	3		1	2	1	1	1		2		1	1	2	1	1			1			
		F.	42				1		1			3	6	5	5	7	1	3	2	1	3	2			2			1	
	C.	M.	4	1					1												1			1					
		F.	6								1		1	2			1												
12. Ascites	W.	M.	22	1	1		1		3	1	1			1		2	1			2	4	3	2			1			1
		F.	13										1		1	1	4	2	1		2	1							
	C.	M.	4			1			1								1			1	1								
		F.	6							1	2	1							1										
13. Others of this group	W.	M.	114	32	2	1	1	1	37	2	2		5	1	5	6		2	5	14	8	5	6	8	4	4			2
		F.	77	27			1		28	2	1	2	2	3	4	3	3	2	4	2	8	4	2	3	1	1			
	C.	M.	43	16	4	1	1		22		1	1	1	1	1	2	1	1	2	1	1		2	1			2	1	
		F.	39	16	6	2	1		25	1	1		1	1	1	2	1	1			1		2	1	1				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		366	3	1	2	3	1	10	3	3	8	13	6	15	10	11	17	17	13	26	39	64	47	43	14	2	4	1
Total: White	M.	251	3	1	...	...	...	4	3	1	2	5	4	8	5	5	10	9	10	18	34	53	32	33	12	...	2	1
	F.	51	...	...	1	2	1	4	...	2	2	5	2	3	3	2	2	2	3	2	3	2	7	4	1	1	1	...
Colored	M.	48	...	...	1	1	...	2	...	...	3	2	...	2	2	3	4	4	...	4	2	8	6	5	...	1	...	...
	F.	16	...	...	...	...	...	...	...	...	1	1	...	2	...	1	1	2	...	2	.	1	2	1	1	...	1	...
1. Bright's disease	W. M.	49	...	...	...	...	...	...	...	...	1	1	3	3	1	1	5	2	3	4	7	6	4	5	2	..	...	1
	W. F.	18	...	...	...	...	1	1	...	1	1	2	1	1	2	...	1	...	1	...	1	1	4	1	...	...	...	...
	C. M.	10	...	...	...	...	...	...	...	...	...	1	...	2	..	2	1	2	...	...	1	1	...	...	...	...	...	...
	C. F.	7	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	1	1	...	1	...	1	...
2. Calculus, urinary	W. M.	74	1	...	...	..	...	1	2	...	1	2	1	2	2	...	2	1	3	2	6	20	12	13	3	...	2	...
	W. F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
	C. M.	14	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	1	3	2	4	..	1	...	...
	C. F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Diseases of the kidney	W. M.	57	1	1	...	..	...	2	1	1	...	1	...	2	2	2	3	2	1	7	9	11	3	9	1	...	...	...
	W. F.	26	...	...	1	1	...	2	...	1	1	1	1	2	...	2	1	2	1	2	2	...	2	3	1	1	1	...
	C. M.	18	...	...	...	1	...	1	...	...	3	1	...	...	1	1	2	2	...	1	...	3	2	1	...	...	...	...
	C. F.	6	...	...	...	...	...	...	...	...	1	1	...	...	...	1	..	1	..	2	..	...	...	...	...	...	...	...
4. Diseases of the bladder	W. M.	40	1	...	...	...	...	1	...	...	...	1	...	...	...	2	...	...	2	3	6	11	9	3	2	...	...	...
	W. F.	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...
	C. M.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	2	...	...	...	...	...
	C. F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
5. Others of this group	W. M.	31	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	2	2	6	5	4	3	1	...	..	...
	W. F.	3	...	...	...	1	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	C. M.	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...
	C. F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total		158	...	...	1	...	...	1	...	3	6	13	23	18	10	16	21	13	9	4	7	2	2	...	...	...	...	1
Total: White	F.	130	...	...	1	...	...	1	...	2	3	12	17	13	17	12	19	11	9	4	5	2	2	...	...	...	...	1
Colored	F.	28	...	...	...	...	...	...	...	1	3	1	6	5	2	4	2	2	...	...	2	...	..	...	...	...	...	...
1. Ovarian tumors	W.—F.	12	...	...	...	...	...	...	...	...	...	1	3	...	1	...	4	1	1	1	...	...	...	...	...	..	...	...
	C. —F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Ovarian diseases	W.—F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
	C. —F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Uterine tumors	W.—F.	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	C. —F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
4. Uterine diseases	W.—F.	29	...	...	...	...	...	...	...	...	...	...	2	4	4	4	3	6	3	1	1	...	...	...	...	...	...	1
	C. —F.	14	...	...	...	...	...	...	...	...	2	1	3	2	2	1	1	1	...	...	1	...	..	...	...	...	...	...
5. Others of this group	W.—F.	86	...	...	1	...	...	1	...	2	3	11	12	8	12	7	11	4	5	2	4	2	2	..	...	...	...	...
	C. —F.	13	...	...	...	...	...	...	...	1	1	...	3	3	...	2	1	1	...	...	1	...	...	...	...	...	...	...
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total		329	...	...	...	...	...	...	...	1	48	76	66	54	49	24	9	...	1	...	...	...	...	...	...	...	...	1
Total: White	F.	264	...	...	...	...	...	...	...	1	34	56	56	41	42	23	9	...	1	...	...	...	...	...	...	...	...	1
Colored	F.	65	...	...	...	...	...	...	...	...	14	20	10	13	7	1	...	..	...	..	...	...	...	...	...	...	...	...
1. Abortion	W.—F.	29	...	...	...	...	...	...	...	...	4	9	4	8	3	1	...	...	...	...	...	...	...	...	...	..	...	...
	C. —F.	10	...	...	...	...	...	...	...	...	1	5	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Child-birth	W.—F.	209	...	..	...	...	...	...	...	1	23	42	47	30	35	21	8	...	1	...	...	...	...	...	...	...	...	1
	C. —F.	51	...	..	...	...	...	...	...	...	12	14	8	10	6	1	...	...	...	...	...	...	...	...	...	...	...	...
3. Others of this group	W.—F.	26	...	...	...	...	...	...	...	...	7	5	5	3	4	1	1	...	...	...	...	...	...	...	...	...	...	...
	C. —F.	4	...	...	...	...	...	...	...	...	1	1	1	...	1	...	..	...	...	...	...	...	...	...	...	...	...	...
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		112	16	8	7	1	1	33	2	4	4	7	7	6	5	4	7	7	6	7	3	3	3	4	...	...	...	...
Total: White	M.	53	9	2	2	1	1	15	1	2	2	1	5	3	2	1	3	3	5	4	1	2	1	2	..	...	...	...
	F.	35	5	3	2	..	...	10	...	2	..	4	2	...	3	1	3	3	1	2	2	...	1	1	...	...	...	...
Colored	M.	12	2	.	2	...	...	4	1	...	2	...	...	2	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...
	F.	12	...	3	1	...	...	4	...	...	...	2	...	1	...	2	1	1	...	1	...	...	...	...	...	...	...	...
1. Diseases of the spine	W. M.	40	9	1	2	1	...	13	1	2	1	1	3	3	1	...	2	2	4	2	1	1	1	2	...	...	..	...
	W. F.	21	5	3	2	...	..	10	...	2	...	3	...	...	3	...	1	...	1	...	...	...	...	1	...	...	...	...
	C. M.	8	2	...	2	...	...	4	1	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	C. F.	4	...	3	...	..	...	3	...	...	...	...	..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
2. Diseases of the bones	W. M.	3	...	...	...	...	...	...	...	...	...	...	1	...	...	..	..	1	...	1	...	...	...	...	..	...	...	...
	W. F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
	C. M.	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...
	C. F.	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
3. Diseases of the hip-joint.	W.	M.	1											1					2			1		1				
		F.	5																									
	C.	M.																										
		F.	2												1		1											
4. Others of this group	W.	M.	9		1			1	2			1		1		1	1	1		1	1							
		F.	7										1	1			1	2	1		1							
	C.	M.	1																			1						
		F.	5			1			1				1				1	1			1								
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total			69	19	7		2	1	29	3	2	2	3	1	2	1	2	3	3	6	4	3	3		1			1	
Total: White		M.	37	10	2		1	1	14	2	2	2		1	2		1		3	4	2	1	2				1	
		F.	21	6	3				9	1			1			1		3		2	2	1	1					
Colored		M.	8	2	2		1		5				1									1			1			
		F.	3	1					1				1				1											
1. Abscess	W.	M.	26	3	1		1	1	6	2	2	2			1		1		2	4	2	1	2				1	
		F.	11	1	1				2				1					3		1	2	1	1					
	C.	M.	7	2	1		1		4				1									1			1			
		F.	2										1				1											
2. Carbuncle	W.	M.	1	1					1																			
		F.	2													1				1								
	C.	M.	1		1				1																			
		F.																										
3. Others of this group	W.	M.	10	6	1				7					1	1				1									
		F.	8	5	2				7	1																		
	C.	M.																										
		F.	1	1					1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total			15	1		1			2		1	1	1	3	2	1				1			1		1	1		
Total: White		M.	8	1		1			2		1			2		1				1			1					
		F.	6											1	1	2									1	1		
Colored		M.																										
		F.	1									1																
1. Addison's disease	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
2. Diseases of the spleen	W.	M.	6			1			1		1			2		1				1								
		F.	4										1		2										1			
	C.	M.																										
		F.																										
3. Others of this group	W.	M.	2	1					1														1			1		
		F.	2											1														
	C.	M.																										
		F.	1										1															
XII.—ACCIDENTS AND INJURIES.																												
Total			1626	242	89	63	63	48	505	124	96	107	149	108	83	71	44	49	63	31	38	38	22	38	26	17	9	3	5
Total: White		M.	790	78	34	26	23	13	174	48	51	50	100	67	52	39	26	32	30	24	25	19	10	20	11	7	3	1	1
		F.	364	60	28	18	20	17	143	35	21	11	18	18	9	14	4	10	13	6	6	10	5	14	12	7	4	1	3
Colored		M.	301	60	13	11	12	11	107	18	15	30	27	18	17	14	11	5	12	1	6	8	5	2		2	2		1
		F.	171	44	14	8	8	7	81	23	9	16	4	5	5	4	3	2	8		1	1	2	2	3	1		1	
1. Burns and scalds	W.	M.	72	11	8	14	15	3	51	8	2	1	2	1	2						1	1		1		1	1		
		F.	110	7	13	8	14	9	51	20	12	2	3	2	1	5		1	1		3	1	2	5					1
	C.	M.	39	6	5	5	7	5	28	5	1				1		1				2	1							
		F.	66	4	4	5	3	4	20	18	6	5	1	3	2		1		5		1	1			2			1	
2. Drowned	W.	M.	60		6	2		2	10	7	3	6	11	4	3	4	1	1	4			2		3	1				
		F.	15	1	3	3	2		9	1					1			1	2			1							
	C.	M.	23	1	1			1	3	4	3	5	5			1					1		1						
		F.	7	1			1	1	3	2		2																	
3. Exposure and neglect	W.	M.	25	10		1	1	2	14	2				1									1	2	1	2	1	1	
		F.	41	11	1	1			13			3	5	3	2		3		2	1		4	1	1	1	2			
	C.	M.	33	15	4	4	1	1	25	1			1			2	1		1			1							
		F.	23	7	6	1	2		16	1	1	2				2									1				
4. Gunshot wounds	W.	M.	93			1	1		2	3	6	12	21	14	15	6	2	3	3	5		1							
		F.	10	1	2				3		1	1	2		1	1			1				2		1				
	C.	M.	32							3	3	7	4	5	3	2	1		1										
		F.	1									1																	
5. Homicide	W.	M.	55			1			1	1	3	3	17	10	1	6	3	3	2	2		1	1		1				
		F.	3										1	1										1					
	C.	M.	18								1	2	5	2	2	1	1	1	1		1	1							
		F.																											

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 9—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.	1	1					1																			
		F.	3	3					3																			
	C.	M.																										
		F.																										
7. Injuries by machinery	W.	M.	1													1												
		F.																										
	C.	M.	1								1															1		
		F.																										
8. Railroad accidents	W.	M.	48					1	1	2	4	3	10	11	3	4	2	3	2		2	1						
		F.	3					1	1					1				1										
	C.	M.	16							1	2	4	3		3		3											
		F.																										
9. Suffocation	W.	M.	49	29	6	1	2		38	3	1			2	1			2	1									1
		F.	47	26	5	2	1	1	35	3				1					1	2		1		1	3			
	C.	M.	31	25	2	1			28							1						1		1				
		F.	26	21	2				23									1						2				
10. Suicide by shooting	W.	M.	5										1	1	1						1			1				
		F.																										
	C.	M.	1											1														
		F.																										
11. Suicide by drowning	W.	M.	1																							1		
		F.	2											1					1									
	C.	M.																										
		F.	1										1															
12. Suicide by poison	W.	M.	1													1												
		F.	2									1	1															
	C.	M.																										
		F.	1									1																
13. Other suicides	W.	M.	22								2	1	3	1	2	2				4	2	1		3		1		
		F.	7									1		1		1		2	1					1				
	C.	M.	1														1											
		F.	1													1												
14. Sunstroke	W.	M.	4										1				1		1				1					
		F.	1										1															
	C.	M.	6	1					1					1	1				2					1				
		F.	1																1									
15. Surgical operations	W.	M.	2														1				1							
		F.	1	1					1																			
	C.	M.	2															2										
		F.																										
16. Wounds	W.	M.	12		1				1	1		1	1	1	1			2	1			1		2				
		F.	3								1		1									1						
	C.	M.	3	1					1				1	1														
		F.																										
17. Others of this group	W.	M.	339	27	13	6	4	5	55	21	30	23	33	21	23	15	16	18	16	13	19	10	7	8	9	2		
		F.	116	10	4	4	3	6	27	11	7	3	4	8	4	7	1	5	4	3	3	2	3	5	8	6	2	1	2
	C.	M.	95	11	1	1	4	4	21	4	4	12	8	8	7	7	3	2	7	1	2	4	1			1	2		1
		F.	44	11	2	2	2	2	10	2	2	5	2	2	3	1	2	1	2				2		1				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		35841	8441	2597	1595	894	688	14215	1922	1009	1479	2040	1651	1313	1322	1198	1122	1144	1044	1216	1312	1286	1042	810	406	161	73	82
Total: White	M.	17152	4257	1259	754	416	330	7016	897	437	574	826	626	567	564	564	598	607	561	660	700	689	527	421	203	62	24	29
	F.	15528	3352	1093	679	381	313	5818	871	445	715	989	852	632	641	520	447	464	425	477	541	539	471	348	184	84	34	31
Colored	M.	1576	423	123	76	49	19	690	73	52	95	107	77	58	57	59	37	39	31	45	39	33	26	20	13	7	7	11
	F.	1585	409	122	86	48	26	691	81	75	95	118	96	56	60	55	40	34	27	28	32	25	18	21	6	8	8	11
Unknown causes.																												
Total		1491	878	93	41	22	15	1049	41	14	21	28	17	29	16	19	24	21	24	28	39	36	36	28	14	2	....	5
Total: White	M.	706	435	44	17	12	6	514	19	8	9	6	7	10	5	11	12	11	12	16	17	15	14	11	8	....	....	1
	F.	598	322	37	19	7	8	393	14	6	9	16	10	19	10	5	9	8	11	12	16	16	21	14	5	2	....	2
Colored	M.	101	64	8	1	2	1	76	4	....	2	5	....	....	....	3	....	2	....	....	2	3	..	1	1	....	....	2
	F.	86	57	4	4	1	....	66	4	....	1	1	....	....	1	....	3	....	1	....	4	2	1	2	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		9342	2203	1259	767	445	382	5056	1082	430	417	433	282	197	207	170	121	136	132	141	164	113	108	73	49	9	9	13
Total: White	M.	4442	1078	625	371	214	185	2473	519	184	179	182	114	77	80	80	62	65	70	72	99	64	47	36	28	3	4	4
	F.	4326	985	552	346	200	184	2267	520	221	207	217	140	110	113	69	51	61	52	65	59	48	58	34	19	5	5	5
Colored	M.	290	66	35	29	16	8	154	20	8	19	18	15	6	8	12	4	7	5	2	3	1	2	1	1	1	....	3
	F.	284	74	47	21	15	5	162	23	17	12	16	13	4	6	9	4	3	5	2	3	....	1	2	1	....	....	1
1. Small-pox	W. M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	W. M.	144	28	44	28	9	13	122	13	2	2	1	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	167	43	35	31	9	6	124	20	6	4	....	6	4	....	....	2	....	....	....	....	....	....	....	1	....	....	....
	C. M.	23	2	7	5	1	1	16	4	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	23	5	8	5	....	....	18	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	W. M.	686	67	94	102	101	63	427	202	38	12	2	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	1
	W. F.	687	52	83	100	90	90	415	202	49	11	3	1	3	1	....	....	....	....	....	2	....	....	....	....	....	....	....
	C. M.	24	4	3	5	2	2	16	6	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	20	5	1	3	3	....	12	3	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	W. M.	479	28	42	72	55	63	260	159	35	9	5	1	1	3	1	....	2	....	....	1	....	1	....	....	....	....	1
	W. F.	511	35	53	68	45	48	249	167	64	14	4	5	1	1	....	1	2	1	1	....	....	....	....	1	....	....	....
	C. M.	8	1	1	1	2	1	6	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	9	....	2	2	1	....	5	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	W. M.	195	88	50	23	10	7	178	14	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	193	86	49	20	12	8	175	13	2	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	C. M.	35	12	7	10	4	1	34	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	31	8	10	1	7	3	29	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	W. M.	11	1	3	1	....	....	5	2	1	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	W. F.	14	....	2	....	....	....	2	....	1	1	1	2	1	1	1	....	1	1	....	....	....	2	....	....	....	....	....
	C. M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
	C. F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	W. M.	76	14	12	11	1	5	43	7	11	4	4	1	2	1	....	1	2	....	....	....	....	....	....	....	....	....	....
	W. F.	70	12	14	6	4	4	40	8	4	5	5	1	3	2	1	1	....	....	....	....	....	....	....	....	....	....	....
	C. M.	6	2	1	....	....	....	3	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	5	1	....	1	....	....	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	W. M.	671	13	11	17	10	10	61	37	47	101	116	66	42	27	24	22	19	24	22	26	10	12	2	2	....	....	1
	W. F.	553	8	15	15	4	4	46	47	54	110	80	43	25	32	18	19	16	13	13	10	9	10	5	2	....	....	1
	C. M.	40	....	....	....	1	1	2	3	3	6	10	4	2	2	2	1	1	3	....	....	....	1	....	....	....	....	....
	C. F.	32	2	....	1	1	....	4	3	4	4	5	5	1	2	....	2	....	1	1	....	....	....	....	....	....	....	....
9. Diarrhœa	W. M.	300	118	42	13	7	3	183	5	3	2	5	2	7	5	10	3	12	7	7	17	5	6	10	7	....	3	1
	W. F.	216	122	30	11	2	1	166	1	3	1	1	7	....	2	4	1	1	....	3	4	2	7	7	1	1	1	3
	C. M.	21	8	2	1	1	....	12	....	1	....	1	....	....	....	1	....	2	....	1	....	....	....	....	....	1	....	2
	C. F.	16	3	6	1	....	....	10	2	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	1	....	....	1
10. Dysentery	W. M.	269	59	49	24	6	2	140	17	9	5	2	6	5	7	4	8	4	11	18	9	13	2	5	3	1	....	....
	W. F.	272	60	40	22	7	6	135	13	2	5	8	3	5	5	8	7	14	8	12	9	10	14	7	3	3	1	....
	C. M.	19	2	4	....	1	....	7	....	....	2	2	1	....	1	....	....	2	1	....	1	1	....	....	1	....	....	....
	C. F.	18	4	3	2	....	....	9	....	....	....	1	2	....	1	2	....	2	....	....	....	....	1	....	....	....	....	....
11. Enteritis	W. M.	315	96	30	13	3	3	154	24	16	12	11	5	4	9	11	5	3	8	9	15	10	7	4	7	1	....	....
	W. F.	268	79	32	16	5	3	135	3	6	7	11	3	7	17	7	2	7	8	11	13	7	10	4	5	....	....	....
	C. M.	31	8	4	....	1	2	15	2	1	....	2	3	....	2	3	1	....	....	....	1	....	1	....	....	....	....	....
	C. F.	22	4	5	2	....	1	12	....	....	1	1	1	1	1	3	....	....	1	....	1	....	....	....	....	....	....	....
12. Cholera morbus	W. M.	70	3	3	3	....	1	10	4	....	2	2	1	1	3	2	5	7	7	4	7	8	3	1	3	....	....	....
	W. F.	54	5	3	1	....	....	9	6	1	2	1	1	3	2	4	4	....	5	2	3	6	3	2	....	....	....	....
	C. M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	8	....	1	....	....	....	1	3	....	....	1	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....
13. Cholera infantum	W. M.	747	492	206	40	5	4	747	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	W. F.	630	413	170	40	2	4	629	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	27	17	6	4	....	....	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	45	34	8	1	2	....	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	W. M.	264	16	15	17	6	10	64	32	16	17	23	17	9	12	9	9	5	7	7	11	8	9	6	3	....	....	....
	W. F.	308	21	21	12	18	8	80	30	24	26	24	9	12	9	6	8	16	8	12	13	10	9	6	4	1	1	....
	C. M.	27	4	....	3	3	....	10	4	....	5	1	3	1	....	....	....	....	....	1	1	....	....	1	....	....	....	....
	C. F.	22	2	3	2	1	1	9	5	3	....	....	....	2	1	....	....	....	1	....	1	....	....	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	W.	M.	103	31	10	3	1	1	46	1	3	7	4	3	2	7	3	3	5	2	3	2	2	2	5	1	1	1
		F.	96	32	3	1		2	38	3	3	1	7	4	7	5		3	2	4	5	3	1	3	3	2		2
	C.	M.	2									1		1														
		F.																										
16. Septicæmia	W.	M.	44	7		3			10	1	2	2	4	1			2	2	2	2	1	6	3	4	1	1		
		F.	34			2			2	1	2	3	3	3	4	6			1	2	2							
	C.	M.	5									2				1	2											
		F.	3																			1			1			
17. Puerperal septicæma	W.—F.		200									14	58	50	34	26	16	2										
	C. —F.		11									2	5	1		1	2											
18. Venereal diseases	W.	M.	34	14	4	1			19				1	2	1	3	1	2	2	1		2						
		F.	24	15		1	1		17			1	3		1		2											
	C.	M.	15	3					3				1	2	1	1	3	2		1								1
		F.	17	6					6			3	3	2			2		1									
19. Others of this group	W.	M.	33	2	1				3	1	1	3	1	5	1		1	2	1	1	1	3	5	1	2	1		
		F.	29	2	2		1		5	1		2	1	2		4	2	1	1	2	3	2	3					
	C.	M.	2	1					1					1														
		F.	1															1										
General diseases—B.																												
Total			529	282	31	17	14	5	349	10	3	2	5	9	12	18	17	20	19	17	11	13	10	10		1	1	2
Total: White		M.	305	145	14	8	8	1	176	5	2		2	6	11	11	12	16	14	15	10	11	8	6				
		F.	173	104	13	5	4	4	130	2		1	3	3	1	6	5	4	4	2	1	1	2	4		1	1	2
Colored		M.	26	17	1		2		20	1	1	1				1			1			1						
		F.	25	16	3	4			23	2																		
1. Worms	W.	M.	17	7	4	1	2		14	2	1																	
		F.	17	5	6	4	1		16	1																		
	C.	M.	3	1			2		3	1																		
		F.	4	1	1	2			4																			
2. Other parasitic diseases.	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
3. Alcoholism	W.	M.	83										1	4	8	8	11	14	12	8	6	7	3	1				
		F.	10				1		1								2	4	3									
	C.	M.	3													1			1			1						
		F.																										
4. Lead poison	W.	M.	1											1														
		F.																										
	C.	M.																										
		F.																										
5. Other poisons	W.	M.	47	6	4	4	5	1	20	3			1	1	3	3	1	1	2	3	1	3	2	3				
		F.	29	5	3	1	1	4	14	1		1	2	1	1	3	1			1		1	1	1				1
	C.	M.	1								1																	
		F.	2							2																		
6. Inanition	W.	M.	157	132	6	3	1		142		1							1		4	3	1	3	2				
		F.	117	94	4		1		99				1	2		3	2		1	1	1		1	3		1	1		1
	C.	M.	18	16	1				17			1																
		F.	19	15	2	2			19																			
General diseases—C.																												
Total			3076	2066	15	9	8	2	2100	4	2	9	6	9	2	9	13	11	11	15	30	63	130	162	214	150	87	45	4
Total: White		M.	1549	1122	8	5	1	1	1137	3	2	3	2	4	1	6	2	6	6	5	17	21	51	72	104	66	30	9	2
		F.	1244	743	7	3	3	1	757	1		6	3	3	1	3	11	5	3	3	11	36	70	80	97	75	52	23	
Colored		M.	145	102		1	2		105				1	1						1		1	6	7	6	8	2	6	1
		F.	138	99			2		101					2					2	1	2	5	3	3	7	1	3	7	1
1. Premature birth	W.	M.	196	196					196																			
		F.	152	152					152																			
	C.	M	20	20					20																			
		F.	18	18					18																			
2. Stillborn	W.	M.	810	810					810																			
		F.	496	496					496																			
	C.	M.	67	67					67																			
		F.	68	68					68																			
3. Malformation	W.	M.	43	43					43																			
		F.	21	20		1			21																			
	C.	M.	1			1			1																			
		F.	5	5					5																			
4. Debility	W.	M.	227	71	8	0	1	1	80	3	2	3	2	4	1	6	2	6	5	3	12	12	26	17	20	10	3	2	2
		F.	225	74	7	2	0	1	87	1		6	3	2	1	3	11	5	3	8	7	20	24	19	12	6	4	3	
	C.	M.	25	15			2		17				1	1						1				1	2	1		1	
		F.	21	8			2		10					2					2	1	2	1		1	1				1
5. Old age	W.	M.	271																1	2	5	9	25	55	84	56	27	7	
		F.	349																		4	16	46	61	85	69	48	20	
	C.	M.	32																			1	6	6	4	7	2	5	1
		F.	26																			4	3	2	6	1	3	7	
6. Atrophy	W.	M.	2	2					2																				
		F.	1	1					1																				
	C.	M.																										
		F.																										

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		7486	302	176	107	43	34	662	152	194	552	957	799	594	548	479	412	408	352	359	307	321	185	126	43	15	17
Total: White	M.	2930	125	66	43	11	10	255	48	46	153	323	262	230	201	201	176	193	162	187	144	167	87	65	25	7	3
	F.	3626	125	69	28	15	14	251	57	91	307	512	442	301	281	238	202	193	168	141	139	135	85	50	17	4	9
Colored	M.	412	28	21	14	8	3	74	22	20	36	49	38	25	29	19	17	10	13	16	14	11	9	7	....	2	1
	F.	512	24	20	22	9	7	82	25	37	56	73	57	38	37	21	17	12	9	15	10	8	4	4	1	2	4
1. Rheumatism	W. M.	69	....	1	2	1	....	4	3	6	5	6	3	2	4	4	4	2	2	5	6	6	3	4	....	....	....
	W. F.	59	1	....	....	....	....	1	5	6	2	3	2	2	2	2	3	3	4	3	4	10	2	3	1	1	....
	C. M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	....	....
	C. F.	4	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
2. Scrofula and tabes	W. M.	106	32	18	7	4	2	63	8	2	3	8	3	3	....	1	3	....	3	1	3	4	....	1	....	....	....	....
	W. F.	118	33	15	3	4	1	56	6	9	8	9	7	3	3	3	3	....	3	1	2	1	1	1	....	....	....	2
	C. M.	37	7	7	1	3	1	19	7	5	1	1	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	37	7	3	7	3	1	21	4	3	3	1	2	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
3. Leprosy	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	W. M.	2092	49	24	11	1	....	85	11	19	129	299	242	217	180	177	135	130	123	108	80	80	42	22	8	2	1	2
	W. F.	2637	39	23	5	3	3	76	25	62	281	482	409	281	233	176	137	123	82	74	79	59	34	15	3	1	1	4
	C. M.	309	12	7	12	5	1	37	13	13	34	44	35	25	27	17	17	6	6	8	9	6	6	3	....	2	....	1
	C. F.	399	14	11	13	3	5	46	17	31	49	68	55	34	33	15	15	9	4	7	5	5	3	1	....	1	....	1
5. Hydrocephalus	W. M.	80	34	14	16	2	1	67	5	....	1	....	2	1	1	....	....	....	....	1	....	1	....	....	....	....	....	1
	W. F.	85	42	18	7	4	2	73	4	4	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	1
	C. M.	8	3	4	1	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	6	1	1	1	1	....	4	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	W. M.	225	2	....	1	....	1	4	5	1	2	1	4	3	8	10	19	32	19	34	20	25	9	17	9	3	....	....
	W. F.	355	1	1	4	1	4	11	1	....	5	....	9	8	29	37	37	38	49	30	26	24	24	15	4	1	1	....
	C. M.	13	1	....	....	....	....	1	1	....	....	....	....	....	....	1	....	2	4	2	....	1	....	1	....	....	....	....	....
	C. F.	19	....	....	....	....	....	....	....	....	....	1	....	1	1	3	2	1	2	1	4	....	....	1	....	1	....	1
7. Tumor	W. M.	29	1	....	1	....	....	2	1	2	....	1	....	....	....	2	2	4	2	6	3	2	2	....	....	....	....	....
	W. F.	59	2	....	....	....	1	3	1	1	2	4	2	2	3	4	7	3	7	7	6	3	4	....	....	....	....	....
	C. M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	C. F.	4	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	1
8. Anæmia	W. M.	3	1	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	W. F.	10	....	....	....	....	....	....	1	2	1	1	....	1	....	....	....	2	1	....	....	1	....	....	....	....	....	....
	C. M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	W. M.	263	5	9	5	2	6	27	13	11	9	7	6	3	6	5	8	23	10	22	25	35	27	18	6	2	....	....
	W. F.	276	5	10	6	1	3	25	11	5	7	10	11	3	10	14	14	22	21	16	21	37	20	16	9	1	1	2
	C. M.	34	....	2	....	....	1	3	1	2	1	4	1	....	1	....	....	1	3	5	5	3	2	2	....	....	....	....
	C. F.	36	1	3	1	1	1	7	3	2	2	1	....	2	....	2	....	2	3	6	....	1	1	2	1	....	....	1
10 Glycosuria	W. M.	60	....	....	....	....	....	....	2	4	2	1	1	....	2	2	3	1	3	10	7	13	4	3	2	....	....	....
	W. F.	21	1	....	....	....	2	3	3	2	....	1	1	....	1	2	....	2	1	4	1	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	3	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
11. Others of this group	W. M.	9	1	....	....	1	..	2	....	1	1	....	1	1	....	....	1	1	....	....	....	1	....	....	....	....	....	....
	W. F.	6	1	2	....	....	....	3	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	4	3	1	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	3	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	W. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		4419	1414	444	230	114	78	2280	210	98	95	113	91	72	104	93	112	113	117	174	186	186	169	130	41	18	9	8
Total: White	M.	2230	720	316	111	56	39	1142	100	46	39	49	31	42	61	51	68	59	68	88	96	97	89	69	16	9	7	3
	F.	1807	563	200	101	46	32	942	95	41	47	49	54	27	37	33	41	46	44	74	84	83	74	59	24	8	2	3
Colored	M.	170	73	17	7	4	4	105	7	4	5	11	4	3	....	5	1	5	3	9	3	2	2	....	....	....	....	1
	F.	152	58	11	11	8	3	91	8	7	4	4	2	....	6	4	2	3	2	3	3	4	4	2	1	1	....	1
1. Inflammation of the brain.	W. M.	384	143	74	46	16	9	288	35	11	4	7	4	5	5	2	4	2	4	4	4	1	3	1	....	....	....	....
	W. F.	342	126	78	31	12	11	258	31	10	11	6	5	5	4	1	1	2	1	3	2	....	1	....	1	....	....	....
	C. M.	34	12	7	2	1	1	23	4	2	1	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	34	8	7	4	3	2	24	2	3	2	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Meningitis	W. M.	217	77	41	16	18	12	164	20	7	5	4	2	3	3	3	4	....	....	....	2	....	....	....	....	....	....	....
	W. F.	169	55	31	25	9	6	126	15	4	5	4	4	1	3	2	....	1	1	1	....	2	....	....	....	....	....	....
	C. M.	25	10	2	1	1	....	14	3	1	1	2	2	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
	C. F.	14	7	2	....	1	....	10	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy	W. M.	200	....	1	2	1	....	4	....	....	3	1	6	5	17	10	20	15	18	24	19	24	23	15	1	3	1	....
	W. F.	146	1	3	....	....	....	4	....	....	1	3	3	3	3	8	10	15	12	23	17	11	17	10	2	1	1	2
	C. M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	3	1	2	1	....	....	....	....	....	....	1
	C. F.	12	....	....	....	....	....	....	....	1	1	1	....	....	1	1	1	....	....	1	1	2	1	1	....	....	....	....
4. Paralysis	W. M.	344	1	3	3	....	....	7	7	1	4	....	....	8	10	8	14	14	25	35	49	57	38	44	11	4	6	2
	W. F.	364	3	6	6	1	1	17	5	2	4	8	9	2	7	8	10	7	21	27	51	59	43	47	19	7	1	1
	C. M.	9	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	2	1	1	2	2	....	....	....	....	....	....
	C. F.	18	....	....	....	....	....	....	3	....	....	....	....	....	....	2	1	3	....	2	1	2	2	1	....	1	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	55	22	1	....	1	1	25	4	3	4	4	4	2	2	1	2	1	....	1	....	....	....	....	....	....	....	....
		F.	33	19	2	....	....	1	22	2	4	....	....	1	....	....	....	....	2	....	2	....	....	....	....	....	....	....	....
	C.	M.	10	7	....	1	....	....	8	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	W.	M.	65	5	4	2	1	....	12	4	2	6	14	2	5	4	7	1	2	1	....	2	1	2	....	....	....	....	....
		F.	37	4	....	1	....	....	5	1	2	8	6	6	1	3	1	....	1	....	1	1	1	....	....	....	....	....	....
	C.	M.	7	....	....	....	....	1	1	....	....	1	2	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
		F.	4	1	....	....	....	....	1	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	W.	M.	486	378	48	18	9	6	459	10	6	2	3	1	1	1	....	1	1	....	1	....	....	....	....	....	....	....	....
		F.	431	287	51	24	8	7	377	17	9	8	5	5	3	1	1	....	3	....	2	....	....	....	....	....	....	....	....
	C.	M.	49	35	6	1	1	1	44	....	1	....	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
		F.	43	30	2	6	1	1	40	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	W.	M.	25	....	....	....	....	....	....	....	....	....	1	1	1	2	2	2	3	....	4	2	2	2	2	1	....	....	....
		F.	21	....	....	....	....	....	....	1	....	....	1	3	2	4	1	....	1	2	3	....	....	2	....	1	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	W.	M.	349	73	35	20	6	5	139	14	13	9	11	10	11	15	15	16	17	14	17	14	8	16	6	1	2	....	1
		F.	232	56	23	12	11	3	105	14	7	6	8	14	7	7	6	7	10	4	9	8	8	9	2	1	....	....	....
	C.	M.	19	6	2	1	....	1	10	....	....	1	1	1	1	....	....	....	1	....	4	....	....	....	....	....	....	....	....
		F.	14	5	....	1	1	....	7	....	1	....	1	1	....	....	1	....	....	....	....	1	....	1	....	1	....	....	....
10. Diseases of the spinal cord.	W.	M.	68	18	9	4	4	5	40	6	3	1	2	....	1	2	1	2	4	2	1	....	1	1	1	....	....	....	....
		F.	60	11	5	2	5	1	24	6	2	3	6	2	3	3	1	4	1	....	1	1	2	1	....	....	....	....	....
	C.	M.	5	3	....	1	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	4	1	....	....	2	....	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	W.	M.	30	3	....	....	....	1	4	....	....	1	2	1	....	....	2	2	....	4	1	4	3	4	....	2	....	....	....
		F.	32	1	1	....	....	2	4	3	1	1	2	2	....	2	4	....	3	3	2	4	....	1	....	....	....	....	....
	C.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
		F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1
III.—DISEASES OF THE CIRCULATORY SYSTEM.																													
Total			1239	62	7	6	5	5	85	26	29	41	44	48	55	63	73	78	84	84	111	122	129	87	56	18	3	....	3
Total: White		M.	607	34	4	3	3	4	48	8	16	14	18	16	24	31	27	34	41	46	54	72	76	43	27	10	1	....	1
		F.	546	24	2	3	2	....	31	18	12	22	24	24	27	24	35	34	36	36	48	46	48	43	28	7	2	....	1
Colored		M.	36	2	....	....	....	....	2	....	1	2	1	5	2	3	1	4	3	1	6	2	2	1	....	....	....	....	....
		F.	50	2	1	....	....	1	4	....	....	3	1	3	2	5	10	6	4	1	3	2	3	....	1	1	....	....	1
1. Angina pectoris	W.	M.	16	....	....	....	....	....	....	....	....	1	....	1	....	1	1	....	1	2	2	2	4	....	....	....	1	....	....
		F.	7	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	1	....	....	2	....	1	....	....	....	....
	C.	M.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	W.	M.	6	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	1	....	1	1	....	....	....	....	....	....
		F.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
	C.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	W.	M.	562	18	2	3	3	3	29	7	16	13	18	13	23	30	26	33	40	43	52	69	70	43	27	9	....	....	1
		F.	522	14	2	3	2	....	21	18	12	22	22	23	26	23	34	33	36	33	48	45	46	43	27	7	2	....	1
	C.	M.	32	1	....	....	....	....	1	....	1	2	1	5	1	3	1	4	1	1	6	2	2	1	....	....	....	....	....
		F.	46	....	1	....	....	1	2	....	....	3	1	3	1	5	10	6	3	1	3	2	3	....	1	1	....	....	1
4. Others of this group	W.	M.	23	16	2	....	....	1	19	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....
		F.	13	10	....	....	....	....	10	....	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	C.	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																													
Total			4306	840	417	333	181	116	1887	217	85	156	167	130	113	128	130	132	169	126	172	194	180	154	97	47	11	3	8
Total: White		M.	2167	404	204	149	83	57	897	94	36	80	92	58	56	64	73	89	111	69	95	92	93	83	53	24	4	1	3
		F.	1739	335	157	144	75	50	761	102	37	54	61	62	53	55	48	37	47	47	69	92	78	65	43	21	5	....	2
Colored		M.	207	50	28	21	12	2	113	7	7	14	6	5	3	8	5	3	7	4	5	7	5	3	1	1	....	1	2
		F.	193	51	28	19	11	7	116	14	5	8	8	5	1	1	4	3	4	6	3	3	4	3	....	1	2	1	1
1. Croup	W.	M.	325	97	49	61	41	30	278	40	4	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
		F.	286	92	47	46	34	22	241	41	1	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....
	C.	M.	16	11	2	2	1	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	19	7	3	5	1	....	16	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	W.	M.	12	3	....	....	1	....	4	....	1	1	1	....	....	1	2	....	....	....	1	....	1	....	....	....	....	....	....
		F.	10	2	1	1	....	1	5	1	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	W.	M.	266	81	26	17	7	4	135	6	1	1	3	2	4	10	3	14	7	7	12	13	17	13	14	3	1	....	....
		F.	204	59	14	15	5	4	97	4	3	2	4	5	10	5	5	1	2	8	9	11	13	12	7	3	3	....	....
	C.	M.	24	7	5	2	4	....	18	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
		F.	28	12	4	4	1	1	22	2	....	....	1	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	1292	172	118	65	31	19	405	39	29	68	78	51	38	43	58	63	89	48	61	63	59	55	28	12	3	2
		F.	1001	141	85	74	34	19	353	48	28	43	53	41	34	34	35	30	34	28	41	60	51	44	25	10	2	1
	C.	M.	152	31	19	17	7	2	76	4	6	13	5	5	3	5	5	2	7	4	4	4	5	2	1			1
		F.	124	23	18	9	9	6	65	10	4	8	6	4	1		3	3	2	6	2	1	3	1		1	2	1	1
5. Pleurisy	W.	M.	22	1				1	2			1			2	1	3	3	1	2	1	1	2	2	1				
		F.	26	2	1				3	1	1	1		1		4	1	1	2	3	3	2	2		1				
	C.	M.	4													2		1				1							
		F.	3														1		2										
6. Asthma	W.	M.	47	2	1	1		1	5	1		1				1		2	3	5	5	6	6	5	3	4			
		F.	50	3					3			1		1	1	2		1	3	3	9	11	4	4	5	2			
	C.	M.	6							1						1					1			1		1			1
		F.	3		1				1															2					
7. Others of this group	W.	M.	203	48	10	5	3	2	68	8	1	7	9	5	12	8	7	7	10	7	15	9	8	8	7	5		1	1
		F.	162	36	9	8	2	4	59	7	3	6	4	13	8	9	5	4	6	5	7	8	8	5	4				1
	C.	M.	5	1	2				3													2							
		F.	14	7	2	1			10				1	1		1							1							
V.—DISEASES OF THE DIGESTIVE SYSTEM.																													
Total			1346	223	87	39	17	12	378	49	36	32	47	55	48	53	58	75	75	71	80	103	87	47	30	11	4		7
Total: White		M.	685	116	44	22	6	7	195	25	21	11	15	22	15	23	31	48	35	39	50	58	49	24	14	6	1		3
		F.	557	83	32	13	10	5	143	20	11	16	26	30	29	26	18	22	35	31	29	41	36	21	12	5	2		4
Colored		M.	56	12	7	2			21	2	3	1	3		3	3	4	4	2		1	2	1	1	4		1		
		F.	48	12	4	2	1		19	2	1	4	3	3	1	1	5	1	3	1		2	1	1					
1. Dentition	W.	M.	46	18	22	5		1	46																				
		F.	47	21	23	2	1		47																				
	C.	M.	11	3	6	2			11																				
		F.	8	4	3	1			8																				
2. Angina	W.	M.	31	7	1	7	2	2	19	3		1	1		1			1	1	1		2	1						
		F.	22	2	1	1	4	3	11	3	2	1		1								3							1
	C.	M.																											
		F.	2	1					1				1																
3. Gastritis	W.	M.	59	13	3	1			17	4			1	2	1	1	1	5	2	2	5	4	10	2	2				
		F.	50	4	1	2	2		9	1		2	2	4	3	5		2	3	4	1	4	4	4	2				
	C.	M.	4								1		1			1											1		
		F.	4			1			1					1			1					1								
4. Other diseases of the stomach.	W.	M.	72	12	3	1			16	1	3		1	1	1	5	3	4	1	5	5	13	8	2		2	1		
		F.	81	14		1			15	1	2	5	6	6	3	3	3	1	1	2	5	6	9	7	4	1			1
	C.	M.	1	1					1																				
		F.	8	2					2			1		1	1		2		1										
5. Obstruction of the bowels.	W.	M.	36	10			1		11	3	2		1		2			3	4	2	2	3	1	2					
		F.	20	2	1				3	2	1			1	1	3	2		2	2		2	1						
	C.	M.																											
		F.	2	2					2																				
6. Hernia	W.	M.	29	5					5			1				3		3	1	3	2	5	3		1	1			1
		F.	20			1			1		3					1	1		3	1	3	6		1					
	C.	M.	3							1			1																
		F.																											
7. Other diseases of the bowels.	W.	M.	35	6	2	2	2	1	13	1	4					2	1	3	3	2	4	1		1					
		F.	28	6	1	2			9	2	2				1			1	2	2	3	4			1		1		
	C.	M.	4	2					2			1						1											
		F.	3	1					1	1	1																		
8. Jaundice	W.	M.	32	9		2		1	12	1			1						2	4	9		1		2				
		F.	35	8	1	1	1	1	12				1	1	2			2	8	2	1	1	2	2	1				
	C.	M.	5	2					2		1						1					1							
		F.	1																	1									
9. Inflammation and abscess of the liver.	W.	M.	60	1	1	1			3	1				6	2	3	6	9	2	6	7	7	4	2	1	1			
		F.	37			2		1	3	2			3	1	2	2	3	3	3	3	4	2	3	2					1
	C.	M.	10	1					1						1	1	1	2	1				1	1	2				
		F.	2		1				1													1							
10. Other diseases of the liver.	W.	M.	127	9	5			1	15	2	3		5	6	5	4	12	15	14	7	10	11	10	3	3	1			1
		F.	75	5		1			6	1	1		2	4	6	3	6	8	4	6	5	7	8	3	3	2			
	C.	M.	10	2					2						2	1	1	1	1		1	1							
		F.	6							1				1		1	1		1					1					
11. Peritonitis	W.	M.	67	2	3	1	1	1	8	8	8	6	1	3		3	7	1	3	2	4	4	4	3	2				
		F.	76	2	1				3	6		7	11	10	10	8	3		5	5	3	1	1	2					1
	C.	M.	3							1	1												1						
		F.	6	1					1				2				1	1	1										
12. Ascites	W.	M.	10								1	1			1	1			1					2	2				
		F.	11				1		1					1	1	1			1		1	1	3			1				
	C.	M.	1														1							1					
		F.	4	1					1				2																
13. Others of this group	W.	M.	81	24	4	2			30	1		2	4	4	2	1	1	4	1	4	2	8	5	7	3	1			1
		F.	55	19	3		1		23	2		1	1	1				5	3	4	3	4	5		1	1	1		
	C.	M.	4	1	1				2				1												1				
		F.	2				1		1			1																	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		507	9	4	3	4	2	22	13	5	8	18	24	19	26	24	35	23	35	47	62	46	49	25	19	5	1	1
Total: White	M.	343	5	....	3	3	1	12	7	1	6	9	13	10	12	12	22	14	27	31	47	38	42	22	14	3	1	....
	F.	126	3	2	....	....	1	6	5	4	2	7	8	6	10	10	12	8	6	11	13	6	7	1	3	1	....	....
Colored	M.	26	1	1	....	1	....	3	1	....	....	1	1	1	3	2	....	1	1	5	2	2	....	....	2	1	....	....
	F.	12	....	1	....	....	....	1	....	....	....	1	2	2	1	....	1	....	1	....	....	....	....	2	....	....	....	1
1. Bright's disease	W. M.	122	....	....	3	....	....	3	4	....	3	3	7	2	6	8	10	7	12	11	21	9	10	4	2	....	....	....
	W. F.	58	1	1	....	....	1	3	3	2	....	3	5	1	4	5	6	3	2	5	6	5	2	1	2	....	....	....
	C. M.	14	....	....	....	....	....	....	1	....	....	1	1	1	3	1	....	1	1	3	1	....	....	....	....	....	....	....	....
	C. F.	9	....	....	....	....	....	....	....	....	....	1	2	2	1	....	1	....	1	....	....	....	....	1	....	....	....	....	....
2. Calculus, urinary	W. M.	36	1	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	1	2	6	7	10	4	2	1	....	....	....
	W. F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	C. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	W. M.	107	4	....	....	1	1	6	3	1	2	4	6	6	4	2	8	4	10	8	9	8	14	7	2	2	1	....
	W. F.	39	....	1	....	....	....	1	2	2	1	2	....	2	5	2	3	4	2	4	4	1	2	....	1	1	....	....
	C. M.	4	....	1	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	C. F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder	W. M.	39	....	....	....	....	....	....	....	....	1	....	....	....	2	....	2	1	1	4	6	8	6	4	4	....	....	....	....
	W. F.	9	....	....	....	....	....	....	....	....	1	1	....	....	....	2	2	1	....	....	1	....	1	....	....	....	....	....	....
	C. M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	....	....	1	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	W. M.	39	....	....	....	2	....	2	....	....	....	1	....	2	....	1	2	2	3	6	5	6	2	3	4	....	....	....	....
	W. F.	18	2	....	....	....	....	2	....	....	....	1	3	3	1	1	1	....	1	2	2	....	1	....	....	....	....	....	....
	C. M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....
	C. F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total		115	....	....	....	....	....	....	....	1	6	11	10	10	19	13	9	8	7	5	4	2	4	....	....	....	....	....
Total: White	F.	105	....	....	....	....	....	....	....	1	6	10	13	9	18	13	7	6	7	5	4	2	4	....	....	....	....	....
Colored	F.	10	....	....	....	....	....	....	....	....	....	1	3	1	1	....	2	2	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors	W.—F.	18	....	....	....	....	....	....	....	....	....	....	2	....	1	2	3	1	4	1	2	....	2	....	....	....	....	....	....
	C. —F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	W.—F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	2	1	....	....	....	....	....	....	....	....	....
	C. —F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	W.—F.	4	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	C. —F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	W.—F.	27	....	....	....	....	....	....	....	....	1	5	5	1	8	1	1	3	....	1	....	....	1	....	....	....	....	....	....
	C. —F.	2	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	W.—F.	52	....	....	....	....	....	....	....	1	5	5	6	8	7	8	3	2	1	2	1	2	1	....	....	....	....	....	....
	C. —F.	5	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total		221	....	....	....	....	....	....	....	1	20	43	46	40	43	22	3	2	....	....	....	....	....	....	....	....	....	....	1
Total: White	F.	198	....	....	....	....	....	....	....	....	16	36	42	35	42	22	3	2	....	....	....	....	....	....	....	....	....	....	....
Colored	F.	23	....	....	....	....	....	....	....	1	4	7	4	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
1. Abortion	W.—F.	24	....	....	....	....	....	....	....	....	2	2	8	3	5	4	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	4	....	....	....	....	....	....	....	....	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	W.—F.	150	....	....	....	....	....	....	....	....	8	27	30	26	36	18	3	2	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	18	....	....	....	....	....	....	....	1	3	4	4	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Others of this group	W.—F.	24	....	....	....	....	....	....	....	....	6	7	4	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		117	22	11	3	7	5	48	13	8	7	7	5	3	6	4	3	1	2	2	2	3	2	1	....	....	....	....
Total: White	M.	59	7	6	2	2	3	20	5	5	3	4	5	1	2	....	2	1	2	1	2	3	2	1	....	....	....	....
	F.	45	14	3	1	5	2	25	7	1	3	....	....	....	4	3	1	....	....	1	....	....	....	....	....	....	....	....	....
Colored	M.	9	1	1	....	....	....	2	....	2	1	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	1	....	....	....	1	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine	W. M.	42	7	6	2	2	2	19	3	4	1	2	4	....	2	....	1	1	1	1	1	....	2	....	....	....	....	....	....
	W. F.	34	13	3	1	3	2	22	5	....	....	....	....	....	3	2	1	....	....	1	....	....	....	....	....	....	....	....	....
	C. M.	4	1	1	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	3	....	1	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	W. M.	5	....	....	....	....	....	....	1	1	1	....	1	1	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....
	W. F.	3	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	2	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
3. Diseases of the hip-joint.	W.	M.	1																			1						
		F.	6	1					1	2		1				1	1											
	C.	M.																										
		F.	1							1																		
4. Others of this group	W.	M.	8					1	1	1		1	2					1		1				1				
		F.	2				1		1			1																
	C.	M.	8									1	1		1													
		F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total			69	13	6	2	1	1	23	3	2	4	3	2	1	3	4	1	8	3	2	3	4	3				
Total: White		M.	28	7	2	1			10	1	1		2	1			2		5			1	3	2				
		F.	33	5	3	1	1		10	2		1	1		1	3	2	1	3	3	2	2	1	1				
Colored		M.	4	1	1				2			2																
		F.	4					1	1		1	1		1														
. Abscess	W.	M.	17	3	1				4	1			2	1			2		2			1	3	1				
		F.	22		3	1	1		5	2		1	1		1	3	2	1	2	1		1	1	1				
	C.	M.	2									2																
		F.	2									1		1														
2. Carbuncle	W.	M.	2																2									
		F.	5																	2	2	1						
	C.	M.																										
		F.																										
3. Others of this group	W.	M.	9	4	1	1			6		1								1					1				
		F.	6	5					5										1									
	C.	M.	2	1	1				2																			
		F.	2					1	1		1																	
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total			16							1		1	1	1	1				3	2	1		2	1	1	1			
Total: White		M.	6							1				1					2	1				1				
		F.	9									1	1		1					1	1		2		1	1		
Colored		M.	1																1									
		F.																										
1. Addison's disease	W.	M.	1																					1				
		F.	1												1													
	C.	M.																										
		F.																										
2. Diseases of the spleen	W.	M.	4							1				1					1	1								
		F.	6									1	1								1		1		1	1		
	C.	M.																										
		F.																										
3. Others of this group	W.	M.	1																1									
		F.	2																	1			1					
	C.	M.	1																1									
		F.																										
XII.—ACCIDENTS AND INJURIES.																												
Total			1561	127	47	38	33	31	276	101	101	108	157	117	117	79	79	85	63	57	47	50	37	25	29	12	6	2	13
Total: White		M.	1088	59	26	19	17	16	137	62	69	77	122	86	90	68	62	62	50	45	39	40	25	15	19	6	4	1	9
		F.	336	46	16	15	13	12	102	28	20	17	23	22	12	9	8	18	12	9	7	8	12	8	9	6	2	1	3
Colored		M.	93	6	3	1	2	1	13	9	6	12	9	8	14	2	8	4		3	1	2		1					1
		F.	44	16	2	3	1	2	24	2	6	2	3	1	1		1	1	1					1	1				
1. Burns and scalds	W.	M.	55	6	6	7	11	5	35	5	3		1	4				1		1	1			2					2
		F.	102	3	8	10	7	7	35	19	11	5	6	2	5		4	2	2	3	1		1	2	2	1	1		
	C.	M.	8		2		2	1	5	1		1					1												
		F.	19	4	2	2	1	2	11	1	4	1	2																
2. Drowned	W.	M.	165	1	6	3		1	11	21	25	19	26	9	11	10	6	4	5	6	5	1	4	1	1				
		F.	21	1	1	2			4	4	3	4	1	1			1	2	1										
	C.	M.	19							5	3	2	2	1	1	1	3	1											
		F.	2							1		1																	
3. Exposure and neglect	W.	M.	22	11			1		12				2	1			1		1		1	1			2		1		
		F.	18	8	2				10			1		2					2			1		1	1				
	C.	M.	5	3					3								1					1							
		F.	5	3					3		2																		
4. Gunshot wounds	W.	M.	43	1				1	2	2	2	7	6	6	2	1	1	3	4	4	1	1							1
		F.	5							1	1	1	1					1											
	C.	M.	5									1	1		3														
		F.																											
5. Homicide	W.	M.	48							1		4	10	9	5	5	2	4	3	1	3			1					
		F.	4								1					1	1	1											
	C.	M.	6										1	2	2	1													
		F.																											

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 10—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.	1	1					1																			
		F.	1	1					1																			
	C.	M.																										
		F.																										
7. Injuries by machinery	W.	M.	4	1					1			1	1						1									
		F.																										
	C.	M.																										
		F.																										
8. Railroad accidents	W.	M.	116		2				2	6	3	6	21	10	12	8	11	6	5	1	5	6	3	1	4			
		F.	10				1		1			1	1	2	1	1		2		1								
	C.	M.	6								1	1		1			1			1	1							
		F.																										
9. Suffocation	W.	M.	45	23	7	1		1	32				4	1		1	1	1	1	1	1	1						1
		F.	26	20	1		2		23			1				1												1
	C.	M.	4	2	1				3									1										
		F.	7	5		1			6								1											
10. Suicide by shooting	W.	M.	24									2	4	1	4	3	4	1	3	2								
		F.	6									1	1	1	1			1					1					
	C.	M.																										
		F.																										
11. Suicide by drowning	W.	M.	10										1	1	3		1		1				1	1	1			
		F.	6										1	1	1					1		2						
	C.	M.	1										1															
		F.	1															1										
12. Suicide by poison	W.	M.	12									1		1	1	2	3	1				1		1	1			
		F.	4										2	1									1					
	C.	M.																										
		F.																										
13. Other suicides	W.	M.	73									4	3	2	10	10	7	12	6	8		4	5		1		1	
		F.	20									2	4	6		3	1		3		1							
	C.	M.	1																	1								
		F.	1											1														
14. Sunstroke	W.	M.	18								1		1	2	3	3	1	2	1	1	1	2						
		F.	5											1				1			1	1	1					
	C.	M.																										
		F.	2										1						1									
15. Surgical operations	W.	M.	6								2			1	1						2							
		F.	4										1	1				1	1									
	C.	M.	1									1																
		F.																										
16. Wounds	W.	M.	11			1	1		2			1	1		1		1	2		1			1					1
		F.	1																									1
	C.	M.	4									1	1	1	1													
		F.																										
17. Others of this group	W.	M.	435	15	5	7	4	8	39	27	33	32	41	32	37	25	23	25	19	19	19	23	11	8	9	6	2	1	4
		F.	103	13	4	3	3	5	28	4	4	1	5	4	4	3	1	7	3	4	4	4	8	5	6	5	1	1	1
	C.	M.	33	1		1			2	3	2	5	3	3	7		2	2		1		1		1					1
		F.	7	4					4						1									1	1				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		51307	12617	4854	2773	1575	1150	22969	2973	1803	2220	2925	2251	1945	1751	1576	1310	1469	1086	1597	1277	1405	983	860	347	200	233	127
Total: White	M.	10773	2538	960	537	289	226	4550	576	343	405	540	404	336	290	312	299	330	309	427	435	422	367	251	98	36	19	24
	F.	10701	2031	816	473	281	208	3809	565	310	422	706	583	587	505	425	363	327	280	357	325	405	263	247	116	45	26	35
Colored	M.	14617	4338	1653	924	537	375	7827	884	546	581	694	488	389	363	293	289	379	257	425	281	301	193	176	77	57	82	35
	F.	15216	3710	1425	839	468	341	6783	948	604	812	985	776	633	593	546	359	433	240	388	236	277	160	186	56	62	106	33
Unknown causes.																											
Total		5308	2620	508	262	135	81	3606	217	116	111	152	113	98	78	87	70	94	64	97	78	100	73	81	32	7	11	23
Total: White	M.	864	426	90	35	23	9	583	36	20	19	19	14	4	7	13	13	20	18	11	22	16	20	15	8	1	....	5
	F.	869	364	53	21	27	13	478	47	20	17	33	18	24	31	17	18	26	17	25	18	31	13	21	10	....	....	5
Colored	M.	1796	962	191	95	47	44	1329	75	38	33	42	30	26	15	22	19	16	11	30	19	25	23	23	9	4	3	5
	F.	1779	868	174	111	38	25	1216	59	38	42	58	51	44	25	35	20	32	18	31	19	28	17	23	5	2	8	8
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		13982	2880	2000	1200	648	490	7308	1258	686	683	740	519	384	345	291	217	247	195	268	261	210	125	118	49	22	19	37
Total: White	M.	3044	635	473	266	143	114	1631	279	120	132	161	110	77	56	42	49	50	53	47	78	61	41	30	12	4	2	9
	F.	3242	550	417	239	124	101	1431	268	142	109	211	157	131	107	95	55	62	63	71	75	76	42	42	20	8	5	12
Colored	M.	3840	899	643	357	196	140	2235	342	200	170	167	107	68	68	59	65	75	40	73	56	41	25	24	8	4	4	9
	F.	3856	796	557	338	185	135	2011	369	224	212	201	145	108	114	95	48	60	39	77	52	32	17	22	9	6	8	7
1. Small-pox	W. M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	W. F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	C. M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	C. F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Measles	W. M.	103	25	18	14	4	3	64	10	5	6	8	2	3	3	1	....	....	....	....	....	1	....	....	....	....	....	....
	W. F.	116	25	20	12	5	5	67	4	4	8	8	6	4	4	3	....	2	1	4	1	....	....	....	....	....	....	....
	C. M.	381	98	80	52	20	14	264	33	16	13	19	14	5	6	2	2	1	1	1	3	....	....	1	....	....	....	....
	C. F.	321	85	59	44	16	14	218	20	12	15	15	9	5	9	8	1	3	3	1	....	....	1	....	....	....	....	1
3. Scarlet fever	W. M.	20	4	4	4	3	....	15	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	19	.....	2	1	3	3	9	6	2	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	14	1	2	1	1	3	8	2	1	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	C. F.	7	1	1	2	....	....	4	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	W. M.	258	40	33	46	30	34	183	60	9	4	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	W. F.	294	36	42	39	29	34	180	82	14	8	3	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	2
	C. M.	255	55	50	38	25	22	190	50	3	1	2	....	3	1	2	2	....	....	....	....	....	....	....	....	....	1	....	....
	C. F.	221	38	37	34	24	15	148	54	11	3	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1
5. Hooping-cough	W. M.	161	83	47	11	9	1	151	7	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	173	95	36	23	....	4	158	9	....	2	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	1
	C. M.	490	265	107	61	27	16	476	11	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	486	236	119	54	26	18	463	18	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	W. M.	88	20	4	5	7	6	42	11	3	6	7	2	4	1	....	1	....	2	....	2	4	2	....	1	....	....	....
	W. F.	97	19	10	9	3	2	43	5	3	7	5	5	6	4	1	....	2	....	1	4	3	1	6	....	1	....	....
	C. M.	240	69	35	23	19	6	152	18	19	10	10	8	4	....	2	1	3	2	2	2	2	3	1	....	....	....	....
	C. F.	270	69	22	27	10	11	140	24	13	18	15	11	5	5	4	4	5	1	3	11	4	2	4	....	....	1	....
7. Cerebro-spinal fever	W. M.	37	6	7	3	1	1	18	1	5	3	4	....	1	....	1	1	....	1	....	1	....	1	....	....	....	....	....	....
	W. F.	21	5	2	....	2	....	9	3	2	1	....	....	....	2	1	1	....	....	2	....	....	....	....	....	....	....	....	....
	C. M.	42	2	3	....	4	4	13	11	7	3	2	1	1	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....
	C. F.	33	6	1	1	3	....	11	8	8	1	1	....	2	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....
8. Enteric fever	W. M.	446	20	22	15	15	5	77	33	30	48	77	48	24	12	8	10	11	12	10	16	14	5	5	2	....	....	4
	W. F.	479	19	15	15	10	10	69	25	38	62	54	42	38	25	16	14	17	16	20	12	15	8	4	2	....	....	2
	C. M.	465	30	18	16	12	7	83	47	58	66	56	29	19	12	13	17	22	5	15	6	6	2	5	2	....	....	2
	C. F.	543	37	30	20	10	13	110	62	72	66	46	30	24	28	24	15	14	9	20	8	6	3	2	1	....	....	3
9. Diarrhœa	W. M.	211	55	48	20	3	2	128	3	2	1	1	6	7	3	3	5	3	6	3	13	10	6	6	2	2	1	1
	W. F.	183	47	29	13	10	2	101	.....	.....	3	1	1	5	3	7	4	3	8	6	9	13	6	5	6	....	2	....
	C. M.	203	58	53	23	14	7	155	5	4	....	5	4	2	2	4	4	....	2	1	4	1	5	2	....	1	1	1
	C. F.	170	54	43	24	7	....	128	2	1	1	2	3	3	2	3	....	....	4	6	1	4	2	3	3	....	2	....
10. Dysentery	W. M.	310	59	74	50	19	12	214	16	5	2	2	9	8	3	6	5	4	4	3	8	5	5	6	2	1	1	1
	W. F.	290	54	61	34	15	7	171	6	3	10	6	4	4	1	12	3	6	8	10	10	13	5	7	8	1	1	1
	C. M.	274	56	74	28	12	4	174	11	9	4	6	3	6	8	4	8	7	2	11	3	8	2	3	2	1	....	2
	C. F.	252	61	69	24	10	10	174	14	8	2	6	3	7	2	3	2	3	4	11	4	1	2	4	1	1	.....	.....
11. Enteritis	W. M.	304	71	49	20	9	9	158	23	15	13	11	7	6	8	4	7	6	8	8	13	5	6	4	1	....	....	1
	W. F.	266	50	40	24	12	5	131	15	10	5	14	9	5	6	9	5	8	9	7	17	7	3	6	....	....	....	....
	C. M.	230	42	37	18	10	5	112	22	15	12	11	8	4	4	4	5	8	4	4	7	5	....	1	2	1	....	1
	C. F.	192	34	33	14	6	5	92	12	18	9	9	7	6	11	6	3	4	2	4	5	1	....	1	1	....	1	....
12. Cholera morbus	W. M.	33	4	6	5	1	....	16	6	....	1	1	....	....	1	1	1	1	....	1	2	....	1	1	....	....	....	....
	W. F.	27	3	3	2	1	....	9	6	....	....	1	....	2	2	....	....	....	....	....	2	3	1	....	1	....	....	....
	C. M.	24	1	6	2	1	1	11	1	1	....	2	1	....	2	2	1	....	....	....	1	1	....	....	....	....	....	1
	C. F.	20	.....	....	1	2	1	4	1	....	2	3	1	....	3	1	1	1	1	1	.....	.....	1	....	....	....	....	....
13. Cholera infantum	W. M.	292	150	99	35	6	2	292	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	W. F.	257	126	102	27	2	....	257	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	C. M.	215	111	74	25	4	1	215	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	C. F.	182	84	72	16	8	2	182	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14. Malarial fever	W. M.	672	69	52	34	34	36	225	101	40	45	46	32	19	20	15	14	21	16	17	19	19	12	7	2	1	....	1
	W. F.	738	54	50	38	29	28	199	100	62	42	49	39	28	29	27	25	22	19	17	17	23	17	11	4	5	....	3
	C. M.	912	90	95	67	45	48	345	127	62	53	47	35	21	27	25	17	28	21	33	26	18	11	11	2	....	3	....
	C. F.	872	75	61	62	60	45	303	148	71	54	45	42	24	23	21	13	28	14	28	20	13	6	7	3	4	4	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A.—Continued.																												
15. Erysipelas	W.	M.	72	24	5	4	1	1	35	4	3	1	3	1	3	2	1	2	1	2	5	3	2	2	1	1		
		F.	58	15	4	2	2	1	24	4	2	1	4	4		2	4		2	2		2	1	1	2		1	2
	C.	M.	27	7	5	1		1	14	1	1	4	2			2		1	2			1			1			
		F.	23	3	3	2	2		10	1	1		1		1		2		2		1	2	1		1			
16. Septicæmia	W.	M.	6				1		1						1		1		1			1	1					
		F.	6								1		1	2	2													
	C.	M.	4							1		1		1							1							
		F.	17							1		1	4	2	2	1	4	1				1						
17. Puerperal septicæmia	W.—	F.	197									19	59	42	34	28	11	2										2
	C.—	F.	192								2	39	48	31	23	25	17	5		1								1
18. Venereal diseases	W.	M.	8		3				3						1	2	1											1
		F.	7	2	1				3				2				1				1							
	C.	M.	34	8	3	2	2		15		1		3	1	3	3	1	3	2	1								1
		F.	41	10	6	1	1	1	19	1	1	1	3	3	4	3	1	2			2		1					
19. Others of this group	W.	M.	23	5	2			2	9	1		1	1	1		1	1	2	3			1		1		1		
		F.	14				1		1	2	1	1	3	1	1	1		1						1				1
	C.	M.	30	6	1			1	8	2	1	2	2			1		1	1	2	3	4	1	2				
		F.	14	3		2			5	1	1		2	1	1		1	1				1						
General diseases—B.																												
Total			702	183	95	96	68	34	476	82	12	5	15	10	18	18	16	11	13	6	8	1	2	4	4			1
Total: White		M.	172	47	16	18	8	4	93	10	3	4	6	1	7	14	11	5	4	4	6		1	3				
		F.	66	22	7	7	3	4	43	6			2	2	2	1	1	2	4		1				2			
Colored		M.	276	72	50	36	34	12	204	37	7	1	3	6	6	1	3		3	1		1		1	2			
		F.	188	42	22	35	23	14	136	29	2		4	1	3	2	1	4	2	1	1		1					1
1. Worms	W.	M.	51	9	14	18	6	4	51	8	1										1							
		F.	22	4	5	6	2	3	20	2																		
	C.	M.	153	23	35	27	28	10	123	27	3																	
		F.	125	16	18	30	20	12	96	28	1																	
2. Other parasitic diseases.	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
3. Alcoholism	W.	M.	41							1		2	1		4	10	9	5	1	2	4		1	1				
		F.	2							1				1														
	C.	M.	14								2			2	3	1	1		1	1		1		1	1			
		F.	1													1												
4. Lead poison	W.	M.	2									1		1														
		F.																										
	C.	M.																										
		F.																										
5. Other poisons	W.	M.	28	1	2		2		5	1	1	1	5		3	4	1		3	1	1			2				
		F.	24	2	2	1	1	1	7	3			2		2	1	1	2	4		1				1			
	C.	M.	59	5	12	8	6	2	33	9	2	1	3	4	3		1		2						1			
		F.	36	1	4	5	3	2	15	1	1		4	1	3	1	1	4	2	1	1		1					
6. Inanition	W.	M.	40	37					37		1						1			1								
		F.	18	16					16					1										1				
	C.	M.	50	44	3	1			48	1							1											
		F.	26	25					25																			1
General diseases—C.																												
Total			3176	2201	39	13	7	6	2266	10	8	4	6	3	8	6	6	8	13	5	29	31	120	124	180	101	95	151	2
Total: White		M.	701	507	6	3	1	1	518	1	2	1		1	1	1	1	1	6		6	10	22	33	44	23	16	14	
		F.	615	382	3	3	1	2	391	3	2	1	2		3	1	2	6	4		6	9	26	38	50	30	19	16	
Colored		M.	977	732	14	4	3	1	754	2	1	1	2		2	1	1			3	8	6	34	28	27	24	26	55	2
		F.	883	580	16	3	2	2	603	4	3	1	2	2	2	3	2	1	3	2	9	0	38	25	59	18	34	66	
1. Premature birth	W.	M.	103	103					103																			
		F.	92	92					92																			
	C.	M.	91	91					91																			
		F.	98	98					98																			
2. Stillborn	W.	M.	351	351					351																			
		F.	251	251					251																			
	C.	M.	587	587					587																			
		F.	434	434					434																			
3. Malformation	W.	M.	22	19			1		20	1	1																	
		F.	10	10					10																			
	C.	M.	9	7	1				8	1																		
		F.	10	7	2			1	10																			
4. Debility	W.	M.	108	34	6	3		1	44		1	1		1	1	1	1	1	5		6	7	10	13	8	3	4	1	
		F.	102	29	3	3	1	2	38	3	2	1	2		3	1	2	6	4		3	5	9	4	6	8	1	1	
	C.	M.	117	47	13	4	3	1	68	1	1	1	2		2	1	1			3	7	2	8	7	5	1	2	3	2
		F.	122	41	14	3	2	1	61	4	3	1	2	2	2	3	2	1	3		3	3	5	4	9	3	4	7	
5. Old age	W.	M.	117																1			3	12	20	36	20	12	13	
		F.	160																			4	17	34	44	28	18	15	
	C.	M.	173																		1	4	26	21	22	23	24	52	
		F.	219																	2	6	3	33	21	50	15	39	59	
6. Atrophy	W.	M.																										
		F.																										
	C.	M.																										
		F.																										

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		7732	298	283	189	144	83	997	274	289	476	833	726	609	556	498	402	413	269	387	267	222	193	131	61	18	18	25
Total: White	M.	1279	47	37	21	13	7	125	33	42	51	112	87	73	75	88	71	75	57	99	82	77	72	35	19	1	1	4
	F.	1765	54	36	13	15	6	124	28	33	74	193	183	184	164	139	119	98	67	85	76	89	49	36	13	3	4	4
Colored	M.	1826	109	114	73	66	38	400	104	88	115	172	135	108	97	77	74	100	63	94	53	56	26	28	18	5	6	7
	F.	2862	88	96	82	50	32	348	109	126	236	356	321	244	220	192	138	140	82	109	56	70	46	32	11	9	7	10
1. Rheumatism	W. M.	56	2	2	1	....	2	7	5	1	2	3	....	2	1	5	1	3	4	3	4	4	6	3	2	....	....	....
	W. F.	42	....	....	....	....	....	....	1	3	1	1	1	2	1	1	5	4	3	4	1	6	2	3	1	....	2	....
	C. M.	70	....	2	1	3	1	7	3	4	5	4	4	1	4	3	9	2	8	1	4	4	5	2	1	....	....	1
	C. F.	56	1	....	....	....	1	2	2	3	1	3	3	....	5	4	5	6	3	7	3	6	1	1	....	....	1	....
2. Scrofula and tabes	W. M.	68	10	11	2	3	....	26	8	6	2	4	4	....	1	3	5	1	1	1	3	....	2	1	....	....	....	....
	W. F.	74	13	12	3	4	3	40	2	2	3	4	2	5	1	3	3	3	3	1	....	2	....	....	....	....	....	....
	C. M.	139	25	22	9	8	7	71	18	12	9	9	6	3	2	1	1	2	....	3	....	1	1	....	....	....	....	....
	C. F.	138	20	18	17	6	6	67	15	11	12	8	5	1	7	4	1	1	1	2	1	1	1	....	....	....	....	....
3. Leprosy	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	W. M.	636	16	9	4	3	2	34	1	4	28	86	71	61	60	65	42	40	28	40	23	24	21	4	2	....	....	2
	W. F.	1008	12	5	3	3	1	24	3	11	51	156	150	131	117	82	67	52	36	32	33	33	14	8	4	1	1	2
	C. M.	934	37	26	11	18	8	100	28	45	83	133	112	75	75	52	52	54	36	31	21	20	3	4	4	2	....	4
	C. F.	1703	40	33	21	13	9	116	41	84	194	300	256	195	154	111	62	63	32	38	12	20	8	4	2	3	....	8
5. Hydrocephalus	W. M.	21	10	3	2	1	1	17	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	W. F.	23	11	8	1	2	....	22	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	32	16	9	2	1	1	29	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	15	3	4	4	1	....	12	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	W. M.	120	1	....	....	....	....	1	....	1	1	2	1	2	6	3	9	9	10	19	21	11	12	10	1	....	1	....
	W. F.	212	1	....	....	....	....	1	....	....	1	1	5	10	16	28	26	23	15	26	25	11	12	5	3	....	1	2
	C. M.	37	....	....	....	1	1	2	4	2	....	1	1	10	2	2	2	2	1	3	1	1	1	....	1	....	1	....
	C. F.	159	1	....	1	1	....	3	....	....	1	3	3	9	8	18	24	26	9	17	11	8	10	5	3	1	....	....
7. Tumor	W. M.	11	1	....	....	1	....	2	....	....	....	....	....	1	....	1	1	....	....	3	1	1	....	1	....	....	....	....	....
	W. F.	23	3	....	....	....	....	3	2	....	1	1	1	3	3	1	4	....	2	....	....	....	1	1	....	....	....	....	....
	C. M.	14	1	2	....	....	....	3	1	1	....	....	....	....	1	2	....	1	....	3	1	1	....	....	....	....	....	....	....
	C. F.	33	2	1	....	1	....	4	....	....	2	1	1	2	5	3	5	2	2	1	2	1	....	....	....	1	....	1
8. Anæmia	W. M.	8	2	1	....	....	....	3	1	....	....	1	....	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....
	W. F.	14	1	1	....	....	....	2	1	1	....	1	1	3	1	....	....	1	....	2	....	1	....	....	....	....	....	....	....
	C. M.	1	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
	C. F.	4	....	2	1	....	....	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	W. M.	328	5	9	12	5	2	33	15	25	13	15	10	8	6	9	14	22	11	32	28	31	26	13	14	1	....	2
	W. F.	356	6	10	6	6	1	29	19	15	16	27	22	27	25	24	14	13	8	20	16	35	19	20	5	2	....	....
	C. M.	577	25	52	47	35	20	179	49	23	17	25	12	16	16	15	16	31	22	45	28	29	17	18	10	2	5	2
	C. F.	746	21	36	35	28	16	136	49	27	26	41	52	37	41	51	41	42	35	44	27	33	25	22	6	4	6	1
10. Glycosuria	W. M.	25	....	....	....	....	....	....	1	3	3	....	....	....	....	2	....	....	....	2	....	....	2	....	7	4	3	....	....
	W. F.	6	1	....	....	....	....	1	....	1	....	....	....	....	2	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	C. M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	2	1	1	....	....	....	1	....	....	....	....
	C. F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
11. Others of this group	W. M.	6	....	2	....	....	....	2	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	6	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	C. M.	6	2	1	3	....	....	6	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	6	....	2	3	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	W. M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	W. F.	3	....	1	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....
	C. M.	4	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		4250	1072	373	227	166	127	1965	349	187	134	165	114	91	91	100	101	119	120	159	152	128	128	85	23	21	6	12
Total: White	M.	1174	246	90	52	34	35	457	81	45	35	41	26	27	15	27	40	42	50	63	63	44	61	38	10	4	1	4
	F.	1004	194	93	55	39	27	408	90	34	24	49	27	26	27	25	32	25	30	40	47	38	36	30	8	6	....	2
Colored	M.	1117	350	111	76	52	40	629	86	58	44	45	30	16	26	14	18	19	19	31	22	23	14	8	4	6	2	3
	F.	955	282	79	44	41	25	471	92	50	31	30	31	22	23	34	11	33	21	25	20	23	17	9	1	5	3	3
1 Inflammation of the brain.	W. M.	151	44	25	16	7	7	99	12	7	4	4	3	3	2	3	2	3	4	....	....	1	....	2	1	....	....	1
	W. F.	148	36	32	10	5	5	88	27	5	4	10	1	3	2	2	2	1	....	1	1	....	1	....	....	....	....	....
	C. M.	154	31	22	15	10	7	85	14	14	8	9	6	....	3	2	2	3	3	2	....	1	....	....	....	....	....	....
	C. F.	114	23	13	9	7	4	56	20	11	1	3	1	7	2	3	3	2	2	1	....	2	....	....	....	....	....	....
2. Meningitis	W. M.	96	21	13	7	5	10	56	11	4	6	5	....	5	1	1	2	....	3	....	1	....	1	....	....	....	....	....
	W. F.	111	24	16	6	7	5	58	16	11	4	7	4	1	1	1	2	2	1	2	....	1	....	....	....	....	....	....
	C. M.	141	38	14	12	7	12	83	11	15	9	3	3	3	2	3	3	1	1	2	1	....	....	....	....	1	....	....
	C. F.	91	22	9	7	5	5	48	17	7	3	3	3	1	1	2	....	1	1	2	....	....	....	1	....	....	....	1
3. Apoplexy	W. M.	121	1	1	1	....	....	3	1	....	....	2	3	3	4	4	11	9	10	24	14	8	13	7	4	....	....	1
	W. F.	67	3	....	....	....	....	3	....	....	1	....	2	3	3	3	5	7	4	6	12	8	9	....	1	....	....	....
	C. M.	60	1	....	....	1	....	2	....	2	....	2	4	2	2	2	2	2	7	9	5	8	7	2	....	....	1	1
	C. F.	57	1	....	1	2	....	4	....	....	3	3	5	1	3	3	2	5	5	6	3	9	3	2	....	....	....	....
4. Paralysis	W. M.	245	3	....	2	....	1	6	7	4	4	3	1	6	1	10	14	16	20	26	36	23	39	23	2	3	....	1
	W. F.	189	5	2	4	5	....	16	1	4	2	4	2	3	2	7	6	5	16	21	24	16	24	24	6	6	....	....
	C. M.	82	3	1	....	3	1	8	10	1	4	5	2	....	4	....	3	3	4	12	7	8	5	2	2	....	1	1
	C. F.	98	2	....	2	2	....	6	1	3	2	4	3	4	4	5	1	11	6	12	10	10	6	5	....	3	2	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	22	15	1	....	....	1	17	2	1	2	....	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....
		F.	13	7	....	....	....	....	7	2	1	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
	C.	M.	55	33	3	1	1	....	38	5	3	..	2	1	....	1	2	1	2	....	....	....	....	....	....	....	....	....
		F.	30	24	1	....	1	....	26	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	W.	M.	45	5	2	1	....	....	9	2	4	2	5	2	2	2	2	1	2	2	1	2	2	1	1	3	....	1	....
		F.	25	1	1	2	....	....	4	1	1	3	1	5	3	3	1	1	....	....	....	1	....	....	....	....	....	....	....
	C.	M.	36	7	....	1	2	3	13	3	..	2	4	4	1	2	2	1	1	....	....	....	1	1	1	....	....	....	....
		F.	31	3	2	....	2	2	9	2	3	2	4	5	1	....	1	....	1	....	1	....	1	....	....	....	1	....	....
7. Convulsions	W.	M.	156	94	14	5	7	6	126	6	....	7	3	3	1	1	..	2	1	1	1	1	1	....	2	....	....	....	....
		F.	145	65	11	8	7	4	95	10	2	6	8	3	4	6	1	2	....	1	3	....	1	1	1	....	....	....	1
	C.	M.	354	201	51	34	13	8	307	13	6	5	3	4	1	1	1	....	2	1	....	2	2	....	1	2	2	....	1
		F.	326	179	38	19	12	7	255	20	7	9	8	6	4	4	5	....	3	1	1	....	....	....	....	1	1	1	1
8. Mental diseases	W.	M.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....
		F.	11	....	....	....	....	....	....	....	....	....	2	1	1	....	....	2	1	....	1	1	1	....	1	....	....	....	....
	C.	M.	11	....	....	....	....	....	....	1	1	....	2	....	1	2	....	1	1	....	1	1	....	....	....	....	....	....	....
		F.	8	....	....	....	....	....	....	....	....	1	....	1	1	1	2	....	1	....	1	....	....	....	....	....	....	....	....
9. Diseases of the brain	W.	M.	287	58	32	19	13	10	132	36	21	9	15	10	4	4	6	5	8	7	10	7	4	6	2	....	1	....	....
		F.	229	45	29	23	14	10	121	27	9	9	13	7	3	7	7	4	4	5	4	5	6	....	3	1	....	....	....
	C.	M.	194	36	17	12	12	9	86	28	14	14	12	6	6	8	2	1	2	3	4	5	2	....	....	....	1	....	....
		F.	173	26	13	6	8	6	59	28	18	8	2	7	3	6	11	4	8	5	....	5	....	6	1	1	....	....	1
10. Diseases of the spinal cord.	W.	M.	27	2	2	1	2	....	7	4	2	....	2	3	1	....	1	1	1	....	....	1	1	1	....	1	....	....	1
		F.	30	7	2	2	1	3	15	5	....	1	1	....	1	1	....	4	1	....	1	....	....	....	....	....	....	....	....
	C.	M.	15	....	1	1	3	....	5	1	2	1	2	....	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....
		F.	15	2	1	....	2	1	6	4	1	1	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....
11. Others of this group	W.	M.	20	2	....	....	....	....	2	....	2	1	2	....	2	....	....	1	2	3	1	....	3	....	1	....	....	....	....
		F.	36	1	....	....	....	....	1	1	1	..	2	2	4	1	3	4	2	3	1	3	5	1	1	....	....	....	1
	C.	M.	15	....	2	....	....	....	2	....	....	1	1	....	1	1	....	2	1	....	1	1	1	....	2	....	1	....	....
		F.	12	....	2	....	....	....	2	....	..	....	....	....	....	1	1	1	1	1	1	2	....	1	1	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM																												
Total			1438	62	17	8	8	6	101	46	43	42	67	60	78	61	80	86	120	90	143	115	129	102	46	18	5	7	1
Total: White		M.	384	16	2	1	1	1	21	12	13	2	7	9	9	8	14	18	25	30	48	45	58	42	15	5	3	....	....
		F.	385	23	4	2	1	2	32	13	11	13	18	19	30	17	25	23	27	20	32	25	30	32	13	5	....	....	....
Colored		M.	281	11	7	3	5	2	28	12	5	6	10	15	9	18	12	14	33	20	27	21	18	16	10	2	1	3	1
		F.	388	12	4	2	1	1	20	9	14	21	32	17	30	18	29	31	35	20	36	24	23	12	8	4	1	4	....
1. Angina pectoris	W.	M.	7	....	....	....	....	....	....	....	..	....	....	....	1	....	....	1	....	1	....	....	1	1	2	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
		F.	6	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	1	....	....	2	....	....	....	1	....	....
2. Aneurism	W.	M.	7	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	2	2	1	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	11	1	....	....	....	....	1	....	....	....	....	....	1	..	....	2	1	1	4	....	1	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	W.	M.	361	10	2	1	1	1	15	11	13	2	7	7	7	8	14	16	23	27	47	45	57	41	13	5	3	....	....
		F.	369	14	4	2	1	2	23	13	10	13	18	16	30	16	24	23	27	20	32	25	30	32	13	4	....	....	....
	C.	M.	264	8	7	3	5	2	25	12	5	6	10	14	8	18	12	12	32	18	23	20	17	16	9	2	1	3	1
		F.	379	11	4	2	1	1	19	8	14	20	31	17	30	18	29	30	35	19	36	24	23	10	8	4	1	3	....
4. Others of this group	W.	M.	9	6	....	....	....	....	6	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
		F.	12	9	....	....	....	....	9	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	C.	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
		F.	2	1	....	....	....	..	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total			7628	1909	701	421	193	171	3395	330	236	367	478	315	292	279	240	195	268	190	264	226	237	124	130	40	13	7	12
Total: White		M.	1789	413	149	93	36	42	733	62	43	89	100	78	74	60	55	47	62	53	71	78	73	45	44	13	3	....	....
		F.	1497	289	115	74	42	35	555	53	33	57	98	81	85	70	56	55	43	49	54	53	65	27	38	14	5	....	6
Colored		M.	2353	675	232	144	59	54	1164	108	73	109	143	79	73	70	57	52	81	58	84	59	63	34	28	7	5	2	4
		F.	1989	532	205	110	56	40	943	107	87	112	121	77	60	79	72	41	82	30	55	36	36	18	20	6	....	5	2
1. Croup	W.	M.	411	244	64	44	16	20	388	19	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	294	164	43	40	16	14	277	13	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1
	C.	M.	394	280	47	36	7	11	381	10	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
		F.	313	216	39	18	14	8	295	11	5	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
2. Laryngitis	W.	M.	14	2	....	4	2	....	8	2	....	....	....	..	..	1	....	1	....	1	....	1	....	....	....	....	....	....	....
		F.	8	....	....	1	1	1	3	....	....	....	....	2	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....
	C.	M.	4	....	1	....	1	1	3	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	7	1	1	1	....	....	3	2	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	W.	M.	137	33	15	6	2	5	61	2	1	4	3	2	5	1	2	2	2	6	10	9	11	7	7	2	....	....	....
		F.	133	23	15	5	4	3	50	3	3	3	7	8	6	6	5	6	2	8	5	6	6	6	2	....	1	....	....
	C.	M.	127	38	21	11	4	8	82	2	4	5	3	1	1	2	4	2	2	2	6	1	8	1	....	....	....	....	1
		F.	100	27	18	10	3	....	58	8	1	3	5	8	1	2	2	1	2	1	2	1	4	....	....	....	....	....	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	1065	115	64	33	15	17	244	33	38	76	95	70	62	52	48	39	50	40	50	48	52	29	28	8	3		
		F.	905	91	52	24	20	15	202	31	26	48	77	61	67	57	45	42	33	31	40	40	46	16	24	10	3		5
	C.	M.	1716	350	150	94	45	33	672	86	63	100	137	73	69	66	52	44	76	50	68	52	42	27	25	6	5	2	1
		F.	1429	279	137	73	35	29	553	82	79	103	103	65	52	71	63	38	68	22	40	28	24	12	13	3		3	1
5. Pleurisy	W.	M.	44	2	1				3	2		3	1		1	2		3	3	1	2	13	3	4	3				
		F.	40				1		1	1	1	1	4	1	4		2	2	3	4	3	2	3	3	3	1	1		
	C.	M.	43	4	2	2			8	4	1		1	1	1	1		2	1	5	4	3	6	4					1
		F.	65	1	3	2	1	1	8	2	1	4	6	1	5	3	6		5	2	4	4	4	2	5	1		2	
6. Asthma	W.	M.	17			1			1							2	1		1		3	1	3	2	1	2			
		F.	36	2	1				3					3	1	3		2	1	1	2	5	6	2	5	2			
	C.	M.	27		3		2		5			1						2	1	1	4	2	5	2	3	1			
		F.	24	1	1				2				4		1			1	5	1	2	1	1	3	2	1			
7. Others of this group	W.	M.	101	17	5	5	1		28	4	2	5	7	5	6	2	4	2	6	5	6	6	4	3	5	1			
		F.	81	9	3	4		2	18	5	3	3	7	8	5	6	4	3	2	4	4		4		4	1			
	C.	M.	42	3	8	1		1	13	6	3	3	3	3	2	1	1	2	1		2	1	1						
		F.	51	7	6	6	3	2	24	2	1	2	1	3	1	2	1	1	2	4	1	2	2	1		1			
V.—DISEASES OF THE DIGESTIVE SYSTEM.																													
Total			2537	693	550	173	63	34	1513	86	43	56	71	70	67	56	57	66	66	61	93	64	70	41	32	9	8	3	5
Total: White		M.	560	150	69	26	10	5	260	19	12	17	17	19	14	11	19	22	19	21	26	29	26	13	11	2	2		1
		F.	528	106	69	36	14	8	233	25	12	14	16	21	23	14	16	21	15	20	29	11	27	15	7	6	2		1
Colored		M.	752	220	213	62	19	8	522	24	5	12	16	15	13	14	13	14	15	15	27	12	8	11	9	1	2	1	3
		F.	697	217	199	49	20	13	498	18	14	13	22	15	17	17	9	9	17	5	11	12	9	2	5		2	2	
1. Dentition	W.	M.	83	37	39	7			83																				
		F.	104	39	48	15	1		103	1																			
	C.	M.	293	94	154	40	5		293																				
		F.	287	113	141	26	5	1	286		1																		
2. Angina	W.	M.	21	6	5	1	1	1	14	1		1			1	1			1	1			1						
		F.	27	3	1	4	3		11	9	2			1	4														
	C.	M.	28	13	4	2	3	1	23	2				1												1			1
		F.	40	12	4	5	2	4	27	5					1	1	3		1	1		1							
3. Gastritis	W.	M.	24	4			1		5	2	2			2	1		2		2	1		2	2		3				
		F.	25	6		1			7				2	2	1	1	1	1		1	2		5	1	1				
	C.	M.	16	1	2			2	5	1					2	1		1	1	2		1	1	1					
		F.	12	2	1		1	1	5	2	1	1				1	1	1											
4. Other diseases of the stomach.	W.	M.	69	14	6	3	1	1	25	5	2	3	3	2	3	3	1	4	2		5	3	4	3					1
		F.	98	16	1	6	5	2	30	5	1	6	5	7	4	3		8	4	6	4	2	7	4	1	1			
	C.	M.	20	5	5	3			13	2			2			1	1	3	1	1		3	2						
		F.	32	1	3	2	2		8	3	1	2	3	1	2		2	1	1		1	2	3		2				
5. Obstruction of the bowels.	W.	M.	20	5		1	1	1	8		2		2		1		1	1	1	1			2	1					
		F.	15		2	1			3	2				1	2	1		2	1			1				2			
	C.	M.	14		1			1	2			2	1	2		2		2	1		1		1						
		F.	10	2					2	2				1		2		1			1	1							
6. Hernia	W.	M.	12	3	1				4					1		1					1	2	1	1		1			
		F.	5															2		1		1		1					
	C.	M.	20	4	1	2			7			1	2	1	2		2		1					2	1		1		
		F.	3	2			1		3																				
7. Other diseases of the bowels.	W.	M.	61	17	6	2	4		29	4	2	2	2	2	3		3	3	2		3		2	2	3				
		F.	36	5	3	4	1	2	15	3	3	1		1		1	2	1		1	4	1	1		1	1			
	C.	M.	39	9	7	2	4		22	5		1			1			2	1	3	3	1							
		F.	25	5	5	6	1	1	18		1				1			1	1		1		2						
8. Jaundice	W.	M.	29	11	1	3		1	16	1		1		2	2				2	1		2		1	1				
		F.	21	6	1		2	1	10	2	1		3	1		1	1				1				1				
	C.	M.	35	17	4		1		22	1		2	2	1	3		2		1		1								
		F.	13	7	1	1		1	10	1					1					1									
9. Inflammation and abscess of the liver.	W.	M.	40	8	1	1	1		11	2			1	1		1	6	2		2	5	4	2	1	1	1			
		F.	27	3				1	4		1	1			2	3		2	3	2	2	1	3		1				
	C.	M.	22	2	1				3	2	2	1	1		1	1	1	1			3	1	1		1		1	1	
		F.	14	1		1	1		3				1	3		2		1			2	2							
10. Other diseases of the liver.	W.	M.	81	10	3	7	1		21	3	2	6	2	7	1	4	4	4	2	9	2	6	6			1	1		
		F.	65	8	3	2	1	1	15	2		2		4	2	1	6	1	1	4	3	4	7	6	1				
	C.	M.	46	6	1				7	4			5	3	2	3	1	1	3	3	8	2	1	2	1				
		F.	46	2	2	1	3	2	10	2	1	2	6	4	2	3	1	1	7	2	2	2	1						
11. Peritonitis	W.	M.	16	1	3				4		2	1	2		1		1	1		1	1	1	1	1					
		F.	19			1			1			1	2	2	5	1	3			1			1		1				1
	C.	M.	8	1					1	1		3						1		1	1								
		F.	23	2	1				3		1	4	4	2	5	3	1												
12. Ascites	W.	M.	13		1				1			1	1	1		1					1	2	3		2				
		F.	12				1		1	1	1	1		2	1			2	1				1			1			
	C.	M.	17		1	1	1	1	4	2	2		2								2	1	1	2		1			
		F.	19				2		2	2	1		3	2	2			1	3		1		1		1				
13. Others of this group	W.	M.	91	34	3	1		1	39	1		2	3	2		1	2	8	6	6	8	7	2	3	1				
		F.	74	20	10	2		1	33		3	2	3		2	2	3	2	5	4	7	1	2	3		1	1		
	C.	M.	185	68	32	12	5	3	120	4	1	2	1	7	2	6	6	3	5	5	8	3	1	4	6				1
		F.	173	68	41	7	2	3	121	1	7	4	5	2	3	5	1	3	3	1	3	4	2	2	2		2	2	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		417	6	4	7	1	3	21	12	8	8	16	14	16	22	9	22	21	24	48	44	58	34	24	5	4	6	1
Total: White	M.	168	2	1	1	....	....	4	4	3	4	9	3	4	6	3	5	7	8	23	15	31	24	9	4	1	1	....
	F.	51	1	....	4	....	....	5	4	4	....	2	4	3	3	1	4	1	....	4	4	5	2	4	....	....	....	1
Colored	M.	159	2	2	2	1	2	9	1	....	3	4	4	6	7	3	9	12	14	20	23	18	7	11	1	3	4	....
	F.	39	1	1	....	....	1	3	3	1	1	1	3	3	6	2	4	1	2	1	2	4	1	....	....	....	1	....
1. Bright's disease	W. M.	35	....	1	....	....	....	1	1	....	2	5	2	....	....	1	1	....	2	4	4	8	4	....	....	....	....	....
	W. F.	11	....	....	....	....	....	....	....	....	....	....	....	1	1	1	2	1	....	....	2	1	1	1	....	....	....	....
	C. M.	45	1	....	....	....	....	1	....	....	2	3	1	5	2	2	4	7	2	5	3	2	2	3	....	....	1	....
	C. F.	23	1	....	....	....	....	1	2	1	....	1	1	3	4	1	2	1	1	1	1	3	....	....	....	....	....	....
2. Calculus, urinary	W. M.	28	1	....	....	....	....	1	1	1	1	....	....	....	....	....	1	1	1	5	3	4	6	1	2	....	....	....
	W. F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
	C. M.	42	....	1	1	1	....	3	....	....	....	....	....	....	....	....	2	....	....	10	8	5	3	7	1	....	3	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	W. M.	55	....	....	....	....	....	....	2	1	1	2	1	2	5	1	1	2	4	7	7	10	4	4	....	....	1	....
	W. F.	30	1	....	4	....	....	5	3	2	....	2	2	2	2	....	....	....	....	4	1	3	1	2	....	....	....	1
	C. M.	40	1	1	1	....	1	4	1	....	1	1	3	1	3	1	1	2	8	2	3	5	1	....	....	3	....	....
	C. F.	13	....	1	....	....	....	1	1	....	1	....	1	....	2	1	2	....	1	....	1	....	1	....	....	....	1	....
4. Diseases of the bladder	W. M.	29	1	....	....	....	....	1	....	....	....	2	....	2	1	....	1	2	....	3	....	6	7	2	1	1	....	....
	W. F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	C. M.	18	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	1	3	7	3	....	1	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	W. M.	21	....	....	1	....	....	1	....	1	....	....	....	....	....	1	1	2	1	4	1	3	3	2	1	....	....	....
	W. F.	6	....	....	....	....	....	....	1	2	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	C. M.	14	....	....	....	....	1	1	....	....	....	....	....	....	....	....	2	2	3	....	2	3	1	....	....	....	....	....
	C. F.	3	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total		301	....	....	2	1	1	4	1	4	13	25	24	35	32	43	42	20	18	19	3	11	2	1	1	....	....	3
Total: White	F.	108	....	....	....	1	1	2	....	1	1	8	7	10	11	18	17	10	9	3	2	7	....	....	....	....	....	2
Colored	F.	193	....	....	2	....	....	2	1	3	12	17	17	25	21	25	25	10	9	16	1	4	2	1	1	....	....	1
1. Ovarian tumors	W.—F.	11	....	....	....	....	....	....	....	....	....	....	....	....	2	....	4	1	1	....	....	3	....	....	....	....	....	....
	C. —F.	3	....	....	1	....	....	1	1	....	....	....	....	1	....	2	1	1	1	....	....	....	....	....	....	....	....	....
2. Ovarian diseases	W.—F.	0	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	1	1	1	....	....	....	....	....	....
	C. —F.	1	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	1	....	....	....	....	....	....	....	....
3. Uterine tumors	W.—F.	6	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	1	1	....	1	....	....	....	....	....	....
	C. —F.	10	....	....	....	....	....	....	....	....	....	....	....	1	3	2	1	....	....	2	....	1	....	....	....	....	....	....
4. Uterine diseases	W.—F.	17	....	....	....	....	....	....	....	....	....	4	1	1	1	4	3	....	2	....	1	....	....	....	....	....	....	....
	C. —F.	32	....	....	....	....	....	....	....	....	1	1	3	4	5	4	5	2	2	3	....	1	....	....	1	....	....	....
5. Others of this group	W.—F.	68	....	....	....	1	1	2	....	....	1	4	5	9	8	13	8	8	5	1	....	2	....	....	....	....	....	2
	C. —F.	139	....	....	1	....	....	1	....	3	11	16	14	19	11	17	17	7	6	10	1	2	2	1	....	....	....	1
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total		738	....	....	....	....	....	....	....	6	135	172	139	109	102	56	21	5	....	1	....	....	....	....	....	....	....	2
Total: White	F.	274	....	....	....	....	....	....	....	3	35	60	53	47	48	22	4	1	....	....	....	....	....	....	....	....	....	1
Colored	F.	464	....	....	....	....	....	....	....	3	100	112	76	62	54	34	17	4	....	1	....	....	....	....	....	....	....	1
1. Abortion	W.—F.	23	....	....	....	....	....	....	....	....	4	5	3	7	2	2	....	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	40	....	....	....	....	....	....	....	....	8	12	5	3	6	5	1	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	W.—F.	210	....	....	....	....	....	....	....	2	24	45	40	35	41	17	4	1	....	....	....	....	....	....	....	....	....	1
	C. —F.	394	....	....	....	....	....	....	....	2	83	92	65	58	44	29	16	3	....	1	....	....	....	....	....	....	....	1
3. Others of this group	W.—F.	41	....	....	....	....	....	....	....	1	7	10	10	5	5	3	....	....	....	....	....	....	....	....	....	....	....	....
	C. —F.	30	....	....	....	....	....	....	....	1	9	8	6	1	4	....	....	1	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		73	9	1	4	1	....	15	7	7	5	4	5	6	1	4	9	3	1	....	....	1	1	3	....	....	....	1
Total: White	M.	18	4	....	1	1	....	6	1	1	....	1	1	1	....	1	2	1	1	....	....	1	....	1	....	....	....	....
	F.	13	1	....	....	....	....	1	2	....	....	1	1	2	....	....	4	1	....	....	....	....	....	....	....	....	....	1
Colored	M.	24	3	....	3	....	....	6	2	3	3	....	1	3	....	2	2	....	....	....	....	....	1	1	....	....	....	....
	F.	18	1	1	....	....	....	2	2	3	2	2	2	....	1	1	1	1	....	....	....	....	....	1	....	....	....	....
1. Diseases of the spine	W. M.	10	3	....	1	1	....	5	....	....	....	1	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....
	W. F.	6	....	....	....	....	....	....	1	....	....	....	....	....	....	....	3	1	....	....	....	....	....	....	....	....	....	1
	C. M.	5	1	....	1	....	....	2	....	1	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
	C. F.	0	1	1	....	....	....	2	....	1	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	W. M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....
	W. F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	7	....	....	....	....	....	....	1	....	....	....	....	3	....	1	....	....	....	....	....	....	1	1	....	....	....	....
	C. F.	3	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
3. Diseases of the hip-joint.	W. M.	2							1				1														
	W. F.	2							1			1															
	C. M.	1								1																	
	C. F.	1																1									
4. Others of this group	W. M.	3	1					1		1				1													
	W. F.	4	1					1					1	1			1										
	C. M.	11	2		2			4	1	1	3		1			1											
	C. F.	8							1	2	2	1	1				1										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		105	27	6	4	4	1	42	1	2	4	7		5	5	6	3	9	4	8	3	2	3		1		
Total: White	M.	32	5		3	1		9		2	2	3		1	3	3		1	2	2	2	1	1				
	F.	20	9	1				10						1	1	1		3	1	1			1		1		
Colored	M.	31	8	4			1	13	1		1	2		2	1	1	3	3		2		1	1				
	F.	22	5	1	1	3		10			1	2		1		1		2	1	3	1						
1. Abscess	W. M.	20	1		2			3		1	2	2		1	3	2		1	1	2	1		1				
	W. F.	11	4					4						1	1	1		2		1			1				
	C. M.	11	4				1	5			1	2					1	1				1					
	C. F.	9	1	1		1		3			1	2				1				2							
2. Carbuncle	W. M.	3								1		1				1											
	W. F.	1																	1								
	C. M.	11	2	2				4						1	1		2	1		1			1				
	C. F.	4	1					1						1				1	1								
3. Others of this group	W. M.	9	4		1	1		6											1		1	1					
	W. F.	6	5	1				6										1						1			
	C. M.	9	2	2				4	1					1		1		1		1							
	C. F.	9	3		1	2		6										1		1	1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		24	3	1	2	1		7	1	1		2	1	2	1	2	2					3	1	1			
Total: White	M.	10	2			1		3	1	1			1	1	1		1					1					
	F.	6	1		1			2				1				1						1		1			
Colored	M.	4			1			1				1				1							1				
	F.	4		1				1						1			1					1					
1. Addison's disease	W. M.																										
	W. F.																										
	C. M.																										
	C. F.																										
2. Diseases of the spleen	W. M.	7	2			1		3	1	1							1					1					
	W. F.	5	1		1			2				1				1						1					
	C. M.	3			1			1								1							1				
	C. F.	1												1													
3. Others of this group	W. M.	3											1	1	1												
	W. F.	1																						1			
	C. M.	1										1															
	C. F.	3		1				1									1					1					
XII.—ACCIDENTS AND INJURIES.																											
Total		2885	652	185	165	135	113	1250	299	153	177	182	148	127	97	81	55	58	37	73	32	42	28	23	9	7	5	2
Total: White	M.	576	38	27	17	17	8	107	37	36	49	58	54	43	32	35	25	18	11	25	11	10	12	9	2	1		1
	F.	255	35	17	18	14	9	93	26	14	17	12	10	16	10	5	3	7	4	6	5	10	8	3	3	2	1	
Colored	M.	1177	293	72	68	55	43	531	90	68	83	87	66	57	45	28	19	22	12	29	9	14	5	5	3	1	2	1
	F.	877	286	69	62	49	53	519	146	35	28	25	18	11	10	13	8	11	10	13	7	8	3	6	1	3	3	
1. Burns and scalds	W. M.	64	10	14	12	13	2	51	5	1	2		1	1		1		1			1							
	W. F.	94	7	7	8	11	7	40	17	9	10	5	2	3	1	1		2				2	1				1	
	C. M.	254	24	33	45	41	29	172	38	13	5	1		4	1	3	2		1	3	3	2		2	2		2	
	C. F.	401	25	38	46	38	48	195	124	20	16	7	2	3	2	3	1	2	1	7	2	4	3	3	1	1	1	
2. Drowned	W. M.	42			1	1		2	6	7	6	6	5		1	3	1	2		1			1	1				
	W. F.	5			2			2	1												1	1						
	C. M.	90	1	2	3	2	2	10	15	14	18	12	9	4	4	1		1		1		1						
	C. F.	27	2	7	2		2	13	4		1		3					2	1	2	1							
3. Exposure and neglect	W. M.	15	8	1				9	1			1										1	2					
	W. F.	15	3	2	1			6	1			1	1	2						2		2						
	C. M.	103	63	11	9	2	1	86	5	2	1	1			1	1		1			1		1	2		1		
	C. F.	92	56	10	4	3		73	2		2	1	2	2	2	2	1	1	2			2						
4. Gunshot wounds	W. M.	77			1		1	2	1	4	12	11	9	11	8	9	4	3	1	1	1							
	W. F.	4		1				1						2									1					
	C. M.	117			1	2	1	4	3	9	17	26	18	14	10	3	5	2	1	3		1	1					
	C. F.	20	1	1	1	1	1	5	6	2	1	1	2	1	3													
5. Homicide	W. M.	58							3	1	4	14	7	7	6	5	5	1		2	2				1			
	W. F.	4		1			1	2	1			1																
	C. M.	58		1		1		2	1		1	8	13	7	5	1	5	5	4	4		1						
	C. F.	21				1	1	2	1	3	4	2	2	2		2	1	1			1							

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 11—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.																										
		F.																										
	C.	M.	1	1					1																			
		F.	2	2					2																			
7. Injuries by machinery	W.	M.	6									1	1	1						1		2						
		F.																										
	C.	M.	3							2	1																	
		F.																										
8. Railroad accidents	W.	M.	20		1				1		1	4	2	2	3	1	3	2					1					
		F.	1								1																	
	C.	M.	25							1	2	2	7	3	2	5	1			1	1							
		F.	3										1	1						1								
9. Suffocation	W.	M.	23	13	1	1		2	17	1		1							1	1	1							1
		F.	22	14	1	2	1		18				1			2						1						
	C.	M.	158	138	10	2			150					1	1	1	2		1		1	1						
		F.	158	146	3	5			154	2	1							1										
10. Suicide by shooting	W.	M.	9								1		2	2	2			1		1								
		F.	1											1														
	C.	M.	1												1													
		F.																										
11. Suicide by drowning	W.	M.																										
		F.																										
	C.	M.	1												1													
		F.	1									1																
12. Suicide by poison	W.	M.	4													2			1		1							
		F.	2											1	1													
	C.	M.																										
		F.																										
13. Other suicides	W.	M.	18									1	1	5	1	2	1		1	2	2		1	1				
		F.	7									1			3	1	1			1								
	C.	M.	6									1	2	1	1		1											
		F.	1												1													
14. Sunstroke	W.	M.	6												3		2	1										
		F.	4	1					1										2				1					
	C.	M.	21		1	2			3		1	1	2	2	2	4			2	1	1		1	1				
		F.	5										2	2					1									
15. Surgical operations	W.	M.	5								1	1		1	1	1							1					
		F.	3		1				1								1						1					
	C.	M.	7										1			1	1		1		1		2					
		F.	2			1			1											1								
16. Wounds	W.	M.	20		1				1	2	3	1	5		2	1	1				3			1				
		F.	8	2		1		1	4			1	1									1		1				
	C.	M.	21	1			1		2		2	2	3	4	1	3	3		1									
		F.	6		1				1		1		2	1					1									
17. Others of this group	W.	M.	208	7	9	2	3	3	24	18	17	16	15	21	12	10	10	11	8	6	12	7	6	8	5	1	1	
		F.	85	8	4	4	2		18	6	4	5	3	5	5	6	2	3	3	3	4	3	4	4	2	3	2	
	C.	M.	311	65	14	6	6	10	101	25	24	35	24	15	19	10	11	6	5	4	14	4	6	2	1	1		1
		F.	138	54	9	3	6	1	73	7	8	3	9	3	2	4	5	4	3	4	4	3	2				2	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		11917	2530	757	564	356	281	4488	740	475	594	859	733	582	593	531	402	402	260	363	210	228	132	117	42	37	43	80
Total: White	M.	2945	545	146	109	80	52	932	120	110	138	229	217	186	179	161	133	115	95	95	72	61	41	25	10	2	1	23
	F.	2178	390	106	98	51	56	701	152	90	117	187	144	128	146	105	80	74	53	67	32	44	13	14	9	3	....	19
Colored	M.	3489	840	274	190	114	91	1509	237	138	138	200	176	136	133	137	90	120	76	124	63	61	47	40	8	13	19	24
	F.	3305	755	231	167	111	82	1346	231	137	201	243	196	132	135	128	99	93	36	77	43	62	31	38	15	19	23	20
Unknown causes.																												
Total		1228	548	92	65	48	30	783	75	25	27	56	34	32	22	30	18	22	16	24	17	20	4	8	3	3	1	8
Total: White	M.	208	93	14	8	6	5	126	7	1	6	5	11	10	4	5	7	7	6	2	4	4	....	....	1	....	....	2
	F.	202	75	16	8	10	10	119	14	5	3	21	4	6	5	9	1	4	4	3	2	1	....	....	....	....	....	1
Colored	M.	436	209	39	19	14	10	291	34	9	5	11	8	8	6	11	7	7	4	9	7	5	3	4	1	1	1	4
	F.	382	171	23	30	18	5	247	20	10	13	19	11	8	7	5	3	4	2	10	4	10	1	4	1	2	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		3461	509	293	233	137	116	1288	295	193	206	250	199	172	180	147	116	103	61	73	48	44	24	22	5	2	5	28
Total: White	M.	1082	146	67	55	38	21	327	59	58	56	92	70	78	78	66	49	41	25	30	14	11	10	4	2	....	1	5
	F.	741	93	53	47	22	24	239	73	48	60	60	44	47	41	28	27	22	12	6	8	10	2	3	1	....	....	10
Colored	M.	853	134	84	74	38	39	369	89	49	35	45	41	22	32	29	22	22	16	22	17	14	9	8	....	....	3	9
	F.	785	136	80	57	39	32	353	74	38	55	53	44	25	29	24	18	18	8	9	9	9	3	7	2	2	1	4
1. Small-pox	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	W. M.	14	4	2	....	1	1	8	1	....	....	2	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1
	W. F.	7	3	2	....	....	....	5	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	33	4	2	5	3	3	18	7	3	1	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	2
	C. F.	12	5	....	....	1	1	7	2	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	W. M.	40	6	5	9	6	5	31	5	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	35	1	7	5	1	4	18	11	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	15	4	1	1	....	1	7	4	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	12	3	2	....	1	1	7	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	W. M.	20	4	1	1	4	1	11	4	....	....	....	1	2	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	W. F.	17	2	1	3	3	1	10	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	38	8	5	7	2	1	23	10	1	....	....	....	....	1	1	....	1	....	....	....	....	1	....	....	....	....	....	....
	C. F.	33	1	4	1	1	5	12	13	3	1	....	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	W. M.	25	12	7	5	....	....	24	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	26	13	5	3	3	....	24	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	75	33	16	9	5	5	68	6	1	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	C. F.	77	33	16	10	6	3	68	5	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	W. M.	5	3	....	1	....	1	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	8	1	1	....	....	....	2	2	....	1	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	C. M.	37	12	....	9	2	3	26	....	1	1	1	1	....	....	....	....	....	....	1	1	2	1	1	....	....	1	....	....
	C. F.	54	14	11	6	4	5	40	1	....	1	1	2	1	3	1	....	1	....	....	1	....	....	1	....	....	....	....	1
7. Cerebro-spinal fever	W. M.	9	3	....	1	1	1	6	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	W. F.	6	....	3	1	....	....	4	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	C. M.	6	1	....	....	....	....	1	2	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	2	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	W. M.	65	2	2	5	1	....	10	5	8	5	13	8	6	1	....	1	1	1	3	1	....	2	....	....	....	....	....	....
	W. F.	50	....	1	....	....	2	3	4	4	9	5	6	3	3	1	4	3	2	1	....	2	....	....	....	....	....	....	....
	C. M.	42	3	2	2	1	3	11	4	4	5	5	4	2	2	1	1	....	1	1	....	....	1	....	....	....	....	....	....
	C. F.	57	1	2	6	4	1	14	3	5	9	8	4	7	1	2	1	....	....	2	....	....	1	....	....	....	....	....	....
9. Diarrhœa	W. M.	53	11	2	1	1	....	15	1	....	2	....	3	4	1	3	4	5	2	4	2	1	1	3	....	....	....	2
	W. F.	25	6	2	1	2	....	11	....	1	....	1	1	1	2	2	1	2	1	....	....	....	....	1	....	....	....	1
	C. M.	48	7	8	5	2	2	24	4	....	2	3	2	....	1	....	....	....	2	3	....	3	....	2	....	....	....	....	2
	C. F.	35	11	6	1	1	2	21	....	....	1	3	....	....	2	....	....	1	2	....	2	1	....	1	....	....	....	....	1
10. Dysentery	W. M.	64	13	12	5	2	....	32	1	3	2	4	....	3	4	3	2	2	2	4	....	1	....	....	1	....	....	....	....
	W. F.	47	7	4	5	1	....	17	3	3	....	2	3	3	3	4	3	1	1	....	....	3	....	....	....	....	....	....	1
	C. M.	66	9	2	6	2	1	20	4	2	1	4	3	6	4	2	2	6	1	5	3	1	2	....	....	....	....	....	....
	C. F.	47	7	5	6	2	1	21	2	2	....	....	1	2	2	1	5	1	1	2	....	3	1	2	....	....	1	....	....
11. Enteritis	W. M.	70	20	11	6	4	1	42	5	2	2	1	3	2	2	3	3	2	....	2	1	....	....	....	....	....	....	....	....
	W. F.	58	14	3	3	4	3	27	5	2	....	3	2	5	5	1	2	2	1	....	1	1	1	....	....	....	....	....	....
	C. M.	62	8	10	4	6	1	29	3	3	4	2	....	1	1	2	3	....	2	5	3	1	1	....	....	....	....	....	2
	C. F.	45	12	4	4	2	....	22	4	1	4	3	3	....	1	....	2	4	....	....	....	....	....	....	1	....	....	....	....
12. Cholera morbus	W. M.	11	3	....	....	....	....	3	1	2	....	....	....	1	....	1	1	....	....	....	1	....	....	1	....	....	....	....	....
	W. F.	3	....	1	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	11	2	....	....	....	....	2	2	....	....	2	....	....	1	1	1	....	....	....	1	....	....	....	....	....	....	....	1
	C. F.	8	....	....	....	....	....	....	2	....	....	1	....	....	....	....	1	2	....	1	....	1	....	....	....	....	....	....	....
13. Cholera infantum	W. M.	60	36	16	6	....	2	60	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	40	21	12	6	....	....	39	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	29	17	8	2	2	....	29	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	23	15	7	....	....	1	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	W. M.	224	17	8	10	15	6	56	19	9	18	21	18	14	12	11	8	6	9	8	5	1	2	....	1	....	1	2
	W. F.	172	14	11	16	6	9	56	29	10	13	11	12	10	7	3	6	6	1	2	4	....	....	1	....	....	....	1
	C. M.	260	18	26	18	12	19	93	37	25	13	14	12	5	7	12	6	6	2	3	8	6	4	3	....	....	2	2
	C. F.	258	25	28	22	16	11	102	31	19	16	21	12	4	10	9	7	6	3	2	4	4	....	3	1	2	....	2

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas	W. M.	31	5		1			6		1	2	1	1	2	3	2	1	4		4	1	1	1					1
	W. F.	20	6		1			7	2	1		1	2	2	1	2						2						
	C. M.	9	1		1			2	2						1		2		1	1								
	C. F.	4	1	1				2	1								1											
16. Septicæmia	W. M.	1															1											
	W. F.	0	1					1	1			1		1			1				1							
	C. M.	5								1		1	1		2													
	C. F.	2											1								1							
17. Puerperal septicæmia	W.—F.	38									3	12	5	9	6	3												
	C. —F.	32								2	7	7	8	5	1	2												
18. Venereal diseases	W. M.	3												1				1				1						
	W. F.	1	1					1																				
	C. M.	9	4	1				5				2	1	1														
	C. F.	10	1	1				2			1	1	1		2	1				1	1							
19. Others of this group	W. M.	387	7	1	4	3	3	18	15	29	25	50	34	42	55	42	28	20	9	11	2	3	4					
	W. F.	182	3		3	2	5	13	7	19	33	23	12	13	14	12	10	7	5	3	1	2	1	1	1			5
	C. M.	108	3	3	4	1		11	4	5	6	10	16	7	12	10	6	9	7	3	1			1				
	C. F.	74	7	2	1	1	1	12	6	2	13	8	11	4	7	6	1	2	2									
General diseases—B.																												
Total		176	44	23	13	22	9	111	17	5	1	6	4	6	3	6	2	2	2	4		2			1			2
Total: White	M.	35	5	2	3	3	1	14	2	1		1	3	3	2	2	2	1		2		1						1
	F.	26	9	3	2	2	2	18	3			1	1		1	1	1											
Colored	M.	65	15	9	4	8	5	41	7	3	1	2		2		2		1	2	2		1			1			
	F.	50	15	9	4	9	1	38	5	1		2		1		1	1											1
1. Worms	W. M.	8		1	3	1	1	6	1																			1
	W. F.	11	1	3	1	1	2	8	3																			
	C. M.	31	5	5	4	7	5	26	3	2																		
	C. F.	28	3	8	4	8	1	24	4																			
2. Other parasitic diseases.	W. M.																											
	W. F.																											
	C. M.																											
	C. F.																											
3. Alcoholism	W. M.	10											2	2		2	1			1								
	W. F.	3										1	1				1											
	C. M.	6												2		1		1	1			1						
	C. F.																											
4. Lead poison	W. M.																											
	W. F.																											
	C. M.																											
	C. F.																											
5. Other poisons	W. M.	9				2		2	1			1	1	1	2					1								
	W. F.	4	1		1	1		3							1													
	C. M.	18	1	3		1		5	4	1	1	2				1			1	2					1			
	C. F.	9	1	1				2	1			2		1		1	1											1
6. Inanition	W. M.	8	5	1				6		1												1						
	W. F.	7	7					7								1												
	C. M.	10	9	1				10																				
	C. F.	13	11			1		12		1																		
General diseases—C.																												
Total		686	471	13	10	1		495	3	2	2	2	3	3	6	4	2	7	5	8	7	28	22	29	11	17	29	1
Total: White	M.	171	139	3	1	1		144				1	2	1	2		1	2	1	1		5	4	4	2	1		
	F.	107	68	1	2			71					1	1	3	3			1	2	4	10	1	5	3	2		
Colored	M.	195	140	6	4			150	1	1		1			1	1		1	3	3	1	4	4	8	1	5	10	
	F.	213	124	3	3			130	2	1	2			1			1	4		2	2	9	13	12	5	9	19	1
1. Premature birth	W. M.	36	36					36																				
	W. F.	15	15					15																				
	C. M.	14	14					14																				
	C. F.	11	11					11																				
2. Stillborn	W. M.	84	84					84																				
	W. F.	41	41					41																				
	C. M.	111	111					111																				
	C. F.	87	87					87																				
3. Malformation	W. M.	8	7	1				8																				
	W. F.	1	1					1																				
	C. M.	3	2	1				3																				
	C. F.	1	1					1																				
4. Debility	W. M.	32	12	2	1	1		16				1	2	1	2		1	2		1		4	2					
	W. F.	33	10	1	2			13					1	1	3	3			1	2	4	2		1	1	1		
	C. M.	37	13	5	4			22	1	1		1			1	1		1	2	2		3	1				1	
	C. F.	51	25	3	3			31	2	1	2			1			1	3			1	3	1	2		2	1	
5. Old age	W. M.	11																	1			1	2	4	2	1		
	W. F.	16																				8	1	4	2	1		
	C. M.	30																	1	1	1	1	8	8	1	5	9	
	C. F.	63																1		2	1	6	12	10	5	7	18	1
6. Atrophy	W. M.																											
	W. F.	1	1					1																				
	C. M.																											
	C. F.																											

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		1580	33	53	38	28	19	171	76	60	104	180	181	116	146	122	85	81	57	79	36	34	17	15	4	5	1	10
Total: White	M.	273	7	6	5	2	2	22	3	4	11	27	26	29	28	26	20	12	19	16	11	8	4	5	1	....	....	1
	F.	285	6	5	3	2	2	18	9	5	16	35	39	23	36	21	14	16	13	20	5	7	4	2	....	....	....	2
Colored	M.	436	7	24	12	15	7	65	27	16	27	42	49	26	35	35	18	22	16	22	13	8	6	3	1	1	1	3
	F.	586	13	18	18	9	8	66	37	35	50	76	67	38	47	40	33	31	9	21	7	11	3	5	2	4	....	4
1. Rheumatism	W. M.	17	1	....	1	....	....	2	....	....	2	2	....	1	1	1	1	....	3	1	....	1	....	2	....	....	....	....	....
	W. F.	8	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	1	1	1	1	1	....	....	....	....	....
	C. M.	14	....	....	1	....	....	1	....	....	1	....	....	....	1	1	1	3	....	2	2	....	2	....	....	....	....	....	....
	C. F.	13	....	....	....	....	....	....	1	....	1	....	....	2	2	....	....	2	2	....	....	2	1	....	....	....	....	....	....
2. Scrofula and tabes	W. M.	10	3	4	1	....	....	8	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	W. F.	11	2	1	1	....	....	4	....	1	1	1	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. M.	25	3	7	2	3	....	15	2	7	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	36	5	6	4	2	2	19	7	5	1	....	1	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....
3. Leprosy	W. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	W. M.	187	1	2	1	....	1	5	....	2	6	24	23	24	22	20	13	10	12	11	6	5	2	....	1	....	....	1
	W. F.	195	....	3	1	....	1	5	3	1	13	30	31	19	29	15	12	11	10	9	3	2	....	....	....	....	....	2
	C. M.	278	2	7	3	3	4	19	6	6	23	38	45	25	32	26	11	11	11	11	4	3	1	2	....	1	....	3
	C. F.	372	4	5	6	2	3	20	12	24	38	65	58	30	35	29	24	14	2	7	3	4	2	1	....	....	....	4
5. Hydrocephalus	W. M.	3	2	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	5	2	....	1	2	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	5	2	1	....	....	1	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	W. M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	3	....	1	....	....	....	....	....	....	....
	W. F.	25	....	....	....	....	1	1	....	....	....	....	1	1	3	4	1	5	....	4	....	2	2	1	....	....	....	....	....
	C. M.	9	....	1	....	....	....	1	2	....	....	....	....	....	....	2	1	1	....	2	....	....	....	....	....	....	2	....	....
	C. F.	31	....	....	....	1	....	1	1	....	....	1	1	4	4	7	5	2	3	....	....	....	....	....	....	....	....	....	....
7. Tumor	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	C. M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
8. Anæmia	W. M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	C. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	W. M.	40	....	....	2	2	1	5	3	2	2	....	1	4	3	4	5	2	2	1	2	1	1	2	....	....	....	....	....
	W. F.	38	2	....	1	2	....	5	4	2	2	4	5	2	2	....	1	....	2	6	1	1	1	....	....	....	....	1	....
	C. M.	100	....	9	5	7	3	24	17	8	3	3	4	1	2	6	4	5	5	6	7	4	3	1	1	....	....	....	....
	C. F.	123	1	6	7	4	2	20	16	6	9	10	6	2	4	4	4	12	2	12	3	5	....	4	2	2	....	....	....
10. Glycosuria	W. M.	7	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	1	....	2	....	1	....	....	....	....	....
	W. F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	....	....	....	....	....
	C. M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																													
Total		1092	352	68	67	41	32	560	92	47	41	53	33	28	34	29	22	33	18	28	15	18	14	11	5	2	1	8
Total: White	M.	293	65	18	19	13	10	125	19	13	15	21	16	9	12	11	9	10	5	7	3	7	7	1	1	....	....	2
	F.	214	58	10	20	3	7	98	21	7	7	13	4	9	11	5	2	7	4	11	5	6	1	....	2	1	....	....
Colored	M.	305	127	17	14	12	7	177	27	14	7	12	6	6	6	8	3	9	5	7	5	1	3	4	....	1	1	3
	F.	280	102	23	14	13	8	160	25	13	12	7	7	4	5	5	8	7	4	3	2	4	3	6	2	....	....	3
1. Inflammation of the brain.	W. M.	56	15	6	2	4	3	30	1	4	2	3	4	3	4	2	....	1	....	....	1	1	....	....	....	....	....	....	....
	W. F.	27	7	2	4	....	1	14	5	....	2	2	....	1	1	....	....	....	....	1	....	....	1	....	....	....	....	....	1
	C. M.	40	6	5	4	3	1	19	8	4	3	2	3	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	37	7	5	2	1	2	17	8	2	3	2	3	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis	W. M.	44	11	3	2	1	2	19	5	1	4	4	3	....	3	1	....	1	1	1	....	1	....	....	....	....	....	....	....
	W. F.	29	5	1	2	2	....	10	3	2	....	2	1	3	1	1	....	4	1	....	1	....	....	....	....	....	....	....	....
	C. M.	24	6	2	1	2	1	12	4	5	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	25	4	3	2	2	1	12	7	2	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
3. Apoplexy	W. M.	24	2	....	....	1	....	3	....	....	....	1	....	4	2	1	....	2	2	3	1	....	1	2	1	1	....	....	....
	W. F.	9	....	....	....	....	....	....	....	....	....	1	2	....	....	1	2	....	....	....	2	....	1	....	....	....	....	....	....
	C. M.	13	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	3	....	1	2	....	2	2	....	1	....	....
	C. F.	16	1	....	....	....	....	1	....	....	....	....	....	1	1	....	....	4	2	2	2	....	1	....	2	....	....	....	....
4. Paralysis	W. M.	20	....	....	1	....	....	1	....	....	....	....	2	1	....	1	1	4	2	....	2	2	1	3	....	....	....	....	....
	W. F.	25	....	....	3	....	....	3	1	....	....	....	....	1	2	1	1	1	1	1	6	2	3	....	....	1	1	....	....
	C. M.	19	....	....	....	1	....	1	....	2	1	....	....	....	....	3	....	1	1	1	4	....	1	1	2	....	....	1	....
	C. F.	21	....	1	2	....	....	3	....	....	2	....	....	....	1	....	....	2	1	1	....	2	2	3	2	1	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	10	8					8		1						1											
		F.	6	6					6																			
	C.	M.	36	27	1	1			27	3	1		1	1				1	1	1								
		F.	21	18					20		1																	
6. Epilepsy	W.	M.	5								1	1		1		1			1									
		F.	4							1		1	1								1							
	C.	M.	4							1		1	1						1									
		F.	8	1				1	2	1		1	1		1			1			1							
7. Convulsions	W.	M.	27	13	1	5	2	2	23	2			2															
		F.	23	16	1	1			18		1		1			2					1							
	C.	M.	104	79	6	3	5	4	97	5											1							1
		F.	109	70	10	5	8	2	95	3	4	2	2			1												2
8. Mental diseases	W.	M.	2									1					1											
		F.	2													2												
	C.	M.																										
		F.	2																			1			1			
9. Diseases of the brain	W.	M.	90	14	6	9	4	2	35	11	6	4	9	3	4	2	5	2	2	1	2		1	1				2
		F.	73	18	5	10	1	6	40	10	4	2	5		2	2			2	1	1	2	1			1		
	C.	M.	52	9	4	5	1	1	20	5	1	2	5	1	1	1	5	1	3	1	2	3						1
		F.	36		3	2	2	2	9	5	4	2	2	2	1	3	2	1	3	1					1			
10. Diseases of the spinal cord.	W.	M.	11	2	2			1	5			2	1					1	1				1					
		F.	8	4	1				5	1					1	1												
	C.	M.	4								1		1		1	1												
		F.	2	1					1	1																		
11. Others of this group	W.	M.	4				1		1												1		1	1				
		F.	8	2					2			1		2			1	1					1					
	C.	M.	3			1			1	1							1											
		F.	3									1					1		1									
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total			237	6	1	3	1	1	12	6	11	7	21	11	15	9	13	17	19	17	25	18	12	9	9	2	1	1	2
Total: White		M.	88								3	2	1	2	5		1	2	1	5	2	5	1	2	5	1		
		F.	54	4	1			1	6		2	2	6		1	2	2	7	5	5	7	2	4	1	1			1
Colored		M.	74			3			3	1	5	2	5	1	5	5	2	3	8	5	10	6	4	5	1	1	1	1
		F.	71	2			1		3	5	1	1	9	8	4	2	8	5	5	2	6	5	3	1	2			1
1. Angina pectoris	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
2. Aneurism	W.	M.	3																1		1	1						
		F.																										
	C.	M.	2																2									
		F.	4										1		1				1				1					
3. Diseases of the heart	W.	M.	35								3	2	1	2	5		1	2		5	1	4	1	2	5	1		
		F.	52	2	1			1	4		2	2	6		1	2	2	7	5	5	7	2	4	1	1			1
	C.	M.	71			3			3	1	5	2	5	1	5	5	2	3	6	5	9	6	4	5	1	1	1	1
		F.	66	1			1		2	5	1	1	8	8	3	2	8	5	4	2	6	5	2	1	2			1
4. Others of this group	W.	M.																										
		F.	2	2					2																			
	C.	M.	1																		1							
		F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total			1743	296	96	66	34	28	520	71	75	107	141	114	90	101	89	74	89	48	72	42	39	26	17	5	5	2	16
Total: White		M.	486	58	18	11	8	6	101	11	12	36	50	56	29	29	23	23	28	18	16	20	15	7	3	1	1		7
		F.	281	39	9	6	7	6	67	15	20	18	19	18	14	29	19	17	14	6	10	4	3	4	2				2
Colored		M.	552	107	35	30	10	8	190	22	19	33	42	24	28	26	24	19	31	17	31	8	10	9	10	3	2	1	3
		F.	424	92	34	19	9	8	162	23	24	20	30	16	19	17	23	15	16	7	15	10	11	6	2	1	2	1	4
1. Croup	W.	M.	51	35	4	4	2	3	48	2				1															1
		F.	38	18	3	3	5	4	33	4																			
	C.	M.	59	44	6	7	1		58	1																			
		F.	61	40	11	4	1	2	58		1																		2
2. Laryngitis	W.	M.	4			1			1			1						1		1									
		F.	4			1			1		2		1																
	C.	M.	1		1				1																				
		F.	1					1	1																				
3. Bronchitis	W.	M.	27	8	1	1			10	2			1	1		1	2	1		1	1	1	2	1	1	1	1		
		F.	26	9	1		1		11	1			1			3	1	1	2	1	1	1	1	2					
	C.	M.	18	5	3	1	1		10	2		1			1	1			1		1		1						
		F.	25	8	3	2			13	1			2		2	1	1		2	1		1			1				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	366	12	10	4	4	2	32	5	12	35	46	52	25	24	18	19	26	16	15	17	11	4	2			7
		F.	192	8	4	2	1	1	16	8	15	17	16	17	13	25	17	15	12	5	8	2	1	2	2			1
	C.	M.	444	53	24	21	8	8	114	17	16	29	42	24	27	24	24	15	28	16	27	7	8	8	9	3	2	1	3
		F.	312	41	18	11	5	4	82	20	21	19	26	15	17	15	20	14	13	6	14	7	11	5	2		3	1	2
5. Pleurisy	W.	M.	7	1					1				1		1	1		2	1										
		F.	2								1	1																	
	C.	M.	16	1		1			2	2	2	2				1		1			2	1	1	1	1				
		F.	8	2					2				2	1			1				1	1							
6. Asthma	W.	M.	3										1	1		1						1	2	2					
		F.	5	1					1	1			1				1					1							
	C.	M.	3	1					1										1		1								
		F.	6		1				1							1	1	1				1		1					
7. Others of this group	W.	M.	23	2	3	1	2	1	9	2			1	1	3	2	3		1			1							
		F.	14	3	1			1	5	1	2			1	1	1		1			1		1						
	C.	M.	11	3	1				4		1	1						3	1	1									
		F.	11	1	1	2		1	5	2	2	1							1										
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total			558	144	93	41	18	19	315	20	10	11	18	17	23	13	17	20	15	15	18	8	15	5	2	4		1	5
Total: White		M.	133	24	15	6	5	5	55	7	5	1	2	5	7	4	7	6	6	7	8	4	2	1	1				5
		F.	105	24	8	9	2	3	46	11	2	2	6	4	6	1	6	6	2	6	2	1	2			2			
Colored		M.	184	43	45	15	7	9	119	6	2	3	3	4	0	5	3	5	7	1	7		3	4	1				
		F.	136	53	25	11	4	2	95	2	1	5	7	4	4	3	1	3		1	1	3	3			2		1	
1. Dentition	W.	M.	19	9	8				17																				2
		F.	15	8	4	2			14	1																			
	C.	M.	60	14	36	8	1	1	60																				
		F.	47	19	19	7	2		47																				
2. Angina	W.	M.	10		1	1	2	1	5	2			1		1	1													
		F.	0	3		1			4	1								1											
	C.	M.	7	5	1				6									1											
		F.	7	2		2			4			1		1									1							
3. Gastritis	W.	M.	7		1				1						2	1		1	1				1						
		F.	2																				1		1				
	C.	M.	3											2										1					
		F.	1	1					1																				
4. Other diseases of the stomach.	W.	M.	38	6	3	4	2	2	17	3	3			1	1	1	3		3	2	2		1						1
		F.	23	4	3	1	1	2	11	3	1	1	1	1		2	1		1			1							
	C.	M.	9	1				1	2	3			1		1			1			1								
		F.	9				1		1				3	1		1	1	1				1								
5. Obstruction of the bowels.	W.	M.	4											1						1	1	1							
		F.	3												2					1									
	C.	M.	3																1				1	1					
		F.	5		1				1				1									1								
6. Hernia	W.	M.	2	1					1								1												
		F.	1														1												
	C.	M.	9	1					1					1	1	2					2		1	1					
		F.	1											1															
7. Other diseases of the bowels.	W.	M.	8	2					2	1	1		1						1	1	1								
		F.	4			1			1	1									1	1									
	C.	M.	9				1	3	4	1	1				1	1			1										
		F.	2	1					1						1														
8. Jaundice	W.	M.	2															1	1										
		F.	6	2		1		1	4	1								1											
	C.	M.	3	1				1	2						1														
		F.	1													1													
9. Inflammation and abscess of the liver.	W.	M.	15					1	1	1	1			2	2	1	1	1	1	1	2			1					
		F.	13	1		1	1		3			1	1	1	1		2	1	1	1	1								
	C.	M.	12				2		2	1		1			1	1		1	2		1		2						
		F.	6	1					1						1			1					1			2			
10. Other diseases of the liver.	W.	M.	14	2	2	1	1		6			1					1	2		2		1							1
		F.	5		1				1				2		1			1											
	C.	M.	16	1				2	3		1		2	1	1			1	2	1	1		3						
		F.	2									1										1							
11. Peritonitis	W.	M.	2																		1	1							
		F.	3							1			1	1															
	C.	M.	3	2					2								1												
		F.	7				1		1	1		1	1			1		1		1									
12. Ascites	W.	M.	1					1	1																				
		F.	6							1			1		1							1		1		1			
	C.	M.	6			3	1		4								1						1						
		F.	8		1	1			2	1		1	1	1	2														
13. Others of this group	W.	M.	11	1					4					1	1		1	1			1				1				1
		F.	18	6		2			8	2	1			1	1	1	1	1		2									
	C.	M.	44	18	8	4	2	1	33	1		2				1	1	1	1		2		1		1				
		F.	42	29	4	1		2	36		1	1	1								1		1					1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	105	3	1	....	1	1	6	4	2	1	10	6	....	5	7	9	8	11	9	12	6	5	1	1	1	1
Total: White M.	52	....	....	....	....	1	1	2	1	1	7	2	....	2	3	5	2	6	1	8	4	5	1	1	....	....
Total: White F.	17	1	....	....	....	....	1	....	1	....	2	3	....	....	1	3	1	2	2	1	....	....	....	....	....	....
Colored M.	22	2	1	....	....	....	3	....	....	....	....	....	....	1	3	1	3	2	3	2	2	....	....	....	1	1
Colored F.	14	....	....	....	1	....	1	2	....	....	1	1	....	2	....	....	2	1	3	1	....	....	....	....	....	....
1. Bright's disease W. M.	14	....	....	....	....	....	....	....	....	....	4	....	....	....	2	3	....	1	....	3	....	1	....	....	....	....
1. Bright's disease W. F.	6	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	2	1	....	....	....	....	....	....
1. Bright's disease C. M.	7	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	2	....	1	....	....	....	....	....	....
1. Bright's disease C. F.	7	....	....	....	....	....	....	2	....	....	1	....	....	2	....	....	1	....	1	....	....	....	....	....	....	....
2. Calculus, urinary W. M.	5	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....
2. Calculus, urinary W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary C. M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	1	....
2. Calculus, urinary C. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
3. Diseases of the kidney W. M.	12	....	....	....	....	1	1	1	....	1	....	....	....	....	....	2	1	3	....	....	1	1	....	1	....	....	....
3. Diseases of the kidney W. F.	5	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....
3. Diseases of the kidney C. M.	10	2	1	....	....	....	3	....	....	....	....	....	....	....	2	....	1	....	2	1	1	....	....	....	....	....
3. Diseases of the kidney C. F.	6	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	1	1	2	....	....	....	....	....	....	....	....
4. Diseases of the bladder W. M.	7	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	3	1	....	1	....	....	....
4. Diseases of the bladder W. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diseases of the bladder C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group W. M.	14	....	....	....	....	....	....	....	....	....	2	2	....	2	1	....	1	1	....	2	2	1	....	....	....	....
5. Others of this group W. F.	5	....	....	....	....	....	....	....	1	....	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group C. M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....
5. Others of this group C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total	54	....	....	....	....	....	....	1	1	4	6	7	5	7	9	4	6	1	2	....	1	....	....	....	....	....
Total: White F.	18	....	....	....	....	....	....	....	....	1	3	3	3	2	3	1	2	....	....	....	....	....	....	....	....	....
Colored F.	36	....	....	....	....	....	....	1	1	3	3	4	2	5	6	3	4	1	2	....	1	....	....	....	....	....
1. Ovarian tumors W.—F.	2	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Ovarian tumors C.—F.	3	....	....	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases W.—F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Ovarian diseases C.—F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors W.—F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Uterine tumors C.—F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases W.—F.	5	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	1	....	....	....	....	....	....	....	....	....
4. Uterine diseases C.—F.	7	....	....	....	....	....	....	....	....	1	1	1	....	1	1	....	1	....	....	....	1	....	....	....	....	....
5. Others of this group W.—F.	10	....	....	....	....	....	....	....	....	1	3	1	1	1	2	1	....	....	....	....	....	....	....	....	....	....
5. Others of this group C.—F.	26	....	....	....	....	....	....	1	1	2	1	3	2	4	3	3	3	1	2	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total	216	....	....	....	....	....	....	....	1	36	45	43	36	27	20	4	....	....	....	....	....	....	....	....	....	4
Total: White F.	82	....	....	....	....	....	....	....	....	6	17	19	16	13	7	1	....	....	....	....	....	....	....	....	....	3
Colored F.	134	....	....	....	....	....	....	....	1	30	28	24	20	14	13	3	....	....	....	....	....	....	....	....	....	1
1. Abortion W.—F.	7	....	....	....	....	....	....	....	....	1	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Abortion C.—F.	14	....	....	....	....	....	....	....	....	4	....	2	3	2	3	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth W.—F.	66	....	....	....	....	....	....	....	....	4	11	15	14	11	7	1	....	....	....	....	....	....	....	....	....	3
2. Child-birth C.—F.	111	....	....	....	....	....	....	....	1	22	26	22	15	11	10	3	....	....	....	....	....	....	....	....	....	1
3. Others of this group W.—F.	9	....	....	....	....	....	....	....	....	1	3	1	2	2	....	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group C.—F.	9	....	....	....	....	....	....	....	....	4	2	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	13	1	1	....	....	....	2	1	3	....	1	....	....	3	....	1	1	1	....	....	....	....	....	....	....	....
Total: White M.	3	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Total: White F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
Colored M.	5	1	1	....	....	....	2	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
Colored F.	4	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
1. Diseases of the spine W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine C. M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Diseases of the spine C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones W. M.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Diseases of the bones C. F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																										
3. Diseases of the hip-joint. W. M.	2								1					1												
W. F.	1													1												
C. M.	2		1				1				1			1			1									
C. F.	2																									
4. Others of this group... W. M.																										
W. F.																										
C. M.	1							1								1										
C. F.	1																									
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																										
Total	25	8	2	3		2	15		1	1		2	1			1		2	1		1					
Total: White M.	5	2	1				3									1		1								
White F.	2	1					1			1																
Colored M.	11	4	1				5		1			1	1					1	1		1					
Colored F.	7	1		3		2	6					1														
1. Abscess W. M.	2															1		1								
W. F.	2	1					1			1																
C. M.	4		1				1					1	1								1					
C. F.	2	1					1					1														
2. Carbuncle. W. M.																										
W. F.																										
C. M.									1																	
C. F.	1																									
3. Others of this group... W. M.	3	2	1				3																			
W. F.																										
C. M.	6	4					4											1	1							
C. F.	5			3		2	5																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																										
Total	6								1		2	1	2													
Total: White M.	4								1		2		1													
White F.	1											1														
Colored M.	1												1													
Colored F.																										
1. Addison's disease W. M.																										
W. F.																										
C. M.																										
C. F.																										
2. Diseases of the spleen W. M.	4								1		2		1													
W. F.	1											1														
C. M.	1												1													
C. F.																										
3. Others of this group... W. M.																										
W. F.																										
C. M.																										
C. F.																										
XII.—ACCIDENTS AND INJURIES.																										
Total	736	115	21	25	25	24	210	72	38	46	68	78	53	37	38	25	16	6	20	7	8	6	3	1	1	1	2
Total: White M.	162	6	2	1	4	1	14	10	9	10	20	24	14	17	17	8	5	2	4	3	3	1	1				
White F.	42	12		1	3	1	17	6		1	4	3	2	1			1		4		1		1	1			
Colored M.	349	51	12	15	10	6	94	21	19	25	37	42	31	15	19	12	9	3	7	4	3	4	1		1	1	1
Colored F.	183	46	7	8	8	16	85	35	10	10	7	9	6	4	2	5	1	1	5		1	1					1
1. Burns and scalds W. M.	3			1			1				1			1													
W. F.	14	3		1	2	1	7	2			1		1				1		1		1						
C. M.	33	9	6	5	3	3	26	2		1		3	1						1								
C. F.	70	4	4	6	7	10	31	24	4	1	2	4	2			1			1								
2. Drowned W. M.	21		2		1		3	2	1	2	4	3	1	2	1	1			1								
W. F.	1							1																			
C. M.	70	3	1			1	5	12	9	7	7	7	8	4	4	1	1	1	1	2					1		1
C. F.	11							5	2	1			1	1													
3. Exposure and neglect W. M.	1	1					1																				
W. F.	5	4					4						1										1				
C. M.	21	9	1	3	4		17	1		1									1								
C. F.	19	8	1			3	12	1		2	1		1	1					1								
4. Gunshot wounds W. M.	43				1		1	3	2	4	4	9	6	7	2	3	2										
W. F.	2											2															1
C. M.	64	1			1		2		5	6	12	14	10	4	3	3	2		1	1							
C. F.	11			1	1	1	3		2	1	2	1	1	1													
5. Homicide W. M.	2											2	3	1			1	1			1						
W. F.	1																			1							
C. M.	36										2	7	10	5	2	2	4	1	1	1		1					
C. F.	8										2	1	1	1		1	1			1							

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 12—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.																										
		F.	1	1					1																			
	C.	M.																										
		F.																										
7. Injuries by machinery	W.	M.												1														
		F.																										
	C.	M.	1																		1							
		F.	1																									
8. Railroad accidents	W.	M.	4									2		1								1						
		F.																										
	C.	M.	5			1			1		1		1	1				1										
		F.	3										1	1														
9. Suffocation	W.	M.	3	2			1		3																			
		F.	2	2					2																			
	C.	M.	14	14					14																			
		F.	23	22	1				23																			
10. Suicide by shooting	W.	M.	2														2											
		F.																										
	C.	M.																										
		F.																										
11. Suicide by drowning	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
12. Suicide by poison	W.	M.											2															
		F.	2																									
	C.	M.																										
		F.																										
13. Other suicides	W.	M.	9										1		1		4	1				1		1				
		F.																										
	C.	M.	2									1	1															
		F.																										
14. Sunstroke	W.	M.	8									1	1	4	1						1							
		F.	1											1														
	C.	M.	10							1				1	2	1	3	1	1									
		F.	5							2	2	1																
15. Surgical operations	W.	M.	1																			1						
		F.																										
	C.	M.	2														1		1									
		F.																										
16. Wounds	W.	M.	2								1			1														
		F.																										
	C.	M.	5								1			1		2		1				1						
		F.	1																									
17. Others of this group	W.	M.	57	3			1	1	5	5	5	1	6	4	4	7	8	2	2	2	2	1	2		1			
		F.	13	2			1		3	3		1	1			1					2				1	1		
	C.	M.	86	15	4	6	2	2	29	5	3	7	8	5	3	4	5	3	2	1	3	1	2	3	1			1
		F.	31	12	1	1		2	16	3		2		2		1	1	2	1	1			1	1				

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14.

Cause of death.		Total.	Under 1.		2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		46759	11749	4590	2447	1330	917	21033	2629	1550	2295	3137	2548	2129	1844	1573	1372	1275	977	1190	900	769	625	418	144	73	88	100
Total: White	M.	19629	4971	2057	1033	531	353	8945	1078	636	833	1226	943	813	677	660	636	609	521	585	462	350	305	164	67	18	11	90
	F.	17763	4026	1753	908	491	383	7561	992	529	981	1304	1111	973	859	634	532	441	343	395	294	291	228	141	49	22	13	70
Colored	M.	4712	1520	438	247	173	85	2463	297	189	209	292	206	137	116	110	104	109	52	112	79	73	42	57	14	15	20	10
	F.	4655	1232	342	259	135	96	2064	262	196	272	315	288	206	192	169	100	116	61	98	65	55	50	56	14	18	44	14
Unknown causes.																												
Total		4097	2199	320	160	88	58	2825	205	89	104	133	97	81	80	85	50	63	28	68	41	44	43	30	9	2	4	16
Total: White	M.	1664	930	147	53	30	22	1182	81	32	33	52	26	23	24	29	23	28	13	28	16	25	20	12	6	1	....	10
	F.	1370	681	101	55	26	25	888	72	31	48	49	37	41	38	37	13	22	11	24	14	13	16	7	2	....	2	5
Colored	M.	542	328	36	31	19	5	419	25	12	9	13	9	6	5	7	6	7	1	6	6	3	4	3	....	1	....	....
	F.	521	260	36	21	13	6	336	27	14	14	19	25	11	13	12	8	6	3	10	5	3	3	8	1	....	2	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		15163	3187	2526	1304	675	448	8140	1264	675	780	876	651	523	415	314	251	247	196	216	165	155	125	68	16	10	13	63
Total: White	M.	6322	1340	1134	572	286	184	3516	537	266	290	359	236	202	140	122	99	113	87	97	82	54	52	21	8	4	7	30
	F.	6476	1295	1044	520	255	197	3311	512	267	307	420	325	269	218	140	117	103	90	83	69	79	56	26	7	3	2	21
Colored	M.	1164	277	189	100	79	39	684	117	69	61	49	29	19	18	21	15	18	7	10	10	12	5	3	1	1	1	9
	F.	1201	275	159	112	55	28	629	98	73	62	48	61	33	39	31	20	13	12	26	13	10	12	13	....	2	3	3
1. Small-pox	W. M.	160	18	19	20	9	11	77	34	14	9	16	....	2	1	3	....	....	....	3	....	....	....	....	....	....	....	1
	W. F.	168	24	19	22	16	22	103	28	9	14	6	3	2	....	....	1	1	1	....	....	....	....	....	....	....	....	....
	C. M.	21	....	....	....	1	....	1	5	....	1	5	1	1	....	5	....	1	1	....	....	....	....	....	....	....	....	....
	C. F.	12	1	1	....	....	....	2	....	1	....	1	3	1	1	1	1	....	....	1	....	....	....	....	....	....	....	....
2. Measles	W. M.	274	67	40	27	12	9	155	27	13	23	22	13	6	3	1	3	3	1	2	....	1	....	....	....	....	....	1
	W. F.	302	63	42	26	16	5	152	20	11	23	16	21	14	14	8	10	2	5	2	1	2	....	....	....	....	....	1
	C. M.	65	24	6	4	4	4	42	5	5	2	4	....	2	....	1	....	3	....	....	....	....	1	....	....	....	....	....
	C. F.	55	20	6	9	....	....	35	5	3	2	2	4	1	1	1	....	....	....	....	....	....	1	....	....	....	....	....
3. Scarlet fever	W. M.	178	31	25	37	24	12	129	36	11	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	W. F.	103	19	24	23	16	16	98	41	11	4	2	1	....	3	....	....	....	....	....	....	....	1	....	....	....	....	2
	C. M.	12	3	1	1	3	....	8	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	16	3	3	1	3	1	11	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria	W. M.	218	47	40	39	24	22	172	18	7	2	3	5	....	2	3	1	1	3	1	....	....	....	....	....	....	....	....
	W. F.	221	40	33	26	23	25	147	43	10	4	3	2	3	1	3	1	1	2	....	1	....	....	....	....	....	....	....
	C. M.	46	15	4	3	5	3	30	10	3	....	2	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	C. F.	47	11	2	9	5	3	30	6	4	3	....	....	1	....	....	2	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough	W. M.	341	189	80	28	12	5	314	20	5	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	390	216	84	34	21	9	364	20	2	1	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	C. M.	127	54	38	14	8	6	120	5	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	145	76	23	25	3	3	130	10	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever	W. M.	97	29	8	12	4	3	56	10	6	6	1	2	2	2	3	....	2	....	3	3	....	1	....	....	....	....	....
	W. F.	126	37	16	7	3	3	66	7	2	10	12	7	5	2	3	1	1	1	1	3	1	1	1	....	....	....	1
	C. M.	63	19	10	6	11	1	47	7	1	3	....	....	....	....	1	....	....	....	1	....	3	....	....	....	....	....	....
	C. F.	73	19	10	8	4	2	43	6	3	2	....	4	....	....	1	....	2	....	3	3	1	1	2	....	2	....	....
7. Cerebro-spinal fever	W. M.	116	30	20	3	5	2	60	19	3	7	5	3	4	2	2	4	....	2	3	....	1	1	....	....	....	....	....
	W. F.	79	20	15	7	6	1	49	10	8	3	1	1	2	3	1	....	....	....	....	....	1	....	....	....	....	....	....
	C. M.	11	....	2	....	....	1	3	3	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	7	1	....	2	....	....	3	....	....	1	....	....	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	W. M.	905	53	46	26	25	17	167	79	82	101	141	77	66	25	30	19	26	17	27	20	12	9	2	....	....	1	4
	W. F.	856	44	42	42	16	18	162	68	86	124	104	66	47	32	33	25	25	22	19	12	14	10	3	2	....	....	2
	C. M.	134	6	6	5	8	2	27	19	14	24	17	5	1	8	1	4	5	2	1	2	1	....	....	....	....	....	3
	C. F.	153	7	10	7	7	5	36	18	21	17	11	16	8	5	4	4	2	....	3	2	1	3	2	....	....	....	....
9. Diarrhœa	W. M.	342	97	94	41	6	6	244	10	5	7	5	3	4	9	7	2	6	9	5	5	6	6	5	1	1	....	2
	W. F.	289	86	106	27	6	3	228	4	3	4	5	5	2	3	3	2	6	....	1	4	8	5	3	....	1	....	2
	C. M.	50	15	11	5	3	1	35	1	1	5	....	....	....	1	2	1	....	....	....	....	....	1	1	....	1	....	1
	C. F.	34	12	4	5	....	3	24	1	1	1	1	....	....	2	....	1	....	....	....	....	1	....	1	....	....	....	....
10. Dysentery	W. M.	1043	207	314	132	70	31	754	74	28	19	11	17	17	9	13	15	13	12	16	13	10	10	5	2	1	2	2
	W. F.	944	164	265	116	44	25	614	68	21	22	25	18	21	20	15	18	10	16	19	13	21	10	8	3	....	....	2
	C. M.	171	38	46	23	10	3	120	12	5	3	5	1	2	3	1	2	5	1	2	3	3	1	....	....	....	....	2
	C. F.	155	37	36	20	10	....	103	8	2	1	2	3	1	2	7	2	3	3	5	1	3	2	4	....	....	2	1
11. Enteritis	W. M.	557	150	110	44	26	15	345	40	16	13	25	14	17	13	12	12	9	11	8	10	1	6	2	....	1	....	2
	W. F.	518	138	74	53	17	8	290	44	19	15	21	20	20	15	16	9	12	9	7	6	4	4	2	....	....	....	5
	C. M.	85	27	14	6	6	3	56	6	3	5	2	2	1	3	2	2	....	1	....	....	....	....	1	1	....	....	....
	C. F.	83	19	17	1	5	3	45	5	3	2	1	2	2	4	1	2	....	1	4	....	2	3	....	....	....	....	....
12. Cholera morbus	W. M.	45	4	5	1	....	....	10	7	2	1	....	2	3	6	....	4	1	2	1	1	1	....	1	1	....	....	2
	W. F.	39	5	9	2	....	2	18	2	3	....	2	1	1	1	....	1	3	1	1	2	1	....	1	....	....	....	1
	C. M.	11	1	2	1	2	....	6	2	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....
	C. F.	9	....	1	1	1	....	3	1	....	....	1	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	W. M.	527	237	218	58	8	3	524	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3
	W. F.	494	235	196	44	15	3	493	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	37	22	13	2	....	....	37	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	43	25	14	4	....	....	43	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	W. M.	1251	105	101	96	56	44	402	147	70	91	120	87	64	52	32	27	46	22	21	23	12	16	3	2	1	2	11
	W. F.	1243	124	104	84	52	56	420	147	72	93	81	74	73	58	28	40	33	28	26	13	23	22	6	1	1	2	2
	C. M.	285	42	33	29	17	15	136	37	26	13	11	14	8	2	8	4	3	2	5	4	3	1	4	....	....	1	3
	C. F.	261	36	26	20	16	7	105	34	20	21	11	11	8	8	6	3	4	6	8	6	2	1	4	....	....	1	2

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	W.	M.	184	63	8	8	2	3	84	8	2	4	6	7	11	11	10	10	4	5	6	3	6	2	2	2		1
		F.	156	67	3	3	3	1	82	4	4	4	7	7	5	6	6	5	7	5	2	3	3	3	2		1	
	C.	M.	15	4			1		5	2	4		1		1								2					
		F.	14	4	5		1		10								1			1		1		1				
16. Septicæmia	W.	M.	25	4					4			2	1	1	2	2	3	1	1	2	1	3	2					
		F.	41	3	1				4		2	2	8	7	8	2	4		1		1		1					1
	C.	M.	3											2								1						
		F.	8							1	1			3		2		1										
17. Puerperal septicæmia	W.—F.		387								1	40	122	88	61	52	19	3										1
	C.—F.		72								1	12	16	13	9	11	8	2										
18. Venereal diseases	W.	M.	13	2					2	1				2	3	2		1				1						1
		F.	9	3	1				4			1			1	2					1							
	C.	M.	8	1	1				2	1	1		1		1	1		1										
		F.	5	1					1				1			2					1							
19. Others of this group	W.	M.	40	7	6		3	1	17	7	2	4	3	1	1	1	3		1	1			2	1	1			1
		F.	51	7	5	4	1		17	6	3	3	4	3	4	4	1	1	1		3	1						
	C.	M.	20	6	2	1			9	1	1		1	4				1	1					1	1			
		F.	9	3	1			1	5		1						1		1		1							
General diseases—B.																												
Total			604	198	66	61	39	20	384	34	14	15	21	22	12	21	14	17	16	8	14	4	2	2	1			3
Total: White		M.	256	81	21	11	10	6	129	12	8	4	7	13	10	13	12	13	9	8	12	3	1	1	1			
		F.	176	66	20	19	15	6	126	12	4	2	7	6	1	5	2	3	6		1							1
Colored		M.	92	28	17	16	5	3	69	7	2	2	3	1		2		1				1	1	1				2
		F.	80	23	8	15	9	5	60	3		7	4	2	1	1			1		1							
1. Worms	W.	M.	37	4	11	7	6	3	31	4	2																	
		F.	55	5	11	13	11	5	45	7	2								1									
	C.	M.	47	9	13	14	4	3	43	4																		
		F.	39	4	5	13	7	5	34	3		1				1												
2. Other parasitic diseases.	W.	M.																										
		F.																										
	C.	M.																										
		F.																										
3. Alcoholism	W.	M.	64									1	5	4	5	9	8	9	8	5	8	2						
		F.	1											1														
	C.	M.	5													1		1				1	1	1				
		F.	1																1									
4. Lead poison	W.	M.	1																	1								
		F.																										
	C.	M.																										
		F.																										
5. Other poisons	W.	M.	80	12	6	3	3	3	27	8	5	3	2	9	5	4	4	4	1	1	4	1	1	1				
		F.	53	5	4	5	3	1	18	3	2	1	7	5	1	4	2	3	5		1							1
	C.	M.	24	6	3	2	1		12	3	2	2	3	1		1												
		F.	20	3	2	1	1		7			5	4	2	1						1							
6. Inanition	W.	M.	74	65	4	1	1		71		1									1				1				
		F.	67	56	5	1	1		63	2		1				1												
	C.	M.	16	13	1				14																			2
		F.	20	16	1	1	1		19			1																
General diseases—C.																												
Total			2475	1972	22	7	3	2	2006	3	2	2	5	2	2	1	4	7	8	12	15	37	53	79	101	47	34	52	3
Total: White		M.	1040	875	10	4	1		890	1	1		3	1		1	1	2	2	6	2	12	20	33	34	21	5	3	2
		F.	839	653	5	3		1	662	1	1	2	2	1	2		2	3	4	5	9	15	20	30	41	19	12	7	1
Colored		M.	327	270	2				272	1									1		2	1	6	7	14	4	7	12	
		F.	269	174	5		2	1	182								1	2	1	1	2	9	7	9	12	3	10	30	
1. Premature birth	W.	M.	202	202					202																			
		F.	174	174					174																			
	C.	M.	39	39					39																			
		F.	31	31					31																			
2. Stillborn	W.	M.	580	580					580																			
		F.	414	414					414																			
	C.	M.	205	205					205																			
		F.	133	133					133																			
3. Malformation	W.	M.	32	30		1			31	1																		
		F.	17	16	1				17																			
	C.	M.	6	6					6																			
		F.	5	5					5																			
4. Debility	W.	M.	132	62	10	3	1		76		1		3	1		1	1	2	2	6	1	12	8	10	3	3	1		1
		F.	112	48	4	3		1	56	1	1	2	2	1	2		2	3	4	5	3	7	6	2	10	2	3		
	C.	M.	28	19	2				21	1									1				2	1	1		1		
		F.	26	5	5		2	1	13								1	2		1		2	2	1		1	2	1	
5. Old age	W.	M.	93																		1		12	23	31	18	4	3	1
		F.	121																		6	8	14	28	31	17	9	7	1
	C.	M.	48																		2	1	4	6	13	4	6	12	
		F.	74																1		2	7	5	8	12	2	8	29	
6. Atrophy	W.	M.	1	1					1																			
		F.	1	1					1																			
	C.	M.	1	1					1																			
		F.																										

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		4947	204	170	105	50	48	577	132	125	309	578	538	444	397	380	305	279	194	237	163	121	80	44	13	5	7	19
Total: White	M.	1765	89	55	40	16	20	220	43	40	82	166	157	152	132	144	127	107	92	99	82	54	40	15	5	1		7
	F.	2052	59	63	30	10	15	193	36	35	140	255	246	216	192	167	133	108	76	102	56	48	24	8	1		1	12
Colored	M.	455	23	34	18	10	3	88	26	25	28	47	50	24	26	25	23	22	11	16	12	10	5	11	1	2	3	
	F.	675	23	18	17	8	10	76	27	25	59	110	85	52	47	44	22	42	15	20	13	9	11	10	3	2	3	
1. Rheumatism	W. M.	92		1	1	2	1	5	5	7	8	5	4	6	4	4	4	9	7	6	9	3	5					1
	W. F.	68		1			1	2	3	4	2	5	8	4	1	3	3	10	5	3	3	2	3		1			1
	C. M.	21	3					3	1			3	2	1	2	2			1	2	1	1	1			1		
	C. F.	18							1		1	1	1				2	5	1	1		2	1	1		1		
2. Scrofula and tabes	W. M.	100	24	22	15	3	1	65	4	5	7	6	2	1	1	1	5	2			1							
	W. F.	79	19	19	8	2	3	51	3	5	3	4		4		1	3	2	1	1	1							
	C. M.	34	6	9	2	1	1	19	2	5	4			1	1	1					1							
	C. F.	28	7	3	1	2	2	15	4	3		1	3		1	1												
3. Leprosy	W. M.																											
	W. F.																											
	C. M.																											
	C. F.																											
4. Consumption	W. M.	1083	22	12	11	4	5	54	4	4	48	140	137	126	109	108	90	67	63	53	34	18	17	6	1			4
	W. F.	1332	21	11	6	3	1	42	11	15	111	206	200	163	146	114	88	61	45	52	35	24	5	4				10
	C. M.	237	5	5	7	2	2	21	4	9	18	36	44	17	16	21	14	13	4	4	7	3		5			1	
	C. F.	402	3	6	7	1	2	19	10	14	51	94	60	38	28	25	9	20	6	7	3	3	2	2	1		1	
5. Hydrocephalus	W. M.	50	25	10	5	2		42	2	1	1	1						2	1									
	W. F.	50	20	12	6	4		42	3	1		2		1	1													
	C. M.	13	7	3	3			13																				
	C. F.	12	8	2				10							2													
6. Cancer	W. M.	108	1	2			3	6	1		1	2	4	1	3	6	6	9	8	16	18	11	7	3	3			2
	W. F.	156	1	6	2		2	11	2		1	2	6	4	12	23	25	17	12	14	9	9	7		1		1	
	C. M.	6							1								1	2				1		1				
	C. F.	47	2		1			3	1		1	1	2	2	3	7	5	7	5	4	1		1	2			2	
7. Tumor	W. M.	15	2					2	1			1	1	1	1	1	1	2	1			1	1		1			
	W. F.	32		1	2		1	4			1		4	4	5	2	2	3		6		1						
	C. M.																											
	C. F.	7	1					1								1		1	1		1			2				
8. Anæmia	W. M.	11	7					7		1	1										2							
	W. F.	16	1	1				2			3	1	1	1	3	1		1			1	1	1					
	C. M.																											
	C. F.	3								1		1												1				
9. Dropsy	W. M.	275	6	7	7	5	9	34	25	19	14	10	8	14	12	20	21	16	11	22	16	18	8	6		1		
	W. F.	287	7	10	5	6	7	35	14	7	11	31	24	34	24	17	11	15	12	22	6	10	4	4	1			1
	C. M.	139	2	17	3	7		32	18	10	6	8	4	5	7	1	7	7	8	10	2	5	3	5	1	1	1	
	C. F.	157	2	7	8	5	6	28	11	7	6	12	10	11	13	10	6	9	2	8	8	4	7	2	2	1		
10. Glycosuria	W. M.	24			1		1	2	1	2	1		1	3	1	4			1	1	2	3	1					
	W. F.	13			1	1		2		2	3	1	1			1				1					1			
	C. M.	4															1				1		1				1	
	C. F.																											
11. Others of this group	W. M.	7	2	1				3		1	1				1						1							
	W. F.	19		2				2			5	3	2	1			1			3	1	1						
	C. M.	1								1																		
	C. F.	1												1														
12. Others of this class	W. M.	8					1	1	1		2							2	1				1					
	W. F.	12	1	3	1	1		6			1		1	1				1	2									
	C. M.																											
	C. F.	1										1																
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		4322	1346	481	251	167	121	2366	340	152	158	175	145	108	84	90	109	80	84	99	90	92	69	44	12	7	4	14
Total: White	M.	1938	580	233	112	60	48	1033	136	74	67	74	63	54	32	43	51	42	47	57	45	47	32	23	9	2	1	6
	F.	1571	435	188	98	67	50	838	144	50	64	72	57	40	37	24	45	28	28	30	28	28	30	16	3	2	1	6
Colored	M.	420	180	36	15	23	13	267	33	17	14	15	7	5	7	9	6	8	6	6	10	8	4			1	1	1
	F.	393	151	24	26	17	10	228	27	11	13	14	18	9	8	14	7	7	3	6	7	9	3	5		2	1	1
1. Inflammation of the brain.	W. M.	425	129	85	19	22	11	266	30	24	14	18	21	16	7	8	4	2	3	7	3	2						
	W. F.	387	118	69	25	19	14	245	48	17	16	17	10	10	4	5	4	2	1	1	4		2					1
	C. M.	73	25	12	4	5	2	48	8	2	2	4	1	1	1	1	1	1	2		1							
	C. F.	62	10	3	10	6	6	35	7	2	4	4	4			2		1		1		1		1				
2. Meningitis	W. M.	199	44	31	27	6	9	117	24	11	9	6	11	3	4	4	4	3	2									1
	W. F.	164	35	24	15	10	8	92	15	6	7	8	5	6	8	2	6		4	1	1		1					2
	C. M.	34	4	5	2	6	2	19	4	4	1	1				1	1	1			2							
	C. F.	27	7	3	4	3		17	6			1	1			1						1						
3. Apoplexy	W. M.	73	2				1	3	3	1	2	2		3	1	3	3	8	7	8	5	10	5	4	2	2		1
	W. F.	54	2	2	1	3		8		1	1	2	6	5	2	2	2	4	4	4	3	4	4	1	1			
	C. M.	13		1			2	3		1							1		2		2	3			1			
	C. F.	25		1				1			3		2		1	5	4	3	1	1	1	2						
4. Paralysis	W. M.	182	7	5	2	2	2	18	4	1	2	2	1	7	2	3	13	12	15	19	23	25	14	15	5		1	
	W. F.	136	6		1	1	2	10	7	2	2	5	2	2	1	6	8	8	6	15	9	20	15	13	2	2	1	
	C. M.	26							4	1		1	2		1	1			2	4	3	3	3				1	
	C. F.	26							1	1	1		3	1	1		1	1	1	3	4	4		2		1	1	

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	70	49	1	....	2	....	52	3	2	3	1	....	....	4	1	....	1	1	1	....	1	....	....	....	....	....
		F.	39	31	1	1	1	....	34	2	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	C.	M.	63	52	....	....	2	1	55	2	....	1	1	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....
		F.	54	48	....	1	....	....	49	1	2	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	W.	M.	60	6	2	3	1	1	13	1	....	5	9	2	5	....	4	4	4	3	2	2	1	3	1	....	....	1
		F.	45	5	1	3	1	1	11	3	2	6	6	3	5	1	....	2	1	1	2	2	....	....	....	....	....	....
	C.	M.	13	1	....	....	....	....	1	1	2	3	2	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....
		F.	14	3	1	1	....	....	5	....	2	1	1	1	2	....	1	....	....	....	....	....	....	1	....	....	....	....
7. Convulsions	W.	M.	265	180	23	11	7	3	233	9	....	2	8	2	3	2	....	2	....	....	2	....	1	....	....	....	....	1
		F.	215	124	24	13	10	2	173	8	1	3	7	9	....	5	1	1	2	1	....	1	1	....	....	....	....	2
	C.	M.	112	78	7	3	3	3	94	6	2	1	2	2	....	1	1	....	....	....	....	1	1	....	....	....	....	1
		F.	108	70	8	5	4	2	89	5	2	2	2	1	1	2	....	....	1	....	....	....	1	2	....	....	....	....
8. Mental diseases	W.	M.	8	....	....	....	....	....	....	1	....	....	1	....	1	1	....	1	....	1	1	....	1	....	....	....	....	....
		F.	5	....	....	....	....	....	....	....	....	....	1	1	1	....	1	1	....	....	....	....	....	....	....	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diseases of the brain	W.	M.	488	113	63	36	12	17	241	45	24	21	22	21	16	9	14	17	9	8	14	9	5	7	2	2	....	2
		F.	379	83	53	30	18	15	199	45	10	21	15	14	6	13	3	13	6	10	4	8	3	2	....	....	....	1
	C.	M.	71	19	9	5	5	3	41	7	2	6	4	....	3	2	2	2	1	....	....	1	....	....	....	....	....	....
		F.	59	11	6	5	4	2	28	6	1	....	6	1	4	3	4	1	1	1	....	2	....	....	....	....	....	1
10. Diseases of the spinal cord.	W.	M.	141	39	22	13	8	4	86	13	9	8	5	5	....	1	3	....	3	3	2	1	....	2	....	....	....	....
		F.	109	27	13	9	4	8	61	14	4	3	7	5	3	1	3	3	2	1	....	....	....	2	....	....	....	....
	C.	M.	12	1	2	....	2	....	5	1	3	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....
		F.	10	2	2	....	....	....	4	1	1	1	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....
11. Others of this group	W.	M.	27	2	1	1	....	....	4	3	2	1	....	....	....	1	3	3	....	4	1	2	1	1	1	....	....	....
		F.	38	4	1	....	....	....	5	2	1	4	4	2	2	2	1	4	3	....	2	....	....	4	2	....	....	....
	C.	M.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
		F.	7	....	....	....	....	....	....	....	....	....	....	4	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total			958	76	10	7	3	7	103	36	29	45	53	49	69	70	65	46	70	54	81	60	44	38	27	6	4	9
Total: White		M.	372	37	4	3	1	2	47	17	14	12	13	17	15	25	16	19	28	26	38	30	16	18	13	3	1	4
		F.	412	28	4	1	1	5	39	12	9	23	33	27	43	33	32	17	28	18	32	17	21	16	5	1	2	4
Colored		M.	77	8	2	....	....	....	10	5	1	6	2	....	3	8	4	4	3	4	8	6	3	1	8	....	1	....
		F.	97	3	....	3	1	....	7	2	5	4	5	5	8	4	13	6	11	6	3	7	4	3	1	2	....	1
1. Angina pectoris	W.	M.	9	....	....	....	....	....	....	....	....	....	....	1	1	2	1	....	....	1	....	1	1	1	....	....	....	....
		F.	7	....	....	....	....	....	....	....	....	....	....	....	....	2	3	....	....	1	....	....	....	....	....	....	1	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	W.	M.	5	....	....	....	....	....	....	1	1	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....
		F.	3	....	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	W.	M.	331	14	4	3	1	2	24	15	13	12	12	10	14	23	15	18	28	24	38	28	15	15	13	3	1	1
		F.	373	6	4	....	1	5	16	11	8	22	33	25	41	31	28	17	28	17	32	17	21	15	5	1	1	4
	C.	M.	60	....	2	....	....	....	2	5	1	6	2	....	3	8	4	4	3	4	8	6	3	1	8	....	1	....
		F.	95	1	....	3	1	....	5	2	5	4	5	5	8	4	13	6	11	6	3	7	4	3	1	2	....	1
4. Others of this group	W.	M.	27	23	....	....	....	....	23	1	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....
		F.	29	22	....	1	....	....	23	1	1	....	....	2	....	....	1	....	....	....	....	....	....	1	....	....	....	....
	C.	M.	8	8	....	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total			8130	1699	559	342	169	116	2885	265	233	473	686	541	476	385	341	349	327	244	296	218	162	110	68	21	7	7	38
Total: White		M.	3796	703	277	148	78	41	1247	94	92	212	335	253	219	177	165	186	182	148	192	125	78	64	31	6	1	19
		F.	2717	563	170	119	61	46	959	98	68	168	205	189	185	153	124	114	95	68	79	69	59	34	25	8	3	14
Colored		M.	933	251	69	39	19	16	394	36	32	48	95	64	39	23	26	33	31	16	38	10	17	9	5	5	1	3	2
		F.	684	182	43	36	11	13	285	37	41	45	51	35	33	32	26	16	19	12	17	8	8	3	5	2	2	4	3
1. Croup	W.	M.	644	427	104	48	35	12	626	15	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
		F.	529	328	58	53	28	23	490	30	2	3	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	2
	C.	M.	150	125	10	6	3	....	144	3	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1
		F.	124	96	12	7	1	3	119	3	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
2. Laryngitis	W.	M.	18	3	2	3	1	1	10	2	1	....	....	3	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
		F.	10	5	3	....	....	....	8	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	C.	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis	W.	M.	226	56	31	11	4	1	103	8	6	9	11	5	7	6	5	7	8	9	14	13	6	8	5	....	1	....	....
		F.	216	53	10	13	5	3	93	4	4	5	11	10	10	10	7	8	9	6	10	8	12	4	5	....	....	....	....
	C.	M.	33	10	9	3	....	1	23	2	....	....	....	1	....	....	....	....	....	....	2	2	2	....	1	....	....	....	....
		F.	32	14	....	1	1	1	17	3	1	....	4	1	....	....	1	....	1	....	3	1	....	....	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	2671	184	126	82	32	24	448	59	75	194	307	231	206	165	150	161	163	126	134	94	66	47	22	5	....	....	18
		F.	1788	149	84	44	24	19	320	52	59	147	182	163	164	137	108	99	84	56	60	55	36	26	18	7	3	....	12
	C.	M.	713	112	47	27	15	15	216	29	30	47	89	63	30	20	25	33	30	15	31	12	14	9	4	5	1	3	1
		F.	500	69	30	27	9	9	144	29	30	44	45	34	29	30	24	15	16	12	12	5	8	3	4	2	2	3	3
5. Pleurisy	W.	M.	28	2	2	....	....	....	4	3	....	1	....	1	2	....	....	5	2	1	1	3	3	1	1	....	....	....	....
		F.	34	4	....	1	....	....	5	1	1	3	5	3	2	1	2	2	1	1	3	1	2	1	....	....	....	....	....
	C.	M.	6	1	....	....	1	....	2	....	1	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....
		F.	8	....	1	1	....	....	2	....	2	....	....	....	....	1	1	....	....	....	....	1	....	....	1	....	....	....	....
6. Asthma	W.	M.	26	2	....	....	....	1	3	....	1	....	1	....	....	1	....	....	2	3	5	6	1	2	1	....	....	....	....
		F.	10	....	....	....	....	....	....	1	....	1	....	1	....	1	1	1	....	2	....	....	1	1	....	....	....	....	....
	C.	M.	5	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Others of this group	W.	M.	183	29	12	4	6	2	53	12	8	8	16	12	4	6	9	13	7	9	8	8	2	6	2	....	....	....	1
		F.	130	24	6	8	4	1	43	10	2	9	7	12	8	4	6	4	1	2	5	5	7	2	2	1	....	....	....
	C.	M.	25	2	3	2	....	....	7	1	1	1	6	....	2	3	1	....	....	1	1	1	....	....	....	....	....	....	....
		F.	16	3	....	....	....	....	3	1	1	1	1	....	2	1	....	1	2	....	1	1	....	....	....	....	....	1	....
V.—DISEASES OF THE DIGESTIVE SYSTEM.																													
Total			2181	490	311	112	47	33	993	126	59	79	95	99	95	85	77	87	87	73	73	61	34	29	15	8	....	....	6
Total: White		M.	972	217	130	51	17	12	427	66	29	29	37	38	32	31	38	44	38	39	43	33	19	17	4	5	....	....	3
		F.	854	156	109	36	22	17	340	44	21	38	45	50	42	49	30	36	35	31	15	23	10	12	8	2	....	....	3
Colored		M.	202	67	37	17	4	....	125	9	4	6	7	8	9	2	3	2	7	1	9	5	3	....	1	1	....	....	....
		F.	173	50	35	8	4	4	101	7	5	0	6	3	12	3	6	5	7	2	6	....	2	....	2	....	....	....	....
1. Dentition	W.	M.	97	28	56	12	1	....	97	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	94	37	47	9	1	....	94	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	51	21	24	5	1	....	51	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	46	20	21	4	....	....	45	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	W.	M.	61	12	8	8	3	3	34	11	2	1	....	1	....	2	1	....	2	1	....	3	1	2	....	....	....	....	....
		F.	38	3	11	4	2	3	23	4	2	2	1	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....	2
	C.	M.	9	3	1	1	1	....	6	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	12	....	3	....	2	1	6	1	1	1	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....
3. Gastritis	W.	M.	40	7	3	2	1	....	13	6	1	1	2	....	1	....	....	2	1	2	6	2	1	1	....	1	....	....	....
		F.	31	3	4	2	2	....	11	3	....	....	1	3	1	3	1	1	....	....	2	2	2	1	....	....	....	....	....
	C.	M.	5	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
		F.	4	1	....	....	....	....	1	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach.	W.	M.	185	38	23	9	6	3	79	21	6	5	9	8	1	4	5	11	8	9	7	7	2	....	....	3	....	....	....
		F.	190	29	19	13	8	6	75	16	7	7	10	14	5	9	7	9	9	11	3	5	1	1	1	....	....	....	....
	C.	M.	12	1	1	....	....	....	2	3	1	....	2	....	1	1	....	....	1	....	1	....	....	....	....	....	....	....	....
		F.	13	1	1	....	1	1	4	2	....	....	2	....	2	....	....	2	....	....	1	....	....	....	....	....	....	....	....
5. Obstruction of the bowels.	W.	M.	30	4	1	1	....	....	6	2	3	2	1	1	2	2	3	....	1	....	2	2	1	2	....	....	....	....	....
		F.	24	4	1	....	2	....	7	2	3	1	1	2	3	2	....	....	1	1	....	1	....	....	....	....	....	....	....
	C.	M.	10	2	....	....	....	....	2	....	....	2	1	1	1	....	1	....	1	....	1	....	....	....	....	....	....	....	....
		F.	7	....	....	....	....	1	1	....	1	1	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....	....
6. Hernia	W.	M.	19	3	....	1	....	....	4	....	1	....	3	....	1	1	....	2	....	1	....	1	....	1	3	....	....	....	1
		F.	8	....	....	....	1	....	1	....	....	....	....	....	....	1	2	2	1	....	....	1	....	....	....	....	....	....	....
	C.	M.	7	....	....	....	1	....	1	....	....	....	....	1	....	....	1	....	....	1	1	....	1	....	....	1	....	....	....
		F.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
7. Other diseases of the bowels.	W.	M.	94	28	13	4	....	3	48	8	4	6	2	5	3	....	2	5	1	2	3	1	1	2	1	....	....	....	....
		F.	66	19	8	2	....	1	30	3	1	5	3	3	3	2	1	2	2	2	1	1	....	2	....	....	....	....	....
	C.	M.	18	5	2	4	....	....	11	2	....	1	1	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
		F.	10	3	3	....	1	....	7	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice	W.	M.	42	14	1	....	1	1	17	2	2	....	2	1	1	1	2	4	1	1	2	1	1	2	1	....	....	....	....
		F.	34	9	....	1	3	4	17	4	2	....	2	....	2	....	....	....	4	....	....	....	....	2	1	....	....	....	....
	C.	M.	21	10	1	1	....	....	12	1	....	1	1	1	2	1	....	....	1	....	....	1	....	....	....	....	....	....	....
		F.	3	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
9. Inflammation and abscess of the liver.	W.	M.	85	6	4	2	1	....	13	3	2	3	6	10	9	4	9	4	7	4	4	4	2	....	....	....	....	....	1
		F.	70	1	2	....	....	....	3	1	....	4	3	5	7	7	2	9	5	6	4	6	3	1	2	1	....	....	1
	C.	M.	6	....	....	....	....	....	....	....	....	....	....	2	1	....	....	1	....	....	1	....	1	....	....	....	....	....	....
		F.	9	....	....	....	....	....	....	....	....	1	1	2	2	1	....	1	....	....	1	....	....	....	....	....	....	....	....
10. Other diseases of the liver.	W.	M.	133	22	6	2	1	1	32	3	4	3	5	7	12	11	6	9	9	9	11	5	3	3	....	....	....	....	1
		F.	80	10	4	3	1	1	19	1	3	5	7	3	2	4	6	6	6	7	1	5	2	2	....	1	....	....	....
	C.	M.	14	2	1	1	....	....	4	2	....	....	1	1	1	....	....	....	3	....	2	....	....	....	....	....	....	....	....
		F.	8	1	....	2	....	....	3	1	....	....	....	....	....	....	1	....	....	....	1	....	2	....	....	....	....	....	....
11. Peritonitis	W.	M.	28	1	1	3	....	....	5	2	1	2	2	4	....	1	3	1	2	1	1	....	3	....	....	....	....	....	....
		F.	80	1	1	1	....	1	4	3	1	10	15	14	11	10	7	4	1	....	....	....	....	....	....	....	1	....	....
	C.	M.	7	1	....	1	1	....	3	....	....	1	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
		F.	12	....	....	....	....	....	....	....	....	2	3	....	4	1	2	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	W.	M.	26	1	....	2	2	....	5	2	1	2	1	1	1	2	1	3	1	1	2	2	1	....	....	....	....	....	....
		F.	12	....	....	....	....	....	....	1	....	....	....	1	....	4	1	2	1	1	....	....	1	....	....	....	....	....	....	....
	C.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
		F.	4	....	1	....	....	....	1	....	....	1	....	....	1	....	1	....	....	....	3	1	....	....	....	....	....	....	....
13. Others of this group	W.	M.	132	53	14	5	1	1	74	6	2	4	4	....	1	3	6	3	5	8	5	3	3	5	....	....	....	....	....
		F.	107	40	12	1	2	1	56	1	2	4	2	4	6	7	3	1	4	3	4	2	1	3	4	....	....	....	....
	C.	M.	41	21	5	4	....	....	30	....	2	....	1	1	1	....	1	....	....	....	3	1	....	....	1	....	....	....	....
		F.	42	21	0	2	....	....	29	2	....	1	....	1	....	....	....	1	5	1	1	....	....	....	1	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	328	15	6	3	7	5	36	10	6	9	19	19	10	9	18	20	15	20	42	27	32	19	9	5	2	1
Total: White M.	185	9	4	1	1	1	16	5	2	5	10	12	3	4	13	9	9	11	22	19	22	13	4	4	1	1
Total: White F.	68	4	2		5	2	13	2	2	3	7	4	3	2	3	8	2	4	9		3	2	1			
Colored M.	56	1		1	1		3	2	1		1	1	1	3	1	3	3	4	10	7	7	3	4	1	1	
Colored F.	19	1		1		2	4	1	1	1	1	2	3		1		1	1	1	1		1				
1. Bright's disease W. M.	46		1				1			1	2	1	2	1	1	3	3	6	7	6	10	1		1		
1. Bright's disease W. F.	20				1		1			2	4	2	1			2	2	1	3		1	1				
1. Bright's disease C. M.	9	1					1	1			1						1		2	2	1					
1. Bright's disease C. F.	10					2	2		1	1	1		2		1		1			1						
2. Calculus, urinary W. M.	22	2	1	1			4	2		1	1	1		1	1	2		1	3			3	1	1		
2. Calculus, urinary W. F.	4				1		1								1	1		1								
2. Calculus, urinary C. M.	13													2			1	1	2	2	3	1	1			
2. Calculus, urinary C. F.																										
3. Diseases of the kidney. W. M.	71	5	2		1	1	9	2	1	1	6	5		2	7	2	5	4	5	7	5	5	2	2		1
3. Diseases of the kidney. W. F.	32	2	2		2	2	8	1		1	2	1	2	2	2	3		2	5		2	1				
3. Diseases of the kidney. C. M.	16				1		1	1	1			1		1	1	1	1		3	1	1		2	1		
3. Diseases of the kidney. C. F.	6	1					1	1				1	1						1			1				
4. Diseases of the bladder W. M.	21	1					1		1				1		2	1	1		4	2	5	2	1			
4. Diseases of the bladder W. F.	5	1					1	1	1		1								1							
4. Diseases of the bladder C. M.	10			1			1						1			1		2	2	1	1		1			
4. Diseases of the bladder C. F.	3			1			1					1						1								
5. Others of this group.. W. M.	25	1					1	1		2	1	5			2	1			3	4	2	2			1	
5. Others of this group.. W. F.	7	1			1		2		1			1				2							1			
5. Others of this group.. C. M.	8															1		1	1	1	1	2		1		
5. Others of this group.. C. F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total	224				2		2		2	16	20	28	18	40	23	35	11	9	8	3	2	4		1	1	1
Total: White F.	161				2		2		2	13	16	20	11	28	16	29	5	4	5	3	2	3		1		1
Colored F.	63									3	4	8	7	12	7	6	6	5	3			1			1	
1. Ovarian tumors W.—F.	10				1		1				1	2		2	1	2						1				
1. Ovarian tumors C. —F.	4												1			1	2									
2. Ovarian diseases W.—F.	4									1		1				1	1									
2. Ovarian diseases C. —F.																										
3. Uterine tumors W.—F.	8									1	1			1	2	2		1								
3. Uterine tumors C. —F.	1																					1				
4. Uterine diseases W.—F.	45										6	7	6	8	5	5	3		4		1	1				1
4. Uterine diseases C. —F.	17										2	1	3	5		1		3	2							
5. Others of this group.. W.—F.	94				1		1		2	11	8	10	5	17	10	19	1	3	1	3	1	1		1		
5. Others of this group.. C. —F.	41									3	2	7	3	7	7	4	4	2	1						1	
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total	754								4	126	195	144	124	98	50	8										5
Total: White F.	564									82	156	114	93	75	39	3										2
Colored F.	190								4	44	39	30	31	23	11	5										3
1. Abortion W.—F.	76									13	16	7	22	12	6											
1. Abortion C. —F.	24									6	2	8	5	1	1	1										
2. Child-birth W.—F.	404									50	103	94	63	59	32	2										1
2. Child-birth C. —F.	141									27	33	18	25	22	9	4										3
3. Others of this group.. W.—F.	84									19	37	13	8	4	1	1										1
3. Others of this group.. C. —F.	25								4	11	4	4	1		1											
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	110	21	16	3	3	2	45	9	10	6	7	7	2	4	3	5	3	2	2	1	1	3				
Total: White M.	59	11	6		2	1	20	6	7	5	4	3		1	2	3	2	2	1		1	2				
Total: White F.	41	10	9	2	1	1	23	2	3		2	3	2	2	1	1	1					1				
Colored M.	5		1				1	1						1					1	1						
Colored F.	5			1			1			1	1	1				1										
1. Diseases of the spine W. M.	40	10	3		2	1	16	5	3	4	2	1			1	3	2	1	1			1				
1. Diseases of the spine W. F.	31	8	3	2		1	19	2	2		1	1	2	1	1	1						1				
1. Diseases of the spine C. M.	2		1				1							1												
1. Diseases of the spine C. F.																										
2. Diseases of the bones. W. M.	8		1				1	1	1		1	2									1	1				
2. Diseases of the bones. W. F.	5		1				1				1	1		1			1									
2. Diseases of the bones. C. M.	1							1																		
2. Diseases of the bones. C. F.	2										1	1														

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
3. Diseases of the hip-joint.	W.	M.	4	1					1		1	1				1													
		F.	3	1			1		2		1																		
	C.	M.	1																	1									
		F.	2			1			1									1											
4. Others of this group.	W.	M.	7		2				2		2		1				1			1									
		F.	2	1					1					1															
	C.	M.	1																		1								
		F.	1									1																	
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total			91	16	6	4		2	28	2	1	1	8	9	5	3	6	4	7	4	2	3	5	2	1			
Total: White		M.	35	5	2	2		1	10	1			1	5	3	1	2	2	4	2	1	1	1	1				
		F.	35	6	4	1			11	1		1	5	3	1	1	3	2	1	1	1	1	2		1				
Colored		M.	12	4					4		1		2		1	1	1		1	1									
		F.	9	1		1		1	3					1					1			1	2	1					
1. Abscess	W.	M.	22	3	2				5	1			1	4	1	1	1	1	3	2		1		1					
		F.	20	3		1			4	1		1	4	3	1	1	2	1					2						
	C.	M.	5										2			1	1			1									
		F.	4	1					1					1					1			1							
2. Carbuncle	W.	M.	8			2		1	3					1	1				1		1		1						
		F.	8		2				2							1	1	1		1	1			1					
	C.	M.	2	1					1						1														
		F.	4			1		1	2														1	1					
3. Others of this group.	W.	M.	5	2					2						1		1	1											
		F.	7	3	2				5				1							1									
	C.	M.	5	3					3		1								1										
		F.	1																				1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total			35	2	1	3	1	1	8	1	2	1	4	1	5	2	2		1	1	2	3				1			1
Total: White		M.	13	1		1	1		3		1	1	2	1	1	1					2								1
		F.	17	1	1			1	3	1	1		2		4	1	1		1			2				1			
Colored		M.	3			1			1								1		1										
		F.	2			1			1													1							
1. Addison's disease	W.	M.																											
		F.																											
	C.	M.																											
		F.																											
2. Diseases of the spleen.	W.	M.	10				1		1		1	1	2	1	1	1					2								
		F.	16	1				1	2	1	1		2		4	1	1		1			2				1			
	C.	M.	3			1			1								1			1									
		F.	2			1			1													1							
3. Others of this group.	W.	M.	3	1		1			2																				1
		F.	1		1				1																				
	C.	M.																											
		F.																											
XII.—ACCIDENTS AND INJURIES.																													
Total			2319	323	93	84	75	53	628	201	147	168	261	195	154	150	101	79	58	45	35	24	22	21	12	5	2		11
Total: White		M	1204	93	34	35	28	14	204	78	70	91	163	118	99	95	73	58	43	39	21	14	12	11	6		2		7
		F.	418	58	30	23	19	17	147	55	35	29	28	28	19	25	13	8	2	4	5	6	6	4	3	1			
Colored		M.	424	83	15	9	13	6	126	35	25	35	58	37	30	20	12	11	12	1	0	4	3	3	3	1			2
		F.	273	89	14	17	15	16	151	33	17	13	12	12	6	10	3	2	1	1	3		1	3		3			2
1. Burns and scalds	W.	M.	74	14	15	15	11	4	59	7				3	1	1					1		1		1				
		F.	122	7	18	9	11	8	53	28	11	12	7	4		2	3			1		1							
	C.	M.	48	9	9	3	11	3	35	6	3		2	1					1										
		F.	122	16	7	15	11	14	63	26	11	7	3	5	1		1	1			1			1		2			
2. Drowned	W.	M.	85	1	4	3	4		12	12	11	6	15	5	4	8	4	2		2	2	1		1					
		F.	23	1	2	2			5	6	4	3	3		1	1													
	C.	M.	46				1	1	2	12	5	11	5	3	1	2	2	1	1			1							
		F.	10		1		2		3	2	1		1	1		1													1
3. Exposure and neglect	W.	M.	20	9	2	1	2		14			1			1	1			1	1			1						
		F.	21	7	1	1			9	1	1	1	1	4	1	1					1			1					
	C.	M.	21	15	1				16		1					1		1	1						1				
		F.	24	12	3				15			1	2	2	1						1			1		1			
4. Gunshot wounds	W.	M.	207			1	1		2	5	8	14	56	29	26	29	10	10	10	5	3								
		F.	13			1		2	3	2	2	2		3									1						
	C.	M.	77			1			1	5	3	8	20	15	10	4	3	2	4	1	1								
		F.	3											1	1				1										
5. Homicide	W.	M.	94								3	7	18	14	17	8	10	7	5	4	1								
		F.	5					1	1		1		1	1			1												
	C.	M.	42									5	8	7	9	4	4		1		2	1			1				
		F.	7									2	2	1	1	1													

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 14—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.																										
		F.	2	2					2																			
	C.	M.	1	1					1																			
		F.	2	2					2																			
7. Injuries by machinery	W.	M.	6								2		1			1			1		1							
		F.	1													1												
	C.	M.	2								2																	
		F.																										
8. Railroad accidents	W.	M.	44							2		7	6	7	6	5	2	2	3	1								3
		F.																										
	C.	M.	6								1	1		1		1							1					1
		F.	2							1							1											
9. Suffocation	W.	M.	57	31	3	2		1	37	3	1	1	4	2	1	3	2			1	1							1
		F.	31	21	1	3	1	1	27	1	1					1					1							
	C.	M.	54	42	3				45	3			1		1						1	1	1	1				1
		F.	42	41					41		1																	
10. Suicide by shooting	W.	M.	20							1			4	4	1	3	3			2	2							
		F.	3									1		1	1													
	C.	M.	3										1	1	1													
		F.																										
11. Suicide by drowning	W.	M.	4									1			1			1	1									
		F.	1										1															
	C.	M.																										
		F.																										
12. Suicide by poison	W.	M.	9										1		1	2			3			1	1					
		F.	7									2	1	1	1	2												
	C.	M.																										
		F.																										
13. Other suicides	W.	M.	35										5	5	3	4	3	4	2		3	4	1	1				
		F.	6								1			2	1	2												
	C.	M.	3										2				1											
		F.	2									1	1															
14. Sunstroke	W.	M.	22					1	1	3	1	4	4	4	1		1	2		1								
		F.	3									1		1	1													
	C.	M.	4			1			1				1	1	1													
		F.																										
15. Surgical operations	W.	M.	9			1			1			1	1	1	1		3			1								
		F.																										
	C.	M.	1														1											
		F.																										
16. Wounds	W.	M.	32	4	2		1		7	2	1	1	2	1	6	3	1	1	3	1	1		1					1
		F.	3											1	1			1										
	C.	M.	5									2	2	1														
		F.																										
17. Others of this group	W.	M.	486	34	8	12	9	8	71	43	43	48	46	43	29	27	34	29	14	20	6	8	9	7	5		2	2
		F.	177	20	8	7	7	5	47	17	14	7	14	10	12	15	9	7	2	3	3	5	5	3	3	1		
	C.	M.	111	16	2	4	1	2	25	10	10	8	16	7	7	8	1	6	5		2	1	1	2	1	1		
		F.	59	18	3	2	2	2	27	4	4	2	3	2	2	8	1	1		1	1		1	1				1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		63752	14434	4490	2618	1645	1231	24427	3555	2158	3100	3912	2988	2453	2386	1985	1879	1935	1748	2165	2190	2182	1948	1338	664	243	115	381
Total: White	M.	27892	6841	1940	1129	680	572	11162	1423	780	1071	1387	1141	901	909	860	838	924	924	1093	1116	1080	1013	656	319	95	20	171
	F.	27336	5483	1836	1079	691	501	9590	1570	947	1403	1877	1467	1231	1228	916	845	794	672	897	950	941	828	565	292	113	42	159
Colored	M.	4136	1143	376	197	131	84	1931	268	181	266	273	136	134	99	91	88	121	92	105	67	90	54	60	31	16	15	18
	F.	4388	967	347	213	143	74	1744	294	250	360	375	244	187	150	118	108	96	60	70	48	71	53	57	22	19	29	33
Unknown causes.																												
Total		3632	2014	242	95	55	41	2447	99	60	65	87	66	52	72	60	59	71	55	65	74	58	78	57	40	12	2	53
Total: White	M.	1451	852	89	34	20	15	1010	36	20	18	26	21	13	20	25	13	31	24	26	35	31	39	21	13	6	...	23
	F.	1375	716	73	24	21	15	849	29	22	27	38	33	32	45	27	36	26	24	30	33	20	31	23	22	5	....	23
Colored	M.	382	225	35	15	9	3	287	16	8	9	6	7	2	1	....	6	5	2	6	5	6	4	5	3	1	1	2
	F.	424	221	45	22	5	8	301	18	10	11	17	5	5	6	8	4	9	5	3	1	1	4	8	2	....	1	5
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		16817	3714	2033	1271	800	631	8449	1927	922	869	859	607	419	398	312	257	265	221	272	263	250	218	137	69	17	9	77
Total: White	M.	7359	1772	921	575	335	302	3905	775	333	327	323	259	153	144	124	121	129	128	132	123	122	110	74	33	7	1	36
	F.	7808	1595	889	554	375	277	3690	952	492	426	446	287	224	224	165	110	120	78	116	127	113	98	56	36	9	5	34
Colored	M.	837	177	105	66	45	26	419	104	56	61	42	24	24	11	13	11	10	10	16	8	7	8	7	....	1	1	4
	F.	813	170	118	76	45	26	435	96	41	55	48	37	18	19	10	15	6	5	8	5	8	2	....	....	....	2	3
1. Small-pox	W. M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	W. F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles	W. M.	269	69	55	31	15	12	182	27	11	13	11	7	6	1	5	....	1	2	....	2	....	....	....	....	....	....	1
	W. F.	311	52	41	26	16	15	150	38	20	28	24	8	11	13	3	4	9	2	....	....	1	....	....	....	....	....	1
	C. M.	44	5	10	4	5	2	26	6	4	4	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	37	11	9	4	2	....	26	4	1	3	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever	W. M.	582	61	75	83	75	65	359	158	44	10	4	3	....	....	....	1	1	....	....	....	1	....	....	....	....	....	1
	W. F.	658	43	66	80	80	60	329	214	76	19	12	2	2	1	1	....	1	....	....	....	....	....	....	....	....	....	1
	C. M.	19	3	2	2	1	2	10	7	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	22	2	1	5	5	2	15	3	....	....	1	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....
4. Diphtheria	W. M.	1106	88	112	151	121	145	617	360	77	22	2	6	5	2	4	2	2	1	1	1	....	....	....	....	....	....	4
	W. F.	1325	59	133	168	165	127	652	416	174	39	13	8	7	6	4	....	2	....	....	....	....	1	....	....	....	1	2
	C. M.	112	21	11	12	15	8	67	32	11	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	117	14	16	22	13	12	77	25	9	1	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough	W. M.	378	215	72	40	19	6	352	17	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	3
	W. F.	491	247	95	63	28	17	450	32	6	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. M.	98	43	21	17	4	3	88	8	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	C. F.	113	41	34	16	9	4	104	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
6. Fever	W. M.	65	23	1	3	....	....	27	1	1	4	3	5	1	4	2	2	....	4	2	3	1	2	2	1	....	....	....
	W. F.	89	16	2	4	....	....	22	8	1	10	11	7	1	5	3	4	1	2	2	4	2	....	5	1	....	....	....
	C. M.	37	6	6	3	1	1	17	3	2	1	3	2	1	1	3	1	1	....	....	....	1	1	....	....	....	....	....
	C. F.	29	3	1	1	....	1	6	9	1	2	2	1	1	2	....	3	1	1	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever	W. M.	169	35	26	22	10	11	104	13	11	11	6	6	5	4	1	1	2	1	1	1	1	1	....	....	....	....	....
	W. F.	170	34	32	15	8	6	95	23	12	10	6	7	2	7	2	3	2	....	1	....	....	....	....	....	....	....	....
	C. M.	12	1	1	....	2	1	5	2	1	2	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....
	C. F.	10	2	1	1	1	2	7	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever	W. M.	1192	25	22	25	22	14	108	73	96	165	203	132	72	54	40	37	42	40	40	29	31	16	4	3	1	....	6
	W. F.	1080	16	17	25	17	14	89	77	110	184	150	102	64	55	48	38	38	19	31	37	17	14	7	3	....	....	3
	C. M.	155	3	3	1	5	2	14	20	19	36	22	9	11	2	3	2	1	3	5	3	1	....	1	....	....	1	2
	C. F.	126	4	5	6	3	1	19	21	17	24	17	11	3	2	3	2	2	1	3	....	1	....	....	....	....	....	....
9. Diarrhœa	W. M.	319	117	56	18	2	....	193	4	1	1	4	3	2	7	5	10	7	8	13	9	15	21	9	5	....	....	2
	W. F.	252	89	56	17	4	....	166	6	1	1	3	3	6	4	2	5	4	2	2	7	14	9	5	3	4	2	3
	C. M.	40	15	12	2	1	....	30	1	3	2	....	....	....	....	1	....	1	....	....	....	....	1	1	....	....	....	....
	C. F.	28	12	9	4	....	....	25	1	....	....	....	....	....	....	....	....	....	2	....	....	....	1	....	....	....	....	....	....
10. Dysentery	W. M.	507	113	114	69	20	19	335	32	15	10	9	7	5	5	5	8	8	10	9	10	14	11	10	1	....	1	2
	W. F.	448	90	85	38	9	10	232	24	10	10	9	10	6	7	13	8	10	11	23	24	20	15	5	8	1	....	2
	C. M.	80	15	15	5	4	1	40	4	2	2	3	3	1	3	2	4	3	1	4	1	2	2	3	....	....	....	....
	C. F.	65	12	11	7	3	2	35	7	2	4	2	2	2	1	1	1	2	....	3	....	2	1	....	....	....	....	....
11. Enteritis	W. M.	507	145	52	29	12	8	246	22	23	24	16	17	14	14	14	10	13	13	14	14	16	14	13	7	2	....	1
	W. F.	455	128	46	29	7	7	211	23	20	11	19	15	17	19	21	10	8	14	14	14	16	8	9	3	....	....	5
	C. M.	41	13	2	5	4	2	26	3	....	2	1	....	1	1	1	....	1	1	....	....	3	....	1	....	....	....	....
	C. F.	37	14	3	2	3	...	22	5	1	1	2	3	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....
12. Cholera morbus	W. M.	68	10	7	2	....	....	19	5	....	....	2	3	....	1	3	1	2	3	6	3	6	6	5	....	1	....	2
	W. F.	60	4	3	1	1	....	9	9	....	2	5	3	1	3	4	1	1	....	2	3	3	9	4	1	....	....	....
	C. M.	11	2	....	....	....	....	2	....	2	1	2	....	....	....	....	....	....	3	1	....	....	....	....	....	....	1	....
	C. F.	4	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum	W. M.	1053	709	266	64	8	4	1051	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	W. F.	866	641	246	60	15	2	964	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	C. M.	49	27	16	6	....	....	49	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	60	38	17	4	....	1	60	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever	W. M.	740	88	45	25	28	15	201	52	37	52	44	43	27	32	29	24	29	24	29	31	19	26	21	8	2	....	11
	W. F.	780	75	49	27	21	15	187	73	49	63	65	32	40	41	22	31	31	12	30	23	24	30	14	13	1	1	8
	C. M.	102	10	4	8	2	3	27	17	9	9	7	6	7	3	3	1	2	1	5	3	....	1	....	....	1	....	....
	C. F.	92	16	6	3	4	1	24	11	7	10	7	10	3	5	1	2	1	1	1	4	4	....	....	....	....	1	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas	W.	M.	209	50	9	0	1	1	70	8	5	8	9	8	5	6	9	17	13	12	10	12	8	5	2	2		
		F.	216	77	10		2	1	90	6	5	9	9	6	3	8	12	9	6	9	8	11	11	8	5	2	1	1
	C.	M.	8			1	1		2		2			1						1	1	1						
		F.	9	3	1	1			5	1						1		1						1				
16. Septicæmia	W.	M.	67	4	4	2	1	1	12	1	3	4	4	6	3	7	3	4	3	7	3	3	2	1	2			
		F.	65	4	1	2	1	1	9	1	4	4	10	8	11	4	4	1	2	3	1	1	1					
	C.	M.	3	1					1				1		1													
		F.	6							1			3		1	1												
17. Puerperal septicæmia	W.—F.		342									31	108	72	50	47	23	4										
	C.—F.		40									7	8	6	5	5	4	3										
18. Venereal diseases	W.	M.	41	12	1	1			14				3	3	4	4	1	3	2		1	1	1	2			1		
		F.	21	10	1	1	1		13							2	2	1	1		1							1
	C.	M.	13	4	2				6				1	1	1			2	1									1
		F.	11	1	1		2		4				2	3				2										
19. Others of this group	W.	M.	79	8	4	1	1	1	15	2	4	3	3	4	4	3	3	1	4	3	2	4	7	5	6	8		
		F.	71	10	6	4		2	22	2	3	5	1	3	3	2	1	3	4	4	1	3	4	4	2	2	2	
	C.	M.	13	3				1	9	1														2	1			
		F.	7	2	1				3	1		2				1												
General diseases—B.																												
Total			687	279	42	42	18	13	394	27	7	12	14	18	17	36	29	21	22	15	24	17	10	12	5	3	2	2
Total: White		M.	326	120	10	11	7	2	150	4	4	2	8	9	11	26	24	12	17	12	17	12	4	8	3	2		1
		F.	274	136	21	17	7	0	187	17	1	8	4	4	4	9	3	3	5	3	7	5	5	3	2	1	2	1
Colored		M.	47	16	6	6	2	4	34	1		2	1	3	1	1	2	1						1				
		F.	40	7	5	8	2	1	23	5	2		1	2	1			5					1					
1. Worms	W.	M.	14	3		5	3	1	12	1	1																	
		F.	30	1	9	10	2	2	24	5	1																	
	C.	M.	18	2	4	5	2	3	16	1					1													
		F.	18		4	8	2	1	15	3																		
2. Other parasitic diseases	W.	M.	3			1			1	1					1													
		F.	7		1	1	1		3	1		1				1		1										
	C.	M.																										
		F.																										
3. Alcoholism	W.	M.	90									1	2	6	4	16	16	5	12	6	9	7	2	1	2	1		
		F.	3																1	1	1							
	C.	M.	5										1			1	2							1				
		F.	1								1																	
4. Lead poison	W.	M.	2															1		1								
		F.																										
	C.	M.																										
		F.																										
5. Other poisons	W.	M.	90	12	5	3	4	1	25	1	3		6	3	5	10	5	5	2	5	7	3	1	3	1	1		1
		F.	88	11	5	4	4	4	28	10		7	4	3	4	8	1	2	3	2	5	4	2	1	1	1	1	1
	C.	M.	9	1		1		1	3		2			2	1			1										
		F.	15	1	1				2	2	1		1	2	1			5					1					
6. Inanition	W.	M.	127	105	5	2			112	1		1			1			2	2	1		2	1	4				
		F.	146	124	6	2			132	1				1			2		1		1	1	3	2	1		1	
	C.	M.	15	13	2				15																			
		F.	6	6					6																			
General diseases—C.																												
Total			4435	3114	10	10	4	3	3150	7	2	1	2	4	7	3	5	8	9	13	28	51	147	218	344	240	117	65	14
Total: White		M.	2142	1624	8	2	1	1	1636	5			1	1	2	1	4	1	3	9	12	21	54	91	132	105	44	13	7
		F.	1728	1103	8	5	2	1	1119	1	2	1	1	1	5	1	1	6	4	3	12	26	73	107	181	107	53	22	2
Colored		M.	304	226	2	1		1	230	1				1					2		2	1	10	11	12	17	8	9	
		F.	261	161	1	2	1		165					1		1		1		1	2	3	10	9	19	11	12	21	5
1. Premature birth	W.	M.	289	289					289																			
		F.	236	236					236																			
	C.	M.	41	41					41																			
		F.	16	16					16																			
2. Stillborn	W.	M.	1176	1176					1176																			
		F.	758	758					758																			
	C.	M.	173	173					173																			
		F.	135	135					135																			
3. Malformation	W.	M.	59	55	2				57	2																		
		F.	40	37	3				40																			
	C.	M.	2	2					2																			
		F.	5	4	1				5																			
4. Debility	W.	M.	246	103	6	2	1		112	3			1	1	2	1	4	1	3	9	5	17	23	21	22	12	1	3	5
		F.	203	72	5	5	2	1	85	1	2	1	1	1	5	1	1	6	4	1	6	12	23	22	10	12	1	1	1
	C.	M.	23	10	2	1			13	1				1					2				2	2		2			
		F.	21	6		2	1		9					1		1		1		1	1	1	1	2	2	1			
5. Old age	W.	M.	370																		7	4	31	70	110	93	43	10	2
		F.	491																	2	6	14	50	65	165	95	52	21	1
	C.	M.	64																		2	1	8	9	12	15	8	9	
		F.	84																		1	2	9	7	17	10	12	21	5
6. Atrophy	W.	M.	2	1				1	2																				
		F.																											
	C.	M.	1					1	1																				
		F.																											

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—D.																											
Total		12811	558	315	189	130	66	1258	340	423	1054	1708	1265	1025	883	697	657	599	510	617	530	479	381	202	82	25	6	70
Total: White	M.	4423	274	117	59	34	22	506	84	74	207	470	400	306	290	252	246	247	235	280	238	229	193	87	43	7	1	28
	F.	6029	190	103	60	31	18	402	102	144	546	885	674	549	473	351	325	275	223	281	258	209	164	91	32	13	2	30
Colored	M.	935	50	54	33	32	14	183	64	56	95	130	50	62	46	35	30	40	34	36	19	22	12	12	5	2	1	1
	F.	1424	44	41	37	33	12	167	90	149	206	223	141	108	74	59	56	37	18	20	15	19	12	12	2	3	2	11
1. Rheumatism	W. M.	143	1	2	2	....	2	7	10	13	6	6	5	4	5	5	5	6	11	13	18	10	12	6	1	....	....	....
	W. F.	134	2	....	2	2	....	6	11	18	10	5	4	3	4	4	10	6	9	13	7	7	8	6	1	1	....	1
	C. M.	20	....	....	....	....	....	....	....	1	....	2	....	3	....	....	1	1	....	2	2	4	....	3	1	....	....	....	....
	C. F.	21	....	....	....	....	....	....	....	3	5	....	2	1	1	....	1	1	2	....	....	3	....	2	....	....	....	....	....
2. Scrofula and tabes	W. M.	238	73	40	13	10	5	141	13	6	7	16	10	9	6	3	6	8	4	4	4	....	3	2	....	....	....	1
	W. F.	228	65	31	18	9	3	126	13	7	16	18	7	14	2	4	4	4	1	2	7	....	1	....	1	....	....	1
	C. M.	144	30	20	11	12	7	70	18	20	12	9	4	3	1	3	....	1	1	1	....	....	....	1	....	....	....	....
	C. F.	153	16	9	16	8	6	55	30	22	14	11	3	6	4	3	....	2	....	....	....	....	1	....	1	....	....	1
3. Leprosy	W. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption	W. M.	2869	104	37	13	8	2	164	17	31	166	420	362	266	253	200	194	172	146	145	119	93	74	21	8	....	....	18
	W. F.	4298	61	29	20	12	9	131	39	92	492	809	615	490	389	271	205	164	103	145	119	92	74	37	9	3	....	19
	C. M.	642	23	27	15	12	6	83	33	34	81	111	45	46	43	26	24	30	24	27	12	10	6	3	1	1	1	1
	C. F.	1067	22	25	20	22	5	94	47	116	178	202	129	85	55	47	33	21	9	11	9	11	3	6	1	1	1	8
5. Hydrocephalus	W. M.	138	62	22	16	7	5	112	11	5	1	1	1	....	1	....	....	1	....	1	....	4	....	....	....	....	....	....	....
	W. F.	105	37	26	15	3	2	83	10	2	3	3	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	17	8	4	2	1	1	14	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	11	6	3	1	....	....	10	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer	W. M.	365	3	4	1	....	2	10	....	....	4	4	6	16	9	12	21	37	31	56	40	45	33	23	9	5	....	4
	W. F.	560	5	....	....	1	1	7	1	1	3	9	10	18	35	37	64	62	73	62	64	44	37	15	11	4	....	3
	C. M.	10	....	....	....	1	....	1	....	....	....	1	....	1	....	2	....	2	1	....	1	1	....	....	....	....	....	....	....
	C. F.	57	....	....	....	....	....	....	....	....	....	3	2	6	5	3	12	4	4	6	1	3	4	2	....	....	1	1
7. Tumor	W. M.	63	8	4	1	1	....	14	1	....	4	4	1	2	2	7	1	5	3	6	3	6	1	1	2	....	....	....
	W. F.	71	2	2	....	....	1	5	....	1	....	1	4	3	8	6	10	5	7	5	7	3	4	1	....	....	....	1
	C. M.	6	....	....	....	....	....	....	1	....	....	2	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	6	....	1	....	....	....	1	....	....	1	....	....	....	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....
8. Anæmia	W. M.	19	8	....	....	....	....	8	....	1	1	1	....	....	....	....	....	1	1	....	2	1	1	1	....	....	....	....	1
	W. F.	47	7	2	....	....	....	9	....	1	5	4	8	3	6	2	....	2	1	1	....	3	1	....	....	....	1	....	....
	C. M.	2	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy	W. M.	443	9	7	12	6	5	39	24	11	12	8	13	7	13	17	15	16	32	43	41	52	49	27	18	2	1	3
	W. F.	505	9	9	4	4	2	28	22	16	11	28	20	16	23	21	30	23	25	48	49	56	37	32	10	5	1	4
	C. M.	86	1	2	5	5	....	13	9	....	1	4	1	6	2	4	3	5	6	6	4	7	6	5	3	1	....	....
	C. F.	105	....	3	....	3	1	7	12	6	8	7	5	9	8	5	9	8	2	3	5	2	4	2	....	2	....	1
10. Glycosuria	W. M.	131	3	1	....	1	1	6	5	7	6	9	2	2	1	7	4	6	7	12	8	17	20	6	5	....	....	1
	W. F.	52	....	....	....	....	....	....	4	5	3	5	2	2	3	4	....	3	3	4	5	2	2	....	....	....	....	....
	C. M.	5	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....
	C. F.	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	W. M.	14	3	....	1	1	....	5	3	....	....	1	....	....	....	1	....	....	....	....	3	1	....	....	....	....	....	....	....
	W. F.	29	2	4	1	....	....	7	2	1	3	3	4	....	2	1	....	1	1	1	....	2	....	....	....	....	....	....	1
	C. M.	3	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class	W. M.	4	....	....	....	....	....	....	1	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	W. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. M.	17	....	....	....	....	....	....	....	....	3	7	4	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		7147	1984	699	331	183	151	3348	353	197	187	188	176	153	168	167	170	207	220	274	331	352	329	198	63	18	14	34
Total: White	M.	3323	944	283	141	76	71	1515	158	78	83	83	75	79	87	71	74	113	119	130	178	166	155	100	31	10	5	13
	F.	3047	764	316	148	79	59	1366	148	94	78	80	81	68	68	83	81	81	84	123	135	162	166	89	30	8	5	17
Colored	M.	432	163	61	21	11	15	271	28	13	13	15	11	5	4	7	8	7	8	8	7	15	2	5	....	....	2	3
	F.	345	113	39	21	17	6	196	19	12	13	10	9	1	9	6	7	6	9	13	11	9	6	4	2	....	2	1
1. Inflammation of the brain	W. M.	705	296	122	53	28	24	523	55	22	18	14	9	3	10	8	4	10	11	1	5	5	3	2	....	1	1	....
	W. F.	664	236	142	60	24	27	495	50	17	20	14	10	10	10	5	11	5	2	4	6	1	4	....	....	....	....	....
	C. M.	107	30	22	13	4	2	71	13	4	4	5	3	1	2	....	1	2	1	....	....	....	....	....	....	....	....	....	....
	C. F.	84	24	11	10	7	4	56	7	4	5	2	3	....	3	....	1	....	....	1	....	....	....	2	....	....	....	....	....
2. Meningitis	W. M.	261	75	35	18	14	15	157	27	12	13	10	7	1	10	3	1	5	5	1	1	1	1	....	....	....	....	....	3
	W. F.	239	82	42	22	7	9	162	21	10	12	8	3	6	2	2	....	1	2	4	2	....	1	1	....	....	....	....	2
	C. M.	52	11	10	4	4	6	35	3	2	2	3	1	....	....	1	2	1	1	....	....	1	....	....	....	....	....	....	....
	C. F.	30	5	5	....	6	....	16	2	5	1	....	2	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	1
3. Apoplexy	W. M.	316	13	1	1	....	....	15	....	5	2	8	11	13	13	6	19	19	29	39	56	34	24	15	5	3	....	....	....
	W. F.	257	2	....	1	1	....	4	2	3	5	5	3	6	9	18	18	24	15	26	33	33	29	12	8	....	1	3
	C. M.	14	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	3	2	2	2	....	2	....	....	....	....
	C. F.	25	....	2	....	....	....	2	....	....	....	....	1	....	1	....	1	3	2	6	1	3	2	1	1	....	....	....	....
4. Paralysis	W. M.	585	9	5	3	1	....	18	3	2	6	5	7	7	16	15	21	31	44	56	77	88	90	65	24	5	4	1
	W. F.	584	5	5	3	2	1	16	4	7	3	7	7	12	14	12	19	24	34	64	71	93	101	62	19	7	4	5
	C. M.	37	1	1	....	....	....	2	1	2	....	1	3	2	....	2	....	1	1	4	4	9	2	2	....	....	1	....
	C. F.	39	....	....	1	....	....	1	2	....	2	....	2	....	1	1	2	2	6	4	7	3	2	1	1	....	2	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
5. Tetanus and trismus nascentium.	W.	M.	69	28	2	....	....	3	33	6	4	9	3	4	2	3	....	1	3	....	....	....	1	....	....	....	....	....	....
		F.	34	21	2	....	....	1	24	2	3	2	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	28	13	....	....	....	3	16	2	2	1	....	1	1	1	1	....	1	1	1	....	....	....	....	....	....	....	....
		F.	14	12	....	....	....	....	12	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy	W.	M.	111	17	1	5	2	1	26	3	4	10	15	8	12	4	4	2	4	2	6	4	2	3	1	....	....	1
		F.	90	6	3	2	4	1	16	4	10	4	8	15	5	6	6	2	2	1	....	3	2	4	1	1	....	....
	C.	M.	15	3	1	....	1	....	5	....	1	2	2	2	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....
		F.	10	....	1	....	1	1	3	....	1	1	3	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Convulsions	W.	M.	440	319	38	20	10	9	396	16	2	2	5	2	4	1	2	3	2	....	2	....	2	....	....	....	....	....	1
		F.	300	257	37	22	15	4	335	7	3	6	13	4	3	3	5	....	1	....	2	1	1	....	1	....	....	....	5
	C.	M.	116	84	19	3	1	....	107	2	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2
		F.	89	63	14	6	1	....	84	1	....	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Mental diseases	W.	M.	74	....	....	....	....	....	....	....	1	2	6	7	5	8	11	6	6	4	4	4	2	2	2	1	....	....	3
		F.	85	....	....	....	....	....	....	2	2	3	5	12	9	2	12	5	8	8	7	2	6	1	1	....	....	....	....
	C.	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....
		F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....
9. Diseases of the brain	W.	M.	529	127	54	28	14	12	235	27	15	16	12	14	21	18	12	14	29	10	15	27	21	20	11	1	1	....	4
		F.	453	119	62	21	12	7	221	32	16	8	13	20	11	11	17	18	10	11	9	12	12	19	7	3	1	....	2
	C.	M.	43	12	6	....	1	3	28	3	1	3	....	....	....	....	1	2	....	1	....	1	2	....	1	....	....	....	....
		F.	35	7	4	1	1	1	14	5	1	2	3	....	1	....	2	....	1	....	2	2	1	1	....	....	....	....	....
10. Diseases of the spinal cord.	W.	M.	190	58	24	13	7	6	108	19	10	4	5	5	6	4	7	2	1	6	4	2	3	3	1	....	....	....	....
		F.	172	34	21	11	14	7	87	21	19	10	3	3	4	4	1	4	1	6	2	....	3	3	1	....	....	....	....
	C.	M.	15	3	2	1	....	1	7	4	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1
		F.	11	2	2	3	1	....	8	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group	W.	M.	43	2	1	....	....	1	4	2	1	1	....	1	5	....	3	1	3	2	2	2	4	9	3	....	....	....	....
		F.	79	2	2	....	....	2	6	3	4	5	3	4	1	6	5	4	5	5	5	5	11	4	3	....	....	....	....
	C.	M.	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	5	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total			2153	174	14	11	5	10	214	51	54	61	76	86	71	105	90	83	157	155	201	209	231	188	75	26	6	1	13
Total: White		M.	990	91	6	5	4	6	112	20	18	24	20	36	30	29	33	30	60	65	99	105	124	112	53	14	2	1	3
		F.	957	75	7	4	1	3	90	28	26	27	40	44	32	61	48	47	75	66	81	93	92	65	20	10	3	....	9
Colored		M.	99	5	1	....	....	....	6	2	3	5	8	2	5	4	4	3	8	17	11	6	8	4	1	1	....	....	1
		F.	107	3	....	2	....	1	6	1	7	5	8	4	4	11	5	3	14	7	10	5	7	7	1	1	1	....	....
1. Angina pectoris	W.	M.	26	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	2	1	5	4	5	4	2	....	....	....	....
		F.	18	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	3	2	1	6	2	....	....	....	....	....	....
	C.	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Aneurism	W.	M.	19	....	....	....	....	....	....	....	....	....	....	1	2	....	3	1	3	1	2	2	1	1	1	1	....	....	....
		F.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....
	C.	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the heart	W.	M.	876	36	6	5	3	6	56	20	17	24	18	34	28	29	28	28	55	63	89	96	117	105	50	13	2	1	3
		F.	881	37	7	4	1	3	52	27	26	26	38	42	29	58	47	45	70	63	77	87	89	64	20	9	3	....	9
	C.	M.	96	3	1	....	....	....	4	2	3	5	8	2	5	4	4	3	8	16	11	6	8	4	1	1	....	....	1
		F.	106	3	....	2	....	1	6	1	7	5	8	4	4	10	5	3	14	7	10	5	7	7	1	1	1	....	....
4. Others of this group	W.	M.	69	55	....	....	1	....	56	....	1	....	....	1	....	....	2	....	....	....	3	3	1	2	....	....	....	....	....	....
		F.	54	37	....	....	....	....	37	1	....	1	2	2	2	1	....	1	2	....	2	....	1	1	....	1	....	....	....
	C.	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total			8856	1659	816	492	306	229	3502	437	225	408	393	267	298	294	300	317	332	299	382	411	385	292	151	66	27	13	57
Total: White		M.	4339	735	375	235	145	116	1606	193	92	196	208	118	152	146	167	173	170	182	218	215	193	150	77	35	11	6	31
		F.	3390	588	312	201	119	88	1308	179	100	138	122	122	111	126	107	125	119	99	141	181	175	127	60	25	11	6	17
Colored		M.	599	170	74	29	19	13	305	28	18	39	37	15	17	12	10	12	32	9	17	10	11	6	10	4	3	1	3
		F.	519	166	55	27	23	12	283	37	15	35	26	12	18	10	16	7	11	9	6	5	6	9	4	2	2	....	6
1. Croup	W.	M.	769	264	140	104	55	66	659	98	6	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	5
		F.	644	215	103	100	69	57	544	83	8	2	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	3
	C.	M.	103	71	15	4	7	4	101	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	109	75	18	6	4	1	104	3	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis	W.	M.	25	5	2	7	....	2	16	2	....	1	....	1	....	1	....	....	2	....	1	....	1	....	....	....	....	....	....
		F.	37	7	3	2	1	2	15	8	1	1	3	3	1	1	1	1	....	....	....	....	....	1	....	....	1	....	....
	C.	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
3. Bronchitis	W.	M.	310	70	43	15	12	9	149	7	3	5	9	2	5	8	11	12	7	11	11	15	20	14	11	5	2	....	3
		F.	286	74	36	9	6	1	126	5	6	8	10	13	10	7	9	3	13	5	11	14	14	16	7	4	4	....	1
	C.	M.	45	18	13	4	3	....	38	2	1	1	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
		F.	46	20	5	4	3	....	32	1	3	3	2	1	....	1	....	....	....	....	....	....	2	....	....	....	1	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia	W.	M.	2772	326	173	92	39	33	663	73	77	171	169	99	127	121	137	144	140	147	178	172	140	108	49	24	6	5	22
		F.	2012	235	148	75	33	21	512	68	78	108	88	90	83	101	82	100	87	80	108	138	129	85	42	12	5	5	11
	C.	M.	397	72	38	18	9	8	145	21	16	37	34	15	14	11	10	11	22	8	14	9	10	5	8	4	3	1	3
		F	338	66	30	16	16	11	139	20	11	31	22	10	17	7	14	6	10	8	6	5	4	8	3	1	1	....	6
5. Pleurisy	W.	M.	59	3	....	2	1	....	6	2	....	7	6	2	4	2	4	....	6	3	5	3	5	3	....	1	....	....	....
		F.	51	2	....	....	1	....	3	2	....	4	3	1	2	2	2	2	2	2	3	7	9	6	1	....	....	....	....
	C.	M.	14	1	1	....	....	....	2	1	1	2	....	....	1	....	....	1	1	....	1	....	1	1	2	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
6. Asthma	W.	M.	61	5	1	....	....	....	6	....	....	....	1	2	....	1	1	4	4	4	6	8	9	10	3	1	1	....	....
		F.	48	2	1	1	....	1	5	....	1	....	1	1	5	1	....	5	3	2	4	6	8	4	2	....	....	....	....
	C.	M.	8	....	3	1	....	....	4	....	....	1	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....
		F.	5	....	1	....	....	....	1	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	1	....	....	....	....
7. Others of this group	W.	M.	343	62	16	15	8	6	107	11	6	12	23	12	16	13	14	13	10	17	17	17	18	15	14	4	2	1	1
		F.	321	53	21	14	9	6	103	13	6	15	16	14	10	14	13	13	14	10	15	15	14	15	8	9	1	1	2
	C.	M.	30	8	4	2	....	1	15	2	....	2	2	....	1	1	....	....	4	1	2	....	....	....	....	....	....	....	....	....
		F.	19	5	1	1	....	....	7	4	....	1	1	1	1	2	1	....	....	....	....	....	....	....	....	1	....	....	....
V.—DISEASES OF THE DIGESTIVE SYSTEM.																													
Total			2614	527	181	79	45	25	857	90	73	93	106	121	94	101	99	92	113	137	146	156	115	90	70	28	5	1	21
Total: White		M.	1196	263	74	26	17	11	391	37	43	39	35	51	28	36	56	42	53	71	74	83	49	44	39	12	4	....	9
		F.	1122	188	51	36	21	11	307	50	21	35	57	63	55	57	38	42	48	57	63	71	61	44	24	16	1	1	11
Colored		M.	146	40	27	9	3	1	80	4	5	7	5	1	6	6	1	5	7	7	5	....	4	1	2	....	....	....	....
		F.	150	36	29	8	4	2	79	5	4	12	9	6	5	2	4	3	5	2	4	2	1	1	5	....	....	....	1
1. Dentition	W.	M.	46	16	28	....	1	1	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	49	21	23	4	1	....	49	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C.	M.	41	13	21	7	....	....	41	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	40	14	20	6	....	....	40	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina	W.	M.	53	13	6	5	4	2	30	6	4	1	....	....	1	....	....	....	....	....	1	4	3	1	....	2	....	....	....
		F.	44	8	2	5	5	3	23	10	....	3	2	2	1	....	1	....	1	....	....	1	....	....	....	....	....	....	....
	C.	M.	3	1	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	4	2	....	....	....	1	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis	W.	M.	74	13	1	1	2	....	17	4	1	1	2	4	1	3	3	1	2	7	4	8	3	4	5	2	1	....	1
		F.	66	3	2	3	1	....	9	1	1	3	3	6	2	4	2	3	1	1	3	6	9	7	3	2	....	....	....
	C.	M.	6	1	....	....	....	....	1	....	1	....	....	1	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....
		F.	4	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
4. Other diseases of the stomach.	W.	M.	221	38	11	6	7	2	64	4	6	4	3	10	11	8	14	10	16	12	14	18	8	7	10	1	....	....	1
		F.	206	24	6	8	5	1	44	7	4	7	10	14	15	15	8	8	8	17	8	19	9	7	4	6	1	....	....
	C.	M.	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
		F.	11	2	1	....	1	....	4	....	....	2	....	1	....	....	....	....	1	....	1	1	1	....	....	....	....	....	....
5. Obstruction of the bowels.	W.	M.	76	10	3	1	....	....	14	9	5	6	4	4	4	4	2	3	....	5	5	3	1	3	3	1	....	....	....
		F.	62	7	....	2	1	1	11	5	3	....	1	2	1	2	4	2	6	1	7	5	2	6	2	2	....	....	....
	C.	M.	9	....	....	....	....	....	....	....	2	2	1	....	1	1	....	....	1	....	1	....	....	....	....	....	....	....	....
		F.	4	....	....	....	....	....	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia	W.	M.	50	9	....	1	1	....	11	1	2	2	1	1	2	3	1	1	3	3	8	1	1	2	4	1	2	....	....
		F.	39	4	....	....	....	....	4	1	....	1	2	....	3	3	4	4	1	4	7	8	2	....	....	....	....	....	....
	C.	M.	12	1	....	....	....	....	1	....	....	1	1	....	1	1	....	2	....	2	....	....	3	....	....	....	....	....	....	....
		F.	3	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels.	W.	M.	115	40	8	6	....	1	55	1	4	3	9	10	....	....	6	2	2	5	5	6	1	2	2	1	....	....	1
		F.	91	25	4	5	....	1	35	7	1	6	7	2	3	2	1	4	3	7	4	3	3	1	2	....	....	....	....
	C.	M.	18	3	3	2	1	....	9	....	2	....	....	....	1	1	....	....	....	....	1	....	....	1	1	....	....	....	....
		F.	16	2	1	1	1	....	5	1	2	2	....	....	....	1	....	....	1	1	1	....	....	....	2	....	....	....	....
8. Jaundice	W.	M.	52	18	....	....	....	2	20	1	1	1	....	3	1	1	1	3	....	2	6	3	2	2	5	....	....	....	....
		F.	52	20	....	2	5	2	29	....	....	....	....	1	....	1	....	1	1	3	3	3	3	3	1	....	....	1	2
	C.	M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	10	8	....	....	....	....	8	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver.	W.	M.	75	3	2	....	1	....	6	2	1	5	4	2	1	3	9	7	9	8	5	6	2	2	2	....	....	....	1
		F.	78	6	....	3	....	1	10	4	3	....	2	2	3	3	4	5	6	3	8	8	6	7	3	....	....	....	1
	C.	M.	3	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
		F.	4	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
10. Other diseases of the liver.	W.	M.	148	18	5	2	1	3	29	2	5	2	4	3	3	5	11	5	9	18	13	12	12	11	2	1	....	....	1
		F.	153	21	4	1	2	2	30	1	4	2	7	8	4	8	8	7	15	12	12	12	14	6	2	....	....	....	1
	C.	M.	10	....	3	....	2	....	5	....	....	....	....	....	....	....	....	....	3	2	....	....	....	....	....	....	....	....	....	....
		F.	10	1	....	1	1	....	3	....	....	....	1	1	2	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....
11. Peritonitis	W.	M.	79	5	3	1	....	....	9	2	6	10	5	7	1	5	4	3	8	4	1	4	4	1	2	....	1	....	2
		F.	123	4	1	....	....	....	5	9	3	9	22	24	14	11	5	2	1	4	3	4	3	....	1	1	....	....	2
	C.	M.	12	3	....	....	....	....	3	2	....	1	....	....	1	....	1	3	1	....	....	....	....	....	....	....	....	....	....
		F.	16	....	....	....	....	....	....	....	1	4	6	2	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....
12. Ascites	W.	M.	26	....	....	1	....	....	1	1	3	....	....	....	....	1	1	....	1	1	1	5	2	7	1	1	....	....	....
		F.	30	1	....	1	....	....	2	2	1	1	....	....	1	1	2	1	2	2	4	1	3	2	4	1	....	....	....
	C.	M.	7	1	....	....	....	1	2	1	....	1	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....
		F.	8	....	....	....	1	....	1	1	....	1	1	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....
13. Others of this group	W.	M.	181	80	7	2	....	....	89	4	5	4	3	7	3	3	4	7	3	6	11	13	10	2	3	2	....	....	2
		F.	129	44	9	2	1	....	56	3	1	3	1	2	8	7	4	5	3	3	4	6	7	5	2	4	....	....	5
	C.	M.	17	10	....	....	....	....	10	....	....	1	1	....	1	1	....	....	....	1	....	....	....	....	1	....	....	....	....	....
		F.	20	6	6	....	....	....	12	2	....	1	1	....	....	....	....	....	....	....	1	....	....	....	2	....	....	....	1

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		751	19	10	7	5	10	51	18	12	20	23	23	23	30	28	25	37	40	66	74	95	83	61	27	4	3	8
Total: White	M.	532	11	4	3	2	6	26	11	5	9	10	14	10	13	21	16	27	30	50	57	80	71	52	23	....	2	5
	F.	165	0	6	4	3	3	22	6	5	6	11	8	10	17	6	8	8	7	11	11	10	8	4	2	2	1	2
Colored	M.	42	1	....	....	....	1	2	....	2	4	2	....	2	....	1	....	2	3	4	6	4	3	4	1	1	....	1
	F.	12	1	....	....	....	....	1	1	....	1	....	1	1	....	....	1	....	....	1	....	1	1	1	1	....	....	....
1. Bright's disease	W. M.	148	2	....	1	....	1	4	6	1	3	6	8	3	3	11	5	8	11	18	10	21	16	7	4	....	....	3
	W. F.	63	1	2	....	....	1	4	4	4	....	3	5	4	8	1	5	3	4	3	7	5	3	....	....	....	....	....
	C. M.	10	....	....	....	....	....	....	....	....	1	1	....	1	....	1	....	....	2	1	....	2	....	....	....	1	....	....
	C. F.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
2. Calculus, urinary	W. M.	43	....	....	....	....	....	....	1	1	1	....	2	1	....	....	....	1	3	4	6	6	5	9	3	....	....	....
	W. F.	3	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
	C. M.	13	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	2	3	....	3	1	....	....	....	1
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney	W. M.	181	7	2	2	....	2	14	4	3	4	4	2	4	5	5	9	14	9	19	22	22	21	13	5	....	1	....
	W. F.	77	4	1	3	1	2	11	1	....	5	6	3	6	6	5	1	5	2	7	2	4	5	2	1	2	1	1
	C. M.	13	....	....	....	....	1	1	....	1	3	1	....	....	....	....	....	....	1	1	3	1	....	1	....	....	....	....
	C. F.	3	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	1	....	1	....	1	1	1	....	....
4. Diseases of the bladder	W. M.	87	1	1	....	2	....	4	....	....	1	....	2	1	1	2	1	1	4	5	11	14	22	11	5	....	1	1
	W. F.	9	1	....	1	1	....	3	....	....	....	....	....	....	2	....	1	....	....	1	1	....	....	1	....	....	....	....
	C. M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....
	C. F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
5. Others of this group	W. M.	73	1	1	....	....	2	4	....	....	....	....	....	1	3	3	1	3	3	4	8	17	7	12	6	....	....	1
	W. F.	13	....	2	....	1	....	3	1	1	1	2	....	....	1	....	1	....	1	....	....	....	....	....	1	....	....	1
	C. M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	C. F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total		239	....	....	....	....	....	....	....	4	21	24	31	27	31	25	25	18	11	12	2	4	3	....	....	....	....	1
Total: White	F.	207	....	....	....	....	....	....	....	4	19	20	26	21	29	21	22	16	10	11	2	2	3	....	....	....	....	1
Colored	F.	32	....	....	....	....	....	....	....	....	2	4	5	6	2	4	3	2	1	1	....	2	....	....	....	....	....	....
1. Ovarian tumors	W.—F.	36	....	....	....	....	....	....	....	....	2	3	3	2	5	3	4	1	5	4	1	....	3	....	....	....	....	....
	C. —F.	4	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
2. Ovarian diseases	W.—F.	8	....	....	....	....	....	....	....	1	1	1	1	....	....	1	1	1	....	1	....	....	....	....	....	....	....	....
	C. —F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Uterine tumors	W.—F.	11	....	....	....	....	....	....	....	....	....	....	....	2	....	2	1	2	4	....	....	....	....	....	....	....	....	....
	C. —F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Uterine diseases	W.—F.	40	....	....	....	....	....	....	....	1	2	11	6	4	5	3	3	4	1	....	....	....	....	....	....	....	....	....
	C. —F.	2	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group	W.—F.	112	....	....	....	....	....	....	....	2	14	5	16	13	19	12	13	8	....	6	1	2	....	....	....	....	....	1
	C. —F.	20	....	....	....	....	....	....	....	....	2	2	4	5	2	4	3	1	1	....	....	2	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total		614	....	....	....	....	....	....	....	1	66	161	111	109	97	45	14	3	1	....	....	....	....	....	....	....	....	6
Total: White	F.	539	....	....	....	....	....	....	....	....	57	138	100	95	88	39	13	2	1	....	....	....	....	....	....	....	....	6
Colored	F.	75	....	....	....	....	....	....	....	1	9	23	11	14	9	6	1	1	....	....	....	....	....	....	....	....	....	....
1. Abortion	W.—F.	59	....	....	....	....	....	....	....	....	3	12	11	11	14	5	1	1	1	....	....	....	....	....	....	....	....	....
	C. —F.	11	....	....	....	....	....	....	....	....	2	3	3	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth	W.—F.	362	....	....	....	....	....	....	....	....	30	88	72	69	61	27	11	....	....	....	....	....	....	....	....	....	....	4
	C. —F.	54	....	....	....	....	....	....	....	....	5	17	5	12	8	5	1	1	....	....	....	....	....	....	....	....	....	....
3. Others of this group	W.—F.	118	....	....	....	....	....	....	....	....	24	38	17	15	13	7	1	1	....	....	....	....	....	....	....	....	....	2
	C. —F.	10	....	....	....	....	....	....	....	1	2	3	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		208	28	15	9	11	4	67	14	15	21	14	12	9	9	6	11	6	5	4	6	2	3	1	2	....	....	1
Total: White	M.	110	13	7	2	6	3	31	8	10	9	8	7	4	6	2	5	4	4	3	5	1	3	....	1	....	....	1
	F.	69	12	5	2	5	1	25	6	5	6	3	2	4	3	3	5	2	....	1	1	1	....	1	1	....	....	....
Colored	M.	21	2	3	4	....	....	9	2	....	3	3	2	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	....	1	....	....	2	....	....	3	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Diseases of the spine	W. M.	63	12	6	2	5	2	27	2	5	3	4	3	3	2	1	4	2	1	1	2	....	2	....	....	....	....	1
	W. F.	47	12	4	1	4	1	22	4	2	4	1	1	2	3	2	4	2	....	....	....	....	....	....	....	....	....	....
	C. M.	16	2	3	4	....	....	9	1	....	2	2	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	C. F.	6	1	....	1	....	....	2	....	....	2	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
2. Diseases of the bones	W. M.	16	....	1	....	....	....	1	3	2	2	....	....	....	2	1	....	1	2	1	....	....	1	....	....	....	....	....
	W. F.	8	....	1	....	1	....	2	....	....	1	1	....	....	....	1	1	....	....	1	....	1	....	....	....	....	....	....
	C. M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	C. F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
3. Diseases of the hip-joint.	W.	M.	19	1			1	1	3	1	2	3	2	3	1	2							1			1			
		F.	7			1			1	2	2				1											1			
	C.	M.	1									1																	
		F.	1									1																	
4. Others of this group	W.	M.	12								1	1	2	1				1	1	1	1	3							
		F.	7								1	1	1	1	1							1			1				
	C.	M.	4							1			1	1			1												
		F.	1											1															
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total			124	21	6	3	1	1	32	6	3	8	5	5	5	7	9	11	7	6	6	4	4	2	1	1	1		1
Total: White		M.	65	11	2	1	1		15	4	1	4	2	4	3	2	4	6	5	3	3	3	3		1	1	1		1
		F.	45	9	4	2		1	16	1	2	2	3		2	4	4	3		3	3			2					
Colored		M.	9									2		1	1		1	2	1			1							
		F.	5	1					1	1						1			1				1						
1. Abscess	W.	M.	36	4	1	1			6	3	1	2	2	3	2	2	2	3	4	3	1		1						1
		F.	28	4	1	2			7	1	1	2	3		1	2	2	2		2	3			2					
	C.	M.	5									1		1			1	1				1							
		F.	3	1					1	1						1													
2. Carbuncle	W.	M.	17	1					1	1		2		1			2	3			2	2	1		1	1			
		F.	4	1					1		1					1				1									
	C.	M.	3												1			1	1										
		F.																											
3. Others of this group	W.	M.	12	6	1		1		8										1			1	1			1			
		F.	13	4	3			1	8						1	1	2	1											
	C.	M.	1									1																	
		F.	2																1				1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total			41	5	3			1	9	1	3	2	1	5	5	3	2	3	1	1	2		2		1				
Total: White		M.	24	3	3			1	7	1	3	1		3	2	2	1	2			1		1						
		F.	16	2					2			1	1	2	3	1	1	1	1	1	1		1						
Colored		M.																											
		F.	1																						1				
1. Addison's disease	W.	M.	3									1		1	1														
		F.	1												1														
	C.	M.																											
		F.																											
2. Diseases of the spleen	W.	M.	15	1	3			1	5		3			2	1	1	1	2											
		F.	9	1					1					2	2		1	1	1										
	C.	M.																											
		F.	1																						1				
3. Others of this group	W.	M.	6	2					2	1						1					1		1						
		F.	0	1					1			1				1				1	1		1						
	C.	M.																											
		F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total			2602	338	104	79	82	46	649	178	157	209	243	186	138	149	110	124	88	59	66	62	48	51	35	17	9	1	23
Total: White		M.	1608	128	41	35	32	16	252	88	99	152	192	142	108	107	76	97	65	42	48	41	23	37	17	6	3		13
		F.	556	99	41	22	27	18	207	51	29	26	28	20	16	22	19	18	12	13	16	16	17	10	14	10	6		6
Colored		M.	266	68	8	13	10	6	105	18	20	23	17	13	9	14	15	7	7	2		4	3	2	2				3
		F.	172	43	14	9	13	6	85	21	9	8	6	9	5	6		2	4	2	2	1	5	2	2	1		1	1
1. Burns and scalds	W.	M.	74	4	15	17	16	6	58	6	1		4	1	2	1													1
		F.	168	14	21	10	16	11	72	34	14	6	5	5	4	12	3	1	1		1	2	1	2	4		1		
	C.	M.	41	10	5	7	3	5	30	7	2													1	1				
		F.	65	1	3	5	11	6	26	14	7	6		4	2	1			1	1	1		2						
2. Drowned	W.	M.	146	2	8	6	3	3	22	19	26	26	17	12	5	4	2	7	1		4								1
		F.	37	2	5	3	5	1	16	9	3	2		1	2	1		1	1	1									
	C.	M.	34	1	1	2	2		6	1	6	7	4	4	1		3		1	1									
		F.	2										1										1						
3. Exposure and neglect	W.	M.	29	14	1				15	2	2		1	1			2						2	1	2				1
		F.	31	14					14			1	1	2	2	1	2				2	1	1	1	1	1			1
	C.	M.	22	15	1	1	2		19	1						1	1												
		F.	23	9	7	1	1		18	1	1		2			1													
4. Gunshot wounds	W.	M.	134				2		2	3	12	23	23	23	16	12	6	4	4	2	1		2						1
		F.	11			1	1	1	3	1	1	3	1						1	1									
	C.	M.	25							1	1	6	4	6	3	1	1												2
		F.	5							1		1	1		1				1										
5. Homicide	W.	M.	58							2		1	14	5	6	15	1	3	4	3		2	1						1
		F.	7									2	1				1	2											1
	C.	M.	15			1			1		1	3	2	2		3	2		1				1						
		F.	5							1		1		1		1													

TABLE XI.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, COLOR, ETC.

GRAND GROUP 15—Continued.

Cause of death.			Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—continued.																												
6. Infanticide	W.	M.	1	1					1																			
		F.	1	1					1																			
	C.	M.	3	3					3																			
		F.																										
7. Injuries by machinery	W.	M.	2			1			1	3	1		3															
		F.	1								1																	
	C.	M.																										
		F.																										
8. Railroad accidents	W.	M.	188							5	10	27	41	29	18	9	13	15	7	2	3	2	1	5	1			
		F.	10				1		1		2		1				2	1	1	1		1						
	C.	M.	8								1	1	3			1	1	1										
		F.	2		1				1											1								
9. Suffocation	W.	M.	104	65	6	2		2	75	4	4			1	1	3		4		2	1	2		3		1		3
		F.	59	40	4	4	1	1	50				1				1	3	1			2			1			
	C.	M.	34	27	1		1		29								3					1						1
		F.	31	27					27	1									1				1					1
10. Suicide by shooting	W.	M.	29									1	10	3	2	4	4	2		2		1						
		F																										
	C.	M.	1									1																
		F.																										
11. Suicide by drowning	W.	M.	4														1	1		2								
		F.	5											1			1	1		1	1							
	C.	M.																										
		F.																										
12. Suicide by poison	W.	M.	21									2	2	3	3	3		3	1					1				
		F.	10									2	4	3		1												
	C.	M.																										
		F.																										
13. Other suicides	W.	M.	103									6	12	8	6	11	5	17	12	6	6	8	1	3		1		1
		F.	19									4	3	2	2	1		1	2	1		1	1					1
	C.	M.	2											1								1						
		F.	1												1													
14. Sunstroke	W.	M.	15										1			3	1	2	3	2	2		1					
		F.	7		2				2	1			1	1		1				1								
	C.	M.	2															1	1									
		F.	1																					1				
15. Surgical operations	W.	M.	10														2	2	1	3		2						
		F.	7		1				1				1	1	1	1	1		1									
	C.	M.																										
		F.																										
16. Wounds	W.	M.	34		2	1			3	2	1	3	2	1	2	2	5	4	1	2		2	1	1			1		1
		F.	3	2		1		1	4			1										2	1					
	C.	M.	3									1					2											
		F.	2	1					1	1																		
17. Others of this group	W.	M.	650	42	9	8	11	5	75	42	42	63	62	55	47	40	34	33	28	16	31	22	14	23	14	4	2		3
		F.	175	26	8	3	3	3	43	6	8	5	9	5	4	4	8	8	4	7	12	7	13	7	8	9	5		3
	C.	M.	76	12		2	2	1	17	8	9	4	4	2	5	8	2	5	4	1		2	3	1	1				
		F.	35	5	3	3	1		12	2	1		2	4	1	3		2	1		1	1		1	2	1		1	

TABLE XII.

DEATHS IN CERTAIN GRAND GROUPS

(BY AGE AND SEX),

WITH

DISTINCTION OF IRISH AND GERMAN PARENTAGE, AND SPECIFICATION OF CAUSE.

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE AND SEX, WITH DISTINCTION OF IRISH AND GERMAN PARENTAGE, AND SPECIFICATION OF CAUSE.

GRAND GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		9001	1624	611	328	278	194	3035	437	199	430	660	596	521	509	455	423	447	390	459	394	332	248	213	90	36	26	1
Total: Irish parents	M.	4550	804	288	146	137	84	1459	206	96	149	292	257	244	235	213	205	209	179	218	184	147	111	96	33	14	3	
	F.	4697	676	270	162	115	89	1312	196	96	258	339	312	251	241	222	185	201	184	206	195	168	121	113	53	21	22	1
German parents	M.	386	81	20	14	19	12	152	19	3	11	16	18	13	21	13	18	28	17	22	8	11	11	1	3		1	
	F.	268	63	27	6	7	9	112	16	4	12	13	9	13	12	7	15	9	10	13	7	6	5	3	1	1		
Unknown causes.																												
Total		87	24	5	2	1	2	34	6	1	3	4	7		2	3	4	8	4	2	2	1	4	1	1		1	
Irish parents	M.	50	13	3	2	1	2	21	2	1	2	2	4		1	1	3	1	1	1	2	1	2		1		1	
	F.	32	8	2				10	1		1	2	1		1	1	1	1	3	1			2	1				
German parents	M.	3	3					3																				
	F.	2											2															
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1985	510	292	156	141	109	1208	234	67	41	65	69	41	30	25	25	28	24	39	23	33	10	11	2	1		
Irish parents	M.	869	239	141	63	66	48	557	97	26	11	30	30	18	12	7	10	10	10	15	6	16	11	1	2			
	F.	944	217	125	83	61	50	536	117	39	27	32	34	21	17	16	7	15	13	23	15	16	6	9		1		
German parents	M.	94	27	12	9	8	7	63	9	1	2	2	4	1	1	1	4	1	1	1	1	1	1					
	F.	78	27	14	1	6	4	52	11	1	1	1	1	1		1	4	2			1		1	1				
1. Small-pox:																												
Irish parents	M.	2		1				1	1																			
	F.	1											1															
German parents	M.																											
	F.																											
2. Measles:																												
Irish parents	M.	8		2	1	2	2	7		1																		
	F.	14	5	2	2	1		10	2				1	1														
German parents	M.																											
	F.	1	1					1																				
3. Scarlet fever:																												
Irish parents	M.	155	16	28	16	30	19	109	35	5	1	3								1		1						
	F.	158	7	26	25	23	22	103	37	10	2	1	4											1				
German parents	M.	13		1	4	2	4	11	2																			
	F.	7	1	1		1		3	4																			
4. Diphtheria:																												
Irish parents	M.	179	5	36	35	25	21	122	42	7	1	4	2									1						
	F.	217	8	30	34	30	26	128	65	16	5			1	1							1						
German parents	M.	25	2	3	5	4	3	17	6	1		1																
	F.	23	1	4	1	5	4	15	7	1																		
5. Hooping-cough:																												
Irish parents	M.	30	10	11	5	1	2	29	1																			
	F.	49	27	11	6	2		46	3																			
German parents	M.	3	2	1				3																				
	F.	7	5	2				7																				
6. Fever:																												
Irish parents	M.	1							1																			
	F.																											
German parents	M.																											
	F.																											
7. Cerebro-spinal fever:																												
Irish parents	M.	10	4	3				7	2										1									
	F.	9	1	2	1	1		5		1	2				1													
German parents	M.	2	1					1									1											
	F.	1	1					1																				
8. Enteric fever:																												
Irish parents	M.	81		1				1	6	6	6	13	16	10	7	2	3	4	1	3		1	2		1			
	F.	63	2		1		1	4	2	6	9	14	8	2	2	1	1	3	2	4	2	2	1					
German parents	M.	7							1		1		2			1	1		1									
	F.	1									1						2	1										
9. Diarrhœa:																												
Irish parents	M.	57	26	6		2	1	35				2			2		3	2	1	5	1	3	2		1			
	F.	52	25	11	2			38							1	1	1	3		1	4	2		1				
German parents	M.	7	4	1				5						1							1							
	F.	12	7	2				9								1							1	1				
10. Dysentery:																												
Irish parents	M.	47	7	5	2	2		16	4	1		1	3	4		3	2	1		3	2	4	3					
	F.	59	7	5	3	1		16	5	2		1	1	1	2	2	3	4	2	5	4	3	4	3		1		
German parents	M.	5	1	1				2					1		1					1								
	F.	4	1	2				3									1											
11. Enteritis:																												
Irish parents	M.	46	14	2	1	2	1	20	2	3	2	2	5	1	1		2		3	2		2	1					
	F.	34	9	1	2			12	1	2	2	1	1	1		1	1	2	2	2	3	1		2				
German parents	M.	3	1			1		2														1						
	F.																											
12. Cholera morbus:																												
Irish parents	M.	12	2	1				3	1					2				1	2		1	1	1					
	F.	28	1	1			1	3		1	1	1	2	3	1	1	1		1	8		4		1				
German parents	M.	2																1					1					
	F.	1																1										
13. Cholera infantum:																												
Irish parents	M.	191	143	44	2		2	191																				
	F.	163	119	36	6	2		163																				
German parents	M.	19	14	5				19																				
	F.	12	9	3				12																				
14. Malarial fever:																												
Irish parents	M.	17	3			2		5	2			3	1				1		1		1	2		1				
	F.	15							1		2	2	2			2		1	2	1		1	1					
German parents	M.	4	1					1				1	1				1											
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	13	5		1			6					1	1				2		1	1		1				
	F.	19	4			1		5	1	1		2		2	1	3		1	1	1		1					
German parents	M.	2				1		1									1										
	F.	2	1					1				1															
16. Septicæmia:																											
Irish parents	M.	3								2		1	1		2	2											
	F.	10									2	2	2	1		2			1								
German parents	M.																										
	F.																										
17. Puerperal septicæmia:																											
Irish parents	F.	37									1	8	8	8	3	3			1								
German parents	F.	3											1	1			1										
18. Venereal diseases:																											
Irish parents	M.	3	2					2				1															
	F.	5											3	1				1									
German parents	M.																										
	F.																										
19. Others of this group:																											
Irish parents	M.	9	2	1				3		1	1		1						1			1	1				
	F.	11	2		1			3			1		1						1	1	2	1		1			
German parents	M.	2	1					1			1																
	F.	1																			1						
General diseases—B.																											
Total		128	56	3	2	2	1	64			1	3	6	7	10	6	10	10	4	4	1	1			1		
Irish parents	M.	65	24	2	2			28				2	4	4	6	2	6	6	3	2	1	1					
	F.	55	26	1		2	1	30				1	2	3	4	4	4	1	1	1					1		
German parents	M.	5	4					4												1							
	F.	3	2					2			1																
1. Worms:																											
Irish parents	M.	2			2			2																			
	F.	1					1	1																			
German parents	M.																										
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	35										2	4	4	6	2	6	4	3	2	1	1					
	F.	21										1	2	2	4	3	4	3	1	1							
German parents	M.																										
	F.																										
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.	2																2									
	F.	1				1		1																			
German parents	M.	1																		1							
	F.																										
6. Inanition:																											
Irish parents	M.	26	24	2				26																			
	F.	32	26	1		1		28						1		1		1							1		
German parents	M.	4	4					4																			
	F.	3	2					2				1															
General diseases—C.																											
Total		893	426	16	5	2	1	450	5	5	2	3	7	1	1	3	8	4	11	17	31	66	78	106	48	24	23
Irish parents	M.	399	230	8	3	1		242	2	1		1	3		1	2	5		4	3	9	32	31	40	15	6	2
	F.	452	167	8	2	1	1	179	2	4	2	2	4	1		1	3	4	6	12	22	32	45	64	32	17	20
German parents	M.	20	15					15	1											1		1	1				1
	F.	22	14					14											1	1		1	1	2	1	1	
1. Premature birth:																											
Irish parents	M.	57	57					57																			
	F.	29	29					29																			
German parents	M.	2	2					2																			
	F.	5	5					5																			
2. Stillborn:																											
Irish parents	M.	106	106					106																			
	F.	57	57					57																			
German parents	M.	5	5					5																			
	F.	5	5					5																			
3. Malformation:																											
Irish parents	M.	5	5					5																			
	F.	6	6					6																			
German parents	M.	3	3					3																			
	F.																										
4. Debility:																											
Irish parents	M.	122	62	9	3	1		74	2	1		1	3		1	2	5		4	3	7	7	4	6	1		1
	F.	154	75	8	2	1	1	87	2	4	2	2	4	1		1	3	4	6	5	9	8	6	4	3	2	1
German parents	M.	6	5					5	1																		
	F.	0	4					4														1	1				
5. Old age:																											
Irish parents	M.	109																			2	25	27	34	14	6	1
	F.	206																		7	13	24	39	60	29	15	19
German parents	M.	4																			1	1	1				1
	F.	6																	1	1				2	1	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total		2791	91	49	26	19	8	193	31	41	281	409	324	259	226	200	167	181	113	130	102	68	31	23	6	4	1	1
Irish parents	M.	1194	45	22	13	11	2	94	12	17	90	172	131	126	92	82	70	81	57	69	43	25	13	15	2	3		
	F.	1452	40	21	11	8	6	86	17	23	178	221	187	122	116	113	84	85	50	48	52	41	15	8	3	1	1	1
German parents	M.	82	5	4	2			11	2		5	7	3	4	10	3	8	14	2	7	2	1	2		1			
	F.	63	1	1				2		1	8	9	3	7	8	2	5	1	4	6	5	1	1					
1. Rheumatism:																											
Irish parents	M.	19				1		1		1		2	2	1	1	2		2	1	2	1	2			1			
	F.	27								3	2	1	2	1		2	1	1	2	2	3	5		1			1	
German parents	M.	2													1	1												
	F.	1								1																		
2. Scrofula and tabes:																											
Irish parents	M.	14	5	1	2			8	1			1	1					1	2									
	F.	13	2		1		1	4		1	2		1	1	3				1									
German parents	M.	1	1					1																				
	F.	1																	1									
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	976	15	9	4	1	1	30	5	12	88	166	125	119	86	75	62	59	42	48	29	13	7	2	1			
	F.	1141	10	9	3	5		27	9	18	108	216	178	113	101	79	52	57	27	26	31	22	11	3	2	1		
German parents	M.	49	2	1				3			4	7	3	3	6	2	6	8	1	3	1	1	1					
	F.	42									8	9	3	6	5	1	4			2	3		1					
5. Hydrocephalus:																											
Irish parents	M.	54	20	12	6	9		47	3	2					1							1						
	F.	53	24	11	6	3	4	48	3				1															1
German parents	M.	7	1	3	2			6	1																			
	F.	1		1				1																				
6. Cancer:																											
Irish parents	M.	74	2					2	1	1		1	1	3	3	2	6	10	6	11	11	7	2	5		2		
	F.	134	2					2					2	2	9	20	27	21	16	10	11	8	2	4				
German parents	M.	13												1	2		2	4		2	1				1			
	F.	13												1	3	1	1	1	2	2	1	1						
7. Tumor:																											
Irish parents	M.	8									1		1			1		1	1	2		1						
	F.	19							1		2			1	2	3	2	3	1	1	1	1			1			
German parents	M.	2	1					1										1										
	F.	3	1					1											1		1							
8. Anæmia:																											
Irish parents	M.	8	1		1		1	3						1			1	1				1		1		1		
	F.	10	1	1	1			3	1		1	1		1	1	1					1							
German parents	M.	2																		1			1					
	F.																											
9. Dropsy:																											
Irish parents	M.	36	2					2	2	1		2	1	2	1	1	1	6	4	6	2	1	3	1				
	F.	40							3	1	1	2	1	3		6	1	2	3	6	5	4	2					
German parents	M.	6							1		1				1			1	1	1								
	F.	2																		2								
10. Glycosuria:																											
Irish parents	M.	4									1					1		1	1									
	F.	11					1	1			2	1	2			2		1		2								
German parents	M.																											
	F.																											
11. Others of this group:																											
Irish parents	M.	1		1				1																				
	F.	4	1					1									1			1		1						
German parents	M.																											
	F.																											
12. Others of this class:																											
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		939	194	93	39	32	15	373	47	25	17	23	22	39	38	36	36	33	44	55	51	43	28	18	11			
Irish parents	M.	455	98	40	16	18	5	177	27	15	9	10	9	13	20	19	20	17	19	28	27	20	9	13	3			
	F.	419	77	47	21	12	7	164	18	9	8	10	11	22	15	16	14	12	21	24	24	21	17	5	8			
German parents	M.	39	10	2	1	2	2	17	1			2	1	2	2			4	4	2		2	2					
	F.	26	9	4	1		1	15	1	1		1	1	2	1	1	2			1								
1. Inflammation of the brain:																											
Irish parents	M.	35	6	3	1	5	1	16	6	3	1		1		3	1	1	1	1		1							
	F.	21	1	9				10	4	1	1			2			1				1		1					
German parents	M.	3				1	1	2						1														
	F.	3	1				1	2							1													
2. Meningitis:																											
Irish parents	M.	62	17	16	5	4	2	44	7	4	2	1	1	1	1			1										
	F.	73	16	14	9	6	5	50	3	3	1	5	1	2	2	1	1	1			3							
German parents	M.	3		2			1	3																				
	F.	4	1	1				2						1	1													
3. Apoplexy:																											
Irish parents	M.	70	1	1		1		3				2	1	3	1	7	8	6	6	5	9	9	5	5				
	F.	78					1	1			1		1	5	4	4	6	7	8	14	9	10	5		3			
German parents	M.	11											1	1				4	3	1		1						
	F.	2												1						1								

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	77	1					1		1		2	1	4	4	6	3	3	7	15	9	9	3	6	3		
	F.	69		1			1	2					1	4	1	3	5	3	11	7	8	9	7	3	5		
German parents	M.	5	1					1				1							1	1		1					
	F.																										
5. Tetanus and trismus nascentium:																											
Irish parents	M.	7	3					3	1			1			1		1										
	F.	7	4					4	2						1												
German parents	M.	1										1															
	F.																										
6. Epilepsy:																											
Irish parents	M.	13								1	2	1	1	1	2	2	1		1					1			
	F.	13							1	2	1	3	1	1	1								1	1			
German parents	M.	2													1								1				
	F.	1															1										
7. Convulsions:																											
Irish parents	M.	103	62	11	8	5	2	88	5	2	1	2		1	3	1											
	F.	98	49	16	9	6		80	4		1	1	2	3	3	2						1	1				
German parents	M.	12	9		1	1		11	1																		
	F.	10	5	3	1			9	1																		
8. Mental diseases:																											
Irish parents	M.	11									1		1	1	1		1	2		2	2						
	F.	12								1	1			3	1	1	1		2				1	1			
German parents	M.																										
	F.	1								1																	
9. Diseases of the brain:																											
Irish parents	M.	72	8	9	2	3		22	3	4	1	1	3	2	4	2	5	3	3	5	6	1	1	1			
	F.	44	7	7	2			16	4	1	1		4	2	1	5	1	1		3	3	1	1				
German parents	M.	1													1												
	F.	4	2					2								1	1										
10. Diseases of the spinal cord:																											
Irish parents	M.	4									1							1	1	1							
	F.	3			1			1			1				1												
German parents	M.	1																					1				
	F.	1										1															
11. Others of this group:																											
Irish parents	M.	1																				1					
	F.	1											1														
German parents	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		506	17	2		1	1	21	12	11	14	31	29	20	45	44	37	35	43	49	46	26	22	10	4	1	
Irish parents	M.	226	8	1		1		10	6	2	9	15	15	11	24	18	20	11	16	20	22	14	8	5			
	F.	245	9				1	10	6	9	5	15	11	15	19	23	13	21	22	23	23	10	11	5	8	1	
German parents	M.	20		1				1				1	3			2	1	1	2	4	1	2	1		1		
	F.	15													2	1	3	2	3	2			2				
1. Angina pectoris:																											
Irish parents	M.	2											1			1											
	F.	1										1															
German parents	M.																										
	F.																										
2. Aneurism:																											
Irish parents	M.	8													3	1	4			1							
	F.	1																		1							
German parents	M.	1														1											
	F.																										
3. Diseases of the heart:																											
Irish parents	M.	211	3	1		1		5	6	2	9	15	14	11	22	16	16	11	16	19	22	14	8	5			
	F.	236	6				1	7	6	9	5	14	11	14	19	22	13	21	20	22	26	10	13	5	5	1	
German parents	M.	18										1	3			1	1	1	2	4	1	2	1		1		
	F.	15													2	1	3	2	3	2			2				
4. Others of this group:																											
Irish parents	M.	5	5					5																			
	F.	7	3					3						1		1			2								
German parents	M.	1		1				1																			
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		1431	233	117	73	61	44	528	54	15	30	45	44	54	69	61	70	67	85	88	77	61	40	27	10	5	1
Irish parents	M.	678	109	53	33	30	17	242	29	7	7	20	20	29	42	30	38	35	41	36	38	22	20	14	4	4	
	F.	655	105	53	35	24	21	238	20	6	22	23	18	22	24	27	30	28	39	47	37	30	18	13	5	1	1
German parents	M.	57	10	3	2	6	2	23	2	1		1	5	2	3	3	1	2	5	3	2	1	2		1		
	F.	41	9	8	3	1	4	25	3	1	1	1	1	1		1	1	2		2		2					
1. Croup:																											
Irish parents	M.	76	15	13	10	16	8	62	13	1																	
	F.	65	8	12	15	12	10	57	8																		
German parents	M.	10	3		1	3	2	9	1																		
	F.	9	2	1	1		4	8	1																		
2. Laryngitis:																											
Irish parents	M.	6			1	1		2							1		1	1			1						
	F.	4		1	1	1		3						1													
German parents	M.																										
	F.	1								1																	
3. Bronchitis:																											
Irish parents	M.	129	48	10	6	3	4	71	2	1				4	1		4	6	6	4	6	12	3	5	2	1	
	F.	128	40	11	3	2	1	57	2		3	2		3	2	1	1	6	8	8	8	12	7	5	3		
German parents	M.	8	4	1		1		6						1									1				
	F.	8	5	1	1			7	1																		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	409	39	28	14	9	5	95	10	3	7	18	15	22	35	26	29	28	31	27	27	9	16	7	1	3	....
	F.	387	50	27	15	6	8	106	8	4	17	19	14	15	19	24	24	20	25	27	24	20	10	7	2	1	1
German parents	M.	33	3	2	1	1	....	7	1	1	....	1	5	1	1	3	....	1	5	3	2	1	....	....	1	....	....
	F.	18	2	6	....	1	....	9	1	....	1	....	1	1	....	1	....	1	....	2	....	1	....	....	....	....	....
5. Pleurisy:																											
Irish parents	M.	10	....	....	1	....	....	1	....	1	....	2	2	1	2	2	2	....	3	....	....	....	....	....	....	....	....
	F.	16	....	....	....	....	....	....	1	....	....	1	2	1	2	....	1	....	2	5	....	1	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma:																											
Irish parents	M.	7	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	1	1	2	....	....	1	....	....	....	....
	F.	17	1	....	....	....	....	1	....	....	....	....	....	1	....	2	3	....	2	4	....	2	1	1	....	....	....	....
German parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
7. Others of this group:																											
Irish parents	M.	35	7	2	1	1	....	11	4	1	....	....	2	2	3	1	2	....	....	4	2	1	1	1	....	....	....
	F.	38	6	2	1	3	2	14	1	2	2	1	2	1	1	....	1	2	2	3	5	1	....	....	....	....	....
German parents	M.	4	....	....	....	1	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	1	....	....	....	....	....
	F.	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		366	52	24	8	4	2	90	5	3	6	19	23	16	23	18	29	30	25	25	28	10	8	6	2	....	....
Irish parents	M.	179	29	10	2	1	1	43	3	2	4	8	13	5	10	9	12	15	15	12	15	2	6	3	2	....	....
	F.	164	17	10	5	3	....	35	1	....	2	11	9	10	11	8	16	14	9	12	13	8	2	3	....	....	....
German parents	M.	21	6	4	....	....	1	11	1	1	....	....	1	1	2	1	1	1	1	....	....	....	....	....	....	....	....
	F.	2	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
1. Dentition:																											
Irish parents	M.	18	10	7	....	1	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	15	9	5	1	....	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	1	4	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina:																											
Irish parents	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	2	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis:																											
Irish parents	M.	12	....	1	....	....	....	1	....	....	2	1	....	....	....	1	2	1	....	2	1	1	....	....	....	....	....	....
	F.	19	....	1	....	....	....	1	....	....	....	1	....	1	1	1	3	2	2	1	1	5	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Other diseases of the stomach:																											
Irish parents	M.	10	....	....	....	....	....	....	....	....	....	....	2	....	....	....	1	1	3	1	1	....	1	....	....	....	....	....
	F.	12	1	1	....	....	....	2	....	....	....	....	....	2	1	1	....	2	....	1	2	1	....	....	....	....	....	....
German parents	M.	3	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Obstruction of the bowels:																											
Irish parents	M.	13	3	....	....	....	....	3	....	....	....	1	1	1	1	....	1	....	2	1	1	....	1	....	....	....	....	....
	F.	9	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	2	....	1	2	1	....	1	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia:																											
Irish parents	M.	11	2	....	....	....	....	2	....	....	....	1	....	....	....	....	1	1	....	....	2	....	1	2	1	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Other diseases of the bowels:																											
Irish parents	M.	5	2	1	....	....	....	3	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	1	....	1	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Jaundice:																											
Irish parents	M.	4	2	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver:																											
Irish parents	M.	6	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	2	1	....	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	1	....	....	1	1	1	....	2	2	2	....	1	....	....	....	....	....	....	....	....
German parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
10. Other diseases of the liver:																											
Irish parents	M.	36	....	1	....	....	....	1	....	1	....	....	5	2	1	2	6	5	4	4	4	....	1	....	....	....	....	....
	F.	40	1	....	....	....	....	1	....	....	....	2	5	....	2	2	8	3	5	4	8	....	....	....	....	....	....	....
German parents	M.	3	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Peritonitis:																											
Irish parents	M.	41	4	....	....	....	1	5	2	1	2	4	3	2	6	4	1	4	4	1	2	....	....	....	....	....	....	....
	F.	30	3	....	2	1	....	6	....	....	1	5	3	4	4	1	....	2	1	2	....	....	1	....	....	....	....	....
German parents	M.	4	....	....	....	....	....	....	1	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Ascites:																											
Irish parents	M.	7	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	2	1	1	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	....	....	1	....	3	1	1	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group:																											
Irish parents	M.	15	6	....	1	....	....	7	....	....	....	....	2	....	....	....	....	3	....	....	2	1	....	....	....	....	....	....
	F.	6	2	1	1	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....
German parents	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		221	1	2	1	4	1	9	6	2	7	12	12	20	13	13	12	19	17	21	22	12	13	6	4	1	
Irish parents	M.	120	1	2		1		4	2	2	2	6	5	11	6	10	6	8	5	13	15	7	9	4	4	1	
	F.	84			1	3	1	5	3		5	6	7	8	6	2	5	9	9	8	5	2	3	1			
German parents	M.	11							1					1	1	1	1	1	1		1	1	1	1			
	F.	6																1	2		1	2					
1. Bright's disease:																											
Irish parents	M.	65								1	2	5	4	8	5	3	3	6	3	7	9	4	3	2			
	F.	57				1	1	2	2		3	3	5	6	4	2	3	7	8	5	3	2	2				
German parents	M.	3															1	1						1			
	F.	5																1	2		1	1					
2. Calculus, urinary:																											
Irish parents	M.	2								1															1		
	F.	1																			1						
German parents	M.																										
	F.																										
3. Diseases of the kidney:																											
Irish parents	M.	24		2		1		3	2			1		2		6	2			3	1	2	1		1		
	F.	18				1		1	1		2	3	1	2	1			1	1	3	1		1				
German parents	M.	6							1					1	1	1					1		1				
	F.	1																				1					
4. Diseases of the bladder:																											
Irish parents	M.	21	1					1								1	1	2	1	3	4	1	3	2	1	1	
	F.	2															1							1			
German parents	M.	2																	1			1					
	F.																										
5. Others of this group:																											
Irish parents	M.	8											1	1	1				1		1		2		1		
	F.	6			1	1		2					1		1		1	1									
German parents	M.																										
	F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total		16			1			1				2		4	3	1	2		2	1							
Irish parents	F.	15			1			1				2		3	3	1	2		2	1							
German parents	F.	1												1													
1. Ovarian tumors:																											
Irish parents	F.	2													1		1										
German parents	F.																										
2. Ovarian diseases:																											
Irish parents	F.	1			1			1																			
German parents	F.																										
3. Uterine tumors:																											
Irish parents	F.	4													1		1		1	1							
German parents	F.																										
4. Uterine diseases:																											
Irish parents	F.	4										1		1	1				1								
German parents	F.																										
5. Others of this group:																											
Irish parents	F.	4										1		2		1											
German parents	F.	1												1													
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total		76							1		2	6	24	21	14	6	2										
Irish parents	F.	72							1		2	5	23	20	14	5	2										
German parents	F.	4										1	1	1		1											
1. Abortion:																											
Irish parents	F.	3												1	2												
German parents	F.	1														1											
2. Child-birth:																											
Irish parents	F.	58									2	4	20	15	10	5	2										
German parents	F.	3										1	1	1													
3. Others of this group:																											
Irish parents	F.	11							1			1	3	4	2												
German parents	F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total		31			1	3		4	2	4		5	4	1	3	2	1		4			1					
Irish parents	M.	19			1	3		4	1	3		2	2	1		2	1		3								
	F.	11								1		3	2		3				1			1					
German parents	M.	1							1																		
	F.																										
1. Diseases of the spine:																											
Irish parents	M.	11			1	1		2				2	1	1		2			3								
	F.	6										2			3				1								
German parents	M.	1							1																		
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.	4				1		1	1	1							1											
	F.	4										1	2									1						
German parents	M.																											
	F.																											
3. Diseases of the hip-joint:																												
Irish parents	M.	4				1		1		2			1															
	F.	1								1																		
German parents	M.																											
	F.																											
4. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		25	3				1	4		1	2	3	1	2	1	2	2	2	2	3								
Irish parents	M.	9	1				1	2				1		2		1	1	1		1								
	F.	16	2					2		1	2	2	1		1	1	1	1	2	2								
German parents	M.																											
	F.																											
1. Abscess:																												
Irish parents	M.	7	1				1	2				1		1			1	1		1								
	F.	13	2					2		1	2	2	1		1		1	1	1	1								
German parents	M.																											
	F.																											
2. Carbuncle:																												
Irish parents	M.	1														1												
	F.	1																		1								
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.	1												1														
	F.	2														1			1									
German parents	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		2															1					1						
Irish parents	M.	1															1											
	F.																											
German parents	M.	1																				1						
	F.																											
1. Addison's disease:																												
Irish parents	M.	1															1											
	F.																											
German parents	M.	1																				1						
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		404	17	8	14	8	9	56	34	24	24	30	24	30	31	36	17	30	12	25	11	9	5	5	1			
Irish parents	M.	286	7	5	11	4	8	35	25	20	15	23	21	24	21	30	12	21	5	18	6	7	2	1				
	F.	81	8	3	3	1	1	16	7	4	4	4	2	4	7	4	3	4	6	4	4	1	2	4	1			
German parents	M.	32	1			3		4	1		4	3	1	2	2	2	2	4	1	3	1	1	1					
	F.	5	1					1	1		1				1			1										
1. Burns and scalds:																												
Irish parents	M.	17		3	4	2		9	2	2		1		1	1							1						
	F.	20	1	1	2	1		5	2	2	3		1	1	1	1		1	2	1								
German parents	M.	5				2		2					1				2											
	F.																											
2. Drowned:																												
Irish parents	M.	53		1	2		3	6	10	6	4	3	5	2	2	4	2	3	2		3	1						
	F.	7		1	1			2	1								3	1										
German parents	M.	6				1		1			1			2						1	1							
	F.																											
3. Exposure and neglect:																												
Irish parents	M.	6			1			1								1		1		2		1						
	F.	2	1					1								1												
German parents	M.																											
	F.																											
4. Gunshot wounds:																												
Irish parents	M.																											
	F.																											
German parents	M.	1										1																
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	2									1					1											
	F.	1											1														
German parents	M.																										
	F.																										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M.	1														1											
	F.																										
8. Railroad accidents:																											
Irish parents	M.	41							4	1	3	6	4	6	4	4	2	3		1	1	2	1				
	F.	5							1			1						1	1						1			
German parents	M.	2													1				1								
	F.																										
9. Suffocation:																											
Irish parents	M.	11	2				2	4		1			1	2		1		1					1				
	F.	6	4					4							1	1											
German parents	M.	1																1									
	F.	3							1		1							1									
10. Suicide by shooting:																											
Irish parents	M.																										
	F.																										
German parents	M.	1									1																
	F.																										
11. Suicide by drowning:																											
Irish parents	M.	1																1									
	F.																										
German parents	M.																										
	F.																										
12. Suicide by poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
13. Other suicides:																											
Irish parents	M.	9									1	1	1	1	1	1	1	1					1				
	F.	4										2		2													
German parents	M.	5										1			1			1		1		1					
	F.																										
14. Sunstroke:																											
Irish parents	M.	4								1		1				1				1							
	F.	1	1					1																			
German parents	M.																										
	F.																										
15. Surgical operations:																											
Irish parents	M.	2							1							1											
	F.																										
German parents	M.																										
	F.																										
16. Wounds:																											
Irish parents	M.	4								1							2			1							
	F.	1							1																		
German parents	M.																										
	F.																										
17. Others of this group:																											
Irish parents	M.	136	5	1	4	2	3	15	8	8	6	11	10	12	13	16	5	12	3	13	2	2					
	F.	34	1	1			1	3	2	2	1	1		1	5	1		1	3	3	4	1	2	4			
German parents	M.	10	1					1	1		2	1				1		2		1			1				
	F.	2	1					1							1												

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		27043	5841	1894	920	626	473	9754	950	366	622	1167	1348	1340	1596	1484	1497	1428	1230	1076	1011	836	623	409	195	53	38	10
Total: Irish parents	M.	7803	1627	519	231	192	130	2699	289	115	184	327	411	390	521	465	454	401	366	340	275	240	183	78	34	16	9	6
	F.	8035	1279	492	235	184	122	2312	298	110	213	395	487	482	547	487	468	395	334	329	324	297	198	199	112	28	17	3
German parents	M.	6235	1597	469	231	123	124	2544	209	75	109	227	244	248	316	316	369	387	333	237	239	163	123	64	21	7	4	....
	F.	4970	1338	414	223	127	97	2199	154	66	116	218	206	220	212	210	206	245	197	170	173	136	119	68	28	12	8	1
Unknown causes.																												
Total		98	28	5	2	2	....	37	5	....	....	4	....	2	4	4	9	5	3	6	9	5	....	....	1	1	....	3
Irish parents	M.	23	5	2	....	2	....	9	2	....	....	1	....	....	1	1	1	2	....	....	2	2	....	....	....	....	....	2
	F.	22	6	2	....	....	....	8	2	....	....	....	....	1	1	....	2	1	1	1	3	2	....	....	....	....	....	....
German parents	M.	30	18	1	2	....	....	16	....	....	....	....	....	....	2	1	3	2	2	1	3	....	....	....	....	....	....	....
	F.	23	4	....	....	....	....	4	1	....	....	3	....	1	....	2	3	....	....	4	1	1	....	....	1	1	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		5357	1644	765	389	311	240	3349	445	92	96	148	158	134	147	111	112	90	107	81	105	72	57	31	13	6	3	....
Irish parents	M.	1406	422	212	111	97	64	906	126	33	23	28	23	31	29	30	28	21	28	18	31	17	19	9	3	1	2	....
	F.	1514	342	208	104	91	69	814	150	22	24	50	74	60	53	35	39	24	32	23	34	30	21	16	8	5	....	....
German parents	M.	1204	440	172	88	56	53	818	91	18	25	25	24	10	23	21	29	25	25	24	23	9	10	3	1	....	....	....
	F.	1233	431	173	86	67	54	811	78	19	24	45	37	33	42	25	16	20	22	16	17	16	7	3	1	....	1	....
1. Small-pox:																												
Irish parents	M.	2	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	4	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	4	....	1	1	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	52	18	17	8	4	1	48	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	44	7	20	5	5	5	42	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	33	9	10	8	4	1	32	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	27	7	9	4	1	3	24	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	140	9	24	29	22	20	104	24	10	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	143	5	21	25	25	14	90	41	7	1	1	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
German parents	M.	115	7	11	18	22	17	75	33	4	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	100	7	18	14	17	17	73	21	4	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	243	19	36	40	49	28	172	62	4	1	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	256	12	35	49	44	32	172	71	6	....	1	2	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	147	4	21	32	20	25	102	37	4	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	179	8	24	37	37	25	131	38	5	1	....	....	....	1	1	1	....	....	....	....	....	....	1	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	44	23	11	5	2	2	43	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	61	25	23	4	2	4	58	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	27	16	6	3	....	2	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	36	16	13	5	1	....	35	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	26	5	5	2	2	....	14	5	3	....	2	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	F.	20	4	2	1	3	2	12	1	2	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
German parents	M.	27	5	6	2	2	2	17	2	....	1	1	....	....	2	....	....	1	....	1	1	....	1	....	....	....	....	....	....
	F.	20	5	2	1	....	1	9	5	1	....	....	1	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	58	....	....	....	1	1	2	....	3	6	11	7	7	4	4	5	3	1	....	2	2	1	....	....	....	....	....	....
	F.	47	....	2	....	....	....	2	1	2	3	6	4	5	3	3	5	2	6	....	....	3	1	1	....	....	....	....	....
German parents	M.	76	....	1	....	1	....	2	4	5	12	10	10	5	4	3	9	4	2	3	2	....	1	....	....	....	....	....	....
	F.	74	....	....	2	....	1	3	3	5	8	11	6	9	8	2	3	6	3	1	3	3	....	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	136	49	31	2	3	....	85	1	....	2	2	2	3	1	4	4	1	5	6	5	9	2	3	....	....	1	....
	F.	122	44	9	5	1	....	59	3	....	....	....	....	5	3	1	4	7	2	4	5	9	8	5	4	2	....	....	....
German parents	M.	174	109	25	3	1	3	141	....	....	....	....	....	1	....	2	4	1	3	1	7	9	3	....	1	1	....	....	....
	F.	153	103	23	6	1	1	134	....	....	....	....	....	3	1	1	1	....	1	2	2	2	4	....	....	1	....	1	....
10. Dysentery:																												
Irish parents	M.	94	25	12	4	8	3	52	8	1	2	2	2	1	2	4	3	1	5	1	5	2	2	1	....	....	....	....	....
	F.	112	24	16	3	3	1	47	5	2	2	3	5	3	5	2	4	4	4	9	3	5	3	3	1	2	....	....	....
German parents	M.	83	26	20	4	1	1	52	4	3	2	1	2	1	2	....	2	5	3	1	1	2	2	....	....	....	....	....	....
	F.	74	28	17	3	2	....	50	2	....	....	2	....	1	2	2	3	1	2	2	1	4	1	1	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	66	22	11	1	1	....	35	3	4	1	2	....	2	4	3	2	2	3	2	2	1	....	....	....	....	....	....	....
	F.	78	28	4	1	1	2	36	3	1	4	3	3	2	2	2	0	2	4	....	2	5	1	....	2	....	....	....	....
German parents	M.	84	30	18	1	....	....	55	1	1	2	2	3	....	1	1	5	1	4	3	3	1	1	....	....	....	....	....	....
	F.	68	24	9	1	1	2	37	1	....	4	1	....	4	2	2	2	3	4	2	2	1	3	....	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	34	....	....	....	....	....	....	4	....	1	1	2	2	3	3	2	1	2	4	4	....	2	1	2	....	....	....	....
	F.	40	1	....	1	....	....	2	1	1	....	2	2	....	1	1	4	6	5	4	6	1	....	3	1	....	....	....	....
German parents	M.	23	1	....	....	1	....	2	2	....	1	1	....	....	2	6	1	2	2	....	2	....	....	....	....	....	....	....	....
	F.	22	....	....	....	....	....	....	....	....	....	1	2	1	....	2	1	2	3	3	6	....	1	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	286	220	55	8	1	2	286	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	253	175	68	5	1	4	253	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	274	214	49	8	2	1	274	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	270	215	48	6	1	....	270	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	133	13	7	9	3	6	38	13	8	6	5	5	6	7	6	7	8	7	1	7	1	6	1	....	....	1	....
	F.	123	7	1	3	3	4	18	18	1	6	4	8	7	9	12	7	4	5	4	9	6	3	1	....	1	....	....
German parents	M.	70	10	3	7	2	1	23	5	....	3	4	3	1	2	3	3	2	9	2	4	1	3	2	....	....	....	....
	F.	74	2	3	5	2	3	15	3	4	6	5	8	3	7	6	1	4	4	5	1	1	1	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	37	8	1	1	....	....	10	....	....	1	2	1	4	3	3	1	2	2	3	3	....	....	1	1	....	....
	F.	36	5	1	1	....	....	7	1	....	1	4	1	....	3	2	1	3	1	....	3	2	3	2	2	....	....
German parents	M.	26	7	1	1	....	....	9	1	..	1	1	1	....	2	2	4	2	....	2	1	....	....	....	....	....	....	....
	F.	24	9	2	....	....	1	12	....	....	....	2	2	....	....	3	1	1	1	....	2	....	....	....	....	....	....	....
16. Septicæmia:																											
Irish parents	M.	13	3	1	1	....	1	6	....	..	....	1	....	....	1	1	....	....	1	....	....	....	3	....	....	....	....	....
	F.	10	....	4	....	1	....	5	....	....	1	....	5	1	....	1	....	....	1	....	....	....	2	....	....	....	....	....
German parents	M.	17	2	....	1	....	....	3	1	....	....	3	3	1	....	....	2	3	1	....	....	....	....	....	....	....	....	....
	F.	11	1	1	....	....	....	2	....	....	....	1	1	....	4	2	....	....	....	1	....	....	....	....	....	....	....	....
17. Puerperal septicæmia:																											
Irish parents	F.	137	....	....	....	....	....	....	....	....	4	23	37	37	29	7	....	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	67	....	....	....	....	....	....	....	....	2	21	14	13	14	3	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases:																											
Irish parents	M.	24	8	....	....	....	....	8	1	....	2	....	....	2	2	....	2	2	1	1	1	1	1	....	....	....	....	....
	F.	14	3	....	1	2	....	6	1	....	..	1	1	....	....	....	1	....	....	....	1	....	1	1	....	1	....	....
German parents	M.	12	1	1	....	....	....	2	....	....	....	1	..	1	3	....	....	1	1	1	1	1	....	..	....	....	....	....
	F.	20	6	1	1	2	....	10	....	....	1	1	....	....	....	1	1	1	2	....	....	1	1	1	....	....	....	....
19. Others of this group:																											
Irish parents	M.	18	....	1	....	....	....	1	....	....	1	....	....	2	2	2	1	....	1	....	2	1	2	2	....	1	....	....
	F.	10	2	....	....	....	1	3	....	....	....	1	....	....	....	..	2	....	....	....	1	....	1	1	....	1	....	....
German parents	M.	11	....	....	....	....	....	....	....	1	....	....	....	..	2	....	2	1	1	2	1	1	....	....	....	....	....	....
	F.	9	....	2	....	2	..	4	....	....	....	....	....	....	1	..	1	1	1	....	....	1	....	....	....	....	....	....
General diseases—B.																											
Total		269	100	4	1	3	....	108	1	....	1	7	16	21	22	21	21	10	20	10	5	3	2	1	..	....	....	....
Irish parents	M.	111	33	1	....	1	....	35	....	....	....	3	7	10	11	9	10	5	11	3	2	3	1	1	....	....	..	....
	F.	72	28	1	....	....	....	29	....	....	1	2	3	9	3	6	7	4	4	2	2	....	....	....	....	....	....	....
German parents	M.	55	22	1	..	....	....	23	....	....	....	2	5	2	8	4	2	1	3	4	1	....	....	....	....	....	....	....
	F.	31	17	1	1	2	....	21	1	....	....	....	1	....	....	2	2	....	2	1	....	....	1	....	....	....	....	....
1. Worms:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism:																											
Irish parents	M.	65	....	....	....	....	....	....	....	....	....	2	6	9	11	7	9	4	10	3	2	2	....	....	....	....	....	....
	F.	37	....	....	....	....	....	....	....	....	....	2	3	8	3	4	7	4	3	1	2	....	....	....	....	....	....	....
German parents	M.	22	....	....	....	....	....	....	....	....	..	1	2	2	5	2	2	1	3	4	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	....	..	....	....	1	....	....	....	2	....	1	1	....	....	....	....	....	....	....	....
4. Lead poison:																											
Irish parents	M.	1	....	....	....	....	....	....	....	....	..	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons:																											
Irish parents	M.	10	1	....	....	1	....	2	....	....	....	....	1	1	....	2	1	1	1	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	12	1	1	....	....	....	2	....	....	....	1	2	....	3	2	....	....	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
6. Inanition:																											
Irish parents	M.	35	32	1	....	....	....	33	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....
	F.	33	28	1	....	....	....	29	....	....	1	....	....	....	....	1	..	....	1	1	....	....	....	....	....	....	....	....
German parents	M.	21	21	....	....	....	....	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	17	1	....	1	....	19	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total		2805	1094	78	26	8	3	2109	5	4	2	5	8	6	9	14	16	11	20	16	52	107	140	143	89	25	24	....
Irish parents	M.	743	565	16	7	....	1	589	1	1	1	3	2	....	1	3	7	4	3	3	11	25	36	27	15	8	3	....
	F.	766	439	31	4	3	1	478	2	1	1	1	3	2	3	4	5	....	7	4	24	48	45	67	52	10	14	....
German parents	M.	704	547	17	9	3	1	577	2	1	....	....	....	1	3	3	3	7	7	2	12	23	27	20	9	3	4	....
	F.	592	443	14	6	2	....	465	....	1	....	1	3	3	2	4	1	....	3	7	5	16	32	29	13	4	3	....
1. Premature birth:																											
Irish parents	M.	96	96	....	....	....	....	96	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	77	77	....	....	....	....	77	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	55	55	....	....	....	....	55	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	51	51	....	....	....	....	51	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn:																											
Irish parents	M.	346	346	....	....	....	....	346	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	276	276	....	....	....	....	276	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	376	376	....	....	....	....	376	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	285	285	....	....	....	....	285	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation:																											
Irish parents	M.	11	10	1	....	....	....	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility:																											
Irish parents	M.	226	110	15	7	....	1	133	1	1	1	3	2	....	1	3	7	4	3	3	8	13	23	13	4	3	1	....
	F.	253	81	30	4	3	1	119	2	1	1	1	3	2	3	4	5	....	7	4	12	23	21	24	13	2	6	....
German parents	M.	204	105	16	8	3	1	133	2	1	....	....	....	1	3	3	3	7	7	2	9	12	11	7	1	....	2	....
	F.	175	92	13	5	2	....	112	....	1	....	1	3	3	2	4	1	....	2	7	3	7	10	15	4	....	....	....
5. Old age:																											
Irish parents	M.	61	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	12	13	15	11	5	2	....
	F.	154	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	12	20	24	43	39	8	8	....
German parents	M.	56	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	11	16	13	8	3	2	....
	F.	64	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	2	9	22	14	9	4	3	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.	3	3					3																			
	F.	2	1	1				2																			
German parents	M.	7	5	1	1			7																			
	F.	11	9	1	1			11																			
General diseases—D.																											
Total		6428	223	153	66	33	32	507	60	73	309	648	711	644	680	603	553	451	369	310	231	146	72	38	13	6	1	4
Irish parents	M.	1872	68	43	15	11	15	152	24	13	89	190	225	191	217	161	156	111	95	103	64	44	19	9	6		1	2
	F.	2218	52	33	25	9	4	123	20	33	129	247	260	231	261	226	183	137	95	100	74	47	23	16	6	5		2
German parents	M.	1304	58	40	11	7	10	132	8	12	35	119	125	120	117	121	126	116	111	59	50	32	12	8		1		
	F.	1034	45	31	15	6	3	100	8	15	56	92	101	102	85	95	88	87	68	48	43	23	18	5				
1. Rheumatism:																											
Irish parents	M.	23					1	1	1					4		1	3	1	1	3	5	3						
	F.	38							3	2			2	2	6	2		4	2	3	4	3	2	1	1	1		
German parents	M.	18							2	1				4		1	3	1	1	2	1		1	1				
	F.	13									2		2	2		2	2	1		1	1							
2. Scrofula and tabes:																											
Irish parents	M.	17	5	2			2	9	1			1	1					1	1	2	1							
	F.	21	7	4	3			14		1							2	1			1	1	1					
German parents	M.	22	7	4	1	1		13			1				2		1	1	2			1	1					
	F.	16	9	1	1			11	1						2			1	1									
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	1570	17	15	4	4	4	44	12	11	88	188	221	160	207	147	130	92	76	77	43	32	10	5	5		1	1
	F.	1787	11	7	6	4	1	29	10	27	127	248	252	213	230	189	136	91	68	70	44	26	13	11	3	3		2
German parents	M.	965	6	8	3	4	3	24	2	5	31	118	122	106	112	101	99	91	68	34	30	16	2	3		1		
	F.	678	6	8	4	1	1	20	3	11	51	89	95	86	70	70	46	45	33	22	19	8	10					
5. Hydrocephalus:																											
Irish parents	M.	96	39	23	9	5	7	83	7							2	1	1				1	1					
	F.	74	27	20	13	3	2	65	4	1		1			1			1		1								
German parents	M.	91	35	29	7	1	4	76	3	5	1			2	1				2				1					
	F.	70	25	21	7	4	1	58	4	3	1		1				1			2								
6. Cancer:																											
Irish parents	M.	111				1		1		1		1	2	4	4	8	16	13	13	18	12	8	5	4	1			
	F.	226			1	1		2	1		1	2	2	13	19	27	39	35	22	23	21	10	5	2	2			
German parents	M.	140				1	1	2						6	1	16	19	18	34	17	15	10	4	4				
	F.	199				1	1	2		1		1	3	11	11	18	33	34	27	21	16	14	3	4				
7. Tumor:																											
Irish parents	M.	3	1			1		2						2	1				1		1		1					
	F.	13				1		1						2	1	3		2	1	1		1	1					
German parents	M.	8	2	1				3			1		1	1			1					1						
	F.	10	1		2			3			2	2			1	1		1	2	1	1		2					
8. Anæmia:																											
Irish parents	M.	17	4	1	1			6	2					1	1	1	1	1	2	1			1					
	F.	11	3	1				4	1		1		1			1		1					1			1		
German parents	M.	13	4	2			1	7							1	1				1	1	1						
	F.	9	2		1			3						1			1	1			2	1						
9. Dropsy:																											
Irish parents	M.	22		1	1		1	3	1	1			1		4	2	5	1	1		1		1					1
	F.	37	1	1	1			3		1		1	2		3	3	6	2	2	2	4	6		2				
German parents	M.	27							1	1		1	2			2	1	5	4	3	3	2	2					
	F.	25												1	1	2	5	2	5	1	4		3	1				
10. Glycosuria:																											
Irish parents	M.	3																1		1	1							
	F.	5								1			1	1	1	1												
German parents	M.	5												1			2			1		1						
	F.	5												1		2		2										
11. Others of this group:																											
Irish parents	M.	5	2	1				3			1									1								
	F.	6	3		1		1	5	1																			
German parents	M.	9	4	2			1	7			1									1								
	F.	3	2	1				3																				
12. Others of this class:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		2638	756	237	97	64	48	1202	84	31	31	37	43	60	95	106	126	143	140	133	132	114	85	47	19	8	2	
Irish parents	M.	745	197	68	17	22	11	315	33	11	8	9	13	13	32	35	36	40	46	40	39	34	32	5		3	1	
	F	695	156	56	28	19	12	271	20	7	8	14	12	19	30	39	34	31	29	30	42	44	21	21	12	2		
German parents	M.	692	219	73	27	14	11	344	22	6	9	6	11	18	22	22	31	38	46	35	30	17	18	13	3	1		
	F.	506	184	40	25	9	14	272	9	7	6	8	7	10	11	10	25	34	19	19	21	19	14	8	4	2	1	
1. Inflammation of the brain:																											
Irish parents	M.	38	9	3			2	14	4	1					3	1	4	3	1	3	2	1	1					
	F.	24	7	3		1	1	12	1			1		1			1		1	2				2				
German parents	M.	27	7	3	3		2	15		1			1	3	1	1	1	1	1	1			1					
	F.	17	4	2			1	7	1		1		1	1	1			3		1					1			
2. Meningitis:																											
Irish parents	M.	108	31	11	4	9	3	58	15	4	3	2	3	2	3	4	5	2	3	2	1	1						
	F.	102	21	13	8	8	3	53	6	4	1	5	5	1	4	6	2	1	2	2	4	1		2	2	1		
German parents	M.	118	37	23	13	6	5	84	10	2		2		1	3	3	1	1	4	3	2	1	1					
	F.	74	28	7	10	5	8	58	5	1	1	2		1	1		2		2		1							
3. Apoplexy:																											
Irish parents	M.	141	1	3	2	1		7	1	1	1	1	3	6	13	11	8	14	15	13	17	13	12	2		2	1	
	F.	168		1	1			2	1		2	1	1	7	9	16	14	15	17	21	21	16	9	12	4			
German parents	M.	138	3		1			4	1	1	2		2	3	6	7	15	17	20	13	17	10	9	8	3			
	F.	111	4					4		1			2	3	5	6	13	18	11	9	14	11	6	4	3		1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	86	3	1	1	....	....	5	..	1	....	2	1	2	4	5	7	6	12	12	7	8	12	1	....	1	....
	F.	83	1	2	1	1	....	5	1	1	....	....	1	2	3	4	4	5	7	4	11	21	4	5	4	1	....
German parents	M.	64	1	....	....	....	....	1	....	....	1	1	2	2	3	6	4	6	10	10	4	2	6	5	....	1	....
	F.	43	2	....	....	....	....	2	....	....	....	1	....	....	1	....	4	5	3	5	3	8	5	4	....	2	....
5. Tetanus and trismus nascentium:																											
Irish parents	M.	25	12	....	....	1	1	14	1	....	1	2	....	..	1	2	1	1	1	....	....	1	....	....	....	....	....
	F.	11	7	....	....	2	....	9	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	22	13	....	....	....	....	13	1	....	1	....	1	1	2	1	....	....	1	1	....	....	..	....	....	....	....
	F.	10	7	....	....	....	....	7	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
6. Epilepsy:																											
Irish parents	M.	16	1	....	....	1	....	2	....	....	1	....	1	....	1	....	2	4	2	....	1	1	1	....	....	....	....
	F.	15	1	....	....	....	....	1	1	....	1	3	....	1	2	1	1	....	....	2	1	....	1	....	....	....	....
German parents	M.	10	....	....	....	1	1	2	1	....	2	1	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....
	F.	7	2	....	....	1	....	3	....	1	....	1	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....
7. Convulsions:																											
Irish parents	M.	174	114	29	4	9	2	158	6	1	....	1	1	1	1	....	1	2	1	1	....	....	....	....	....	....	....
	F.	157	93	25	12	4	3	137	6	1	1	1	1	1	3	1	1	2	....	1	....	1	....	....	....	....	....
German parents	M.	203	145	33	8	5	2	193	4	....	....	....	1	2	1	..	....	1	1	....	....	....	....	....	....	....	....
	F.	178	123	26	12	3	3	167	2	....	2	2	1	2	....	....	2	....	....	....	....	....	....	....	....	....	....
8. Mental diseases:																											
Irish parents	M.	8	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	1	3	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....
German parents	M.	13	....	....	....	....	....	....	....	....	....	1	....	1	1	....	3	....	3	1	2	1	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	1	1	1	....	1	2	....	1	....	....	....	....	....	....	....
9. Diseases of the brain:																											
Irish parents	M.	119	19	17	4	....	3	43	4	2	2	....	2	1	4	10	7	7	9	8	7	7	5	1	....	....	....
	F.	87	19	10	5	3	3	40	3	1	2	....	3	3	6	5	4	3	....	4	2	4	5	2	....	....	....
German parents	M.	65	9	10	2	2	1	24	3	1	2	....	2	2	3	2	5	7	3	4	3	3	1	....	....	....	....
	F.	44	10	4	3	....	2	19	1	3	1	2	....	....	2	2	2	5	3	1	2	....	1	....	....	....	....
10. Diseases of the spinal cord:																											
Irish parents	M.	26	5	4	2	1	....	12	2	1	....	1	1	....	2	2	1	1	1	....	....	1	....	1	....	....	....
	F.	41	7	2	1	....	2	12	1	....	1	2	1	3	2	4	4	4	3	3	....	....	1	....	....	....	....
German parents	M.	29	4	3	....	....	....	7	2	1	1	1	2	3	1	1	1	5	2	1	1	....	....	....	....	....	....
	F.	12	4	....	....	....	....	4	....	....	....	....	1	1	....	1	1	1	....	2	1	....	....	....	....	....	....
11. Others of this group:																											
Irish parents	M.	4	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....
German parents	M.	3	....	1	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	3	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		1476	64	9	8	5	4	83	31	37	34	57	68	82	102	124	138	147	150	125	113	102	53	22	4	3	1
Irish parents	M.	382	25	3	1	....	....	29	6	11	9	13	18	20	31	33	43	34	28	35	22	30	14	4	2	....	....
	F.	188	13	3	....	2	2	20	19	11	13	14	20	31	28	40	47	40	54	50	35	31	22	10	2	....	1
German parents	M.	344	15	1	1	1	2	20	2	4	6	18	19	14	28	30	32	46	42	22	27	20	6	6	....	2	....
	F.	262	11	2	1	....	....	14	4	11	6	12	11	17	15	21	16	27	26	18	29	21	11	2	....	1	....
1. Angina pectoris:																											
Irish parents	M.	11	....	....	....	....	....	....	....	....	....	....	....	1	2	1	1	1	3	....	1	1	....	....	....	....	....
	F.	16	....	....	....	....	....	....	....	....	....	....	2	4	....	1	....	1	....	....	1	1	4	1	1	....	....
German parents	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	2	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	2	1	....	....	....	1	....	....	....
2. Aneurism:																											
Irish parents	M.	13	....	....	....	....	....	....	....	....	1	....	1	....	2	2	1	1	2	1	1	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	12	....	....	....	....	....	....	....	....	....	....	....	2	....	1	4	2	2	....	....	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....
3. Diseases of the heart:																											
Irish parents	M.	329	11	2	....	....	....	13	5	11	8	12	15	18	26	28	40	32	22	32	20	27	14	4	2	....	....
	F.	449	2	1	....	2	1	6	18	11	13	13	17	27	26	38	47	38	52	50	34	30	18	9	1	....	1
German parents	M.	300	3	....	1	1	2	7	2	4	6	18	18	11	26	28	28	42	39	19	27	18	6	6	....	1	....
	F.	237	4	1	1	....	....	6	4	10	6	11	10	16	12	21	15	25	24	16	27	21	11	1	....	1	....
4. Others of this group:																											
Irish parents	M.	29	14	1	1	....	....	16	1	....	....	1	2	1	1	2	1	....	1	2	....	1	....	....	....	....	....
	F.	20	11	2	....	....	1	14	1	....	....	1	1	....	....	....	....	1	2	....	....	....	....	....	....	....	....
German parents	M.	22	12	1	....	....	....	13	....	....	....	....	1	1	1	1	....	2	....	1	....	1	....	....	....	1	....
	F.	15	7	1	....	....	....	8	....	1	....	1	....	....	2	....	....	1	....	1	1	....	....	....	....	....	....
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		4213	736	496	271	158	107	1768	198	34	60	91	115	128	195	198	202	249	178	172	206	163	117	80	39	12	7	1
Irish parents	M.	1243	221	129	61	46	24	481	52	5	20	27	42	40	66	83	75	77	66	57	63	41	25	12	6	2	2	1
	F.	1218	165	117	57	43	25	407	53	14	16	31	38	44	67	57	64	84	48	54	70	61	38	42	22	6	2	....
German parents	M.	1009	204	128	77	37	35	481	55	6	12	21	20	32	37	40	43	61	40	36	43	35	32	10	5	....	....	....
	F.	743	146	122	76	32	23	399	38	9	12	19	15	12	25	18	20	27	24	25	30	26	22	16	6	4	3	....
1. Croup:																											
Irish parents	M.	115	14	34	20	19	12	99	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	107	5	26	23	23	14	91	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	124	12	26	29	14	17	98	25	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	116	14	26	33	14	15	102	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Laryngitis:																											
Irish parents	M.	12	1	2	....	....	1	4	....	....	....	....	....	1	....	3	....	2	1	....	....	....	1	....	....	....	....	....
	F.	16	2	1	....	....	....	3	2	....	....	....	1	....	3	....	2	2	1	....	....	1	....	1	....	....	....	....
German parents	M.	18	1	2	1	1	....	5	1	....	1	....	....	4	....	....	2	1	1	....	2	....	1	....	....	....	....	....
	F.	10	3	1	3	....	2	9	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
3. Bronchitis:																											
Irish parents	M.	254	89	32	12	5	2	140	8	1	1	3	4	7	5	4	6	11	14	9	17	11	5	4	1	1	2	....
	F.	312	70	29	12	6	2	119	11	1	1	3	6	7	12	7	8	14	6	18	20	20	20	21	13	3	2	....
German parents	M.	191	67	25	11	8	4	115	9	1	1	4	1	3	5	1	3	3	4	7	7	16	14	3	....	....	....	....
	F.	170	65	23	9	4	3	104	7	....	....	1	2	1	2	2	....	4	3	5	8	7	11	9	2	2	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	728	94	54	28	21	8	205	24	4	15	21	30	29	48	58	58	55	42	40	39	26	15	5	2	1	1
	F.	642	67	55	19	12	9	162	19	12	11	20	28	31	41	43	44	57	35	26	43	35	12	14	7	2	
German parents	M.	545	92	68	33	14	14	221	17	2	10	16	18	17	23	33	29	40	29	23	20	21	11	6	3		
	F.	365	59	64	29	10	3	165	15	8	9	10	10	7	16	13	17	18	14	17	18	15	6	5	3	2	2
5. Pleurisy:																											
Irish parents	M.	18							1		2		2		4			3	2	1	1	1	1				
	F.	26	1		1	1		3	2			3		1	4	1	3	1	2	1	1		3	1			
German parents	M.	21	2		1			3	2					3	2	1	4	1		2	3						
	F.	18		3	1	2		6		1	1		2	2			1	3	1			1					
6. Asthma:																											
Irish parents	M.	14							1		1		1				3			1	3	2		1	1		
	F.	20	2	1				3			1				1	1	1		3	1	3	2	2	1	1		
German parents	M.	17	2					2						2			1	4		2	4		2				
	F.	9		1				1						1				1	1	1	2	1	1				
7. Others of this group:																											
Irish parents	M.	102	23	7	1	1	1	33	2		1	3	5	3	9	8	8	6	7	6	3	1	3	2	2		
	F.	95	18	5	2	1		26	3	1	3	5	3	5	6	5	6	10	1	8	3	3	1	4	1	1	
German parents	M.	93	28	7	2			37	1	2		1	1	3	7	5	4	6	6	2	7	4	4	1	2		
	F.	55	5	4	1	2		12	2		2	1	1	1	7	3	1	6	5	2	2	2	4	2	1		1
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		1144	171	91	30	15	8	315	22	28	21	44	40	47	70	67	88	85	79	71	62	49	33	17	6		
Irish parents	M.	356	51	28	8	4	3	94	8	11	6	12	10	14	21	26	25	32	27	25	11	23	8	3			
	F.	331	43	26	9	6	3	87	8	5	5	11	12	18	26	14	20	18	25	16	25	10	13	8	4		
German parents	M.	275	42	22	8	2	2	76	2	10	6	10	11	7	13	18	32	20	15	16	13	13	8	3	2		
	F.	182	35	15	5	3		58	4	2	4	11	7	8	10	9	5	15	12	14	13	3	4	3			
1. Dentition:																											
Irish parents	M.	33	14	15	3		1	33																			
	F.	34	18	14	2			34																			
German parents	M.	29	14	11	4			29																			
	F.	31	21	7	2			30	1																		
2. Angina:																											
Irish parents	M.	10	3	1	1			5	2			1	1					2		3	1		1				
	F.	17	1	4		2		7	2			1		2		1			1	1		1	1				
German parents	M.	16	6	2	1	1		10			1	1				1		1	1			1					
	F.	6	2	1				3								1			1		1						
3. Gastritis:																											
Irish parents	M.	29	1	1	2			4							2	3	2	5	4	3	1	3	1	1			
	F.	43	6	1		1	1	9	1		1	1	1	2	4		3	2	5	2	7	1	4				
German parents	M.	16	2					2		2		1		1			4	1				1	3				
	F.	19	1	2		1		4	2					1	3	1	1	1	2	1	1		2				
4. Other diseases of the stomach:																											
Irish parents	M.	27	5	4				9	2	1			1	1	3	3		1	3	1		1	1				
	F.	19	1	1	1		1	4		1	1	1	1	1	2		2	2	1				3				
German parents	M.	14	2	1				3			1	1	2			2		3	1		1						
	F.	9	1	1				2						1	1		1			2		2					
5. Obstruction of the bowels:																											
Irish parents	M.	13	3		1			4		1	1	1	1		1				1	1	1	1					
	F.	10	1					1				1			1		2		1	3			1				
German parents	M.	7	2					2					2					1		1		1					
	F.	4										1		1				1	1								
6. Hernia:																											
Irish parents	M.	14										3			1		2	1	2	1	1	1	1	1			
	F.	10	2					2							1		1	1	3	1	1	1					
German parents	M.	14															3	1	3	1	3	1	1		1		
	F.	8													1	2			1	1	2		1				
7. Other diseases of the bowels:																											
Irish parents	M.	24	1	1		1		3	1	1		2	1		3	4	1		2	1	1	3	1				
	F.	21	1	2	1			4							3		3	3			4	1	1		2		
German parents	M.	10	4	1	1		1	7			1								1				1				
	F.	11	2		1	2		5					1		1	1				1	1	1					
8. Jaundice:																											
Irish parents	M.	19	7	1				8		1						1	3	3	1	1		1					
	F.	9	2		1			3						1	1		1		1		1				1		
German parents	M.	11	3	2	1			6								1		1		1	1	1					
	F.	6	1	1				2								1		1	1		1						
9. Inflammation and abscess of the liver:																											
Irish parents	M.	15	1					1		1			1	1	2	1	2	2		1	1	1		1			
	F.	19	1					1	1	1			1	2		3	4		2		4						
German parents	M.	19	1		1			2		1	1			2	2	3	1	1		1	2	3					
	F.	11	1					1				1		1				3	1		2		1	1			
10. Other diseases of the liver:																											
Irish parents	M.	92	4	1		2		7	1	2	1	3	3	10	6	6	8	15	10	9	4	5	2				
	F.	70	5	1		1	1	8	2		1	3	3	2	6	6	5	6	8	8	4	3		4	1		
German parents	M.	69	1	2			1	4	1	1		2	4	1	4	7	10	8	5	8	4	2	1		1		
	F.	80	1	1	1			3	1		1		3	2	1	2	1	5	3	6	2						
11. Peritonitis:																											
Irish parents	M.	55	4	2		1	2	9	2	4	3	1	1	2	3	8	6	3	2	3	1	6	1				
	F.	57	1	2	1	1		5	1	3	2	4	6	8	8	4	2	3	4		2	1	2	2			
German parents	M.	53	3	2		1		6	1	6	2	5	2	3	7	3	5	1	3	3		2	2	2			
	F.	36	2	1	1			4		1	2	9	2	2	3	1	2	3	1	2	2			2			
12. Ascites:																											
Irish parents	M.																						1				
	F.	3															2										
German parents	M.	3																1		1			1				
	F.	4										1		1				1									
13. Others of this group:																											
Irish parents	M.	19	8	2	1			11			1	1	1				1		2	1		1					
	F.	19	4	1	3	1		9	1								1	1		1	1			1			
German parents	M.	14	4	1				5						1			3	1			1						
	F.	7	3	1				4		1									1		1						

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	1056	26	17	9	7	11	70	24	15	19	34	54	70	103	100	108	132	84	82	56	45	39	15	6		
Irish parents M.	324	6	4		1	3	14	6	3	5	12	17	25	34	26	27	36	27	33	18	12	22	5	1		
Irish parents F.	348	8	6	2	3	3	22	6	6	7	10	21	28	41	36	41	41	23	23	9	16	7	8	3		
German parents M.	253	5	4	3	2	4	18	9	5	3	6	6	9	17	25	30	31	23	15	22	8	5	1			
German parents F.	151	7	3	4	1	1	16	3	1	3	6	10	8	11	13	10	24	11	11	7	9	5	1	2		
1. Bright's disease:																										
Irish parents M.	233	2	2			3	7	4	3	4	10	12	18	25	19	21	27	20	26	11	6	16	3	1		
Irish parents F.	247	1	3		1	1	6	4	6	6	7	14	15	30	28	28	30	21	23	6	12	3	7	1		
German parents M.	148	2	2	1		3	8	5	3	2	5	5	4	10	17	19	19	18	12	15	3	3				
German parents F.	99	1		1			2	2	1	3	3	8	5	6	12	8	16	10	7	6	5	2	1	2		
2. Calculus, urinary:																										
Irish parents M.	1		1				1																			
Irish parents F.																										
German parents M.	2															1		1								
German parents F.																										
3. Diseases of the kidney:																										
Irish parents M.	53	2	1				3	2		2	2	1	6	6	6	5	3	4	5	3	2	2	1			
Irish parents F.	62	4	2	2	1	2	11	1		1	2	1	6	10	6	6	8	1		1	2	4	1	1		
German parents M.	56	2	1	2	2	1	8	4	2			1	3	4	4	7	10	3	2	4	2	1	1			
German parents F.	34	3	3	2	1	1	10				2	2	2	3	1	1	5	1	2		3	2				
4. Diseases of the bladder:																										
Irish parents M.	22	2					2					3		2		1	3	2		4	2	2	1			
Irish parents F.	13	1	1		1		3	1			1		1		1	4	1				1					
German parents M.	11	1	1				2							1	2			1	1	2	2					
German parents F.	7	2					2						1	1			1		1		1					
5. Others of this group:																										
Irish parents M.	15				1		1					1	1	1	1		3	1	2		2	2				
Irish parents F.	26	2					2					6	6	1	1	3	2	1		2	1			1		
German parents M.	16									1	1		2	2	2	3	2			1	1	1				
German parents F.	11	1		1			2	1			1			1		1	2		1	1		1				
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total	29											6	3	6	2	4			3	1	2	1	1			
Irish parents F.	16											3	1	5	1	1			2		1	1	1			
German parents F.	13											3	2	1	1	3			1	1	1					
1. Ovarian tumors:																										
Irish parents F.	7													1		1			2		1	1	1			
German parents F.	5												1		1	1			1	1						
2. Ovarian diseases:																										
Irish parents F.																										
German parents F.	1															1										
3. Uterine tumors:																										
Irish parents F.	1													1												
German parents F.																										
4. Uterine diseases:																										
Irish parents F.	3											1	1		1											
German parents F.	3													1		1					1					
5. Others of this group:																										
Irish parents F.	5											2		3												
German parents F.	4											3	1													
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total	125									1	26	29	32	18	17	2										
Irish parents F.	73										7	21	22	14	8	1										
German parents F.	52									1	19	8	10	4	8	1										
1. Abortion:																										
Irish parents F.	11										1	1	5	4												
German parents F.	13										3	3	3	2	2											
2. Child-birth:																										
Irish parents F.	58										3	19	17	10	8	1										
German parents F.	32									1	11	3	7	2	7	1										
3. Others of this group:																										
Irish parents F.	4										3	1														
German parents F.	7										5	2														
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	105	14	5	5	1	1	26	7	12	7	2	5	4	10	3	6	6	5	2	3	4	2	1			
Irish parents M.	35	5	1	1	1		8	1	4	5	1		1	5	1	1	2	1			4	1				
Irish parents F.	35	3	2	3		1	9	3	5	1		3	1	1	2	3	1	4	1				1			
German parents M.	20	2		1			3	1	2			2	2	3		2	2		1	2						
German parents F.	15	4	2				6	2	1	1	1			1			1			1		1				
1. Diseases of the spine:																										
Irish parents M.	20	4		1	1		6	1	2	3	1		1	1	1		1				2	1				
Irish parents F.	21	3	2	2		1	8	2	1			1	1	1	1	2	1	1	1				1			
German parents M.	12	2					2	1	1			1	1	1		2	1			2						
German parents F.	11	4	2				6	2		1	1			1												

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.	8		1				1		1	1				1		1	1				2					
	F.	6								3			1						2								
German parents	M.	6			1			1		1			1	1	1					1							
	F.	2								1											1						
3. Diseases of the hip-joint:																											
Irish parents	M.	2									1				1												
	F.	2			1			1		1																	
German parents	M.																										
	F.																										
4. Others of this group:																											
Irish parents	M.	5	1					1		1					2				1								
	F.	6							1		1		1			1	1		1								
German parents	M.	2													1			1									
	F.	2																1				1					
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		91	21	6	2	3	1	33	3	4	1	7	3	4	2	4	6	11	5	1		2	3		1	1	
Irish parents	M.	29	6	3	1	1		11	1	1		3	2		1	2		2	2	1		1	1			1	
	F.	33	9	2		2		13	1	2	1	3	1	2	1	1	2	4				1	1				
German parents	M.	18	5					5	1	1				2		1	3	3	1				1				
	F.	11	1	1	1		1	4				1					1	2	2						1		
1. Abscess:																											
Irish parents	M.	22	6	2	1	1		10	1	1		2	1		1	2		1	1	1		1					
	F.	26	8	1		2		11	1	2		2	1	2	1	1	1	3				1					
German parents	M.	14	5					5	1	1				1		1	2	1	1				1				
	F.	7	1	1	1			3				1					1	1							1		
2. Carbuncle:																											
Irish parents	M.	3										1	1						1								
	F.	2															1	1									
German parents	M.	3															1	2									
	F.	1																	1								
3. Others of this group:																											
Irish parents	M.	4		1				1										1				1			1		
	F.	5	1	1				2			1	1										1					
German parents	M.	1												1													
	F.	3					1	1										1	1								
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		3	1					1											1		1						
Irish parents	M.																		1								
	F.	1																									
German parents	M.	1	1					1													1						
	F.	1																									
1. Addison's disease:																											
Irish parents	M.																										
	F.	1																	1								
German parents	M.																										
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1	1					1													1						
	F.	1																									
XII.—ACCIDENTS AND INJURIES.																											
Total		1206	63	28	19	18	18	146	65	36	40	57	92	103	133	110	106	88	69	64	35	22	19	13	5	1	2
Irish parents	M.	534	23	9	9	6	9	56	29	22	17	25	52	45	72	55	45	35	32	22	12	4	5	3	1	1	1
	F.	205	15	5	3	6	2	31	14	4	7	5	16	13	13	18	13	10	11	14	6	11	6	9	3		1
German parents	M.	346	15	4	4	1	6	30	16	10	13	20	21	31	43	30	33	35	18	22	13	6	4		1		
	F.	121	10	10	3	5	1	29	6		3	7	3	14	5	7	15	8	8	6	4	1	4	1			
1. Burns and scalds:																											
Irish parents	M.	24	2	3	2	2	2	11	1	2			1	1	3	2	2			1							
	F.	31	1	1		1	1	4	4	1	2	1	4	5	1	2	1	2	1	2	1						
German parents	M.	16	1	1	3		1	6		1	1	2		1	3	1		1						1			
	F.	22	2	4	1	1		8	3		2	1	1	2	1		1	1	1								
2. Drowned:																											
Irish parents	M.	70	1	1			2	4	11	2	4	3	6	3	10	8	4	7	3	1	3	1					
	F.	15				1		1	2		1	2	1		1	2	1	1			2	1					
German parents	M.	59					1	1	6	4	7	7	2	8	6	6	4	4		3	1						
	F.	4		1				1	2							1											
3. Exposure and neglect:																											
Irish parents	M.	2			1			1											1								
	F.															1											
German parents	M.	1																									
	F.																										
4. Gunshot wounds:																											
Irish parents	M.	11				1		1		3	1	1		4					1								
	F.	1								1																	
German parents	M.	6	1			1		2	1				1		1			1									
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	19										2	4	1	6	4	1					1					
	F.	5									1			2		1			1								
German parents	M.	3											2				1										
	F.	2												1				1									
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.	3											1	1		1											
	F.	1																			1						
8. Railroad accidents:																											
Irish parents	M.	52	1				1	2	3	3	2	1	6	4	9	4	4	4	4	1	2		1		1			1
	F.	13	1					1	1	1		1		1	1		1	1				1	1	2			1
German parents	M.	18	1	1				2			1	1			3		3	2	3	2	1						
	F.	2																	1	1							
9. Suffocation:																											
Irish parents	M.	14	8		1			9							2		1	1				1					
	F.	6	2					2	1		1									2							
German parents	M.	7	4					4							1			1			1						
	F.	8	2	1				3						3		1							1				
10. Suicide by shooting:																											
Irish parents	M.	7									1		1	2	1				2								
	F.																										
German parents	M.	12									1	1	1		2	1	2	3	1								
	F.	1																	1								
11. Suicide by drowning:																											
Irish parents	M.																										
	F.	2															1			1							
German parents	M.	3													1							2					
	F.	1																1									
12. Suicide by poison:																											
Irish parents	M.	3												2						1							
	F.	3											1	1	1												
German parents	M.	5											1	1		2	1										
	F.	6												1		1	2	1	1								
13. Other suicides:																											
Irish parents	M.	13										1	1		2	3	1	2	3								
	F.	5							1						2		1			1							
German parents	M.	34										1	1	2	7	6	3	3	1	5	3	2					
	F.	9									1	1		1			4	1		1							
14. Sunstroke:																											
Irish parents	M.	34	1		1			2	2		1	3	5	4	5	4	2	2	2	1		1					
	F.	8	2	1				3					1		1			1	1			1					
German parents	M.	17										1		5	5	2	1		1	1			1				
	F.	3	1					1											1	1							
15. Surgical operations:																											
Irish parents	M.	5					1	1								1				3							
	F.	4											3		1												
German parents	M.	2	1					1													1						
	F.	2												1				1									
16. Wounds:																											
Irish parents	M.	10		1		1		2		1			2				2	2	1								
	F.	2				1		1																1			
German parents	M.	4											1						1	2							
	F.	1												1													
17. Others of this group:																											
Irish parents	M.	269	10	4	4	2	3	23	12	11	8	14	26	24	33	29	28	17	15	14	7		4	3		1	
	F.	110	9	3	3	3	1	19	5	1	2	1	6	4	5	13	8	5	8	8	3	8	5	6	3		
German parents	M.	156	7	2	1		4	14	9	5	3	7	11	13	14	12	17	10	11	9	6	2	3		1		
	F.	59	5	4	2	4	1	16	1			5	2	4	4	4	8	2	3	3	3	1	3				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5.

Cause of death.		Total.	Under 1.	.	3.	4	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3126	448	133	92	62	45	780	115	89	157	239	160	128	167	135	136	143	129	146	161	129	103	106	52	16	21	8
Total: Irish parents	M.	1511	236	66	49	22	20	393	64	40	64	106	75	54	87	55	61	74	58	74	90	72	51	55	23	5	7	3
	F.	1420	170	57	39	35	21	322	41	41	83	122	85	66	76	68	66	63	58	62	63	53	46	48	28	10	14	5
German parents	M.	97	20	3	3	2	1	29	6	3	2	8	4	5	3	3	2	5	5	3	5	3	3	1	1	1		
	F.	98	22	7	1	3	3	36	4	5	8	3	2	3	1	4	7	1	8	7	9	1	3	2				
Unknown causes.																												
Total		64	21	3				24	3		1		4	1	4	3	2	3	2	2	4	2	2	2	3	2		
Irish parents	M.	28	10	1				11	3					1		1	2	2	1	2	1		1		2	1		
	F.	35	10	2				12			1		4		4	2		1	1		3	2	1	2	1	1		
German parents	M.	1	1					1																				
	F.																											
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		604	156	56	49	30	32	323	58	39	19	24	16	16	15	16	13	8	10	10	10	10	6	5	3	1	1	1
Irish parents	M.	264	72	22	23	10	15	142	29	18	11	10	6	3	4	2	8	3	5	7	5	4	3	3	1			
	F.	200	66	30	22	17	14	149	23	18	6	12	9	13	11	12	4	5	4	3	5	6	3	2	2	1	1	1
German parents	M.	21	7	3	3		1	14	2	1		2	1			1												
	F.	29	11	1	1	3	2	18	4	2	2					1	1		1									
1. Small-pox:																												
Irish parents	M.	2										2																
	F.	2								1	1																	
German parents	M.																											
	F.																											
2. Measles:																												
Irish parents	M.	8	4		2			6		1	1																	
	F.	9		5				5		1	2	1																
German parents	M.																											
	F.																											
3. Scarlet fever:																												
Irish parents	M.	26	4	1	6	2	2	15	8	1		2																
	F.	31	2	6	7	3	4	22	5	1	1			1							1							
German parents	M.	6		2	1		1	4	1	1																		
	F.	8	1		1	1	2	5	3																			
4. Diphtheria:																												
Irish parents	M.	64	3	9	10	6	12	40	16	6	2																	
	F.	74	6	8	11	12	9	46	15	7	1	1	1	1	1												1	
German parents	M.	3	1		1			2	1																			
	F.	6	1	1		2		4	1	1																		
5. Hooping-cough:																												
Irish parents	M.	4	4					4																				
	F.	12	7	5				12																				
German parents	M.																											
	F.																											
6. Fever:																												
Irish parents	M.																											
	F.	1																			1							
German parents	M.																											
	F.																											
7. Cerebro-spinal fever:																												
Irish parents	M.	6	1	1				2	1	2						1												
	F.	2								1				1														
German parents	M.																											
	F.																											
8. Enteric fever:																												
Irish parents	M.	34	1	1	1	1		4	3	2	7	4	3			1	4		2	1	2	1						
	F.	23	1					1	1	3	1	4	1	3	3	1	1	1			2	1						
German parents	M.	3	1					1				1	1															
	F.	3								1	1					1												
9. Diarrhœa:																												
Irish parents	M.	15	8	1	1			10									1			2			1	1				
	F.	9	4			1		5								1					1	1	1					
German parents	M.																											
	F.	2	1					1									1											
10. Dysentery:																												
Irish parents	M.	10	4	1	1			6				1									1		1		1			
	F.	9	3		1			4				1				1	1			1			1					
German parents	M.	2										1				1												
	F.	1																	1									
11. Enteritis:																												
Irish parents	M.	20	5	1				6	1	4		1	1		2					1	1	1	1	1				
	F.	22	4	1				5	1	2		2	1	1	1	2	1	1	3	1	1							
German parents	M.	1			1			1																				
	F.	1	1					1																				
12. Cholera morbus:																												
Irish parents	M.	2										1									1							
	F.	4								1						2	1											
German parents	M.																											
	F.	1	1					1																				
13. Cholera infantum:																												
Irish parents	M.	46	36	7	2	1		46																				
	F.	45	37	4	3	1		45																				
German parents	M.	6	5	1				6																				
	F.	6	6					6																				
14. Malarial fever:																												
Irish parents	M.	15	1				1	2		2	1			2		2	1	3	1	1								
	F.	14							1	1			3	1		1	2		1			1	1	1	1			
German parents	M.																											
	F.	1									1																	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15 Erysipelas:																											
Irish parents	M.	7											1	1	1	1		2				1					
	F.	8	2					2							1				1			1		1	1		1
German parents	M.																										
	F.																										
16. Septicæmia:																											
Irish parents	M.	1																		1							
	F.	4										1				2		1									
German parents	M.																										
	F.																										
17. Puerperal septicæmia:																											
Irish parents	F.	14										1	2	5	5	1											
German parents	F.																										
18. Venereal diseases:																											
Irish parents	M.	1													1												
	F.	2										1				1											
German parents	M.																										
	F.																										
19. Others of this group:																											
Irish parents	M.	3	1					1												1				1			
	F.	5		1			1	2					1									2					
German parents	M.																										
	F.																										
General diseases—B.																											
Total		24	2	1	2			5					1	4	4	4		2				2	1				
Irish parents	M.	15	1	1	1			3					1	1	3	4		1				1					1
	F.	7	1		1			2						2	1			1				1					
German parents	M.	2												1									1				
	F.																										
1. Worms:																											
Irish parents	M.	1		1				1																			
	F.	1			1			1																			
German parents	M.																										
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	9											1	1	3	3		1									
	F.	1													1												
German parents	M.	2												1									1				
	F.																										
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.	3														1						1					1
	F.	3												1				1				1					
German parents	M.																										
	F.																										
6. Inanition:																											
Irish parents	M.	2	1		1			2																			
	F.	2	1					1						1													
German parents	M.																										
	F.																										
General diseases—C.																											
Total		319	124	2	2		1	129			2				2	1		3	1	2	10	26	35	56	29	10	13	
Irish parents	M.	151	70	1			1	72			1							1		1	6	11	15	27	12	4	1	
	F.	152	43	1	2			46			1				2	1		2	1	1	4	15	18	28	16	5	12	
German parents	M.	12	8					8															1	1	1	1		
	F.	4	3					3															1					
1. Premature birth:																											
Irish parents	M.	4	4					4																			
	F.	5	5					5																			
German parents	M.	1	1					1																			
	F.																										
2. Stillborn:																											
Irish parents	M.	47	47					47																			
	F.	21	21					21																			
German parents	M.	4	4					4																			
	F.	3	3					3																			
3. Malformation:																											
Irish parents	M.	2	2					2																			
	F.	2	2					2																			
German parents	M.																										
	F.																										
4. Debility:																											
Irish parents	M.	31	17	1			1	10			1							1			1	1	4	3			1	
	F.	32	15	1	2			18			1				2	1		2	1	1	1	1	3	1			
German parents	M.	3	3					3																			
	F.																										
5. Old age:																											
Irish parents	M.	67																		1	5	10	11	24	12	4		
	F.	92																			3	14	15	27	16	5	12	
German parents	M.	4																					1	1	1	1		
	F.	1																					1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total		875	16	9	4	6	2	37	8	12	89	154	97	69	69	55	49	58	39	38	34	34	17	9	2	3	2
Irish parents	M.	396	10	6	1	1	2	20	6	3	26	63	45	28	39	20	18	26	20	16	22	23	10	7	..	3	1
	F.	447	5	2	3	5	..	15	2	7	59	80	49	37	30	32	27	31	18	21	11	11	7	1	2	..	1
German parents	M.	12	..	..	..	..	..	..	..	1	..	4	2	1	..	2	..	1	1	..	..	..	..	..	..	..	..
	F.	20	1	1	..	..	..	2	..	1	4	1	1	3	..	1	4	..	..	1	1	..	..	1	..	..	..
1. Rheumatism:																											
Irish parents	M.	11	..	..	..	..	..	..	..	2	1	..	1	1	1	..	1	..	..	..	..	2	2	..	..	..	..
	F.	6	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	1	1	..	2	..	..	..	..	..
German parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
2. Scrofula and tabes:																											
Irish parents	M.	4	1	1	..	..	..	2	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..
	F.	3	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..
German parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Leprosy:																											
Irish parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
German parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
4. Consumption:																											
Irish parents	M.	306	1	1	..	..	1	3	1	1	24	61	43	26	37	17	9	10	10	8	15	14	3	6	..	2	1
	F.	362	1	1	1	5	..	8	2	5	56	82	48	34	24	21	20	17	12	11	9	5	5	..	2	..	1
German parents	M.	9	..	..	..	..	..	..	..	1	..	4	2	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..
	F.	13	1	1	..	..	..	2	..	1	3	1	1	3	..	1	1	..	..	..	..	..	..	..	..	..	..	..
5. Hydrocephalus:																											
Irish parents	M.	13	7	4	..	..	..	11	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	6	4	..	1	..	..	5	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
German parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
6. Cancer:																											
Irish parents	M.	38	1	..	..	..	..	1	1	..	..	..	..	..	..	1	6	7	3	7	3	4	4	1	..	..	..
	F.	37	..	..	..	..	..	..	..	..	..	1	1	2	3	7	5	6	3	5	1	2	1	..	..	..	..
German parents	M.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	F.	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	1	..	..	..	..
7. Tumor:																											
Irish parents	M.	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
	F.	7	..	..	..	..	..	..	..	..	..	2	..	..	..	1	..	2	1	..	..	..	1	..	..	..	..	..
German parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
8. Anæmia:																											
Irish parents	M.	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	3	..	..	..	..	..	..	..	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
German parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
9. Dropsy:																											
Irish parents	M.	17	..	..	..	1	1	2	2	..	1	..	..	..	1	1	2	..	1	1	3	2	1	..	..	..	..	..
	F.	23	..	1	..	..	..	1	..	..	..	..	..	1	2	2	2	4	1	4	1	2	..	1	..	..	..	..
German parents	M.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
10. Glycosuria:																											
Irish parents	M.	3	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..
	F.	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
German parents	M.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..
11. Others of this group:																											
Irish parents	M.	1	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
German parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
12. Others of this class:																											
Irish parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
German parents	M.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		299	43	28	12	3	2	88	16	10	8	13	7	6	12	14	19	12	17	21	15	11	11	10	4	1	4
Irish parents	M.	145	22	15	8	1	1	47	9	1	3	7	3	4	9	9	6	8	7	11	6	3	4	4	1	1	1
	F.	123	16	12	4	2	1	35	6	8	4	5	4	2	1	1	10	4	5	6	7	7	7	5	3	..	3
German parents	M.	14	1	..	..	..	..	1	1	..	..	..	..	..	2	2	1	..	3	2	1	..	..	..	..	..	..	..
	F.	17	4	1	..	..	..	5	..	1	..	1	..	..	..	2	2	..	2	2	1	..	..	1	..	..	..	..
1. Inflammation of the brain:																											
Irish parents	M.	6	1	1	..	..	..	2	2	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	F.	6	..	1	..	..	..	1	1	2	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..
German parents	M.	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	2	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2. Meningitis:																											
Irish parents	M.	16	2	5	1	..	..	8	3	..	..	1	..	..	..	1	1	1	1	..	..	..	..	..	..	..	..	..
	F.	13	2	3	..	1	..	6	1	3	1	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..
German parents	M.	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	F.	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3. Apoplexy:																											
Irish parents	M.	20	..	..	..	..	..	..	..	..	..	..	1	..	2	1	2	5	1	4	1	1	1	1	..	..	..	..
	F.	23	1	..	..	..	..	1	..	..	..	2	2	..	1	1	3	3	..	2	2	2	3	..	1	..	..	..
German parents	M.	5	..	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	1	1	..	1	..	..	1	..	..	..
	F.	5	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	1	..	..	..	..	..	..	..	..	..

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	28									1	1	1	1	2	2	1	1	3	4	3	1	3	3	1		
	F.	21								1							1		3	2	4	3	2	4	1		
German parents	M.	6														2			2	1		1					
	F.	2																	1	1							
5. Tetanus and trismus nascentium:																											
Irish parents	M.	3									1				1					1							
	F.	1											1														
German parents	M.																										
	F.																										
6. Epilepsy:																											
Irish parents	M.	9	1		1			2			2	2		2		1											
	F.	2										1									1						
German parents	M.																										
	F.																										
7. Convulsions:																											
Irish parents	M.	35	16	8	5	1	1	31	2	1		1				2			1								
	F.	26	10	7	3	1	1	22	1	1			1				1										
German parents	M.	1	1					1																			
	F.	4	2	1				3									1										
8. Mental diseases:																											
Irish parents	M.	4										1			1		1										1
	F.	9												1			2			1	1	1					3
German parents	M.																										
	F.																										
9. Diseases of the brain:																											
Irish parents	M.	19	2	1	1			4	2			1		1	2	1	1	1	1	2	2					1	
	F.	15	3	1	1			5	2			2						1	2				2		1		
German parents	M.	1																			1						
	F.	3	1					1								1				1							
10. Diseases of the spinal cord:																											
Irish parents	M.	1													1												
	F.	3									2			1													
German parents	M.																										
	F.																										
11. Others of this group:																											
Irish parents	M.	1																				1					
	F.	1							1	1							1							1			
German parents	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		178	4	1			1	6	5	2	11	11	6	3	7	6	13	11	15	22	23	15	12	8	2		
Irish parents	M.	85	3	1				4	2		5	5	2	3	4	1	5	6	5	10	11	8	9	4	1		
	F.	76	1				1	2	3	2	5	6	4		2	4	8	3	7	8	10	5	2	4	1		
German parents	M.	8														1		2		1	2	1	1				
	F.	9									1				1				3	3		1					
1. Angina pectoris:																											
Irish parents	M.																										
	F.	1																			1						
German parents	M.																										
	F.																										
2. Aneurism:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Diseases of the heart:																											
Irish parents	M.	84	2	1				3	2		5	5	2	3	4	1	5	6	5	10	11	8	9	4	1		
	F.	75	1				1	2	3	2	5	6	4		2	4	8	3	7	8	9	5	2	4	1		
German parents	M.	8														1		2		1	2	1	1				
	F.	9									1				1				3	3		1					
4. Others of this group:																											
Irish parents	M.	1	1					1																			
	F.																										
German parents	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		421	63	26	19	18	7	133	12	2	7	14	15	13	24	15	15	24	29	28	38	19	15	10	2	3	3
Irish parents	M.	223	37	15	13	8	1	74	8		4	8	9	8	15	7	8	13	12	13	20	12	6	5	1		2
	F.	175	22	8	6	8	5	49	4	2	2	5	6	4	8	8	7	9	15	15	18	6	7	5	1	3	1
German parents	M.	13	2			2		4	2		1	1		1	1			1	1			1					
	F.	10	2	3			1	6										1	1				2				
1. Croup:																											
Irish parents	M.	27	6	6	5	6	1	24	3																		
	F.	19	3		6	5	3	17	2																		
German parents	M.	2				1		1	1																		
	F.	3		2			1	3																			
2. Laryngitis:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Bronchitis:																											
Irish parents	M.	25	9	1	2	1		13				1		1	1					2	4	2		1			
	F.	18	7	2				9										3		2			2		1	1	
German parents	M.	3	1					1	1													1					
	F.	2	1	1				2																			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	141	15	6	5	1		27	2		3	6	8	7	11	7	8	11	10	9	16	4	6	4	1		1	
	F.	117	12	6		2	2	22	1	1	2	2	6	3	5	8	7	6	15	10	14	6	3	4		2		
German parents	M.	5	1			1		2			1			1	1								2					
	F.	5	1					1										1	1									
5. Pleurisy:																											
Irish parents	M.	7		1				1				1			1			1		1		2						
	F.	2													1									1				
German parents	M.																											
	F.																											
6. Asthma:																											
Irish parents	M.	2											1									1						
	F.	4																			3		1					
German parents	M.																											
	F.																											
7. Others of this group:																											
Irish parents	M.	21	7	1	1			9	1		1				2			1	2	1		3					1	
	F.	15				1		1	1	1		3		1	2					3	1		1				1	
German parents	M.	3										1						1	1									
	F.																											
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		98	15	2		2		19	2	2	4	1	3	3	7	3	10	10	6	9	15	2	2					
Irish parents	M.	47	8	1		1		10	2	2	1				4	1	3	3	2	4	11	2	2					
	F.	47	6	1		1		8			3	1	1	2	3	2	7	7	4	5	4							
German parents	M.	2											1	1														
	F.	2	1					1					1															
1. Dentition:																											
Irish parents	M.	1	1					1																				
	F.	2	1	1				2																				
German parents	M.																											
	F.																											
2. Angina:																											
Irish parents	M.	1															1											
	F.	1	1					1																				
German parents	M.																											
	F.																											
3. Gastritis:																											
Irish parents	M.	4							1	1										1	1							
	F.																											
German parents	M.																											
	F.	1											1															
4. Other diseases of the stomach:																											
Irish parents	M.	6				1		1	1								1			1	2							
	F.	5															1	3		1								
German parents	M.																											
	F.																											
5. Obstruction of the bowels:																											
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
6. Hernia:																											
Irish parents	M.	3									1				1						2							
	F.	1																										
German parents	M.																											
	F.																											
7. Other diseases of the bowels:																											
Irish parents	M.	3	1					1												1	1							
	F.	4	3			1		4																				
German parents	M.																											
	F.																											
8. Jaundice:																											
Irish parents	M.	5	3					3												1	1							
	F.	4									1						1			1	1							
German parents	M.																											
	F.																											
9. Inflammation and abscess of the liver:																											
Irish parents	M.	2													1				1									
	F.	1											1			1												
German parents	M.	1																										
	F.																											
10. Other diseases of the liver:																											
Irish parents	M.	10													1	1	1	1	2	1	1	4	2					
	F.	11												1		1	1	4										
German parents	M.																											
	F.																											
11. Peritonitis:																											
Irish parents	M.	3		1				1				2	1	1	1	2		2			2	1		1				
	F.	12													1													
German parents	M.	1																										
	F.																											
12. Ascites:																											
Irish parents	M.																	2		1								
	F.	3																										
German parents	M.																											
	F.																											
13. Others of this group:																											
Irish parents	M.	9	3					3			1				2				1	1			1					
	F.	3	1					1												1		1						
German parents	M.																											
	F.	1	1					1																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	57			2			2	4	2	2	2	3		4	6	3	2	4	5	3	4	2	5	4			
Irish parents M.	33			2			2	2		1	1	1		1	3	1	2	2	3	1	4	1	4	4			
Irish parents F.	16							1	1		1	2		3	3	1		1	1			1	1				
German parents M.	3							1								1				1							
German parents F.	5								1	1								1	1								
1. Bright's disease:																											
Irish parents M.	14							2			1	1		1	1	1	1	1	2		1		1	1			
Irish parents F.	12							1	1		1	2		1	3				1			1	1				
German parents M.	1															1											
German parents F.	4								1	1									1	1							
2. Calculus, urinary:																											
Irish parents M.	4																1	1		1			1				
Irish parents F.	1													1													
German parents M.																											
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	9			2			2			1					1						2	1	1	1			
Irish parents F.	2															1		1									
German parents M.	1							1																			
German parents F.	1																	1									
4. Diseases of the bladder:																											
Irish parents M.	5														1						1		2	1			
Irish parents F.																											
German parents M.	1																			1							
German parents F.																											
5. Others of this group:																											
Irish parents M.	1																		1								
Irish parents F.	1													1													
German parents M.																											
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	3											1		2													
Irish parents F.	3											1		2													
German parents F.																											
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	1													1													
German parents F.																											
5. Others of this group:																											
Irish parents F.	2											1		1													
German parents F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	20										4	4	3	7	1	1											
Irish parents F.	19										3	4	3	7	1	1											
German parents F.	1										1																
1. Abortion:																											
Irish parents F.	1												1														
German parents F.																											
2. Child-birth:																											
Irish parents F.	14										1	4	2	6		1											
German parents F.	1										1																
3. Others of this group:																											
Irish parents F.	4										2			1	1												
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	4									1	1		1					1									
Irish parents M.	2									1								1									
Irish parents F.	2										1		1														
German parents M.																											
German parents F.																											
1. Diseases of the spine:																											
Irish parents M.	2									1								1									
Irish parents F.																											
German parents M.																											
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Diseases of the hip-joint:																											
Irish parents	M.																										
	F.	1										1															
German parents	M.																										
	F.																										
4. Others of this group:																											
Irish parents	M.																										
	F.	1												1													
German parents	M.																										
	F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4									1						1			1	1						
Irish parents	M.	4									1						1			1	1						
	F.																										
German parents	M.																										
	F.																										
1. Abscess:																											
Irish parents	M.	4									1						1			1	1						
	F.																										
German parents	M.																										
	F.																										
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1															1										
Irish parents	M.																										
	F.	1															1										
German parents	M.																										
	F.																										
1. Addison's disease:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.																										
	F.	1															1										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		155	4	5	2	3		14	7	20	12	15	9	9	10	11	9	10	5	8	8	4		1	3		
Irish parents	M.	118	3	3	1	1		8	5	16	9	12	8	6	8	7	9	9	3	6	6	4		1	1		
	F.	27		1	1	2		4	2	3	2	2	1	2	2	2			2	2	1				2		
German parents	M.	9	1					1		1	1	1		1		2		1			1						
	F.	1		1				1																			
1. Burns and scalds:																											
Irish parents	M.	5	2	1		1		4				1															
	F.	4				1		1	1		1	1															
German parents	M.																										
	F.																										
2. Drowned:																											
Irish parents	M.	33		1	1			2	2	11	1	3			2	2	3	3		3		1					
	F.	7		1				1	1	1	1			2		1											
German parents	M.	2								1		1						1									
	F.																										
3. Exposure and neglect:																											
Irish parents	M.																			1							
	F.	1																									
German parents	M.																										
	F.																										
4. Gunshot wounds:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.	1															1										
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.		2.	3.		Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	1										1																
	F.																											
German parents	M.																											
	F.																											
6. Infantcide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.	3								1	1	1																
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	22								3	1	4	3	3	2	1				2	1	2						
	F.	4								1			1		1					1								
German parents	M.																											
	F.																											
9. Suffocation:																												
Irish parents	M.	1															1											
	F.																											
German parents	M.																											
	F.																											
10. Suicide by shooting:																												
Irish parents	M.	1											1															
	F.																											
German parents	M.																											
	F.																											
11. Suicide by drowning:																												
Irish parents	M.	1																						1				
	F.																											
German parents	M.																											
	F.																											
12. Suicide by poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
13. Other suicides:																												
Irish parents	M.	3											1			1	1	1		2								
	F.	1																	1									
German parents	M.	2												1						1								
	F.																											
14. Sunstroke:																												
Irish parents	M.	3									1								1		1							
	F.																											
German parents	M.																											
	F.																											
15. Surgical operations:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
16. Wounds:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
17. Others of this group:																												
Irish parents	M.	41	1	1				2	3	1	5	2	3	3	3	3	4	5	2	1	2	1			1			
	F.	10			1	1		2		1		1			1	1			1		1				2			
German parents	M.	3	1					1			1					1												
	F.	1		1				1																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6.

Cause of death.		Total.	Under 1.	1.	2.	3.		Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		4448	494	207	160	121	115	1097	262	141	180	248	240	209	242	176	201	205	223	197	205	203	168	130	63	22	18	9
Total: Irish parents	M.	1656	179	78	63	51	37	408	81	52	67	99	88	75	99	72	89	91	87	64	72	75	56	49	16	8	5	3
	F.	1351	134	54	40	36	37	301	85	41	64	89	79	78	72	60	58	58	56	63	57	52	50	50	21	8	6	3
German parents	M.	824	99	43	35	17	20	214	49	26	24	34	43	34	38	25	34	30	59	43	46	51	35	19	9	3	5	3
	F.	617	82	32	22	17	21	174	47	22	25	26	30	22	33	19	20	26	21	27	30	25	27	21	17	3	2	....
Unknown causes.																												
Total		97	37	2	2	2	....	43	2	1	1	1	....	1	3	1	6	4	3	6	6	9	8	1	1	....	....	....
Irish parents	M.	26	11	....	1	....	....	12	1	....	....	1	....	....	....	....	3	....	1	2	1	3	2	....	....	....	....	....
	F.	19	10	1	....	1	....	12	....	1	....	....	....	....	....	....	....	1	1	1	....	2	1	....	....	....	....	....
German parents	M.	31	10	....	1	....	....	11	....	....	1	....	....	1	2	1	1	2	1	2	3	3	2	1	....	....	....	....
	F.	21	6	1	....	1	....	8	1	....	....	....	....	....	1	....	2	1	....	1	2	1	3	....	1	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1007	150	109	95	74	77	505	181	54	38	33	19	21	18	14	14	17	20	21	16	17	11	4	1	2	....	1
Irish parents	M.	320	50	41	35	30	19	175	48	12	8	7	9	5	7	4	4	6	6	9	5	6	4	3	....	2	....	....
	F.	315	42	32	25	21	27	147	64	19	11	12	3	11	6	9	6	5	5	5	3	5	3	....	....	....	....	1
German parents	M.	185	31	19	18	11	16	95	32	8	6	7	6	1	3	1	3	3	7	4	4	2	2	....	1	....	....	....
	F.	187	27	17	17	12	15	88	37	15	13	7	1	4	2	....	1	3	2	3	4	4	2	1	....	....	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	13	2	3	3	2	1	11	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	12	4	2	....	....	2	8	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	66	7	12	11	11	9	50	13	2	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	56	5	4	9	8	7	33	18	1	....	1	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	21	....	3	5	4	....	12	6	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	28	3	5	1	2	6	17	8	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	93	6	13	14	10	8	51	29	8	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	107	11	6	12	13	14	56	33	11	3	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	77	3	4	10	7	15	39	25	7	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	83	4	5	11	8	8	36	28	11	5	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	5	4	....	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	....	2	....	....	3	5	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	3	1	....	....	1	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	3	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	20	....	....	1	....	....	1	....	1	....	5	5	1	....	....	1	2	3	1	....	....	....	....	....	....	....	....
	F.	17	....	....	....	....	....	....	....	4	3	2	....	1	....	1	2	2	1	....	1	....	....	....	....	....	....	....
German parents	M.	13	....	....	....	....	....	....	....	....	3	3	1	....	1	....	1	1	....	1	1	1	....	....	....	....	....	....
	F.	19	....	....	....	....	....	....	1	2	6	3	....	2	....	....	1	1	....	1	....	2	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	17	4	4	1	1	....	10	....	....	1	....	....	....	....	....	....	1	....	....	....	4	....	....	....	1	....	....
	F.	11	3	3	....	....	....	6	1	....	1	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....
German parents	M.	7	....	1	....	....	1	2	....	....	....	....	....	....	2	....	....	....	1	....	....	....	1	....	1	....	....	....
	F.	9	5	....	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	17	5	1	....	....	....	6	1	....	1	....	1	1	1	1	....	1	....	2	2	....	....	....	....	....	....	....
	F.	10	1	2	....	....	....	3	2	....	1	....	....	....	....	....	1	....	....	1	1	....	1	....	....	....	....	....
German parents	M.	6	2	1	....	....	....	3	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	15	1	2	....	1	....	4	2	....	....	1	1	1	....	....	1	....	2	....	1	....	1	....	....	1	....	....
	F.	12	4	....	1	....	....	5	1	1	2	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....
German parents	M.	9	1	3	....	....	....	4	....	....	....	....	1	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....
	F.	10	....	3	1	1	....	5	....	....	....	....	....	....	....	....	....	1	....	2	....	1	1	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	11	....	1	....	....	....	1	....	1	....	1	....	....	1	1	1	....	1	2	1	....	1	....	....	....	....	....
	F.	10	1	1	....	....	....	2	....	1	....	1	....	1	....	1	....	....	1	2	1	....	....	....	....	....	....	....
German parents	M.	6	3	....	....	....	....	3	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	28	18	5	4	1	....	28	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	12	10	....	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	25	20	3	2	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	9	3	2	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	20	2	....	....	2	1	5	2	....	1	....	....	....	2	1	....	1	....	1	1	....	2	1	....	....	....	....
	F.	10	1	1	2	....	1	5	....	1	....	2	....	1	....	1	....	1	2	1	....	1	1	....	....	....	....	....
German parents	M.	6	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	3											1		1								1				
	F.	3			1			1														2					
German parents	M.	5												1		1		1	1			1					
	F.	3	2					2										1									
16. Septicæmia:																											
Irish parents	M.	5									1		1		2	1											
	F.	6		1				1	1			1		2													1
German parents	M.	2															1	1									
	F.	1										1															
17. Puerperal septicæmia:																											
Irish parents	F.	18										1	1	6	5	5											
German parents	F.	2									1		1														
18. Venereal diseases:																											
Irish parents	M.	1																				1					
	F.																										
German parents	M.																										
	F.																										
19. Others of this group:																											
Irish parents	M.	2				1		1																1			
	F.	4															2					1	1				
German parents	M.	2							1								1										
	F.	3			1			1											1				1				
General diseases—B.																											
Total		37	12	1		1		14	3				2	3	1	3		3	3			2	2				1	
Irish parents	M.	10	2	1		1		4					1	1				2	1				1				
	F.	14	4					4	2				1	1	1	2		1				1	1				
German parents	M.	9	4					4						1		1			1			1					1	
	F.	4	2					2	1										1								
1. Worms:																											
Irish parents	M.	1		1				1																			
	F.	1							1																		
German parents	M.																										
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	5												1	1				2	1								
	F.	4															1		1			1	1				
German parents	M.	3													1		1			1							
	F.																										
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.																										
	F.	5		1					1					1	1	1	1										
German parents	M.	1																				1					
	F.	1							1																		
6. Inanition:																											
Irish parents	M.	4	2			1		3															1				
	F.	4	4					4																			
German parents	M.	5	4					4																			1
	F.	3	2					2												1							
General diseases—C.																											
Total		298	83	5				88			2			1	2		3	2	2	9	7	29	48	57	26	9	13	
Irish parents	M.	99	30	1				37									1	1		4	2	8	17	19	4	2	4	
	F.	111	27	1				28			2			1	2			1	1	3	5	11	17	21	11	4	4	
German parents	M.	43	10	2				12												1		7	8	7	4	1	3	
	F.	45	10	1				11									2		1	1		3	6	10	7	2	2	
1. Premature birth:																											
Irish parents	M.	8	8					8																			
	F.	8	8					8																			
German parents	M.																										
	F.	2	2					2																			
2. Stillborn:																											
Irish parents	M.	18	18					18																			
	F.	13	13					13																			
German parents	M.	4	4					4																			
	F.	3	3					3																			
3. Malformation:																											
Irish parents	M.																										
	F.	2	2					2																			
German parents	M.	1	1					1																			
	F.																										
4. Debility:																											
Irish parents	M.	25	10	1				11									1	1		2	1	1	4	3		1		
	F.	21	3	1				4			2		1	2				1	1	2	5	1	1		1			
German parents	M.	17	5	2				7												1		3	4	1	1			
	F.	13	5	1				6									2		1	1			1	1			1	
5. Old age:																											
Irish parents	M.	48																		2	1	7	13	16	4	1	4	
	F.	60																		1		10	16	21	10	4	4	
German parents	M.	21																				4	4	6	3	1	3	
	F.	27																				3	5	9	7	2	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 0.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.																										
	F.																										
General diseases—D.																											
Total		1011	20	12	9	3	2	46	9	28	68	125	141	100	93	58	52	56	56	48	47	36	22	15	6	1	4
Irish parents	M.	296	7	4	6	1	1	19	4	10	20	37	35	29	29	18	17	17	19	9	14	8	5	3		1	2
	F.	409	4	1		2		7	3	10	35	63	59	40	31	25	23	26	22	23	12	10	8	7	4		1
German parents	M.	100	3	5	1		1	10	1	4	4	11	24	19	16	8	7	3	12	8	11	11	6	3	1		1
	F.	146	6	2	2			10	1	4	9	14	23	12	17	7	5	10	3	8	10	7	3	2	1		
1. Rheumatism:																											
Irish parents	M.																										
	F.	8							1		1							1	1	3			1				
German parents	M.	2															1		1								
	F.	3														1					1			1			
2. Scrofula and tabes:																											
Irish parents	M.	4								2											1	1					
	F.	3									1	1			1												
German parents	M.	3																	2	1							
	F.	1	1					1																			1
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	226	1	2	2	1	1	7	3	6	20	35	34	28	25	17	8	10	14	5	8	3	1				2
	F.	318	2	1		1		4	2	8	30	60	59	38	24	20	15	14	13	11	7	6	3	1	2		1
German parents	M.	103	1	2				3	1	4	3	11	22	18	14	6	4		6	3	4	3	1				1
	F.	96	1		1			2	1	3	8	13	23	12	15	4	3	3	1	3	2	3					
5. Hydrocephalus:																											
Irish parents	M.	12	5	2	3			10		1		1															
	F.	2	1					1		1																	
German parents	M.	4	1	2				3			1																
	F.	4	1	2	1			4																			
6. Cancer:																											
Irish parents	M.	25													2		6	4	4		4	2		2		1	
	F.	48										1		1	3	3	6	8	6	7	4	2	2	4	1		
German parents	M.	10												1		2		2		1	1	2	1				
	F.	20										1			2	2	1	5	2	1	3	2			1		
7. Tumor:																											
Irish parents	M.	4													1		1				1		1				
	F.	1									1																
German parents	M.	3											1				1				1						
	F.	2																		1		1					
8. Anæmia:																											
Irish parents	M.	1	1					1																			
	F.																										
German parents	M.	2	1					1																1			
	F.	1	1					1																			
9. Dropsy:																											
Irish parents	M.	20			1			1	1			1	1		1	1	2	2	1	3		2	3	1			
	F.	29	1			1		2		1	2	1		1	3	2	2	3	2	2	1	2	2	2	1		
German parents	M.	27			1		1	2					1		1		1	1	3	4	5	4	3	1	1		
	F.	16	2					2									1	2		2	4	1	3	1			
10. Glycosuria:																											
Irish parents	M.	4								1				1					1		1						
	F.																										
German parents	M.	5													1							2	1	1			
	F.	2								1	1																
11. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1		1				1												1							
	F.	1																									
12. Others of this class:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		425	85	17	14	12	6	134	14	5	8	9	10	12	13	11	17	14	22	27	29	36	29	17	13	1	3	1
Irish parents	M.	155	25	6	5	4	4	44	6	1	2	5	6	3	9	6	5	5	10	8	9	15	8	7	5		1	
	F.	120	23	3	4	6	2	38	4	1	4		3	4	1	3	4	6	5	9	14	8	6	7	2		1	
German parents	M.	88	21	4	4	1		30	3	2	1	3	1	3	2	2	3	1	6	9	2	9	7		2		1	1
	F.	62	16	4	1	1		22	1	1	1	1		2	1		5	2	1	1	4	4	8	3	4	1		
1. Inflammation of the brain:																											
Irish parents	M.	10	2		2			4	1		1				2			1	1									
	F.	9	2		1	1	1	5	1				1	1				1										
German parents	M.	3		1	1			2			1											1						
	F.	3	1			1		2																				
2. Meningitis:																											
Irish parents	M.	9	3	2				5	2							1			1								
	F.	10	4	1				5	2	1	1					1											
German parents	M.	1		1				1									1				1						
	F.	2																									
3. Apoplexy:																											
Irish parents	M.	35										1			1	1		4	2	2	4	6	5	3	4	2		
	F.	15											1				1	1	2	2	5	1	0	2		2		1
German parents	M.	22															1		1		1	3	4	2	1			
	F.	13																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	31										1	2	1	3	2		1	4	1	1	7	1	3	3		1
	F.	30															3	2	2	6	6	5	6	4	2		
German parents	M.	14			1			1					1		1				1	1	1	3	4				
	F.	11															1	1		1	1		3	1	3		
5. Tetanus and trismus nascentium:																											
Irish parents	M.	2								1			1														
	F.																										
German parents	M.	3								1		1				1											
	F.																										
6. Epilepsy:																											
Irish parents	M.	3	1			1		2	1																		
	F.	2									1			1													
German parents	M.	3								1									2								
	F.	3									1			1				1									
7. Convulsions:																											
Irish parents	M.	33	17	4	2	3	3	29	1			3															
	F.	28	16	2	3	5	1	27													1						
German parents	M.	24	20	1	1	1		23	1																		
	F.	17	12	2	1			15	1	1																	
8. Mental diseases:																											
Irish parents	M.	11											1	1	1	2		1		2	2	1					
	F.	8											1	2		1		1			1	1		1			
German parents	M.	6							1			1		1		1			1	1							
	F.	3													1		1				1						
9. Diseases of the brain:																											
Irish parents	M.	13	2		1		1	4	1			1	2		2	1	1			1		1	4				
	F.	8	1					1			1				1					1	3	1					
German parents	M.	9	1	1				3	1					1			2			1			1				
	F.	10	3	2				5				1		1			1						1		1		
10. Diseases of the spinal cord:																			1			1					
Irish parents	M.	2																									
	F.	3							1		1								1								
German parents	M.	2										1								1							
	F.																										
11. Others of this group:																											
Irish parents	M.	1																	1								
	F.	1																	1								
German parents	M.	1															1										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		225	7			3		10	5	9	7	9	5	13	17	12	19	20	21	19	23	7	10	10	1	1		1
Irish parents	M.	69				1		1	1	3	2	5		4	3	8	5	6	6	4	9	2	5	4		1		
	F.	75	2			1		3	1	4	3	2	2	5	11	2	10	8	3	7	4	2	4	3	1			
German parents	M.	54	3			1		4	3	1	2	1	1	3	2	1	2	4	8	3	8	3	6	1				1
	F.	27	2					2		1		1	2	1	1	1	2	2	4	5	2		1	2				
1. Angina pectoris:																											
Irish parents	M.																										
	F.	1																			1						
German parents	M.																										
	F.	1																	1								
2. Aneurism:																											
Irish parents	M.	2																1		1							
	F.																										
German parents	M.	1																		1							
	F.																										
3. Diseases of the heart:																											
Irish parents	M.	66				1		1	1	3	2	4		4	3	8	5	5	6	3	9	2	5	4		1		
	F.	73	1			1		2	1	4	3	2	2	5	11	2	10	8	3	7	3	2	4	3	1			
German parents	M.	48	1			1		2	2	1	2	1	1	3	2	1	2	3	8	3	7	2	5	1				1
	F.	23	1					1		1		1	1	1	1	1	2	2	2	5	2		1	2				
4. Others of this group:																											
Irish parents	M.	1										1															
	F.	1	1					1																			
German parents	M.	5	2					2										1				1	1				
	F.	3	1					1					1						1								
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		551	68	45	27	19	26	185	18	10	12	9	13	13	21	20	26	35	41	38	35	34	16	20	3			2
Irish parents	M.	246	35	16	9	8	11	79	4	7	4	2	7	7	10	10	15	19	15	17	10	16	5	8	1			1
	F.	133	14	13	7	4	7	45	5	2	5	2	2	4	5	4	5	4	10	11	5	9	5	8	1			1
German parents	M.	101	11	10	10	4	3	38	5	1	3	5	2	2	1	4	3	7	9	6	6	5	3	1				
	F.	71	8	0	1	3	5	23	4				2		5	2	3	5	7	4	5	4	3	3	1			
1. Croup:																											
Irish parents	M.	35	10	8	2	3	8	31	2	2																	
	F.	23	4	5	3	2	5	19	4																		
German parents	M.	18	1	5	4	4	2	16	2																		
	F.	13	2	3	1		3	9	4																		
2. Laryngitis:																											
Irish parents	M.	2				1		1														1					
	F.																										
German parents	M.																										
	F.																										
3. Bronchitis:																											
Irish parents	M.	25	8	2	2	1		13		1					1			1			3	5	1				
	F.	12	4	1	1	1		7							1			1	1	1		1					
German parents	M.	9	2				1	3											4	1		1					
	F.	4		1		1		2									1				1						

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	149	14	6	4	2	1	27	2	3	3	2	7	6	7	8	13	14	13	13	12	8	3	6	1		1
	F.	80	5	6	3		2	16	1	2	4	2	2	3	3	4	4	2	7	8	5	6	2	7	1		1
German parents	M.	62	7	4	6			17	3	1	3	5	2	2	1	2	2	4	5	4	6	4	1				
	F.	40	4	2		2	1	9					1		5	2	2	5	4	3	2	2	2	3			
5. Pleurisy:																											
Irish parents	M.	3				1		1							1							1					
	F.	2												1													
German parents	M.	2														2											
	F.	3					1	1													1	1					
6. Asthma:																											
Irish parents	M.	10												1				1	1	3	2	1	1				
	F.	4																	1			1	1	1			
German parents	M.	2																					1	1			
	F.	2																	1			1					
7. Others of this group:																											
Irish parents	M.	22	3		1		2	6		1	1				1	2	2	3	1	1	2			2			
	F.	12	1	1		1		3			1				1		1	1	1	1		1	2				
German parents	M.	8	1	1				2									1	3		1			1				
	F.	9	2					2					1						2	1	1		1		1		
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		163	16	6	2	4	1	29	2	3	5	7	8	6	3	13	14	13	14	9	16	11	6	2	2	2	
Irish parents	M.	64	5	1	2	3	1	12	1	1	2	4	2	3	1	2	8	6	6	3	5	4	2	1		1	
	F.	45	5	3		1		9	1	1	1	1	3	1	1	7	1	5	1	2	6	3	2				
German parents	M.	42	5	2				7		1	1	1	1	1	1	4	5	2	5	3	3	3	1	1	1	1	
	F.	12	1					1			1	1		1					2	1	2	1	1		1		
1. Dentition:																											
Irish parents	M.	2	1		1			2																			
	F.	3	2	1				3																			
German parents	M.	1	1					1																			
	F.	1	1					1																			
2. Angina:																											
Irish parents	M.	4		1	1	1		3														1					
	F.																										
German parents	M.																										
	F.																										
3. Gastritis:																											
Irish parents	M.	3																1			1			1			
	F.	9									1	1	1		1				1		2	1	1		1		
German parents	M.	3														1						1					
	F.	1																	1								
4. Other diseases of the stomach:																											
Irish parents	M.	10				2		2				1			1		2	1	1		1	1					
	F.	7												1		2		1		2	1					1	
German parents	M.	5																									
	F.																										
5. Obstruction of the bowels:																											
Irish parents	M.	4										1						1			2						
	F.																		2								
German parents	M.	2																									
	F.																										
6. Hernia:																											
Irish parents	M.	4										1					1		1			1					
	F.															1	1				1						
German parents	M.	3																	1								
	F.	1																									
7. Other diseases of the bowels:																											
Irish parents	M.	2																			1			1			
	F.	1																				1					
German parents	M.																										
	F.																										
8. Jaundice:																											
Irish parents	M.	2	1					1									1						1				
	F.	2				1		1												1							
German parents	M.	1																									
	F.																										
9. Inflammation and abscess of the liver:																											
Irish parents	M.	6					1	1	1								1		3								
	F.	1							1							1	1				1	1	1				
German parents	M.	5																			1						
	F.	1																									
10. Other diseases of the liver:																											
Irish parents	M.	7											1			1		1	1	1	1	1					
	F.	8		1				1						1		2		2		1	1						
German parents	M.	8	1					1								1		2	2	2							
	F.																										
11. Peritonitis:																											
Irish parents	M.	7									2	1		2			1	1									
	F.	7								1			2			3		1									
German parents	M.	5								1	1	1			1		1										
	F.	3									1	1		1													
12. Ascites:																											
Irish parents	M.	2															1			1							
	F.	1																			1						
German parents	M.	1																				1		1			
	F.	2																									
13. Others of this group:																											
Irish parents	M.	11	3					3		1			1	1		1	3				1			1			
	F.	6	3	1				4										1			1						
German parents	M.	8	3	2				5					1							1		1			1		
	F.	3																									

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	87		1	2		1	4	1		2	2	2	2	5	2	6	7	9	7	7	15	5	6	4	1		
Irish parents M.	41									1	1		1	1	1	3	6	3	3	1	3	4	4	4			
Irish parents F.	13			2			2						1	1		1	1	1	2	3		1					
German parents M.	24							1		1		1		1		2		5	1	2	7		2		1		
German parents F.	9		1			1	2				1	1		2	1				1	1							
1. Bright's disease:																											
Irish parents M.	15									1	1		1	1	1	2	3		2		2		1				
Irish parents F.	3																1	1	1								
German parents M.	13											1		1				4		2	3		2				
German parents F.	4											1		1	1				1								
2. Calculus, urinary:																											
Irish parents M.	3																1					1	1				
Irish parents F.																											
German parents M.	3									1											2						
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	10														1	1	1		1	2	1		3				
Irish parents F.	5			2			2							1					2								
German parents M.	4															2		1		1							
German parents F.	2					1	1												1								
4. Diseases of the bladder:																											
Irish parents M.	9																2	1		2	1	2	1				
Irish parents F.	4												1			1			1	1							
German parents M.	1																	1									
German parents F.	1													1													
5. Others of this group:																											
Irish parents M.	4																1				2	1					
Irish parents F.	1																					1					
German parents M.	3							1													1			1			
German parents F.	2		1				1				1																
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	10										2				3	2	1	1	1								
Irish parents F.	7										2				2	2		1									
German parents F.	3														1		1		1								
1. Ovarian tumors:																											
Irish parents F.	2										1							1									
German parents F.	2														1				1								
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.	2														1	1											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	2										1					1											
German parents F.																											
5. Others of this group:																											
Irish parents F.	1														1												
German parents F.	1																1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	47									2	6	6	10	14	9												
Irish parents F.	37									1	5	6	8	11	6												
German parents F.	10									1	1		2	3	3												
1. Abortion:																											
Irish parents F.	2												2														
German parents F.																											
2. Child-birth:																											
Irish parents F.	29									1	3	6	5	10	4												
German parents F.	9									1			2	3	3												
3. Others of this group:																											
Irish parents F.	6										2		1	1	2												
German parents F.	1										1																
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	5							2								1				1			1				
Irish parents M.	1							1																			
Irish parents F.	1															1											
German parents M.	3							1												1			1				
German parents F.																											
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.																											
German parents. M.	1							1																			
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.																										
	F.	1															1										
German parents	M.	2																			1			1			
	F.																										
3. Diseases of the hip-joint:																											
Irish parents	M.	1							1																		
	F.																										
German parents	M.																										
	F.																										
4. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		15	2	1				3	1	2				1	2		1	1	1			1			1	1		
Irish parents	M.	6	1	1				2	1					1	1		1									1		
	F.	3								1									1									
German parents	M.	2								1					1													
	F.	4	1					1										1				1			1			
1. Abscess:																											
Irish parents	M.	5		1				1	1					1	1		1											
	F.	2								1									1									
German parents	M.	2								1					1													
	F.	2																1				1						
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.	1	1					1																		1		
	F.	1																										
German parents	M.																										
	F.	2	1					1																	1			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
1. Addison's disease:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		470	14	8	9	3	2	36	24	29	35	45	38	27	48	32	37	35	30	9	18	6	5	6	5	4	1	
Irish parents	M.	323	7	7	5	3	1	23	14	18	28	37	29	21	37	23	27	25	19	4	7	5	3		2	1		
	F.	49	3		2		1	6	5	2	2	2	1	2	2	1	3	1	4		5	1	2	4	2	3	1	
German parents	M.	82	1	1	1			3	3	8	5	6	7	4	8	4	7	8	6	5	6			2				
	F.	16	3		1			4	2	1			1		1	1		1	1						1			
1. Burns and scalds:																											
Irish parents	M.	10		2	1	1		4		1		1		1			2	1						1			1	
	F.	9					1	1	3	1	1			1														
German parents	M.	2			1			1			1																	
	F.	3								1								1	1									
2. Drowned:																											
Irish parents	M.	17							4	2	2	1	2		1	1	1		2							1		
	F.	4									1	1				1			1					1				
German parents	M.	8							1	3			1		1		1											
	F.	1			1			1																				
3. Exposure and neglect:																											
Irish parents	M.	5	2	1				3		1							1						1					
	F.	2	1					1																				
German parents	M.																											
	F.																											
4. Gunshot wounds:																											
Irish parents	M.	4							1	1		2																
	F.																											
German parents	M.	1													1													
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.																										
	F.																										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.	1									1																
	F.																										
German parents	M.																										
	F.																										
8. Railroad accidents:																											
Irish parents	M.	48							3	4	4	7	6	3	4	5	3	3	2	1	1	2					
	F.	7							1					1					1		2		1		1		
German parents	M.	13							1	3		1		1	2		1		1	1	1			1			
	F.	1													1												
9. Suffocation:																											
Irish parents	M.	4	3				1	4																			
	F.	1	1					1																			
German parents	M.	2	1					1									1										
	F.	1	1					1																			
10. Suicide by shooting:																											
Irish parents	M.	1											1														
	F.																										
German parents	M.	2									1				1												
	F.																										
11. Suicide by drowning:																											
Irish parents	M.																										
	F.																										
German parents	M.	1															1										
	F.																										
12. Suicide by poison:																											
Irish parents	M.																										
	F.	1																1									
German parents	M.	1														1											
	F.																										
13. Other suicides:																											
Irish parents	M.	2													1	1											
	F.	1													1												
German parents	M.	6								1				1	1			2			1						
	F.	1														1											
14. Sunstroke:																											
Irish parents	M.	5										2							2				1				
	F.																										
German parents	M.																										
	F.	2							2																		
15. Surgical operations:																											
Irish parents	M.	2														1	1										
	F.																										
German parents	M.	1															1										
	F.																										
16. Wounds:																											
Irish parents	M.	2												1	1												
	F.																										
German parents	M.	2																		1	1						
	F.																										
17. Others of this group:																											
Irish parents	M.	221	2	4	4	2		12	6	9	21	24	20	16	29	15	20	21	13	3	6	3	1		2		
	F.	24	1		2			3	1	1		1	1		1		2		2		3	1		4	2	2	
German parents	M.	43		1				1	1	1	3	5	6	2	2	3	2	6	5	3	3						
	F.	7	2					2					1			3									1		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		9272	1771	487	319	276	214	3067	636	303	359	500	391	344	359	332	367	380	407	415	375	344	335	208	81	29	27	13
Total: Irish parents	M.	1490	150	42	25	21	14	252	60	36	58	84	83	90	67	72	72	92	96	97	87	76	80	55	13	9	8	3
	F.	1188	104	32	30	18	19	203	50	32	73	83	82	52	61	64	72	56	53	67	64	52	46	42	23	2	11	....
German parents	M.	3542	851	212	134	127	103	1427	254	130	95	158	97	105	112	109	131	134	165	151	130	130	104	64	25	9	4	8
	F.	3052	666	201	130	110	78	1185	272	105	133	175	129	97	119	87	92	98	93	100	94	86	105	47	20	9	4	2
Unknown causes.																												
Total		144	51	3	3	1	1	59	4	1	3	4	6	....	4	7	7	6	4	8	12	5	10	3	....	....	....	1
Irish parents	M.	17	4	....	....	....	....	4	....	....	....	....	1	....	....	1	2	2	1	2	3	....	1	....	....	....	....	....
	F.	19	1	1	2	....	....	4	1	....	....	....	2	....	1	3	3	....	....	....	1	1	3	....	....	....	....	....
German parents	M.	62	29	1	....	1	1	32	1	1	1	3	1	....	1	2	1	2	....	1	5	2	5	3	....	....	....	1
	F.	46	17	1	1	....	....	19	2	....	2	1	2	....	2	1	1	2	3	5	3	2	1	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2406	458	242	181	171	132	1184	422	158	104	105	59	51	56	32	30	36	43	46	24	18	28	7	2	1	....	....
Irish parents	M.	245	38	15	13	12	6	84	40	12	11	12	8	9	4	5	7	8	12	11	5	4	9	1	2	1	....	....
	F.	208	30	17	15	10	15	87	24	12	13	9	8	11	7	9	2	7	2	10	2	2	2	1	....	....	....	....
German parents	M.	959	205	110	76	77	60	528	159	67	41	31	11	12	13	11	14	9	20	11	11	8	8	5	....	....	....	....
	F.	994	185	100	77	72	51	485	199	67	39	53	32	19	32	7	7	12	9	14	6	4	9	....	....	....	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	9	1	....	1	2	1	5	1	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	1	2	....	1	4	1	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	30	10	7	2	1	....	20	6	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	37	6	11	5	5	1	28	4	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	35	....	4	5	6	2	17	16	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	33	2	6	3	5	8	24	7	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	120	13	12	12	16	16	69	40	9	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	134	9	11	16	18	20	74	36	11	4	5	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	43	2	4	4	3	3	16	16	7	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	41	2	3	4	5	5	19	13	6	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	342	24	33	43	49	39	188	96	37	13	5	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	359	25	33	44	43	24	169	130	41	13	2	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	5	3	....	....	....	....	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	1	2	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	21	11	6	2	....	....	19	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	8	5	4	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	3	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
German parents	M.	3	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	4	1	....	....	....	....	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	16	1	3	1	....	1	6	1	....	4	1	1	2	....	....	....	....	1	....	....	....	....	1	....	....	....	....
	F.	7	....	2	....	....	1	3	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	37	2	....	....	....	....	2	3	2	5	9	5	2	1	1	1	2	3	1	....	....	....	....	....	....	....	....
	F.	24	....	....	....	....	....	....	1	2	4	4	2	3	1	2	....	....	....	3	....	1	1	....	....	....	....	....
German parents	M.	78	....	....	1	2	1	4	3	10	14	14	7	2	4	2	5	1	5	2	2	1	2	....	....	....	....	....
	F.	95	3	1	2	1	2	9	12	10	13	17	5	4	4	1	4	6	4	4	1	1	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	11	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	2	....	....	1	1	4	1	....	....	....	....
	F.	8	2	1	....	....	....	3	....	....	....	....	1	1	....	1	....	1	....	....	....	1	....	....	....	....	....	....
German parents	M.	92	54	18	3	1	....	76	....	1	....	1	....	1	2	1	2	2	2	....	....	2	1	1	....	....	....	....
	F.	59	37	11	1	2	....	51	3	....	....	....	....	....	1	....	....	....	....	2	1	....	1	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	18	5	1	1	....	....	7	....	....	....	2	....	....	....	1	....	1	1	2	....	1	2	....	1	....	....	....
	F.	8	3	....	1	....	....	4	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....
German parents	M.	41	17	6	2	4	....	29	1	2	1	....	....	2	....	....	....	....	....	2	2	2	....	....	....	....	....	....
	F.	26	9	3	....	....	1	13	....	....	2	1	2	1	....	....	....	....	1	3	....	1	2	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	19	1	1	1	1	....	4	....	1	3	....	....	1	....	2	....	3	2	1	1	....	....	....	1	....	....	....
	F.	11	2	....	....	....	1	3	....	1	2	1	....	....	....	....	....	....	....	2	....	2	2	1	....	....	....	....
German parents	M.	70	16	5	1	2	1	25	5	4	6	3	1	3	3	3	3	2	5	2	....	2	2	1	....	....	....	....
	F.	48	18	2	....	1	1	22	6	2	1	4	3	1	2	....	....	3	....	1	....	....	3	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	14	3	....	....	....	1	4	....	....	....	....	....	....	....	2	....	3	2	....	2	....	....	1	....	....	....	....
	F.	7	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	23	19	4	....	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	15	5	1	....	....	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	70	45	18	6	....	1	70	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	83	59	18	4	2	....	83	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	13	1	....	1	....	....	2	....	....	....	....	....	1	....	....	3	....	3	1	....	1	1	....	....	1	....	....
	F.	13	1	....	2	....	....	3	1	....	2	....	....	....	....	1	1	2	....	2	4	....	1	1	1	....	....	....
German parents	M.	25	2	....	1	1	....	4	2	....	....	....	4	1	1	2	....	2	....	2	4	....	1	1	....	....	....	....
	F.	17	1	....	1	....	1	3	1	1	....	....	3	2	....	....	....	....	1	1	2	2	1	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	10	2					2					1		1	1				2	1	1	1				
	F.	8	1					1					1	2		1	1	1		1							
German parents	M.	15	5		2			7			1			1					2		2		1	1			
	F.	18	6					6	1	1	1	3			2		1		1	1	1						
16. Septicæmia:																											
Irish parents	M.	3																1	1	1							
	F.	4									1				1	1		1									
German parents	M.	6		1				1			1				1	1		1			2						
	F.	9		1				1	2			2	1		1			1	1								
17. Puerperal septicæmia:																											
Irish parents	F	13									1	1	4	3	3	1											
German parents	F.	66									2	13	16	10	19	4	2										
18. Venereal diseases:																											
Irish parents	M.	2										1					1										
	F.	1														1											
German parents	M.	4	3					3								1											
	F.	3	1					1						1		1											
19. Others of this group:																											
Irish parents	M.	6												2				1	1	1		1					
	F.	5													1			1	1	1							
German parents	M.	12	1			1		2	2			1	1		1	1			1	1	1		1				
	F.	7	1					1	2		1				1				1				1				
General diseases—B.																											
Total		88	34	7	5	1	1	48	1		2	1	3	2	5	2	5	9	1	3	3	1	1				1
Irish parents	M.	26	3	3	2			8				1	2	2	3	1	1	4			1	1	1				1
	F.	13	8					8									1	1		1	2						
German parents	M.	34	18		1		1	20			2		1		2	1	3	3	1	1							
	F.	15	5	4	2	1		12	1									1		1							
1. Worms:																											
Irish parents	M.	1			1			1																			
	F.																										
German parents	M.	1	1					1																			
	F.	6		2	2	1		5	1																		
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	15											2	2	3	1	1	4				1					1
	F.	1																1									
German parents	M.	6														1	3	1		1							
	F.																										
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.	2											1					1									
	F.																										
5. Other poisons:																											
Irish parents	M.	3			1			1				1								1							
	F.	2														1				1							
German parents	M.	6			1			1			1				2			1	1								
	F.																										
6. Inanition:																											
Irish parents	M.	7	3	3				6															1				
	F.	10	8					8												1	1						
German parents	M.	19	17				1	18			1																
	F.	9	5	2				7										1		1							
General diseases—C.																											
Total		856	458	3	2	3		466	3		3	4	1	1	2	5	2	6	7	10	20	57	87	96	46	18	20	2
Irish parents	M.	127	44					44									1	2	2	2	5	10	18	26	5	4	7	1
	F.	104	25					25			1	2		1	1	1		1		2	4	15	7	17	17	2	8	
German parents	M.	348	229	2	2	1		234	3		2	1	1		1	2	1	2	3	2	5	15	25	29	12	5	4	1
	F.	277	160	1		2		163				1				2		1	2	4	6	17	37	24	12	7	1	
1. Premature birth:																											
Irish parents	M.	8	8					8																			
	F.	2	2					2																			
German parents	M.	29	29					29																			
	F.	21	21					21																			
2. Stillborn:																											
Irish parents	M.	27	27					27																			
	F.	18	18					18																			
German parents	M.	136	136					136																			
	F.	101	101					101																			
3. Malformation:																											
Irish parents	M.																										
	F.																										
German parents	M.	4	3					3								1											
	F.	2	2					2																			
4. Debility:																											
Irish parents	M.	28	9					9									1	2	2	1	3	2	4	1	3		
	F.	22	5					5			1	2		1	1	1				1	2	2	2	1	2		1	
German parents	M.	98	53	2	2	1		58	3		2	1	1		1	1	1	2	3	2	3	6	8	3	2			1
	F.	60	33	1		2		36				1				2		1	2	4	2	3	6	1	1	1		
5. Old age:																											
Irish parents	M.	64																1	2	8	14	25	2	4	7	1	
	F.	62																1		1	2	13	5	16	15	2	7	
German parents	M.	73																			2	9	17	26	10	5	4	
	F.	90																			4	14	31	23	11	6	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.	8	8					8																			
	F.	3	3					3																			
General diseases—D.																											
Total		1909	49	22	12	8	8	99	24	48	125	218	171	124	120	115	135	147	146	144	110	75	60	34	10	1	2	1
Irish parents	M.	362	4	5	....	1	1	11	2	4	19	38	36	34	23	28	21	28	30	31	21	18	9	7	2	....	....	....
	F.	370	5	3	3	1	....	12	3	9	39	40	46	22	23	20	34	24	24	17	23	8	12	5	2	....	1	....
German parents	M.	621	23	6	5	4	6	44	11	21	20	67	41	36	40	26	42	53	55	58	41	33	16	13	3	....	....	1
	F.	547	17	8	4	2	1	32	8	14	47	64	48	32	34	35	38	42	37	38	25	16	23	9	3	1	1	....
1. Rheumatism:																											
Irish parents	M.	13	....	....	....	1	....	1	....	....	....	1	1	4	....	....	1	....	1	1	....	1	....	1	1	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	2	....	1	....	1	....	....	1	1	1	1	....	1	....	....	....	....	....	....
German parents	M.	10	....	....	....	....	....	....	....	2	1	1	....	2	3	....	1	1	3	....	....	....	3	1	1	....	....	....	....
	F.	12	1	....	....	....	1	2	1	1	1	....	1	....	....	....	....	....	....	1	....	1	2	2	....	....	....	....
2. Scrofula and tabes:																											
Irish parents	M.	5	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	1	1	2	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	8	4	1	....	....	....	5	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	8	3	2	....	1	....	6	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Leprosy:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption:																											
Irish parents	M.	267	2	....	....	....	1	3	1	1	18	34	35	28	21	21	16	22	17	20	12	9	4	4	1	....	....	....
	F.	265	3	2	1	1	....	7	1	8	33	47	43	20	18	16	19	12	11	11	12	1	5	3	....	....	....	....
German parents	M.	414	9	1	4	1	2	17	5	11	18	61	36	30	33	17	32	30	30	34	29	19	4	7	....	....	....	1
	F.	339	7	2	3	1	....	13	3	11	42	62	40	28	24	23	18	18	11	17	9	6	8	2	2	1	1	....
5. Hydrocephalus:																											
Irish parents	M.	6	2	3	....	....	....	5	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	7	2	1	2	....	....	5	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	10	4	4	1	2	3	14	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	4	2	....	....	....	6	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Cancer:																											
Irish parents	M.	31	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	3	5	5	5	5	3	1	....	....	....	....	....
	F.	47	....	....	....	....	....	....	....	....	....	....	1	1	4	4	7	7	7	3	6	4	2	....	1	....	....	....	....
German parents	M.	76	....	....	....	....	....	....	....	1	....	2	....	2	1	5	7	10	14	16	6	8	4	....	....	....	....	....	....
	F.	67	....	....	....	....	....	....	....	....	....	1	4	....	3	8	13	14	14	3	5	2	....	....	....	....	....	....	....
7. Tumor:																											
Irish parents	M.	7	....	....	....	....	....	....	....	....	....	1	....	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	1	....	....	1	2	2	2	1	1	....	1	....	....	....	....	....	....	....
German parents	M.	8	2	....	....	....	....	2	1	1	....	....	....	....	....	1	....	2	....	....	1	....	....	....	....	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	1	1	1	2	....	....	2	....	....	3	....	1	....	....	....	....	....	....	....
8. Anæmia:																											
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	....	1	....	....	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
9. Dropsy:																											
Irish parents	M.	28	....	1	....	....	....	1	1	3	1	1	....	....	1	4	2	1	4	2	2	2	2	1	....	....	....	....	....
	F.	31	....	....	....	....	....	....	1	....	1	....	1	....	1	3	5	1	3	1	4	2	4	2	1	....	1	....	....
German parents	M.	67	2	....	....	1	1	4	4	3	....	1	4	1	2	3	2	9	7	8	4	5	3	5	2	....	....	....	....
	F.	91	2	....	....	....	....	2	1	2	2	....	2	2	5	4	5	8	12	12	11	6	11	5	1	....	....	....	....
10. Glycosuria:																											
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
German parents	M.	8	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	1	....	....	....	1	2	....	....	....	....	....	....
	F.	4	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
11. Others of this group:																											
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	4	2	....	....	....	....	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		1027	377	72	30	13	15	507	47	18	22	29	30	21	26	17	39	27	42	43	35	43	48	20	5	2	3	3
Irish parents	M.	144	23	5	4	2	1	35	2	6	3	4	12	3	7	5	11	4	9	9	6	9	14	2	1	1	1	....
	F.	107	16	3	1	1	1	22	5	3	5	3	2	3	2	2	6	6	8	9	6	9	9	5	1	....	1	....
German parents	M.	434	194	33	10	7	3	247	21	6	4	11	11	10	11	5	12	6	17	19	16	12	13	7	3	1	....	2
	F.	342	144	31	15	3	10	203	19	3	10	11	5	5	6	5	10	11	8	6	7	13	12	6	....	....	1	1
1. Inflammation of the brain:																											
Irish parents	M.	18	3	1	....	....	....	4	....	2	1	2	2	2	....	1	1	1	....	....	....	1	1	....	....	....	....	....	....
	F.	8	1	2	....	....	1	4	....	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....
German parents	M.	38	7	5	1	3	....	16	5	2	....	4	2	1	1	....	2	1	1	2	....	1	....	....	....	....	....	....	....
	F.	39	11	5	....	....	2	18	9	2	3	1	2	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....
2. Meningitis:																											
Irish parents	M.	14	4	1	3	1	....	9	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	1	....
	F.	4	1	1	....	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	28	14	7	....	....	1	22	5	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	5	3	5	....	1	14	4	1	4	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy:																											
Irish parents	M.	19	....	....	....	....	....	....	....	....	....	1	1	....	....	1	2	....	2	2	2	3	3	1	1	....	....	....	....
	F.	20	....	....	....	....	....	....	....	....	....	1	....	....	1	2	1	1	4	2	1	5	2	....	....	....	....	....	....
German parents	M.	54	2	....	....	....	....	2	....	....	....	1	2	2	2	1	5	3	9	6	8	6	4	....	2	1	....	....	....
	F.	35	1	....	....	....	2	3	....	....	1	....	....	2	2	2	2	1	3	3	2	6	5	1	....	....	1	1	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	39									1		3	1	1	2	3	2	4	5	2	5	8	1		1	
	F.	36	1					1		1		1	1	1			2	3	3	6	4	4	5	4			
German parents	M.	43				1		1	2		2	1	1			1	1	1	2	6	6	5	6	7	1		
	F.	33									1	1		1	1		2	4	2	1	3	5	7	5			
5. Tetanus and trismus nascentium:																											
Irish parents	M.	1									1																
	F.	2	1					1										1									
German parents	M.	12	6					6	1			1			3								1				
	F.	5	3					3				1				1											
6. Epilepsy:																											
Irish parents	M.	7	1					1				1	2			1		2									
	F.	2									1										1						
German parents	M.	16	3					3	1	1	1	1	2	2	2	1			1				1				
	F.	8	2	1				3				1		2			1		1								
7. Convulsions:																											
Irish parents	M.	18	15	2			1	18																			
	F.	16	12		1	1		14	2																		
German parents	M.	192	156	17	8	3	2	186	2	2		2															
	F.	158	118	18	8	2	4	150	3		1	2						1			1						
8. Mental diseases:																											
Irish parents	M.	7											3		1				1	1			1				
	F.	4										1	1	1										1			
German parents	M.	10												2		2		1	3	2							
	F.	8										2			1	1	1	2		1							
9. Diseases of the brain:																											
Irish parents	M.	14		1	1	1		3		2			1		2		2			1	2		1				
	F.	11							2		2			1	1		1	1			1		2				
German parents	M.	32	5	4	1			10	3		1	1	3		1	2	3	1	1	2	1		1				2
	F.	23	3	4	2		1	10	2				2		1	2	1	1		2		2					
10. Diseases of the spinal cord:																											
Irish parents	M.	3								2								1									
	F.	2									1										1						
German parents	M.	8	1					1	2	1			1	1						1	1						
	F.	5	1			1		2	1			1						1									
11. Others of this group:																											
Irish parents	M.	4													2		2										
	F.	2															1							1			
German parents	M.	1												1													
	F.	2										2															
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		375	8	6		1	1	16	15	11	12	15	17	22	17	22	25	31	37	31	42	31	21	7	2		1
Irish parents	M.	78	2	1				3	2	1	3	3	3	7	2	2	3	10	5	5	10	10	5	3	1		
	F.	65							2	2	2	4	4	2	3	8	6	3	4	10	6	4	2	2	1		
German parents	M.	120	4	2		1	1	8	7	4	1	2	4	9	9	5	11	11	13	11	9	10	6				
	F.	112	2	3				5	4	4	6	6	6	4	3	7	5	7	15	5	17	7	8	2			1
1. Angina pectoris:																											
Irish parents	M.	1														1											
	F.	1												1													
German parents	M.	2													1								1				
	F.																										
2. Aneurism:																											
Irish parents	M.	2														1							1				
	F.	1																			1						
German parents	M.																										
	F.																										
3. Diseases of the heart:																											
Irish parents	M.	73		1				1	2	1	3	3	3	7	2		3	10	5	5	10	10	4	3	1		
	F.	63							2	2	2	4	4	1	3	8	6	3	4	10	5	4	2	2	1		
German parents	M.	115	2	2		1	1	6	7	4	1	2	4	9	8	5	10	11	13	11	9	10	5				
	F.	111	2	3				5	4	4	5	6	6	4	3	7	5	7	15	5	17	7	8	2			1
4. Others of this group:																											
Irish parents	M.	2	2					2																			
	F.																										
German parents	M.	3	2					2									1										
	F.	1									1																
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		1167	188	96	62	54	48	448	83	22	27	42	29	28	35	49	46	39	54	63	58	60	49	20	10	3	1	1
Irish parents	M.	190	15	9	5	3	5	37	6	3	4	6	7	11	9	7	10	11	12	13	16	12	15	8	1	2		
	F.	140	9	5	9	4	2	29	10	1	6	9	6	3	5	6	6	7	8	9	9	8	9	6	2		1	
German parents	M.	466	85	43	24	24	26	202	35	9	6	17	10	9	12	25	18	13	26	26	15	21	16	2	3	1		
	F.	371	79	39	24	23	15	180	32	9	11	10	6	5	9	11	12	8	8	15	18	13	9	4	4			1
1. Croup:																											
Irish parents	M.	20	3	3	2	1	4	13	5			1								1							
	F.	20	4	5	2	2	2	15	4	1																	
German parents	M.	100	23	16	10	16	18	83	20	1					1	1											
	F.	93	22	15	11	15	11	74	16	1										1		1					
2. Laryngitis:																											
Irish parents	M.																										
	F.	1															1										
German parents	M.	4	1		1		1	3	1																		
	F.	7	1	1		2	1	5	1													1					
3. Bronchitis:																											
Irish parents	M.	14	3	1				4								1	2			2	1		2	2			
	F.	15			2	1		3			1	2		1	1			1					5		1		
German parents	M.	28	9	2	1	1	1	14	1			3					2		1		3	1	3				
	F.	25	5	2	1			8	4		1					2				1	2		3	4			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	115	5	4	3	1	....	13	1	3	3	5	5	9	7	6	6	7	9	5	13	10	7	4	1	1	....
	F.	71	4	....	4	1	....	9	5	....	3	6	5	1	....	4	6	4	5	5	5	5	3	3	1	....	1
German parents	M.	253	37	23	11	6	5	82	12	6	5	11	8	8	11	20	14	11	17	8	6	10	10	2	1	1	....
	F.	198	41	19	10	6	3	79	10	7	8	7	6	4	8	6	10	7	6	11	7	14	5	....	2	....	1
5. Pleurisy:																											
Irish parents	M.	8	1	....	....	....	....	1	....	....	....	....	....	1	....	....	1	1	1	2	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	7	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	2	....	2	....	....	1	....	....	....
	F.	6	3	....	....	....	....	3	....	....	....	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
6. Asthma:																											
Irish parents	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	2	2	2	....	....	....	....	....
	F.	14	....	....	....	....	....	....	....	....	....	....	....	....	3	1	....	1	2	3	1	1	1	....	....	....	....	....
German parents	M.	17	....	....	1	....	....	1	....	....	....	....	....	....	....	2	....	....	2	2	3	6	1	....	....	....	....	....
	F.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	5	3	....	....	1	....	....	....
7. Others of this group:																											
Irish parents	M.	24	3	1	....	1	1	6	....	....	1	....	2	1	2	....	....	3	1	2	1	....	4	....	....	1	....	....
	F.	18	1	....	1	....	....	2	1	....	2	1	1	1	1	1	....	....	1	1	2	2	....	2	....	....	....	....
German parents	M.	51	15	2	....	1	1	19	....	2	1	2	2	1	....	2	2	2	6	4	3	2	2	....	1	....	....	....
	F.	31	7	2	2	....	....	11	1	1	2	1	....	1	1	1	2	....	2	2	4	....	1	....	1	....	....	....
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		440	121	23	8	6	1	164	4	6	11	11	10	17	19	18	23	25	23	28	33	23	15	8	1	1	....
Irish parents	M.	69	14	3	....	2	....	19	....	2	2	1	1	3	5	5	4	4	4	8	5	3	2	1	....	1	....
	F.	54	4	3	....	1	....	8	1	2	1	2	1	2	3	2	4	4	5	5	8	3	1	3	....	....	....
German parents	M.	179	55	11	4	1	1	72	1	2	4	5	3	9	5	8	10	9	11	3	12	10	7	2	1	....	....
	F.	138	48	11	4	2	....	65	2	....	4	3	5	4	7	3	5	8	3	7	8	7	5	2	....	....	....
1. Dentition:																											
Irish parents	M.	6	4	2	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	3	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	15	5	8	1	1	....	15	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	19	11	7	1	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina:																											
Irish parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	7	5	....	1	....	1	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	2	....	....	....	....	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Gastritis:																											
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	2	....	1	1	....	....	....	....	....	....
	F.	5	1	....	....	1	....	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....
4. Other diseases of the stomach:																											
Irish parents	M.	7	3	....	....	....	....	3	....	....	....	....	1	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	....	1	....	....	....	....
German parents	M.	10	1	1	....	....	....	2	....	1	....	....	....	....	....	1	....	....	....	1	2	1	1	1	....	....	....	....
	F.	11	1	1	1	....	....	3	....	....	....	....	1	....	2	....	....	1	....	3	....	....	....	1	....	....	....	....
5. Obstruction of the bowels:																											
Irish parents	M.	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Hernia:																											
Irish parents	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....
German parents	M.	4	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	1	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	1	....	2	....	1	....	....	....	....
7. Other diseases of the bowels:																											
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
German parents	M.	6	1	....	....	....	....	1	....	....	....	1	....	1	....	....	....	1	....	....	....	....	2	....	....	....	....	....	....
	F.	4	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....
8. Jaundice:																											
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	1	....	....	....	....
German parents	M.	5	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....
	F.	7	2	1	....	....	....	3	....	....	1	....	....	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver:																											
Irish parents	M.	5	....	....	....	....	....	....	....	....	1	....	....	....	2	....	1	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	2	1	....	....	....	....	....	....	....
German parents	M.	14	....	....	....	....	....	....	....	....	....	....	....	2	1	2	3	....	2	....	1	2	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
10. Other diseases of the liver:																											
Irish parents	M.	13	1	....	....	1	....	2	....	....	....	....	....	....	1	1	1	1	....	2	1	4	1	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	37	....	....	....	....	....	....	1	....	....	....	....	1	....	4	2	4	6	5	7	4	2	1	....	....	....	....	....
	F.	13	....	....	....	....	....	....	....	....	....	....	....	2	1	....	1	2	1	1	3	....	2	....	....	....	....	....	....
11. Peritonitis:																											
Irish parents	M.	15	....	1	....	1	....	2	....	1	1	1	....	2	2	1	1	1	1	2	....	....	....	1	1	....	....	....
	F.	10	1	....	....	....	....	1	....	....	1	1	....	1	1	....	1	2	....	....	....	....	....	....	....	....	....	....
German parents	M.	21	2	....	....	....	....	2	....	1	4	3	3	2	2	....	3	1	....	....	....	....	....	....	....	....	....	....
	F.	26	2	....	....	1	....	3	....	....	3	2	4	1	3	2	4	2	....	....	1	1	....	....	....	....	....	....
12. Ascites:																											
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
13. Others of this group:																											
Irish parents	M.	8	3	....	....	....	....	3	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....	....
	F.	7	2	....	....	....	....	2	....	....	....	....	1	....	....	....	2	....	2	....	....	....	....	....	....	....	....	....	....
German parents	M.	53	39	2	2	....	....	43	....	....	....	1	....	1	1	....	2	2	....	1	1	....	1	....	....	....	....	....	....
	F.	37	28	2	2	....	....	32	....	....	....	1	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		135	2	3	1	....	1	7	2	4	6	5	3	8	10	6	12	8	6	13	11	17	6	8	1	1	....	1
Irish parents	M.	37	1	....	....	....	....	1	....	....	....	1	....	3	3	....	2	1	1	6	6	4	3	5	....	....	....	1
	F.	19	....	....	....	....	....	....	1	....	1	....	....	2	4	2	3	2	....	2	1	1	....	....	....	....	....	....
German parents	M.	53	....	2	....	....	1	3	1	3	1	2	2	2	1	2	3	4	1	4	4	12	3	3	1	1	....	....
	F.	26	1	1	1	....	....	3	....	1	4	2	1	1	2	2	4	1	4	1	....	....	....	....	....	....	....	....
1. Bright's disease:																												
Irish parents	M.	8	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	1	1	1	1	....	....	....	....	1
	F.	3	....	....	....	....	....	....	....	....	1	....	....	2	1	1	1	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	23	....	....	....	....	....	....	....	2	1	2	2	1	1	1	3	2	1	2	2	2	1	....	....	....	....	....
	F.	10	....	....	1	....	....	1	....	1	3	....	....	1	1	1	....	1	1	....	....	....	....	....	....	....	....	....
2. Calculus, urinary:																												
Irish parents	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Diseases of the kidney:																												
Irish parents	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	3	....	2	1	....	3	1	2	....	3	....	....	....	....
	F.	7	....	....	....	....	....	....	1	....	....	....	....	....	2	1	1	1	....	....	1	....	....	....	....	....	....	....
German parents	M.	18	....	2	....	....	....	2	....	1	....	....	....	1	....	1	....	2	....	1	1	5	2	2	....	....	....	....
	F.	12	1	1	....	....	....	2	....	....	1	2	1	....	....	1	2	....	2	1	....	....	....	....	....	....	....	....
4. Diseases of the bladder:																												
Irish parents	M.	7	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	2	2	....	1	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	3	....	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	1	3	....	....	1	1	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group:																												
Irish parents	M.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total		24	....	....	....	....	....	....	....	....	2	2	1	3	6	1	3	2	1	2	....	1	....	....	....	....	....	....
Irish parents	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	23	....	....	....	....	....	....	....	....	2	2	1	3	5	1	3	2	1	2	....	1	....	....	....	....	....	....
1. Ovarian tumors:																												
Irish parents	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....	....	....
2. Ovarian diseases:																												
Irish parents	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
3. Uterine tumors:																												
Irish parents	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....
4. Uterine diseases:																												
Irish parents	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	6	....	....	....	....	....	....	....	....	1	1	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Others of this group:																												
Irish parents	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	10	....	....	....	....	....	....	....	....	1	1	1	1	3	1	2	....	....	....	....	....	....	....	....	....	....	....
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total		127	....	....	....	....	....	....	....	....	5	18	30	27	27	13	7	....	....	....	....	....	....	....	....	....	....	....
Irish parents	F.	36	....	....	....	....	....	....	....	....	1	3	9	6	10	4	3	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	91	....	....	....	....	....	....	....	....	4	15	21	21	17	9	4	....	....	....	....	....	....	....	....	....	....	....
1. Abortion:																												
Irish parents	F.	4	....	....	....	....	....	....	....	....	1	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	7	....	....	....	....	....	....	....	....	....	....	3	2	1	1	....	....	....	....	....	....	....	....	....	....	....	....
2. Child-birth:																												
Irish parents	F.	31	....	....	....	....	....	....	....	....	....	3	9	6	7	3	3	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	83	....	....	....	....	....	....	....	....	4	15	17	19	10	8	4	....	....	....	....	....	....	....	....	....	....	....
3. Others of this group:																												
Irish parents	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		19	....	....	....	....	....	....	6	3	1	2	1	1	....	....	2	1	1	....	....	1	....	....	....	....	....	....
Irish parents	M.	4	....	....	....	....	....	....	1	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	7	....	....	....	....	....	....	2	2	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	2	....	1	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
1. Diseases of the spine:																												
Irish parents	M.	3	....	....	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	3	....	....	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.																										
	F.																										
German parents	M.	2																	1			1					
	F.	1							1																		
3. Diseases of the hip-joint:																											
Irish parents	M.	1							1																		
	F.	1							1																		
German parents	M.	2							1	1																	
	F.	4							1		1		1					1									
4. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		28	6					6		1	1	3		1	1	2	2	4	3		1		2	1				
Irish parents	M.	3									1							1					1				
	F.	7	1					1		1		1			1	1			1					1			
German parents	M.	12	2					2				1		1		1	1	3	1		1		1				
	F.	6	3					3				1					1		1								
1. Abscess:																											
Irish parents	M.	2									1							1									
	F.	6								1		1			1	1			1					1			
German parents	M.	10	1					1				1		1		1	1	3			1		1				
	F.	2										1							1								
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																	1								
	F.	1	1					1																			
3. Others of this group:																											
Irish parents	M.	1																					1				
	F.	1	1					1																			
German parents	M.	1	1					1																			
	F.	3	2					2									1										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		5										2	1		1			1									
Irish parents	M.	1										1															
	F.																										
German parents	M.	4										1	1		1			1									
	F.																										
1. Addison's disease:																											
Irish parents	M.	1										1															
	F.																										
German parents	M.	2													1			1									
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	2										1	1														
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		521	19	5	15	18	6	63	25	31	35	39	29	38	30	43	28	38	39	24	26	12	8	4	4	2		3
Irish parents	M.	187	2	1	1	1	1	6	7	8	15	16	13	18	11	18	9	17	20	10	9	5	2	2	1			
	F.	33	5			1	1	7	2	1	4	1	4		1		3	1	1	2	2	1	1	2				
German parents	M.	243	7	2	12	11	3	35	13	15	13	17	11	17	16	21	14	18	16	10	11	6	4		2	1		3
	F.	58	5	2	2	5	1	15	3	7	3	5	1	3	2	4	2	2	2	2	4		1		1	1		
1. Burns and scalds:																											
Irish parents	M.	6									1			1			2		1					1			
	F.	10	1				1	2	1		2	1			1		1			1				1			
German parents	M.	16	1	1	7	4		13				1		1							1						
	F.	7				3	1	4	1	2																	
2. Drowned:																											
Irish parents	M.	50			1	1	1	3	6	2	5	2	4	6	4	5	1	4	4	1	1			1			
	F.																										
German parents	M.	50		1	2	5	2	10	10	6	3	4	2	2	1	4	2	1	2		2	1					
	F.	6		2	1	2		5			1																
3. Exposure and neglect:																											
Irish parents	M.	1		1				1																			
	F.	6	3			1		4					1							1							
German parents	M.	6	1		1			2					1			1					1	1					
	F.																										
4. Gunshot wounds:																											
Irish parents	M.	5								1		1		1				1			1						
	F.	1											1														
German parents	M.	8									3	1	1		2	1											
	F.	2								1											1						

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	4									1	1	1							1							
	F.																										
German parents	M.	7							1				1				1	2	1	1							
	F.	3								1				1					1								
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M.	1												1													
	F.																										
8. Railroad accidents:																											
Irish parents	M.	44							1	4	3	7	4	3	1	3		4	8	2	2	1		1			
	F.	6							1				1				1	1	1		1						
German parents	M.	26			1			1		2	2	2	3	2	4	3		1	2			1					3
	F.	5								3		1			1												
9. Suffocation:																											
Irish parents	M.	5	2					2				1		1				1									
	F.	2															1			1							
German parents	M.	9	4		1	1		6	1							2											
	F.	5	3					3				1				1											
10. Suicide by shooting:																											
Irish parents	M.																										
	F.																										
German parents	M.	1										1		1	1	1	1	1									
	F.																										
11. Suicide by drowning:																											
Irish parents	M.	1																		1							
	F.																										
German parents	M.	3												1			1						1				
	F.	1														1											
12. Suicide by poison:																											
Irish parents	M.	1																	1								
	F.																										
German parents	M.	2														2											
	F.																										
13. Other suicides:																											
Irish parents	M.	6												1		1	1			2	1						
	F.	1											1														
German parents	M.	18											1	1	2	1	2	3	2	4	2						
	F.	3														1	1				1						
14. Sunstroke:																											
Irish parents	M.	1									1																
	F.																										
German parents	M.	7										1	1	1				2		1				1			
	F.	1															1										
15. Surgical operations:																											
Irish parents	M.	2														1		1									
	F.																										
German parents	M.	3												1					1		1						
	F.																										
16. Wounds:																											
Irish parents	M.	1																1									
	F.																										
German parents	M.	2																1	1								
	F.	1												1													
17. Others of this group:																											
Irish parents	M.	60								1	4	4	4	5	6	7	5	6	5	4	3	4	2				
	F.	7	1					1		1	2											1	1	1			
German parents	M.	79	1			1	1	3	1	7	5	7	1	6	6	6	7	7	7	4	4	4	2		1	1	
	F.	24	2		1			3	2		2	3	1	1	1	1		2	1	2	2		1		1	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		7289	780	236	162	135	110	1423	307	153	257	379	348	310	345	327	336	403	360	443	423	499	445	294	131	50	30	26
Total: Irish parents	M.	2710	284	77	55	39	32	487	111	56	82	138	130	112	120	137	129	138	144	190	181	181	168	122	49	19	9	12
	F.	2140	196	64	38	38	34	370	87	37	102	124	120	107	102	90	95	120	81	116	99	161	147	98	46	20	14	4
German parents	M.	1361	158	55	37	33	21	304	50	35	39	54	49	50	67	69	72	87	79	74	74	97	76	52	18	5	3	7
	F.	1078	142	40	32	25	23	262	59	25	34	68	49	41	56	31	40	58	56	63	69	60	54	22	18	6	4	3
Unknown causes.																												
Total		117	26	1	....	1	1	29	2	1	2	7	2	3	3	4	3	9	4	4	6	16	13	5	3	....	1	....
Irish parents	M.	40	8	1	....	....	....	9	1	....	1	1	1	....	1	1	1	2	2	2	2	7	4	4	1	....	....	....
	F.	38	5	....	....	....	1	6	....	....	....	4	....	2	....	3	2	3	....	1	1	7	7	1	1	....	....	....
German parents	M.	18	7	....	....	....	....	7	....	....	1	1	1	....	1	....	....	1	2	1	1	....	2	....	....	....	....	....
	F.	21	6	....	....	1	....	7	1	1	....	1	....	1	1	....	....	3	....	....	2	2	....	....	1	....	1	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1460	238	98	87	70	71	564	195	81	60	77	49	41	45	35	31	33	44	47	42	37	34	29	7	....	....	9
Irish parents	M.	492	77	29	30	21	20	177	63	23	16	22	16	16	17	12	10	12	19	22	22	15	11	10	4	....	....	5
	F.	422	73	22	23	14	22	154	61	21	22	22	19	11	12	10	7	10	8	14	11	11	11	15	1	....	....	2
German parents	M.	281	38	28	15	20	14	115	32	23	11	13	9	7	8	9	7	5	8	8	8	7	6	4	....	....	....	1
	F.	265	50	19	19	15	15	118	39	14	11	20	5	7	8	4	7	6	9	3	1	4	6	....	2	....	....	1
1. Small-pox:																												
Irish parents	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	1	....	....	....	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	10	3	2	1	....	....	6	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	3	1	2	1	....	7	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	1	3	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	1	2	1	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	54	6	5	8	8	7	34	10	5	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	44	5	3	6	3	11	28	14	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	31	1	8	4	5	3	21	7	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	24	1	....	4	2	2	9	12	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	105	13	4	13	9	9	48	41	7	3	3	3	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
	F.	98	12	4	10	8	8	42	34	11	5	2	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
German parents	M.	87	7	8	7	9	11	42	24	12	4	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	89	10	7	9	12	13	51	23	11	1	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	7	3	2	2	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	4	2	1	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	3	2	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....
	F.	8	6	1	1	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	4	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	1	2	....	....	....
German parents	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	5	1	....	1	1	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	10	3	....	....	....	....	3	1	1	1	....	....	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	85	1	1	....	1	2	5	1	3	7	14	4	10	6	3	3	5	6	5	8	....	3	....	....	....	....	2
	F.	69	....	....	....	....	1	1	5	5	11	10	7	3	4	4	2	3	1	2	1	4	1	3	....	....	....	2
German parents	M.	53	....	2	1	1	....	4	....	5	4	8	8	4	2	2	1	2	4	3	1	1	2	2	....	....	....	....
	F.	45	....	....	....	....	....	....	....	1	6	13	2	3	3	....	4	2	5	....	....	....	2	4	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	28	2	....	....	1	....	3	2	....	....	....	2	....	1	3	2	....	2	1	4	5	1	2	....	....	....	....
	F.	16	5	1	1	....	....	7	....	....	1	....	....	1	....	....	1	2	....	....	3	....	....	1	....	....	....	....
German parents	M.	14	4	1	....	1	....	6	....	....	....	....	....	1	1	....	....	....	....	1	3	1	1	....	....	....	....	....
	F.	13	6	1	1	....	....	8	....	....	....	....	....	....	....	....	1	1	....	....	1	1	....	1	....	....	....	....
10. Dysentery:																												
Irish parents	M.	15	2	1	1	....	....	4	....	....	....	....	....	....	....	1	....	1	....	1	1	2	1	3	1	....	....	....
	F.	21	....	1	....	....	....	1	....	....	1	....	....	....	....	....	1	....	2	2	3	2	4	1	3	1	....	....
German parents	M.	12	3	....	1	2	....	6	1	1	....	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....
	F.	9	3	....	....	....	....	3	....	....	....	....	....	1	1	....	1	....	2	....	....	....	....	....	1	....	....	....
11. Enteritis:																												
Irish parents	M.	55	4	3	....	....	....	7	2	4	2	1	4	1	3	2	2	4	2	8	6	1	1	4	1	....	....	....
	F.	30	6	1	....	1	....	8	1	1	....	1	1	....	1	2	1	2	3	1	2	2	2	2	....	....	....	....
German parents	M.	22	4	....	....	....	....	4	....	1	2	2	....	....	....	3	3	2	....	3	1	....	1	....	....	....	....	....	....
	F.	18	1	....	2	....	....	3	....	1	1	2	....	....	3	3	....	2	1	1	....	1	....	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	8	1	1	....	....	....	2	1	....	....	....	....	1	....	....	....	....	....	....	1	....	....	2	....	....	....	1
	F.	6	1	1	....	....	....	2	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	2	....	....	....
German parents	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	2	....	1	....	....	1	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	50	37	9	3	....	1	50	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	42	32	7	2	....	1	42	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	19	12	5	1	1	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	19	7	....	....	....	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	23	1	....	....	....	1	2	3	1	....	2	1	....	4	....	1	1	....	3	....	3	1	1	....	....	....	....
	F.	20	....	....	1	....	....	1	3	1	1	2	1	....	....	1	....	1	....	3	1	1	4	1	....	....	....	....
German parents	M.	7	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	3	1	....	1	....	....	....
	F.	7	1	1	....	....	....	2	....	1	....	1	....	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	18	1	1	....	1	....	3	....	2	....	....	....	1	1	2	1	....	4	1	....	2	....	....	1	....	....	....
	F.	11	2	1	....	1	....	4	....	....	....	1	....	....	....	....	....	....	1	2	1	....	1	1	....	....	....	....
German parents	M.	6	2	....	....	1	....	3	....	....	....	....	....	1	1	....	....	....	....	....	....	....	1	....	....	....	....	....
	F.	4	1	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
16. Septicæmia:																											
Irish parents	M.	1	....	....	1	....	....	1	....	....	2	....	....	....	....	....	....	2	....	....	....	....	....	....	1	....	....	....
	F.	6	....	....	....	....	....	....	1	....	....	....	1	1	1	....	1	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	6	1	....	....	....	....	1	....	1	....	....	....	....	....	2	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1
17. Puerperal septicæmia:																											
Irish parents	F.	18	....	....	....	....	....	....	....	....	....	1	4	4	6	2	1	....	....	....	....	....	....	....	....	....	....	....
German parents	F.	5	....	....	....	....	....	....	....	....	....	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
18. Venereal diseases:																											
Irish parents	M.	6	1	....	....	....	....	1	....	....	....	1	....	1	....	2	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
19. Others of this group:																											
Irish parents	M.	11	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	3	2	1	1	....	2	1	....	....	....
	F.	2	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—B.																											
Total		58	12	....	2	1	....	15	3	1	1	3	2	2	4	7	3	1	5	6	2	1	2	....	....	....	....
Irish parents	M.	32	4	....	....	....	....	4	2	....	1	3	2	....	3	5	1	1	3	3	1	1	2	....	....	....	....	....
	F.	11	3	....	....	....	....	3	....	1	....	....	....	1	....	1	....	....	2	1	....	....	....	....	....	....	....	....	....
German parents	M.	14	4	....	2	....	....	6	1	....	....	....	....	1	1	1	2	....	....	1	1	....	....	....	....	....	....	....	....
	F.	3	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
1. Worms:																											
Irish parents	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Other parasitic diseases:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Alcoholism:																											
Irish parents	M.	19	....	....	....	....	....	....	1	....	....	1	2	....	2	4	1	1	3	2	1	....	1	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
German parents	M.	5	....	....	....	....	....	....	....	....	....	....	....	1	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Lead poison:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Other poisons:																											
Irish parents	M.	5	....	....	....	....	....	....	1	....	....	1	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
German parents	M.	3	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Inanition:																											
Irish parents	M.	7	4	....	....	....	....	4	....	....	....	1	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	6	3	....	....	....	....	3	....	1	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	3	....	2	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
General diseases—C.																											
Total		501	134	1	....	1	....	130	1	....	1	3	3	1	1	1	3	9	6	15	24	46	73	83	47	29	19	....
Irish parents	M.	194	54	1	....	....	....	65	....	....	1	....	1	....	....	....	....	3	3	5	17	10	22	31	18	9	3	....
	F.	162	23	....	....	1	....	24	....	....	....	3	2	1	1	1	2	5	1	7	3	20	28	26	13	14	11	....
German parents	M.	78	26	....	....	....	....	26	....	....	....	....	....	....	....	....	1	1	2	2	1	5	11	17	8	2	2	....
	F.	67	31	....	....	....	....	21	1	....	....	....	....	....	....	....	....	....	....	1	3	5	12	9	8	4	3	....
1. Premature birth:																											
Irish parents	M.	7	7	....	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	5	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Stillborn:																											
Irish parents	M.	43	43	....	....	....	....	43	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	12	....	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	16	16	....	....	....	....	16	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	17	....	....	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Malformation:																											
Irish parents	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Debility:																											
Irish parents	M.	62	14	1	....	....	....	15	....	....	....	....	1	....	....	....	....	3	2	5	9	7	8	9	3	....	....	....
	F.	52	6	....	....	1	....	7	....	....	....	3	2	1	1	1	2	4	....	4	3	6	8	5	4	....	1	....
German parents	M.	26	3	....	....	....	....	3	....	....	....	....	....	....	....	....	1	1	2	2	1	3	4	4	2	....	....	....	....
	F.	15	3	....	....	....	....	3	1	....	....	....	....	....	....	....	....	....	....	1	2	1	5	1	....	....	1	....	....
5. Old age:																											
Irish parents	M.	81	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	8	9	14	22	15	9	3	....	....
	F.	93	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	3	....	14	20	21	9	14	10	....	....
German parents	M.	32	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	7	13	6	2	2	....	....
	F.	34	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	4	7	8	8	4	2	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total		1845	40	20	9	6	6	81	17	25	104	171	160	140	116	124	114	136	112	133	107	117	95	62	18	6	1	6
Irish parents	M.	606	13	5	2	1	....	21	5	5	27	60	54	48	32	47	44	37	34	47	37	32	34	25	9	4	....	4
	F.	611	8	7	3	2	....	20	6	12	48	68	68	52	40	34	33	48	33	37	24	37	25	20	5	1	1	....
German parents	M.	341	12	3	4	....	1	22	5	4	14	17	17	20	19	25	24	29	29	26	20	30	25	12	2	1	....	....
	F.	287	7	5	....	1	5	18	1	5	15	26	21	20	25	18	13	22	16	23	26	18	11	5	2	....	....	2
1. Rheumatism:																											
Irish parents	M.	20	....	....	....	....	....	....	....	....	....	1	....	1	1	1	2	3	2	2	....	2	3	1	1	....	....	....
	F.	9	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	1	1	2	....	3	....	....	....	....
German parents	M.	11	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	2	1	3	1	1	1	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	1	1	....	....	2	....	....	....	....	....
2. Scrofula and tabes:																											
Irish parents	M.	7	1	....	....	....	....	1	....	1	....	1	....	1	1	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	9	3	1	....	....	....	4	....	....	1	1	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
German parents	M.	5	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	2	....	....	....	....	....	1	....	....	....	....
	F.	6	1	1	....	....	....	2	....	....	....	....	....	....	1	....	1	....	....	....	1	1	....	....	....	....	....	....
3. Leprosy:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption:																											
Irish parents	M.	406	3	1	1	1	....	6	2	2	24	56	53	45	29	35	27	20	17	31	18	19	12	8	1	....	....	1
	F.	410	1	2	....	....	....	3	2	9	46	63	64	46	36	26	22	20	13	21	10	13	12	2	1	....	1	....
German parents	M.	219	6	1	2	....	1	10	2	1	13	17	15	20	18	21	17	19	19	9	7	14	11	5	....	1	....	....
	F.	177	5	2	....	....	2	9	1	5	13	25	21	18	19	14	7	7	5	9	12	7	3	2	....	....	....	....
5. Hydrocephalus:																											
Irish parents	M.	14	8	1	1	....	....	10	1	....	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....
	F.	10	2	4	1	2	....	11	2	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....
German parents	M.	7	4	2	....	....	....	6	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	2	....	1	....	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
6. Cancer:																											
Irish parents	M.	71	....	....	....	....	....	....	1	1	....	....	....	....	....	7	11	8	7	6	8	2	7	8	2	2	....	1
	F.	88	1	....	....	....	....	1	....	1	....	1	2	2	2	6	7	19	14	9	7	9	4	2	2	....	....	....
German parents	M.	32	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	3	....	9	4	6	5	3	....	....	....	....
	F.	45	....	....	....	....	....	....	....	....	....	....	....	2	2	1	2	10	5	9	5	5	1	1	1	....	....	1
7. Tumor:																											
Irish parents	M.	6	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	1	....	1	1	....	....	....	....	....
	F.	9	....	....	....	....	....	....	....	....	....	1	....	....	....	1	1	4	....	1	....	....	1	....	....	....	....	....
German parents	M.	4	1	....	....	....	....	1	....	....	....	....	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	1	1	....	....	....	1	....	....	....	....	....
8. Anæmia:																											
Irish parents	M.	4	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	1	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy:																											
Irish parents	M.	70	....	2	....	....	....	2	1	....	3	1	1	....	1	2	4	4	7	5	9	5	10	8	3	2	....	2
	F.	64	1	....	....	....	....	1	....	....	1	1	....	2	1	1	1	5	5	5	6	13	7	13	1	1	....	....
German parents	M.	57	1	....	1	2	....	4	3	3	....	....	1	....	1	2	4	2	6	5	7	8	7	3	1	....	....	....
	F.	39	....	....	....	....	3	3	....	....	1	1	....	....	2	....	....	4	3	4	3	5	4	2	1	....	....	1
10. Glycosuria:																											
Irish parents	M.	7	1	....	....	....	....	1	....	1	....	1	....	....	....	1	....	....	....	....	....	2	1	....	....	....	....	....
	F.	5	....	....	....	....	....	....	1	....	....	....	1	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....
German parents	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	1	....	1	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group:																											
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		809	140	42	23	14	6	234	21	10	10	20	15	19	23	29	34	45	35	44	50	81	64	38	27	5	4	1
Irish parents	M.	302	43	16	8	2	....	69	7	5	3	10	8	7	10	13	12	12	16	22	23	32	29	13	9	....	2	....
	F.	207	36	10	4	5	3	58	5	2	5	4	3	6	4	8	12	11	6	10	10	19	17	13	11	2	1	....
German parents	M.	163	34	10	6	4	1	55	3	....	....	2	2	5	6	5	6	11	5	9	10	17	8	11	4	2	1	1
	F.	137	36	6	5	3	2	52	6	3	2	4	2	1	3	3	4	11	8	8	7	13	10	1	3	1	....	....
1. Inflammation of the brain:																											
Irish parents	M.	29	6	2	....	1	....	9	....	....	2	2	....	2	....	2	....	3	1	....	3	1	2	1	1	....	....	....
	F.	23	7	1	1	1	1	11	1	1	1	....	....	....	....	1	....	2	1	3	....	1	....	1	....	....	....	....
German parents	M.	17	2	3	2	....	....	7	2	....	....	1	....	....	1	1	1	....	1	....	1	1	....	....	....	1	....	....
	F.	21	7	4	....	2	1	14	2	2	1	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
2. Meningitis:																											
Irish parents	M.	20	4	3	2	....	....	9	2	....	....	1	1	....	1	1	1	....	2	....	1	1	....	....	....	....	....	....
	F.	13	7	1	....	2	....	10	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
German parents	M.	7	4	....	1	....	....	5	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	8	....	....	....	....	3	2	1	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
3. Apoplexy:																											
Irish parents	M.	53	....	1	....	....	....	1	....	....	....	1	2	....	2	1	4	2	4	11	4	6	6	6	1	....	2	....
	F.	31	....	....	....	....	....	....	....	....	1	....	2	....	....	....	4	3	1	3	2	3	4	4	1	1	....	....
German parents	M.	32	....	....	....	....	....	....	....	....	....	....	....	1	1	4	2	4	....	5	4	5	2	2	2	....	....	....
	F.	17	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	2	3	1	2	4	1	....	2	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	77			1			1		1		1	2		1	5	2	2	6	8	8	14	17	5	4		
	F.	54	1					1	1					3	1	5	3	3	1	2	4	10	9	4	5	1	1
German parents	M.	37											1	1	2		2	2	1	4	4	7	4	5	2	1	1
	F.	37	1					1				1				1	2	6	3	2	4	6	8	1	1	1	
5. Tetanus and trismus nascentium:																											
Irish parents	M.	5	2	1				3					1		1												
	F.	2		1				1							1												
German parents	M.	3		1				1										2									
	F.	2	2					2																			
6. Epilepsy:																											
Irish parents	M.	2								1				1													
	F.	2													1	1											
German parents	M.	1													1												
	F.	1													1												
7. Convulsions:																											
Irish parents	M.	46	26	6	3	1		36	2		1	3		1	1				1		1						
	F.	23	14	4	2	2		22					1														
German parents	M.	40	27	3	2	4	1	37											1					1			1
	F.	31	21	2	5			28				1		1								1					
8. Mental diseases:																											
Irish parents	M.	11												2		2	2	1	1	1	1		1				
	F.	9										1		1		2		1	1		1	1	1				
German parents	M.	3												1			1				1						
	F.	2											1			1											
9. Diseases of the brain:																											
Irish parents	M.	47	5	3	2			10	2	2		1	2	1	4	3	3	1	1	2	5	5	4	1			
	F.	27	4	3			1	8	3	1		1		1	1		3		2		1	1	3		2		
German parents	M.	22	1	3	1			5	1					2	1		1	2	2		1	3	2	2			
	F.	12	2				1	3	1		1				2			2	1			1	1				
10. Diseases of the spinal cord:																											
Irish parents	M.	5							1	1								1				2					
	F.	7	2				1	3			1	1						1						1			
German parents	M.																										
	F.	2				1		1																			
11. Others of this group:																											
Irish parents	M.	7										1				1		1				2			2		
	F.	16	1		1			2			1			1			1	2		1	3	3		2			
German parents	M.	1																									
	F.	3											1			1			1					1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		385	13	2	1	3		19	4	5	11	9	15	15	21	19	25	25	27	35	46	41	41	14	10	2	1
Irish parents	M.	144	8		1	1		10		3	3	3	7	8	10	10	8	3	11	17	14	11	17	5	2	2	
	F.	113				1		1	2		6	1	4	5	8	4	8	11	8	10	18	11	7	5	4		
German parents	M.	75	4	1		1		6	1	2	1	3	3	1	1	5	5	8	2	4	4	10	11	3	4		
	F.	53	1	1				2	1		1	2	1	1	2		4	3	6	4	10	9	6	1			1
1. Angina pectoris:																											
Irish parents	M.	5										1					1				1	1		1			
	F.	2											1														
German parents	M.	4														2	1							1			
	F.																							1			
2. Aneurism:																											
Irish parents	M.	5												1			1			2	1						
	F.																										
German parents	M.	1																	1								
	F.																										
3. Diseases of the heart:																											
Irish parents	M.	130	6		1	1		8		3	3	2	7	8	9	10	7	2	11	16	11	9	16	4	2	2	
	F.	110				1		1	2		5	1	3	5	8	4	8	11	8	10	18	11	7	4	4		
German parents	M.	68	2	1		1		4	1	2	1	3	3	1	1	3	4	8	2	3	4	10	11	2	4		
	F.	53	1	1				2	1		1	2	1	1	2		4	3	6	4	10	9	6	1			1
4. Others of this group:																											
Irish parents	M.	4	2					2												1			1				
	F.	1									1																
German parents	M.	2	2					2																			
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		971	104	52	32	28	22	238	38	7	26	29	24	26	47	31	48	58	51	67	77	84	65	30	13	6	2	4
Irish parents	M.	363	42	17	10	9	9	87	17	3	10	12	7	10	19	17	17	23	17	30	26	29	17	11	4	4	1	2
	F.	309	32	18	7	12	8	77	8	1	12	6	5	7	13	7	14	17	13	13	22	36	36	12	7	2	1	1
German parents	M.	178	17	12	8	6	4	47	6	2	2	7	4	4	10	6	12	14	13	11	17	13	7	2				1
	F.	121	13	5	7	1	1	27	7	1	2	4	8	5	6	1	5	4	8	13	12	6	5	5	2			
1. Croup:																											
Irish parents	M.	54	14	11	7	7	7	46	8																			
	F.	38	7	7	3	9	6	32	6																			
German parents	M.	19	2	3	3	2	3	13	5	1																		
	F.	16	6	2	2		1	11	4					1														
2. Laryngitis:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.	1																									
	F.																				1						
3. Bronchitis:																											
Irish parents	M.	31	7					7				1		2		1		2	1	3	2	1	6	2	1	2		
	F.	31	6	5				11			1						1	1	2		3	4	4	3	1			
German parents	M.	14	1	1	1			3	1					1	1		1	1	1			1	3					1
	F.	11	2	1	2			5	1												2	1		1	1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	214	15	5	3	2	2	27	3	2	8	9	5	7	15	13	17	18	11	23	13	19	10	5	2	1	1
	F.	179	14	5	4	1	1	25	2	1	0	4	4	6	10	8	10	11	8	10	12	26	25	6	5	1	1
German parents	M.	104	8	7	3	4	1	23		1	2	7	1	2	8	4	8	7	9	9	10	7	3				
	F.	68	4	2	2			8	2	1	1	3	7	3	5	1	5	3	6	9	5	4	3	2			
5. Pleurisy:																											
Irish parents	M.	10								1			2					1	1	1		3			1		
	F.	7										1	1	1		1		1				1	1				
German parents	M.	6	2					2								1					1	1	1				
	F.	4										1		1							1				1		
6. Asthma:																											
Irish parents	M.	15									1					2		3	1	3	4		1				
	F.	18									1					1	1	3	1	1	2	3	3	1		1	
German parents	M.	11														1	1	1		2	4	2					
	F.	6																	1	3	2						
7. Others of this group:																											
Irish parents	M.	38	6	1				7	1		1	2		1	3	1		2	1	2	3	2	1	3	1	1		1
	F.	36	5	1		2	1	9			4	1			2		1	1	2	2	5	2	3	2	1		1
German parents	M.	23	4	1	1			6						1	1		2	5	3		2	1		2			
	F.	16	1		1	1		3			1		1		1			1	1	1	2	1	2	2			
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		376	40	12	1	2	2	57	7	1	0	9	15	18	13	12	22	35	24	40	34	30	22	21	8	2	2
Irish parents	M.	160	14	4	1		2	21	4	1	3		8	5	3	5	10	15	8	15	19	11	14	15			2	1
	F.	109	11	4		2		17	1		4	5	4	7	6	2	8	7	4	12	6	12	7	1	3		
German parents	M.	57	10					10	1		1	1	1	2	3	4	2	7	8	4	6	5		1			1
	F.	50	5	4				9	1		1	3	2	4	1	1	2	6	4	9	3	2	1	1			
1. Dentition:																											
Irish parents	M.	8	5	2	1			8																			
	F.	7	3	4				7																			
German parents	M.	3	3					3																			
	F.	3	1	2				3																			
2. Angina:																											
Irish parents	M.	7					1	1					1					2				1		2			
	F.	2													1								1				
German parents	M.																										
	F.	3	2					2										1									
3. Gastritis:																											
Irish parents	M.	18	1					1	1					1	1			3		3	4			4			
	F.	16	3					3			1	1			1		2	2		1		1	1	2	1		
German parents	M.	3																1			1						1
	F.	12		2				2			1	2		2		1				1	1		1	1			
4. Other diseases of the stomach:																											
Irish parents	M.	11							1				1					1	2		4		2				
	F.	19	2			1		3				2		1			2	1	1	3	1	3	1	1			
German parents	M.	2							1										1								
	F.	2																		2							
5. Obstruction of the bowels:																											
Irish parents	M.	9	1					1		1			1		1	1	1					1	1	1			
	F.	1				1		1					1		1				1		1				1		
German parents	M.	1																				1					
	F.	1																		1							
6. Hernia:																											
Irish parents	M.	14	2					2					1				1	2		2	3	2		1			
	F.	5																		2		3					
German parents	M.	3																1	1	1							
	F.	3																1		1	1						
7. Other diseases of the bowels:																											
Irish parents	M.	6	1					1										1		1		1	2				
	F.	3									1										1		1				
German parents	M.																										
	F.	1																		1							
8. Jaundice:																											
Irish parents	M.	9	1					1	1									2			1	1	2				1
	F.	4									1									1		1		1			
German parents	M.	4										1				1	1					1					
	F.	2																	1			1					
9. Inflammation and abscess of the liver:																											
Irish parents	M.	9											1				2			2	2	1	1				
	F.	7												1		1		1		1	1	1					
German parents	M.	5												1	1	1		1				1					
	F.																										
10. Other diseases of the liver:																											
Irish parents	M.	30	1				1	2	1		1				1	2	4	3	4	3	2		4	3			
	F.	9												1			1	3	1	1	1	2		1			
German parents	M.	14	1					1									1	3	1	1	1						
	F.	8										1				1											
11. Peritonitis:																											
Irish parents	M.	21		1				1			1		2	3		1	1	1	1	2	1	3		3		1	
	F.	23	1					1	1		1	2	2	4	2	1	2	1		2	1		3				
German parents	M.	6									1				2	1	1	1									
	F.	10							1				1	2	1		1		1	2		1					
12. Ascites:																											
Irish parents	M.	1														1											
	F.	2																		1		1					
German parents	M.	1																		1							
	F.																										
13. Others of this group:																											
Irish parents	M.	17	2	1				3			1		1	1			1		1	2	2	1	2	1			1
	F.	6	2					2					1		1				1			1					
German parents	M.	10	6					6					1			1		2	3	1	1						
	F.	5	2					2					1					1	1								

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		134	4					4	2	2	1	4	9	7	10	13	12	14	17	24	13	25	20	7				
Irish parents	M.	102	3					3	1	2		2	3	5	4	5	5	7	11	11	8	17	13	5				
	F.	36							1				3	1	2	4	3	2	3	7	1	3	5	1				
German parents	M.	34	1					1			1	1	1	1	4	3	2	4	1	4	3	5	2	1				
	F.	12										1	2			1	2	1	2	2	1							
1. Bright's disease:																												
Irish parents	M.	43	1					1	1	1		1		3	2	4	3	4	7	6	3	5	2					
	F.	19											2		2	1	1	1		4	1	2	4	1				
German parents	M.	14										1		1	3	2	1			3	2	1						
	F.	7										1	2				1	1	1		1							
2. Calculus, urinary:																												
Irish parents	M.	3													1							1		1				
	F.																											
German parents	M.	2											1								1							
	F.																											
3. Diseases of the kidney:																												
Irish parents	M.	37	2					2				1	1		1	1	2	3	2	3	4	8	7	2				
	F.	10							1					1		1	1		2	3		1						
German parents	M.	15	1					1			1				1		1	3	1		1	3	2	1				
	F.	1														1	1		1	1								
4. Diseases of the bladder:																												
Irish parents	M.	15								1			2						2	2	1	2	4	1				
	F.	4											1			2			1									
German parents	M.	2														1						1						
	F.	1																		1								
5. Others of this group:																												
Irish parents	M.	4												2								1		1				
	F.	3															1	1					1					
German parents	M.	1																1										
	F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total		13									1		1	1	1	5	3					1						
Irish parents	F.	10									1			1	1	4	2					1						
German parents	F.	3											1			1	1											
1. Ovarian tumors:																												
Irish parents	F.	1														1												
German parents	F.	1														1												
2. Ovarian diseases:																												
Irish parents	F.																											
German parents	F.																											
3. Uterine tumors:																												
Irish parents	F.	2														2												
German parents	F.	1															1											
4. Uterine diseases:																												
Irish parents	F.	2												1								1						
German parents	F.																											
5. Others of this group:																												
Irish parents	F.	5									1			1		1	2											
German parents	F.	1											1															
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total		62									1	10	12	10	18	11												
Irish parents	F.	41									1	6	7	8	10	9												
German parents	F.	21										4	5	2	8	2												
1. Abortion:																												
Irish parents	F.	2											2															
German parents	F.	1											1															
2. Child-birth:																												
Irish parents	F.	37									1	4	5	8	10	9												
German parents	F.	18										3	4	2	7	2												
3. Others of this group:																												
Irish parents	F.	2										2																
German parents	F.	2										1			1													
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		26	1	1			1	3	1	2	2		1		2	2	3	2	3		1			1				
Irish parents	M.	11		1				1	1				1		1	2	1		2		1		1					
	F.	4									2							1			1							
German parents	M.	5	1				1	2		1					1		1				1							
	F.	6								1							1	1	1		2							
1. Diseases of the spine:																												
Irish parents	M.	8		1				1	1							2	1		1		1		1					
	F.	3									1							1			1							
German parents	M.	3	1				1	2									1				1							
	F.	3																	1		2							

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.	2													1				1								
	F.																										
German parents	M.	1													1												
	F.																										
3. Diseases of the hip-joint:																											
Irish parents	M.	1											1														
	F.	1									1																
German parents	M.																										
	F.	1								1																	
4. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1								1																	
	F.	2															1	1									
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		23	3					3			1	4	2	2	4			1	2	1	1	1		1				
Irish parents	M.	7	1					1			1		2		2				1								
	F.	6	1					1				1		1	1							1		1			
German parents	M.	7										2		1	1			1	1		1						
	F.	3	1					1				1								1							
1. Abscess:																											
Irish parents	M.	7	1					1			1		2		2				1								
	F.	5	1					1				1		1	1							1					
German parents	M.	6										2		1	1				1		1						
	F.	2										1								1							
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.	1																						1			
German parents	M.	1																1									
	F.	1	1					1																			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2												1					1								
Irish parents	M.																										
	F.	1												1													
German parents	M.	1																	1								
	F.																										
1. Addison's disease:																											
Irish parents	M.																										
	F.	1												1													
German parents	M.																										
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																	1								
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		457	16	7	7	9	1	40	16	18	27	33	38	24	37	34	35	35	29	27	17	19	16	3	3	2	1	3
Irish parents	M.	257	7	3	3	5	1	19	10	14	16	20	20	13	18	20	20	23	17	16	11	10	5	2	2		1	
	F.	62	4	3	1	1		9	3	1	1	4	5	3	5	3	4	5	3	4	2	3	4		1	1		1
German parents	M.	109	4	1	2			7	1	3	8	7	11	8	12	11	10	6	7	4	2	5	4	1				2
	F.	29	1		1	3		5	2		2	2	2		2		1	1	2	3	2	1	3			1		
1. Burns and scalds:																											
Irish parents	M.	17	1	3	3	2	1	10						2	1		1	2			1							
	F.	6								2			1				1		1	1								
German parents	M.	5	1					1		1							1	1										1
	F.	8				1		1		1		2	1	1			1					1						
2. Drowned:																											
Irish parents	M.	38				2		2	3	4	2	2	5	1	2	1	4	4		1	1				1			
	F.	6		1		1		2				1	1		1		1											
German parents	M.	16		1	1			2		2		1	1			1	2	2	2	2		1						
	F.																											
3. Exposure and neglect:																											
Irish parents	M.	1																	1								
	F.	2		1				1										1									
German parents	M.	1															1										
	F.																										
4. Gunshot wounds:																											
Irish parents	M.	4									1			1	1		1					1						
	F.	1																									
German parents	M.	7									2			2	1		1						1					
	F.	1											1															

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	3										2			1												
	F.	1												1													
German parents	M.																										
	F.																										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
8. Railroad accidents:																											
Irish parents	M.	53								2	4	9	2	3	5	6	4	5	1	9	1	1		1			
	F.	3													1			1			1						
German parents	M.	23								1	2	3	4		4	4	1		1			2					
	F.	1																			1						
9. Suffocation:																											
Irish parents	M.	6	4			1		5												1							
	F.	5	2	1				3	1							1											
German parents	M.	7	3		1			4						2				1									
	F.																										
10. Suicide by shooting:																											
Irish parents	M.	3											1	1				1									
	F.																										
German parents	M.	4											1			1	1			1							
	F.																										
11. Suicide by drowning:																											
Irish parents	M.	1																	1								
	F.																										
German parents	M.	1													1												
	F.	2																	1	1							
12. Suicide by poison:																											
Irish parents	M.																										
	F.																										
German parents	M.	1														1											
	F.																										
13. Other suicides:																											
Irish parents	M.	12									2		2			4	1	1	1		1						
	F.	4										1				1	1	1									
German parents	M.	10									2	2			1		1	2		1	1						
	F.	2													2												
14. Sunstroke:																											
Irish parents	M.	5								1						1			1		1						
	F.	1								1																	
German parents	M.	1													1												
	F.																										
15. Surgical operations:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
16. Wounds:																											
Irish parents	M.	5									1					1			2	1							
	F.	1												1													
German parents	M.																										
	F.																										
17. Others of this group:																											
Irish parents	M.	109	2					2	2	7	6	7	10	5	8	11	5	10	12	2	6	8	5	1	1		1
	F.	32	2		1			3			1	2	3	1	3	2	1	2	1	3	1	2	4		1	1	
German parents	M.	33									1	1	5	4	4	5	2	1	2	1	1	1	3	1			1
	F.	15	1		1	2		4	1			1						1	1	2	1		3			1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		6301	1110	312	228	143	106	1899	315	126	178	252	235	238	290	297	312	359	315	356	313	288	244	154	81	26	11	6
Total: Irish parents	M.	929	106	21	14	14	12	167	40	12	30	37	33	36	46	50	72	64	46	60	49	73	46	31	13	7	5	3
	F.	721	74	25	9	14	8	130	32	10	23	36	28	26	45	35	41	41	22	49	46	40	45	38	21	6	4	3
German parents	M.	2687	515	154	104	63	45	881	113	53	58	95	94	114	121	130	141	167	156	162	141	102	69	57	26	6	1	
	F.	1964	415	112	101	52	41	721	130	51	67	84	80	62	84	82	58	87	91	76	77	73	84	28	21	7	1	
Unknown causes.																												
Total		60	13	1				14	3			2	1	3	3	2	1	4	4	6	4	3	4	3	3			
Irish parents	M.	5							1				1					1				2						
	F.	8										1			1	1			1	1	1		1		1			
German parents	M.	30	6	1				7	2					2		1	1	1	3	5	3	1		2	2			
	F.	17	7					7				1		1	2			2					3	1				
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1567	342	153	127	82	69	773	203	66	51	42	31	39	47	45	40	38	43	44	42	21	21	11	8	2		
Irish parents	M.	167	24	9	6	10	7	56	25	3	5	2	3	3	4	6	8	3	8	9	6	4	5	2	4	1		
	F.	157	24	16	7	8	7	62	25	4	7	3	1	8	7	6	3	7	3	5	5	3	4	2	2			
German parents	M.	648	150	70	55	33	29	337	71	28	21	15	10	14	17	18	20	17	19	19	23	9	4	4	2			
	F.	595	144	58	59	31	26	318	82	31	18	22	17	14	19	15	9	11	13	11	8	5	8	3		1		
1. Small-pox:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Measles:																												
Irish parents	M.	2			1		1	2																				
	F.	9	1	1	2	1	1	6	2		1																	
German parents	M.	33	8	11	3	1	2	30	2					1														
	F.	26	8	3	10	2		23	2		1																	
3. Scarlet fever:																												
Irish parents	M.	32		3	2	8	3	16	13	1	1			1														
	F.	32	4	4	2	3	4	17	13	1	1																	
German parents	M.	132	10	10	20	23	11	74	45	3	4			1														
	F.	129	8	8	27	15	18	76	39	11	3																	
4. Diphtheria:																												
Irish parents	M.	19	3	2		1	2	8	7	1					1	1							1					
	F.	16	2	2	1	2	1	8	7	1																		
German parents	M.	64	7	8	14	6	10	47	12	4	1							2		1								
	F.	73	8	8	9	7	4	36	24	8	1		1															
5. Hooping-cough:																												
Irish parents	M.	5	5					5	1																			
	F.	5	1	2	2			5																				
German parents	M.	26	12	7	5		1	25				1																
	F.	32	17	7	4		1	29	1			2																
6. Fever:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Cerebro-spinal fever:																												
Irish parents	M.																											
	F.	3				1		1				1		1														
German parents	M.	10	3	1				4	1	2			1		1			1										
	F.	4		1		1	1	3		1																		
8. Enteric fever:																												
Irish parents	M.	22							1	1	4	2	1			2	5		2	2	1		1					
	F.	17							1		2	2		1		2	1	1	1	1	1	1	1	1	1			
German parents	M.	96	4		2		1	7	4	8	10	10	7	8	6	9	6	6	2	4	5	1	1	2				
	F.	72	1		1	1		3	8	8	10	8	5	2	9	3	3	3	3	2	2		3					
9. Diarrhœa:																												
Irish parents	M.	20	4	1		1		6						1		3		2	3	2	1		2					
	F.	11	5	1				6							1					1		1			1			
German parents	M.	63	32	6	2			40	1			1			1		1	3	2	5	6	2		1				
	F.	40	26	8	1			36													1	1	1	1				
10. Dysentery:																												
Irish parents	M.	9	1	1				2							1					3			1	1		1		
	F.	9	1					1						1	2	1		2		1				1				
German parents	M.	39	9	4		1		14	1	2	1		1	1	2	2	2		5	3	2	2	1					
	F.	32	15	3		1	1	20							2	1	2	2	1	2	1					1		
11. Enteritis:																												
Irish parents	M.	11	2					2	1				1		1					1	1	2			2			
	F.	11	1				1	2	1		1			1	2	1		1	1		1							
German parents	M.	36	9	6	1		1	17	2	2	2				2	1	2		1		4	1			1	1		
	F.	32	6	5	4	1		16	1	1	1	1		1	1		1		2	2		1	2	2				
12. Cholera morbus:																												
Irish parents	M.	5			1			1						1				1	1			1						
	F.	8	1					1			1			1		1	2				1	1						
German parents	M.	24							2						1	2	4	3	4	2	3	2			1			
	F.	16	1					1	1				1		1	3	1		3	1	1	1	2					
13. Cholera infantum:																												
Irish parents	M.	13	9	2	2			13																				
	F.	12	7	5				12																				
German parents	M.	63	47	15			1	63																				
	F.	64	47	13	2	1	1	64																				
14. Malarial fever:																												
Irish parents	M.	8					1	1	1				1		1		2					1		1				
	F.	11				1		1	1	1	1							2		2	2		1					
German parents	M.	31	2	2	1		2	7	1	1	1	3		2	3	1	2	3	3	3			1					
	F.	30			1	1		2	6	2	1	4	1	1	1	1	1	3	2	1	2	2						

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	2																				1		1			
	F.	7	1	1				2		1					1			1	1				1				
German parents	M.	14	4		1			5			1			1			1	1	1	2	1						
	F.	12	6	1				7				1	1	2				1									
16. Septicæmia:																											
Irish parents	M.	6							1								1		1		2				1		
	F.																										
German parents	M.	9	1		1			2		1	1		1			2				1			1				
	F.	7									1		1	1	2			1		1							
17. Puerperal septicæmia:																											
Irish parents	F.	6											1	3	1	1											
German parents	F.	27										5	6	7	3	5	1										
18. Venereal diseases:																											
Irish parents	M.	1																	1								
	F.																										
German parents	M.	2	1					1							1												
	F.	3	1					1				1				1											
19. Others of this group:																											
Irish parents	M.	1																		1							
	F.																										
German parents	M.	6	1					1								1	2		1		1						
	F.	6				1		1					1			1			1	1	1						
General diseases—B.																											
Total		90	25	2	1			28					3	5	5	4	12	12	7	3	3	4	2			1	1
Irish parents	M.	25	5					5					2		4		5	3	1	2		2	1				
	F.	6	1					1									3	1									1
German parents	M.	46	12	1				13					1	5		3	4	7	6	1	3	2	1				
	F.	13	7	1	1			9							1	1		1								1	
1. Worms:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	17											1		4		5	3	1	2		1					
	F.	4															3	1									
German parents	M.	25											1	5		3	4	5	3		2	1	1				
	F.	2														1		1									
4. Lead poison:																											
Irish parents	M.	1											1														
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.																										
	F.	1																									1
German parents	M.	7		1				1										2	3		1						
	F.	2		1	1			2																			
6. Inanition:																											
Irish parents	M.	7	5					5														1	1				
	F.	1	1					1																			
German parents	M.	14	12					12												1		1					
	F.	9	7					7							1											1	
General diseases—C.																											
Total		592	273	4	4	2	1	284		1	4	1	4	1	3	6	6	6	9	15	24	48	60	59	38	16	6	1
Irish parents	M.	80	31		2	1	1	35								1	1	1	3	1	1	11	9	8	1	5	2	1
	F.	88	20	1				21				1	1			2	3		2	3	6	11	5	19	8	4	2	
German parents	M.	226	128		2			130		1	1		2	1	2		2	4	1	9	7	9	19	19	15	3	1	
	F.	198	94	3		1		98			3		1		1	3		1	3	2	10	17	27	13	14	4	1	
1. Premature birth:																											
Irish parents	M.	8	8					8																			
	F.	4	4					4																			
German parents	M.	29	29					29																			
	F.	18	18					18																			
2. Stillborn:																											
Irish parents	M.	18	18					18																			
	F.	14	14					14																			
German parents	M.	84	84					84																			
	F.	60	60					60																			
3. Malformation:																											
Irish parents	M.	1	1					1																			
	F.																										
German parents	M.	3	3					3																			
	F.	1	1					1																			
4. Debility:																											
Irish parents	M.	24	4		3	1	1	9								1	1	1	2		1	3	3		1	1	1	1
	F.	30	2	1				3								2	5		2	2	3	6	3	3	1			
German parents	M.	53	11		2			13		1	1		2	1	2		2	3	1	7	4	5	6	2	3			
	F.	53	15	3		1		19			3		1		1	3		1	3	2	6	4	6	3		1		
5. Old age:																											
Irish parents	M.	29																	1	1		8	6	8		4	1	
	F.	40																		1	3	5	2	16	7	4	2	
German parents	M.	56																1			2	3	4	13	17	12	3	1	
	F.	66																			4	13	21	10	14	3	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.	1	1					1																			
	F.																										
General diseases—D.																											
Total		1295	25	15	10	1	1	52	13	10	55	105	105	98	106	107	98	116	99	95	77	75	48	23	10	1	1	1
Irish parents	M.	219	2	2	1			5	3	2	11	17	12	18	16	20	14	23	14	15	11	13	13	8	3		1	
	F.	172	3	1				4	2	3	9	20	15	11	20	11	15	14	5	13	11	7	7	2	2			1
German parents	M.	538	11	8	8			27	4	2	13	34	43	44	47	43	44	52	44	51	35	32	9	10	3	1		
	F.	366	9	4	1	1	1	16	4	3	22	34	35	25	23	33	25	27	30	16	20	23	19	3	2			
1. Rheumatism:																											
Irish parents	M.	5								1						1				1				2				
	F.	1										1																
German parents	M.	11									2	1	1		1			1	1		2	1	1					
	F.	5											1		1				1		1	1						
2. Scrofula and tabes:																											
Irish parents	M.																										
	F.	2	1					1						1													
German parents	M.	4	1	1				2								1			1									
	F.	4	1	1				2			1											1						
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	164		2	1			3	1		11	17	12	18	12	18	12	16	11	9	7	6	6	2	2		1	
	F.	130	1					1	2	3	8	19	14	9	18	9	11	11	3	6	8	4	2	1	1			
German parents	M.	399	3	3	3			9	1	1	8	32	37	44	43	39	32	34	34	35	21	17	4	6	1	1		
	F.	236	2					2	2	2	19	32	31	25	17	26	15	11	20	7	11	8	6	1	1			
5. Hydrocephalus:																											
Irish parents	M.	2	2					2																				
	F.	4	1	1				2									1											1
German parents	M.	13	3	2	4			9	1				2							1								
	F.	10	6	1	1	1		9				1																
6. Cancer:																											
Irish parents	M.	21							1						3		1	3	2	5	1	2	1	2				
	F.	21											1	1	1	2	3	1	2	4	2	1	3					
German parents	M.	50	2					2	1				1		2	2	7	11	4	6	6	4	2		2			
	F.	61					1	1					2		5	4	8	7	9	7	4	6	8					
7. Tumor:																											
Irish parents	M.	1																					1					
	F.	3																		2			1					
German parents	M.	2																1	1									
	F.	5							1								1	1	1			1						
8. Anæmia:																											
Irish parents	M.	1															1											
	F.																											
German parents	M.	1	1					1																				
	F.	1																	1									
9. Dropsy:																											
Irish parents	M.	10							1	1					1	1		3	1		3	2	4	1	1			
	F.	11									1				1			2		1	1	2	1	1	1			
German parents	M.	53	1	2	1			4	1		3	1	1		1	1	5	5	3	7	6	9	2	4				
	F.	44		2				2	1	1	2	1	1			3	1	8	4	2	3	7	5	2	1			
10. Glycosuria:																											
Irish parents	M.	6																1				3	1	1				
	F.																											
German parents	M.	3								1										2								
	F.																											
11. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	2											1									1						
	F.																											
12. Others of this class:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		822	275	66	31	14	10	396	33	12	17	11	17	14	27	18	30	36	32	47	35	32	38	14	7	1	4	1
Irish parents	M.	112	22	6	1	2	2	33	2		3	2	1	5	6	3	6	2	5	10	7	11	8	5		1	2	
	F.	94	16	3		2		21	2		1	2	4	2	3	6	5	1	4	8	3	6	11	5	5		2	1
German parents	M.	365	135	37	16	6	3	197	11	5	4	3	6	5	12	7	12	19	16	21	21	11	12	3				
	F.	251	102	20	14	4	5	145	18	7	9	4	6	2	6	2	7	12	7	8	4	4	7	1	2			
1. Inflammation of the brain:																											
Irish parents	M.	4		1		1		2				1							1									
	F.	7	2			2		4			1			1		1												
German parents	M.	22	9	5	1	1		16	2	1										1	2							
	F.	24	9	3	3			15	4	1		2					1	1										
2. Meningitis:																											
Irish parents	M.	11	2	3	1		1	7			1			1	1		1											
	F.	5	2	1				3					1		1													
German parents	M.	46	19	9	4	2	3	37	2		2	1				1	1				2							
	F.	31	9	6	5	1	3	24	5	2																		
3. Apoplexy:																												
Irish parents	M.	21	1					1						1	1	1	1	2	1	4	3	3	1	1			1	
	F.	15	1					1				1				4	1			3	1		2				1	1
German parents	M.	53											3	2	5	2	7	1	6	7	7	5	6	2				
	F.	25											1	1			1	6	3	2	3	1	5	1	1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	23													2					3	3	6	4	4			
	F.	30							1				1			1	2	1		3	1	5	4	5	5	1	1
German parents	M.	33							1		1					1		5	5	7	6	4	2	1			
	F.	28							1		2	1	3		2		4	2	4	3		3	2		1		
5. Tetanus and trismus nascentium:																											
Irish parents	M.	1										1															
	F.	1	1					1																			
German parents	M.	9	4	1				5	1		1			1				1									
	F.	4	3					3		1																	
6. Epilepsy:																											
Irish parents	M.	1									1																
	F.	2													1							1					
German parents	M.	6							1				1	1	1			1			1						
	F.	5	1					1			1		1		1			1									
7. Convulsions:																											
Irish parents	M.	18	15	1		1	1	18																			
	F.	13	10	2				12						1													
German parents	M.	118	89	14	7	1		111	4	1		1								1							
	F.	103	73	9	5	2	2	91	5	1	4	1	1														
8. Mental diseases:																											
Irish parents	M.	2													1					1							
	F.	2																	1								
German parents	M.	4															1	1		1			1				
	F.	2													1					1							
9. Diseases of the brain:																											
Irish parents	M.	26	4	1				5	2				1	2	1	2	3		3	2	1		3			1	
	F.	16							1				2		1		2	2	2	2	1		3				
German parents	M.	66	12	8	4	1		25		3		1	2	1	6	3	3	9	3	4	2	1	3				
	F.	25	7	1	1	1		10	2	2	2			1	2	1		2		2	1						
10. Diseases of the spinal cord:																											
Irish parents	M.	3									1			1								1					
	F.																										
German parents	M.	5	2			1		3									1	1									
	F.	1		1				1	1							1	1										
11. Others of this group:																											
Irish parents	M.	2															1					1					
	F.	3										1							1				1				
German parents	M.	3																	1		1		1				
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		292	6	1		1		8	3	6	11	14	10	10	14	14	18	26	25	39	35	29	16	12	2		
Irish parents	M.	55								1		2	1	1	2	4	4	6	4	7	8	11	1	2	1		
	F.	38								1	1	2	1			2	3	3	1	4	6	4	5	4	1		
German parents	M.	102	1	1				2	1		5	4	3	5	7	5	8	8	11	15	10	9	4	5			
	F.	97	5			1		6	2	4	5	6	5	4	5	3	3	9	9	13	11	5	6	1			
1. Angina pectoris:																											
Irish parents	M.																										
	F.	1																					1				
German parents	M.	1																				1					
	F.																										
2. Aneurism:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1														1											
3. Diseases of the heart:																											
Irish parents	M.	55								1		2	1	1	2	4	4	6	4	7	8	11	1	2	1		
	F.	36								1	1	2	1			2	3	3	1	4	5	4	5	3	1		
German parents	M.	98									5	4	3	5	7	5	8	8	11	15	10	8	4	5			
	F.	93	2			1		3	2	4	5	6	5	4	5	2	3	9	9	13	11	5	6	1			
4. Others of this group:																											
Irish parents	M.																										
	F.	1																									
German parents	M.	3	1	1				2	1												1						
	F.	3	3					3																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		770	107	58	47	29	21	262	36	7	14	30	14	28	30	39	32	40	40	50	42	40	30	19	7		1
Irish parents	M.	161	11	3	1	1		16	3		2	6	1	2	3	7	11	14	3	10	5	9	4	3	1		1
	F.	82	7	3	2	2	1	15	2		2	3		3	5	3	1	7	5	11	7	5	7	4	2		
German parents	M.	342	53	30	21	16	11	131	14	3	3	14	8	17	13	17	15	23	23	13	18	11	9	7	3		
	F.	245	36	22	23	10	9	100	17	4	7	7	5	6	9	12	5	5	9	16	12	15	10	5	1		
1. Croup:																											
Irish parents	M.	2			1			1	1																		
	F.	4	1	1			1	3	1																		
German parents	M.	37	4	4	6	3	6	28	3			1															
	F.	31	4	2	7	6	5	24	6															1			
2. Laryngitis:																											
Irish parents	M.	1														1											
	F.																										
German parents	M.	3	1					1							1					1							
	F.	2	1					1		1																	
3. Bronchitis:																											
Irish parents	M.	16	3	2				5	1							3		1	2	2	2		1				
	F.	16	2		1			3			1			1		1	1	1	1	2	1	3	1				
German parents	M.	55	22	3	6	2	2	35	1					1	2		1	1	3	1	3	2	2	2	1		
	F.	34	12	3	4		1	20						1	2		1		1	2	1	2	3	1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	63	7	1	...	1	...	9	1	...	1	4	...	2	3	5	5	12	2	4	3	6	3	1	1	...	...	1
	F.	49	3	2	1	2	...	8	1	...	1	3	...	1	3	1	1	5	3	8	4	3	3	3	1	...	...	...
German parents	M.	197	21	20	8	5	1	55	5	2	3	11	8	13	9	15	12	18	15	8	9	8	3	3	...	...	...	...
	F.	143	13	16	11	4	3	47	8	3	7	6	4	4	4	10	3	4	5	10	8	10	7	2	1	...	...	...
5. Pleurisy:																											
Irish parents	M.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	1	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	4	...	...	...	...	1	1	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...
	F.	4	2	...	...	...	...	2	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Asthma:																											
Irish parents	M.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	1	1	1	...	1	...	...	...
German parents	M.	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	3	...	4	...	2	1	...	...	...	...
	F.	8	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	2	2	1	...	1	...	...	...	...
7. Others of this group:																											
Irish parents	M.	11	1	...	...	...	...	1	...	...	1	2	1	...	...	1	1	1	...	3	...	...	...	...	...	...	...	...
	F.	5	1	...	...	...	...	1	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	34	5	3	1	1	1	11	...	1	...	2	...	2	1	...	2	2	2	3	2	1	2	1	2	...	...	...
	F.	23	4	1	1	...	...	6	3	...	...	1	...	...	2	2	1	1	2	2	1	2	...	...	...	...	...	...
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		306	36	8	4	2	...	50	3	5	5	7	12	9	18	20	31	36	27	26	22	19	9	3	2	1	...	1
Irish parents	M.	62	9	1	1	...	...	11	1	2	2	...	2	1	5	1	11	4	1	5	4	8	2	...	1	...	...	1
	F.	31	3	1	...	...	...	4	...	1	...	2	2	1	2	2	2	4	1	2	3	3	1	1	...	...	...	...
German parents	M.	133	14	4	1	1	...	20	...	2	2	4	5	4	7	13	14	16	15	12	8	6	3	2	...	...	...	...
	F.	80	10	2	2	1	...	15	2	...	1	1	3	3	4	4	4	12	10	7	7	2	3	...	1	1	...	...
1. Dentition:																											
Irish parents	M.	6	5	1	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	6	4	2	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	9	7	2	...	...	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina:																											
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis:																											
Irish parents	M.	6	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	3	...	...	...	...	...	...
	F.	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	1	...	1	...	...	...	...
German parents	M.	15	5	1	...	...	...	6	...	...	...	1	...	...	...	...	1	1	2	1	1	1	1	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...
4. Other diseases of the stomach:																											
Irish parents	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1	...	...	...	...
	F.	5	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...
German parents	M.	5	1	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	1	...	1	...	...	...	...	...	...	...
	F.	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...
5. Obstruction of the bowels:																											
Irish parents	M.	7	2	...	...	...	...	2	...	...	...	...	...	...	...	...	1	2	...	...	1	1	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	9	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	3	1	1	1	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...
6. Hernia:																											
Irish parents	M.	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	5	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	1	...	...	1	...	...	...	...
	F.	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	1	1	...	...	...	...	...	...	...
7. Other diseases of the bowels:																											
Irish parents	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...
German parents	M.	4	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Jaundice:																											
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...
German parents	M.	4	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	1	1	...	...	...	...	...	...	...	...
	F.	6	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver:																											
Irish parents	M.	8	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	2	...	1	1	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
German parents	M.	17	...	...	...	...	...	...	...	...	...	...	2	1	2	3	4	...	1	2	2	...	...	...	...	...	...	...
	F.	7	...	...	1	...	...	1	...	...	...	1	...	2	...	1	1	...	...	...	1	...	...	...	...	...	...	...
10. Other diseases of the liver:																											
Irish parents	M.	15	...	...	...	...	...	...	...	...	1	...	...	...	1	1	1	4	1	...	2	1	2	...	...	...	...	1
	F.	6	1	...	...	...	...	1	...	...	...	...	...	1	...	...	1	1	...	...	1	...	1	...	...	...	...	...
German parents	M.	38	...	...	...	...	...	...	...	...	...	...	2	1	3	1	4	6	9	4	3	2	3	...	...	...	...	...
	F.	18	...	...	...	...	...	...	...	...	...	...	...	1	...	1	2	3	2	2	2	2	1	1	...	1	...	...
11. Peritonitis:																											
Irish parents	M.	5	...	...	...	...	...	...	1	1	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	4	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	...	1	...	...	...	...
German parents	M.	16	...	...	1	...	...	1	...	1	2	...	1	...	1	4	...	2	2	1	...	...	1	...	...	...	...	...
	F.	18	1	...	...	...	...	1	2	...	1	...	1	1	2	...	...	3	4	2	...	...	...	...	...	...	...	...
12. Ascites:																											
Irish parents	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...
German parents	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Others of this group:																											
Irish parents	M.	7	1	...	1	...	...	2	...	...	1	...	1	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...
	F.	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...
German parents	M.	10	3	1	...	...	...	4	...	...	...	...	1	...	...	...	1	...	2	1	...	1	1	...	...	1	...	...
	F.	6	1	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	105			1	1	1	3	3		2	5	2	2	4	9	12	6	8	14	13	6	6	5	3	2		
Irish parents { M.	24			1			1							1	2	3		3	4	3		2	3	2			
Irish parents { F.	13									1	1			1		4	1		2	1		1			1		
German parents { M.	52				1	1	2	2		1	2	1	2	2	5	4	4	4	7	5	5	3	2		1		
German parents { F.	16							1			2	1			2	1	1	1	1	4	1			1				
1. Bright's disease:																											
Irish parents { M.	11			1			1								2	2		2	2			1	1				
Irish parents { F.	7										1			1		2	1		2								
German parents { M.	21							2			1	1		1	4	2	2	1	3	2	2						
German parents { F.	10										1				2	1	1			3	1			1			
2. Calculus, urinary:																											
Irish parents { M.	2																	1					1				
Irish parents { F.																											
German parents { M.	2																			1		1					
German parents { F.																											
3. Diseases of the kidney:																											
Irish parents { M.	5													1						1		1	1	1			
Irish parents { F.	4									1						1				1					1		
German parents { M.	19				1	1	2			1	1		2			2	1	2	2	2	1	2			1		
German parents { F.	4							1										1	1	1							
4. Diseases of the bladder:																											
Irish parents { M.	1																							1			
Irish parents { F.	1																					1					
German parents { M.	3													1					1		1						
German parents { F.	1										1																
5. Others of this group:																											
Irish parents { M.	5															1			2	2							
Irish parents { F.	1															1											
German parents { M.	7														1		1	1	1		1		2				
German parents { F.	1											1															
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	17										1	1		4	5		3	1		1		1					
Irish parents F.	6													2	2					1		1					
German parents F.	11										1	1		2	3		3	1									
1. Ovarian tumors:																											
Irish parents F.	2													1								1					
German parents F.	1																	1									
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	1													1													
German parents F.	4													2	1		1										
5. Others of this group:																											
Irish parents F.	3														2					1							
German parents F.	6										1	1			2		2										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	32										5	5	6	12	2	2											
Irish parents F.	7											2	1	3		1											
German parents F.	25										5	3	5	9	2	1											
1. Abortion:																											
Irish parents F.																											
German parents F.	2													2													
2. Child-birth:																											
Irish parents F.	7											2	1	3		1											
German parents F.	21										4	3	4	7	2	1											
3. Others of this group:																											
Irish parents F.																											
German parents F.	2										1		1														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	6	1			1		2					1				1	1			1							
Irish parents { M.	3	1					1					1								1							
Irish parents { F.																											
German parents { M.	3				1		1									1	1										
German parents { F.																											
1. Diseases of the spine:																											
Irish parents { M.	2	1					1					1															
Irish parents { F.																											
German parents { M.	2				1		1									1											
German parents { F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Diseases of the hip-joint:																											
Irish parents	M.	1																			1						
	F.																										
German parents	M.																										
	F.																										
4. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1															1										
	F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		11	2					2					1		1	1		3		1		1	1				
Irish parents	M.	1																1									
	F.																										
German parents	M.	6	2					2					1					1				1	1				
	F.	4													1	1		1		1							
1. Abscess:																											
Irish parents	M.	1																1									
	F.																										
German parents	M.	5	1					1					1					1				1	1				
	F.	3													1	1		1									
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1																		1							
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1	1					1																			
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1																1									
Irish parents	M.																										
	F.																										
German parents	M.	1																1									
	F.																										
1. Addison's disease:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																1									
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		335	5	4	3	10	3	25	18	19	19	29	28	23	22	25	29	22	20	16	14	10	8	5	1	2	
Irish parents	M.	85	1		1		2	4	5	4	7	8	9	6	5	6	9	6	4	6	3	2	1				
	F.	19				2		2	1	1	2	1	2		1		1	1			2	1	2	1		1	
German parents	M.	195	3	2	1	5	1	12	8	12	8	19	14	15	14	18	16	13	14	9	8	6	4	3	1	1	
	F.	36	1	2	1	3		7	4	2	2	1	3	2	2	1	3	2	2	1	1	1	1	1			
1. Burns and scalds:																											
Irish parents	M.	1																					1				
	F.	6				2		2	1			1											1			1	
German parents	M.	6			1	3		4	1										1								
	F.	12		1	1			2	3		1	1	1			1			2			1					
2. Drowned:																											
Irish parents	M.	11					1	1	2	2			1		1	2		1	1								
	F.																										
German parents	M.	36		1				1	4	5	2	6	4	2	2	2	1	1	3	1	1			1			
	F.	3							1	1								1									
3. Exposure and neglect:																											
Irish parents	M.																				1						
	F.	1																		1						1	
German parents	M.	3	1					1																			
	F.																										
4. Gunshot wounds:																											
Irish parents	M.																										
	F.																										
German parents	M.	1										1															
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	4									1	1	1		1												
	F.																										
German parents	M.	12									1	3	1	1		1	1	1	1	2							
	F.																										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.	1									1																
	F.																										
German parents	M.																										
	F.																										
8. Railroad accidents:																											
Irish parents	M.	23							1		1	5	3	3	2	3	1	2		1	1						
	F.	2									1						1										
German parents	M.	20							2	2	1	3	2	1	1	3	1	1	1			1		1			
	F.	2				1		1					1													1	
9. Suffocation:																											
Irish parents	M.	2	1					1											1								
	F.																										
German parents	M.	3	1	1				2									1										
	F.	5	1	1		1		3			1				1												
10. Suicide by shooting:																											
Irish parents	M.																										
	F.																										
German parents	M.	8													2	2		3	1								
	F.	2												1			1										
11. Suicide by drowning:																											
Irish parents	M.																										
	F.	1																			1						
German parents	M.	5										1		2				1				1					
	F.	1																			1						
12. Suicide by poison:																											
Irish parents	M.																										
	F.																										
German parents	M.	4														3							1				
	F.																										
13. Other suicides:																											
Irish parents	M.	1															1										
	F.	2											1		1												
German parents	M.	22										1	2	2	5	1	5	2	1		1	2					
	F.	1											1														
14. Sunstroke:																											
Irish parents	M.																										
	F.																										
German parents	M.	4											2				1			1							
	F.	2															1			1							
15. Surgical operations:																											
Irish parents	M.	3											1	1						1							
	F.																										
German parents	M.																										
	F.																										
16. Wounds:																											
Irish parents	M.	3			1			1				1					1										
	F.																										
German parents	M.	1														1											
	F.																										
17. Others of this group:																											
Irish parents	M.	36					1	1	2	2	4	1	3	2	1	1	6	3	2	1	2	2					
	F.	7								1	1		1					1				1	1	1			
German parents	M.	70	1			2	1	4	1	5	4	4	3	7	4	5	6	4	6	4	6	2	3	1	1		
	F.	8				1		1		1				1	1		1	1					1	1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13.

Cause of death.		Total.	Under 1.	1.	2.	3.	4	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		4777	828	258	135	94	72	1387	238	148	229	248	196	178	210	212	216	233	265	236	242	219	153	103	42	10	10	2
Total: Irish parents	M.	694	59	15	9	11	7	101	35	21	40	45	20	21	37	33	37	45	42	52	55	37	35	21	10	3	4	....
	F.	509	50	21	5	7	3	86	29	15	34	38	31	29	18	28	32	32	35	10	22	21	16	18	10	1	4	....
German parents	M.	2047	405	125	68	45	38	681	94	54	83	96	69	66	92	80	96	106	131	98	108	76	62	39	10	3	1	2
	F.	1527	314	97	53	31	24	519	80	58	72	69	76	62	63	71	51	50	57	76	57	85	40	25	12	3	1	....
Unknown causes.																												
Total		109	46	7	1	....	2	56	3	1	2	4	2	2	2	4	3	4	4	4	4	5	5	1	1	....	1	1
Irish parents	M.	14	5	....	1	....	....	6	2	....	....	1	1	....	....	....	....	....	....	1	2	....	1	....	....	....	....	....
	F.	14	4	1	....	....	....	5	....	....	....	....	1	1	....	....	2	1	1	1	1	....	....	1	....	....	....	....
German parents	M.	47	23	1	....	....	1	25	1	1	1	2	....	....	1	2	....	1	2	2	1	3	2	....	....	....	1	1
	F.	34	14	5	....	....	1	20	....	....	1	1	....	1	1	2	1	2	1	....	....	2	1	....	1	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1359	283	151	70	50	46	600	135	73	104	59	53	40	41	29	30	29	36	46	30	28	15	8	1	2	....	....
Irish parents	M.	139	15	10	3	6	6	40	21	8	11	6	4	3	5	1	3	4	6	9	8	7	2	....	....	1	....	....
	F.	129	18	11	4	5	2	40	17	9	11	8	6	8	4	4	4	5	4	1	2	2	2	1	1	....	....	....
German parents	M.	583	136	69	34	21	22	282	54	24	42	23	23	10	11	17	14	10	21	18	14	11	6	3	....	....	....	....
	F.	508	114	61	29	18	16	238	43	32	40	22	20	19	21	7	9	10	5	18	6	8	5	4	....	1	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	21	6	4	3	....	2	15	1	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	5	4	1	1	..	11	2	....	2	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	5	....	1	....	1	....	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	1	2	1	4	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	27	4	4	4	2	4	18	7	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	....	3	2	4	5	14	9	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	32	....	2	2	3	5	12	12	5	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	22	....	1	1	2	1	5	12	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	105	14	9	10	13	12	58	26	14	5	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	102	10	13	11	6	8	48	19	22	8	2	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	3	....	1	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	18	13	4	....	1	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	17	5	3	1	....	26	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	6	2	2	1	....	....	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	2	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	....	2	....	....	....	2	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	6	1	....	1	....	....	2	....	1	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	21	....	....	1	1	....	2	1	1	5	1	1	1	2	....	....	1	1	3	1	1	....	....	....	....	....	....
	F.	20	....	....	....	....	....	....	1	3	5	4	2	....	1	....	....	1	2	1	....	....	....	....	....	....	....	....	....
German parents	M.	99	2	5	....	3	1	11	8	....	20	12	14	5	5	3	2	1	6	4	2	2	4	....	....	....	....	....
	F.	82	2	....	2	....	1	5	6	6	26	5	3	3	7	5	1	3	4	3	....	4	1	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	10	3	2	....	....	1	6	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....
	F.	9	3	3	....	....	....	6	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	57	24	11	2	....	....	37	1	....	1	....	1	2	....	3	1	....	2	3	2	3	....	1	....	....	....	....	....
	F.	37	22	10	1	1	....	34	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	9	1	1	....	....	....	2	....	....	....	1	1	....	1	....	....	....	1	....	2	....	1	....	....	....	....	....	....
	F.	10	1	1	....	....	....	2	....	1	....	....	....	....	....	....	1	1	....	....	....	1	2	1	1	....	....	....	....
German parents	M.	33	7	10	4	..	2	23	..	....	....	1	....	....	....	1	1	....	3	2	....	1	1	....	....	....	....	....	....
	F.	27	8	8	3	1	1	21	1	....	....	....	....	....	1	....	....	....	....	2	1	....	1	..	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	10	....	....	....	....	....	....	2	....	1	1	....	....	....	....	....	1	1	1	1	2	..	....	....	1	....	....	....
	F.	13	1	1	....	....	....	2	2	....	....	1	1	1	....	3	1	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	48	13	3	2	1	1	20	2	1	7	3	1	1	1	2	4	....	1	2	3	....	....	....	....	....	....	....	....
	F.	28	7	2	1	2	....	12	....	....	....	3	1	1	2	....	2	2	....	3	1	....	....	1	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	19	3	....	....	....	....	3	1	1	....	....	....	....	2	....	1	3	2	2	1	2	....	1	....	....	....	....	....
	F.	13	1	....	....	....	....	1	..	1	....	....	1	1	....	1	2	....	....	3	2	....	....	1	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	9	7	2	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	4	5	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	50	37	8	5	....	....	50	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	44	27	15	2	....	....	44	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	21	....	2	....	....	....	2	3	1	....	1	1	....	....	....	1	1	3	2	2	2	2	....	....	....	....	....	....
	F.	13	3	....	....	....	....	3	....	1	1	....	2	4	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....
German parents	M.	63	8	7	2	1	....	18	6	5	3	4	4	1	1	3	3	1	4	3	2	3	1	1	....	1	....	....	....
	F.	50	10	1	1	1	....	13	2	....	4	5	2	4	4	....	1	4	1	3	1	2	2	1	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	8	2			1		3			1	1							1	1	1						
	F.	4	1					1			1																
German parents	M.	22	3		1			4				1	3			3	2	4		1	4						
	F.	13	3		1	1	1	6				1	1							4		1					
16. Septicæmia:																											
Irish parents	M.	2													1							1					
	F.	3	1					1								1		1									
German parents	M.	4									1			1	1	1											
	F.	1												1													
17. Puerperal septicæmia:																											
Irish parents	F.	7										3	1	1	2												
German parents	F.	27										5	7	8	4	1	1										
18. Venereal diseases:																											
Irish parents	M.	1														1											
	F.																										
German parents	M.																										
	F.																										
19. Others of this group:																											
Irish parents	M.	3									1	1					1										
	F.	1															1										
German parents	M.	5							1		2				1				1								
	F.	1												1													
General diseases—B.																											
Total		36	11					11	1		1		2	3	2	1	3	3	3	3	2	1					
Irish parents	M.	10											1	1	1	1	1	1	1	2		1					
	F.	1	1					1																			
German parents	M.	15	7					7			1				1		2	2	2								
	F.	10	3					3	1				1	2						1	2						
1. Worms:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1							1																		
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	9												1	1	1	1	1	1	2		1					
	F.																										
German parents	M.	7									1				1		1	2	2								
	F.																										
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.																										
	F.																										
German parents	M.	2	1					1									1				1						
	F.	4											1	2													
6. Inanition:																											
Irish parents	M.	1											1														
	F.	1	1					1																			
German parents	M.	6	6					6																			
	F.	5	3					3												1	1						
General diseases—C.																											
Total		333	163	1		1		165		1			1	1	1	3	1		2	5	9	27	35	45	23	6	7
Irish parents	M.	47	15					15								2					3	3	3	11	5	2	3
	F.	24	5					5								1					1	1	2	7	3	1	3
German parents	M.	139	80			1		81		1				1	1		1		2	3	2	8	14	17	6	2	
	F.	123	63	1				64					1							2	3	15	16	11	9	1	1
1. Premature birth:																											
Irish parents	M.																										
	F.																										
German parents	M.	10	10					10																			
	F.	5	5					5																			
2. Stillborn:																											
Irish parents	M.	12	12					12																			
	F.	4	4					4																			
German parents	M.	52	52					52																			
	F.	40	40					40																			
3. Malformation:																											
Irish parents	M.																										
	F.																										
German parents	M.	3	2					2		1																	
	F.	1	1					1																			
4. Debility:																											
Irish parents	M.	9	3					3								2					1	2			1		
	F.	3	1					1								1							1	2	1		
German parents	M.	32	16			1		17						1	1		1		1	1		4	3	2		1	
	F.	24	17	1				18					1							1		2	1	1			
5. Old age:																											
Irish parents	M.	26																			2	1	3	11	4	2	3
	F.	14																			1	1	1	5	2	1	3
German parents	M.	42																	1	2	2	4	11	15	6	1	
	F.	53																		1	3	13	15	10	9	1	1

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total		835	21	5	4	2	....	32	14	14	37	71	62	48	65	69	50	71	66	59	55	54	34	17	6	2	....	....
Irish parents	M.	137	2	....	....	....	....	2	1	2	7	12	5	7	14	9	9	16	9	13	13	10	4	1	3	....	....	....
	F.	129	2	....	....	....	....	2	3	2	11	16	13	9	5	11	12	10	12	5	5	4	3	4	2	....	....	....
German parents	M.	327	11	4	1	2	....	18	4	6	7	22	20	12	28	25	25	28	30	26	27	20	10	8	1	1	....	....
	F.	242	6	1	3	....	....	10	6	4	12	21	24	20	18	24	13	17	15	15	10	20	8	4	....	1	....	....
1. Rheumatism:																											
Irish parents	M.	4	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	1	....	1	....	....	1	1	1	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
German parents	M.	12	....	....	....	....	....	....	....	....	1	....	....	....	....	1	2	1	1	1	3	....	....	1	1	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	1	....	....	1	....	....	....	....	....	....	....
2. Scrofula and tabes:																											
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	6	1	1	....	....	....	2	....	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption:																											
Irish parents	M.	88	1	....	....	....	....	1	....	1	5	12	3	6	13	7	5	10	7	7	8	1	1	....	1	....	....	....	....
	F.	83	....	....	....	....	....	....	1	2	10	14	12	7	5	9	7	4	5	1	1	1	2	1	1	....	....	....	....
German parents	M.	201	7	....	1	1	....	9	2	1	5	20	16	12	19	19	16	17	17	14	16	9	8	1	....	....	....	....	....
	F.	149	5	1	3	....	....	9	3	2	12	18	21	16	11	13	5	6	7	6	2	11	5	2	....	....	....	....	....
5. Hydrocephalus:																											
Irish parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	2	3	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer:																											
Irish parents	M.	22	....	....	....	....	....	....	....	1	1	....	1	....	....	1	1	3	....	3	4	4	2	....	1	....	....	....	....
	F.	17	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	4	4	1	2	....	....	1	....	....	....	....	....
German parents	M.	41	1	....	....	....	....	1	....	....	....	1	1	....	6	2	3	7	5	2	4	3	5	1	....	....	....	....	....
	F.	33	....	....	....	....	....	....	....	....	....	....	....	1	3	7	5	7	2	4	2	1	1	....	....	....	....	....	....
7. Tumor:																											
Irish parents	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	1	1	....	1	....	....	....	....	....	....	....	....
8. Anæmia:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy:																											
Irish parents	M.	17	....	....	....	....	....	....	....	....	....	....	....	1	1	1	3	1	1	2	1	4	1	1	....	....	....	....	....
	F.	15	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	2	3	3	2	1	....	1	....	....	....	....	....
German parents	M.	56	....	....	....	1	....	1	2	1	1	1	3	....	3	3	4	2	4	9	4	7	6	4	....	1	....	....	....
	F.	45	....	....	....	....	....	....	2	2	....	2	2	2	1	2	3	3	4	5	5	7	2	2	....	1	....	....	....
10. Glycosuria:																											
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
German parents	M.	3	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Others of this group:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		431	134	34	11	8	2	189	20	10	7	8	10	12	11	13	14	20	26	20	22	22	12	13	2	....	....
Irish parents	M.	46	10	1	....	1	....	12	....	....	1	3	2	....	4	3	1	3	2	4	4	3	3	1	....	....	....	....
	F.	41	8	1	1	1	....	11	1	1	2	....	1	....	....	3	4	2	6	2	1	....	3	3	1	....	....	....
German parents	M.	204	70	22	5	3	2	102	10	4	3	2	4	7	5	5	5	9	10	7	11	8	5	6	1	....	....	....
	F.	140	46	10	5	3	....	64	9	5	1	3	3	5	2	2	4	6	8	7	6	11	1	3	....	....	....	....
1. Inflammation of the brain:																											
Irish parents	M.	7	3	....	....	....	....	3	....	....	1	....	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	8	1	1	1	....	....	3	1	1	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....
German parents	M.	42	16	9	3	1	1	30	3	2	1	....	1	3	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	5	6	1	....	....	12	3	3	....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....
2. Meningitis:																											
Irish parents	M.	3	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	14	6	1	....	1	....	8	1	1	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....	....	....	....
	F.	6	3	....	....	....	....	3	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Apoplexy:																											
Irish parents	M.	8	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	1	1	1	1	1	....	1	....	....	....	....
	F.	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	3	....	....	....	....	....	....	....	....	....	....
German parents	M.	29	3	....	....	....	....	3	....	....	....	....	1	1	....	1	1	2	6	1	2	3	3	3	....	....	....	....	....
	F.	17	1	....	....	....	....	1	....	1	....	....	1	....	....	....	1	4	1	....	2	4	....	1	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	7													1		1			1	1		2	1			
	F.	9																1		1	1		3	3			
German parents	M.	25				1		1							1	1	3	3	2	1	7	3	1	2			
	F.	23							1			1		1	1		2			4	4	7		2			
5. Tetanus and trismus nascentium:																											
Irish parents	M.	1														1											
	F.	1	1					1																			
German parents	M.	3	1	1				2	1																		
	F.	2	2					2																			
6. Epilepsy:																											
Irish parents	M.	1																		1							
	F.	1														1											
German parents	M.	3	2					2												1							
	F.	2											1	1													
7. Convulsions:																											
Irish parents	M.	7	5	1				6				1															
	F.	5	5					5																			
German parents	M.	50	36	10	1		1	48	2																		
	F.	47	33	4	1	2		40	2						1	1	1		1				1				
8. Mental diseases:																											
Irish parents	M.	1										1															
	F.																										
German parents	M.	3											1					1		1							
	F.	2																	1	1							
9. Diseases of the brain:																											
Irish parents	M.	10				1		1					2		2	1				1	1	2					
	F.	7									1		1			1	1		2	1							
German parents	M.	27	6	1	1			8	2				1	4	2	2		2		2	1	1	1		1		
	F.	16	2		2	1		5	2			1	1	2				1	3	1							
10. Diseases of the spinal cord:																											
Irish parents	M.	1																1									
	F.	2														1		1									
German parents	M.	6							1	1	1	1							1				1				
	F.	2			1			1	1																		
11. Others of this group:																											
Irish parents	M.																										
	F.	1															1										
German parents	M.	2									1							1									
	F.	2								1										1							
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		184	5	1		2	1	9	5	4	7	7	5	5	9	13	17	25	12	17	20	13	10	5			1
Irish parents	M.	41	1			1		2	1	2	1	3	1	1	1	2	5	4		4	3	2	4	5			
	M.	26		1				1			2	1	1			1	4	5	2		4	3	1				1
German parents	F.	65	1			1	1	3	3	1	2	3	1	4	4	5	4	11	5	8	7	1	3				
	F.	52	3					3	1	1	2		2		4	5	4	5	5	5	6	7	2				
1. Angina pectoris:																											
Irish parents	M.																										
	F.	1														1											
German parents	M.	1																1									
	F.																										
2. Aneurism:																											
Irish parents	M.																										
	F.	1															1										
German parents	M.	1														1											
	F.	1																		1							
3. Diseases of the heart:																											
Irish parents	M.	41	1			1		2	1	2	1	3	1	1	1	2	5	4		4	3	2	4	5			
	F.	23		1				1			2	1	1				2	5	2		4	3	1			1	
German parents	M.	63	1			1	1	3	3	1	2	3	1	4	4	4	4	10	5	8	7	1	3				
	F.	50	2					2	1	1	2		2		4	5	4	5	5	5	5	7	2				
4. Others of this group:																											
Irish parents	M.																										
	F.	1															1										
German parents	M.																										
	F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		808	89	47	39	25	15	215	38	23	33	44	24	20	34	39	47	42	66	40	64	43	27	5	4		
Irish parents	M.	124	7	4	3	3		17	6	3	7	5		5	6	7	13	9	14	7	8	5	12				
	F.	81	5	6			1	12	7	1	6	7	3	3	1	4	3	5	6	1	7	8	5	1	1		
German parents	M.	358	40	22	21	15	9	107	13	9	11	23	12	9	22	8	20	22	32	17	32	12	5	3	1		
	F.	245	37	15	15	7	5	79	12	10	9	9	9	3	5	20	11	6	14	15	17	18	5	1	2		
1. Croup:																											
Irish parents	M.	10	4		1	3		8	2																		
	F.	12	4	3				7	5																		
German parents	M.	48	18	6	11	4	4	43	4	1																	
	F.	40	11	6	8	5	3	33	7																		
2. Laryngitis:																											
Irish parents	M.	1																					1				
	F.																										
German parents	M.																										
	F.	2	1					1								1											
3. Bronchitis:																											
Irish parents	M.	8	1		1			2			1			1			1			1	1	1					
	F.	3	1					1	1									1									
German parents	M.	23	3	4	1	1	1	10						1				1	3	4	4						
	F.	17	7		1			8				1					2		1	2		3					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	89	1	3	1	...	...	5	3	3	6	4	...	4	5	6	10	9	14	6	7	1	6	...	...	...	...
	F.	61	...	3	...	...	1	4	1	1	6	7	2	3	1	4	3	4	4	1	6	8	4	1	1	...	...
German parents	M.	249	17	11	9	9	3	49	8	8	10	21	9	8	19	8	17	19	27	8	24	8	3	2	1	...	...
	F.	168	17	8	4	2	2	33	4	10	9	8	7	3	5	18	9	6	11	11	15	14	3	1	1	...	...
5. Pleurisy:																											
Irish parents	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
German parents	M.	6	...	...	...	...	...	...	...	...	1	1	...	...	1	...	1	...	...	...	...	2	...	...	...	...	...
	F.	5	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	1	...	1	...	...	...	...	...
6. Asthma:																											
Irish parents	M.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	3	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	2	1	2	1	...	...	...
	F.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	1	...	1	...	...
7. Others of this group:																											
Irish parents	M.	8	1	1	...	...	...	2	1	...	...	1	...	...	...	1	...	...	...	...	...	1	2	...	...	...	...
	F.	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1	...	1	...	...	...	...
German parents	M.	23	2	1	...	1	1	5	1	...	...	1	3	...	2	...	2	1	2	3	2	1	...	...	...	...	...
	F.	7	1	1	2	...	...	4	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	...	...	...	...
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		231	59	9	1	2	...	71	6	3	1	5	9	12	13	12	21	9	20	18	11	10	7	1	2	...	...
Irish parents	M.	33	4	...	...	...	...	4	1	1	...	2	3	1	4	1	4	1	2	5	...	1	2	...	1	...	...
	F.	20	4	...	...	...	...	4	1	1	...	...	...	1	1	...	1	3	4	...	1	2	...	...	1	...	...
German parents	M.	104	28	7	1	1	...	37	1	...	1	2	2	6	4	7	11	5	3	6	5	4	4	1	...	...	...
	F.	74	23	2	...	1	...	26	3	1	...	1	4	4	4	4	5	...	6	7	5	3	1	...	...	...	...
1. Dentition:																											
Irish parents	M.	2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	6	4	2	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	8	6	1	...	...	...	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Angina:																											
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
German parents	M.	3	2	...	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Gastritis:																											
Irish parents	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	7	1	1	...	...	...	2	...	...	...	...	...	...	...	1	2	1	1	...	...	...	...	...	...	...	...
	F.	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Other diseases of the stomach:																											
Irish parents	M.	7	...	...	...	...	...	...	1	...	...	1	...	1	1	...	...	...	...	1	...	...	1	...	1	...	...
	F.	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	1	...	...	...	...	...
German parents	M.	7	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	1	1	1	1	...	...	...	...	...
	F.	4	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...
5. Obstruction of the bowels:																											
Irish parents	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	5	1	...	...	...	...	1	...	...	...	...	1	...	...	1	1	...	...	...	...	...	1	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...
6. Hernia:																											
Irish parents	M.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...
	F.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
German parents	M.	7	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	1	...	...	...	1	1	1	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...
7. Other diseases of the bowels:																											
Irish parents	M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	3	1	1	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	4	2	...	...	...	...	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Jaundice:																											
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Inflammation and abscess of the liver:																											
Irish parents	M.	7	1	...	...	...	...	1	...	1	...	...	...	...	2	...	2	...	...	1	...	1	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...
German parents	M.	9	...	1	...	...	...	1	...	...	...	...	...	2	...	2	1	...	1	2	...	...	...	...	...	...	...
	F.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...
10. Other diseases of the liver:																											
Irish parents	M.	6	...	...	...	...	...	...	...	...	...	...	2	...	1	...	1	...	1	1	...	...	...	...	1	...	...
	F.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	10	...	...	...	...	...	...	...	...	...	1	...	...	1	4	3	3	2	1	...	1	...	...	...	...	...
	F.	8	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	2	2	...	...	...	...	...	...	...
11. Peritonitis:																											
Irish parents	M.	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	7	1	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	3	...	1	...	...	...	...	...
	F.	11	...	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	4	1	2	...	...	...	...	...	...
12. Ascites:																											
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	1	...	...	...	...	...
	F.	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...
13. Others of this group:																											
Irish parents	M.	3	1	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	2	...	1	...	1	...	...	...	...
	F.	5	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1	1	...	...	1	...	...	...	...
German parents	M.	28	17	2	...	1	...	20	1	...	1	...	...	...	2	...	1	1	...	3	1	...	...	...	...	...	...
	F.	24	14	1	...	1	...	16	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	62		1				1		1			2	3	1	1	3	3	8	9	11	9	2	3	1		1	
Irish parents M.	23														1		1	2	2	7	5	2	2			1	
Irish parents F.	4											1		2									1				
German parents M.	27											1	2	2		3	1	5	5	3	4			1			
German parents F.	8		1				1		1				1				1	1	2	1							
1. Bright's disease:																											
Irish parents M.	3														1					1		1					
Irish parents F.	2											1		1													
German parents M.	9												1	1		1		2	1	1	2						
German parents F.	2												1					1									
2. Calculus, urinary:																											
Irish parents M.	4																			2	1	1					
Irish parents F.																											
German parents M.	2																	1	1								
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	4																	1			2	1					
Irish parents F.	2													1									1				
German parents M.	8											1	1			1				1	2						
German parents F.	5		1				1		1											2	1						
4. Diseases of the bladder:																											
Irish parents M.	7																1		1	2	1		1			1	
Irish parents F.																											
German parents M.	5															1	1	1						1			
German parents F.	1																1										
5. Others of this group:																											
Irish parents M.	5																	1	1	3							
Irish parents F.																											
German parents M.	3													1				1	1								
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	13										2	2	1	2	1	3	1	1									
Irish parents F.	3													1	1	1											
German parents F.	10										2	2	1	1		2	1	1									
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	1														1												
German parents F.	2										1		1														
5. Others of this group:																											
Irish parents F.	2													1		1											
German parents F.	8										1	2		1		2	1	1									
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	50									3	11	10	11	7	7	1											
Irish parents F.	21									1	4	4	6	4	1	1											
German parents F.	29									2	7	6	5	3	6												
1. Abortion:																											
Irish parents F.	1													1													
German parents F.	2											1		1													
2. Child-birth:																											
Irish parents F.	18									1	4	3	5	3	1	1											
German parents F.	25									1	7	4	5	2	6												
3. Others of this group:																											
Irish parents F.	2											1	1														
German parents F.	2									1		1															
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	12		1				1	1		1	1	2		1			2				3						
Irish parents M.	2									1	1																
Irish parents F.	3		1				1					1									1						
German parents M.	5							1				1					1				2						
German parents F.	2													1			1										
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.	1		1				1																				
German parents. M.	4											1					1				2						
German parents. F.	1													1													

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.	1										1															
	F.	1											1														
German parents	M.																										
	F.	1															1										
3. Diseases of the hip-joint:																											
Irish parents	M.																										
	F.																										
German parents	M.	1							1																		
	F.																										
4. Others of this group:																											
Irish parents	M.	1									1																
	F.	1																				1					
German parents	M.																										
	F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		14	4					4			1		1	1		2	1	1		1	1		1				
Irish parents	M.	2														1					1						
	F.	4	1					1			1					1		1									
German parents	M.	6	3					3					1	1									1				
	F.	2															1			1							
1. Abscess:																											
Irish parents	M.	2														1					1						
	F.	3									1					1		1									
German parents	M.	3	2					2						1													
	F.	1																		1							
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.	3	1					1					1										1				
	F.	1															1										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1																		1							
Irish parents	M.																										
	F.																										
German parents	M.	1																		1							
	F.																										
1. Addison's disease:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																		1							
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		299	11	3	9	4	6	33	15	18	32	36	11	19	18	18	13	23	21	13	13	4	5	4	2		1
Irish parents	M.	76			2		1	3	3	5	12	12	3	3	2	5	1	6	6	5	6		2	1	1		
	F.	9	1	1		1		3		1		2		1		1									1		
German parents	M.	166	6		6	1	3	16	7	8	15	19	4	14	13	11	11	16	14	5	6	3	2	1			1
	F.	48	4	2	1	2	2	11	5	4	5	3	4	1	3	1	1	1	1	3	1	1	1	2			
1. Burns and scalds:																											
Irish parents	M.	2			1			1			1																
	F.	2	1	1				2																			
German parents	M.	8			4	1	2	7				1												1			
	F.	14				1	1	2	5	3	2	1															
2. Drowned:																											
Irish parents	M.	10							1	4	2	1		1				1									
	F.	3				1		1				1													1		
German parents	M.	21			2			2	3	5	2	3		2				1	2	1							
	F.	5	1	1				2			1		1							1							
3. Exposure and neglect:																											
Irish parents	M.	3														1					1		1				
	F.																					1					
German parents	M.	1																									
	F.	1		1				1																			
4. Gunshot wounds:																											
Irish parents	M.	2													1				1								
	F.																										
German parents	M.	10							1		1	4	1	2	1												
	F.	1										1															

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	1											1														
	F.																										
German parents	M.	5									1			1	1	1			1								
	F.	2											1											1			
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.	1	1					1																			
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																		1							
	F.																										
8. Railroad accidents:																											
Irish parents	M.	18									3	6	1		1	2		2	2				1				
	F.																										
German parents	M.	13										2			1	1	4	5									
	F.																										
9. Suffocation:																											
Irish parents	M.	1														1											
	F.																										
German parents	M.	5	3					3						1				1									
	F.	1														1											
10. Suicide by shooting:																											
Irish parents	M.																										
	F.																										
German parents	M.	7											1	1	3		1						1				
	F.																										
11. Suicide by drowning:																											
Irish parents	M.																										
	F.																										
German parents	M.	2									1										1						
	F.	1																			1						
12. Suicide by poison:																											
Irish parents	M.																										
	F.	1														1											
German parents	M.	7												1	1	1					1	1					1
	F.	2										1			1												
13. Other suicides:																											
Irish parents	M.	1																			1						
	F.																										
German parents	M.	12														2	1	2	5		2						
	F.	2									1									1							
14. Sunstroke:																											
Irish parents	M.	2										1		1													
	F.																										
German parents	M.	4	1					1				1			1			1									
	F.																										
15. Surgical operations:																											
Irish parents	M.																										
	F.																										
German parents	M.	3							1			1							1								
	F.																										
16. Wounds:																											
Irish parents	M.	3									1	1	1														
	F.																										
German parents	M.	1														1											
	F.	1											1														
17. Others of this group:																											
Irish parents	M.	33			1		1	2	2	1	5	3		1		1	1	3	3	5	4			1	1			
	F.	3								1		1		1													
German parents	M.	65	1				1	2	2	3	10	7	2	5	5	5	5	6	6	2	2	1	1	1			
	F.	18	3		1	1	1	6		1	1		1	1	2		1	1	1	1		1		1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		9584	1565	492	300	242	200	2799	708	360	412	506	401	326	348	326	381	456	429	444	472	402	343	280	106	42	25	12
Total: Irish parents	M.	1859	158	54	41	28	33	314	82	55	89	109	75	71	63	83	99	127	128	144	119	102	92	55	31	12	8	1
	F.	1538	146	64	49	32	18	309	96	62	94	113	84	67	70	69	65	71	67	66	78	77	48	60	17	15	10	....
German parents	M.	3329	703	212	113	99	81	1208	265	124	117	141	110	77	102	88	131	162	135	147	145	129	104	98	35	6	4	6
	F.	2858	558	162	97	83	68	968	265	125	112	143	132	111	113	86	86	96	99	87	130	94	99	72	23	9	3	5
Unknown causes.																												
Total		255	118	20	8	4	....	150	5	2	....	3	4	5	4	6	5	5	15	6	12	8	14	5	....	....	2	4
Irish parents	M.	28	6	2	1	1	....	10	....	....	....	....	1	....	....	2	1	1	3	2	1	....	5	....	....	....	2	....
	F.	31	14	1	2	1	....	18	1	....	....	2	1	1	1	2	1	1	....	1	....	1	1	....	....	....	....	....
German parents	M.	111	54	13	2	....	....	69	3	1	....	1	1	3	2	1	3	2	6	1	5	6	4	2	....	....	....	1
	F.	85	44	4	3	2	....	53	1	1	....	....	1	1	1	1	....	1	6	2	6	1	4	3	....	....	....	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2997	548	287	175	170	150	1330	532	244	175	131	76	52	68	48	55	49	53	49	52	35	28	12	6	....	2	....
Irish parents	M.	431	65	30	27	20	24	166	54	34	33	23	9	9	6	7	9	12	14	16	15	10	8	4	1	....	1	....
	F.	455	55	43	31	24	13	166	75	46	35	28	16	10	12	12	9	11	7	7	8	7	4	2	....	....	....	....
German parents	M.	1073	226	114	63	72	66	541	197	72	52	42	19	11	16	9	23	12	24	14	14	11	9	4	2	....	1	....
	F.	1038	202	100	54	54	47	457	206	92	55	38	32	22	34	20	14	14	8	12	15	7	7	2	3	....	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	14	3	1	....	....	....	4	1	1	6	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	2	1	1	1	....	5	4	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	30	9	4	4	3	1	21	3	....	3	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	41	14	5	....	1	2	22	4	5	5	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	34	5	....	2	4	4	15	11	4	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	54	6	6	6	5	4	27	15	6	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	86	11	17	9	11	5	53	24	7	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	73	6	8	7	9	5	35	29	7	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	141	8	9	17	12	20	66	37	25	8	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....
	F.	126	8	11	8	13	8	48	44	23	6	2	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	416	41	31	31	45	57	205	137	48	16	6	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	410	25	34	32	37	35	163	151	65	20	8	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	3	1	2	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	30	17	6	2	3	....	28	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	20	6	1	3	....	30	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	12	7	....	2	....	....	9	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....
	F.	6	1	....	....	....	....	1	....	1	....	1	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....
German parents	M.	14	5	2	1	....	1	9	2	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	2	1	....	1	1	5	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	55	....	....	....	1	....	1	2	....	7	12	3	6	3	2	3	4	4	4	3	....	1	....	....	....	....	....	....
	F.	59	1	....	1	1	....	3	4	5	10	11	4	3	3	1	3	1	4	2	2	2	1	....	....	....	....	....	....
German parents	M.	118	5	3	2	2	....	12	15	5	21	21	11	6	6	2	8	1	6	....	3	....	1	....	....	....	....	....	....
	F.	106	5	2	....	....	2	9	10	5	21	13	6	8	9	8	5	4	2	3	2	....	1	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	21	6	1	....	....	....	7	....	....	....	....	1	....	....	2	....	....	1	1	2	3	2	1	....	....	1	....	....
	F.	15	5	4	....	....	....	9	....	1	1	....	....	1	....	1	....	....	....	....	....	2	....	....	....	....	....	....	....
German parents	M.	56	31	10	3	....	....	44	....	....	....	....	1	1	....	1	2	....	2	2	....	1	1	....	....	....	1	....	....
	F.	40	27	8	2	....	....	37	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	17	5	3	....	1	....	9	....	1	....	1	....	....	....	1	....	1	1	....	1	....	1	1	....	....	....	....	....
	F.	13	1	1	....	....	....	2	....	....	2	2	....	....	1	....	2	1	....	3	....	....	....	....	....	....	....	....	....
German parents	M.	37	15	5	2	4	....	26	....	1	....	....	....	....	....	....	2	1	2	1	2	2	....	....	....	....	....	....	....
	F.	46	24	6	4	....	1	35	....	....	....	....	1	....	....	....	....	2	1	1	3	2	....	....	1	....	....	....	....
11. Enteritis:																												
Irish parents	M.	33	6	1	1	....	....	8	....	1	1	4	2	1	1	1	2	2	1	4	....	2	2	1	....	....	....	....	....
	F.	38	4	1	2	1	1	9	2	3	3	3	2	3	1	3	2	3	....	1	3	....	....	....	....	....	....	....	....
German parents	M.	70	10	5	2	1	1	19	4	7	5	8	1	....	1	2	4	3	5	6	1	1	2	1	....	....	....	....	....
	F.	50	14	6	2	1	....	23	2	2	1	....	2	1	1	3	1	3	2	4	2	4	4	1	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	11	1	....	1	....	....	2	....	....	....	....	1	....	....	....	1	1	2	....	2	1	....	....	1	....	....	....	....
	F.	7	1	....	....	....	....	1	....	....	1	....	....	....	....	1	....	1	....	....	2	1	....	....	....	....	....	....	....
German parents	M.	22	8	1	....	....	....	9	2	....	....	....	....	....	....	1	....	1	2	1	2	1	2	1	....	....	....	....	....
	F.	15	6	3	....	....	....	9	....	1	....	....	....	....	....	....	....	1	1	1	2	....	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	45	25	13	5	2	....	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	46	19	16	8	3	....	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	82	52	26	4	....	....	82	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	71	48	18	4	1	....	71	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	42	1	1	1	....	....	3	3	....	4	3	1	2	1	....	3	3	3	4	6	3	2	1	....	....	....	....	....
	F.	36	3	2	1	....	....	6	2	6	4	2	1	1	3	1	....	2	3	....	....	1	2	2	....	....	....	....	....
German parents	M.	55	7	2	1	3	1	14	5	2	2	1	2	....	4	4	2	4	3	1	3	4	1	....	....	....	....	....	....
	F.	58	6	3	2	....	....	11	4	3	4	2	1	2	4	2	6	2	1	1	4	....	2	....	1	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	6	1					1			1								2	1	1						
	F.	10	2		2			4	3	2	2		1				1	2				1					
German parents	M.	28	6	2				8			4		1	1	2		2	1	3	3				1	2		
	F.	10	3			1	1	5	1				1		1		1			1							
16. Septicæmia:																											
Irish parents	M.	2								1										1							
	F.	3										1			1		1										
German parents	M.	6							2					1			1				1	1					
	F.	9											1	1	3										1		
17. Puerperal septicæmia:																											
Irish parents	F.	17									1	4	4	1	2	5											
German parents	F.	53									3	9	13	7	15	5	1										
18. Venereal diseases:																											
Irish parents	M.																										
	F.	1																		1							
German parents	M.	2	1					1									1										
	F.																										
19. Others of this group:																											
Irish parents	M.	3								1	1											1					
	F.	2											1			1											
German parents	M.	8							2			2			1			1			1	1					
	F.	8	1					1		1	1	1	1							1	1			1			
General diseases—B.																											
Total		108	38	6	2	4	1	51	3	2		3	3	1	4	5	8	11	5	5	2	3	1	1			
Irish parents	M.	29	5				1	6					1	1	2	5	4	4	2	2	1		1				
	F.	14	7					7	1				1					2	1	1		1					
German parents	M.	46	16	3	1	4		24	1	1		3	1		2		4	3	2	2	1	1		1			
	F.	19	10	3	1			14	1	1								2				1					
1. Worms:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.	1	1					1																			
	F.	2	1		1			2																			
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	18											1	1	2	5	3	2	2		1		1				
	F.	4											1						1	1		1					
German parents	M.	8													1		2	1	2	2							
	F.	1																				1					
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.	6					1	1									1	2		2							
	F.	4	1					1	1									2									
German parents	M.	22	1	3	1	4		9	1	1		3	1		1		2	2			1			1			
	F.	7	1	2				3	1	1								2									
6. Inanition:																											
Irish parents	M.	5	5					5																			
	F.	5	5					5																			
German parents	M.	15	14					14														1					
	F.	9	8	1				9																			
General diseases—C.																											
Total		694	251	2	1	1		255						2	1	3	1	3	1	16	21	68	84	135	52	35	17
Irish parents	M.	121	30			1		31							1	1	1	1	1	4	4	12	15	20	16	9	5
	F.	105	16					16												3	3	15	7	28	11	14	8
German parents	M.	257	125	2	1			128						1				2		1	3	25	33	43	16	4	1
	F.	211	80					80						1		2				8	11	10	29	44	9	8	3
1. Premature birth:																											
Irish parents	M.	2	2					2																			
	F.	2	2					2																			
German parents	M.	30	30					30																			
	F.	14	14					14																			
2. Stillborn:																											
Irish parents	M.	24	24					24																			
	F.	12	12					12																			
German parents	M.	81	81					81																			
	F.	52	52					52																			
3. Malformation:																											
Irish parents	M.	3	2			1		3																			
	F.																										
German parents	M.	2	2					2																			
	F.	4	4					4																			
4. Debility:																											
Irish parents	M.	29	2					2							1	1	1	1	1	4	1	6	3	5	2		1
	F.	18	2					2												2	1	4	3	5	1		
German parents	M.	46	12	2	1			15						1				2		1	2	8	7	8	2		
	F.	30	10					10						1		2				3	5	2	2	4	1		
5. Old age:																											
Irish parents	M.	62																			3	6	12	14	14	9	4
	F.	73																		1	2	11	4	23	10	14	8
German parents	M.	98																			1	17	26	35	14	4	1
	F.	111																		5	6	14	27	40	8	8	3

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.	1																						1			
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total		1574	42	8	5	2	1	58	23	33	76	158	148	84	88	83	113	162	122	116	111	87	68	33	11		
Irish parents	M.	351	4					4	3	5	16	29	27	20	14	18	24	39	31	38	30	27	18	6	2		
	F.	342	7	1	3			11	2	4	29	40	38	18	29	20	24	25	21	16	22	17	12	6	2		
German parents	M.	427	14	3		2		19	10	14	12	33	34	18	20	25	32	57	31	35	29	24	17	11	6		
	F.	454	17	4	2		1	24	8	10	19	50	49	28	25	20	33	41	39	27	30	19	21	10	1		
1. Rheumatism:																											
Irish parents	M.	24								2	1	1				2		4	3	3	4		3	1			
	F.	17								1		2	1	1		1	1			2	2	5			1		
German parents	M.	16							1	5	1	1			1	1	1	1		1			2	1			
	F.	17								2	1	1	1				1	1	2	3	2	2		1			
2. Scrofula and tabes:																											
Irish parents	M.	7	2					2			1	2					1							1			
	F.	3																1				1		1			
German parents	M.	9	4	1		1		6		1			1					1									
	F.	6	2	1				3			1							1	1								
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	235	1					1		2	11	22	24	18	12	13	20	26	18	23	16	17	9	2	1		
	F.	233	5		2			7	2	1	26	40	32	16	21	12	8	17	13	7	11	9	7	4			
German parents	M.	244	5	1				6	2	5	8	32	25	15	13	17	21	28	18	21	7	10	7	2	1		
	F.	244	8	2	1		1	12	4	5	13	46	43	20	18	9	10	14	21	5	6	4	8				
5. Hydrocephalus:																											
Irish parents	M.	4	1					1	2											1							
	F.	4	1	1	1			3								1											
German parents	M.	7	3	1				4	1	1						1											
	F.	7	4					4	3																		
6. Cancer:																											
Irish parents	M.	32										1	1	1	2	1	4	6	6	4	3	1	1	1			
	F.	37									1	1	1		4	3	10	3	5	4	3		2				
German parents	M.	74	1			1		2		1			4	2	3	3	9	19	8	3	12	2	2	3	1		
	F.	65	1					1			1	2	1		4	5	8	12	6	9	4	6	3	2	1		
7. Tumor:																											
Irish parents	M.	5								1	1					1				1		1					
	F.	10													2		3	1	1	1	2						
German parents	M.	2													1	1											
	F.	13	1	1				2						1			3	2	1		3	1					
8. Anæmia:																											
Irish parents	M.	1																1									
	F.																										
German parents	M.																										
	F.	2	1					1		1																	
9. Dropsy:																											
Irish parents	M.	35							1		1	3	2		1		1	4	4	2	5	6	4	1			
	F.	30	1					1		2	1	3	3	1		1	2	1	2	2	4	2	3	1	1		
German parents	M.	68	1					1	6	1	2		3	1	2	2	1	8	4	9	10	4	6	4	4		
	F.	97			1			1	1	1	3	1	4	5	3	6	5	11	8	10	15	6	10	7			
10. Glycosuria:																											
Irish parents	M.	8									1	1		1			1			2	1		1				
	F.	8									1		1			2	2	2									
German parents	M.	7									1		1						1	1		2		1			
	F.	2								1					1												
11. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.														1												
	F.	1																									
12. Others of this class:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		801	206	57	22	13	10	308	33	14	22	30	24	22	28	15	26	25	37	39	53	40	44	26	9	4	1	1
Irish parents	M.	153	22	9	5	2	1	39	4	1	3	9	4	3	5	4	6	6	11	13	10	11	12	6	4	2		
	F	118	14	7	4	1	1	27	1	3	4	6	6	5	4	5	3	7	7	5	13	4	7	9	1	1		
German parents	M.	296	99	29	5	7	5	145	11	7	5	7	5	6	10	4	10	9	9	17	18	11	10	8	1	1	1	1
	F.	234	71	12	8	3	3	97	17	3	10	8	9	8	9	2	7	3	10	4	12	14	15	3	3			
1. Inflammation of the brain:																											
Irish parents	M.	19	5	3	4			12				3	2					1					1				
	F.	18	4	2	2	1		9	1	1	2	1			1			1		1	1						
German parents	M.	62	19	13	4	6	3	45	4	2	2	2		1					2	2	2						
	F.	35	9	4	6	1	2	22	5		3			4					1								
2. Meningitis:																											
Irish parents	M.	9	1	2	1	1		5			1	1		1	1												
	F.	4	2	1				3				1															
German parents	M.	17	8	2				10	2	1				1	1		1	1									
	F.	10	8	1				9	2			1	2		1				1								
3. Apoplexy:																											
Irish parents	M.	18									1			1		1	1		2	2	4	2	1	2	1		
	F.	14									1		1	1	1			1	1	2	2				1		
German parents	M.	32	1	1				2			1				1	2	1	3	3	3	5	3	2	1			
	F.	22	1					1				1			1	2			1	5	1	7	2	1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	41									1				1	1	2	4	4	3	3	6	8	3	3	2	
	F.	29												1		2			3	3	6	2	6	5		1	
German parents	M.	49		2		1		3			1	1			3	1	2	2	3	8	8	7	3	5		1	1
	F.	46	1					1	1	1		2					4	1	3	2	5	10	11	2	2		
5. Tetanus and trismus nascentium:																											
Irish parents	M.	6					1	1	1			1		1	1				1								
	F.																										
German parents	M.	4	1					1		1			1		1												
	F.	2							1						1												
6. Epilepsy:																											
Irish parents	M.	2														1		1									
	F.	5									1		1	1			1	1									
German parents	M.	9	3	1				4			1		1	1								1		1			
	F.	8	2					2	1	1			3		1												
7. Convulsions:																											
Irish parents	M.	20	12	4				16	2		1									1							
	F.	11	7	1	1		1	10		1																	
German parents	M.	75	58	8	1		1	68	2					2					1				1				1
	F.	63	44	5	2	1		52	3		2	2	2	1									1				
8. Mental diseases:																											
Irish parents	M.	6											1	1	2		1			1							
	F.	12									1	1	1	1		2	1		2	1	1			1			
German parents	M.	7										1	3				1			1		1					
	F.	9										1		2	3	1	1	1									
9. Diseases of the brain:																											
Irish parents	M.	21	2			1		3				2				1	2		3	4	2	2	1	1			
	F.	13	1	1	1			3				1	2			1			1		3		1	1			
German parents	M.	29	8	2			1	11	2	1	1	2			1	2	2	2		1	2		2				
	F.	19	5	2				7	4		2					1	1			1		1	1	1			
10. Diseases of the spinal cord:																											
Irish parents	M.	3	2					2	1																		
	F.	4		1				1				1		1										1			
German parents	M.	5							1			1			1		1			1							
	F.	4				1	1	2		1												1					
11. Others of this group:																											
Irish parents	M.	8										2							1	2	1	1	1				
	F.	8		1				1					1			1	4							1			
German parents	M.	7	1					1		1					1		1		1	1		1					
	F.	10	1					1			2	3			1		1					1		1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		371	25	2			2	29	2	8	12	16	10	10	14	20	21	34	41	45	33	28	22	10	7		
Irish parents	M.	85	3					3	2	2	1	2	3	7	2	3	5	6	14	7	6	9	6	3	4		
	F.	73	2	1				3		2	3	5	2	3	3	5	4	6	6	10	6	8	6	1			
German parents	M.	119	11	1				12		4	1	3	4	5	6	8	8	11	12	16	14	4	6	3	2		
	F.	94	9				2	11			7	6	1	4	3	4	4	11	9	12	7	7	4	3	1		
1. Angina pectoris:																											
Irish parents	M.																										
	F.	2																	1				1				
German parents	M.	3															1			2							
	F.	1																					1				
2. Aneurism:																											
Irish parents	M.	1																	1								
	F.	1														1											
German parents	M.	2																	1		1						
	F.	1																						1			
3. Diseases of the heart:																											
Irish parents	M.	83	2					2	2	2	1	2	3	7	2	3	5	6	13	7	6	9	6	3	4		
	F.	66	1					1		2	3	5	2	3	2	4	4	6	5	10	6	7	5	1			
German parents	M.	106	3	1				4		4	1	3	4	5	6	8	7	11	11	14	13	4	6	3	2		
	F.	88	5				2	7			7	6	1	4	3	4	4	11	9	12	7	7	3	3			
4. Others of this group:																											
Irish parents	M.	1	1					1																			
	F.	4	1	1				2							1							1					
German parents	M.	8	8					8																			
	F.	4	4					4																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		1206	161	62	56	34	24	337	61	22	48	57	50	43	51	58	71	82	78	79	101	78	33	31	9	1	2	4
Irish parents	M.	304	14	7	7	4	6	38	10	5	14	12	9	8	14	22	27	30	21	27	29	19	8	9	1			1
	F.	222	23	9	6	4	2	44	9	3	11	13	5	8	10	11	12	11	17	15	17	18	6	10		2		
German parents	M.	451	67	26	26	8	8	135	24	6	17	22	21	16	18	15	19	32	23	29	28	22	9	8	5			2
	F.	319	57	20	17	18	8	120	18	8	6	10	15	11	9	10	13	9	17	8	27	19	10	4	3	1		1
1. Croup:																											
Irish parents	M.	29	4	4	5	4	5	22	4	1		1			1												
	F.	20	10	3	1	2	1	17	3																		
German parents	M.	78	30	13	14	4	2	63	15																		
	F.	71	23	11	9	12	3	58	8	3		1											1				
2. Laryngitis:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																					1				
	F.	1								1																	
3. Bronchitis:																											
Irish parents	M.	13	1	1				2				1			2		1	2			3	2					
	F.	14	1		1			2			1	2			1		2		1	1	2	2					
German parents	M.	15	5	3				8					1					2		1	1	2					
	F.	26	4	2	2	2	2	12	1			1	2	1	3				1	1	2	1	1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	215	9	2			1	12	4	3	14	9	9	7	9	21	22	23	14	22	21	8	7	8	1		1
	F.	151	10	6	4	1	1	22	5	3	8	11	5	7	7	9	9	10	13	10	12	11	3	5		1	
German parents	M.	303	28	10	12	3	5	58	8	6	16	20	18	15	17	12	15	27	20	21	23	10	5	7	1		1
	F.	175	25	6	6	4	3	44	8	3	4	6	9	10	5	10	9	8	12	3	18	13	8	2	3		
5. Pleurisy:																											
Irish parents	M.	4															1			1		2					
	F.	4									1						1				1			1			
German parents	M.	3											1				1		1								
	F.	5											2				1			1		1					
6. Asthma:																											
Irish parents	M.	17													1			3	2	3	3	4	1				
	F.	12												1	1				2	2		3	2	1			
German parents	M.	18	1					1							1	1		1			3	4	6		1		
	F.	12							1		1								3	2	3	2					
7. Others of this group:																											
Irish parents	M.	26			2			2	2	1		1		1	1	1	3	2	5	1	2	3		1			
	F.	21	2			1		3	1		1				1	2		1	1	2	2	2	1	3		1	
German parents	M.	33	3			1	1	5	1		1	2	1	1		2	3	2	2	4		4	3		1		1
	F.	29	5	1				6		1	1	2	2		1		3	1	1	1	4	2		2		1	1
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		528	135	26	8	5	5	179	14	10	14	6	19	18	22	20	25	33	31	32	42	27	16	13	4	1	2
Irish parents	M.	99	6	1				7	2	1	4	2	3	6	4	5	6	8	12	12	9	10	6	2			
	F.	66	4	2	1	1	1	9	2	2	4	1	4	2	2	3	5	4	6	5	8	2	2	3	2		
German parents	M.	197	72	15	2	1	1	91	5	4	1	2	9	2	8	7	10	12	7	7	11	8	4	6		1	2
	F.	166	53	8	5	3	3	72	5	3	5	1	3	8	0	5	4	9	6	8	14	7	4	2	2		
1. Dentition:																											
Irish parents	M.	1		1				1																			
	F.	5	2	2	1			5																			
German parents	M.	23	12	10	1			23																			
	F.	12	7	5				12																			
2. Angina:																											
Irish parents	M.	1							1																		
	F.	2									1														1		
German parents	M.	4	1					1		1									1		1						
	F.	7	2			1		3	1					1				1	1								
3. Gastritis:																											
Irish parents	M.	1																			1						
	F.	2															1				1						
German parents	M.	6		1	1			2						1				1		1		1					
	F.	4	2					2							1				1								
4. Other diseases of the stomach:																											
Irish parents	M.	24							1		1		1	3	2		1	2	4	3	1	4	1				
	F.	10							1		1		3			1		1			2				1		
German parents	M.	21	4	1			1	6	1				2		2		3		1	2	1	1			1		1
	F.	21	5		1		1	7	2		1		1	1				2	1	2	5		1				
5. Obstruction of the bowels:																											
Irish parents	M.	7										1		1				1	1	1	1	1					
	F.	1									1																
German parents	M.	4								1											1	1		1			
	F.	7				1		1		1						1	1		1		2						
6. Hernia:																											
Irish parents	M.	3																1		1	1						
	F.	3								1				1							1						
German parents	M.	9	2					2	1							1		1	2			1		1			
	F.	14	2		1			3			1		1		1	1		1		2		3		1			
7. Other diseases of the bowels:																											
Irish parents	M.	3	1					1						1				1									
	F.	8	1			1		2							1				2		1	1		1			
German parents	M.	13	4					4			1	1	2		1	2		1			1						
	F.	13	4	1	1			6		2							1	1			2				1		
8. Jaundice:																											
Irish parents	M.	6	1					1										1	1		2			1			
	F.	1																1									
German parents	M.	4															1			1			1				
	F.	3	1				1	2													1						
9. Inflammation and abscess of the liver:																											
Irish parents	M.	3									1					2											
	F.	7								1							1		2	2		1		1			
German parents	M.	9							1				1			1	3	1			1						
	F.	7												1	1	1		1		1		1			1		
10. Other diseases of the liver:																											
Irish parents	M.	30									2			1	2	3	2	1	5	5	3	3	2	1			
	F.	12							1			1	1	1				1	1	1	2		2	1			
German parents	M.	22	2					2						1	2	1	1	4	2	2	5	2					
	F.	12	1		1	1		3				1		1			1	1	1	1	1	2					
11. Peritonitis:																											
Irish parents	M.	5								1		1	1				1	1									
	F.	5					1	1			1				1	1	1										
German parents	M.	11							1	2		1	1		2	1		2					1	1			
	F.	16									3		1	4	2	1		1			2		1	1			
12. Ascites:																											
Irish parents	M.	3																				2	1				
	F.	6														1	2		1	1	1						
German parents	M.	3															1	1			1						
	F.	8							1								2	1			2	1	1				
13. Others of this group:																											
Irish parents	M.	12	4					4					1				2		1	2			2				
	F.	4	1					1										1		1		1					
German parents	M.	68	47	3		1		51	1				3		1		1	1	1	1	1	1	3	3			
	F.	42	29	2	1		1	33	1						2	1			1	2	1		1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total		164	4	1	2			7	4		5	4	5	4	3	6	5	18	13	16	22	15	20	9	7		1	
Irish parents	M.	49		1	1			2			2		2		1	1	1	6	3	8	6	2	10	2	3			
	F.	14							1			1	1			2	2	1	1		1	2	1		1			
German parents	M.	76	2					2	2		3	2		3		3	1	9	7	7	10	11	7	6	2		1	
	F.	25	2		1			3	1			1	2	1	2		1	2	2	1	5		2	1	1			
1. Bright's disease:																												
Irish parents	M.	15									2		1		1	1		4	2	3	1							
	F.	6										1	1			1	1					2						
German parents	M.	21							1		1	1		1		1		5	3	1	5	1	1					
	F.	7	1					1	1				2					1			2							
2. Calculus, urinary:																												
Irish parents	M.	10																		2	1	1	3	2	1			
	F.																											
German parents	M.	13														2		1	1	2	2	1	2	1	1			
	F.																											
3. Diseases of the kidney:																												
Irish parents	M.	14		1				1					1				1	1	1	1	2	1	5					
	F.	3							1							1	1	1		1			1		1			
German parents	M.	24							1		2			2				3	3	2	2	4	1	4				
	F.	14	1		1			2				1		1			1		2	1	2		2	1	1			
4. Diseases of the bladder:																												
Irish parents	M.	5																		1	2		1		1			
	F.																											
German parents	M.	11										1					1			1	1	5	1		1			
	F.	3													1			1			1							
5. Others of this group:																												
Irish parents	M.	5			1			1										1		1			1		1			
	F.																											
German parents	M.	7	2					2												1			2	1			1	
	F.	1													1													
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																												
Total		35								1	2	9		2	4	7	7	2			1							
Irish parents	F.	12									2	2		1	1	1	4	1										
German parents	F.	23								1		7		1	3	6	3	1			1							
1. Ovarian tumors:																												
Irish parents	F.	1															1											
German parents	F.	4										2						1			1							
2. Ovarian diseases:																												
Irish parents	F.																											
German parents	F.	1														1												
3. Uterine tumors:																												
Irish parents	F.	1															1											
German parents	F.																											
4. Uterine diseases:																												
Irish parents	F.																											
German parents	F.	7										2			1	1												
5. Others of this group:																												
Irish parents	F.	10									2	2		1	1	1	2	1										
German parents	F.	11								1		3		1	2	1	3											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																												
Total		136									5	23	26	35	24	19	4											
Irish parents	F.	40									1	6	8	15	5	5												
German parents	F.	96									4	17	18	20	19	14	4											
1. Abortion:																												
Irish parents	F.	2												2														
German parents	F.	5											2	1	1	1												
2. Child-birth:																												
Irish parents	F.	30									1	5	5	10	4	5												
German parents	F.	85									4	15	15	18	16	13	4											
3. Others of this group:																												
Irish parents	F.	8										1	3	3	1													
German parents	F.	6										2	1	1	2													
IX.—DISEASES OF THE BONES AND JOINTS.																												
Total		31	5	3	1			9	1	3	3	1	2	2	2	1	2		1		2	2						
Irish parents	M.	4												2	1		1											
	F.	4								1	1	1			1													
German parents	M.	13	3	1	1			5		1	1		1			1			1		2	1						
	F.	10	2	2				4	1	1	1		1				1					1						
1. Diseases of the spine:																												
Irish parents	M.	2													1		1											
	F.	4								1	1	1			1													
German parents	M.	0	3	1	1			5					1															
	F.	10	2	2				4	1	1	1		1				1					1						

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.	2												2													
	F.																										
German parents	M.	6									1					1			1		2	1					
	F.																										
3. Diseases of the hip-joint:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1								1																	
	F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		14									1	3		1		2		1	1	2	1	2					
Irish parents	M.	2										1							1								
	F.	6									1			1		1				2		1					
German parents	M.	3														1		1				1					
	F.	3										2									1						
1. Abscess:																											
Irish parents	M.	2										1							1								
	F.	5									1			1		1				1		1					
German parents	M.	3														1		1				1					
	F.	2										2															
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1																			1						
3. Others of this group:																											
Irish parents	M.																										
	F.	1																		1							
German parents	M.																										
	F.																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		4													1	1		1			1						
Irish parents	M.	1																			1						
	F.																										
German parents	M.	3													1	1		1									
	F.																										
1. Addison's disease:																											
Irish parents	M.																										
	F.																	1									
German parents	M.	1																									
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.	1																			1						
	F.																										
German parents	M.	2													1	1											
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		576	32	18	20	9	7	86	30	27	49	62	34	36	34	32	38	30	31	39	18	9	13	5	1	1	1
Irish parents	M.	202	3	4			1	8	7	7	16	31	16	15	13	15	14	14	15	15	7	2	3	3		1	
	F.	36	4		2	1	1	8	4	1	3	2	2	3	2	2	1	2	1	1		1	2	1			
German parents	M.	257	14	5	12	5	1	37	12	14	25	26	15	12	19	13	21	11	13	18	10	4	5	1	1		
	F.	81	11	9	6	3	4	33	7	5	5	3	1	6		2	2	3	2	5	1	2	3				1
1. Burns and scalds:																											
Irish parents	M.	4		2				2						1			1					1					
	F.	4			1	1		2	1																		
German parents	M.	20	4	2	5	3	1	15	1			1			1		2						1				
	F.	31	3	7	5	2	4	21	4		1	2		1						1							
2. Drowned:																											
Irish parents	M.	15		1				1	2	3	3	2				2	2										
	F.	3			1			1						1	1												
German parents	M.	44	1		5	1		7	7	2	5	5	3	2		1	2	1	2		1						
	F.	8		1	1			2	2	2	1									1							
3. Exposure and neglect:																											
Irish parents	M.	4												1				1		2				1			
	F.	4	1					1			1							1					1				
German parents	M.	3	1					1													1	1					
	F.	4	2					2																			
4. Gunshot wounds:																											
Irish parents	M.	15							1		1	2	2	4	3	1		1									
	F.																										
German parents	M.	10							1		1	2	1	1	2	1				1							
	F.	4								1	2	1															

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	2										1							1								
	F.	1														1											
German parents	M.	9										1	1	2	2		1	1		1							
	F.																										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
8. Railroad accidents:																											
Irish parents	M.	21									3	5	4	2	1	1	3		1	1							
	F.	1																					1				
German parents	M.	8									1	3		1		1	1	1									
	F.	2																		1			1				
9. Suffocation:																											
Irish parents	M.	4	1	1				2								1			1								
	F.	4	2					2	1					1													
German parents	M.	9	6	1				7							1		1										
	F.	5	3			1		4																			1
10. Suicide by shooting:																											
Irish parents	M.	3														1	1			1							
	F.																										
German parents	M.	6										1	1	1	1			1	1								
	F.																										
11. Suicide by drowning:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
12. Suicide by poison:																											
Irish parents	M.	4														1			2	1							
	F.	1													1												
German parents	M.	2																1	1								
	F.	1														1											
13. Other suicides:																											
Irish parents	M.	2												1			1										
	F.	1										1															
German parents	M.	16										1	1		1	1	2	2	1	4	1		1	1			
	F.	4												1		2			1								
14. Sunstroke:																											
Irish parents	M.	5								1		2				1	1										
	F.	1																1									
German parents	M.	3											3										1				
	F.	1																	1								
15. Surgical operations:																											
Irish parents	M.																										
	F.	1					1	1																			
German parents	M.	2			1			1				1															
	F.	2									1								1								
16. Wounds:																											
Irish parents	M.	5	1					1				1				1	1			1							
	F.	1										1															
German parents	M.	2										1								1							
	F.																										
17. Others of this group:																											
Irish parents	M.	118	1				1	2	4	3	9	10	9	7	8	7	4	11	12	9	5	2	3	3		1		
	F.	14	1					1	2	1	2	1	1	1		1	1		1	1			1					
German parents	M.	123	2	2	1	1		6	3	6	18	11	5	5	11	9	12	5	8	10	8	3	2		1			
	F.	19	3	1				4	1	2			1	4			1	3		1		1	1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1572	248	84	68	46	33	479	113	61	67	80	75	79	74	64	71	76	63	63	60	64	44	27	8	1	1	2
Total: Irish parents	M.	227	28	2	9	...	1	40	12	11	14	9	13	15	12	16	15	13	5	15	12	12	5	6	2	...	...	...
	F.	178	21	6	7	4	2	40	21	7	12	9	15	10	6	3	7	9	6	4	9	8	4	6	...	1	...	1
German parents	M.	641	111	48	26	16	14	215	44	26	18	34	24	27	26	25	29	34	34	24	22	26	21	9	2	...	...	1
	F.	526	88	28	26	26	16	184	36	17	23	28	23	27	30	20	20	20	18	20	17	18	14	6	4	...	1	...
Unknown causes.																												
Total		45	17	2	...	2	...	21	1	...	1	2	...	1	2	...	2	1	1	2	2	2	3	2	...	...	...	2
Irish parents	M.	8	4	...	...	...	...	4	...	...	...	...	...	...	1	...	...	...	...	2	...	...	1	...	...	...	...	...
	F.	6	1	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	1
German parents	M.	21	9	...	...	2	...	11	1	...	...	...	...	1	...	...	1	1	1	...	1	2	1	...	...	...	...	1
	F.	10	3	2	...	...	...	5	...	...	1	1	...	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		516	97	49	31	29	26	232	80	34	24	18	17	11	15	8	11	9	11	15	11	6	10	4	...	...	...	...
Irish parents	M.	51	9	2	3	...	...	14	9	6	2	...	1	1	...	4	3	2	1	3	3	1	1	...	...	...	...	...
	F.	58	6	3	3	3	2	17	15	4	3	1	4	2	1	...	3	1	1	...	2	1	3	...	...	...	...	...
German parents	M.	198	43	29	13	8	11	104	31	12	6	7	4	3	3	2	1	4	7	6	2	1	4	1	...	...	...	...
	F.	209	39	15	12	18	13	97	25	12	13	10	8	5	11	2	4	2	2	6	4	3	2	3	...	...	...	...
1. Small-pox:																												
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles:																												
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	1	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	6	2	1	1	1	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	5	2	...	1	...	...	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Scarlet fever:																												
Irish parents	M.	3	1	...	1	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	6	...	...	...	1	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	11	1	1	1	2	...	5	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	12	...	2	...	4	2	8	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Diphtheria:																												
Irish parents	M.	15	...	2	1	...	...	3	7	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	18	...	1	1	1	1	4	8	3	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...
German parents	M.	49	2	4	7	3	7	23	19	4	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...
	F.	56	7	3	6	10	6	32	16	6	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
5. Hooping-cough:																												
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	3	2	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	9	5	2	1	...	1	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	4	3	1	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Fever:																												
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Cerebro-spinal fever:																												
Irish parents	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	2	...	1	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Enteric fever:																												
Irish parents	M.	5	...	...	...	...	...	...	...	1	1	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	4	...	...	...	1	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...
German parents	M.	28	1	...	1	...	...	2	3	3	2	4	4	1	1	2	...	2	...	2	3	...	1	...	...	...	...	...
	F.	36	1	...	...	1	2	4	4	2	8	5	3	1	2	...	2	...	2	1	...	1	1	...	...	...	...	...
9. Diarrhœa:																												
Irish parents	M.	3	2	...	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	21	11	3	2	1	...	17	1	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...
	F.	20	9	3	2	1	1	16	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	...	...
10. Dysentery:																												
Irish parents	M.	1	2	...	...	...	...	2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...
	F.	5	2	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	...
German parents	M.	16	8	4	...	...	...	12	1	...	...	...	...	...	...	...	1	...	...	1	...	...	1	...	...	...	...	...
	F.	9	4	1	1	1	...	7	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...
11. Enteritis:																												
Irish parents	M.	1	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	7	2	1	...	...	1	4	...	...	...	1	...	1	...	1	...	1	...	...	...	1	...	...	...	...	...	...
	F.	6	1	...	...	...	...	1	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Cholera morbus:																												
Irish parents	M.	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
	F.	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
German parents	M.	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...
	F.	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
13. Cholera infantum:																												
Irish parents	M.	2	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	3	1	2	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
German parents	M.	22	10	12	...	...	...	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	17	11	5	1	...	...	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14. Malarial fever:																												
Irish parents	M.	13	1	...	1	...	...	2	1	...	...	...	...	...	...	1	1	1	...	3	2	1	1	...	...	...	...	...
	F.	8	1	...	...	...	...	1	1	1	2	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...
German parents	M.	10	1	...	...	1	1	3	1	...	1	...	1	...	2	...	...	1	3	1	...	...	3	...	...	...	...	...
	F.	22	...	...	1	1	2	4	1	1	4	1	...	1	3	...	1	1	...	3	1	...	...	1	...	...	...	...

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	2																1			1						
	F.																										
German parents	M.	3							1		1				1												
	F.	2													2												
16. Septicæmia:																											
Irish parents	M.																										
	F.																										
German parents	M.	2								1		1															
	F.	1																						1			
17. Puerperal septicæmia:																											
Irish parents	F.	4										1	2	1													
German parents	F.	14										3	5	2	3	1											
18. Venereal diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	2																1			1						
19. Others of this group:																											
Irish parents	M.	1																	1								
	F.	1																				1					
German parents	M.	2								1	1																
	F.																										
General diseases—B.																											
Total		25	7	1	2			10	1	1	2		1	2		1	2			2	1		1	1			
Irish parents	M.	4			2			2					1	1													
	F.	2	2					2																			
German parents	M.	13	3	1				4	1		1					1	2			2	1			1			
	F.	6	2					2		1	1			1									1				
1. Worms:																											
Irish parents	M.																										
	F.																										
German parents	M.	1		1				1																			
	F.	1	1					1																			
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.	2							1								1										
	F.	1								1																	
3. Alcoholism:																											
Irish parents	M.	1											1														
	F.																										
German parents	M.	2																		1	1						
	F.	1																					1				
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																		1							
	F.																										
5. Other poisons:																											
Irish parents	M.	3			2			2						1													
	F.	1	1					1																			
German parents	M.	4									1					1	1							1			
	F.	3	1					1			1			1													
6. Inanition:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.	3	3					3																			
	F.																										
General diseases—C.																											
Total		69	38	1	1			40	1			1								1		9	7	9		1	
Irish parents	M.	14	6		1			7														3	1	3			
	F.	7	3					3														1		2		1	
German parents	M.	29	18	1				19												1		4	3	2			
	F.	19	11					11	1			1										1	3	2			
1. Premature birth:																											
Irish parents	M.	1	1					1																			
	F.	1	1					1																			
German parents	M.	3	3					3																			
	F.	5	5					5																			
2. Stillborn:																											
Irish parents	M.	4	4					4																			
	F.	1	1					1																			
German parents	M.	8	8					8																			
	F.	5	5					5																			
3. Malformation:																											
Irish parents	M.																										
	F.																										
German parents	M.	1	1					1																			
	F.																										
4. Debility:																											
Irish parents	M.	3	1		1			2																1			
	F.	2	1					1																1			
German parents	M.	6	1	1				2														2	1	1			
	F.	5	1					1	1			1											1	1			
5. Old age:																											
Irish parents	M.	6																				3	1	2			
	F.	3																				1		1		1	
German parents	M.	6																		1		2	2	1			
	F.	4																				1	2	1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total		206	2	1	1	1		5	3	4	16	16	19	16	21	19	9	21	11	12	15	11	5	3			
Irish parents	M.	39									4	4	5	4	4	5	2	1	1	4	3	1		1			
	F.	32	1		1			2			6	4	6	3	2	1		1		1	2	4					
German parents	M.	77	1	1				2	2	2	3	5	4	3	10	8	5	10	6	4	4	6	2	1			
	F.	58				1		1	1	2	3	3	4	6	5	5	2	9	4	3	6		3	1			
1. Rheumatism:																											
Irish parents	M.	2									1					1											
	F.																										
German parents	M.	4									2					1		1									
	F.	1																1									
2. Scrofula and tabes:																											
Irish parents	M.																										
	F.	1										1															
German parents	M.	1							1																		
	F.	2												1				1									
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	29									2	4	5	4	3	3	2	1	1	3	1						
	F.	26	1					1			6	3	6	2	2	1		1		1	1	2					
German parents	M.	52									1	5	4	3	9	7	4	6	3	3	3	3	1				
	F.	39				1		1		2	2	3	4	4	4	4	1	6	2	2	2		1	1			
5. Hydrocephalus:																											
Irish parents	M.																										
	F.	1			1			1																			
German parents	M.	3	1	1				2		1																	
	F.																										
6. Cancer:																											
Irish parents	M.	4													1	1					1	1					
	F.	1																			1						
German parents	M.	7													1		1	2	2		1		1				
	F.	6														1	1		2		1		1				
7. Tumor:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																	1								
	F.	3							1												1		1				
8. Anæmia:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
9. Dropsy:																											
Irish parents	M.	4									1									1	1		1				
	F.	3												1								2					
German parents	M.	4							1													1	1	1			
	F.	7									1			1	1			1		1	2						
10. Glycosuria:																											
Irish parents	M.																										
	F.																										
German parents	M.	4								1										1		2					
	F.																										
11. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																1									
	F.																										
12. Others of this class:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		140	43	8	9	4	1	65	5	6	3	4	5	3	2	6	4	6	10	4	1	8	3	2	3		
Irish parents	M.	15	2		1			3		3	1			1	1		1	2			1	1		1			
	F.	12	3			1		4	1	1	1							1	1	2				1			
German parents	M.	66	20	7	4	2		33	3	2	1	1	3	1		4	3	1	8	2		2	2				
	F.	47	18	1	4	1	1	25	1			3	2	1	1	2		2	1			5	1		3		
1. Inflammation of the brain:																											
Irish parents	M.	6	1		1			2		2				1			1										
	F.	3	1			1		2	1																		
German parents	M.	13	4	2	1			7	2				1				1		1			1					
	F.	7	4		1			5	1			1															
2. Meningitis:																											
Irish parents	M.	1																			1						
	F.	1	1					1																			
German parents	M.	5	1	1	1			3											2								
	F.	1	1					1																			
3. Apoplexy:																											
Irish parents	M.	1																				1					
	F.	2									1									1							
German parents	M.	9	1					1					1	1		1	1	1	3								
	F.	6	1					1					1			1		2				1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	2																1					1				
	F.	2																	1				1				
German parents	M.	5	1					1	1								1						2				
	F.	8																	1			4		3			
5. Tetanus and trismus nascentium:																											
Irish parents	M.																										
	F.																										
German parents	M.	3				1		1				1	1														
	F.	3		1				1						1	1												
6. Epilepsy:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.	2																	1	1							
	F.	5	3					3								1						1					
7. Convulsions:																											
Irish parents	M.	2	1					1			1																
	F.	1								1																	
German parents	M.	17	13	1	1	1		10		1																	
	F.	10	7		1			8				1	1														
8. Mental diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																		1							
	F.																										
9. Diseases of the brain:																											
Irish parents	M.	1																1									
	F.	1	1					1																			
German parents	M.	10		2	1			3		1	1					3			1			1					
	F.	7	2		2	1	1	6				1															
10. Diseases of the spinal cord:																											
Irish parents	M.	1								1																	
	F.																										
German parents	M.	1		1				1																			
	F.																										
11. Others of this group:																											
Irish parents	M.																										
	F.	1																									
German parents	M.																	1		1							
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		56	4		1			5		1		2	2	4	3	3	5	4	4	4	9	4	5				1
Irish parents	M.	9	1					1						2		1					3	1	1				
	F.	10								1		1		1			2	3			2						
German parents	M.	21	2		1			3				1	1	1	2		2	1	3		3	1	3				
	F.	16	1					1					1		1	2	1		1	4	1	2	1				1
1. Angina pectoris:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1																				1					
2. Aneurism:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Diseases of the heart:																											
Irish parents	M.	8												2		1					3	1	1				
	F.	10								1		1		1			2	3			2						
German parents	M.	19			1			1				1	1	1	2		2	1	3		3	1	3				
	F.	14											1		1	2	1		1	4	1	1	1				1
4. Others of this group:																											
Irish parents	M.	1	1					1																			
	F.																										
German parents	M.	2	2					2																			
	F.	1	1					1																			
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		325	23	20	15	6	4	68	15	7	16	22	20	24	16	14	26	17	18	18	14	16	7	5	2		
Irish parents	M.	55	1		2		1	4	3		4	3	5	6	6	3	6	4	1	4	1	4		1			
	F.	28	4	3	2			9	2	1	2		3	2	1		1	2	1	2			1	1			
German parents	M.	138	9	8	4	4	1	26	5	4	7	11	7	9	4	5	11	9	6	8	7	9	6	3	1		
	F.	104	9	9	7	2	2	29	5	2	3	8	5	7	5	6	9	3	9	5	4	3			1		
1. Croup:																											
Irish parents	M.	1							1																		
	F.	3	2	1				3																			
German parents	M.	10	1	1	2	2	1	7	3																		
	F.	24	6	6	5	2	2	21	3																		
2. Laryngitis:																											
Irish parents	M.																										
	F.																										
German parents	M.	3		1	1			2										1									
	F.																										
3. Bronchitis:																											
Irish parents	M.	1																				1					
	F.	2																			2						
German parents	M.	5	2					2										1	1			1					
	F.	6	2	1				3	1													1		1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	48			2		1	3	1		4	3	4	6	5	3	6	4	1	4		3		1			
	F.	21	1	2	2			5	2	1	2		3	2	1		1	1	1		1		1				
German parents	M.	112	6	3	1	1		14	2	4	6	11	6	8	4	5	10	7	4	8	7	8	5	2	1		
	F.	70	1	2	2			5	1	1	2	7	5	7	5	5	9	3	9	5	4	2					
5. Pleurisy:																											
Irish parents	M.	1																			1						
	F.																										
German parents	M.	1												1													
	F.	1										1															
6. Asthma:																											
Irish parents	M.																										
	F.	1																	1								
German parents	M.	2																	1					1			
	F.																										
7. Others of this group:																											
Irish parents	M.	4	1					1	1				1		1												
	F.	1	1					1																			
German parents	M.	5				1		1			1		1				1						1				
	F.	3								1	1					1											
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		56	12	1	3	1		17	1	2		2	1	3	1	2	4	6	4	2	4	5			2		
Irish parents	M.	8	3					3									1	1	1			1			1		
	F.	7	1		1			2	1					1		1		1				1					
German parents	M.	25	4	1	2			7		2		2		2	1	1	2	2	2		2	1			1		
	F.	16	4			1		5					1				1	2	1	2	2	2					
1. Dentition:																											
Irish parents	M.	1	1					1																			
	F.	1			1			1																			
German parents	M.																										
	F.																										
2. Angina:																											
Irish parents	M.																										
	F.	1							1																		
German parents	M.	2													1		1										
	F.																										
3. Gastritis:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Other diseases of the stomach:																											
Irish parents	M.																										
	F.																										
German parents	M.	4								1							1		1					1			
	F.	3	1					1											1			1					
5. Obstruction of the bowels:																											
Irish parents	M.																										
	F.																										
German parents	M.	2												1				1									
	F.	1																		1							
6. Hernia:																											
Irish parents	M.																										
	F.	1																				1					
German parents	M.	1																				1					
	F.																										
7. Other diseases of the bowels:																											
Irish parents	M.	3	2					2																	1		
	F.																										
German parents	M.	1		1				1										1									
	F.	2				1		1																			
8. Jaundice:																											
Irish parents	M.																										
	F.	1												1													
German parents	M.	1			1			1									1										
	F.	1																									
9. Inflammation and abscess of the liver:																											
																	1										
Irish parents	M.	1																1									
	F.	1																			1						
German parents	M.	3										1				1					1						
	F.	1																									
10. Other diseases of the liver:																											
Irish parents	M.	2																1	1								
	F.																										
German parents	M.	4			1			1		1				1					1		1						
	F.	2											1														
11. Peritonitis:																											
Irish parents	M.																										
	F.																										
German parents	M.																	1									
	F.	1																									
12. Ascites:																											
Irish parents	M.																										
	F.																										
German parents	M.																					1					
	F.	1																									
13. Others of this group:																											
Irish parents	M.	1																				1					
	F.	2	1					1							1												
German parents	M.	7	4					4				1						1									
	F.	4	3					3												1							

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	20					1	1	1			1		1		1	2	4	1	1	2	1	2	1	1			
Irish parents M.	3																1					1		1			
Irish parents F.	2															1	1										
German parents M.	9					1	1				1		1				1	1	1	2			1				
German parents F.	6							1							1	1	1				1	1					
1. Bright's disease:																											
Irish parents M.																											
Irish parents F.	1															1											
German parents M.	2												1				1										
German parents F.	4							1								1	1					1					
2. Calculus, urinary:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1					1	1																				
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	1																1										
Irish parents F.	1																1										
German parents M.	3										1							1		1							
German parents F.	2														1						1						
4. Diseases of the bladder:																											
Irish parents M.	1																					1					
Irish parents F.																											
German parents M.	3																		1	1			1				
German parents F.																											
5. Others of this group:																											
Irish parents M.	1																							1			
Irish parents F.																											
German parents M.																											
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	7									1			3	2		1											
Irish parents F.																											
German parents F.	7									1			3	2		1											
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.	1									1																	
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.																											
German parents F.	1													1													
5. Others of this group:																											
Irish parents F.																											
German parents F.	5												3	1		1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	18									1	2	4	3	6	2												
Irish parents F.	6										1	2		2	1												
German parents F.	12									1	1	2	3	4	1												
1. Abortion:																											
Irish parents F.	1											1															
German parents F.	1												1														
2. Child-birth:																											
Irish parents F.	5										1	1		2	1												
German parents F.	11									1	1	2	2	4	1												
3. Others of this group:																											
Irish parents F.																											
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Diseases of the hip-joint:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		4	1					1				1					1				1						
Irish parents	M.	1	1					1																			
	F.																										
German parents	M.	2										1					1										
	F.	1																			1						
1. Abscess:																											
Irish parents	M.																										
	F.																										
German parents	M.	2										1					1										
	F.																										
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.	1	1					1																			
	F.																										
German parents	M.																										
	F.	1																			1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		1														1											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1														1											
1. Addison's disease:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1														1											
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		84	4	1	5	3	1	14	5	6	3	9	6	8	6	7	5	7	3	2	1	1	1				
Irish parents	M.	20	1					1		2	3	2	1			3	2	2	1	2	1						
	F.	8							2			1		1			1		2			1					
German parents	M.	42	2		2		1	5	1	4		5	5	6	6	4	2	4									
	F.	14	1	1	3	3		8	2			1		1				1					1				
1. Burns and scalds:																											
Irish parents	M.																										
	F.																										
German parents	M.	4			1		1	2		2																	
	F.	5			2	2		4						1													
2. Drowned:																											
Irish parents	M.	1								1																	
	F.	1												1													
German parents	M.	3			1			1	1	1																	
	F.	1							1																		
3. Exposure and neglect:																											
Irish parents	M.																										
	F.	1							1																		
German parents	M.																										
	F.																										
4. Gunshot wounds:																											
Irish parents	M.	1										1															
	F.																										
German parents	M.	4										2			2												
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.																										
	F.																										
German parents	M.	2										1	1														
	F.																										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
8. Railroad accidents:																											
Irish parents	M.	4									2	1						1									
	F.	1																	1								
German parents	M.	3												1		1	1										
	F.																										
9. Suffocation:																											
Irish parents	M.	1	1					1																			
	F.																										
German parents	M.	2	2					2																			
	F.	2			1	1		2																			
10. Suicide by shooting:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
11. Suicide by drowning:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
12. Suicide by poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
13. Other suicides:																											
Irish parents	M.	1																	1								
	F.																										
German parents	M.	5												1		1		3									
	F.																										
14. Sunstroke:																											
Irish parents	M.																										
	F.																										
German parents	M.	2													1	1											
	F.																										
15. Surgical operations:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1																1									
16. Wounds:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
17. Others of this group:																											
Irish parents	M.	12								1	1		1			3	2	1		2	1						
	F.	5							1			1					1		1			1					
German parents	M.	17								1		2	4	4	3	1	1	1									
	F.	5	1	1				2	1			1											1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		234	35	6	9	6	5	61	20	11	7	10	18	15	20	14	18	6	7	3	8	6	7	3			
Total: Irish parents	M.	60	7		2			9	3	1		2	6	7	8	8	8	1	2			1	1	3			
	F.	22	4			1		5	2	1		1	2	1	2		1	2		1	2	1	1				
German parents	M.	80	11	3	5	2		21	9	3	2	5	3	4	5	4	7	3	2		5	3	4				
	F.	72	13	3	2	3	5	26	6	6	5	2	7	3	5	2	2		3	2	1	1	1				
Unknown causes.																											
Total		15	5				1	6					1		1				3	1	1	1	1				
Irish parents	M.	3	2					2					1														
	F.	2																			1	1					
German parents	M.	4	1					1							1				1				1				
	F.	6	2				1	3											2	1							
I.—GENERAL DISEASES.																											
General diseases—A.																											
Total		91	17	5	5	6	4	37	17	9	3	6	2	4	2	3	3	1	1	1		2					
Irish parents	M.	9	2					2	2					3	2												
	F.	6	2			1		3	2				1														
German parents	M.	33	4	3	3	2		12	7	3	1	4		1		2	1	1				1					
	F.	43	9	2	2	3	4	20	6	6	2	2	1			1	2		1	1		1					
1. Small-pox:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.																										
	F.	1	1					1																			
2. Measles:																											
Irish parents	M.																										
	F.																										
German parents	M.	1		1				1																			
	F.	1				1		1																			
3. Scarlet fever:																											
Irish parents	M.	1							1																		
	F.	1				1		1																			
German parents	M.	3				1		1	1	1																	
	F.	5	3					3	1	1																	
4. Diphtheria:																											
Irish parents	M.	1							1																		
	F.	2							2																		
German parents	M.	13	1		3	1		5	6	1						1											
	F.	17	3	1	2	1	4	11	4	2																	
5. Hooping-cough:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
6. Fever:																											
Irish parents	M.																										
	F.	1											1														
German parents	M.																										
	F.	1										1															
7. Cerebro-spinal fever:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
8. Enteric fever:																											
Irish parents	M.	2												1	1												
	F.																										
German parents	M.	7								1	1	3				1	1			1							
	F.	5								1	1	1	1														
9. Diarrhœa:																											
Irish parents	M.																										
	F.																										
German parents	M.	2	1	1				2											1								
	F.	1																									
10. Dysentery:																											
Irish parents	M.																										
	F.																										
German parents	M.	1	1					1																			
	F.																										
11. Enteritis:																											
Irish parents	M.	1	1					1																			
	F.																	1									
German parents	M.	1														1						1					
	F.	2																									
12. Cholera morbus:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
13. Cholera infantum:																											
Irish parents	M.	1	1					1																			
	F.	2	2					2																			
German parents	M.	2	1	1				2																			
	F.	3	2	1				3																			
14. Malarial fever:																											
Irish parents	M.	2												2													
	F.																										
German parents	M.	3										1		1				2					1				
	F.	6							1	2	1																

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
16. Septicæmia:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
17. Puerperal septicæmia:																												
Irish parents	F.																											
German parents	F.																											
18. Venereal diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
19. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1				1		1																				
General diseases—B.																												
Total		2			1			1							1													
Irish parents	M.	1			1			1																				
	F.																											
German parents	M.	1													1													
	F.																											
1. Worms:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.																											
	F.																											
German parents	M.	1													1													
	F.																											
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.	1			1			1																				
	F.																											
German parents	M.																											
	F.																											
6. Inanition:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—C.																												
Total		9	3					3												1		1	4					
Irish parents	M.	2	2					2																				
	F.	2																		1			1					
German parents	M.	3																				1	2					
	F.	2	1					1															1					
1. Premature birth:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Stillborn:																												
Irish parents	M.	2	2					2																				
	F.																											
German parents	M.																											
	F.	1	1					1																				
3. Malformation:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Debility:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Old age:																												
Irish parents	M.																											
	F.	2																		1			1					
German parents	M.	3																				1	2					
	F.	1																					1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—D.																												
Total		19			1			1			1		3	2	2	2	3	1			2		1					
Irish parents	M.	5			1			1						1	1	1							1					
	F.	2											1				1											
German parents	M.	8									1		1	1		1	2	1			1							
	F.	3											1		1						1							
1. Rheumatism:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Scrofula and tabes:																												
Irish parents	M.																											
	F.	1											1															
German parents	M.	1																			1							
	F.																											
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	3												1	1	1												
	F.	1															1											
German parents	M.	4											1	1			1	1										
	F.	2											1		1													
5. Hydrocephalus:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
6. Cancer:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Tumor:																												
Irish parents	M.																											
	F.																											
German parents	M.	1															1											
	F.																											
8. Anæmia:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
9. Dropsy:																												
Irish parents	M.	2			1			1															1					
	F.																											
German parents	M.	2									1					1					1							
	F.	1																										
10. Glycosuria:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	2													2													
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		14	2		1			3					2	1	2	3					1			2				
Irish parents	M.	6													1	3								2				
	F.	1	1					1																				
German parents	M.	3	1		1			2													1							
	F.	4											2	1	1													
1. Inflammation of the brain:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.	1			1			1																				
	F.																											
2. Meningitis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Apoplexy:																												
Irish parents	M.	3														1								2				
	F.																											
German parents	M.	1																			1							
	F.	1													1													

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Tetanus and trismus nascentium:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
6. Epilepsy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Convulsions:																											
Irish parents	M.																										
	F.																										
German parents	M.	1	1					1																			
	F.	1											1														
8. Mental diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	2											1		1												
9. Diseases of the brain:																											
Irish parents	M.	1														1											
	F.																										
German parents	M.																										
	F.																										
10. Diseases of the spinal cord:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.																										
	F.																										
11. Others of this group:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		5							1					1		1	2										
Irish parents	M.	2														1	1										
	F.																										
German parents	M.	3							1					1			1										
	F.																										
1. Angina pectoris:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Aneurism:																											
Irish parents	M.	1															1										
	F.																										
German parents	M.																										
	F.																										
3. Diseases of the heart:																											
Irish parents	M.	1														1											
	F.																										
German parents	M.	3							1					1			1										
	F.																										
4. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		44	6		1			7	2	1	2	2	5	3	5	1	5	4	1		3	2	1				
Irish parents	M.	16	1					1	1			2	3	1	2	1	3	1				1					
	F.	6	1					1		1				1	1			2									
German parents	M.	17	3		1			4	1				1	1	1		2	1	1		3	1	1				
	F.	5	1					1			2		1		1												
1. Croup:																											
Irish parents	M.	2	1					1	1																		
	F.	1	1					1																			
German parents	M.	3	1		1			2	1																		
	F.	1	1					1																			
2. Laryngitis:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Bronchitis:																											
Irish parents	M.																										
	F.	1															1										
German parents	M.																										
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	13										2	3	1	2	1	3	1									
	F.	4								1				1	1			1									
German parents	M.	12	2					2					1	1	1		2		1		3	1					
	F.	3									1		1		1												
5. Pleurisy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
6. Asthma:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																					1				
	F.																										
7. Others of this group:																											
Irish parents	M.	1																				1					
	F.																										
German parents	M.	1																1									
	F.	1									1																
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		6	2					2						1					1		1			1			
Irish parents	M.	2																	1					1			
	F.	1																			1						
German parents	M.	2	2					2																			
	F.	1												1													
1. Dentition:																											
Irish parents	M.																										
	F.																										
German parents	M.	1	1					1																			
	F.																										
2. Angina:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	1												1													
3. Gastritis:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Other diseases of the stomach:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Obstruction of the bowels:																											
Irish parents	M																										
	F.																										
German parents	M.																										
	F.																										
6. Hernia:																											
Irish parents	M.	1																						1			
	F.																										
German parents	M.	1	1					1																			
	F.																										
7. Other diseases of the bowels:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
8. Jaundice:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
9. Inflammation and abscess of the liver:																											
Irish parents	M.	1																	1								
	F.																										
German parents	M.																										
	F.																										
10. Other diseases of the liver:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
11. Peritonitis:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
12. Ascites:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
13. Others of this group:																											
Irish parents	M.																					1					
	F.	1																									
German parents	M.																										
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	2															1		1									
Irish parents { M.	2															1		1									
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
1. Bright's disease:																											
Irish parents { M.	2															1		1									
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
2. Calculus, urinary:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
3. Diseases of the kidney:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M																											
German parents { F.																											
4. Diseases of the bladder:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
5. Others of this group:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total																											
Irish parents F.																											
German parents F.																											
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.																											
German parents F.																											
5. Others of this group:																											
Irish parents F.																											
German parents F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	7									1	1	2	1	1	1												
Irish parents F.	2										1			1													
German parents F.	5									1		2	1		1												
1. Abortion:																											
Irish parents F.																											
German parents F.																											
2. Child-birth:																											
Irish parents F.	2										1			1													
German parents F.	5									1		2	1		1												
3. Others of this group:																											
Irish parents F.																											
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
1. Diseases of the spine:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
3. Diseases of the hip-joint:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
4. Others of this group:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
1. Abscess:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
2. Carbuncle:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
3. Others of this group:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
1. Addison's disease:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
2. Diseases of the spleen:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
3. Others of this group:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	19		1				1		1		1	3	2	4	3	4											
Irish parents ..... M.	12								1			2	2	2	2	3											
Irish parents ..... F.																											
German parents ..... M.	6										1	1		2	1	1											
German parents ..... F.	1		1				1																				
1. Burns and scalds:																											
Irish parents ..... M.	1														1												
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.	1		1				1																				
2. Drowned:																											
Irish parents ..... M.	4								1				2	1													
Irish parents ..... F.																											
German parents ..... M.	1											1															
German parents ..... F.																											
3. Exposure and neglect:																											
Irish parents ..... M.																											
Irish parents ..... F.																											
German parents ..... M.																											
German parents ..... F.																											
4. Gunshot wounds:																											
Irish parents ..... M.	2											2															
Irish parents ..... F.																											
German parents ..... M.	1													1													
German parents ..... F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	2															2										
	F.																										
German parents	M.	1														1											
	F.																										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
8. Railroad accidents:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
9. Suffocation:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
10. Suicide by shooting:																											
Irish parents	M.																										
	F.																										
German parents	M.	1													1												
	F.																										
11. Suicide by drowning:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
12. Suicide by poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
13. Other suicides:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
14. Sunstroke:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
15. Surgical operations:																											
Irish parents	M.																										
	F.																										
German parents	M.	1															1										
	F.																										
16. Wounds:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
17. Others of this group:																											
Irish parents	M.	3													1	1	1										
	F.																										
German parents	M.	1										1															
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 1	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1517	223	71	53	23	38	408	114	61	61	82	61	53	68	57	61	64	72	69	75	68	58	50	23	8	1	3
Total: Irish parents	M.	316	15	6	6	1	2	30	18	13	12	19	13	8	20	12	13	15	23	21	26	24	19	18	8	3	....	1
	F.	216	14	2	2	2	1	21	11	5	10	19	10	17	11	16	12	14	9	10	7	13	10	12	5	3	1	....
German parents	M.	508	103	37	22	8	20	190	52	14	17	22	20	13	16	9	21	20	18	25	21	18	19	11	2	....	....	1
	F.	477	91	26	23	12	15	167	33	29	22	22	18	16	21	20	15	15	22	13	21	13	10	9	8	2	....	1
Unknown causes.																												
Total		45	25	1	1	....	1	28	1	1	2	....	1	....	....	....	....	1	1	2	....	3	1	1	2	....	....	1
Irish parents	M.	4	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	3	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
German parents	M.	20	14	1	....	....	....	15	1	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....
	F.	18	9	....	....	....	....	9	....	1	2	....	1	....	....	....	....	....	....	....	....	1	1	1	1	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		455	85	40	34	16	28	203	87	37	20	18	9	7	6	10	5	7	10	6	7	7	7	4	2	3	....	....
Irish parents	M.	61	9	3	4	1	1	17	12	6	2	3	1	2	....	3	1	2	4	....	3	1	1	1	1	1	....	....
	F.	46	4	1	2	1	....	8	8	3	4	5	3	1	1	....	2	1	....	1	....	3	2	2	....	2	....	....
German parents	M.	173	39	22	14	4	13	92	42	8	6	3	2	2	3	1	1	1	1	4	2	1	2	1	1	....	....	....
	F.	175	33	15	14	10	14	86	25	20	8	7	8	2	2	6	1	3	5	1	2	2	2	....	....	....	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	3	....	....	....	1	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	1	....	....	....	1	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	41	6	5	6	....	6	23	14	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	34	4	5	6	5	3	23	5	4	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	23	....	....	4	1	1	6	8	5	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	2	....	....	....	....	2	7	3	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	57	10	8	7	1	6	32	21	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	60	3	1	6	5	9	24	18	13	2	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	7	4	2	1	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	6	1	1	....	....	8	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	....	....	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	4	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....
	F.	9	....	....	....	....	....	....	....	....	1	4	....	1	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....
German parents	M.	14	....	1	....	1	....	2	2	1	2	2	....	....	2	....	....	....	1	1	....	....	....	1	....	....	....	....	....
	F.	11	....	....	....	....	1	1	....	....	3	1	....	....	....	3	....	....	2	1	....	....	....	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
German parents	M.	9	3	3	....	....	....	6	1	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
	F.	8	5	3	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	6	4	2	....	....	....	6	....	....	....	....	....	....	....	....	....	....	2	....	....	1	1	1	....	....	....	....	....
	F.	10	2	....	1	....	1	4	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	10	2	....	....	....	....	2	1	....	....	1	....	....	....	3	....	2	....	....	1	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	15	1	....	....	1	....	2	2	....	1	1	2	1	1	1	....	1	....	1	1	....	1	....	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	1	1	1	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
German parents	M.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	8	6	1	....	1	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	9	3	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	5	....	....	....	....	....	....	2	....	....	....	....	1	....	....	1	....	....	1	....	1	....	1	1	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	1	....	....	....	....	....
German parents	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	4							1										2					1			
	F.	4			1			1					1				1						1				
German parents	M.	1												1													
	F.	3	3					3																			
16. Septicæmia:																											
Irish parents	M.	1								1																	
	F.																										
German parents	M.																										
	F.	1														1											
17. Puerperal septicæmia:																											
Irish parents	F.																										
German parents	F.	8									1	4	2		1												
18. Venereal diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
19. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																						1			
	F.																										
General diseases—B.																											
Total		13	3		1	1		5	1					1			1	1	1	1	1	1					
Irish parents	M.	4												1			1	1			1						
	F.																										
German parents	M.	6	1			1		2	1										1	1		1					
	F.	3	2		1			3																			
1. Worms:																											
Irish parents	M.																										
	F.																										
German parents	M.	2	1			1		2																			
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	2															1					1					
	F.																										
German parents	M.	2																			1		1				
	F.																										
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.	2												1					1								
	F.																										
German parents	M.	2							1											1							
	F.	1			1			1																			
6. Inanition:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.	2	2					2																			
General diseases—C.																											
Total		91	24					24												4	6	3	14	23	13	3	1	
Irish parents	M.	23	2					2														1	5	10	5			
	F.	14	2					2												1	1		2	4	2	1	1	
German parents	M.	26	13					13												1	1	2	4	4	1			
	F.	28	7					7												2	4		3	5	5	2		
1. Premature birth:																											
Irish parents	M.																										
	F.																										
German parents	M.	3	3					3																			
	F.	2	2					2																			
2. Stillborn:																											
Irish parents	M.	2	2					2																			
	F.	2	2					2																			
German parents	M.	9	9					9																			
	F.	3	3					3																			
3. Malformation:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Debility:																											
Irish parents	M.	1																						1			
	F.																										
German parents	M.	4	1					1												1	1		1				
	F.	6	2					2												2				1	1		
5. Old age:																											
Irish parents	M.	20																				1	5	9	5		
	F.	12																		1	1		2	4	2	1	1	
German parents	M.	10																				2	3	4	1		
	F.	17																			4		3	4	4	2		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General diseases—D.																											
Total		281	3	5	1	....	1	10	1	5	18	23	20	15	18	24	21	22	18	21	28	14	15	5	2	1	.....
Irish parents	M.	64	.....	2	.....	.....	.....	2	....	2	2	4	2	3	7	5	4	1	5	6	10	6	3	1	...	1	.....
	F.	65	.....	.....	.....	.....	.....	.....	.....	.....	4	7	6	7	3	8	7	7	3	3	4	1	3	1	1	.....	.....
German parents	M.	75	1	3	.....	.....	.....	4	1	1	5	5	5	4	3	4	4	6	6	8	7	3	7	2	.....	.....	.....
	F.	77	2	.....	1	.....	1	4	....	2	7	7	7	1	5	7	6	8	4	4	7	4	2	1	1	.....	.....
1. Rheumatism:																											
Irish parents	M.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
German parents	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	F.	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
2. Scrofula and tabes:																											
Irish parents	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Leprosy:																											
Irish parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption:																											
Irish parents	M.	48	.....	2	.....	.....	.....	2	.....	.....	2	4	2	1	7	5	4	1	3	3	8	4	2	.....	.....	.....	.....
	F.	44	.....	.....	.....	.....	.....	.....	.....	.....	4	7	6	5	3	2	5	3	2	2	2	.....	2	.....	1	.....	.....
German parents	M.	52	1	1	.....	.....	.....	2	1	1	4	5	4	4	3	3	3	6	3	2	3	3	3	2	.....	.....	.....
	F.	44	.....	.....	1	.....	.....	1	.....	1	6	5	6	.....	3	5	3	4	2	2	6	.....	.....	.....	.....	.....	.....
5. Hydrocephalus:																											
Irish parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	2	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6. Cancer:																											
Irish parents	M.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	.....	.....	.....	.....
	F.	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	3	1	1	1	1	1	.....	.....	.....	.....
German parents	M.	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	2	.....	3	.....	.....	.....	.....
	F.	11	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	2	.....	2	.....	.....	.....	3	.....	1	.....	.....	.....
7. Tumor:																											
Irish parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
8. Anæmia:																											
Irish parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9. Dropsy:																											
Irish parents	M.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....
	F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
German parents	M.	11	.....	1	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	3	2	2	.....	1	.....	.....	.....	.....
	F.	14	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	1	2	1	1	1	1	2	.....	1	.....	.....
10. Glycosuria:																											
Irish parents	M.	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11. Others of this group:																											
Irish parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12. Others of this class:																											
Irish parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		123	36	7	3	1	1	48	3	....	3	11	6	2	2	3	3	2	10	4	7	15	7	2	.....	.....	.....
Irish parents	M.	29	1	2	.....	.....	.....	3	1	....	2	4	4	1	.....	.....	1	.....	3	3	2	3	2	.....	.....	.....	.....
	F.	17	2	1	.....	.....	.....	3	1	.....	.....	3	.....	.....	.....	1	.....	1	1	.....	1	3	2	1	.....	.....	.....
German parents	M.	46	18	2	2	1	1	24	.....	.....	1	3	1	.....	.....	2	2	1	1	.....	4	4	2	1	.....	.....	.....
	F.	36	15	2	1	.....	.....	18	1	.....	.....	1	1	1	2	.....	.....	.....	5	1	.....	5	1	.....	.....	.....	.....
1. Inflammation of the brain:																											
Irish parents	M.	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	F.	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	8	4	1	1	.....	.....	6	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	5	2	1	.....	.....	.....	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Meningitis:																											
Irish parents	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	F.	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
German parents	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Apoplexy:																											
Irish parents	M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
	F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....
German parents	M.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	2	1	1	1	.....	.....	.....
	F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	10											1	1					1	2	1	2	2				
	F.	4																			1	1	1	1			
German parents	M.	8																1	1		2	3	1				
	F.	6																	2	1		2	1				
5. Tetanus and trismus nascentium:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
6. Epilepsy:																											
Irish parents	M.	1											1														
	F.																										
German parents	M.	2	2					2																			
	F.	2	1					1					1														
7. Convulsions:																											
Irish parents	M.	7	1	2				3	1		1	1	1														
	F.	3							1			2															
German parents	M.	15	10	1	1	1	1	14			1																
	F.	15	12	1				13											1			1					
8. Mental diseases:																											
Irish parents	M.																										
	F.	1																1									
German parents	M.																										
	F.	1																	1								
9. Diseases of the brain:																											
Irish parents	M.	2										1				1											
	F.	3	1					1														2					
German parents	M.	4	2					2				2															
	F.	1																				1					
10. Diseases of the spinal cord:																											
Irish parents	M.	1																	1								
	F.																										
German parents	M.																										
	F.	1													1												
11. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1											1														
	F.	2			1			1							1												
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		78	2					2	1	2		1	5	5	2	4	9	6	6	8	8	6	5	7	1		
Irish parents	M.	27	1					1							1	1	2	3	2	2	4	3	5	2	1		
	F.	17								1		1	1	3		1	1	1	1	2		1		4			
German parents	M.	18	1					1	1				4				4	1	1	2	1	2		1			
	F.	16								1				2	1	2	2	1	2	2	3						
1. Angina pectoris:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Aneurism:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Disease of the heart:																											
Irish parents	M.	27	1					1							1	1	2	3	2	2	4	3	5	2	1		
	F.	10								1		1	1	3			1	1	1	2		1		4			
German parents	M.	17							1				4				4	1	1	2	1	2		1			
	F.	16								1				2	1	2	2	1	2	2	3						
4. Others of this group:																											
Irish parents	M.																										
	F.	1														1											
German parents	M.	1	1					1																			
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		159	22	9	7	4	5	47	10	6	3	5	5	6	9	6	3	7	13	9	9	15	1	3	2		
Irish parents	M.	42			1		1	2	3	1	1	1	2		4	2		4	5	3	5	7		1	1		
	F.	17	1					1	2	1		2				3			1	1	1	5					
German parents	M.	43	7	4	3	2	4	20	1	1		1	2	3	1	1	3	2	3	2		2					
	F.	57	14	5	3	2		24	4	3	2		1	3	4			1	1	3	3	1	1	2	1		
1. Croup:																											
Irish parents	M.	4			1		1	2	2																		
	F.	3	1					1	1	1																	
German parents	M.	18	4	4	3	2	4	17	1																		
	F.	20	9	3	2	1		15	3		2																
2. Laryngitis:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Bronchitis:																											
Irish parents	M.	5													2						1	2					
	F.																										
German parents	M.	2															1										
	F.	6	3			1		4		1			1						1								

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	25								1	1	1	2		1	2		3	3	2	4	4		1			
	F.	11										2				3					1	5					
German parents	M.	20	3					3		1		1		3	1	1	2	1	3	2		2					
	F.	24	1	1	1			3	1	2			1	3	4			1	1	1	2	1	1	2	1			
5. Pleurisy:																											
Irish parents	M.																										
	F.	1																		1							
German parents	M.																										
	F.	1																		1							
6. Asthma:																											
Irish parents	M.	2																1				1					
	F.																										
German parents	M.																										
	F.	1																			1						
7. Others of this group:																											
Irish parents	M.	6							1						1				2	1					1		
	F.	2							1										1								
German parents	M.	3										1	1					1									
	F.	5	1	1				2											3								
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		74	17	3	1			21	5	1		3	1	2	3	3	8	7	7	4	4	1	2			1	1
Irish parents	M.	13							1							1	3	1	1	1	2		2			1	
	F.	11	3					3				1		1	1	1	1	1	1	1							
German parents	M.	29	7	1				8	2	1		2	1		1		2	3	4	2	1	1					1
	F.	21	7	2	1			10	2					1	1	1	2	2	1		1						
1. Dentition:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.	3	3					3																			
	F.	2	1	1				2																			
2. Angina:																											
Irish parents	M.														1												
	F.	1																									
German parents	M.	1		1				1																			
	F.	2			1			1	1																		
3. Gastritis:																											
Irish parents	M.	1																	1								
	F.																										
German parents	M.	2															1		1								
	F.																										
4. Other diseases of the stomach:																											
Irish parents	M.															1											
	F.	1																	2			1					1
German parents	M.	4													1												
	F.	1																									
5. Obstruction of the bowels:																											
Irish parents	M.	1															1										
	F.																										
German parents	M.																										
	F.																										
6. Hernia:																											
Irish parents	M.																										
	F.																										
German parents	M.	2										1			1				1		1						
	F.	2																									
7. Other diseases of the bowels:																											
Irish parents	M.																1										
	F.	1																									
German parents	M.																										
	F.																										
8. Jaundice:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.																										
	F.																										
9. Inflammation and abscess of the liver:																											
Irish parents	M.																										
	F.																										
German parents	M.	3											1						1	1							
	F.																										
10. Other diseases of the liver:																											
Irish parents	M.	5										1		1		1	1	1	1	1	1		1				
	F.	5																2		1	1						
German parents	M.	4														1	2	1									
	F.	4																									
11. Peritonitis:																											
Irish parents	M.	2																1			1						
	F.																										
German parents	M.	2								1		1															
	F.	2							1						1												
12. Ascites:																											
Irish parents	M.	1																								1	
	F.																										
German parents	M.																	1									
	F.	1																									
13. Others of this group:																											
Irish parents	M.	3							1								1						1				
	F.	1	1					1																			
German parents	M.	8	4					4	2								1	1									
	F.	7	6	1				7																			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	27										2	1	2			3	1	2	2	4	3	2	5				
Irish parents M.	10										2		1			1	1		1		1		3				
Irish parents F.	2												1					1									
German parents M.	14											1				2			1	4	2	2	2				
German parents F.	1																	1									
1. Bright's disease:																											
Irish parents M.	4										1					1			1				1				
Irish parents F.																											
German parents M.	5											1				1				2		1					
German parents F.																											
2. Calculus, urinary:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1																				1						
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	3										1						1						1				
Irish parents F.	2												1					1									
German parents M.	6															1			1	2	1		1				
German parents F.	1																	1									
4. Diseases of the bladder:																											
Irish parents M.	3												1								1		1				
Irish parents F.																											
German parents M.	2																					1	1				
German parents F.																											
5. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	10													3	2	3	2										
Irish parents F.	5													2		1	2										
German parents F.	5													1	2	2											
1. Ovarian tumors:																											
Irish parents F.	3													2			1										
German parents F.	2														1	1											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	1															1											
German parents F.																											
5. Others of this group:																											
Irish parents F.	1																1										
German parents F.	3													1	1	1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	32									1	7	3	10	7	2	2											
Irish parents F.	7												4	3													
German parents F.	25									1	7	3	6	4	2	2											
1. Abortion:																											
Irish parents F.	1												1														
German parents F.	1											1															
2. Child-birth:																											
Irish parents F.	6												3	3													
German parents F.	24									1	7	2	6	4	2	2											
3. Others of this group:																											
Irish parents F.																											
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	4	1					1		1	2																	
Irish parents M.	1								1																		
Irish parents F.	2									2																	
German parents M.																											
German parents F.	1	1					1																				
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.	1									1																	
German parents M.																											
German parents F.	1	1					1																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Diseases of the hip-joint:																												
Irish parents	M.																											
	F.	1									1																	
German parents	M.																											
	F.																											
4. Others of this group:																												
Irish parents	M.	1								1																		
	F.																											
German parents	M.																											
	F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		4										1			1	1							1					
Irish parents	M.																											
	F.	1													1													
German parents	M.	3										1				1							1					
	F.																											
1. Abscess:																												
Irish parents	M.																											
	F.	1													1													
German parents	M.	2										1				1												
	F.																											
2. Carbuncle:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																						1					
	F.	1																										
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
1. Addison's disease:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		116	5	6	5	1	2	19	5	8	12	11	10	3	17	2	4	8	4	8	1		2		1			1
Irish parents	M.	38	1					1	1	3	5	5	4		8		1	2	2	4			1					1
	F.	9	1			1		2								2		1	1	1			1		1			
German parents	M.	55	2	4	3		2	11	3	3	5	6	4	3	8		3	5	1	3								
	F.	14	1	2	2			5	1	2	2		2		1						1							
1. Burns and scalds:																												
Irish parents	M.																											
	F.	2				1		1															1					
German parents	M.	5		1	2		1	4				1																
	F.	4	1		1			2	1	1																		
2. Drowned:																												
Irish parents	M.	8								1	3	1	1		2													
	F.	1														1												
German parents	M.	17		3				3	3		3	3			2		1			2								
	F.	4		1	1			2		1	1																	
3. Exposure and neglect:																												
Irish parents	M.	1	1					1																				
	F.																											
German parents	M.	1								1																		
	F.																											
4. Gunshot wounds:																												
Irish parents	M.	2									1				1													
	F.																											
German parents	M.	2									1		1															
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	1																										1
	F.																											
German parents	M.	3										1	1		1													
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	2										1					1											
	F.																											
German parents	M.																											
	F.																											
9. Suffocation:																												
Irish parents	M.																											
	F.																											
German parents	M.	2	2					2																				
	F.																											
10. Suicide by shooting:																												
Irish parents	M.																											
	F.																											
German parents	M.	2											1		1													
	F.																											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.	1																	1									
German parents	M.																											
	F.																											
12. Suicide by poison:																												
Irish parents	M.																											
	F.	2														1				1								
German parents	M.	2													1			1										
	F.																											
13. Other suicides:																												
Irish parents	M.																											
	F.																											
German parents	M.	3																2		1								
	F.																											
14. Sunstroke:																												
Irish parents	M.	1							1																			
	F.																											
German parents	M.																											
	F.																											
15. Surgical operations:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
16. Wounds:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
17. Others of this group:																												
Irish parents	M.	23								2	1	3	3		5			2	2	4			1					
	F.	3	1					1										1							1			
German parents	M.	18			1		1	2		2	1	1	1	3	3		2	2	1									
	F.	6		1				1			1		2		1						1							

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL.		936	75	24	10	12	13	140	27	11	25	44	65	66	92	81	101	99	62	36	36	26	9	6	3	....	....	7
Total: Irish parents	M.	459	28	9	6	4	7	54	6	4	10	22	34	29	57	43	55	55	35	16	19	10	3	2	1	....	....	4
	F.	185	24	6	4	5	3	42	13	4	10	6	10	12	16	14	10	14	8	5	8	8	2	1	2	....	....	....
German parents	M.	214	12	4	3	2	3	24	3	1	4	8	16	21	17	19	26	24	15	14	6	8	3	3	....	....	....	2
	F.	78	11	5	3	1	....	20	5	2	1	3	5	4	2	5	10	6	4	1	3	....	1	....	....	....	....	1
Unknown causes.																												
Total		23	7	....	1	....	....	8	1	....	....	....	1	....	1	2	3	3	1	3	....	....	....	....	....	....	....	....
Irish parents	M.	10	1	....	....	....	....	1	....	....	....	....	....	....	....	1	3	3	....	2	....	....	....	....	....	....	....	....
	F.	4	2	....	....	....	....	2	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	6	2	....	....	....	....	2	....	....	....	....	1	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	3	2	....	1	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		138	16	11	7	7	10	51	13	6	6	6	5	4	8	8	4	13	5	1	4	2	....	....	1	....	....	1
Irish parents	M.	65	4	5	2	1	5	17	4	2	4	2	4	2	4	5	2	10	5	1	2	....	....	....	1	....	....	....
	F.	39	8	5	1	4	3	21	5	2	....	1	....	1	3	2	1	1	....	....	1	1	....	....	....	....	....	....
German parents	M.	19	1	....	2	1	2	6	2	1	1	....	1	1	1	1	1	2	....	....	1	1	....	....	....	....	....	....
	F.	15	3	1	2	1	....	7	2	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	2	....	....	1	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	4	2	1	....	....	1	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	3	....	....	....	1	2	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	13	....	2	1	1	3	7	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	11	....	3	....	2	2	7	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	4	....	....	1	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	1	....	2	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	14	....	....	....	....	....	....	....	1	1	....	2	....	1	3	....	3	1	1	1	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	1	....	....	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	2	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	5	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	1	....	1	....	....	....	1	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	3	1	1	....	....	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	14	....	....	....	....	....	....	....	....	2	....	1	1	1	1	2	4	2	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	1													1												
	F.	1												1													
German parents	M.	2													1		1										
	F.																										
16. Septicæmia:																											
Irish parents	M.	2										1							1								
	F.	1													1												
German parents	M.	1																1									
	F.	1																									1
17. Puerperal septicæmia:																											
Irish parents	F.	1										1															
German parents	F.	2										2															
18. Venereal diseases:																											
Irish parents	M.	1														1											
	F.	1															1										
German parents	M.	1																			1						
	F.																										
19. Others of this group:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.																										
	F.																										
General diseases—B.																											
Total		37	1					1	1		1	2	3	2	7	3	5	4	4	2	2						
Irish parents	M.	21	1					1				1	2		7	1	2	1	3	1	2						
	F.	1							1																		
German parents	M.	13									1		1	2		2	2	3	1	1							
	F.	2										1					1										
1. Worms:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	16										1	1		5	1	2	1	2	1	2						
	F.																										
German parents	M.	9											1	1		2	2	2	1								
	F.	1															1										
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.	2													1				1								
	F.	1							1																		
German parents	M.	3									1							1		1							
	F.	1										1															
6. Inanition:																											
Irish parents	M.	3	1					1					1		1												
	F.																										
German parents	M.	1												1													
	F.																										
General diseases—C.																											
Total		42	12	1				13								2	3	3	3	2	3	5	3	3	2		
Irish parents	M.	17	5	1				6								2	1	1	1	1	2	2		1			
	F.	12	5					5									1	2	1					1	2		
German parents	M.	12	2					2									1			1	1	3	3	1			
	F.	1																	1								
1. Premature birth:																											
Irish parents	M.	1	1					1																			
	F.																										
German parents	M.																										
	F.																										
2. Stillborn:																											
Irish parents	M.	2	2					2																			
	F.	5	5					5																			
German parents	M.	2	2					2																			
	F.																										
3. Malformation:																											
Irish parents	M.	1	1					1																			
	F.																										
German parents	M.																										
	F.																										
4. Debility:																											
Irish parents	M.	10	1	1				2								2	1	1	1		2	1					
	F.	3															1	1	1								
German parents	M.	6															1			1	1	2	1				
	F.	1																	1								
5. Old age:																											
Irish parents	M.	3																		1		1					
	F.	4																1				1	2				
German parents	M.	4																			1	2	1				
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
General diseases—D.																											
Total		153	3		1	1		7			6	8	13	16	18	9	13	23	12	6	10	6	4	1			1
Irish parents	M.	55	2		3	1		6			1	1	4	4	7	4	4	8	3	1	4	3	3	1			1
	F.	40									4	3	4	4	6	2	2	5	3		4	2	1				
German parents	M.	39									1	2	2	7	5	3	4	4	5	4	1	1					
	F.	19	1					1				2	3	1			3	6	1	1	1							
1. Rheumatism:																											
Irish parents	M.	1																									1
	F.	2																1	1								
German parents	M.	1																	1								
	F.																										
2. Scrofula and tabes:																											
Irish parents	M.	2			1			1								1											
	F.																										
German parents	M.																										
	F.																										
3. Leprosy:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
4. Consumption:																											
Irish parents	M.	39			1	1		2			1	1	4	3	7	3	3	7	2		2	3	1				
	F.	29									4	3	4	4	6	1	2	2	1		1	1					
German parents	M.	29									1	2	2	7	4	2	2	4	1	3	1						
	F.	12										2	3				3	3	1								
5. Hydrocephalus:																											
Irish parents	M.	2	2					2																			
	F.																										
German parents	M.																										
	F.																										
6. Cancer:																											
Irish parents	M.	2																1			1						
	F.	6														1		1	1		3						
German parents	M.	4															2		1			1					
	F.	3	1					1						1				1									
7. Tumor:																											
Irish parents	M.	1			1			1																			
	F.																										
German parents	M.																										
	F.	1																1									
8. Anæmia:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
9. Dropsy:																											
Irish parents	M.	8												1			1		1	1	1		2	1			
	F.	5																1				1	1				
German parents	M.	5													1	1			2	1							
	F.	3																1		1	1						
10 Glycosuria:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
11. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
12. Others of this class:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		102	14	3	3	1		21	3	2	1	3	2	4	8	11	9	11	13	4	4	6					
Irish parents	M.	48	5	2	1	1		9			1	2	1	1	6	4	4	3	9	2	2	4					
	F.	24	2		2			4	2	1			1	1		4	1	3	1	2	2	2					
German parents	M.	20	3					3				1		2	1	3	2	5	3								
	F.	10	4	1				5	1	1					1		2										
1. Inflammation of the brain:																											
Irish parents	M.	4	1			1		2			1	1					1				2	1					
	F.	8			1			1	2							1	1										
German parents	M.	3	2					2						1													
	F.	4	1					1	1	1					1												
2. Meningitis:																											
Irish parents	M.	3	2	1				3																			
	F.																										
German parents	M.																										
	F.																										
3. Apoplexy:																											
Irish parents	M.	6	1					1					1			1			1		1	1					
	F.	2																1		1							
German parents	M.	1												1													
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	18		1				1				1			2	1	2	2	5	2	1	1					
	F.	5														2			1	1		1					
German parents	M.	6														1		3	2								
	F.	1															1										
5. Tetanus and trismus nascentium:																											
Irish parents	M.	1														1											
	F.																										
German parents	M.																										
	F.																										
6. Epilepsy:																											
Irish parents	M.	1																	1								
	F.	1											1														
German parents	M.	1										1															
	F.																										
7. Convulsions:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.	1																	1								
	F.	4	3	1				4																			
8. Mental diseases:																											
Irish parents	M.	3													1	1	1										
	F.	1																1									
German parents	M.	1															1										
	F.																										
9. Diseases of the brain:																											
Irish parents	M.	11	1		1			2						1	3		1	1	1			2						
	F.	4								1				1		1		1									
German parents	M.	6	1					1							1	2	1	1									
	F.	1															1										
10. Diseases of the spinal cord:																											
Irish parents	M.	1																	1								
	F.	2	1		1			2																			
German parents	M.	1																1									
	F.																										
11. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		48	2					2	2		1	4	1	5	5	6	5	4	2	5	1	4					1
Irish parents	M.	23	1					1	1			1		3	4	3	2	3	2	2	1						
	F.	8							1		1			1	1		1	1				2					
German parents	M.	15	1					1				1	1	1		3	2			3		2					1
	F.	2										2															
1. Angina pectoris:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Aneurism:																											
Irish parents	M.	1																1									
	F.																										
German parents	M.	2												1		1											
	F.																										
3. Diseases of the heart:																											
Irish parents	M.	22	1					1	1			1		3	4	3	2	2	2	2	1						
	F.	8							1		1			1	1		1	1				2					
German parents	M.	13	1					1				1	1			2	2			3		2					1
	F.	2										2															
4. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		187	13	4	1	1	3	22	5	2	5	10	17	10	11	20	29	19	15	9	5	3	2	1			2
Irish parents	M.	103	5	1			2	8		1	1	6	11	5	7	12	19	15	8	4	3	1					2
	F.	32	4	1		1		6	3	1	3	2	1	2	3	3	1		2	2	1	1	1				
German parents	M.	39	3	2	1		1	7	1		1	2	4	2	1	2	6	4	3	3	1	1		1			
	F.	13	1					1	1				1	1		3	3		2				1				
1. Croup:																											
Irish parents	M.	2	1				1	2																			
	F.	2	1					1	1																		
German parents	M.	1	1					1																			
	F.	2	1					1	1																		
2. Laryngitis:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Bronchitis:																											
Irish parents	M.	2		1				1		1																	
	F.																										
German parents	M.	3	1	2				3																			
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																											
4. Pneumonia:																											
Irish parents	M.	93	3				1	4			1	0	10	4	7	10	19	15	8	3	3	1					2
	F.	28	3	1		1		5	2	1	3	2	1	2	2	3	1		2	2	1	1					
German parents	M.	31			1		1	2	1		1	1	4	2	1	2	6	3	3	3		1		1			
	F.	11											1	1		3	3		2				1				
5. Pleurisy:																											
Irish parents	M.	1														1											
	F.																										
German parents	M.																										
	F.																										
6. Asthma:																											
Irish parents	M.																										
	F.	1																					1				
German parents	M.																										
	F.																										
7. Others of this group:																											
Irish parents	M.	5	1					1					1	1		1				1							
	F.	1													1												
German parents	M.	4	1					1				1						1			1						
	F.																										
V.—DISEASES OF THE DIGESTIVE SYSTEM.																											
Total		41	3	3	1			7			4	2	1	2	5	6	5	5	2	1	1						
Irish parents	M.	18	2					2			2	2			2	1	4	3	2								
	F.	10	1		1			2			2		1	1	1	1		1		1							
German parents	M.	8		1				1							2	3	1	1									
	F.	5		2				2						1		1					1						
1. Dentition:																											
Irish parents	M.	2	2					2																			
	F.	1	1					1																			
German parents	M.	1		1				1																			
	F.	2		2				2																			
2. Angina:																											
Irish parents	M.																										
	F.	1									1																
German parents	M.																										
	F.																										
3. Gastritis:																											
Irish parents	M.	3										1			1		1										
	F.	1																		1							
German parents	M.																										
	F.	1														1											
4. Other diseases of the stomach:																											
Irish parents	M.	2																1	1								
	F.	1			1			1																			
German parents	M.	2													1	1											
	F.																										
5. Obstruction of the bowels:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.																										
	F.																										
6. Hernia:																											
Irish parents	M.	3									1						1	1									
	F.																										
German parents	M.																										
	F.																										
7. Other diseases of the bowels:																											
Irish parents	M.																										
	F.																										
German parents	M.	1														1											
	F.																										
8. Jaundice:																											
Irish parents	M.	1															1										
	F.																										
German parents	M.	1																1									
	F.																										
9. Inflammation and abscess of the liver:																											
Irish parents	M.	1															1										
	F.	2											1					1									
German parents	M.																										
	F.																										
10. Other diseases of the liver:																											
Irish parents	M.	3										1				1			1								
	F.	2												1		1											
German parents	M.	2													1	1											
	F.	2												1							1						
11. Peritonitis:																											
Irish parents	M.	2										1						1									
	F.	2										1			1												
German parents	M.																										
	F.																										
12. Ascites:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
13. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.	1															1										
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	8	1					1						1		1		2			2			1				
Irish parents M.	5	1					1						1				2			1							
Irish parents F.																											
German parents M.	3														1					1			1				
German parents F.																											
1. Bright's disease:																											
Irish parents M.	1												1														
Irish parents F.																											
German parents M.	2														1					1							
German parents F.																											
2. Calculus, urinary:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1																						1				
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	2	1					1													1							
Irish parents F.																											
German parents M.																											
German parents F.																											
4. Diseases of the bladder:																											
Irish parents M.	1																1										
Irish parents F.																											
German parents M.																											
German parents F.																											
5. Others of this group:																											
Irish parents M.	1																1										
Irish parents F.																											
German parents M.																											
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	1															1											
Irish parents F.	1															1											
German parents F.																											
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.																											
German parents F.																											
5. Others of this group:																											
Irish parents F.	1															1											
German parents F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	8											2	1	3	1	1											
Irish parents F.	6											2	1	2		1											
German parents F.	2													1	1												
1. Abortion:																											
Irish parents F.																											
German parents F.	1														1												
2. Child-birth:																											
Irish parents F.	6											2	1	2		1											
German parents F.	1													1													
3. Others of this group:																											
Irish parents F.																											
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	1											1															
Irish parents M.																											
Irish parents F.																											
German parents M.	1											1															
German parents F.																											
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1											1															
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
3. Diseases of the hip-joint:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
4. Others of this group:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	2	1					1									1											
Irish parents { M.	1	1					1																				
Irish parents { F.																											
German parents { M.	1															1											
German parents { F.																											
1. Abscess:																											
Irish parents { M.	1	1					1																				
Irish parents { F.																											
German parents { M.	1															1											
German parents { F.																											
2. Carbuncle:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
3. Others of this group:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1																			1							
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.	1																			1							
1. Addison's disease:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
2. Diseases of the spleen:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.	1																			1							
3. Others of this group:																											
Irish parents { M.																											
Irish parents { F.																											
German parents { M.																											
German parents { F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	144	2	2		2		6	2	1	1	9	19	21	26	12	22	12	5	3	3							2
Irish parents { M.	93				1		1	1	1	1	7	12	13	20	10	14	6	2	2	2							1
Irish parents { F.	8	2					2					1	1		1	1	1	1									
German parents { M.	38		1		1		2				2	5	6	6	1	6	5	2	1	1							1
German parents { F.	5		1				1	1				1	1			1											
1. Burns and scalds:																											
Irish parents { M.	1												1				1										
Irish parents { F.	1																										
German parents { M.	1				1		1																				
German parents { F.	2		1				1	1																			
2. Drowned:																											
Irish parents { M.	4												1	1	1	1											
Irish parents { F.	1															1											
German parents { M.	4		1				1				1		2														
German parents { F.																											
3. Exposure and neglect:																											
Irish parents { M.	4				1		1					1						1		2							
Irish parents { F.	2	1					1																				
German parents { M.																											
German parents { F.																											
4. Gunshot wounds:																											
Irish parents { M.	30										5	3	1	5	1	5											
Irish parents { F.																											
German parents { M.	6											2		2			2										
German parents { F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	4									1				1	1		1									
	F.																										
German parents	M.	3												1			2										
	F.	1															1										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
8. Railroad accidents:																											
Irish parents	M.	2												2													1
	F.																										
German parents	M.																										
	F.																										
9. Suffocation:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.	2										1															1
	F.																										
10. Suicide by shooting:																											
Irish parents	M.	4											1		2		1										
	F.																										
German parents	M.	2													1		1										
	F.																										
11. Suicide by drowning:																											
Irish parents	M.																										
	F.																										
German parents	M.	1																	1								
	F.																										
12. Suicide by poison:																											
Irish parents	M.	2													1		1										
	F.																										
German parents	M.	1														1											
	F.	1											1														
13. Other suicides:																											
Irish parents	M.	4											1					2	1								
	F.	1														1											
German parents	M.	2												1							1						
	F.	1												1													
14. Sunstroke:																											
Irish parents	M.	1														1											
	F.																										
German parents	M.																										
	F.																										
15. Surgical operations:																											
Irish parents	M.	2												1			1										
	F.	1											1														
German parents	M.																										
	F.																										
16. Wounds:																											
Irish parents	M.	4										1		1	1					1							
	F.																										
German parents	M.	3																1	2								
	F.																										
17. Others of this group:																											
Irish parents	M.	40							1	1		1	6	6	9	6	5	3	1	1							
	F.	1												1													
German parents	M.	13											3	2	3		3	2									
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1912	386	58	48	33	24	549	71	35	39	47	89	121	164	141	147	152	95	84	50	43	41	26	9	6		3
Total: Irish parents	M.	777	156	22	16	15	12	221	29	19	9	19	18	43	75	55	67	70	42	42	12	16	8	8		1		2
	F.	509	107	14	15	6	5	147	18	6	15	10	30	34	41	42	33	33	19	17	15	13	18	13	4	1		
German parents	M.	452	76	12	9	9	6	112	12	6	11	14	27	30	32	37	34	42	28	21	20	10	6	4	2	4		
	F.	194	47	10	8	3	1	69	12	4	4	4	14	14	16	7	13	7	6	4	3	4	9	1	3			
Unknown causes.																												
Total		18	4			2		6				1		1	4	2	1			2			1					
Irish parents	M.	8	1					1						1	2	2	1			1								
	F.	5	1			1		2							1					1			1					
German parents	M.	5	2			1		3				1			1													
	F.																											
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		268	64	17	17	10	10	118	28	12	13	13	17	16	11	9	8	6	7	6	2		2					
Irish parents	M.	89	23	5	6	3	4	41	9	4	1	7	3	4	2	5	4	2	3	2			2					
	F.	73	19	4	5	1	3	32	6	4	5	3	5	10	2	3		1		1	1							
German parents	M.	66	15	4	3	4	2	28	6	2	4	2	6	2	3	1	1	3	4	3	1							
	F.	40	7	4	3	2	1	17	7	2	3	1	3		4		3											
1. Small-pox:																												
Irish parents	M.																											
	F.																											
German parents	M.	1									1																	
	F.																											
2. Measles:																												
Irish parents	M.	3			2			2				1																
	F.	3	1	1	1			3																				
German parents	M.	2		1		1		2																				
	F.	1							1																			
3. Scarlet fever:																												
Irish parents	M.	6	3	1		1	1	6																				
	F.	1							1																			
German parents	M.	1		1				1																				
	F.																											
4. Diphtheria:																												
Irish parents	M.	17			2	1	2	5	8	2			1		1													
	F.	7		1	1	1		3	2		1					1												
German parents	M.	12	1	2	2		2	7	5																			
	F.	12			2	1	1	4	5	1		1			1													
5. Hooping-cough:																												
Irish parents	M.	5	2	2	1			5																				
	F.	4	2		1		1	4																				
German parents	M.	3	3					3																				
	F.	1							1																			
6. Fever:																												
Irish parents	M.																											
	F.	1																		1								
German parents	M.																											
	F.																											
7. Cerebro-spinal fever:																												
Irish parents	M.	2														2												
	F.	1			1			1																				
German parents	M.	4	1			2		3	1																			
	F.																											
8. Enteric fever:																												
Irish parents	M.	15								1	1	2	2	2	1	1	1	1	1				2					
	F.	15					1	1	1	3	3	2	2	1	1			1										
German parents	M.	13								1	1	2	4	1		1		1	1	1								
	F.	6		1				1		1	3				1													
9. Diarrhœa:																												
Irish parents	M.	7	6					6						1														
	F.	1	1					1																				
German parents	M.	4	2					2							2													
	F.	1	1					1																				
10. Dysentery:																												
Irish parents	M.	3	1	1				2											1									
	F.	1	1					1																				
German parents	M.	1	1					1																				
	F.																											
11. Enteritis:																												
Irish parents	M.	10	4			1	1	6		1		1					1	1										
	F.	7	1				1	2				1	1	2							1							
German parents	M.	3	1			1		2			1									1								
	F.	6	4					4					1				1											
12. Cholera morbus:																												
Irish parents	M.	3	1					1	1										1									
	F.																											
German parents	M.	1													1													
	F.	1				1		1																				
13. Cholera infantum:																												
Irish parents	M.	8	6	1	1			8																				
	F.	16	13	2	1			16																				
German parents	M.	6	5		1			6																				
	F.	4	2	2				4																				
14. Malarial fever:																												
Irish parents	M.	4										1				2	1											
	F.	3							2					1														
German parents	M.	3									1		1					1										
	F.	1			1			1																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																											
15. Erysipelas:																											
Irish parents	M.	1												1													
	F.																										
German parents	M.																										
	F.																										
16. Septicæmia:																											
Irish parents	M.	4										2					1			1							
	F.	1									1																
German parents	M.	4	1					1			1			1					1								
	F.	3		1				1									2										
17. Puerperal septicæmia:																											
Irish parents	F.	9											1	5	1	2											
German parents	F.	2											1		1												
18. Venereal diseases:																											
Irish parents	M.	1																		1							
	F.																										
German parents	M.	3											1				1	1									
	F.	1											1														
19. Others of this group:																											
Irish parents	M.																										
	F.	3								1			1	1					1	2	1						
German parents	M.	4													1												
	F.	1																									
General diseases—B.																											
Total		74	36		1			37	1					3	6	8	8	5	2	1		1	2				
Irish parents	M.	27	11					11	1					1	2	3	5	3		1							
	F.	28	13		1			14						1	2	3	2	2	2			1	1				
German parents	M.	12	6					6						1	1	2	1						1				
	F.	7	6					6							1												
1. Worms:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Other parasitic diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Alcoholism:																											
Irish parents	M.	12												1	2	3	4	1		1							
	F.	13												1	2	3	2	2	2				1				
German parents	M.	6												1	1	2	1						1				
	F.	1													1												
4. Lead poison:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
5. Other poisons:																											
Irish parents	M.	1							1								1	2									
	F.																										
German parents	M.																										
	F.																										
6. Inanition:																											
Irish parents	M.	11	11					11																			
	F.	15	13		1			14														1					
German parents	M.	6	6					6																			
	F.	6	6					6																			
General diseases—C.																											
Total		229	148	1				149	1	1				1	2		4	5	1	2	3	14	20	16	5	4		1
Irish parents	M.	86	70					70	1	1					1		2	1		1		4		3		1		1
	F.	75	38					38							1		2	2			2	4	12	10	3	1		
German parents	M.	40	23	1				24										1		1		5	5	2		2		
	F.	28	17					17						1				1	1		1	1	3	1	2			
1. Premature birth:																											
Irish parents	M.	9	9					9																			
	F.	1	1					1																			
German parents	M.	2	2					2																			
	F.	3	3					3																			
2. Stillborn:																											
Irish parents	M.	51	51					51																			
	F.	30	30					30																			
German parents	M	15	15					15																			
	F.	10	10					10																			
3. Malformation:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.																										
	F.																										
4. Debility:																											
Irish parents	M.	21	10					10	1	1					1		2	1		1		2		1				1
	F.	20	5					5							1		2	2			1	2	2	4	1			
German parents	M.	12	7	1				7										1		1		1		2				
	F.	8	4					4						1				1	1				1					
5. Old age:																											
Irish parents	M.	5																				2		2		1		
	F.	22																			1	2	10	6	2	1		
German parents	M.	11																				4	5			2		
	F.	7																			1	1	2	1	2			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents	M.																										
	F.	1	1					1																			
German parents	M.																										
	F.																										
General diseases—D.																											
Total		383	11	2	2	....	1	16	9	4	12	17	30	41	57	40	44	40	27	19	15	6	4	1	1	....	....
Irish parents	M.	153	4	....	2	....	....	6	3	2	2	7	4	18	29	13	22	22	10	9	2	2	1	1	....	....	....
	F.	108	3	1	....	....	....	4	3	1	6	5	8	7	19	17	9	8	6	5	4	3	2	....	1	....	....
German parents	M.	83	2	....	....	....	1	3	1	1	3	2	10	9	7	8	8	10	10	3	8	....	....	....	....	....	....
	F.	39	2	1	....	....	....	3	2	....	1	3	8	7	2	2	5	....	1	2	1	1	1	....	....	....	....
1. Rheumatism:																											
Irish parents	M.	3	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Scrofula and tabes:																											
Irish parents	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Leprosy:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Consumption:																											
Irish parents	M.	110	1	....	....	....	....	1	1	1	1	7	4	18	25	10	10	14	6	3	1	1	....	1	....	....	....
	F.	73	2	....	....	....	....	2	3	1	6	5	7	5	15	11	4	5	....	3	2	2	1	....	1	....	....
German parents	M.	50	....	....	....	....	1	1	....	....	3	2	9	7	4	3	7	8	4	1	1	....	....	....	....	....	....
	F.	23	....	1	....	....	....	1	....	....	....	3	3	3	2	....	3	....	1	1	1	....	....	....	....	....	....
5. Hydrocephalus:																											
Irish parents	M.	5	3	....	2	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Cancer:																											
Irish parents	M.	22	....	....	....	....	....	....	....	....	....	....	....	....	1	3	4	6	2	4	....	1	1	....	....	....	....	....
	F.	21	....	....	....	....	....	....	....	....	....	....	....	....	3	5	3	2	5	1	1	....	....	....	....	....	....	....
German parents	M.	22	....	....	....	....	....	....	....	....	....	....	1	2	2	3	1	1	6	1	5	....	....	....	....	....	....	....
	F.	9	....	....	....	....	....	....	1	....	....	....	....	3	....	1	2	....	....	....	....	1	1	....	....	....	....	....
7. Tumor:																											
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Anæmia:																											
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9. Dropsy:																											
Irish parents	M.	8	....	....	....	....	....	....	1	1	....	....	....	....	1	....	1	2	1	....	1	....	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	....	1	2	....	....	2	....	1	....	....	....	....	....	....	....	....	....
German parents	M.	5	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	1	2	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....
10. Glycosuria:																											
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....
German parents	M.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
11. Others of this group:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Others of this class:																											
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total		232	48	14	15	4	4	85	7	3	1	4	4	8	15	15	22	19	17	15	8	2	3	1	3	1	....
Irish parents	M.	88	20	4	4	2	3	33	2	2	1	2	....	3	7	3	10	6	5	9	3	....	1	1	....	....	....
	F.	52	8	3	4	2	1	18	5	....	....	....	....	3	3	4	4	4	4	4	2	....	1	....	....	....	....
German parents	M.	67	13	5	5	....	....	23	....	1	....	3	3	2	3	5	6	8	7	2	3	1	....	....	1	1	....
	F.	25	7	2	2	....	....	11	....	....	....	....	2	....	2	3	2	1	1	....	....	1	1	....	1	....	....	....
1. Inflammation of the brain:																											
Irish parents	M.	7	1	....	2	....	2	5	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	4	2	....	....	....	....	2	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Meningitis:																											
Irish parents	M.	10	3	3	1	1	1	9	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	1	2	1	....	....	4	4	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	8	3	....	2	....	....	5	....	....	....	....	1	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	5	3	....	....	....	....	3	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
3. Apoplexy:																											
Irish parents	M.	17	....	....	....	....	....	....	....	....	....	....	....	....	1	....	4	2	2	7	....	....	1	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	....	....	....	....	1	2	2	1	1	....	....	....	....	....	....	....	....	....	....
German parents	M.	14	1	....	....	....	....	1	....	....	....	....	....	....	2	1	3	2	2	1	1	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																											
4. Paralysis:																											
Irish parents	M.	15									1				2		4	2	2	1	2			1			
	F.	14												1		1	2	2	3	2	2		1				
German parents	M.	11												1	1	1	1	2			1				1	1	
	F.	6											1		1	1		1				1			1		
5. Tetanus and trismus nascentium:																											
Irish parents	M.	1													1												
	F.																										
German parents	M.																										
	F.	1															1										
6. Epilepsy:																											
Irish parents	M.																										
	F.	3												1				1	1								
German parents	M.	2														1			1								
	F.																										
7. Convulsions:																											
Irish parents	M.	17	15		1	1		17																			
	F.	11	7	1	1	1		10	1																		
German parents	M.	16	6	4	3			13				1	1	1													
	F.	8	4	1	2			7								1											
8. Mental diseases:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
9. Diseases of the brain:																											
Irish parents	M.	14		1				1	1	1		2		2	2		2		1	1	1						
	F.	4			1	1		2								1				1							
German parents	M.	10	1					1		1		1				2	1	2	1	1							
	F.	1																					1				
10. Diseases of the spinal cord:																											
Irish parents	M.	4	1					1	1							2											
	F.	3			1		1	2												1							
German parents	M.	2		1				1										1									
	F.																										
11. Others of this group:																											
Irish parents	M.	3													1			2									
	F.																										
German parents	M.																										
	F.																										
III.—DISEASES OF THE CIRCULATORY SYSTEM.																											
Total		120	5	1	1		2	9	4	3	3		4	9	11	13	18	12	13	6	7	3	3	1	1		
Irish parents	M.	48	2				1	3	2	2	1		2	2	6	6	10	3	4	1	2	3	1				
	F.	26	1					1	1		2		1	1	1	4	4	3	3	2	1		1	1			
German parents	M.	41	2	1	1		1	5	1	1			1	4	4	3	4	6	4	3	4				1		
	F.	5												2					2				1				
1. Angina pectoris:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Aneurism:																											
Irish parents	M.	5											1	1	2	1	3										
	F.	1														1											
German parents	M.	6								1				1	1		1	2									
	F.																										
3. Diseases of the heart:																											
Irish parents	M.	30	1				1	2	2	2	1		1	1	4	5	7	3	4	1	2	3	1				
	F.	22									2		1	1		3	4	3	3	2	1		1	1			
German parents	M.	32		1			1	2	1				1	3	3	3	3	4	4	3	4				1		
	F.	5												2					2				1				
4. Others of this group:																											
Irish parents	M.	1	1					1																			
	F.	3	1					1	1						1												
German parents	M.	3	2		1			3																			
	F.																										
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																											
Total		249	51	17	9	14	5	96	10	4		3	6	8	10	17	15	31	16	14	7	6	1	5			
Irish parents	M.	117	20	10	2	9	3	44	3	1		1	1	1	7	9	7	15	11	8	4	2		3			
	F.	68	17	5	4	2	1	29	2	1		1	3	4	2	4	4	8	3	2	1	2		2			
German parents	M.	40	8	1		2	1	12	2			1	1	3	1	4	4	5	1	3	1	2					
	F.	24	6	1	3	1		11	3	2			1					3	1	1	1		1				
1. Croup:																											
Irish parents	M.	11	2	1	1	6		10		1																	
	F.	10	4	3	1			8	1	1																	
German parents	M.	4				1	1	2	2																		
	F.	3	1		2			3																			
2. Laryngitis:																											
Irish parents	M.	1							1																		
	F.																										
German parents	M.																										
	F.	1											1														
3. Bronchitis:																											
Irish parents	M.	21	3		1	1	1	6	1						2		2	2	2	3	1		2				
	F.	14	2	2	1			5	1					1		1	1	3			1	1					
German parents	M.	5	3	1				4									1										
	F.	5			1			1	1									1			1		1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	68	11	8		2	2	23	1				1	1	5	7	5	11	7	4	1	1		1				
	F.	37	10		1	2	1	14				1	3	2	1	2	3	5	2	1		1		2				
German parents	M.	21	3			1		4				1		2	1	3	2	5	1	1		1						
	F.	13	5	1		1		7	2	1								1	1	1								
5. Pleurisy:																												
Irish parents	M.	3														1	1		1									
	F.	1																		1								
German parents	M.	5	1					1					1	1			1			1								
	F.	1								1																		
6. Asthma:																												
Irish parents	M.	3																2	1									
	F.	3	1					1							1			1										
German parents	M.	2																			1	1						
	F.	1																1										
7. Others of this group:																												
Irish parents	M.	10	4	1				5				1				1	1			2								
	F.	3			1			1						1		1												
German parents	M.	3	1					1								1				1								
	F.																											
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		102	11	6	1	1		19		1	2	1	3	0	15	12	13	10	3	9	3	3	2					
Irish parents	M.	35	2	3	1	1		7		1				2	4	4	4	4	3	5			1					
	F.	28	4	1				5			2	1	2		5	3	4	3			2	2						
German parents	M.	24	4					4					1	2	3	4	3	2		3	1	1						
	F.	15	1	2				3						2	3	2	2	1		1			1					
1. Dentition:																												
Irish parents	M.	4	1	3				4																				
	F.	2	2					2																				
German parents	M.	1	1					1																				
	F.	2		2				2																				
2. Angina:																												
Irish parents	M.																											
	F.	1															1											
German parents	M.	1	1					1																				
	F.																											
3. Gastritis:																												
Irish parents	M.	3													1	1	1											
	F.	1															1											
German parents	M.	2	1					1												1								
	F.	2												1		1												
4. Other diseases of the stomach:																												
Irish parents	M.	2			1			1								1												
	F.	2														1	1											
German parents	M.																											
	F.																											
5. Obstruction of the bowels:																												
Irish parents	M.	1																1										
	F.																											
German parents	M.	1											1															
	F.																											
6. Hernia:																												
Irish parents	M.	1																1										
	F.																											
German parents	M.	1																		1			1					
	F.	1																										
7. Other diseases of the bowels:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Jaundice:																												
Irish parents	M.	2	1			1		2																				
	F.																											
German parents	M.																											
	F.	2															1	1										
9. Inflammation and abscess of the liver:																	2											
Irish parents	M.	2													1	1		1			1	1						
	F.	5												2	2		1	1										
German parents	M.	6														1												
	F.	1																										
10. Other diseases of the liver:																												
Irish parents	M.	9													1	1	1	1	3	2								
	F.	6	1					1			1				1		1	1				1						
German parents	M.	7														4	2	1										
	F.	3												1	1					1								
11. Peritonitis:																												
Irish parents	M.	6								1				1	1	1		1					1					
	F.	9									1	1	2		3			1			1							
German parents	M.	2													1						1							
	F.	4	1					1							2		1											
12. Ascites:																												
Irish parents	M.	4												1	1					2								
	F.																											
German parents	M.	2																			1	1						
	F.																											
13. Others of this group:																												
Irish parents	M.	1																		1								
	F.	2	1	1				2																				
German parents	M.	1	1					1																				
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																										
Total	30					1	1	1		1		1	1	2	4	2	5	1	4	3	3				1	
Irish parents M.	16							1					1	1	1	1	5	1	3		2					
Irish parents F.	3																		1	2						
German parents M.	10					1	1			1		1			3	1				1	1				1	
German parents F.	1													1												
1. Bright's disease:																										
Irish parents M.	7													1		1	3	1	1							
Irish parents F.	2																			2						
German parents M.	6					1	1			1					2	1				1						
German parents F.	1													1												
2. Calculus, urinary:																										
Irish parents M.																										
Irish parents F.																										
German parents M.	1																							1		
German parents F.																										
3. Diseases of the kidney:																										
Irish parents M.	4							1									2		1							
Irish parents F.	1																		1							
German parents M.	1														1											
German parents F.																										
4. Diseases of the bladder:																										
Irish parents M.	4												1		1						2					
Irish parents F.																										
German parents M.	1																				1					
German parents F.																										
5. Others of this group:																										
Irish parents M.	1																		1							
Irish parents F.																										
German parents M.	1											1														
German parents F.																										
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																										
Total	6												2	1	1		2									
Irish parents F.	5												2	1	1		1									
German parents F.	1																1									
1. Ovarian tumors:																										
Irish parents F.																										
German parents F.																										
2. Ovarian diseases:																										
Irish parents F.																										
German parents F.																										
3. Uterine tumors:																										
Irish parents F.																										
German parents F.	1																1									
4. Uterine diseases:																										
Irish parents F.	2												1		1											
German parents F.																										
5. Others of this group:																										
Irish parents F.	3												1	1			1									
German parents F.																										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																										
Total	20											9	6	4	1											
Irish parents F.	17											9	4	3	1											
German parents F.	3												2	1												
1. Abortion:																										
Irish parents F.																										
German parents F.																										
2. Child-birth:																										
Irish parents F.	17											9	4	3	1											
German parents F.	3												2	1												
3. Others of this group:																										
Irish parents F.																										
German parents F.																										
IX.—DISEASES OF THE BONES AND JOINTS.																										
Total	5							1	1							2						1				
Irish parents M.	2							1	1																	
Irish parents F.	1															1										
German parents M.	1															1										
German parents F.	1																					1				
1. Diseases of the spine:																										
Irish parents M.																										
Irish parents F.																										
German parents M.																										
German parents F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents	M.																										
	F.																										
German parents	M.	1															1										
	F.																										
3. Diseases of the hip-joint:																											
Irish parents	M.	2							1	1																	
	F.																										
German parents	M.																										
	F.																										
4. Others of this group:																											
Irish parents	M.																										
	F.	1															1										
German parents	M.																										
	F.	1																					1				
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total		3												1					1			1					
Irish parents	M.	1																	1								
	F.																										
German parents	M.	1												1													
	F.	1																				1					
1. Abscess:																											
Irish parents	M.																										
	F.																										
German parents	M.	1												1													
	F.																										
2. Carbuncle:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.	1																	1								
	F.																										
German parents	M.																										
	F.	1																				1					
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total		2														2											
Irish parents	M.	1														1											
	F.	1														1											
German parents	M.																										
	F.																										
1. Addison's disease:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
2. Diseases of the spleen:																											
Irish parents	M.	1														1											
	F.	1														1											
German parents	M.																										
	F.																										
3. Others of this group:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
XII.—ACCIDENTS AND INJURIES.																											
Total		171	8		2	2	1	13	9	6	7	8	15	18	26	17	10	17	7	6	2	4	2	2			2
Irish parents	M.	86	3		1		1	5	6	5	4	2	8	10	14	8	1	9	4	2	1	3	2				2
	F.	19	3		1			4	1				2	2	1	2	3	1	1	1		1					
German parents	M.	62	1			2		3	2	1	3	6	5	6	9	7	5	7	2	3	1			2			
	F.	4	1					1							2		1										
1. Burns and scalds:																											
Irish parents	M.	3			1			1		1				1													
	F.	3											1			1	1										
German parents	M.																										
	F.																										
2. Drowned:																											
Irish parents	M.	23					1	1	4	2	3		1	4	2	1	1	2	2								
	F.	1															1										
German parents	M.	10				1		1			2	2	1		1	1		1		1							
	F.																										
3. Exposure and neglect:																											
Irish parents	M.	2																				1	1				
	F.	1	1					1																1			
German parents	M.	2													1												
	F.																										
4. Gunshot wounds:																											
Irish parents	M.	2													1								1				
	F.																										
German parents	M.	2												1	1												
	F.																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																											
5. Homicide:																											
Irish parents	M.	8								1			1	3		2		1									
	F.																										
German parents	M.	1												1													
	F.																										
6. Infanticide:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
7. Injuries by machinery:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
8. Railroad accidents:																											
Irish parents	M.	6								1			1		2	1		1									
	F.																										
German parents	M.	8							1						1	4	1							1			
	F.																										
9. Suffocation:																											
Irish parents	M.	4	2					2	1																		1
	F.	4	2		1			3								1											
German parents	M.	2				1		1							1												
	F.	2	1					1									1										
10. Suicide by shooting:																											
Irish parents	M.	3											1					1									1
	F.																										
German parents	M.	1																1									
	F.																										
11. Suicide by drowning:																											
Irish parents	M.																										
	F.	1											1														
German parents	M.	2													1				1								
	F.																										
12. Suicide by poison:																											
Irish parents	M.	1																1									
	F.																										
German parents	M.	2											1				1										
	F.																										
13. Other suicides:																											
Irish parents	M.	4											1		1			1		1							
	F.	1												1													
German parents	M.	12										1	2	1		1	2	3		1	1						
	F.	2													2												
14. Sunstroke:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
15. Surgical operations:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
16. Wounds:																											
Irish parents	M.																										
	F.																										
German parents	M.																										
	F.																										
17. Others of this group:																											
Irish parents	M.	30	1					1	1		1	2	3	2	3	4		2	2	1	1	2					
	F.	8							1					1	1		1	1	1	1		1					
German parents	M.	20	1					1	1	1	1	3	1	3	3	1	1	2	1	1							
	F.																										

INDEX TO STATISTICS OF MORTALITY.

PART I.

	Table.	Page.
A.		
Age and Sex, Deaths, by States and Territories, with distinction of—1880.	III	9–13
Age and Sex, Deaths for the United States and for each State Group (exclusive of certain cities) from each specified disease and class of diseases, with distinction of—1880.	VII	43–497
Age and Sex, Deaths in certain Grand Groups, by, with distinction of Irish and German parentage, and specification of cause—1880.	XII	651–764
Age and Sex, Deaths in certain Grand Groups, by, with distinction of Race and specification of cause—1880.	XI	569–650
Age and Sex, Deaths in 50 principal cities, by Grand Groups, with distinction of, and specification of cause—1880.	VIII	499–556
Age and Sex, Deaths in the Chinese population of the United States, by, with distinction of cause—1880.	IX	557–562
Age and Sex, Deaths in the Indian population of the United States, by, with distinction of cause—1880.	X	563–568
Age in relation to deaths		xxiv–xxxiii
Age, Race, and Sex, Deaths, by States and Territories, with distinction of—1880.	IV	15–29
Alabama (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	54–65
Appendix, containing counties in alphabetical order forming the State Groups.		xlix–lxiii
Arizona, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	66–69
Arkansas (Groups 1 and 2), Deaths from each specified disease and class of diseases. with distinction of Age and Sex—1880.	VII	70–77
C.		
California (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	78–85
Chinese population of the United States, Deaths in the, by Age and Sex, with distinction of cause—1880.	IX	557–562
Cities, Deaths in 50 principal, by Grand Groups, with distinction of Age and Sex. and specification of cause—1880.	VIII	499–556
Color, Race, etc., in relation to mortality		xxxiii–xxxix
Colorado (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	86–93
Connecticut (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	94–101
Counties, in alphabetical order, forming the State Groups		li–lxiii
D.		
Dakota (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	102–113
Death rate, General		xviii–xxiii
Death rate per 1000 of population, and Deaths by States and Territories, with distinction of Sex—1880, 1870, 1860.	I	1–3
Death rate per 1000 of population, and Deaths by States and Territories, with distinction of Sex and Race—1880.	II	5–7
Death rate per 1000 of population, by State and Grand Groups—1880.	VI	37–41
Delaware, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	114–117
District of Columbia, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	118–121
E.		
Explanatory and Introductory Remarks		xi–xviii
F.		
Florida, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	122–125
G.		
General death rate		xviii–xxiii
Georgia (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	126–137
German and Irish parentage, Deaths in certain Grand Groups, by Age and Sex, with distinction of, and specification of cause—1880.	XII	651–764
Grand and State Groups, Deaths by, with distinction of Race—1880.	V	31–35
Grand and State Groups, Rate of death per 1000 of population, by—1880.	VI	37–41
Grand Groups, Deaths in certain, by Age and Sex, with distinction of Irish and German parentage, and specification of cause—1880.	XII	651–764
Grand Groups, Deaths in certain, by Age and Sex, with distinction of Race and specification of cause—1880.	XI	569–650
Grand Groups, Deaths in 50 principal cities, by, with distinction of Age and Sex, and specification of cause—1880.	VIII	499–556
I.		
Idaho, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	138–141
Illinois (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	142–153
Indian population of the United States, Deaths in the, by Age and Sex, with distinction of cause—1880.	X	563–568
Indiana (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	154–165

	Table.	Page.
Indians, in relation to mortality		xxxiv–xxxvii
Introductory and Explanatory Remarks		xi–xviii
Iowa (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	166–177
Irish and German parentage, Deaths in certain Grand Groups, by Age and Sex, with distinction of, and specification of cause—1880.	XII	651–764
K.		
Kansas (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	178–185
Kentucky (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	186–201
L.		
Letter of Transmittal		ix
Louisiana (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	202–213
M.		
Maine (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	214–221
Maryland (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	222–229
Massachusetts (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	230–237
Michigan (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	238–245
Minnesota (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	246–257
Mississippi (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	258–269
Missouri (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	270–285
Montana (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	286–293
Month or season in relation to deaths		xl–xlvii
N.		
Nebraska (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	294–305
Negro, etc., in relation to mortality		xxxiii–xxxix
Nevada, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	306–309
New Hampshire (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	310–317
New Jersey (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	318–325
New Mexico (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	326–333
New York (Groups 1, 2, 3, 4, and 5), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	334–353
North Carolina (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	354–365
O.		
Ohio (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	366–377
Oregon (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	378–385
P.		
Parentage, Deaths in certain Grand Groups, by Age and Sex, with distinction of Irish and German, and specification of cause—1880.	XII	651–764
Pennsylvania (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	386–393
R.		
Race, Age, and Sex, Deaths, by States and Territories, with distinction of—1880.	IV	15–29
Race and Sex, Deaths, by States and Territories, with distinction of, and rate of death per 1000 of population—1880.	II	5–7
Race, Color, etc., in relation to mortality		xxxiii–xxxix
Race, Deaths by State and Grand Groups, with distinction of—1880.	V	31–35
Race, Deaths in certain Grand Groups by Age and Sex, with distinction of, and specification of cause—1880.	XI	569–650
Rate of death per 1000 of population, and Deaths, by States and Territories, with distinction of Sex—1880, 1870, 1860.	I	1–3
Rate of death per 1000 of population, and Deaths, by States and Territories, with distinction of Sex and Race—1880.	II	5–7
Rate of death per 1000 of population, by State and Grand Groups—1880.	VI	37–41
Relation of Age to deaths		xxiv–xxxiii
Relation of Color, Race, etc., to mortality		xxxiii–xxxix
Relation of Month or Season to deaths		xl–xlvii
Relation of Sex to deaths		xxiii–xxiv
Remarks, Introductory and Explanatory		xi–xviii
Rhode Island, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	394–397
S.		
Season or month in relation to deaths		xl–xlvii
Sex and Age, Deaths by States and Territories, with distinction of—1880.	III	9–13
Sex and Age, Deaths for the United States and for each State Group (exclusive of certain cities) from each specified disease and class of diseases, with distinction of—1880.	VII	43–497
Sex and Age, Deaths in certain Grand Groups, by, with distinction of Irish and German parentage, and specification of cause—1880.	XII	651–764
Sex and Age, Deaths in certain Grand Groups, by, with distinction of Race and specification of cause—1880.	XI	569–650
Sex and Age, Deaths in 50 principal cities, by Grand Groups, with distinction of, and specification of cause—1880.	VIII	499–556
Sex and Age, Deaths in the Chinese population of the United States, by, with distinction of cause—1880.	IX	557–562
Sex and Age, Deaths in the Indian population of the United States, by, with distinction of cause—1880.	X	563–568
Sex and Race, Deaths, by States and Territories, with distinction of, and rate of death per 1000 of population—1880.	II	5–7
Sex, Deaths, by States and Territories, with distinction of, and rate of death per 1000 of population—1880, 1870, 1860.	I	1–3
Sex in relation to deaths		xxiii, xxiv
Sex, Race, and Age, Deaths, by States and Territories, with distinction of—1880.	IV	15–29
South Carolina (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	398–409
State and Grand Groups, Deaths by, with distinction of Race—1880.	V	31–35
State and Grand Groups, Rate of death per 1000 of population, by—1880.	VI	37–41
State Groups, alphabetical list of counties forming		lx–lxiii
State Groups (exclusive of certain cities), Deaths from each specified disease and class of diseases, by, with distinction of Age and Sex—1880.	VII	43–497
States and Territories, Deaths by, with distinction of Age and Sex—1880.	III	9–13
States and Territories, Deaths by, with distinction of Race, Age, and Sex—1880.	IV	15–29
States and Territories, Deaths by, with distinction of Sex, and rate of death per 1000 of population—1880, 1870, 1860.	I	1–3

	Table.	Page.
States and Territories, Deaths by, with distinction of Sex and Race, and rate of death per 1000 of population—1880.	II	5–7
T.		
Tennessee (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	410–425
Texas (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	426–437
Transmittal, Letter of		ix
U.		
Utah, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	438–441
V.		
Vermont, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	442–445
Virginia (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	446–457
W.		
Washington (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	458–465
West Virginia (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	466–473
Wisconsin (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	474–489
Wyoming (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	490–497